

Cisco Firepower Classic Device Compatibility Guide

First Published: 2022-05-05

Last Modified: 2024-04-04

Cisco Firepower Classic Device Compatibility Guide

This guide provides software and hardware compatibility for Classic and legacy Firepower devices. For related compatibility guides, see [Additional Resources, on page 1](#).



Note Not all software versions, especially patches, apply to all platforms. A quick way to tell if a version is supported is that its upgrade/installation packages are posted on the Cisco Support & Download site. If the site is "missing" an upgrade or installation package, that version is not supported. You can also check the release notes and [End-of-Life Announcements, on page 11](#). If you feel a version is missing in error, contact Cisco TAC.

Additional Resources

Table 1:

Description	Resources
<i>Sustaining bulletins</i> provide support timelines for the Cisco Next Generation Firewall product line, including management platforms and operating systems.	Cisco NGFW Product Line Software Release and Sustaining Bulletin
<i>Compatibility guides</i> provide detailed compatibility information for supported hardware models and software versions, including bundled components and integrated products.	Cisco Secure Firewall Management Center Compatibility Guide Cisco Secure Firewall ASA Compatibility
<i>Release notes</i> provide critical and release-specific information, including upgrade warnings and behavior changes. Release notes also contain quicklinks to upgrade and installation instructions.	Cisco Firepower Release Notes Cisco Secure Firewall ASA Release Notes
<i>New Feature guides</i> provide information on new and deprecated features by release.	Cisco Secure Firewall Management Center New Features by Release Cisco Secure Firewall ASA New Features by Release

Description	Resources
<i>Documentation roadmaps</i> provide links to currently available and legacy documentation. Try the roadmaps if what you are looking for is not listed above.	Navigating the Cisco Secure Firewall Threat Defense Documentation Navigating the Cisco Secure Firewall ASA Series Documentation

ASA 5500-X Series and ISA 3000 with FirePOWER Services

The ASA FirePOWER module runs on the separately upgraded ASA operating system. There is wide compatibility between ASA and ASA FirePOWER versions. However, upgrading allows you to take advantage of new features and resolved issues. For example, the Firepower captive portal feature requires at least ASA FirePOWER Version 6.0.0 *and* ASA 9.5(2).

Version 7.0.0 is the last major release that supports ASA FirePOWER.

The following table shows the ASA, ASDM, and ASA FirePOWER support. If you are using an FMC to manage ASA FirePOWER, you can ignore the ASDM requirements.

Note that:

- ASA 9.14/ASDM 7.14/Firepower 6.6 is the final version for the ASA FirePOWER module on the ASA 5525-X, 5545-X, and 5555-X.
- ASA 9.12/ASDM 7.12/Firepower 6.4.0 is the final version for the ASA FirePOWER module on the ASA 5515-X and 5585-X.
- ASA 9.9/ASDM 7.9(2)/Firepower 6.2.3 is the final version for the ASA FirePOWER module on the ASA 5506-X series and 5512-X.



Note

- ASDM versions are backwards compatible with all previous ASA versions, unless otherwise stated. For example, ASDM 7.13(1) can manage an ASA 5516-X on ASA 9.10(1).
- ASDM is not supported for FirePOWER module management with ASA 9.8(4.45)+, 9.12(4.50)+, 9.14(4.14)+, and 9.16(3.19)+; you have to use FMC to manage the module with these releases. These ASA releases require ASDM 7.18(1.152) or later, but ASDM support for the ASA FirePOWER module ended with 7.16.
- ASDM 7.13(1) and ASDM 7.14(1) did not support ASA 5512-X, 5515-X, 5585-X, and ASASM; you must upgrade to ASDM 7.13(1.101) or 7.14(1.48) to restore ASDM support.

Table 2: ASA and ASA FirePOWER Compatibility

ASA FirePOWER Version	ASDM Version (for local mgmt)	ASA Version	ASA Model						
			5506-X Series	5508-X 5516-X	5512-X	5515-X	5525-X 5545-X 5555-X	5585-X	ISA 3000
7.0	ASDM 7.16	ASA 9.5(2) through 9.16	—	YES	—	—	—	—	YES
6.7	ASDM 7.15 or later	ASA 9.5(2) through 9.16	—	YES	—	—	—	—	YES
6.6	ASDM 7.14 or later	ASA 9.15, 9.16 (No 5525-X, 5545-X, 5555-X) ASA 9.5(2) through 9.14	—	YES	—	—	YES	—	YES
6.5.0	ASDM 7.13 or later	ASA 9.15, 9.16 (No 5525-X, 5545-X, 5555-X) ASA 9.5(2) through 9.14	—	YES	—	—	YES	—	YES
6.4.0	ASDM 7.12 or later	ASA 9.15, 9.16 (No 5515-X, 5525-X, 5545-X, 5555-X, 5585-X) ASA 9.13, 9.14 (No 5515-X, 5585-X) ASA 9.5(2) through 9.12	—	YES	—	YES	YES	YES	YES
6.3.0	ASDM 7.10 or later	ASA 9.15, 9.16 (No 5515-X, 5525-X, 5545-X, 5555-X, 5585-X) ASA 9.13, 9.14 (No 5515-X, 5585-X) ASA 9.5(2) through 9.12	—	YES	—	YES	YES	YES	YES

ASA FirePOWER Version	ASDM Version (for local mgmt)	ASA Version	ASA Model						
			5506-X Series	5508-X 5516-X	5512-X	5515-X	5525-X 5545-X 5555-X	5585-X	ISA 3000
6.2.3	ASDM 7.9(2) or later	ASA 9.15, 9.16 (No 5506-X, 5512-X, 5515-X, 5525-X, 5545-X, 5555-X, 5585-X) ASA 9.13, 9.14 (No 5506-X, 5512-X, 5515-X, 5585-X) ASA 9.10, 9.12 (No 5506-X, 5512-X) ASA 9.6 through 9.9 ASA 9.5(2), 9.5(3) (No 5506-X)	YES	YES	YES	YES	YES	YES	—
6.2.2	ASDM 7.8(2) or later	ASA 9.15, 9.16 (No 5506-X, 5512-X, 5515-X, 5525-X, 5545-X, 5555-X, 5585-X) ASA 9.13, 9.14 (No 5506-X, 5512-X, 5515-X, 5585-X) ASA 9.10, 9.12 (No 5506-X, 5512-X) ASA 9.6 through 9.9 ASA 9.5(2), 9.5(3) (No 5506-X)	YES	YES	YES	YES	YES	YES	—

ASA FirePOWER Version	ASDM Version (for local mgmt)	ASA Version	ASA Model						
			5506-X Series	5508-X 5516-X	5512-X	5515-X	5525-X 5545-X 5555-X	5585-X	ISA 3000
6.2.0	ASDM 7.7 or later	<p>ASA 9.15, 9.16 (No 5506-X, 5512-X, 5515-X, 5525-X, 5545-X, 5555-X, 5585-X)</p> <p>ASA 9.13, 9.14 (No 5506-X, 5512-X, 5515-X, 5585-X)</p> <p>ASA 9.10, 9.12 (No 5506-X, 5512-X)</p> <p>ASA 9.6 through 9.9</p> <p>ASA 9.5(2), 9.5(3) (No 5506-X)</p>	YES	YES	YES	YES	YES	YES	—
6.1.0	ASDM 7.6(2) or later	<p>ASA 9.15, 9.16 (No 5506-X, 5512-X, 5515-X, 5525-X, 5545-X, 5555-X, 5585-X)</p> <p>ASA 9.13, 9.14 (No 5506-X, 5512-X, 5515-X, 5585-X)</p> <p>ASA 9.10, 9.12 (No 5506-X, 5512-X)</p> <p>ASA 9.6 through 9.9</p> <p>ASA 9.5(2), 9.5(3) (No 5506-X)</p>	YES	YES	YES	YES	YES	YES	—
6.0.1	ASDM 7.6 or later (no ASA 9.4 support with ASDM; only FMC)	<p>ASA 9.6</p> <p>ASA 9.5(1.5), 9.5(2), 9.5(3)</p> <p>ASA 9.4</p> <p>Due to CSCuv91730, we recommend that you upgrade to 9.4(2) and later.</p>	YES	YES	YES	YES	YES	YES	—

ASA FirePOWER Version	ASDM Version (for local mgmt)	ASA Version	ASA Model						
			5506-X Series	5508-X 5516-X	5512-X	5515-X	5525-X 5545-X 5555-X	5585-X	ISA 3000
6.0.0	ASDM 7.5(1.112) or later (no ASA 9.4 support with ASDM; only FMC)	ASA 9.6 ASA 9.5(1.5), 9.5(2), 9.5(3) ASA 9.4 Due to CSCuv91730 , we recommend that you upgrade to 9.4(2) and later.	YES	YES	YES	YES	YES	YES	—
5.4.1.7	ASDM 7.5(1.112) or later (no ASA 9.4 support with ASDM; only FMC)	ASA 9.15, 9.16 (No 5506-X, 5512-X, 5515-X, 5525-X, 5545-X, 5555-X, 5585-X) ASA 9.10 through 9.14 (No 5506-X) ASA 9.5(2) through 9.9 ASA 9.4 ASA 9.4(1.225) (ISA 3000 only) ASA 9.3(2), 9.3(3) (no 5508-X or 5516-X) Due to CSCuv91730 , we recommend that you upgrade to 9.3(3.8) or 9.4(2) and later.	YES	YES	—	—	—	—	YES

ASA FirePOWER Version	ASDM Version (for local mgmt)	ASA Version	ASA Model						
			5506-X Series	5508-X 5516-X	5512-X	5515-X	5525-X 5545-X 5555-X	5585-X	ISA 3000
5.4.1	ASDM 7.3(3) or later	<p>ASA 9.10 through 9.16 (No 5506-X)</p> <p>ASA 9.6 through 9.9</p> <p>ASA 9.5(1.5), 9.5(2), 9.5(3)</p> <p>ASA 9.4</p> <p>ASA 9.3(2), 9.3(3) (5506-X only)</p> <p>Due to CSCuv91730, we recommend that you upgrade to 9.3(3.8) or 9.4(2) and later.</p>	YES	YES	—	—	—	—	—
5.4.0.2	—	<p>ASA 9.13, 9.14 (No 5512-X, 5515-X, 5585-X)</p> <p>ASA 9.6 through 9.12</p> <p>ASA 9.5(1.5), 9.5(2), 9.5(3)</p> <p>ASA 9.4</p> <p>ASA 9.3(2), 9.3(3)</p> <p>Due to CSCuv91730, we recommend that you upgrade to 9.3(3.8) or 9.4(2) and later.</p>	—	—	YES	YES	YES	YES	—
5.4.0.1	—	<p>ASA 9.2(2.4), 9.2(3), 9.2(4)</p> <p>Due to CSCuv91730, we recommend that you upgrade to 9.2(4.5) and later.</p>	—	—	YES	YES	YES	YES	—

ASA FirePOWER Version	ASDM Version (for local mgmt)	ASA Version	ASA Model						
			5506-X Series	5508-X 5516-X	5512-X	5515-X	5525-X 5545-X 5555-X	5585-X	ISA 3000
5.3.1	—	ASA 9.2(2.4), 9.2(3), 9.2(4) Due to CSCuv91730 , we recommend that you upgrade to 9.2(4.5) and later.	—	—	YES	YES	YES	YES	—

Firepower 7000/8000 Series and Legacy Devices

This table lists compatibility with 7000/8000 series devices, AMP models, and legacy device platforms. Version 6.4.0 is the last major release that supports Firepower 7000/8000 series devices.

Table 3: Firepower 7000/8000 Series Compatibility

Device Version	7000/8000 Series (Includes AMP)	Series 2 (Legacy)	Cisco NGIPS for Blue Coat X-Series (Legacy)
6.4	YES	—	—
6.3	YES	—	—
6.2.3	YES	—	—
6.2.2	YES	—	—
6.2.1	—	—	—
6.2.0	YES	—	—
6.1.0	YES	—	—
6.0.0	YES	—	—
5.4.	YES	YES	5.4.0 and 5.4.0.2 - 5.4.0.5 only Requires XOS 9.7.2.x or 10.x

NGIPSv

Version 7.0 is the last major version supported for NGIPSv (virtual NGIPS devices running on VMware).

Table 4: NGIPSv Compatibility

Device Version	VMware vSphere/VMware ESXi							VMware vCloud Director
	7.0	6.7	6.5	6.0	5.5	5.1	5.0	
7.0	YES	YES	YES	—	—	—	—	—
6.7	—	YES	YES	YES	—	—	—	—
6.6	—	YES	YES	YES	—	—	—	—
6.5	—	YES	YES	YES	—	—	—	—
6.4	—	—	YES	YES	—	—	—	—
6.3	—	—	YES	YES	—	—	—	—
6.2.3	—	—	YES	YES	YES	—	—	—
6.2.2	—	—	—	YES	YES	—	—	—
6.2.1	—	—	—	—	—	—	—	—
6.2.0	—	—	—	YES	YES	—	—	—
6.1	—	—	—	YES	YES	—	—	—
6.0.1	—	—	—	—	YES	YES	—	—
6.0.0	—	—	—	—	YES	YES	—	—
5.4	—	—	—	—	YES	YES	YES	YES

Classic Device Management

These tables list the supported devices and management methods for Classic devices, by version.

The FMC can remotely manage multiple Firepower devices, including ASA FirePOWER modules (but not ASA firewall functions). The FMC must run the same or newer version as its managed devices.

Use ASDM to manage one ASA FirePOWER module. ASA FirePOWER is a separately installed module on an ASA device. Traffic is sent to the module after ASA firewall policies are applied. Newer versions of ASDM can manage newer ASA FirePOWER modules.

Table 5: ASA FirePOWER by Manager and Version

Device Platform	Device Versions: FMC-Managed	Device Versions: ASDM-Managed
ISA 3000	6.3 to 7.0	6.3 to 7.0
	5.4.1	5.4.1
ASA 5506-X, 5506H-X, 5506W-X	5.4.1 to 6.2.3	5.4.1 to 6.2.3

Device Platform	Device Versions: FMC-Managed	Device Versions: ASDM-Managed
ASA 5508-X, 5516-X	5.4.1 to 7.0	5.4.1 to 7.0
ASA 5525-X, 5545-X, 5555-X	5.3.1 to 6.6	6.0 to 6.6
ASA 5512-X	5.3.1 to 6.2.3	6.0 to 6.2.3
ASA 5515-X	5.3.1 to 6.4	6.0 to 6.4
ASA 5585-X-SSP-10, -20, -40, -60	5.3.1 to 6.4	6.0 to 6.4

Table 6: NGIPSv by Manager and Version

Device Platform	Device Versions: FMC-Managed
NGIPSv for VMware	5.3 to 7.0

Table 7: Firepower 7000/8000 Series by Manager and Version

Device Platform	Device Versions: FMC-Managed
Firepower 8120, 8130, 8140	5.3 to 6.4
Firepower 8250, 8260, 8270, 8290	
Firepower 8350, 8360, 8370, 8390	
AMP 8050	
AMP 8150, 8350, 8360, 8370, 8390	5.4 to 6.4
Firepower 7010, 7020, 7030	5.3 to 6.4
Firepower 7110, 7115, 7120, 7125	
AMP 7150	
Firepower 7050	5.4 to 6.4
3D500, 1000, 2000	5.3 to 5.4
3D2100, 2500, 3500, 4500, 6500	
3D9900	

Table 8: Cisco NGIPS for Blue Coat X-Series by Manager and Version

Device Platform	Device Versions: FMC-Managed
Cisco NGIPS for Blue Coat X-Series	5.3 to 5.4

About Firepower Version 5.4 Release Sequences

Version 5.4 sequences support different NGIPS appliance models and device management methods.

Table 9: Platform Support for Version 5.4 Release Sequences

Device Version	Supported Devices	Management Methods
5.4.1	ASA FirePOWER: <ul style="list-style-type: none"> • ASA 5506-X series, 5508-X, 5516-X • ISA 3000 (5.4.1.7+) 	You can manage Version 5.4.1 devices with a Version 5.4.1 Defense Center. ASDM is also supported.
5.4.0	7000/8000 series, NGIPSv, and legacy devices ASA FirePOWER: <ul style="list-style-type: none"> • ASA 5512-X, 5515-X, 5525-X, 5545-X, 5555-X • ASA 5585-X series 	There are no patches for Version 5.4.0 Defense Centers. We recommend you use a Version 5.4.1 Defense Center to manage Version 5.4.0 devices. ASDM is not supported in Version 5.4.0.

Note that Version 5.4.0.2/5.4.1.1 is the minimum for direct upgrade to Version 6.0.0. It is also the minimum device version that can be managed by Version 6.0.0, 6.0.1, and 6.1.0 Defense Centers/FMCs.

Parallel Release Sequences

Version 5.4.x releases are in parallel, starting with Version 5.4.0.1/5.4.1.0. For each pair, the Version 5.4.0.x release uses a last digit that is one more than the last digit of its parallel Version 5.4.1.x release:

- 5.4.0.1 (no longer supported) and 5.4.1.0
- 5.4.0.2 and 5.4.1.1
- 5.4.0.3 and 5.4.1.2
- ... and so on

End-of-Life Announcements

The following tables provide end-of-life details. Dates that have passed are in **bold**.

Snort

If you are still using the Snort 2 inspection engine with threat defense, switch to Snort 3 now for improved detection and performance. It is available starting in threat defense Version 6.7+ (with device manager) and Version 7.0+ (with management center). Snort 2 will be deprecated in a future release. You will eventually be unable to upgrade Snort 2 devices.

In management center deployments, upgrading to threat defense Version 7.2+ also upgrades eligible Snort 2 devices to Snort 3. For devices that are ineligible because they use custom intrusion or network analysis policies, manually upgrade Snort. See *Migrate from Snort 2 to Snort 3* in the [Firepower Management Center Snort 3 Configuration Guide](#).

In device manager deployments, manually upgrade Snort. See *Intrusion Policies* in the [Cisco Firepower Threat Defense Configuration Guide for Firepower Device Manager](#).

Software

These major software versions have reached end of sale and/or end of support. Versions that have reached end of support are removed from the Cisco Support & Download site.

Table 10: Software EOL Announcements

Version	End of Sale	End of Updates	End of Support	Announcement
6.7	2021-07-09	2022-07-09	2024-07-31	End-of-Sale and End-of-Life Announcement for the Cisco Firepower Threat Defense (FTD) 6.7, Firepower Management Center (FMC) 6.7 and Firepower eXtensible Operating System (FXOS) 2.9(x)
6.6	2022-03-02	2023-03-02	2025-03-31	End-of-Sale and End-of-Life Announcement for the Cisco Firepower Threat Defense (FTD/FTDv) 6.6(x), Firepower Management Center (FMC/FMCv) 6.6(x) and Firepower eXtensible Operating System (FXOS) 2.8(x)
6.5	2020-06-22	2021-06-22	2023-06-30	End-of-Sale and End-of-Life Announcement for the Cisco Firepower Threat Defense (FTD) 6.5(x), Firepower Management Center (FMC) 6.5(x) and Firepower eXtensible Operating System (FXOS) 2.7(x)
6.4	2023-02-27	2024-02-27	2026-02-28	End-of-Sale and End-of-Life Announcement for the Cisco Firepower Threat Defense (FTD) 6.4(X), Firepower Management Center (FMC) 6.4(X) and Firepower eXtensible Operating System (FXOS) 2.6(x)
6.3	2020-04-30	2021-04-30	2023-04-30	End-of-Sale and End-of-Life Announcement for the Cisco Firepower Threat Defense (FTD) 6.2.2, 6.3(x), Firepower eXtensible Operating System (FXOS) 2.4.1 and Firepower Management Center (FMC) 6.2.2 and 6.3(x)
6.2.3	2022-02-04	2023-02-04	2025-02-28	End-of-Sale and End-of-Life Announcement for the Cisco Firepower Threat Defense (FTD) 6.2.3, Firepower Management Center (FMC) 6.2.3 and Firepower eXtensible Operating System (FXOS) 2.2(x)
6.2.2	2020-04-30	2021-04-30	2023-04-30	End-of-Sale and End-of-Life Announcement for the Cisco Firepower Threat Defense (FTD) 6.2.2, 6.3(x), Firepower eXtensible Operating System (FXOS) 2.4.1 and Firepower Management Center (FMC) 6.2.2 and 6.3(x)
6.2.1	2019-03-05	2020-03-04	2022-03-31	End-of-Sale and End-of-Life Announcement for the Cisco Firepower Threat Defense versions 6.2.0 and 6.2.1

Version	End of Sale	End of Updates	End of Support	Announcement
6.2	2019-03-05	2020-03-04	2022-03-31	End-of-Sale and End-of-Life Announcement for the Cisco Firepower Threat Defense versions 6.2.0 and 6.2.1
6.1	2019-11-22	2021-05-22	2023-05-31	End-of-Sale and End-of-Life Announcement for the Cisco Firepower Threat Defense versions 6.1, NGIPSv and NGFWv versions 6.1, Firepower Management Center 6.1 and Firepower eXtensible Operating System (FXOS) 2.0(x)
6.0.1	2017-11-10	2018-11-10	2020-11-30	End-of-Sale and End-of-Life Announcement for the Cisco Firepower Software Releases 5.4, 6.0 and 6.0.1 and Firepower Management Center Software Releases 5.4, 6.0 and 6.0.1
6.0.0	2017-11-10	2018-11-10	2020-11-30	End-of-Sale and End-of-Life Announcement for the Cisco Firepower Software Releases 5.4, 6.0 and 6.0.1 and Firepower Management Center Software Releases 5.4, 6.0 and 6.0.1
5.4	2017-11-10	2018-11-10	2020-11-30	End-of-Sale and End-of-Life Announcement for the Cisco Firepower Software Releases 5.4, 6.0 and 6.0.1 and Firepower Management Center Software Releases 5.4, 6.0 and 6.0.1
5.3	2016-01-29	2016-07-30	2018-07-31	End-of-Sale and End-of-Life Announcement for the Cisco FirePOWER Software v5.3 and v5.3.1 and FireSIGHT Management Center Software v5.3 and v5.3.1

These software versions on still-supported branches have been removed from the Cisco Support & Download site.



Note In Version 6.2.3+, uninstalling a patch (fourth-digit release) results in an appliance running the version you upgraded from. This means that you can end up running a deprecated version simply by uninstalling a later patch. Unless otherwise stated, do *not* remain at a deprecated version. Instead, we recommend you upgrade. If upgrade is impossible, uninstall the deprecated patch.

Table 11: Software Removed Versions

Version	Date Removed	Related Bugs and Additional Details
6.4.0.6	2019-12-19	CSCvr52109 : FTD may not match correct Access Control rule following a deploy to multiple devices
6.2.3.8	2019-01-07	CSCvn82378 : Traffic through ASA/FTD might stop passing upon upgrading FMC to 6.2.3.8-51

Version	Date Removed	Related Bugs and Additional Details
5.4.0.1	2015	—
5.3.1.2	2015	—

Hardware and Virtual Platforms

These platforms have reached end of sale and/or end of support.

Table 12: Classic Device Hardware EOL Announcements

Platform	Last Device Version	Last Mgmt. Center to Manage	End of Sale	End of Support	Announcement
ASA 5508-X, 5516-X	7.0	7.4	2021-08-02	2026-08-31	End-of-Sale and End-of-Life Announcement for the Cisco ASA5508 and ASA5516 Series Security Appliance and 5 YR Subscriptions
ASA 5525-X, 5545-X, 5555-X	6.6	7.2	2020-09-04	2025-09-30	End-of-Sale and End-of-Life Announcement for the Cisco ASA5525, ASA5545 & ASA5555 Series Security Appliance & 5 YR Subscriptions
Firepower 8120, 8130, 8140	6.4	7.0	2017-12-15	2022-12-31	End-of-Sale and End-of-Life Announcement for the Cisco FirePOWER 8100 Series Appliances
Firepower 7010, 7020, 7030	6.4	7.0	2017-12-15	2022-12-31	End-of-Sale and End-of-Life Announcement for the Cisco FirePOWER Appliance 7000 Series Appliances (7010, 7020, 7030)
AMP 8050, 8150	6.4	7.0	2017-12-15	2022-12-31	End-of-Sale and End-of-Life Announcement for the Cisco AMP for Networks 8150 and 8050
ASA 5515-X	6.4	7.0	2017-08-25	2022-08-31	End-of-Sale and End-of-Life Announcement for the Cisco ASA 5512-X and ASA 5515-X
ASA 5585-X-SSP-10, -20, -40, -60	6.4	7.0	2017-08-25	2022-08-31	End-of-Sale and End-of-Life Announcement for the Cisco ASA 5585-X with FirePOWER Services Modules and Subscriptions
Firepower 8250, 8260, 8270, 8290	6.4	7.0	2015-10-03	2020-10-31	End-of-Sale and End-of-Life Announcement for the Cisco FirePOWER 8200 Series Appliances End-of-Sale and End-of-Life Announcement for the Cisco FirePOWER 8200 Series Appliances—3-Year Subscriptions

Platform	Last Device Version	Last Mgmt. Center to Manage	End of Sale	End of Support	Announcement
ASA 5506-X, 5506H-X, 5506W-X	6.2.3	6.6	2021-08-02	2026-08-31	End-of-Sale and End-of-Life Announcement for the Cisco ASA5506 Series Security Appliance with ASA software
			2021-07-31	2022-07-31	End-of-Sale and End-of-Life Announcement for the Cisco ASA5506 Series Security Appliance 1 YR Subscriptions
			2020-05-05	2022-07-31	End-of-Sale and End-of-Life Announcement for the Cisco ASA5506 Series Security Appliance 3 YR Subscriptions
			2018-09-30	2022-07-31	End-of-Sale and End-of-Life Announcement for the Cisco ASA5506 Series Security Appliance 5 YR Subscriptions
ASA 5512-X	6.2.3	6.6	2017-08-25	2022-08-31	End-of-Sale and End-of-Life Announcement for the Cisco ASA 5512-X and ASA 5515-X
3D500,1000, 2000	5.4	6.1	2013-06-12	2016-12-12	—
3D9900	5.4	6.1	2011-10-17	2015-04-17	—
3D2100, 2500, 3500, 4500, 6500	5.4	6.1	2012-04-09	2015-10-09	—

Table 13: Virtual Platform EOL Announcements

Platform	Last Version	Last Mgmt. Center to Manage	End of Sale	End of Support	Announcement
FMCv with Classic licenses	7.4	—	2023-04-19	2025-04-30	End-of-Sale and End-of-Life Announcement for the Cisco Secure Firewall Management Center for Virtual Classic license
NGIPSv for VMware	7.0	7.4	2024-07-26	2027-01-31	End-of-Sale and End-of-Life Announcement for the Cisco NGIPSv for VMware - 3Y Subscriptions
			2022-01-31	2027-01-31	End-of-Sale and End-of-Life Announcement for the Cisco NGIPSv for VMware

THE SPECIFICATIONS AND INFORMATION REGARDING THE PRODUCTS IN THIS MANUAL ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL STATEMENTS, INFORMATION, AND RECOMMENDATIONS IN THIS MANUAL ARE BELIEVED TO BE ACCURATE BUT ARE PRESENTED WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. USERS MUST TAKE FULL RESPONSIBILITY FOR THEIR APPLICATION OF ANY PRODUCTS.

THE SOFTWARE LICENSE AND LIMITED WARRANTY FOR THE ACCOMPANYING PRODUCT ARE SET FORTH IN THE INFORMATION PACKET THAT SHIPPED WITH THE PRODUCT AND ARE INCORPORATED HEREIN BY THIS REFERENCE. IF YOU ARE UNABLE TO LOCATE THE SOFTWARE LICENSE OR LIMITED WARRANTY, CONTACT YOUR CISCO REPRESENTATIVE FOR A COPY.

The Cisco implementation of TCP header compression is an adaptation of a program developed by the University of California, Berkeley (UCB) as part of UCB's public domain version of the UNIX operating system. All rights reserved. Copyright © 1981, Regents of the University of California.

NOTWITHSTANDING ANY OTHER WARRANTY HEREIN, ALL DOCUMENT FILES AND SOFTWARE OF THESE SUPPLIERS ARE PROVIDED "AS IS" WITH ALL FAULTS. CISCO AND THE ABOVE-NAMED SUPPLIERS DISCLAIM ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THOSE OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT OR ARISING FROM A COURSE OF DEALING, USAGE, OR TRADE PRACTICE.

IN NO EVENT SHALL CISCO OR ITS SUPPLIERS BE LIABLE FOR ANY INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES, INCLUDING, WITHOUT LIMITATION, LOST PROFITS OR LOSS OR DAMAGE TO DATA ARISING OUT OF THE USE OR INABILITY TO USE THIS MANUAL, EVEN IF CISCO OR ITS SUPPLIERS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Any Internet Protocol (IP) addresses and phone numbers used in this document are not intended to be actual addresses and phone numbers. Any examples, command display output, network topology diagrams, and other figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses or phone numbers in illustrative content is unintentional and coincidental.

All printed copies and duplicate soft copies of this document are considered uncontrolled. See the current online version for the latest version.

Cisco has more than 200 offices worldwide. Addresses and phone numbers are listed on the Cisco website at www.cisco.com/go/offices.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: <https://www.cisco.com/c/en/us/about/legal/trademarks.html>. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1721R)

© 2022–2024 Cisco Systems, Inc. All rights reserved.