# 

# Cisco Euro-DOCSIS/DOCSIS Transponder Release 1.0.2, Release Note

## **Overview**

#### Introduction

The Cisco Euro-DOCSIS/DOCSIS Transponder offers both online and local monitoring and control capabilities for Cisco compact amplifiers and nodes deployed in the Euro-DOCSIS/DOCSIS network.

#### Purpose

The purpose of this document is to notify Cisco Euro-DOCSIS/DOCSIS Transponder users of the enhancements included in the current release, and to inform users of any special upgrade procedures needed for using this release.

#### Audience

This document is intended for system engineers or managers responsible for operating and/or maintaining this product.

#### **Release History**

This is the first release of the Cisco Euro-DOCSIS/DOCSIS Transponder.

#### Overview

#### **Related Software and Product Documentation**

Visit our website

http://www.cisco.com/cisco/software/navigator.html?mdfid=281510329&i=rm

to find all software packages mentioned in this release note.

Visit our website http://www.cisco.com/en/US/products/ps9066/prod\_literature.html

to find and view all publications about the transponder.

You need a user name and password to access this website. If you do not have a user name and password, contact your customer service representative.

Note: You may need to install a PDF reader, such as Adobe Acrobat Reader, on your system to view these publications.

#### In This Document

| Release Information   | 3 |
|-----------------------|---|
| Compatibility Support | 4 |
| Product Features      | 5 |
| For Information       | 6 |

# **Release Information**

The following table provides release information for all firmware and software packages for the above mentioned Cisco Euro-DOCSIS/DOCSIS Transponder software applications.

| Items       | Description   | Release Number |
|-------------|---|----------------|
| Firmware    | Euro-DOCSIS/DOCSIS<br>Transponder firmware to<br>support all the transponder's<br>system features including Web<br>User Interface (UI)                | Rev 1.01.05*   |
| USB Driver  | Euro-DOCSIS/DOCSIS<br>Transponder USB driver to<br>build virtual Ethernet<br>connection between the<br>transponder and your<br>computer               | Rev 01*        |
| Device File | Euro-DOCSIS/DOCSIS<br>Transponder device file to<br>record all the transponder<br>parameter   | Rev 0.05.00*   |
| MIB File    | Management Information Base<br>(MIB) file used for managing<br>the transponder and the device<br>through Simple Network<br>Management Protocol (SNMP) | Rev 0.5*       |

Note: \*indicates new in this release.

# **Compatibility Support**

The release consists of the USB driver and the management tool - Web UI. The following table shows the compatibility of the tools.

Table 2. Compatibility support

| Management Tool  | Operating Environment                     | Note              |
|--|---|-------------------|
| USB Driver   | Windows 2000,<br>Windows XP,<br>Windows 7 | XP mode for Win 7 |
| Web UIWindows IE 7 and above<br>Mozilla Firefox 10 and above |   | N/A               |

## **Product Features**

Since this is the first product release, all system features are deemed as new system features and listed below. Future releases of this release note will just contain updated system features based on the following.

- Network Environment: Works in Euro-DOCSIS/DOCSIS 2.0 networks, and also works in Euro-DOCSIS/DOCSIS 1.0 and 1.1 environments.
- Network Management: Complies with the Euro-DOCSIS/DOCSIS Standard to monitor the devices in a CATV network.
- Firmware Upgrade: Supports firmware download for new features and applications, either locally or remotely.
- Configurable: Supports local control of the transponder parameters via an embedded web server.
- Compatible with Other Transponders: Complies with SCTE's HMS standard for monitoring devices in HFC networks and allows seamless integration with existing HMS management systems. Upgrade of existing deployments with Euro-DOCSIS/DOCSIS transponders is fully supported.
- Hot-pluggable: Supports hot-plugging during system operation.
- LED Indications: Supports full indications of power, upstream/downstream active, online, USB and status with 6 LEDs.
- High Performance: Fully-integrated broadband tuner is optimized for high performance data application in a DOCSIS network. The transponder is temperature-hardened allowing for operation in outdoor conditions.
- Power-saving: Only 2.5-W power consumption for whole transponder.

# **For Information**

## Support Telephone Numbers

This table lists the Technical Support and Customer Service numbers for your area.

| Region                           | Centers          | Telephone and Fax Numbers                       |
|----------------------------------|------------------|---|
| North America                    | Cisco Services   | For <i>Technical Support</i> , call:            |
|                                  | Atlanta, Georgia | Toll-free: 1-800-722-2009                       |
|                                  | United States    | Local: 678-277-1120                             |
|                                  |                  | (Press <b>2</b> at the prompt)                  |
|                                  |                  | For <i>Customer Service</i> , call:             |
|                                  |                  | Toll-free: 1-800-722-2009                       |
|                                  |                  | Local: 678-277-1120                             |
|                                  |                  | (Press <b>3</b> at the prompt)                  |
|                                  |                  | Fax: 770-236-5477                               |
|                                  |                  | E-mail: customer-service@cisco.com              |
| Europe,                          | Belgium          | For <i>Technical Support</i> , call:            |
| Middle East,<br>Africa           |                  | Telephone: 32-56-445-197<br>or 32-56-445-155    |
|                                  |                  | Fax: 32-56-445-061                              |
|                                  |                  | For <i>Customer Service</i> , call:             |
|                                  |                  | Telephone: 32-56-445-444                        |
|                                  |                  | Fax: 32-56-445-051                              |
|                                  |                  | E-mail: service-elc@cisco.com                   |
| Japan                            | Japan            | Telephone: 81-3-5908-2153 or<br>+81-3-5908-2154 |
|                                  |                  | Fax: 81-3-5908-2155                             |
| Korea                            | Korea            | Telephone: 82-2-3429-8800                       |
|                                  |                  | Fax: 82-2-3452-9748                             |
|                                  |                  | E-mail: songk@cisco.com                         |
| China (mainland)                 | China            | Telephone: 86-400-8108886                       |
|                                  |                  | (Press 4 at the prompt)                         |
|                                  |                  | E-mail: gca-lsc-sa@cisco.com                    |
| All other Asia-Pacific countries | Hong Kong        | Telephone: 852-2588-4746                        |
| & Australia                      |                  | Fax: 852-2588-3139                              |
|                                  |                  | E-mail: support.apr@sciatl.com                  |
| Brazil                           | Brazil           | Telephone: 11-55-08-9999                        |
|                                  |                  | Fax: 11-55-08-9998                              |
|                                  |                  | E-mail:fattinl@cisco.com                        |
|                                  |                  | or ecavalhe@cisco.com                           |

| Region                     | Centers   | Telephone and Fax Numbers            |
|----------------------------|-----------|--------------------------------------|
| Mexico,                    | Mexico    | For <i>Technical Support</i> , call: |
| Central America, Caribbean |           | Telephone: 52-3515152599             |
|                            |           | Fax: 52-3515152599                   |
|                            |           | For Customer Service, call:          |
|                            |           | Telephone: 52-55-50-81-8425          |
|                            |           | Fax: 52-55-52-61-0893                |
| All other                  | Argentina | For <i>Technical Support</i> , call: |
| Latin America countries    |           | Telephone: 54-23-20-403340 ext 109   |
|                            |           | Fax: 54-23-20-403340 ext 103         |
|                            |           | For Customer Service, call:          |
|                            |           | Telephone: 770-236-5662              |
|                            |           | Fax: 770-236-5888                    |
|                            |           | E-mail: keillov@cisco.com            |

# CISCO

Cisco Systems, Inc. 5030 Sugarloaf Parkway, Box 465447 800 722-2009 Lawrenceville, GA 30042 www.cisco.com Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. A listing of Cisco's trademarks can be found at www.cisco.com/go/trademarks. Third party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company.(1009R) Product and service availability are subject to change without notice. © 2012 Cisco and/or its affiliates. All rights reserved. April 2012 Part Number 7023505 Rev A

678 277-1120