

Release Notes for StarOS™ Software Version 21.28.m4

First Published: February 28, 2023 Last Updated: March 06, 2023

Introduction

This Release Note identifies changes and issues related to this software release. This planned maintenance release is based on release 21.28.m3. These release notes are applicable to StarOS, PGW, SGW, SAE-GW & ICUPS.

Release Package Version Information

Table 1 - Release Package Version Information

Software Packages	Version	
StarOS packages	21.28.m4, build 88960	

Feature and Behavior Changes

Refer to the Release Change Reference for a complete list of feature and behavior changes associated with this software release.

Related Documentation

For the complete list of CUPS documentation available for this release, go to https://www.cisco.com/c/en/us/support/wireless/virtual-packet-core/products-installation-and-configuration-guides-list.html.

For the complete list of the corresponding StarOS documentation, go to https://www.cisco.com/c/en/us/support/wireless/asr-5000-series/products-installation-and-configuration-guides-list.html.

Installation and Upgrade Notes

This Release Note does not contain general installation and upgrade instructions. Refer to the existing installation documentation for specific installation and upgrade considerations.

Firmware Updates

There are no firmware upgrades required for this release.


Software Integrity Verification

To verify the integrity of the software image you have from Cisco, you can validate the SHA512 checksum information against the checksum identified by Cisco for the software.

Cisco Systems, Inc. www.cisco.com

Installation and Upgrade Notes

Image checksum information is available through **Cisco.com Software Download Details.** To find the checksum, hover the mouse pointer over the software image you have downloaded.



At the bottom you find the SHA512 checksum, if you do not see the whole checksum you can expand it by pressing the "..." at the end.

To validate the information, calculate a SHA512 checksum using the information in <u>Table 2</u> and verify that it matches either the one provided on the software download page.

To calculate a SHA512 checksum on your local desktop see Table 2.

Table 2 - Checksum Calculations per Operating System

Operating System	SHA512 checksum calculation command examples	
Microsoft Windows	Open a command line window and type the following command	
	> certutil.exe -hashfile <filename>. <extension> SHA512</extension></filename>	
Apple MAC	Open a terminal window and type the following command	
	\$ shasum -a 512 <filename>.<extension></extension></filename>	
Linux	Open a terminal window and type the following command	
	\$ sha512sum <filename>.<extension></extension></filename>	
	Or	
	\$ shasum -a 512 <filename>.<extension></extension></filename>	
NOTES:		
<filename> is the name of the file.</filename>		
<pre><extension> is the file extension (e.gzip or .tgz).</extension></pre>		

If the SHA512 checksum matches, you can be sure that no one has tampered with the software image or the image has not been corrupted during download.

Open Bugs in this Release

If the SHA512 checksum does not match, we advise you to not attempt upgrading any systems with the corrupted software image. Download the software again and verify the SHA512 checksum again. If there is a constant mismatch, please open a case with the Cisco Technical Assistance Center.

Certificate Validation

In 21.12.0 and later releases, software images for StarOS, VPC-DI, and VPC-SI, and the companion software packages for StarOS and VPC are signed via x509 certificates. In pre-21.12.0 releases, image signing is not supported for VPC-DI and VPC-SI images, and for StarOS and VPC companion software packages.

USP ISO images are signed with a GPG key.

For more information and instructions on how to validate the certificates, refer to the README file available with the respective software packages.

Open Bugs in this Release

The following table lists the known bugs that were found in, and remain open in this software release.

NOTE: This software release may contain open bugs first identified in other releases. Additional information for all open bugs for this release are available in the <u>Cisco Bug Search Tool</u>.

Table 3 - Open Bugs in this Release

Bug ID	Headline	Product Found*
CSCwe24070	[BP-CUPS]: sessmgr crash at Function: acsmgr_collect_usage_for_all_monitoring_keys()	cups-cp
CSCwc34754	Active call got disconnected during handoff from 4G to wifi on ICSR setup with Gx-Alias enabled.	cups-cp
CSCwd19379	[BP-CUPS] call drops on sessmgr task kill - recover_sgx_from_crr failed	cups-cp
CSCwd59111	"[BP-CUPS] [Syslogs] msid <310260390152986>, CSReq with HO received without valid fteid or with Remot"	cups-cp
CSCwe44005	[BP-CUPS]21.28.3.88871:sessmgr crash has been seen after stopping the call model	cups-cp
CSCwd27672	[BP-CUPS]:Assertion failure at Function: sn_memblock_memcache_alloc()	cups-cp
CSCwe42876	aaamgr in warn state for CP	cups-cp
CSCwd99519	[UPF-SVI] Error logs seen on UPF PDR not found with PDR ID 0x149 and Remove PDR PDR with ID 0x2ce	cups-cp
CSCwe08636	[BP-CUPS] Dynamic rule is not getting installed with no policy-control update-default-bearer	cups-cp
CSCvu76574	[BP-CUPS] recovery-invalid-crr-clp-uplane-gtpu-session checkpoint error	cups-up
CSCwc73243	[BP-CUPS] Assertion failure at sess/sctrl/sessctrl_uplane_cfg_sync.c:23721 cups-up	
CSCwd91525	[CUPS-LI] Collisions were seen after UP planned and unplanned switchover in RCM setup cups-	
CSCwe42821	CUPS-UP] on Active UP SessMgr memory leak at sessmgr_uplane_allocate_uplane_clp_data	cups-up
CSCwe14834	[BP-CUPS]:sessmgr crash on UP " sessmgr_uplane_process_sx_update_far_update_tep_teid.part.1368()"	cups-up

Resolved Bugs in this Release

Bug ID	Headline	Product Found*
CSCwe40695	CUPS UP - ruledefs associated with host-pool are not working after UP Switchover	cups-up
CSCwc65963	sessmgr restart is seen when configuring and unconfiguring Lawful intercept CLIs multiple times	mme
CSCwd29108	[NSO-MOB-FP] error with nfv-vim package with NSO 5.7.6.2 or 5.8.4 or 5.6.8 and MFP 3.4	nso-mob-fp
CSCwe45652	PGW is not triggering UBR after RAR from PCRF for IP Filter Replace	pdn-gw
CSCwd75230	AVP Framed-IP-Address missing in radius accounting when HO from LTE to VoWIFI	pdn-gw
CSCwd94821	chkpointmgr pod restart does not initiate sock conn towards stby sessmgr	rcm
CSCwd95524	chkpointmgr pushing other active's info instead of failing active to the stby at SWO	rcm
CSCwd91543	IKE notify packets are not responded after pod reload	rcm
CSCwd81548	[5GaaS] Edge proxy NFs rely on NF restarts to apply config changes	smi
CSCwd51484	Apache Tomcat 9.0.0-M1 Req Smuggling and Azul Zulu java (2022-10-18) Mulitple Smi Vulnerabilities	
CSCwe11650	650 [UPF-SVI]-bulkstats process in warn state after overnight longevity upf	
CSCwd60981	[UPF] UPF does not initiate Sx_Session_Report_Req after receiving GTP_ERROR_IND_MSG	upf
CSCwd35335	SFR: UPF not able to send trafic on E810 100Gbps links upf	
CSCwe29094	[UPF-SVI] : Seen Uplane received invalid far id in PDU on task kill	upf

Resolved Bugs in this Release

The following table lists the known bugs that are resolved in this specific software release.

NOTE: This software release may contain bug fixes first introduced in other releases. Additional information for all resolved bugs for this release are available in the <u>Cisco Bug Search Tool</u>.

Table 4 - Resolved Bugs in this Release

Bug ID	Headline	Product Found*
CSCwc95182	SGW doesn't send DBR/DSR triggered by GTPU path failure cups-	
CSCwd66766	cli display shows contradictory information for UP-Group name and UP-NODE-ID	cups-cp
CSCwe37928	Observing sessmgr crash::sn_aaa_session_get_user_data	cups-cp
CSCwc85511	Disconnect reason for PureS call is different between CSL and CLI(Bulkstats) cups-cp	
CSCwe17344	[BP-CUPS] Fatal Signal 11: 11 PC: [0a2e24dc/X] check_n_update_gx_rules()	cups-cp
CSCwd99900	[CUPS] Traffic blocked when quota is preemtively request in addition to other RG redirected	cups-cp
CSCwe06468	CUPS CP: sessmgr restart seen in Function: sgwdrv_pdn_fsm_st_connected_evt_modify_bearer_ind()	cups-cp

Resolved Bugs in this Release

Bug ID	Headline	Product Found*
CSCwc63031	Sgsn change cdr prints wrong sgsn ip address when performing pureP to Collapsed Handover.	cups-cp
CSCwd87905	[BP-CUPS] Observed sessmgr restart "free_acct()" during sessmgr kill in longevity setup.	cups-cp
CSCwe11497	CDR written is coming as negative (-) value	cups-cp
CSCwe24070	[BP-CUPS]: sessmgr crash at Function: acsmgr_collect_usage_for_all_monitoring_keys()	cups-cp
CSCwc83349	[sgw 140014 error] Failure dispatching event <snx_msgtype_sgw_add_pdn_req> during longevity test</snx_msgtype_sgw_add_pdn_req>	cups-cp
CSCwd76879	Sessmgr process restarted at function sessmgr_compress_call_info()	cups-cp
CSCwd96944	sessmgr process restarted at function sessmgr_populate_pdr_in_teid_list()	cups-up
CSCwc18750	ARP Request have wrong Sender IP set to network address instead of interface address	cups-up
CSCwd76695	[BP-CUPS] Assersion failure @ PC: [044c4ef3/X] sessmgr_uplane_fill_qosgroup_info()	cups-up
CSCwc44211	CUPS UP - Upgrade from 21.23.n9 to 21.23.n10 observed higher RTT/delay between S1U/SGi	cups-up
CSCwd95901	"CUPS UP - After sessmgr crash, sessmgr is not showing p2p as loaded in 'show module'"	cups-up
CSCwd46457	SSD collection may cause BFD timeout with 16 vpp workers due to show memory main-heap	cups-up
CSCwe00049	sessmgr memory usage is increasing while number of subscribers remains mostly the same	cups-up
CSCwd93230	"[CUPS UP] When dynamic rule precedence is zero, UP is not accounting packet in URR "	cups-up
CSCwd94756	Bulkstat counters show lower IPv6 throughput compared to real throughput	cups-up
CSCwd68562	ASR5500 - MME- 21.25.4 (83215) - MMES1PathFail increase	mme
CSCwe21358	"KPI Counters / Bulk Stats for Extended QCI (65, 69) not available"	mme
CSCwc95044	MME continues to use blockedlisted SGW mme	
CSCwd71339	Increase in DUCON_NSA errors / path switch failures mme	
CSCwd52626	Assert at egtpc_resume_suspended_proc() mm	
CSCwe30923	Observing sessmgr crash with function :: egtpc_resume_suspended_proc()	mme
CSCwd97399	Observing mmemgr crash:: cmPAsnDecChExt	mme
CSCwd73793	Assertion failure at sess/mme/mme-app/app/mme_pdn_fsm.c:829	mme
CSCwd91474	New calls are accepted even new call policy is configured as reject	mme
CSCwd46286	"Gy Server returns RC 5030 causing Assume Positive to kick in, CCR-T will contain USU with all zero"	pdn-gw
CSCwd55724	Duplicate Precedence assignment by PGW in TFT packet Filters	pdn-gw
CSCwd40511	sessmgr restart on acsmgr_process_tcp_packet	pdn-gw
CSCwd67200	Incomplete MSISDN in servedMSISDN CDR field	pdn-gw
CSCwd80515	PGW not binding Gx Dynamic rule for dedicated bearer in WiFi to LTE handoff scenario	pdn-gw
CSCwe15218	Diamproxy Restart After FQDN Configuration on Gy Endpoint	pdn-gw

Resolved Bugs in this Release

Bug ID	Headline	Product Found*
CSCwe21674	Authentication Failing during UDP Socket Creation when using IP VRF Forwarding	pdn-gw
CSCwd02729	Continuous EGTPCPathFailClear traps after receiving echo requests during no session	pdn-gw
CSCwe25352	Observed hatsystem_process restart at hatsystem_process_card_fail_msg() while unconfiguring CUTO	pdn-gw
CSCwd16636	Enhancement : TEID Collision with MCC only	pdn-gw
CSCwc83287	[Smoke2-ICUPS] Undefined_Function_PC and hatsystem_process_card_fail_msg crash seen in regression	pdn-gw
CSCwc88534	Diagnostic code for unexpected dra peer switch	pdn-gw
CSCwd65441	E911 calls fail with GTPv2 Cause Code 73 - No Resources Available after PGW fails to send DNS Query	pdn-gw
CSCwc53423	Sessmgr task restart on sess/egtp/egtpc/egtpc_evt_handler_func	pdn-gw
CSCwa49391	[BP-CUPS] Traffic Optimization UP stats not getting incremented/decremented properly	pdn-gw
CSCwc09456	Sessmgr instance restart due to assertion failure at acs/acsmgr/acsmgr	pdn-gw
CSCwc97269	APN configuration getting removed	pdn-gw
CSCwd26943	AA Request sent by PGW with MCC 314 has the User-Name AVP MNC transposed to 024 in the Realm	pdn-gw
CSCwd44164	sessmgr task unexpected restarted occurred on PGW acs_http_accel_check	pdn-gw
CSCwd32146	""Update Bearer Request" is send PGW->SGW without EPS Bearer QoS, which is not aligned with 3GPP"	pdn-gw
CSCwd39197	E911 calls fail with GTPv2 Cause Code 73 - No Resources Available after PGW fails to send DNS Query	
CSCwd64943	[SAEGW] - ASR5500 21.23. 12 ICSR Standby sessmgr in Memory over state	sae-gw
CSCwe24837	New sessions accepted while APN set with newcall policy reject	sae-gw
CSCwd99902	Assertion Failures triggered during ADMF provisioning/auditing LI configuration	
CSCwd75398	PDP for some 2G (only) capable UE s are getting disconnected with cause - sgsn-isr-addl-ptmsirai	
CSCwe04086	Sessmgr Restart at sess/sgsn/stackmgr/sn_gprs_gtp.c	sgsn
CSCwc77501	Support MBR Req in state MBR Res pending on S11	
CSCwd41111	[S8HR] SGW increments "Apn Lookup Failed" wrongly for packets sent over non-s8hr bearers s	
CSCwe00358	Mbreq over Mbreq drop show config error log sgw	
CSCwc69565	[S8HR] show lawful-intercept s8hr statistics all display the wrong ebi value sgw	
CSCwd41016	No session deletion after S5 path failure followed by bearer resource command sgw	
CSCwd27711	[UPF-SVI] : Uplane received invalid far id in PDU	smf

Bug ID	Headline	Product Found*
CSCwe36928	[ares] AFIO - by default disable fabric device register dump collection when DCH FIFOs overflow	staros
CSCwd65439	Password change option for user in warning period before expiration.	staros
CSCwd56118	[UPF]Data throttled at inaccurate rate for certain bit rates above 4.2 G	upf
CSCwd74056	[UPF] IPv4v6 PDN Data Statistics not updated correctly for packet drops due to flow discard	upf
CSCwe30498	"[UPF]Time quota is not reset post UPF 1:1 ICSR, in case new quota is not provisioned."	upf
* Information in the "Product Found" column identifies the product in which the bug was initially identified.		

Operator Notes


StarOS Version Numbering System

The output of the **show version** command displays detailed information about the version of StarOS currently running on the ASR 5x00 or Cisco Virtualized Packet Core platform.


Prior to release 16.1, the *Image Version* field displayed a branch of software including the build number, for example "16.0 (55435)". Subsequent releases of software for the major release differed only in build number. Lab Quality/EFT releases versus deployment releases also differed only in build number.

From release 16.1 onwards, the output of the **show version** command, as well as the terminology used to describe the Build Version Number fields, has changed. Additionally, **show version** will display slightly different information depending on whether or not a build is suitable for deployment.

The Version Build Number for releases between 16.1 and 21.0 include a major, maintenance, and emergency release number, for example "16.1.2".



The Version Build Number for releases 21.1 and later include a major and emergency release number, for example, "21.1.1".



In either scenario, the appropriate version number field increments after a version has been released. The new version numbering format is a contiguous sequential number that represents incremental changes between releases. This format will facilitate identifying the changes between releases when using Bug Search Tool to research software releases.

Release Package Descriptions

<u>Table 5</u> provides descriptions for the packages that are available with this release.

Table 5 - Release Package Information

In 21.12.0 and later	In pre-21.12.0 Releases	Description
Releases		
ASR 5500		
asr5500- <release>.zip</release>	asr5500- <release>.bin</release>	Contains the signed ASR 5500 software image, the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
asr5500_T- <release>.zip</release>	asr5500_T- <release>.bin</release>	Contains the signed, trusted ASR 5500 software image, the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
StarOS Companion Packa	ge	
companion- <release>.zip</release>	companion- <release>.tgz</release>	Contains numerous files pertaining to this version of the StarOS including SNMP MIBs, RADIUS dictionaries, ORBEM clients. These files pertain to both trusted and non-trusted build variants.
		In 21.12.0 and later releases, the StarOS companion package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
VPC-DI		
qvpc-di- <release>.bin.zip</release>	qvpc-di- <release>.bin</release>	Contains the VPC-DI binary software image that is used to replace a previously deployed image on the flash disk in existing installations.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
qvpc-di_T- <release>.bin.zip</release>	qvpc-di_T- <release>.bin</release>	Contains the trusted VPC-DI binary software image that is used to replace a previously deployed image on the flash disk in existing installations.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
qvpc-di- <release>.iso.zip</release>	qvpc-di- <release>.iso</release>	Contains the VPC-DI ISO used for new deployments, a new virtual machine is manually created and configured to boot from a CD image.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
qvpc-di_T- <release>.iso.zip</release>	qvpc-di_T- <release>.iso</release>	Contains the trusted VPC-DI ISO used for new deployments, a new virtual machine is manually created and configured to boot from a CD image.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.

In 21.12.0 and later	In pre-21.12.0 Releases	Description
Releases	in pre 21.12.0 Releases	Description
qvpc-di-template- vmware- <release>.zip</release>	qvpc-di-template- vmware- <release>.tgz</release>	Contains the VPC-DI binary software image that is used to on-board the software directly into VMware.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
qvpc-di-template- vmware_T- <release>.zip</release>	qvpc-di-template- vmware_T- <release>.tgz</release>	Contains the trusted VPC-DI binary software image that is used to onboard the software directly into VMware.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
qvpc-di-template-libvirt- kvm- <release>.zip</release>	qvpc-di-template-libvirt- kvm- <release>.tgz</release>	Contains the same VPC-DI ISO identified above and additional installation files for using it on KVM.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
qvpc-di-template-libvirt- kvm_T- <release>.zip</release>	qvpc-di-template-libvirt- kvm_T- <release>.tgz</release>	Contains the same trusted VPC-DI ISO identified above and additional installation files for using it on KVM.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
qvpc-di- <release>.qcow2.zip</release>	qvpc-di- <release>.qcow2.tgz</release>	Contains the VPC-DI binary software image in a format that can be loaded directly with KVM using an XML definition file, or with OpenStack.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
qvpc-di_T- <release>.qcow2.zip</release>	qvpc-di_T- <release>.qcow2.tgz</release>	Contains the trusted VPC-DI binary software image in a format that can be loaded directly with KVM using an XML definition file, or with OpenStack.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
VPC-SI		
qvpc-si- <release>.bin.zip</release>	qvpc-si- <release>.bin</release>	Contains the VPC-SI binary software image that is used to replace a previously deployed image on the flash disk in existing installations.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.

In 21.12.0 and later	In pre-21.12.0 Releases	Description
Releases		
qvpc-si_T- <release>.bin.zip</release>	qvpc-si_T- <release>.bin</release>	Contains the trusted VPC-SI binary software image that is used to replace a previously deployed image on the flash disk in existing installations.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
		·
qvpc-si- <release>.iso.zip</release>	qvpc-si- <release>.iso</release>	Contains the VPC-SI ISO used for new deployments, a new virtual machine is manually created and configured to boot from a CD image.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing
		information on how to use the script to validate the certificate.
qvpc-si_T- <release>.iso.zip</release>	qvpc-si_T- <release>.iso</release>	Contains the trusted VPC-SI ISO used for new deployments a new virtual machine is manually created and configured to boot from a CD image.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
qvpc-si-template- vmware- <release>.zip</release>	qvpc-si-template- vmware- <release>.ova</release>	Contains the VPC-SI binary software image that is used to on-board the software directly into VMware.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
qvpc-si-template- vmware_T- <release>.zip</release>	qvpc-si-template- vmware_T-	Contains the trusted VPC-SI binary software image that is used to onboard the software directly into VMware.
	<release>.ova</release>	In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
qvpc-si-template-libvirt- kvm- <release>.zip</release>	qvpc-si-template-libvirt- kvm- <release>.tgz</release>	Contains the same VPC-SI ISO identified above and additional installation files for using it on KVM.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
qvpc-si-template-libvirt- kvm_T- <release>.zip</release>	qvpc-si-template-libvirt- kvm_T- <release>.tgz</release>	Contains the same trusted VPC-SI ISO identified above and additional installation files for using it on KVM.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
qvpc-si- <release>.qcow2.zip</release>	qvpc-si- <release>.qcow2.gz</release>	Contains the VPC-SI binary software image in a format that can be loaded directly with KVM using an XML definition file, or with OpenStack.
		In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.

In 21.12.0 and later Releases	In pre-21.12.0 Releases	Description
qvpc-si_T- <release>.qcow2.zip</release>	qvpc-si_T- <release>.qcow2.gz</release>	Contains the trusted VPC-SI binary software image in a format that can be loaded directly with KVM using an XML definition file, or with OpenStack. In 21.12.0 and later releases, this package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
VPC Companion Package		
companion-vpc- <release>.zip</release>	companion-vpc- <release>.tgz</release>	Contains numerous files pertaining to this version of the VPC including SNMP MIBs, RADIUS dictionaries, ORBEM clients. These files pertain to both VPC-DI and VPC-SI, and for trusted and non-trusted build variants. In 21.12.0 and later releases, the VPC companion package also includes the signature file, a verification script, the x509 certificate, and a README file containing information on how to use the script to validate the certificate.
Ultra Service Platform		
usp- <version>.iso</version>		The USP software package containing component RPMs (bundles). Refer to Table 6 for descriptions of the specific bundles.
usp_T- <version>.iso</version>		The USP software package containing component RPMs (bundles). This bundle contains trusted images. Refer to Table 6 for descriptions of the specific bundles.
usp_rpm_verify_utils- <version>.tar</version>		Contains information and utilities for verifying USP RPM integrity.

Table 6 - USP ISO Bundles

USP Bundle Name	Description
usp-em-bundle- <version>-1.x86_64.rpm*</version>	The Element Manager (EM) Bundle RPM containing images and metadata for the Ultra Element Manager (UEM) module.
usp-ugp-bundle- <version>-1.x86_64.rpm*</version>	The Ultra Gateway Platform (UGP) Bundle RPM containing images for Ultra Packet core (VPC-DI). There are trusted and non-trusted image variants of this bundle.
usp-yang-bundle- <version>-1.x86_64.rpm</version>	The Yang Bundle RPM containing YANG data models including the VNFD and VNFR.
usp-uas-bundle- <version>-1.x86_64.rpm</version>	The Ultra Automation Services Bundle RPM containing AutoVNF, Ultra Web Services (UWS), and other automation packages.
usp-auto-it-bundle- <version>-1.x86_64.rpm</version>	The bundle containing the AutoIT packages required to deploy the UAS.
usp-vnfm-bundle- <version>-1.x86_64.rpm</version>	The VNFM Bundle RPM containing an image and a boot-up script for ESC (Elastic Service Controller).
ultram-manager- <version>-1.x86_64.rpm*</version>	This package contains the script and relevant files needed to deploy the Ultra M Manager Service.

Obtaining Documentation and Submitting a Service Request

* These bundles are also distributed separately from the ISO.

Obtaining Documentation and Submitting a Service Request

For information on obtaining documentation, using the Cisco Bug Search Tool (BST), submitting a service request, and gathering additional information, see *What's New in Cisco Product Documentation*, at: http://www.cisco.com/c/en/us/td/docs/general/whatsnew/whatsnew.html.

Subscribe to What's New in Cisco Product Documentation, which lists all new and revised Cisco technical documentation, as an RSS feed and deliver content directly to your desktop using a reader application. The RSS feeds are a free service.

Obtaining Documentation and Submitting a Service Request

THE SPECIFICATIONS AND INFORMATION REGARDING THE PRODUCTS IN THIS MANUAL ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL STATEMENTS, INFORMATION, AND RECOMMENDATIONS IN THIS MANUAL ARE BELIEVED TO BE ACCURATE BUT ARE PRESENTED WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. USERS MUST TAKE FULL RESPONSIBILITY FOR THEIR APPLICATION OF ANY PRODUCTS.

THE SOFTWARE LICENSE AND LIMITED WARRANTY FOR THE ACCOMPANYING PRODUCT ARE SET FORTH IN THE INFORMATION PACKET THAT SHIPPED WITH THE PRODUCT AND ARE INCORPORATED HEREIN BY THIS REFERENCE. IF YOU ARE UNABLE TO LOCATE THE SOFTWARE LICENSE OR LIMITED WARRANTY, CONTACT YOUR CISCO REPRESENTATIVE FOR A COPY.

The Cisco implementation of TCP header compression is an adaptation of a program developed by the University of California, Berkeley (UCB) as part of UCB's public domain version of the UNIX operating system. All rights reserved. Copyright © 1981, Regents of the University of California.

NOTWITHSTANDING ANY OTHER WARRANTY HEREIN, ALL DOCUMENT FILES AND SOFTWARE OF THESE SUPPLIERS ARE PROVIDED "AS IS" WITH ALL FAULTS. CISCO AND THE ABOVE-NAMED SUPPLIERS DISCLAIM ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THOSE OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OR ARISING FROM A COURSE OF DEALING, USAGE, OR TRADE PRACTICE.

IN NO EVENT SHALL CISCO OR ITS SUPPLIERS BE LIABLE FOR ANY INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES, INCLUDING, WITHOUT LIMITATION, LOST PROFITS OR LOSS OR DAMAGE TO DATA ARISING OUT OF THE USE OR INABILITY TO USE THIS MANUAL, EVEN IF CISCO OR ITS SUPPLIERS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Any Internet Protocol (IP) addresses and phone numbers used in this document are not intended to be actual addresses and phone numbers. Any examples, command display output, network topology diagrams, and other figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses or phone numbers in illustrative content is unintentional and coincidental.

All printed copies and duplicate soft copies of this document are considered uncontrolled. See the current online version for the latest version.

Cisco has more than 200 offices worldwide. Addresses and phone numbers are listed on the Cisco website at www.cisco.com/go/offices.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: www.cisco.com/go/trademarks. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1721R)

© 2023 Cisco Systems, Inc. All rights reserved.