



Open Source Used In AppDynamics EUM On-Prem 23.7.0-Windows

Cisco Systems, Inc.

www.cisco.com

Cisco has more than 200 offices worldwide.
Addresses, phone numbers, and fax numbers
are listed on the Cisco website at
www.cisco.com/go/offices.

Text Part Number: 78EE117C99-1685300145

This document contains licenses and notices for open source software used in this product. With respect to the free/open source software listed in this document, if you have any questions or wish to receive a copy of any source code to which you may be entitled under the applicable free/open source license(s) (such as the GNU Lesser/General Public License), please submit this [form](#).

In your requests please include the following reference number 78EE117C99-1685300145

Contents

1.1 commons-lang3 2.6

1.1.1 Available under license

1.2 reflections 0.9.10

1.2.1 Available under license

1.3 metrics-caffeine 4.1.29

1.3.1 Available under license

1.4 classmate 1.5.1

1.4.1 Available under license

1.5 netty-resolver-dns 4.1.93.Final

1.5.1 Available under license

1.6 hamcrest 1.3

1.6.1 Available under license

1.7 mime-pull 1.9.13

1.7.1 Available under license

1.8 drop-wizard-metrics 2.0.28

1.8.1 Available under license

1.9 jackson-dataformat-smile 2.15.0

1.9.1 Available under license

1.10 jackson-module-afterburner 2.10.5

1.10.1 Available under license

1.11 jackson-module-afterburner 2.14.1

1.11.1 Available under license

1.12 ecs-logging-core 1.2.0

1.12.1 Available under license

1.13 lucene 9.6.0

1.13.1 Available under license

- 1.14 jakarta-validation-api 2.0.2**
 - 1.14.1 Available under license
- 1.15 jetty-util-ajax 9.4.51.v20230217**
 - 1.15.1 Available under license
- 1.16 jopt-simple 5.0.2**
- 1.17 ant-launcher 1.10.12**
 - 1.17.1 Available under license
- 1.18 protobuf-java 3.22.3**
 - 1.18.1 Available under license
- 1.19 netty-transport-sctp 4.1.93.Final**
 - 1.19.1 Available under license
- 1.20 metrics 4.2.9**
 - 1.20.1 Available under license
- 1.21 websocket-common 9.4.51.v20230217**
 - 1.21.1 Available under license
- 1.22 ant 1.10.12**
 - 1.22.1 Available under license
- 1.23 annotations 3.0.0**
 - 1.23.1 Available under license
- 1.24 jackson-datatype-joda 2.15.0**
 - 1.24.1 Available under license
- 1.25 netty-transport-classes-kqueue 4.1.93.Final**
 - 1.25.1 Available under license
- 1.26 dropwizard-configuration 2.0.28**
 - 1.26.1 Available under license
- 1.27 apiguardian-api 1.1.0**
 - 1.27.1 Available under license
- 1.28 guice-multibindings 4.2.3**
 - 1.28.1 Available under license
- 1.29 jetty-continuation 9.4.51.v20230217**
 - 1.29.1 Available under license
- 1.30 istack-commons 2.13**
- 1.31 commons-collections 3.2.2**
 - 1.31.1 Available under license
- 1.32 commons-codec 1.14**
 - 1.32.1 Available under license
- 1.33 commons-dbutils 1.5**
 - 1.33.1 Available under license
- 1.34 kotlin 1.3.70-release-328**

- 1.34.1 Available under license
- 1.35 netty-transport-classes-epoll 4.1.93.Final**
 - 1.35.1 Available under license
- 1.36 commons-io 2.6**
 - 1.36.1 Available under license
- 1.37 netty-codec-dns 4.1.93.Final**
 - 1.37.1 Available under license
- 1.38 netty-codec-haproxy 4.1.93.Final**
 - 1.38.1 Available under license
- 1.39 javax-inject 1**
 - 1.39.1 Available under license
- 1.40 jetty-setuid-java 1.0.4**
 - 1.40.1 Available under license
- 1.41 log4j2-ecs-layout 1.2.0**
 - 1.41.1 Available under license
- 1.42 netty-transport 4.1.93.Final**
 - 1.42.1 Available under license
- 1.43 jetty 9.4.51.v20230217**
 - 1.43.1 Available under license
- 1.44 kotlin 1.3.70**
 - 1.44.1 Available under license
- 1.45 metrics-jvm 4.1.29**
 - 1.45.1 Available under license
- 1.46 hystrix-core 1.5.12**
- 1.47 txw2 20110809**
 - 1.47.1 Available under license
- 1.48 jackson-jaxrs-base 2.15.0**
 - 1.48.1 Available under license
- 1.49 jaxb-core 2.2.6**
 - 1.49.1 Available under license
- 1.50 groovy-test 3.0.9**
 - 1.50.1 Available under license
- 1.51 snake-yaml 2.0**
 - 1.51.1 Available under license
- 1.52 annotations 13.0**
- 1.53 jboss-logging 3.3.2.Final**
 - 1.53.1 Available under license
- 1.54 groovy 3.0.9**
 - 1.54.1 Available under license

- 1.55 jackson-databind 2.14.1**
 - 1.55.1 Available under license
- 1.56 okio 2.5.0**
 - 1.56.1 Available under license
- 1.57 dropwizard-validation 2.0.28**
 - 1.57.1 Available under license
- 1.58 derby 10.14.2000000.1828579**
 - 1.58.1 Available under license
- 1.59 picocli 4.6.1**
 - 1.59.1 Available under license
- 1.60 jedis 3.3.0**
 - 1.60.1 Available under license
- 1.61 metrics-logback 4.1.29**
 - 1.61.1 Available under license
- 1.62 aop-alliance 1.0**
 - 1.62.1 Available under license
- 1.63 httpcomponents-core 4.4.10**
 - 1.63.1 Available under license
- 1.64 netty-resolver-dns-native-macos 4.1.93.Final**
 - 1.64.1 Available under license
- 1.65 lz4 1.9.4**
 - 1.65.1 Available under license
- 1.66 groovyjsr 3.0.9**
 - 1.66.1 Available under license
- 1.67 jackson-datatype-joda 2.14.1**
 - 1.67.1 Available under license
- 1.68 joda-time 2.10.8**
 - 1.68.1 Available under license
- 1.69 jackson-datatype-guava 2.15.0**
 - 1.69.1 Available under license
- 1.70 netty-codec 4.1.93.Final**
 - 1.70.1 Available under license
- 1.71 t-digest 3.2**
 - 1.71.1 Available under license
- 1.72 apache-log4j 2.20.0**
 - 1.72.1 Available under license
- 1.73 netty-transport-rxtx 4.1.93.Final**
 - 1.73.1 Available under license
- 1.74 animal-sniffer-annotation 1.17**

1.75 lz4 1.9.3

1.75.1 Available under license

1.76 grpc-stub 1.24.0

1.76.1 Available under license

1.77 groovy-dateutil 3.0.9

1.77.1 Available under license

1.78 protobuf-java 3.11.4

1.78.1 Available under license

1.79 javax-el-api 3.0.0

1.79.1 Available under license

1.80 mchange-commons-java 0.2.15

1.80.1 Available under license

1.81 grpc-context 1.24.0

1.81.1 Available under license

1.82 mysql-connector-j 8.0.33

1.82.1 Available under license

1.83 wmi4java 1.6.2

1.83.1 Available under license

1.84 activation 1.1.1

1.84.1 Available under license

1.85 groovy-macro 3.0.9

1.85.1 Available under license

1.86 dropwizard-lifecycle 2.0.28

1.86.1 Available under license

1.87 libevent 2.1.11

1.87.1 Available under license

1.88 jetty-webapp 9.4.51.v20230217

1.88.1 Available under license

1.89 ant-junit 1.10.11

1.89.1 Available under license

1.90 jetty-util 9.4.51.v20230217

1.90.1 Available under license

1.91 antlr-runtime 4.6

1.92 juel 2.2.7

1.92.1 Available under license

1.93 commons-beanutils 1.9.4

1.93.1 Available under license

1.94 jctools-core 3.1.0

1.94.1 Available under license

- 1.95 javassist 3.24.1-GA**
 - 1.95.1 Available under license
- 1.96 commons-lang3 3.12.0**
 - 1.96.1 Available under license
- 1.97 jpowershell 2.0**
 - 1.97.1 Available under license
- 1.98 jackson-datatype-guava 2.14.1**
 - 1.98.1 Available under license
- 1.99 logback-access 1.2.11**
 - 1.99.1 Available under license
- 1.100 dropwizard-jetty 2.0.28**
 - 1.100.1 Available under license
- 1.101 jackson-dataformat-yaml 2.14.1**
 - 1.101.1 Available under license
- 1.102 jackson-datatype-jsr310 2.14.1**
 - 1.102.1 Available under license
- 1.103 jhardware 0.8.6**
 - 1.103.1 Available under license
- 1.104 jcodings 1.0.44**
 - 1.104.1 Available under license
- 1.105 apache-commons-text 1.10.0**
 - 1.105.1 Available under license
- 1.106 netty-codec-smtp 4.1.93.Final**
 - 1.106.1 Available under license
- 1.107 netty-handler-ssl-ocsp 4.1.93.Final**
 - 1.107.1 Available under license
- 1.108 junit 4.13.2**
 - 1.108.1 Available under license
- 1.109 listenablefuture 9999.0-empty-to-avoid-conflict-with-guava**
 - 1.109.1 Available under license
- 1.110 javax-annotation-api 1.2-b01**
 - 1.110.1 Available under license
- 1.111 dropwizard-validation 2.0.34**
 - 1.111.1 Available under license
- 1.112 commons-net 3.3**
 - 1.112.1 Available under license
- 1.113 reload4j 2.20.0**
 - 1.113.1 Available under license
- 1.114 archaius-core 0.6.6**

- 1.115 javaparser-core 3.23.0**
- 1.116 commons-pool 2.6.2**
- 1.117 opentest4j 1.2.0**
 - 1.117.1 Available under license
- 1.118 jsr305 3.0.1**
- 1.119 httpasyncclient 4.1.1**
 - 1.119.1 Available under license
- 1.120 metrics-servlets 4.1.29**
 - 1.120.1 Available under license
- 1.121 qdox 1.12.1**
 - 1.121.1 Available under license
- 1.122 metrics-jersey2 4.1.29**
 - 1.122.1 Available under license
- 1.123 log4j-api 2.19.0**
 - 1.123.1 Available under license
- 1.124 liquibase-core 4.22.0**
- 1.125 big-math 2.0.0**
 - 1.125.1 Available under license
- 1.126 guice 4.2.3**
 - 1.126.1 Available under license
- 1.127 javaip 0.17**
 - 1.127.1 Available under license
- 1.128 jna 5.10.0**
 - 1.128.1 Available under license
- 1.129 jest 0.1.1**
 - 1.129.1 Available under license
- 1.130 jetty-xml 9.4.51.v20230217**
 - 1.130.1 Available under license
- 1.131 javax-ws-rs-api 2.0.1**
 - 1.131.1 Available under license
- 1.132 netty 4.1.93.Final**
 - 1.132.1 Available under license
- 1.133 fastdoubleparser 0.8.0**
 - 1.133.1 Available under license
- 1.134 logback-throttling-appender 1.1.7**
 - 1.134.1 Available under license
- 1.135 guava 32.0.0-jre**
 - 1.135.1 Available under license
- 1.136 janino 2.6.1**

- 1.137 dropwizard-request-logging 2.0.28**
 - 1.137.1 Available under license
- 1.138 auto-service-annotations 1.0-rc6**
 - 1.138.1 Available under license
- 1.139 guice-assistedinject 4.2.3**
 - 1.139.1 Available under license
- 1.140 protobuf-java 3.22.5**
 - 1.140.1 Available under license
- 1.141 servlet-api 3.1.0**
 - 1.141.1 Available under license
- 1.142 jackson-dataformat-cbor 2.15.0**
 - 1.142.1 Available under license
- 1.143 jackson-module-parameter-names 2.14.1**
 - 1.143.1 Available under license
- 1.144 netty-codec-socks 4.1.93.Final**
 - 1.144.1 Available under license
- 1.145 activation-api 1.2.0**
 - 1.145.1 Available under license
- 1.146 jcl-over-slf4j 1.7.32**
 - 1.146.1 Available under license
- 1.147 ant-jsch 1.10.12**
 - 1.147.1 Available under license
- 1.148 mecab 0.996**
 - 1.148.1 Available under license
- 1.149 argparse 0.8.1**
 - 1.149.1 Available under license
- 1.150 hibernate-validator 6.1.7.Final**
 - 1.150.1 Available under license
- 1.151 jaxb2-reflection 2.2.6**
 - 1.151.1 Available under license
- 1.152 dropwizard-auth 2.0.28**
 - 1.152.1 Available under license
- 1.153 antlr 4.6**
 - 1.153.1 Available under license
- 1.154 groovy-datetime 3.0.9**
 - 1.154.1 Available under license
- 1.155 commons-compress 1.20**
 - 1.155.1 Available under license
- 1.156 netty-codec-redis 4.1.93.Final**

- 1.156.1 Available under license
- 1.157 j2objc-annotations 1.3**
 - 1.157.1 Available under license
- 1.158 groovy-testng 3.0.9**
 - 1.158.1 Available under license
- 1.159 dropwizard-logging 2.0.28**
 - 1.159.1 Available under license
- 1.160 log4j-over-slf4j 1.7.32**
 - 1.160.1 Available under license
- 1.161 lz4-java 1.8.0**
 - 1.161.1 Available under license
- 1.162 netty-transport-native-epoll 4.1.93.Final**
 - 1.162.1 Available under license
- 1.163 guice 4.0**
 - 1.163.1 Available under license
- 1.164 jackson-annotations 2.14.1**
 - 1.164.1 Available under license
- 1.165 commons-collections 4.4**
 - 1.165.1 Available under license
- 1.166 commons-logging 1.2**
 - 1.166.1 Available under license
- 1.167 grpc-api 1.24.0**
 - 1.167.1 Available under license
- 1.168 hikaricp-java7 2.4.13**
 - 1.168.1 Available under license
- 1.169 netty-transport-udt 4.1.93.Final**
 - 1.169.1 Available under license
- 1.170 jackson-jaxrs 2.15.0**
 - 1.170.1 Available under license
- 1.171 commons-cli 1.3.1**
 - 1.171.1 Available under license
- 1.172 jest-common 0.1.1**
 - 1.172.1 Available under license
- 1.173 dropwizard-jackson 2.0.28**
 - 1.173.1 Available under license
- 1.174 auto-common 0.10**
 - 1.174.1 Available under license
- 1.175 derby 10.14.2.0**
 - 1.175.1 Available under license

1.176 slf4j 1.7.36

1.176.1 Available under license

1.177 jackson 2.15.0

1.177.1 Available under license

1.178 httpcore-nio 4.4.4

1.178.1 Available under license

1.179 commons-exec 1.0.1

1.179.1 Available under license

1.180 netty-codec-mqtt 4.1.93.Final

1.180.1 Available under license

1.181 juel-api 2.2.7

1.181.1 Available under license

1.182 jackson-xc 2.15.0

1.182.1 Available under license

1.183 gson 2.10.1

1.183.1 Available under license

1.184 groovy-nio 3.0.9

1.184.1 Available under license

1.185 logback-core 1.2.3

1.185.1 Available under license

1.186 groovy-groovydoc 3.0.9

1.186.1 Available under license

1.187 dropwizard-jersey 2.0.28

1.187.1 Available under license

1.188 hdrhistogram 2.1.9

1.188.1 Available under license

1.189 guice 4.0.0

1.189.1 Available under license

1.190 guice-grapher 3.0

1.190.1 Available under license

1.191 netty-transport-native-kqueue 4.1.93.Final

1.191.1 Available under license

1.192 javassist 3.28.0-GA

1.192.1 Available under license

1.193 commons-configuration 1.8

1.193.1 Available under license

1.194 activation-api 1.2.2

1.194.1 Available under license

1.195 websocket-api 9.4.51.v20230217

- 1.195.1 Available under license
- 1.196 jline 2.14.6**
 - 1.196.1 Available under license
- 1.197 groovy-json 3.0.9**
 - 1.197.1 Available under license
- 1.198 jetty-client 9.4.51.v20230217**
 - 1.198.1 Available under license
- 1.199 metrics-jetty 4.1.29**
 - 1.199.1 Available under license
- 1.200 dropwizard-configuration 2.0.34**
 - 1.200.1 Available under license
- 1.201 okhttp 2.7.5**
 - 1.201.1 Available under license
- 1.202 mysql-jdbc 8.0.22**
 - 1.202.1 Available under license
- 1.203 grpc-protobuf-lite 1.24.0**
 - 1.203.1 Available under license
- 1.204 feign-core 8.15.1**
 - 1.204.1 Available under license
- 1.205 assertj-core 3.9.1**
- 1.206 rxjava 1.3.0**
 - 1.206.1 Available under license
- 1.207 dropwizard-jackson 2.0.34**
 - 1.207.1 Available under license
- 1.208 annotations 3.0.1**
 - 1.208.1 Available under license
- 1.209 jsoup 1.15.3**
 - 1.209.1 Available under license
- 1.210 snappy 0.3**
 - 1.210.1 Available under license
- 1.211 re2j 1.2**
 - 1.211.1 Available under license
- 1.212 error_prone_annotations 2.11.0**
 - 1.212.1 Available under license
- 1.213 feign-jackson 8.15.1**
 - 1.213.1 Available under license
- 1.214 javax-el 3.0.0**
 - 1.214.1 Available under license
- 1.215 jcommander 1.78**

- 1.215.1 Available under license
- 1.216 j2objc-annotations 2.8**
 - 1.216.1 Available under license
- 1.217 metrics-annotation 4.2.9**
 - 1.217.1 Available under license
- 1.218 grpc-protobuf 1.24.0**
 - 1.218.1 Available under license
- 1.219 groovy-sql 3.0.9**
 - 1.219.1 Available under license
- 1.220 jackson-datatype-jdk8 2.14.1**
 - 1.220.1 Available under license
- 1.221 commons-cli 1.4**
 - 1.221.1 Available under license
- 1.222 metrics-jmx 4.1.29**
 - 1.222.1 Available under license
- 1.223 jackson-annotations 2.15.0**
 - 1.223.1 Available under license
- 1.224 jackson-dataformat-yaml 2.15.0**
 - 1.224.1 Available under license
- 1.225 groovy-xml 3.0.9**
 - 1.225.1 Available under license
- 1.226 netty-handler-proxy 4.1.93.Final**
 - 1.226.1 Available under license
- 1.227 okhttp 4.5.0**
 - 1.227.1 Available under license
- 1.228 jackson-module-parameter-names 2.15.0**
 - 1.228.1 Available under license
- 1.229 ant 1.7.1**
 - 1.229.1 Available under license
- 1.230 joni 2.1.29**
 - 1.230.1 Available under license
- 1.231 jsr305 3.0.2**
 - 1.231.1 Available under license
- 1.232 dropwizard-core 2.0.28**
 - 1.232.1 Available under license
- 1.233 netty-codec-xml 4.1.93.Final**
 - 1.233.1 Available under license
- 1.234 jetty-security 9.4.51.v20230217**
 - 1.234.1 Available under license

- 1.235 swagger-annotations 2.0.7**
 - 1.235.1 Available under license
- 1.236 open-csv 5.7.1**
 - 1.236.1 Available under license
- 1.237 netty-codec-memcache 4.1.93.Final**
 - 1.237.1 Available under license
- 1.238 guice-assistedinject 4.0**
 - 1.238.1 Available under license
- 1.239 groovy-ant 3.0.9**
 - 1.239.1 Available under license
- 1.240 elasticsearch 8.8.1**
 - 1.240.1 Available under license
- 1.241 error_prone_annotations 2.18.0**
 - 1.241.1 Available under license
- 1.242 metrics-json 4.1.29**
 - 1.242.1 Available under license
- 1.243 jackson-datatype-jdk8 2.15.0**
 - 1.243.1 Available under license
- 1.244 c3p0 0.9.5.4**
 - 1.244.1 Available under license
- 1.245 commons-net 3.9.0**
 - 1.245.1 Available under license
- 1.246 jackson-datatype-jsr310 2.15.0**
 - 1.246.1 Available under license
- 1.247 netty-resolver-dns-classes-macos 4.1.93.Final**
 - 1.247.1 Available under license
- 1.248 asm 9.2**
 - 1.248.1 Available under license
- 1.249 dropwizard-servlets 2.0.28**
 - 1.249.1 Available under license
- 1.250 commons-io 2.4**
 - 1.250.1 Available under license
- 1.251 jinjava 2.6.0**
 - 1.251.1 Available under license
- 1.252 lombok 1.16.6**
 - 1.252.1 Available under license
- 1.253 cyrus-sasl 2.1.28**
 - 1.253.1 Notifications
 - 1.253.2 Available under license

- 1.254 dropwizard-auth-ldap 1.0.4**
 - 1.254.1 Available under license
- 1.255 netty-codec-http 4.1.93.Final**
 - 1.255.1 Available under license
- 1.256 groovy-swing 3.0.9**
 - 1.256.1 Available under license
- 1.257 zlib 1.2.13**
 - 1.257.1 Available under license
- 1.258 netty-handler 4.1.93.Final**
 - 1.258.1 Available under license
- 1.259 jetty-jmx 9.4.51.v20230217**
 - 1.259.1 Available under license
- 1.260 jetty-proxy 9.4.51.v20230217**
 - 1.260.1 Available under license
- 1.261 httpcomponents-client 4.5.6**
 - 1.261.1 Available under license
- 1.262 jaxb-api 2.3.1**
 - 1.262.1 Available under license
- 1.263 jackson-databind 2.15.0**
 - 1.263.1 Available under license
- 1.264 metrics-health-checks 4.2.9**
 - 1.264.1 Available under license
- 1.265 netty-codec-stomp 4.1.93.Final**
 - 1.265.1 Available under license
- 1.266 quartz 2.3.2**
 - 1.266.1 Available under license
- 1.267 guava 31.1-jre**
 - 1.267.1 Available under license
- 1.268 groovy-docgenerator 3.0.9**
 - 1.268.1 Available under license
- 1.269 cglib 3.3.0**
 - 1.269.1 Available under license
- 1.270 protobuf 2.6.1**
 - 1.270.1 Available under license
- 1.271 netty-resolver 4.1.93.Final**
 - 1.271.1 Available under license
- 1.272 dropwizard-util 2.0.28**
 - 1.272.1 Available under license
- 1.273 dropwizard-util 2.0.34**

1.273.1 Available under license

1.274 hppc 0.8.1

1.274.1 Available under license

1.275 logback-core 1.2.11

1.275.1 Available under license

1.276 auto-service 1.0-rc6

1.276.1 Available under license

1.277 lombok 1.18.12

1.277.1 Available under license

1.278 activation-api 1.1.1

1.278.1 Available under license

1.279 failureaccess 1.0.1

1.280 profiler 1.1.1

1.280.1 Available under license

1.281 jetty-servlets 9.4.51.v20230217

1.281.1 Available under license

1.282 ant-antlr 1.10.11

1.282.1 Available under license

1.283 geoip-api 1.2.11

1.283.1 Available under license

1.284 tap4j 4.1

1.284.1 Available under license

1.285 guice-multibindings 4.0

1.285.1 Available under license

1.286 jakarta.xml.bind.api 2.3.3

1.286.1 Available under license

1.287 joda-time 2.10.1

1.287.1 Available under license

1.288 jsch 0.2.4

1.288.1 Available under license

1.289 proto-google-common-protos 1.12.0

1.290 bouncy-castle 1.72

1.290.1 Available under license

1.291 netty-transport-native-unix-common 4.1.93.Final

1.291.1 Available under license

1.292 xz-java 1.9

1.292.1 Available under license

1.293 jul-to-slf4j 1.7.32

1.293.1 Available under license

1.294 mysql 5.7.41

1.294.1 Available under license

1.295 commons-compiler 2.6.1

1.296 jackson 2.14.1

1.296.1 Available under license

1.1 commons-lang3 2.6

1.1.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache Commons Lang

Copyright 2001-2011 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

1.2 reflections 0.9.10

1.2.1 Available under license :

WTFPL OR BSD-3-Clause

1.3 metrics-caffeine 4.1.29

1.3.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2016 Ben Manes. All Rights Reserved.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

* /opt/cola/permits/1548380653_1675143991.351548/0/metrics-caffeine-4-1-29-sources-1-jar/com/codahale/metrics/caffeine/MetricsStatsCounter.java

1.4 classmate 1.5.1

1.4.1 Available under license :

Java ClassMate library was originally written by Tatu Saloranta (tatu.saloranta@iki.fi)

Other developers who have contributed code are:

* Brian Langel

This copy of Java ClassMate library is licensed under Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

1.5 netty-resolver-dns 4.1.93.Final

1.5.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2017 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.

*/

Found in path(s):

* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/UnixResolverDnsServerAddressStreamProvider.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsCacheEntry.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/NoopDnsQueryLifecycleObserver.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsQueryLifecycleObserverFactory.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/SingletonDnsServerAddressStreamProvider.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DefaultDnsServerAddressStreamProvider.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsNameResolverTimeoutException.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsServerAddressStreamProvider.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsQueryLifecycleObserver.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/UniSequentialDnsServerAddressStreamProvider.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/LoggingDnsQueryLifecycleObserver.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/NoopDnsQueryLifecycleObserverFactory.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/BiDnsQueryLifecycleObserverFactory.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/SequentialDnsServerAddressStreamProvider.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/BiDnsQueryLifecycleObserver.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/MultiDnsServerAddressStreamProvider.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsServerAddressStreamProviders.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2022 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io.netty.resolver.dns/DnsServerResponseFeedbackAddressStream.java

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2014 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:

~

~ <https://www.apache.org/licenses/LICENSE-2.0>

~

~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.

-->

Found in path(s):

* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/META-INF/maven/io.netty.netty-resolver-dns/pom.xml

No license file was found, but licenses were detected in source scan.

The Netty Project licenses this file to you under the Apache License,
version 2.0 (the "License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at:
distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

Found in path(s):

* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/META-INF/native-image/io.netty.netty-resolver-dns/native-image.properties

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2016 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsCache.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/NoopDnsCache.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/RoundRobinDnsAddressResolverGroup.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DefaultDnsCache.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/InflightNameResolver.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2018 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/Cache.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsAddressDecoder.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsRecordResolveContext.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-

jar/io/netty/resolver/dns/DnsAddressResolveContext.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-
jar/io/netty/resolver/dns/NameServerComparator.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-
jar/io/netty/resolver/dns/NoopAuthoritativeDnsServerCache.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-
jar/io/netty/resolver/dns/NoopDnsCnameCache.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-
jar/io/netty/resolver/dns/DirContextUtils.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-
jar/io/netty/resolver/dns/AuthoritativeDnsServerCacheAdapter.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-
jar/io/netty/resolver/dns/AuthoritativeDnsServerCache.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-
jar/io/netty/resolver/dns/DefaultAuthoritativeDnsServerCache.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-
jar/io/netty/resolver/dns/DefaultDnsCnameCache.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-
jar/io/netty/resolver/dns/DnsCnameCache.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-
jar/io/netty/resolver/dns/DnsServerAddresses.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-
jar/io/netty/resolver/dns/DnsResolveContext.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-
jar/io/netty/resolver/dns/DnsQueryContext.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-
jar/io/netty/resolver/dns/DnsNameResolver.java
* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-
jar/io/netty/resolver/dns/DnsAddressResolverGroup.java

* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/package-info.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2019 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/TcpDnsQueryContext.java

* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DatagramDnsQueryContext.java

* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/PreferredAddressTypeComparator.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2020 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/UnixResolverOptions.java

* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/LoggingDnsQueryLifeCycleObserverFactory.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2015 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsNameResolverException.java

* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DefaultDnsServerAddresses.java

* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsQueryContextManager.java

* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/RotationalDnsServerAddresses.java

* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/SequentialDnsServerAddressStream.java

* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsServerAddressStream.java

* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/ShuffledDnsServerAddressStream.java

* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/SingletonDnsServerAddresses.java

* /opt/cola/permits/1698848150_1685285760.840186/0/netty-resolver-dns-4-1-93-final-sources-jar/io/netty/resolver/dns/DnsNameResolverBuilder.java

1.6 hamcrest 1.3

1.6.1 Available under license :

Copyright (c) 2000-2003, jMock.org

All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of jMock nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

BSD License

Copyright (c) 2000-2006, www.hamcrest.org
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.7 mime-pull 1.9.13

1.7.1 Available under license :

```
/*
 * Copyright (c) 1997, 2018 Oracle and/or its affiliates. All rights reserved.
 *
 * This program and the accompanying materials are made available under the
 * terms of the Eclipse Distribution License v. 1.0, which is available at
 * http://www.eclipse.org/org/documents/edl-v10.php.
 *
 * SPDX-License-Identifier: BSD-3-Clause
 */
[/]: # " Copyright (c) 2018, 2020 Oracle and/or its affiliates. All rights reserved. "
[/]: # " "
[/]: # " This program and the accompanying materials are made available under the "
[/]: # " terms of the Eclipse Distribution License v. 1.0, which is available at "
[/]: # " http://www.eclipse.org/org/documents/edl-v10.php. "
[/]: # " "
[/]: # " SPDX-License-Identifier: BSD-3-Clause "

# Notices for Eclipse Metro

This content is produced and maintained by the Eclipse Metro project.

* Project home: https://projects.eclipse.org/projects/ee4j.metro

## Trademarks
```

Eclipse Metro is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Distribution License v. 1.0 which is available at <http://www.eclipse.org/org/documents/edl-v10.php>.

SPDX-License-Identifier: BSD-3-Clause

Source Code

The project maintains the following source code repositories:

- * <https://github.com/eclipse-ee4j/metro-xmlstreambuffer>
- * <https://github.com/eclipse-ee4j/metro-policy>
- * <https://github.com/eclipse-ee4j/metro-wsit>
- * <https://github.com/eclipse-ee4j/metro-mimepull>
- * <https://github.com/eclipse-ee4j/metro-ws-test-harness>
- * <https://github.com/eclipse-ee4j/metro-package-rename-task>
- * <https://github.com/eclipse-ee4j/metro-jax-ws>
- * <https://github.com/eclipse-ee4j/metro-saaj>
- * <https://github.com/eclipse-ee4j/metro-jwsdp-samples>
- * <https://github.com/eclipse-ee4j/jax-rpc-ri>

Third-party Content

This project leverages the following third party content.

addressing.xml Version: 2004/10 (n/a)

- * License: W3C
- * Project: <https://www.w3.org/Submission/ws-addressing/>
- * Source: <http://schemas.xmlsoap.org/ws/2004/08/addressing/>

ant-launcher (1.10.2)

- * License: Apache-2.0 AND SAX-PD AND W3C
- * Project: <https://ant.apache.org/>
- * Source:
<http://central.maven.org/maven2/org/apache/ant/ant-launcher/1.10.2/ant-launcher-1.10.2-sources.jar>

Apache Ant (1.6)

- * License: Apache-1.1
- * Project: <https://ant.apache.org/>
- * Source: <https://repo1.maven.org/maven2/ant/ant/1.6/ant-1.6-sources.jar>

Apache Ant (1.10.2)

- * License: Apache-2.0 AND W3C AND LicenseRef-Public-Domain

commons-logging (1.1.2)

- * License: Apache-2.0
- * Project: <https://commons.apache.org/proper/commons-logging/>
- * Source:
<http://central.maven.org/maven2/commons-logging/commons-logging/1.1.2/commons-logging-1.1.2-sources.jar>

JUnit (4.12)

- * License: Eclipse Public License

maven-core (3.5.2)

- * License: Apache-2.0

maven-plugin-annotations (3.5.1)

- * License: Apache-2.0
- * Project:
<https://maven.apache.org/plugin-tools/maven-plugin-annotations/project-info.html>
- * Source:
<https://github.com/apache/maven-plugin-tools/tree/maven-plugin-tools-3.5.1/maven-plugin-annotations>

maven-plugin-api (3.5.2)

- * License: Apache-2.0
- * Project: <https://maven.apache.org/>
- * Source: <https://github.com/apache/maven/tree/master/maven-plugin-api>

maven-resolver-api (1.1.1)

- * License: Apache-2.0

maven-resolver-util (1.1.1)

- * License: Apache-2.0

maven-settings (3.5.2)

* License: Apache-2.0

mex.xsd Version: 2004/09 (n/a)

* License: Oasis Style

* Project: <https://www.w3.org/Submission/WS-MetadataExchange/#appendix-II>

* Source: <http://schemas.xmlsoap.org/ws/2004/09/mex/MetadataExchange.xsd>

plexus-utils (3.1.0)

* License: Apache- 2.0 or Apache- 1.1 or BSD or Public Domain or Indiana University Extreme! Lab Software License V1.1.1 (Apache 1.1 style)

relaxng-datatype (1.0)

* License: New BSD license

stax2-api (4.1)

* License: Pending

* Project: <https://github.com/FasterXML/stax2-api>

* Source:

<http://central.maven.org/maven2/org/codehaus/woodstox/stax2-api/4.1/stax2-api-4.1-sources.jar>

testng (6.14.2)

* License: Apache-2.0 AND MIT

* Project: <https://testng.org/doc/index.html>

* Source: <https://github.com/cbeust/testng>

woodstox-core-asl (4.4.1)

* License: Apache-2.0

woodstox-core-asl (5.1.0)

* License: Pending

* Project: <https://github.com/FasterXML/woodstox>

* Source: <https://github.com/FasterXML/woodstox>

ws-addr.wsd (1.0)

* License: W3C

* Project: <https://www.w3.org/2005/08/addressing/>

* Source: <https://www.w3.org/2006/03/addressing/ws-addr.xsd>

wsat.xsd Version: 2004/10 (n/a)

- * License: Oasis Style
- * Project: <http://schemas.xmlsoap.org/ws/2004/10/wsat/>
- * Source: <http://schemas.xmlsoap.org/ws/2004/10/wsat/wsat.xsd>

wscor.xsd (1.0)

- * License: OASIS Style

wscor.xsd (1.1)

- * License: Oasis (Custom)
- * Project: <http://docs.oasis-open.org/ws-tx/wscor/2006/06>
- * Source:
<http://docs.oasis-open.org/ws-tx/wscor/2006/06/wstx-wscor-1.1-schema-200701.xsd>

wsm Version: 2005/02 (n/a)

- * License: Oasis (Custom)
- * Project: <http://schemas.xmlsoap.org/ws/2005/02/rm/>
- * Source:
<http://schemas.xmlsoap.org/ws/2005/02/rm/wsm.xsd;%20http://schemas.xmlsoap.org/ws/2005/02/rm/wsm-policy.xsd>

wsm.xsd (1.2)

- * License: Oasis

wstx-wsat.xsd (1.1)

- * License: Oasis (Custom)

xmlsec (1.5.8)

- * License: Apache-2.0
- * Project: <http://santuario.apache.org/>
- * Source:
<https://repo1.maven.org/maven2/org/apache/santuario/xmlsec/1.5.8/xmlsec-1.5.8-sources.jar>

Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

Eclipse Distribution License - v 1.0

Copyright (c) 2007, Eclipse Foundation, Inc. and its licensors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

[/]: # " Copyright (c) 2018, 2020 Oracle and/or its affiliates. All rights reserved. "

[/]: # " "

[/]: # " This program and the accompanying materials are made available under the "

[/]: # " terms of the Eclipse Distribution License v. 1.0, which is available at "

[/]: # " <http://www.eclipse.org/org/documents/edl-v10.php>. "

[/]: # " "

[/]: # " SPDX-License-Identifier: BSD-3-Clause "

Copyright (c) 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.8 drop-wizard-metrics 2.0.28

1.8.1 Available under license :

Apache-2.0

1.9 jackson-dataformat-smile 2.15.0

1.9.1 Available under license :

This copy of Jackson JSON processor Smile module is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers.

Copyright

Copyright 2007-, Tatu Saloranta (tatu.saloranta@iki.fi)

Licensing

Jackson components are licensed under Apache (Software) License, version 2.0, as per accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

1.10 jackson-module-afterburner 2.10.5

1.10.1 Available under license :

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

Licensing

Jackson core and extension components (as well their dependencies) may be licensed under different licenses.

To find the details that apply to this artifact see the accompanying LICENSE file.

For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson JSON processor `jackson-module-afterburner` module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Additional licensing information exists for following 3rd party library dependencies

ASM

ASM: a very small and fast Java bytecode manipulation framework

Copyright (c) 2000-2011 INRIA, France Telecom

All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.11 jackson-module-afterburner 2.14.1

1.11.1 Available under license :

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

Licensing

Jackson core and extension components (as well their dependencies) may be licensed under different licenses.

To find the details that apply to this artifact see the accompanying LICENSE file.

For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available

from the source code management (SCM) system project uses.

This copy of Jackson JSON processor `jackson-module-afterburner` module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Additional licensing information exists for following 3rd party library dependencies

ASM

ASM: a very small and fast Java bytecode manipulation framework

Copyright (c) 2000-2011 INRIA, France Telecom

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.12 ecs-logging-core 1.2.0

1.12.1 Available under license :

ecs-logging-java

Copyright 2019 - 2020 Elasticsearch B.V.

```
#####  
This product includes software licensed under the Apache License 2.0 developed at FasterXML.  
- co.elastic.logging.JsonUtils
```

Jackson LICENSE:

This copy of Jackson JSON processor streaming parser/generator is licensed under the Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Jackson NOTICE:

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.
It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.
It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

Licensing

Jackson core and extension components may licensed under different licenses.
To find the details that apply to this artifact see the accompanying LICENSE file.
For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

#####

1.13 Lucene 9.6.0

1.13.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes

of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Some code in `core/src/java/org/apache/lucene/util/UnicodeUtil.java` was
derived from unicode conversion examples available at
<http://www.unicode.org/Public/PROGRAMS/CVTUTF>. Here is the copyright
from those sources:

```
/*  
 * Copyright 2001-2004 Unicode, Inc.  
 *  
 * Disclaimer  
 *  
 * This source code is provided as is by Unicode, Inc. No claims are  
 * made as to fitness for any particular purpose. No warranties of any  
 * kind are expressed or implied. The recipient agrees to determine  
 * applicability of information provided. If this file has been  
 * purchased on magnetic or optical media from Unicode, Inc., the  
 * sole remedy for any claim will be exchange of defective media  
 * within 90 days of receipt.  
 *  
 * Limitations on Rights to Redistribute This Code  
 *  
 * Unicode, Inc. hereby grants the right to freely use the information  
 * supplied in this file in the creation of products supporting the  
 * Unicode Standard, and to make copies of this file in any form  
 * for internal or external distribution as long as this notice  
 * remains attached.  
 */
```

Some code in `core/src/java/org/apache/lucene/util/ArrayUtil.java` was
derived from Python 2.4.2 sources available at
<http://www.python.org>. Full license is here:

<http://www.python.org/download/releases/2.4.2/license/>

Some code in core/src/java/org/apache/lucene/util/UnicodeUtil.java was derived from Python 3.1.2 sources available at <http://www.python.org>. Full license is here:

<http://www.python.org/download/releases/3.1.2/license/>

Some code in core/src/java/org/apache/lucene/util/automaton was derived from Brics automaton sources available at www.brics.dk/automaton/. Here is the copyright from those sources:

```
/*
 * Copyright (c) 2001-2009 Anders Moeller
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. The name of the author may not be used to endorse or promote products
 * derived from this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
 * IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
 * IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
 * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
 * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
 * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
 * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
 * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
 * THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 */
```

The levenshtein automata tables in core/src/java/org/apache/lucene/util/automaton were automatically generated with the moman/finenight FSA package. Here is the copyright for those sources:

```
# Copyright (c) 2010, Jean-Philippe Barrette-LaPierre, <jpb@rrette.com>
#
# Permission is hereby granted, free of charge, to any person
# obtaining a copy of this software and associated documentation
```

```
# files (the "Software"), to deal in the Software without
# restriction, including without limitation the rights to use,
# copy, modify, merge, publish, distribute, sublicense, and/or sell
# copies of the Software, and to permit persons to whom the
# Software is furnished to do so, subject to the following
# conditions:
#
# The above copyright notice and this permission notice shall be
# included in all copies or substantial portions of the Software.
#
# THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
# EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES
# OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
# NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
# HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY,
# WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
# FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
# OTHER DEALINGS IN THE SOFTWARE.
```

Some code in `core/src/java/org/apache/lucene/util/UnicodeUtil.java` was derived from ICU (<http://www.icu-project.org>)

The full license is available here:

<https://github.com/unicode-org/icu/blob/main/icu4c/LICENSE>

```
/*
```

```
* Copyright (C) 1999-2010, International Business Machines
```

```
* Corporation and others. All Rights Reserved.
```

```
*
```

```
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, and/or sell copies of the
* Software, and to permit persons to whom the Software is furnished to do so,
* provided that the above copyright notice(s) and this permission notice appear
* in all copies of the Software and that both the above copyright notice(s) and
* this permission notice appear in supporting documentation.
```

```
*
```

```
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.
* IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE
* LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR
* ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER
* IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT
* OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
```

```
*
```

```
* Except as contained in this notice, the name of a copyright holder shall not
```

```
* be used in advertising or otherwise to promote the sale, use or other
```

- * dealings in this Software without prior written authorization of the
- * copyright holder.
- */

The following license applies to the Snowball stemmers:

Copyright (c) 2001, Dr Martin Porter
Copyright (c) 2002, Richard Boulton
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The following license applies to the KStemmer:

Copyright 2003,
Center for Intelligent Information Retrieval,
University of Massachusetts, Amherst.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation

and/or other materials provided with the distribution.

3. The names "Center for Intelligent Information Retrieval" and "University of Massachusetts" must not be used to endorse or promote products derived from this software without prior written permission. To obtain permission, contact info@ciir.cs.umass.edu.

THIS SOFTWARE IS PROVIDED BY UNIVERSITY OF MASSACHUSETTS AND OTHER CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The following license applies to the Morfologik project:

Copyright (c) 2006 Dawid Weiss
Copyright (c) 2007-2011 Dawid Weiss, Marcin Mikowski
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Morfologik nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS

SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The dictionary comes from Morfologik project. Morfologik uses data from Polish ispell/myspell dictionary hosted at <http://www.sjp.pl/slownik/en/> and is licenced on the terms of (inter alia) LGPL and Creative Commons ShareAlike. The part-of-speech tags were added in Morfologik project and are not found in the data from sjp.pl. The tagset is similar to IPI PAN tagset.

The following license applies to the Morfeusz project, used by `org.apache.lucene.analysis.morfologik`.

BSD-licensed dictionary of Polish (SGJP)
<http://sgjp.pl/morfeusz/>

Copyright 2011 Zygmunt Saloni, Wodzimierz Gruszczyski,
Marcin Woliski, Robert Woosz

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY COPYRIGHT HOLDERS AS IS AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL COPYRIGHT HOLDERS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

core/src/java/org/apache/lucene/util/compress/LZ4.java is a Java implementation of the LZ4 (<https://github.com/lz4/lz4/tree/dev/lib>) compression format for Lucene's DataInput/DataOutput abstractions.

LZ4 Library

Copyright (c) 2011-2016, Yann Collet

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache Lucene

Copyright 2001-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Includes software from other Apache Software Foundation projects, including, but not limited to:

- Apache Jakarta Regexp
- Apache Commons
- Apache Xerces

ICU4J, (under analysis/icu) is licensed under an MIT styles license and Copyright (c) 1995-2008 International Business Machines Corporation and others

Some data files (under analysis/icu/src/data) are derived from Unicode data such as the Unicode Character Database. See <http://unicode.org/copyright.html> for more details.

Brics Automaton (under `core/src/java/org/apache/lucene/util/automaton`) is BSD-licensed, created by Anders Mller. See <http://www.brics.dk/automaton/>

The levenshtein automata tables (under `core/src/java/org/apache/lucene/util/automaton`) were automatically generated with the moman/finenight FSA library, created by Jean-Philippe Barrette-LaPierre. This library is available under an MIT license, see <http://sites.google.com/site/rrettesite/moman> and <http://bitbucket.org/jpbarrette/moman/overview/>

The class `org.apache.lucene.util.WeakIdentityMap` was derived from the Apache CXF project and is Apache License 2.0.

The class `org.apache.lucene.util.compress.LZ4` is a Java rewrite of the LZ4 compression library (<https://github.com/lz4/lz4/tree/dev/lib>) that is licensed under the 2-clause BSD license. (<https://opensource.org/licenses/bsd-license.php>)

The Google Code Prettify is Apache License 2.0. See <http://code.google.com/p/google-code-prettify/>

This product includes code (JaspellTernarySearchTrie) from Java Spelling Checking Package (jaspell): <http://jaspell.sourceforge.net/>
License: The BSD License (<http://www.opensource.org/licenses/bsd-license.php>)

The snowball stemmers in `analysis/common/src/java/net/sf/snowball` were developed by Martin Porter and Richard Boulton.

The snowball stopword lists in `analysis/common/src/resources/org/apache/lucene/analysis/snowball` were developed by Martin Porter and Richard Boulton.

The full snowball package is available from <https://snowballstem.org/>

The KStem stemmer in `analysis/common/src/org/apache/lucene/analysis/en` was developed by Bob Krovetz and Sergio Guzman-Lara (CIIR-UMass Amherst) under the BSD-license.

The Arabic,Persian,Romanian,Bulgarian, Hindi and Bengali analyzers (common) come with a default stopword list that is BSD-licensed created by Jacques Savoy. These files reside in:

`analysis/common/src/resources/org/apache/lucene/analysis/ar/stopwords.txt`,
`analysis/common/src/resources/org/apache/lucene/analysis/fa/stopwords.txt`,
`analysis/common/src/resources/org/apache/lucene/analysis/ro/stopwords.txt`,
`analysis/common/src/resources/org/apache/lucene/analysis/bg/stopwords.txt`,
`analysis/common/src/resources/org/apache/lucene/analysis/hi/stopwords.txt`,
`analysis/common/src/resources/org/apache/lucene/analysis/bn/stopwords.txt`

See <http://members.unine.ch/jacques.savoy/clef/index.html>.

The German, Spanish, Finnish, French, Hungarian, Italian, Portuguese, Russian and Swedish light stemmers (common) are based on BSD-licensed reference implementations created by Jacques Savoy and Ljiljana Dolamic. These files reside in:

analysis/common/src/java/org/apache/lucene/analysis/de/GermanLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/de/GermanMinimalStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/es/SpanishLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/fin/FinnishLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchMinimalStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/hu/HungarianLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/it/ItalianLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/pt/PortugueseLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/ru/RussianLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/sv/SwedishLightStemmer.java

The Stempel analyzer (stempel) includes BSD-licensed software developed by the Egothor project <http://egothor.sf.net/>, created by Leo Galambos, Martin Kvapil, and Edmond Nolan.

The Polish analyzer (stempel) comes with a default stopword list that is BSD-licensed created by the Carrot2 project. The file resides in `stempel/src/resources/org/apache/lucene/analysis/pl/stopwords.txt`. See <https://github.com/carrot2/carrot2>.

The SmartChineseAnalyzer source code (smartcn) was provided by Xiaoping Gao and copyright 2009 by www.imdict.net.

WordBreakTestUnicode_*.java (under `modules/analysis/common/src/test/`) is derived from Unicode data such as the Unicode Character Database. See <http://unicode.org/copyright.html> for more details.

The Morfologik analyzer (morfologik) includes BSD-licensed software developed by Dawid Weiss and Marcin Mikowski (<https://github.com/morfologik/morfologik-stemming>) and uses data from the BSD-licensed dictionary of Polish (SGJP, <http://sgjp.pl/morfeusz/>).

Servlet-api.jar and javax.servlet-*.jar are under the CDDL license, the original source code for this can be found at <http://www.eclipse.org/jetty/downloads.php>

=====
Kuromoji Japanese Morphological Analyzer - Apache Lucene Integration
=====

This software includes a binary and/or source version of data from

mecab-ipadic-2.7.0-20070801

which can be obtained from

<http://atilika.com/releases/mecab-ipadic/mecab-ipadic-2.7.0-20070801.tar.gz>

or

<http://jaist.dl.sourceforge.net/project/mecab/mecab-ipadic/2.7.0-20070801/mecab-ipadic-2.7.0-20070801.tar.gz>

=====
mecab-ipadic-2.7.0-20070801 Notice
=====

Nara Institute of Science and Technology (NAIST),
the copyright holders, disclaims all warranties with regard to this
software, including all implied warranties of merchantability and
fitness, in no event shall NAIST be liable for
any special, indirect or consequential damages or any damages
whatsoever resulting from loss of use, data or profits, whether in an
action of contract, negligence or other tortuous action, arising out
of or in connection with the use or performance of this software.

A large portion of the dictionary entries
originate from ICOT Free Software. The following conditions for ICOT
Free Software applies to the current dictionary as well.

Each User may also freely distribute the Program, whether in its
original form or modified, to any third party or parties, PROVIDED
that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear
on, or be attached to, the Program, which is distributed substantially
in the same form as set out herein and that such intended
distribution, if actually made, will neither violate or otherwise
contravene any of the laws and regulations of the countries having
jurisdiction over the User or the intended distribution itself.

NO WARRANTY

The program was produced on an experimental basis in the course of the
research and development conducted during the project and is provided
to users as so produced on an experimental basis. Accordingly, the
program is provided without any warranty whatsoever, whether express,
implied, statutory or otherwise. The term "warranty" used herein
includes, but is not limited to, any warranty of the quality,
performance, merchantability and fitness for a particular purpose of
the program and the nonexistence of any infringement or violation of
any right of any third party.

Each user of the program will agree and understand, and be deemed to
have agreed and understood, that there is no warranty whatsoever for

the program and, accordingly, the entire risk arising from or otherwise connected with the program is assumed by the user.

Therefore, neither ICOT, the copyright holder, or any other organization that participated in or was otherwise related to the development of the program and their respective officials, directors, officers and other employees shall be held liable for any and all damages, including, without limitation, general, special, incidental and consequential damages, arising out of or otherwise in connection with the use or inability to use the program or any product, material or result produced or otherwise obtained by using the program, regardless of whether they have been advised of, or otherwise had knowledge of, the possibility of such damages at any time during the project or thereafter. Each user will be deemed to have agreed to the foregoing by his or her commencement of use of the program. The term "use" as used herein includes, but is not limited to, the use, modification, copying and distribution of the program and the production of secondary products from the program.

In the case where the program, whether in its original form or modified, was distributed or delivered to or received by a user from any person, organization or entity other than ICOT, unless it makes or grants independently of ICOT any specific warranty to the user in writing, such person, organization or entity, will also be exempted from and not be held liable to the user for any such damages as noted above as far as the program is concerned.

=====
Nori Korean Morphological Analyzer - Apache Lucene Integration
=====

This software includes a binary and/or source version of data from

mecab-ko-dic-2.0.3-20170922

which can be obtained from

<https://bitbucket.org/eunjeon/mecab-ko-dic/downloads/mecab-ko-dic-2.0.3-20170922.tar.gz>

1.14 jakarta-validation-api 2.0.2

1.14.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Jakarta Bean Validation API

*

- * License: Apache License, Version 2.0
- * See the license.txt file in the root directory or <<http://www.apache.org/licenses/LICENSE-2.0>>.
- */

Found in path(s):

- * /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/Validator.java
- * /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/CascadableDescriptor.java
- * /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ConstraintTarget.java
- * /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/FutureOrPresent.java
- * /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/Null.java
- * /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/ConstraintValidatorContext.java
- * /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/ExecutableDescriptor.java
- * /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/groups/Default.java
- * /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/MessageInterpolator.java
- * /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/package-info.java
- * /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/valueextraction/Unwrapping.java
- * /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/valueextraction/ValueExtractor.java
- * /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraintvalidation/ValidationTarget.java
- * /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/MethodDescriptor.java
- * /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/package-info.java
- * /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/UnexpectedTypeException.java
- * /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/metadata/BeanDescriptor.java
- * /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/Digits.java
- * /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/bootstrap/ProviderSpecificBootstrap.java
- * /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/valueextraction/UnwrapByDefault.java
- * /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/NegativeOrZero.java
- * /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-

jar/javax/validation/ConstraintViolation.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/ConstraintDefinitionException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/ValidateUnwrappedValue.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraintvalidation/SupportedValidationTarget.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/groups/package-info.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/spi/ValidationProvider.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/ElementKind.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/GroupConversionDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/valueextraction/ExtractedValue.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/bootstrap/GenericBootstrap.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/MethodType.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/valueextraction/ValueExtractorDeclarationException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/ConstructorDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraintvalidation/package-info.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/AssertTrue.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/Path.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/executable/package-info.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/valueextraction/package-info.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/PositiveOrZero.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/valueextraction/ValueExtractorDefinitionException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/BootstrapConfiguration.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/ElementDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/ContainerElementTypeDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/GroupDefinitionException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-

jar/javax/validation/constraints/Min.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/groups/ConvertGroup.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/Scope.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/Max.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/ReportAsSingleViolation.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/ReturnValueDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/ParameterNameProvider.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/Pattern.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/NoProviderFoundException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/Validation.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/ValidatorContext.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/NotBlank.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/spi/package-info.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/Constraint.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/Valid.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/CrossParameterDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/ClockProvider.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/Configuration.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/executable/ValidateOnExecution.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/Size.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/PastOrPresent.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/ConstraintViolationException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/bootstrap/package-info.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/TraversableResolver.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-

jar/javax/validation/executable/ExecutableValidator.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/ValidationProviderResolver.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/ValidatorFactory.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/ContainerDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/ConstraintDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/ParameterDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/NotNull.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/package-info.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/GroupSequence.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/Negative.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/ConstraintValidatorFactory.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/ValidationException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/OverridesAttribute.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/spi/BootstrapState.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/Email.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/ConstraintDeclarationException.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/metadata/PropertyDescriptor.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/ConstraintValidator.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/executable/ExecutableType.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/AssertFalse.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/Future.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/DecimalMax.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/Positive.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-
jar/javax/validation/constraints/NotEmpty.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-

jar/javax/validation/spi/ConfigurationState.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/Payload.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/DecimalMin.java
* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/javax/validation/constraints/Past.java
No license file was found, but licenses were detected in source scan.

~ Jakarta Bean Validation API

~

~ License: Apache License, Version 2.0

~ See the license.txt file in the root directory or <<http://www.apache.org/licenses/LICENSE>

<![CDATA[

Comments to: <<mailto:bean-validation-dev@eclipse.org>>

Copyright © 2019 Eclipse Foundation.

Use is subject to <[EFSL]({@docRoot}/doc-files/speclicense.html)>; this spec is based on material that is licensed under the Apache License, version 2.0.]]>

Found in path(s):

* /opt/cola/permits/1135880235_1613624044.2/0/jakarta-validation-api-2-0-2-sources-3-jar/META-INF/maven/jakarta.validation/jakarta.validation-api/pom.xml

1.15 jetty-util-ajax 9.4.51.v20230217

1.15.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
 - i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute

the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
 - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
 - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
 - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
 - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses,

damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including

the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each

Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====
Jetty Web Container
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd unless otherwise noted.

Jetty is dual licensed under both

* The Apache 2.0 License
<http://www.apache.org/licenses/LICENSE-2.0.html>

and

* The Eclipse Public 1.0 License
<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

Eclipse

The following artifacts are EPL.
* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.
* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.
* org.eclipse.jetty.orbit:javax.mail.glassfish

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.
<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

- * javax.servlet:javax.servlet-api
- * javax.annotation:javax.annotation-api
- * javax.transaction:javax.transaction-api
- * javax.websocket:javax.websocket-api

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

- * java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

- org.ow2.asm:asm-commons
- org.ow2.asm:asm

Apache

The following artifacts are ASL2 licensed.

- org.apache.taglibs:taglibs-standard-spec
- org.apache.taglibs:taglibs-standard-impl

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

- org.mortbay.jasper:apache-jsp
- org.apache.tomcat:tomcat-jasper

org.apache.tomcat:tomcat-juli
org.apache.tomcat:tomcat-jsp-api
org.apache.tomcat:tomcat-el-api
org.apache.tomcat:tomcat-jasper-el
org.apache.tomcat:tomcat-api
org.apache.tomcat:tomcat-util-scan
org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el
org.apache.tomcat:tomcat-jasper-el
org.apache.tomcat:tomcat-el-api

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

1.16 jopt-simple 5.0.2

1.17 ant-launcher 1.10.12

1.17.1 Available under license :

Apache Ant

Copyright 1999-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

The <sync> task is based on code Copyright (c) 2002, Landmark Graphics Corp that has been kindly donated to the Apache Software

Foundation.

/*

* Apache License
* Version 2.0, January 2004
* <http://www.apache.org/licenses/>

*

* TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

*

* 1. Definitions.

*

* "License" shall mean the terms and conditions for use, reproduction,
* and distribution as defined by Sections 1 through 9 of this document.

*

* "Licensor" shall mean the copyright owner or entity authorized by
* the copyright owner that is granting the License.

*

* "Legal Entity" shall mean the union of the acting entity and all
* other entities that control, are controlled by, or are under common
* control with that entity. For the purposes of this definition,
* "control" means (i) the power, direct or indirect, to cause the
* direction or management of such entity, whether by contract or
* otherwise, or (ii) ownership of fifty percent (50%) or more of the
* outstanding shares, or (iii) beneficial ownership of such entity.

*

* "You" (or "Your") shall mean an individual or Legal Entity
* exercising permissions granted by this License.

*

* "Source" form shall mean the preferred form for making modifications,
* including but not limited to software source code, documentation
* source, and configuration files.

*

* "Object" form shall mean any form resulting from mechanical
* transformation or translation of a Source form, including but
* not limited to compiled object code, generated documentation,
* and conversions to other media types.

*

* "Work" shall mean the work of authorship, whether in Source or
* Object form, made available under the License, as indicated by a
* copyright notice that is included in or attached to the work
* (an example is provided in the Appendix below).

*

* "Derivative Works" shall mean any work, whether in Source or Object
* form, that is based on (or derived from) the Work and for which the
* editorial revisions, annotations, elaborations, or other modifications
* represent, as a whole, an original work of authorship. For the purposes
* of this License, Derivative Works shall not include works that remain
* separable from, or merely link (or bind by name) to the interfaces of,
* the Work and Derivative Works thereof.

*
* "Contribution" shall mean any work of authorship, including
* the original version of the Work and any modifications or additions
* to that Work or Derivative Works thereof, that is intentionally
* submitted to Licensor for inclusion in the Work by the copyright owner
* or by an individual or Legal Entity authorized to submit on behalf of
* the copyright owner. For the purposes of this definition, "submitted"
* means any form of electronic, verbal, or written communication sent
* to the Licensor or its representatives, including but not limited to
* communication on electronic mailing lists, source code control systems,
* and issue tracking systems that are managed by, or on behalf of, the
* Licensor for the purpose of discussing and improving the Work, but
* excluding communication that is conspicuously marked or otherwise
* designated in writing by the copyright owner as "Not a Contribution."
*

* "Contributor" shall mean Licensor and any individual or Legal Entity
* on behalf of whom a Contribution has been received by Licensor and
* subsequently incorporated within the Work.
*

* 2. Grant of Copyright License. Subject to the terms and conditions of
* this License, each Contributor hereby grants to You a perpetual,
* worldwide, non-exclusive, no-charge, royalty-free, irrevocable
* copyright license to reproduce, prepare Derivative Works of,
* publicly display, publicly perform, sublicense, and distribute the
* Work and such Derivative Works in Source or Object form.
*

* 3. Grant of Patent License. Subject to the terms and conditions of
* this License, each Contributor hereby grants to You a perpetual,
* worldwide, non-exclusive, no-charge, royalty-free, irrevocable
* (except as stated in this section) patent license to make, have made,
* use, offer to sell, sell, import, and otherwise transfer the Work,
* where such license applies only to those patent claims licensable
* by such Contributor that are necessarily infringed by their
* Contribution(s) alone or by combination of their Contribution(s)
* with the Work to which such Contribution(s) was submitted. If You
* institute patent litigation against any entity (including a
* cross-claim or counterclaim in a lawsuit) alleging that the Work
* or a Contribution incorporated within the Work constitutes direct
* or contributory patent infringement, then any patent licenses
* granted to You under this License for that Work shall terminate
* as of the date such litigation is filed.
*

* 4. Redistribution. You may reproduce and distribute copies of the
* Work or Derivative Works thereof in any medium, with or without
* modifications, and in Source or Object form, provided that You
* meet the following conditions:
*

* (a) You must give any other recipients of the Work or

- * Derivative Works a copy of this License; and
- *
- * (b) You must cause any modified files to carry prominent notices
- * stating that You changed the files; and
- *
- * (c) You must retain, in the Source form of any Derivative Works
- * that You distribute, all copyright, patent, trademark, and
- * attribution notices from the Source form of the Work,
- * excluding those notices that do not pertain to any part of
- * the Derivative Works; and
- *
- * (d) If the Work includes a "NOTICE" text file as part of its
- * distribution, then any Derivative Works that You distribute must
- * include a readable copy of the attribution notices contained
- * within such NOTICE file, excluding those notices that do not
- * pertain to any part of the Derivative Works, in at least one
- * of the following places: within a NOTICE text file distributed
- * as part of the Derivative Works; within the Source form or
- * documentation, if provided along with the Derivative Works; or,
- * within a display generated by the Derivative Works, if and
- * wherever such third-party notices normally appear. The contents
- * of the NOTICE file are for informational purposes only and
- * do not modify the License. You may add Your own attribution
- * notices within Derivative Works that You distribute, alongside
- * or as an addendum to the NOTICE text from the Work, provided
- * that such additional attribution notices cannot be construed
- * as modifying the License.
- *
- * You may add Your own copyright statement to Your modifications and
- * may provide additional or different license terms and conditions
- * for use, reproduction, or distribution of Your modifications, or
- * for any such Derivative Works as a whole, provided Your use,
- * reproduction, and distribution of the Work otherwise complies with
- * the conditions stated in this License.
- *
- * 5. Submission of Contributions. Unless You explicitly state otherwise,
- * any Contribution intentionally submitted for inclusion in the Work
- * by You to the Licensor shall be under the terms and conditions of
- * this License, without any additional terms or conditions.
- * Notwithstanding the above, nothing herein shall supersede or modify
- * the terms of any separate license agreement you may have executed
- * with Licensor regarding such Contributions.
- *
- * 6. Trademarks. This License does not grant permission to use the trade
- * names, trademarks, service marks, or product names of the Licensor,
- * except as required for reasonable and customary use in describing the
- * origin of the Work and reproducing the content of the NOTICE file.
- *

* 7. Disclaimer of Warranty. Unless required by applicable law or
* agreed to in writing, Licensor provides the Work (and each
* Contributor provides its Contributions) on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
* implied, including, without limitation, any warranties or conditions
* of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
* PARTICULAR PURPOSE. You are solely responsible for determining the
* appropriateness of using or redistributing the Work and assume any
* risks associated with Your exercise of permissions under this License.

* 8. Limitation of Liability. In no event and under no legal theory,
* whether in tort (including negligence), contract, or otherwise,
* unless required by applicable law (such as deliberate and grossly
* negligent acts) or agreed to in writing, shall any Contributor be
* liable to You for damages, including any direct, indirect, special,
* incidental, or consequential damages of any character arising as a
* result of this License or out of the use or inability to use the
* Work (including but not limited to damages for loss of goodwill,
* work stoppage, computer failure or malfunction, or any and all
* other commercial damages or losses), even if such Contributor
* has been advised of the possibility of such damages.

* 9. Accepting Warranty or Additional Liability. While redistributing
* the Work or Derivative Works thereof, You may choose to offer,
* and charge a fee for, acceptance of support, warranty, indemnity,
* or other liability obligations and/or rights consistent with this
* License. However, in accepting such obligations, You may act only
* on Your own behalf and on Your sole responsibility, not on behalf
* of any other Contributor, and only if You agree to indemnify,
* defend, and hold each Contributor harmless for any liability
* incurred by, or claims asserted against, such Contributor by reason
* of your accepting any such warranty or additional liability.

* END OF TERMS AND CONDITIONS

* APPENDIX: How to apply the Apache License to your work.

* To apply the Apache License to your work, attach the following
* boilerplate notice, with the fields enclosed by brackets "[]"
* replaced with your own identifying information. (Don't include
* the brackets!) The text should be enclosed in the appropriate
* comment syntax for the file format. We also recommend that a
* file or class name and description of purpose be included on the
* same "printed page" as the copyright notice for easier
* identification within third-party archives.

* Copyright [yyyy] [name of copyright owner]

- * Licensed under the Apache License, Version 2.0 (the "License");
- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at
- *
- * <https://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

W3C SOFTWARE NOTICE AND LICENSE

<https://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission.

Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to site-policy@w3.org.

Joseph Reagle <site-policy@w3.org>

This license came from: <http://www.megginson.com/SAX/copying.html>
However please note future versions of SAX may be covered
under <http://saxproject.org/?selected=pd>

SAX2 is Free!

I hereby abandon any property rights to SAX 2.0 (the Simple API for XML), and release all of the SAX 2.0 source code, compiled code, and documentation contained in this distribution into the Public Domain. SAX comes with NO WARRANTY or guarantee of fitness for any purpose.

David Megginson, david@megginson.com
2000-05-05

1.18 protobuf-java 3.22.3

1.18.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// Copyright 2008 Google Inc. All rights reserved.  
// Redistribution and use in source and binary forms, with or without  
// modification, are permitted provided that the following conditions are  
// * Redistributions of source code must retain the above copyright  
// notice, this list of conditions and the following disclaimer.  
// * Redistributions in binary form must reproduce the above  
// copyright notice, this list of conditions and the following disclaimer  
// in the documentation and/or other materials provided with the
```

```
// * Neither the name of Google Inc. nor the names of its
// this software without specific prior written permission.
```

Found in path(s):

```
* /opt/cola/permits/1657506237_1684232473.9945633/0/protobuf-java-3-22-2-jar/google/protobuf/empty.proto
* /opt/cola/permits/1657506237_1684232473.9945633/0/protobuf-java-3-22-2-jar/google/protobuf/any.proto
* /opt/cola/permits/1657506237_1684232473.9945633/0/protobuf-java-3-22-2-jar/google/protobuf/descriptor.proto
* /opt/cola/permits/1657506237_1684232473.9945633/0/protobuf-java-3-22-2-
jar/google/protobuf/source_context.proto
* /opt/cola/permits/1657506237_1684232473.9945633/0/protobuf-java-3-22-2-jar/google/protobuf/struct.proto
* /opt/cola/permits/1657506237_1684232473.9945633/0/protobuf-java-3-22-2-jar/google/protobuf/field_mask.proto
* /opt/cola/permits/1657506237_1684232473.9945633/0/protobuf-java-3-22-2-jar/google/protobuf/type.proto
* /opt/cola/permits/1657506237_1684232473.9945633/0/protobuf-java-3-22-2-jar/google/protobuf/timestamp.proto
* /opt/cola/permits/1657506237_1684232473.9945633/0/protobuf-java-3-22-2-jar/google/protobuf/api.proto
* /opt/cola/permits/1657506237_1684232473.9945633/0/protobuf-java-3-22-2-jar/google/protobuf/duration.proto
* /opt/cola/permits/1657506237_1684232473.9945633/0/protobuf-java-3-22-2-jar/google/protobuf/wrappers.proto
```

1.19 netty-transport-sctp 4.1.93.Final

1.19.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2011 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-
jar/com/sun/nio/sctp/Association.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-
jar/com/sun/nio/sctp/SctpChannel.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-
jar/com/sun/nio/sctp/NotificationHandler.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-
jar/io/netty/channel/sctp/DefaultSctpChannelConfig.java
```

* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/SctpChannelConfig.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/SctpNotificationHandler.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/SctpSocketOption.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/nio/NioSctpChannel.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/PeerAddressChangeNotification.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/ShutdownNotification.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/MessageInfo.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/SctpServerChannelConfig.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/SctpServerChannel.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/SendFailedNotification.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/AssociationChangeNotification.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/SctpChannel.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/HandlerResult.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/AbstractNotificationHandler.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/UnsupportedOperationException.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/Notification.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/SctpStandardSocketOptions.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/SctpServerChannel.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/nio/NioSctpServerChannel.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/com/sun/nio/sctp/package-info.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/SctpMessage.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2012 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/oio/package-info.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/handler/codec/sctp/SctpOutboundByteStreamHandler.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/oio/OioSctpChannel.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/nio/package-info.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/oio/OioSctpServerChannel.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/package-info.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/handler/codec/sctp/SctpInboundByteStreamHandler.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/handler/codec/sctp/SctpMessageCompletionHandler.java

* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/handler/codec/sctp/package-info.java
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/handler/codec/sctp/SctpMessageToMessageDecoder.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2013 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/SctpChannelOption.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2011 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/io/netty/channel/sctp/DefaultSctpServerChannelConfig.java
No license file was found, but licenses were detected in source scan.

```
<!--
~ Copyright 2012 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->
```

Found in path(s):

```
* /opt/cola/permits/1698848086_1685285729.8544004/0/netty-transport-sctp-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-transport-sctp/pom.xml
```

1.20 metrics 4.2.9

1.20.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Automatic-Module-Name: com.codahale.metrics

Build-Jdk-Spec: 11

Bundle-Description: Metrics is a Java library which gives you unparalleled insight into what your code does in production. Metrics provides a powerful toolkit of ways to measure the behavior of critical components in your production environment.

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0.html>

Bundle-ManifestVersion: 2

Bundle-Name: Metrics Core

Bundle-SymbolicName: io.dropwizard.metrics.core

Bundle-Version: 4.2.9

Created-By: Apache Maven Bundle Plugin 5.1.4

Export-Package: com.codahale.metrics;uses:="org.slf4j";version="4.2.9"

Implementation-Title: Metrics Core

Implementation-Version: 4.2.9

Import-Package: org.slf4j;version="[1.6.0,2.0.0)"

Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"

Tool: Bnd-5.1.1.202006162103

Found in path(s):

```
* /opt/cola/permits/1295050861_1651806904.61/0/metrics-core-4-2-9-jar/META-INF/MANIFEST.MF
```

1.21 websocket-common 9.4.51.v20230217

1.21.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
 - i) changes to the Program, and
 - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.
- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
 - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
 - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
 - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====
Jetty Web Container
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd unless otherwise noted.

Jetty is dual licensed under both

* The Apache 2.0 License
<http://www.apache.org/licenses/LICENSE-2.0.html>

and

- * The Eclipse Public 1.0 License
<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

Eclipse

The following artifacts are EPL.

- * org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.

- * org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.

- * org.eclipse.jetty.orbit:javax.mail.glassfish

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

- * javax.servlet:javax.servlet-api
- * javax.annotation:javax.annotation-api
- * javax.transaction:javax.transaction-api
- * javax.websocket:javax.websocket-api

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

- * java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

org.ow2.asm:asm-commons

org.ow2.asm:asm

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec

org.apache.taglibs:taglibs-standard-impl

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

org.mortbay.jasper:apache-jsp

org.apache.tomcat:tomcat-jasper

org.apache.tomcat:tomcat-juli

org.apache.tomcat:tomcat-jsp-api

org.apache.tomcat:tomcat-el-api

org.apache.tomcat:tomcat-jasper-el

org.apache.tomcat:tomcat-api

org.apache.tomcat:tomcat-util-scan

org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el

org.apache.tomcat:tomcat-jasper-el

org.apache.tomcat:tomcat-el-api

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

1.22 ant 1.10.12

1.22.1 Available under license :

Apache Ant

Copyright 1999-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

The <sync> task is based on code Copyright (c) 2002, Landmark Graphics Corp that has been kindly donated to the Apache Software Foundation.

/*

* Apache License

* Version 2.0, January 2004

* <http://www.apache.org/licenses/>

*

* TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

*

* 1. Definitions.

*

* "License" shall mean the terms and conditions for use, reproduction,
* and distribution as defined by Sections 1 through 9 of this document.

*

* "Licensor" shall mean the copyright owner or entity authorized by
* the copyright owner that is granting the License.

*

* "Legal Entity" shall mean the union of the acting entity and all
* other entities that control, are controlled by, or are under common
* control with that entity. For the purposes of this definition,

* "control" means (i) the power, direct or indirect, to cause the
* direction or management of such entity, whether by contract or
* otherwise, or (ii) ownership of fifty percent (50%) or more of the
* outstanding shares, or (iii) beneficial ownership of such entity.

*

* "You" (or "Your") shall mean an individual or Legal Entity
* exercising permissions granted by this License.

*
 * "Source" form shall mean the preferred form for making modifications,
 * including but not limited to software source code, documentation
 * source, and configuration files.
 *
 * "Object" form shall mean any form resulting from mechanical
 * transformation or translation of a Source form, including but
 * not limited to compiled object code, generated documentation,
 * and conversions to other media types.
 *
 * "Work" shall mean the work of authorship, whether in Source or
 * Object form, made available under the License, as indicated by a
 * copyright notice that is included in or attached to the work
 * (an example is provided in the Appendix below).
 *
 * "Derivative Works" shall mean any work, whether in Source or Object
 * form, that is based on (or derived from) the Work and for which the
 * editorial revisions, annotations, elaborations, or other modifications
 * represent, as a whole, an original work of authorship. For the purposes
 * of this License, Derivative Works shall not include works that remain
 * separable from, or merely link (or bind by name) to the interfaces of,
 * the Work and Derivative Works thereof.
 *
 * "Contribution" shall mean any work of authorship, including
 * the original version of the Work and any modifications or additions
 * to that Work or Derivative Works thereof, that is intentionally
 * submitted to Licensor for inclusion in the Work by the copyright owner
 * or by an individual or Legal Entity authorized to submit on behalf of
 * the copyright owner. For the purposes of this definition, "submitted"
 * means any form of electronic, verbal, or written communication sent
 * to the Licensor or its representatives, including but not limited to
 * communication on electronic mailing lists, source code control systems,
 * and issue tracking systems that are managed by, or on behalf of, the
 * Licensor for the purpose of discussing and improving the Work, but
 * excluding communication that is conspicuously marked or otherwise
 * designated in writing by the copyright owner as "Not a Contribution."
 *
 * "Contributor" shall mean Licensor and any individual or Legal Entity
 * on behalf of whom a Contribution has been received by Licensor and
 * subsequently incorporated within the Work.
 *
 * 2. Grant of Copyright License. Subject to the terms and conditions of
 * this License, each Contributor hereby grants to You a perpetual,
 * worldwide, non-exclusive, no-charge, royalty-free, irrevocable
 * copyright license to reproduce, prepare Derivative Works of,
 * publicly display, publicly perform, sublicense, and distribute the
 * Work and such Derivative Works in Source or Object form.
 *

* 3. Grant of Patent License. Subject to the terms and conditions of
* this License, each Contributor hereby grants to You a perpetual,
* worldwide, non-exclusive, no-charge, royalty-free, irrevocable
* (except as stated in this section) patent license to make, have made,
* use, offer to sell, sell, import, and otherwise transfer the Work,
* where such license applies only to those patent claims licensable
* by such Contributor that are necessarily infringed by their
* Contribution(s) alone or by combination of their Contribution(s)
* with the Work to which such Contribution(s) was submitted. If You
* institute patent litigation against any entity (including a
* cross-claim or counterclaim in a lawsuit) alleging that the Work
* or a Contribution incorporated within the Work constitutes direct
* or contributory patent infringement, then any patent licenses
* granted to You under this License for that Work shall terminate
* as of the date such litigation is filed.

* 4. Redistribution. You may reproduce and distribute copies of the
* Work or Derivative Works thereof in any medium, with or without
* modifications, and in Source or Object form, provided that You
* meet the following conditions:

* (a) You must give any other recipients of the Work or
* Derivative Works a copy of this License; and

* (b) You must cause any modified files to carry prominent notices
* stating that You changed the files; and

* (c) You must retain, in the Source form of any Derivative Works
* that You distribute, all copyright, patent, trademark, and
* attribution notices from the Source form of the Work,
* excluding those notices that do not pertain to any part of
* the Derivative Works; and

* (d) If the Work includes a "NOTICE" text file as part of its
* distribution, then any Derivative Works that You distribute must
* include a readable copy of the attribution notices contained
* within such NOTICE file, excluding those notices that do not
* pertain to any part of the Derivative Works, in at least one
* of the following places: within a NOTICE text file distributed
* as part of the Derivative Works; within the Source form or
* documentation, if provided along with the Derivative Works; or,
* within a display generated by the Derivative Works, if and
* wherever such third-party notices normally appear. The contents
* of the NOTICE file are for informational purposes only and
* do not modify the License. You may add Your own attribution
* notices within Derivative Works that You distribute, alongside
* or as an addendum to the NOTICE text from the Work, provided
* that such additional attribution notices cannot be construed

- * as modifying the License.
- *
- * You may add Your own copyright statement to Your modifications and
- * may provide additional or different license terms and conditions
- * for use, reproduction, or distribution of Your modifications, or
- * for any such Derivative Works as a whole, provided Your use,
- * reproduction, and distribution of the Work otherwise complies with
- * the conditions stated in this License.
- *
- * 5. Submission of Contributions. Unless You explicitly state otherwise,
- * any Contribution intentionally submitted for inclusion in the Work
- * by You to the Licensor shall be under the terms and conditions of
- * this License, without any additional terms or conditions.
- * Notwithstanding the above, nothing herein shall supersede or modify
- * the terms of any separate license agreement you may have executed
- * with Licensor regarding such Contributions.
- *
- * 6. Trademarks. This License does not grant permission to use the trade
- * names, trademarks, service marks, or product names of the Licensor,
- * except as required for reasonable and customary use in describing the
- * origin of the Work and reproducing the content of the NOTICE file.
- *
- * 7. Disclaimer of Warranty. Unless required by applicable law or
- * agreed to in writing, Licensor provides the Work (and each
- * Contributor provides its Contributions) on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
- * implied, including, without limitation, any warranties or conditions
- * of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
- * PARTICULAR PURPOSE. You are solely responsible for determining the
- * appropriateness of using or redistributing the Work and assume any
- * risks associated with Your exercise of permissions under this License.
- *
- * 8. Limitation of Liability. In no event and under no legal theory,
- * whether in tort (including negligence), contract, or otherwise,
- * unless required by applicable law (such as deliberate and grossly
- * negligent acts) or agreed to in writing, shall any Contributor be
- * liable to You for damages, including any direct, indirect, special,
- * incidental, or consequential damages of any character arising as a
- * result of this License or out of the use or inability to use the
- * Work (including but not limited to damages for loss of goodwill,
- * work stoppage, computer failure or malfunction, or any and all
- * other commercial damages or losses), even if such Contributor
- * has been advised of the possibility of such damages.
- *
- * 9. Accepting Warranty or Additional Liability. While redistributing
- * the Work or Derivative Works thereof, You may choose to offer,
- * and charge a fee for, acceptance of support, warranty, indemnity,
- * or other liability obligations and/or rights consistent with this

* License. However, in accepting such obligations, You may act only
* on Your own behalf and on Your sole responsibility, not on behalf
* of any other Contributor, and only if You agree to indemnify,
* defend, and hold each Contributor harmless for any liability
* incurred by, or claims asserted against, such Contributor by reason
* of your accepting any such warranty or additional liability.

*

* END OF TERMS AND CONDITIONS

*

* APPENDIX: How to apply the Apache License to your work.

*

* To apply the Apache License to your work, attach the following
* boilerplate notice, with the fields enclosed by brackets "[]"
* replaced with your own identifying information. (Don't include
* the brackets!) The text should be enclosed in the appropriate
* comment syntax for the file format. We also recommend that a
* file or class name and description of purpose be included on the
* same "printed page" as the copyright notice for easier
* identification within third-party archives.

*

* Copyright [yyyy] [name of copyright owner]

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

W3C SOFTWARE NOTICE AND LICENSE

<https://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to site-policy@w3.org.

Joseph Reagle <site-policy@w3.org>

This license came from: <http://www.megginson.com/SAX/copying.html>
However please note future versions of SAX may be covered
under <http://saxproject.org/?selected=pd>

SAX2 is Free!

I hereby abandon any property rights to SAX 2.0 (the Simple API for

XML), and release all of the SAX 2.0 source code, compiled code, and documentation contained in this distribution into the Public Domain. SAX comes with NO WARRANTY or guarantee of fitness for any purpose.

David Megginson, david@megginson.com
2000-05-05

1.23 annotations 3.0.0

1.23.1 Available under license :

The MIT License (MIT)

Copyright (c) 2013-2014 Mrcio Almada

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.24 jackson-datatype-joda 2.15.0

1.24.1 Available under license :

This copy of Jackson JSON processor streaming parser/generator is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

1.25 netty-transport-classes-kqueue

4.1.93.Final

1.25.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2016 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-
jar/io/netty/channel/kqueue/KQueueRecvByteAllocatorHandle.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-
jar/io/netty/channel/kqueue/AbstractKQueueStreamChannel.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-
jar/io/netty/channel/kqueue/KQueue.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-
jar/io/netty/channel/kqueue/KQueueSocketChannel.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-
jar/io/netty/channel/kqueue/KQueueEventLoopGroup.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-
jar/io/netty/channel/kqueue/KQueueStaticallyReferencedJniMethods.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-
jar/io/netty/channel/kqueue/KQueueEventLoop.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-
jar/io/netty/channel/kqueue/KQueueChannelConfig.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-
jar/io/netty/channel/kqueue/KQueueDomainSocketChannelConfig.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-
jar/io/netty/channel/kqueue/KQueueDatagramChannelConfig.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-
jar/io/netty/channel/kqueue/KQueueEventArray.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-
```

jar/io/netty/channel/kqueue/KQueueDatagramChannel.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-
jar/io/netty/channel/kqueue/AcceptFilter.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-
jar/io/netty/channel/kqueue/KQueueChannelOption.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-
jar/io/netty/channel/kqueue/KQueueServerDomainSocketChannel.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-
jar/io/netty/channel/kqueue/AbstractKQueueServerChannel.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-
jar/io/netty/channel/kqueue/AbstractKQueueChannel.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-
jar/io/netty/channel/kqueue/KQueueServerSocketChannel.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-
jar/io/netty/channel/kqueue/KQueueSocketChannelConfig.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-
jar/io/netty/channel/kqueue/Native.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-
jar/io/netty/channel/kqueue/package-info.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-
jar/io/netty/channel/kqueue/BsdSocket.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-
jar/io/netty/channel/kqueue/NativeLongArray.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-
jar/io/netty/channel/kqueue/KQueueServerSocketChannelConfig.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-
jar/io/netty/channel/kqueue/KQueueServerChannelConfig.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-
jar/io/netty/channel/kqueue/KQueueDomainSocketChannel.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2021 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

```
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-
jar/io/netty/channel/kqueue/AbstractKQueueDatagramChannel.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-
jar/io/netty/channel/kqueue/KQueueDomainDatagramChannelConfig.java
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-
jar/io/netty/channel/kqueue/KQueueDomainDatagramChannel.java
No license file was found, but licenses were detected in source scan.
```

```
<!--
~ Copyright 2021 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->
```

Found in path(s):

```
* /opt/cola/permits/1698848143_1685285738.842649/0/netty-transport-classes-kqueue-4-1-93-final-sources-
jar/META-INF/maven/io.netty/netty-transport-classes-kqueue/pom.xml
```

1.26 dropwizard-configuration 2.0.28

1.26.1 Available under license :

Apache-2.0

1.27 apiguardian-api 1.1.0

1.27.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the

Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.28 guice-multibindings 4.2.3

1.28.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section)

patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

1. You must give any other recipients of the Work or Derivative Works a copy of this License; and
2. You must cause any modified files to carry prominent notices stating that You changed the files; and
3. You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
4. If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of

such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.29 jetty-continuation 9.4.51.v20230217

1.29.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
 - i) changes to the Program, and
 - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when

combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.
- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
 - i) effectively disclaims on behalf of all Contributors all warranties

- and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
- ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
 - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
 - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
 - b) a copy of this Agreement must be included with each copy of the Program.
- Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product

offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to

comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a

result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====
Jetty Web Container

Copyright 1995-2018 Mort Bay Consulting Pty Ltd.
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd unless otherwise noted.

Jetty is dual licensed under both

* The Apache 2.0 License

<http://www.apache.org/licenses/LICENSE-2.0.html>

and

* The Eclipse Public 1.0 License

<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

Eclipse

The following artifacts are EPL.

* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.

* org.eclipse.jetty.orbit:javac.security.auth.message

The following artifacts are EPL and CDDL 1.0.

* org.eclipse.jetty.orbit:javac.mail.glassfish

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

* javax.servlet:javax.servlet-api

* javax.annotation:javax.annotation-api

* javax.transaction:javax.transaction-api

* javax.websocket:javax.websocket-api

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

org.ow2.asm:asm-commons

org.ow2.asm:asm

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec

org.apache.taglibs:taglibs-standard-impl

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

org.mortbay.jasper:apache-jsp

org.apache.tomcat:tomcat-jasper

org.apache.tomcat:tomcat-juli

org.apache.tomcat:tomcat-jsp-api

org.apache.tomcat:tomcat-el-api

org.apache.tomcat:tomcat-jasper-el

org.apache.tomcat:tomcat-api

org.apache.tomcat:tomcat-util-scan

org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el

org.apache.tomcat:tomcat-jasper-el

org.apache.tomcat:tomcat-el-api

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

1.30 istack-commons 2.13

1.31 commons-collections 3.2.2

1.31.1 Available under license :

Apache Commons Collections

Copyright 2001-2015 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common

control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or

documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill,

work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.32 commons-codec 1.14

1.32.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache Commons Codec
Copyright 2002-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

`src/test/org/apache/commons/codec/language/DoubleMetaphoneTest.java`
contains test data from <http://aspell.net/test/orig/batch0.tab>.
Copyright (C) 2002 Kevin Atkinson (kevina@gnu.org)

=====

The content of package `org.apache.commons.codec.language.bm` has been translated
from the original php source code available at <http://stevemorse.org/phoneticinfo.htm>
with permission from the original authors.

Original source copyright:
Copyright (c) 2008 Alexander Beider & Stephen P. Morse.

1.33 commons-dbutils 1.5

1.33.1 Available under license :

Apache Commons DbUtils
Copyright 2002-2012 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the

Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.34 kotlin 1.3.70-release-328

1.34.1 Available under license :

The version of Rhino used in GWT is licensed under a dual license, Netscape Public License 1.1 / GNU General Public License.

The text of the Netscape Public License

is provided below (<http://website-archive.mozilla.org/www.mozilla.org/mpl/MPL/NPL/1.1/>):

AMENDMENTS

The Netscape Public License Version 1.1 ("NPL") consists of the Mozilla Public License Version 1.1 with the following Amendments, including Exhibit A-Netscape Public License. Files identified with "Exhibit A-Netscape Public License" are governed by the Netscape Public License Version 1.1.

Additional Terms applicable to the Netscape Public License.

I. Effect.

These additional terms described in this Netscape Public License -- Amendments shall apply to the Mozilla Communicator client code and to all Covered Code under this License.

II. "Netscape's Branded Code" means Covered Code that Netscape distributes and/or permits others to distribute under one or more trademark(s) which are controlled by Netscape but which are not licensed for use under this License.

III. Netscape and logo.

This License does not grant any rights to use the trademarks "Netscape", the "Netscape N and horizon" logo or the "Netscape lighthouse" logo, "Netcenter", "Gecko", "Java" or "JavaScript", "Smart Browsing" even if such marks are included in the Original Code or Modifications.

IV. Inability to Comply Due to Contractual Obligation.

Prior to licensing the Original Code under this License, Netscape has licensed third party code for use in Netscape's Branded Code. To the extent that Netscape is limited contractually from making such third party code available under this License, Netscape may choose to reintegrate such code into Covered Code without being required to distribute such code in Source Code form, even if such code would otherwise be

considered "Modifications" under this License.

V. Use of Modifications and Covered Code by Initial Developer.

V.1. In General.

The obligations of Section 3 apply to Netscape, except to the extent specified in this Amendment, Section V.2 and V.3.

V.2. Other Products.

Netscape may include Covered Code in products other than the Netscape's Branded Code which are released by Netscape during the two (2) years following the release date of the Original Code, without such additional products becoming subject to the terms of this License, and may license such additional products on different terms from those contained in this License.

V.3. Alternative Licensing.

Netscape may license the Source Code of Netscape's Branded Code, including Modifications incorporated therein, without such Netscape Branded Code becoming subject to the terms of this License, and may license such Netscape Branded Code on different terms from those contained in this License.

VI. Litigation.

Notwithstanding the limitations of Section 11 above, the provisions regarding litigation in Section 11(a), (b) and (c) of the License shall apply to all disputes relating to this License.

EXHIBIT A-Netscape Public License.

"The contents of this file are subject to the Netscape Public License Version 1.1 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.mozilla.org/NPL/>

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing

rights and limitations under the License.

The Original Code is Mozilla Communicator client code, released March 31, 1998.

The Initial Developer of the Original Code is Netscape Communications Corporation. Portions created by Netscape are Copyright (C) 1998-1999 Netscape Communications Corporation. All Rights Reserved.

Contributor(s): _____.

Alternatively, the contents of this file may be used under the terms of the _____ license (the [____] License), in which case the provisions of [_____] License are applicable instead of those above. If you wish to allow use of your version of this file only under the terms of the [____] License and not to allow others to use your version of this file under the NPL, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the [____] License. If you do not delete the provisions above, a recipient may use your version of this file under either the NPL or the [____] License."

MOZILLA PUBLIC LICENSE

Version 1.1

1. Definitions.

1.0.1. "Commercial Use" means distribution or otherwise making the Covered Code available to a third party.

1.1. "Contributor" means each entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Code, prior Modifications used by a Contributor, and the Modifications made by that particular Contributor.

1.3. "Covered Code" means the Original Code or Modifications or the combination of the Original Code and Modifications, in each case including portions thereof.

1.4. "Electronic Distribution Mechanism" means a mechanism generally accepted in the software development community for the

electronic transfer of data.

1.5. "Executable" means Covered Code in any form other than Source Code.

1.6. "Initial Developer" means the individual or entity identified as the Initial Developer in the Source Code notice required by Exhibit A.

1.7. "Larger Work" means a work which combines Covered Code or portions thereof with code not governed by the terms of this License.

1.8. "License" means this document.

1.8.1. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means any addition to or deletion from the substance or structure of either the Original Code or any previous Modifications. When Covered Code is released as a series of files, a Modification is:

A. Any addition to or deletion from the contents of a file containing Original Code or previous Modifications.

B. Any new file that contains any part of the Original Code or previous Modifications.

1.10. "Original Code" means Source Code of computer software code which is described in the Source Code notice required by Exhibit A as Original Code, and which, at the time of its release under this License is not already Covered Code governed by this License.

1.10.1. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.11. "Source Code" means the preferred form of the Covered Code for making modifications to it, including all modules it contains, plus any associated interface definition files, scripts used to control compilation and installation of an Executable, or source code differential comparisons against either the Original Code or another well known, available Covered Code of the Contributor's choice. The Source Code can be in a compressed or archival form, provided the appropriate decompression or de-archiving software is

widely available for no charge.

1.12. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License or a future version of this License issued under Section 6.1. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. Source Code License.

2.1. The Initial Developer Grant.

The Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license, subject to third party intellectual property claims:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer to use, reproduce, modify, display, perform, sublicense and distribute the Original Code (or portions thereof) with or without Modifications, and/or as part of a Larger Work; and

(b) under Patents Claims infringed by the making, using or selling of Original Code, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Code (or portions thereof).

(c) the licenses granted in this Section 2.1(a) and (b) are effective on the date Initial Developer first distributes Original Code under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: 1) for code that You delete from the Original Code; 2) separate from the Original Code; or 3) for infringements caused by: i) the modification of the Original Code or ii) the combination of the Original Code with other software or devices.

2.2. Contributor Grant.

Subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor, to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof) either on an unmodified basis, with other Modifications, as Covered Code and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: 1) Modifications made by that Contributor (or portions thereof); and 2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) the licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first makes Commercial Use of the Covered Code.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: 1) for any code that Contributor has deleted from the Contributor Version; 2) separate from the Contributor Version; 3) for infringements caused by: i) third party modifications of Contributor Version or ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or 4) under Patent Claims infringed by Covered Code in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Application of License.

The Modifications which You create or to which You contribute are governed by the terms of this License, including without limitation Section 2.2. The Source Code version of Covered Code may be distributed only under the terms of this License or a future version of this License released under Section 6.1, and You must include a copy of this License with every copy of the Source Code You distribute. You may not offer or impose any terms on any Source Code version that alters or restricts the applicable version of this License or the recipients' rights hereunder. However, You may include an additional document offering the additional rights described in Section 3.5.

3.2. Availability of Source Code.

Any Modification which You create or to which You contribute must be made available in Source Code form under the terms of this License either on the same media as an Executable version or via an accepted Electronic Distribution Mechanism to anyone to whom you made an Executable version available; and if made available via Electronic Distribution Mechanism, must remain available for at least twelve (12) months after the date it initially became available, or at least six (6) months after a subsequent version of that particular Modification has been made available to such recipients. You are responsible for ensuring that the Source Code version remains available even if the Electronic Distribution Mechanism is maintained by a third party.

3.3. Description of Modifications.

You must cause all Covered Code to which You contribute to contain a file documenting the changes You made to create that Covered Code and the date of any change. You must include a prominent statement that the Modification is derived, directly or indirectly, from Original Code provided by the Initial Developer and including the name of the Initial Developer in (a) the Source Code, and (b) in any notice in an Executable version or related documentation in which You describe the origin or ownership of the Covered Code.

3.4. Intellectual Property Matters

(a) Third Party Claims.

If Contributor has knowledge that a license under a third party's intellectual property rights is required to exercise the rights granted by such Contributor under Sections 2.1 or 2.2, Contributor must include a text file with the Source Code distribution titled "LEGAL" which describes the claim and the party making the claim in sufficient detail that a recipient will know whom to contact. If Contributor obtains such knowledge after the Modification is made available as described in Section 3.2, Contributor shall promptly modify the LEGAL file in all copies Contributor makes available thereafter and shall take other steps (such as notifying appropriate mailing lists or newsgroups) reasonably calculated to inform those who received the Covered Code that new knowledge has been obtained.

(b) Contributor APIs.

If Contributor's Modifications include an application programming interface and Contributor has knowledge of patent licenses which are reasonably necessary to implement that API, Contributor must also include this information in the LEGAL file.

(c) Representations.

Contributor represents that, except as disclosed pursuant to Section 3.4(a) above, Contributor believes that Contributor's Modifications are Contributor's original creation(s) and/or Contributor has sufficient rights to grant the rights conveyed by this License.

3.5. Required Notices.

You must duplicate the notice in Exhibit A in each file of the Source Code. If it is not possible to put such notice in a particular Source Code file due to its structure, then You must include such notice in a location (such as a relevant directory) where a user would be likely to look for such a notice. If You created one or more Modification(s) You may add your name as a Contributor to the notice described in Exhibit A. You must also duplicate this License in any documentation for the Source Code where You describe recipients' rights or ownership rights relating to Covered Code. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Code. However, You may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear than any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.6. Distribution of Executable Versions.

You may distribute Covered Code in Executable form only if the requirements of Section 3.1-3.5 have been met for that Covered Code, and if You include a notice stating that the Source Code version of the Covered Code is available under the terms of this License, including a description of how and where You have fulfilled the obligations of Section 3.2. The notice must be conspicuously included in any notice in an Executable version, related documentation or collateral in which You describe

recipients' rights relating to the Covered Code. You may distribute the Executable version of Covered Code or ownership rights under a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable version does not attempt to limit or alter the recipient's rights in the Source Code version from the rights set forth in this License. If You distribute the Executable version under a different license You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or any Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.7. Larger Works.

You may create a Larger Work by combining Covered Code with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Code.

4. Inability to Comply Due to Statute or Regulation.

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Code due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum extent possible; and (b) describe the limitations and the code they affect. Such description must be included in the LEGAL file described in Section 3.4 and must be included with all distributions of the Source Code. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Application of this License.

This License applies to code to which the Initial Developer has attached the notice in Exhibit A and to related Covered Code.

6. Versions of the License.

6.1. New Versions.

Netscape Communications Corporation ("Netscape") may publish revised and/or new versions of the License from time to time. Each

version will be given a distinguishing version number.

6.2. Effect of New Versions.

Once Covered Code has been published under a particular version of the License, You may always continue to use it under the terms of that version. You may also choose to use such Covered Code under the terms of any subsequent version of the License published by Netscape. No one other than Netscape has the right to modify the terms applicable to Covered Code created under this License.

6.3. Derivative Works.

If You create or use a modified version of this License (which you may only do in order to apply it to code which is not already Covered Code governed by this License), You must (a) rename Your license so that the phrases "Mozilla", "MOZILLAPL", "MOZPL", "Netscape", "MPL", "NPL" or any confusingly similar phrase do not appear in your license (except to note that your license differs from this License) and (b) otherwise make it clear that Your version of the license contains terms which differ from the Mozilla Public License and Netscape Public License. (Filling in the name of the Initial Developer, Original Code or Contributor in the notice described in Exhibit A shall not of themselves be deemed to be modifications of this License.)

7. DISCLAIMER OF WARRANTY.

COVERED CODE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED CODE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED CODE IS WITH YOU. SHOULD ANY COVERED CODE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED CODE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

8. TERMINATION.

8.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. All sublicenses to the Covered Code which are properly granted shall survive any termination of this License. Provisions which, by their nature, must remain in effect beyond the

termination of this License shall survive.

8.2. If You initiate litigation by asserting a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You file such action is referred to as "Participant") alleging that:

(a) such Participant's Contributor Version directly or indirectly infringes any patent, then any and all rights granted by such Participant to You under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively, unless if within 60 days after receipt of notice You either: (i) agree in writing to pay Participant a mutually agreeable reasonable royalty for Your past and future use of Modifications made by such Participant, or (ii) withdraw Your litigation claim with respect to the Contributor Version against such Participant. If within 60 days of notice, a reasonable royalty and payment arrangement are not mutually agreed upon in writing by the parties or the litigation claim is not withdrawn, the rights granted by Participant to You under Sections 2.1 and/or 2.2 automatically terminate at the expiration of the 60 day notice period specified above.

(b) any software, hardware, or device, other than such Participant's Contributor Version, directly or indirectly infringes any patent, then any rights granted to You by such Participant under Sections 2.1(b) and 2.2(b) are revoked effective as of the date You first made, used, sold, distributed, or had made, Modifications made by that Participant.

8.3. If You assert a patent infringement claim against Participant alleging that such Participant's Contributor Version directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

8.4. In the event of termination under Sections 8.1 or 8.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or any distributor hereunder prior to termination shall survive termination.

9. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED CODE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

10. U.S. GOVERNMENT END USERS.

The Covered Code is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" and "commercial computer software documentation," as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Code with only those rights set forth herein.

11. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by California law provisions (except to the extent applicable law, if any, provides otherwise), excluding its conflict-of-law provisions. With respect to disputes in which at least one party is a citizen of, or an entity chartered or registered to do business in the United States of America, any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California, with venue lying in Santa Clara County, California, with the losing party responsible for costs, including without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License.

12. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

13. MULTIPLE-LICENSED CODE.

Initial Developer may designate portions of the Covered Code as Multiple-Licensed. Multiple-Licensed means that the Initial Developer permits you to utilize portions of the Covered Code under Your choice of the NPL or the alternative licenses, if any, specified by the Initial Developer in the file described in Exhibit A.

EXHIBIT A -Mozilla Public License.

``The contents of this file are subject to the Mozilla Public License Version 1.1 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.mozilla.org/MPL/>

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

The Original Code is _____.

The Initial Developer of the Original Code is _____.
Portions created by _____ are Copyright (C) _____
_____. All Rights Reserved.

Contributor(s): _____.

Alternatively, the contents of this file may be used under the terms of the _____ license (the [_____] License), in which case the provisions of [_____] License are applicable instead of those above. If you wish to allow use of your version of this file only under the terms of the [_____] License and not to allow others to use your version of this file under the MPL, indicate your decision by deleting the provisions above and replace them with

the notice and other provisions required by the [____] License. If you do not delete the provisions above, a recipient may use your version of this file under either the MPL or the [____] License."

[NOTE: The text of this Exhibit A may differ slightly from the text of the notices in the Source Code files of the Original Code. You should use the text of this Exhibit A rather than the text found in the Original Code Source Code for Your Modifications.]

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or

distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in

certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE

POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your

school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2000-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

The Trove library is licensed under the Lesser GNU Public License, which is included with the distribution in a file called trove_license.txt.

The PrimeFinder and HashFunctions classes in Trove are subject to the following license restrictions:

Copyright (c) 1999 CERN - European Organization for Nuclear Research.

Permission to use, copy, modify, distribute and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation. CERN makes no representations about the suitability of this software for any purpose. It is provided "as is" without expressed or implied warranty.

/**

* Copyright 2010 Tim Down.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Copyright (c) 2005-2010 Sam Stephenson

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/*

- * Copyright 2010-2018 JetBrains s.r.o.
- *
- * Licensed under the Apache License, Version 2.0 (the "License");
- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at
- *

* <http://www.apache.org/licenses/LICENSE-2.0>

*

- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.

*/

The MIT License

Copyright (C) 2011-2019 Google, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do

so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (C) 2009-2015 The Project Lombok Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

SCALA LICENSE

Copyright (c) 2002-2012 EPFL, Lausanne, unless otherwise specified.

All rights reserved.

This software was developed by the Programming Methods Laboratory of the Swiss Federal Institute of Technology (EPFL), Lausanne, Switzerland.

Permission to use, copy, modify, and distribute this software in source or binary form for any purpose with or without fee is hereby granted, provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. Neither the name of the EPFL nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

/* PRESENT 1 */

/* PRESENT 2 */

// PRESENT 3

/** ABSENT */

package/* ABSENT 1 */ normal

/* ABSENT 2 */

// COMMENTS: 3

ASM: a very small and fast Java bytecode manipulation framework
Copyright (c) 2000-2005 INRIA, France Telecom
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

/* ABSENT */

class Some

// COMMENTS: 0

The MIT License (MIT)

Copyright (c) 2016 Jamie Sherriff

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Eclipse Distribution License - v 1.0

Copyright (c) 2007, Eclipse Foundation, Inc. and its licensors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

This license applies to all parts of Dart that are not externally maintained libraries. The external maintained libraries used by Dart are:

7-Zip - in third_party/7zip
JSCORE - in runtime/third_party/jscre
Ant - in third_party/apache_ant
args4j - in third_party/args4j
bzip2 - in third_party/bzip2
dromaeo - in samples/third_party/dromaeo
Eclipse - in third_party/eclipse
gsutil = in third_party/goutil
Guava - in third_party/guava
hamcrest - in third_party/hamcrest
HttpLib2 - in samples/third_party/httpLib2
JSON - in third_party/json
JUnit - in third_party/junit
Oauth - in samples/third_party/oauth2client
Rhino - in third_party/rhino
weberknecht - in third_party/weberknecht

The libraries may have their own licenses; we recommend you read them, as their terms may differ from the terms below.

Copyright 2012, the Dart project authors. All rights reserved.
Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR

A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed

with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

=====
Licenses for included components:

Eclipse Public License 1.0

<https://opensource.org/licenses/EPL-1.0>

junit:junit

org.sonatype.aether:aether-api

org.sonatype.aether:aether-connector-wagon

org.sonatype.aether:aether-impl

org.sonatype.aether:aether-spi

org.sonatype.aether:aether-util

3-Clause BSD

<https://opensource.org/licenses/BSD-3-Clause>

com.google.code.findbugs:jsr305

org.hamcrest:hamcrest-core

BSD License

Copyright (c) 2000-2015 www.hamcrest.org

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

com.esotericsoftware.kryo:kryo
com.esotericsoftware.minlog:minlog
Copyright (c) 2008-2018, Nathan Sweet All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Esoteric Software nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

org.ow2.asm:asm
org.ow2.asm:asm-analysis
org.ow2.asm:asm-commons
org.ow2.asm:asm-tree
org.ow2.asm:asm-util
ASM: a very small and fast Java bytecode manipulation framework
Copyright (c) 2000-2011 INRIA, France Telecom
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the copyright holders nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

MIT

com.googlecode.plist:dd-plist

dd-plist - An open source library to parse and generate property lists

Copyright (C) 2016 Daniel Dreibrod

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

org.bouncycastle:bcpk-jdk15on

org.bouncycastle:bcprov-jdk15on

Copyright (c) 2000 - 2019 The Legion of the Bouncy Castle Inc. (<https://www.bouncycastle.org>)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED,

INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

org.slf4j:jcl-over-slf4j

org.slf4j:jul-to-slf4j

org.slf4j:log4j-over-slf4j

org.slf4j:slf4j-api

Copyright (c) 2004-2017 QOS.ch

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

CDDL

<https://opensource.org/licenses/CDDL-1.0>

com.sun.xml.bind:jaxb-impl

LGPL 2.1

<https://www.gnu.org/licenses/old-licenses/lgpl-2.1.en.html>

org.samba.jcifs:jcifs

org.jetbrains.intellij.deps:trove4j

License for the GNU Trove library included by the Kotlin embeddable compiler

The source code for GNU Trove is licensed under the Lesser GNU Public License (LGPL).

Copyright (c) 2001, Eric D. Friedman All Rights Reserved. This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version. This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place - Suite 330, Boston, MA 02111-1307, USA.

Two classes (HashFunctions and PrimeFinder) included in Trove are licensed under the following terms:

Copyright (c) 1999 CERN - European Organization for Nuclear Research. Permission to use, copy, modify, distribute and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation. CERN makes no representations about the suitability of this software for any purpose. It is provided "as is" without expressed or implied warranty.

The source code of modified GNU Trove library is available at <https://github.com/JetBrains/intellij-deps-trove4j> (with trove4j_changes.txt describing the changes)

Eclipse Distribution License 1.0
<https://www.eclipse.org/org/documents/edl-v10.php>

org.eclipse.jgit:org.eclipse.jgit

BSD-style

com.jcraft:jsch
com.jcraft:jzlib

Copyright (c) 2000-2011 ymnk, JCraft, Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,

this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names of the authors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL JCRAFT, INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Eclipse Public License 2.0
<https://www.eclipse.org/legal/epl-2.0/>

org.junit.platform:junit-platform-launcher

Mozilla Public License 2.0
<https://www.mozilla.org/en-US/MPL/2.0/>

org.mozilla:rhino
/* PRESENT */

fun some() {}

// COMMENTS: 1

/*

* Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.

* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

*/

package org.jetbrains.kotlin.copyright

import junit.framework.AssertionFailedError

import org.jetbrains.kotlin.idea.copyright.UpdateKotlinCopyright

import org.jetbrains.kotlin.idea.test.KotlinLightCodeInsightFixtureTestCase

import org.jetbrains.kotlin.idea.test.PluginTestCaseBase

import org.jetbrains.kotlin.test.InTextDirectivesUtils

```

import org.junit.Assert
import java.io.File

abstract class AbstractUpdateKotlinCopyrightTest : KotlinLightCodeInsightFixtureTestCase() {
    fun doTest(path: String) {
        myFixture.configureByFile(fileName())

        val fileText = myFixture.file.text.trim()
        val expectedNumberOfComments = InTextDirectivesUtils.getPrefixedInt(fileText, "// COMMENTS: ") ?: run {
            if (fileText.isNotEmpty()) {
                throw AssertionError("Every test should assert number of comments with `COMMENTS`
directive")
            } else {
                0
            }
        }

        val comments = UpdateKotlinCopyright.getExistentComments(myFixture.file)
        for (comment in comments) {
            val commentText = comment.text
            when {
                commentText.contains("PRESENT") -> {
                }
                commentText.contains("ABSENT") -> {
                    throw AssertionError("Unexpected comment found: `$commentText`")
                }
                else -> {
                    throw AssertionError("A comment with bad directive found: `$commentText`")
                }
            }
        }

        Assert.assertEquals(
            "Wrong number of comments found:\n${comments.joinToString(separator = "\n") { it.text }}\n",
            expectedNumberOfComments, comments.size
        )
    }

    override fun getTestDataPath() = File(PluginTestCaseBase.getTestDataPathBase(), "/copyright").path +
File.separator
}
/* PRESENT */

package normal

// COMMENTS: 1
Google Dart Js backend was removed - https://code.google.com/p/dart/source/detail?r=4771

```

According to <http://www.apache.org/legal/3party.html> we can include "Google Dart Js backend" in source form, because code license is "New BSD License" (Authorized License).

This part of code will be removed when kotlin will be rewritten on kotlin.
Copyright JS Foundation and other contributors, <https://js.foundation/>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/jquery/jquery>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

```
/* PRESENT */
```

```
foo()
```

```
// COMMENTS: 1
```

```
Boost Software License - Version 1.0 - August 17th, 2003
```

Permission is hereby granted, free of charge, to any person or organization obtaining a copy of the software and accompanying documentation covered by this license (the "Software") to use, reproduce, display, distribute, execute, and transmit the Software, and to prepare derivative works of the Software, and to permit third-parties to whom the Software is furnished to do so, all subject to the following:

The copyright notices in the Software and this entire statement, including the above license grant, this restriction and the following disclaimer, must be included in all copies of the Software, in whole or in part, and all derivative works of the Software, unless such copies or derivative works are solely in the form of machine-executable object code generated by a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright JS Foundation and other contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the 'Software'), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED 'AS IS', WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

/*

* Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.

* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

*/

```
package org.jetbrains.kotlin.copyright
```

```
import junit.framework.AssertionFailedError
```

```
import org.jetbrains.kotlin.idea.copyright.UpdateKotlinCopyright
```

```
import org.jetbrains.kotlin.idea.test.KotlinLightCodeInsightFixtureTestCase
```

```
import org.jetbrains.kotlin.idea.test.PluginTestCaseBase
```

```
import org.jetbrains.kotlin.test.InTextDirectivesUtils
```

```
import org.junit.Assert
```

```

import java.io.File

abstract class AbstractUpdateKotlinCopyrightTest : KotlinLightCodeInsightFixtureTestCase() {
    fun doTest(path: String) {
        myFixture.configureByFile(path)

        val fileText = myFixture.file.text.trim()
        val expectedNumberOfComments = InTextDirectivesUtils.getPrefixedInt(fileText, "// COMMENTS: ") ?: run {
            if (fileText.isNotEmpty()) {
                throw AssertionError("Every test should assert number of comments with `COMMENTS`
directive")
            } else {
                0
            }
        }

        val comments = UpdateKotlinCopyright.getExistentComments(myFixture.file)
        for (comment in comments) {
            val commentText = comment.text
            when {
                commentText.contains("PRESENT") -> {
                }
                commentText.contains("ABSENT") -> {
                    throw AssertionError("Unexpected comment found: `$commentText`")
                }
                else -> {
                    throw AssertionError("A comment with bad directive found: `$commentText`")
                }
            }
        }

        Assert.assertEquals(
            "Wrong number of comments found:\n${comments.joinToString(separator = "\n") { it.text }}\n",
            expectedNumberOfComments, comments.size
        )
    }

    override fun getTestDataPath() = File(PluginTestCaseBase.getTestDataPathBase(), "/copyright").path +
File.separator
}
/*
 * Copyright 2000-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */

package tasks

import groovy.util.Node

```

```

import groovy.util.XmlParser
import org.gradle.api.DefaultTask
import org.gradle.api.Project
import org.gradle.api.tasks.Input
import org.gradle.api.tasks.InputFile
import org.gradle.api.tasks.OutputFile
import org.gradle.api.tasks.TaskAction
import java.io.File
import java.util.*

open class WriteCopyrightToFile : DefaultTask() {

    @InputFile
    var path = project.file("${project.rootDir}/.idea/copyright/apache.xml")

    @OutputFile
    var outputFile: File? = null

    @Input
    var commented: Boolean = true

    @TaskAction
    fun write() {
        if (commented) {
            outputFile!!.writeText(project.readCopyrightCommented())
        } else {
            outputFile!!.writeText(project.readCopyright())
        }
    }
}

fun Project.readCopyright(): String {
    val file = rootDir.resolve(".idea/copyright/apache.xml")

    assert(file.exists()) {
        "File $file with copyright not found"
    }

    val xmlParser = XmlParser()
    val node = xmlParser.parse(file)
    assert(node.attribute("name") == "CopyrightManager") {
        "Format changed occasionally?"
    }
}

```

```

    val copyrightBlock = node.children().filterIsInstance<Node>().single()
    val noticeNode = copyrightBlock.children().filterIsInstance<Node>().single { it.attribute("name") == "notice" }
    return noticeNode.attribute("value").toString().replace("&#36;today.year",
GregorianCalendar()[Calendar.YEAR].toString())
}

fun Project.readCopyrightCommented(): String {
    return "/*\n" + readCopyright().prependIndent(" * ") + "\n */"
}
}

```

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain

special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated

/*
* Copyright 2010-2017 JetBrains s.r.o.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.

- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2,

instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative

work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or

distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the

original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF

SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990

Ty Coon, President of Vice

That's all there is to it!

The files in this package are taken from mozilla's Rhino project.
See <http://www.mozilla.org/rhino/>

The files modified from Rhino 1.5R3
(<ftp://ftp.mozilla.org/pub/js/rhino15R3.zip>).

--

The contents of this package are subject to the Netscape Public License Version 1.1 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at <http://www.mozilla.org/NPL/>

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specific language governing rights and limitations under the License.

The Original Code is Rhino code, released
May 6, 1999.

The Initial Developer of the Original Code is Netscape Communications Corporation. Portions created by Netscape are Copyright (C) 1997-2000 Netscape Communications Corporation. All Rights Reserved.

Alternatively, the contents of this file may be used under the terms of the GNU Public License (the "GPL"), in which case the provisions of the GPL are applicable instead of those above. If you wish to allow use of your version of this file only under the terms of the GPL and not to allow others to use your version of this file under the NPL, indicate your decision by deleting the provisions above and replace them with the notice and other provisions required by the GPL. If you do not delete the provisions above, a recipient may use your version of this file under either the NPL or the GPL.

The Apache 2 license (given in full in LICENSE.txt) applies to all code in this repository which is copyright by JetBrains. The following sections of the repository contain third-party code, to which different licenses may apply:

Kotlin Compiler

The following modules contain third-party code and are incorporated into the Kotlin compiler and/or the Kotlin IntelliJ IDEA plugin:

- Path: `compiler/backend/src/org/jetbrains/kotlin/codegen/inline/MaxStackSizeAndLocalsCalculator.java`
- License: BSD ([\[license/third_party/asm_license.txt\]](#)[asm])

- Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom

- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/inline/MaxLocalsCalculator.java
 - License: BSD ([license/third_party/asm_license.txt][asm])
 - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom

- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/optimization/common/MethodAnalyzer.kt
 - License: BSD ([license/third_party/asm_license.txt][asm])
 - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom

- Path: core/reflection.jvm/src/kotlin.reflect/jvm/internal/pcollections
 - License: MIT ([license/third_party/pcollections_LICENSE.txt][pcollections])
 - Origin: Derived from PCollections, A Persistent Java Collections Library (<https://pcollections.org/>)

- Path: eval4j/src/org/jetbrains/eval4j/interpreterLoop.kt
 - License: BSD ([license/third_party/asm_license.txt][asm])
 - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom

- Path: compiler/backend/src/org/jetbrains/kotlin/codegen/optimization/common/OptimizationBasicInterpreter.java
 - License: BSD ([license/third_party/asm_license.txt][asm])
 - Origin: Derived from ASM: a very small and fast Java bytecode manipulation framework, Copyright (c) 2000-2011 INRIA, France Telecom

- Path: js/js.ast
 - License: BSD ([license/third_party/dart_LICENSE.txt][dart])
 - Origin: Originally part of the Dart compiler, (c) 2011 the Dart Project Authors,

- Path: js/js.inliner/src/org/jetbrains/kotlin/js/inline/FunctionInlineMutator.kt
 - License: BSD ([license/third_party/dart_LICENSE.txt][dart])
 - Origin: Originally part of the Dart compiler, (c) 2011 the Dart Project Authors,

- Path: js/js.parser/src/com/google
 - License: Netscape Public License 1.1 ([license/third_party/rhino_LICENSE.txt][rhino])
 - Origin: Originally part of GWT, (C) 2007-08 Google Inc., distributed under the Apache 2 license. The code is derived from Rhino, (C) 1997-1999 Netscape Communications Corporation, distributed under the Netscape Public License.

- Path: js/js.translator/qunit/qunit.js
 - License: MIT ([license/third_party/qunit_license.txt][qunit])
 - Origin: QUnit, Copyright (c) 2012 John Resig, Jrn Zaefferer,

- Path: libraries/stdlib/src/kotlin/collections
 - License: Apache 2 ([license/third_party/gwt_license.txt][gwt])
 - Origin: Derived from GWT, (C) 2007-08 Google Inc.

- Path: libraries/stdlib/unsigned/src/kotlin/UnsignedUtils.kt
 - License: Apache 2 ([license/third_party/guava_license.txt][guava])
 - Origin: Derived from Guava's UnsignedLongs, (C) 2011 The Guava Authors

- Path: libraries/stdlib/jvm/src/kotlin/util/MathJVM.kt
 - License: Boost Software License 1.0 ([license/third_party/boost_LICENSE.txt][boost])
 - Origin: Derived from boost special math functions, Copyright Eric Ford & Hubert Holin 2001.

- Path: libraries/stdlib/js/src/kotlin/collections
 - License: Apache 2 ([license/third_party/gwt_license.txt][gwt])
 - Origin: Derived from GWT, (C) 2007-08 Google Inc.

- Path: libraries/stdlib/js-v1/src/js/long.js
 - License: Apache 2 ([license/third_party/closure-compiler_LICENSE.txt][closure-compiler])
 - Origin: Google Closure Library, Copyright 2009 The Closure Library Authors

- Path: libraries/stdlib/js-v1/src/js/polyfills.js
 - License: Boost Software License 1.0 ([license/third_party/boost_LICENSE.txt][boost])
 - Origin: Derived from boost special math functions, Copyright Eric Ford & Hubert Holin 2001.

- Path: plugins/lint/android-annotations
 - License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
 - Origin: Copyright (C) 2011-15 The Android Open Source Project

- Path: plugins/lint/lint-api
 - License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
 - Origin: Copyright (C) 2011-15 The Android Open Source Project

- Path: plugins/lint/lint-checks
 - License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
 - Origin: Copyright (C) 2011-15 The Android Open Source Project

- Path: plugins/lint/lint-idea
 - License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
 - Origin: Copyright (C) 2011-15 The Android Open Source Project

- Path: idea/idea-gradle-tooling-api/src/org/gradle/tooling/model/kotlin/dsl
 - License: Apache 2 ([license/third_party/gradle_license.txt][gradle])
 - Origin: Gradle, Copyright 2002-2017 Gradle, Inc.

Kotlin Test Data

The following source code is used for testing the Kotlin compiler and/or plugin and is not incorporated into any distributions of the compiler, libraries or plugin:

- Path: third-party/annotations/android
 - License: Apache 2 ([license/third_party/aosp_license.txt][aosp])

- Origin: Copyright (C) 2011-15 The Android Open Source Project
- Path: third-party/annotations/com/android
 - License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
 - Origin: Copyright (C) 2011-15 The Android Open Source Project
- Path: third-party/annotations/org/eclipse
 - License: Eclipse Public License v1.0 ([license/third_party/testdata/eclipse_license.txt][eclipse])
 - Origin: Eclipse JDT, Copyright (c) 2011, 2013 Stephan Herrmann and others.
- Path: third-party/annotations/androidx
 - License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
 - Origin: Copyright (C) 2011-15 The Android Open Source Project
- Path: third-party/annotations/edu/umd/cs/findbugs
 - License: LGPL 2.1 ([license/third_party/testdata/findbugs_license.txt][findbugs])
 - Origin: Bytecode Analysis Framework, Copyright (C) 2005 University of Maryland
- Path: third-party/jdk8-annotations/org/eclipse
 - License: Eclipse Public License v1.0 ([license/third_party/testdata/eclipse_license.txt][eclipse])
 - Origin: Eclipse JDT, Copyright (c) 2011, 2013 Stephan Herrmann and others.
- Path: third-party/annotations/io/reactivex
 - License: Apache 2 ([license/third_party/testdata/rxjava_license.txt][rxjava])
 - Origin: RxJava, Copyright (c) 2016-present, RxJava Contributors
- Path: third-party/annotations/lombok
 - License: MIT ([license/third_party/testdata/lombok_license.txt][lombok])
 - Origin: Project Lombok, Copyright (C) 2009-2013 The Project Lombok Authors
- Path: idea/idea-android/tests/org/jetbrains/kotlin/android/AndroidTestBase.java
 - License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
 - Origin: Copyright (C) 2011-15 The Android Open Source Project
- Path: idea/testData/android/lintQuickfix/requiresApi/RequiresApi.java
 - License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
 - Origin: Copyright (C) 2011-15 The Android Open Source Project
- Path: idea/testData/android/lint/IntRange.java
 - License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
 - Origin: Copyright (C) 2011-15 The Android Open Source Project
- Path: idea/testData/android/lint/RequiresPermission.java
 - License: Apache 2 ([license/third_party/aosp_license.txt][aosp])
 - Origin: Copyright (C) 2011-15 The Android Open Source Project
- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/src/test/resources/testProject/allOpenSpring/src/org/springframework/stereotype/Component.java

- License: Apache 2 ([license/third_party/testdata/spring_license.txt][spring])
- Origin: Spring Framework, Copyright 2002-2007 the original author or authors.

- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/src/test/resources/testProject/AndroidDaggerProject
- License: Apache 2 ([license/third_party/testdata/dagger_license.txt][dagger])
- Origin: Dagger, Copyright (C) 2013 Square, Inc.

- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/src/test/resources/testProject/kapt2
- License: Apache 2 ([license/third_party/testdata/dagger_license.txt][dagger])
- Origin: Dagger, Copyright (C) 2013 Square, Inc.

- Path: libraries/tools/kotlin-maven-plugin-test/src/it/test-allopen-spring/src/main/java/org/springframework/stereotype/Component.java
- License: Apache 2 ([license/third_party/testdata/spring_license.txt][spring])
- Origin: Spring Framework, Copyright 2002-2007 the original author or authors.

Kotlin Tools and Libraries Tests

The following source code is used for testing the Kotlin tools and/or libraries and is not incorporated into any distributions of the tools or libraries:

- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/src/test/kotlin/org/jetbrains/kotlin/gradle/PluginsDslIT.kt
- License: Apache 2 ([license/third_party/gradle_license.txt][gradle])
- Origin: Gradle, Copyright 2002-2017 Gradle, Inc.

- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/target/test-classes/testProject/noArgJpa/src/javax/persistence/Entity.java
- License: Eclipse Public License v1.0 ([license/third_party/testdata/eclipse_license.txt][eclipse])
and Eclipse Distribution License - v1.0
([license/third_party/testdata/eclipse_distribution_license.txt][eclipse-distribution])
- Origin: javax.persistence, Copyright (c) 2008, 2017 Sun Microsystems, Oracle Corporation.

- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/src/test/resources/testProject/noArgJpa/src/javax/persistence/Entity.java
- License: Eclipse Public License v1.0 ([license/third_party/testdata/eclipse_license.txt][eclipse])
and Eclipse Distribution License - v1.0
([license/third_party/testdata/eclipse_distribution_license.txt][eclipse-distribution])
- Origin: javax.persistence, Copyright (c) 2008, 2017 Sun Microsystems, Oracle Corporation.

- Path: libraries/tools/kotlin-gradle-plugin-integration-tests/src/test/resources/testProject/noArgJpa/src/javax/persistence/Embeddable.java
- License: Eclipse Public License v1.0 ([license/third_party/testdata/eclipse_license.txt][eclipse])
and Eclipse Distribution License - v1.0
([license/third_party/testdata/eclipse_distribution_license.txt][eclipse-distribution])
- Origin: javax.persistence, Copyright (c) 2008, 2017 Sun Microsystems, Oracle Corporation.

- Path: libraries/tools/kotlin-test-js-runner/karma-kotlin-reporter.js
- License: MIT ([license/third_party/karma_LICENSE.txt][third_party/karma_LICENSE.txt])

- and [license/third_party/karma-teamcity-reporter_LICENSE.txt](third_party/karma-teamcity-reporter_LICENSE.txt))
 - Origin: Copyright (C) 2011-2019 Google, Inc. and Copyright (C) 2011-2013 Vojta Jna and contributors.
- Path: libraries/tools/kotlin-test-js-runner/mocha-kotlin-reporter.js
 - License: MIT ([license/third_party/mocha-teamcity-reporter_LICENSE.txt](third_party/mocha-teamcity-reporter_LICENSE.txt))
 - Origin: Copyright (c) 2016 Jamie Sherriff
- Path: libraries/tools/kotlin-test-js-runner/src/utils.ts
 - License: MIT ([license/third_party/teamcity-service-messages_LICENSE.txt](third_party/teamcity-service-messages_LICENSE.txt) and [license/third_party/lodash_LICENSE.txt](third_party/lodash_LICENSE.txt))
 - Origin: Copyright (c) 2013 Aaron Forsander and Copyright JS Foundation and other contributors <<https://js.foundation/>>
- Path: libraries/tools/kotlin-test-js-runner/src/teamcity-format.js
 - License: MIT ([license/third_party/mocha-teamcity-reporter_LICENSE.txt](third_party/mocha-teamcity-reporter_LICENSE.txt) and [license/third_party/teamcity-service-messages_LICENSE.txt](third_party/teamcity-service-messages_LICENSE.txt))
 - Origin: Copyright (c) 2016 Jamie Sherriff and Copyright (c) 2013 Aaron Forsander
- Path: libraries/tools/kotlin-source-map-loader/kotlin-source-map-loader.js
 - License: MIT ([license/third_party/source-map-loader_LICENSE.txt](third_party/source-map-loader_LICENSE.txt))
 - Origin: Copyright JS Foundation and other contributors

Example Code

The following code is provided as examples and is not incorporated into any distributions of the compiler, libraries or plugin:

- Path: libraries/examples/browser-example/src/js/jquery.js
 - License: MIT ([license/third_party/jquery_license.txt](jquery))
 - Origin: jQuery JavaScript Library v1.6.2, Copyright 2011, John Resig
- Path: libraries/examples/browser-example-with-library/src/js/jquery.js
 - License: MIT ([license/third_party/jquery_license.txt](jquery))
 - Origin: jQuery JavaScript Library v1.6.2, Copyright 2011, John Resig

[aosp]: third_party/aosp_license.txt
 [asm]: third_party/asm_license.txt
 [boost]: third_party/boost_LICENSE.txt
 [closure-compiler]: third_party/closure-compiler_LICENSE.txt
 [dagger]: third_party/testdata/dagger_license.txt
 [dart]: third_party/dart_LICENSE.txt
 [eclipse]: third_party/testdata/eclipse_license.txt

[eclipse-distribution]: third_party/testdata/eclipse_distribution_license.txt
[findbugs]: third_party/testdata/findbugs_license.txt
[gradle]: third_party/gradle_license.txt
[guava]: third_party/guava_license.txt
[gwt]: third_party/gwt_license.txt
[jquery]: third_party/jquery_license.txt
[lombok]: third_party/testdata/lombok_license.txt
[pcollections]: third_party/pcollections_LICENSE.txt
[qunit]: third_party/qunit_license.txt
[rhino]: third_party/rhino_LICENSE.txt
[rxjava]: third_party/testdata/rxjava_license.txt
[spring]: third_party/testdata/spring_license.txt

```
=====
== NOTICE file corresponding to the section 4 d of          ==
== the Apache License, Version 2.0,                        ==
== in this case for the Kotlin Compiler distribution.       ==
=====
```

Kotlin Compiler

Copyright 2010-2019 JetBrains s.r.o and respective authors and developers
Copyright (c) 2013 Aaron Forsander

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2008 Harold Cooper

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Eclipse Public License, Version 1.0 (EPL-1.0)

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
 - i) changes to the Program, and
 - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution.
No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.
- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
 - i) effectively disclaims on behalf of all Contributors all warranties

and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such

claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor.

If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted

under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

The MIT License

Copyright (c) 2003, Kohsuke Kawaguchi

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

The MIT License

Copyright JS Foundation and other contributors <<https://js.foundation/>>

Based on Underscore.js, copyright Jeremy Ashkenas,
DocumentCloud and Investigative Reporters & Editors <<http://underscorejs.org/>>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/lodash/lodash>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

Copyright and related rights for sample code are waived via CC0. Sample code is defined as all source code displayed within the prose of the documentation.

CC0: <http://creativecommons.org/publicdomain/zero/1.0/>

====

Files located in the node_modules and vendor directories are externally maintained libraries used by this software which have their own licenses; we recommend you read them, as their terms may differ from the terms above.

Copyright JS Foundation and other contributors, <https://js.foundation>

This software consists of voluntary contributions made by many individuals. For exact contribution history, see the revision history available at <https://github.com/qunitjs/qunit>

The following license applies to all parts of this software except as documented below:

====

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

====

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts

as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is

linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact

all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest

your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License.

Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact

that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the

integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE

IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

The MIT License

Copyright (C) 2011-2013 Vojta Jna and contributors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.35 netty-transport-classes-epoll 4.1.93.Final

1.35.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2021 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-
jar/io/netty/channel/epoll/EpollDomainDatagramChannelConfig.java
* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-
jar/io/netty/channel/epoll/SegmentedDatagramPacket.java
* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-
jar/io/netty/channel/epoll/EpollDomainDatagramChannel.java
No license file was found, but licenses were detected in source scan.
```

```
# The Netty Project licenses this file to you under the Apache License,
# version 2.0 (the "License"); you may not use this file except in compliance
# with the License. You may obtain a copy of the License at:
# distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
```

Found in path(s):

```
* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-
jar/META-INF/native-image/io.netty/netty-transport-classes-epoll/native-image.properties
No license file was found, but licenses were detected in source scan.
```

```
<!--
~ Copyright 2021 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
```


~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->

Found in path(s):

* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-transport-classes-epoll/pom.xml

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

/**

* Set the {@code TCP_MD5SIG} option on the socket. See {@code linux/tcp.h} for more details.

* Keys can only be set on, not read to prevent a potential leak, as they are confidential.

* Allowing them being read would mean anyone with access to the channel could get them.

*/

Found in path(s):

* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io.netty/channel/epoll/EpollServerSocketChannelConfig.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2013 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/Native.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2015 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/TcpMd5Util.java

* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollDomainSocketChannel.java

* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollChannelConfig.java

* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollRecvByteAllocatorStreamingHandle.java

* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollServerDomainSocketChannel.java

* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollMode.java

* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/AbstractEpollStreamChannel.java

* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollRecvByteAllocatorHandle.java

* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/AbstractEpollServerChannel.java

* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-jar/io/netty/channel/epoll/EpollDomainSocketChannelConfig.java

* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-

jar/io/netty/channel/epoll/EpollEventArray.java

* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-

jar/io/netty/channel/epoll/EpollServerChannelConfig.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-

jar/io/netty/channel/epoll/AbstractEpollChannel.java

* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-

jar/io/netty/channel/epoll/NativeDatagramPacketArray.java

* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-

jar/io/netty/channel/epoll/package-info.java

* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-

jar/io/netty/channel/epoll/Epoll.java

* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-

jar/io/netty/channel/epoll/EpollTcpInfo.java

* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-

jar/io/netty/channel/epoll/EpollChannelOption.java

* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-

jar/io/netty/channel/epoll/EpollDatagramChannel.java

* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-

jar/io/netty/channel/epoll/EpollEventLoopGroup.java

* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-

jar/io/netty/channel/epoll/EpollServerSocketChannel.java

* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-

jar/io/netty/channel/epoll/EpollSocketChannel.java

* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-

jar/io/netty/channel/epoll/EpollEventLoop.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014 The Netty Project

```

*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
/**
 * Set the { @code TCP_MD5SIG } option on the socket. See { @code linux/tcp.h } for more details.
 * Keys can only be set on, not read to prevent a potential leak, as they are confidential.
 * Allowing them being read would mean anyone with access to the channel could get them.
 */
/**
 * Set the { @code TCP_QUICKACK } option on the socket.
 * See TCP\_QUICKACK
 * for more details.
 */

```

Found in path(s):

```

* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-
jar/io/netty/channel/epoll/EpollSocketChannelConfig.java

```

No license file was found, but licenses were detected in source scan.

```

/*
 * Copyright 2012 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
*/

```

Found in path(s):

```

* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-
jar/io/netty/channel/epoll/EpollDatagramChannelConfig.java

```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2016 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-
jar/io/netty/channel/epoll/LinuxSocket.java
* /opt/cola/permits/1698847981_1685285755.994296/0/netty-transport-classes-epoll-4-1-93-final-sources-
jar/io/netty/channel/epoll/NativeStaticallyReferencedJniMethods.java
```

1.36 commons-io 2.6

1.36.1 Available under license :

Apache Commons IO

Copyright 2002-2017 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a

result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.37 netty-codec-dns 4.1.93.Final

1.37.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2016 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-
jar/io/netty/handler/codec/dns/DnsOptEcsRecord.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-
jar/io/netty/handler/codec/dns/DefaultDnsOptEcsRecord.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-
jar/io/netty/handler/codec/dns/DnsPtrRecord.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-
jar/io/netty/handler/codec/dns/DefaultDnsPtrRecord.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-
jar/io/netty/handler/codec/dns/DnsOptPseudoRecord.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-
jar/io/netty/handler/codec/dns/AbstractDnsOptPseudoRrRecord.java
```

No license file was found, but licenses were detected in source scan.

```
<!--
~ Copyright 2014 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
```

-->

Found in path(s):

* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-codec-dns/pom.xml

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2015 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/AbstractDnsRecord.java

* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsRecordEncoder.java

* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsQuestion.java

* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/AbstractDnsMessage.java

* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DatagramDnsQueryDecoder.java

* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DefaultDnsQuestion.java

* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DefaultDnsQuery.java

* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DefaultDnsRecordEncoder.java

* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsRecord.java

* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DatagramDnsResponse.java

* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DefaultDnsRawRecord.java

* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DefaultDnsRecordDecoder.java

* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsMessageUtil.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsRecordType.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/package-info.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsOpCode.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DatagramDnsResponseEncoder.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsResponse.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsResponseCode.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsQuery.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DefaultDnsResponse.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsMessage.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DatagramDnsQuery.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DatagramDnsQueryEncoder.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DatagramDnsResponseDecoder.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsRawRecord.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsSection.java
* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsRecordDecoder.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2021 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/TcpDnsResponseEncoder.java

* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/TcpDnsQueryDecoder.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2019 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/TcpDnsResponseDecoder.java

* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/TcpDnsQueryEncoder.java

* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsCodecUtil.java

* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsResponseDecoder.java

* /opt/cola/permits/1698848115_1685285754.4189835/0/netty-codec-dns-4-1-93-final-sources-jar/io/netty/handler/codec/dns/DnsQueryEncoder.java

1.38 netty-codec-haproxy 4.1.93.Final

1.38.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2020 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

```
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1698848072_1685285721.8695002/0/netty-codec-haproxy-4-1-93-final-sources-
jar/io/netty/handler/codec/haproxy/HAProxyMessageEncoder.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1698848072_1685285721.8695002/0/netty-codec-haproxy-4-1-93-final-sources-
jar/io/netty/handler/codec/haproxy/HAProxyTLV.java
* /opt/cola/permits/1698848072_1685285721.8695002/0/netty-codec-haproxy-4-1-93-final-sources-
jar/io/netty/handler/codec/haproxy/HAProxySSLTLV.java
No license file was found, but licenses were detected in source scan.
```

```
<!--
~ Copyright 2012 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
```

~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->

Found in path(s):

* /opt/cola/permits/1698848072_1685285721.8695002/0/netty-codec-haproxy-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-codec-haproxy/pom.xml

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/1698848072_1685285721.8695002/0/netty-codec-haproxy-4-1-93-final-sources-jar/io/netty/handler/codec/haproxy/HAProxyProxiedProtocol.java

* /opt/cola/permits/1698848072_1685285721.8695002/0/netty-codec-haproxy-4-1-93-final-sources-jar/io/netty/handler/codec/haproxy/HAProxyConstants.java

* /opt/cola/permits/1698848072_1685285721.8695002/0/netty-codec-haproxy-4-1-93-final-sources-jar/io/netty/handler/codec/haproxy/package-info.java

* /opt/cola/permits/1698848072_1685285721.8695002/0/netty-codec-haproxy-4-1-93-final-sources-jar/io/netty/handler/codec/haproxy/HAProxyMessageDecoder.java

* /opt/cola/permits/1698848072_1685285721.8695002/0/netty-codec-haproxy-4-1-93-final-sources-jar/io/netty/handler/codec/haproxy/HAProxyProtocolException.java

* /opt/cola/permits/1698848072_1685285721.8695002/0/netty-codec-haproxy-4-1-93-final-sources-jar/io/netty/handler/codec/haproxy/HAProxyMessage.java

* /opt/cola/permits/1698848072_1685285721.8695002/0/netty-codec-haproxy-4-1-93-final-sources-jar/io/netty/handler/codec/haproxy/HAProxyCommand.java

* /opt/cola/permits/1698848072_1685285721.8695002/0/netty-codec-haproxy-4-1-93-final-sources-jar/io/netty/handler/codec/haproxy/HAProxyProtocolVersion.java

1.39 javax-inject 1

1.39.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

/*

* Copyright (C) 2009 The JSR-330 Expert Group

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

1.40 jetty-setuid-java 1.0.4

1.40.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// All rights reserved. This program and the accompanying materials
// are made available under the terms of the Eclipse Public License v1.0
// and Apache License v2.0 which accompanies this distribution.
// The Eclipse Public License is available at
// The Apache License v2.0 is available at
// You may elect to redistribute this code under either of these licenses.
```

Found in path(s):

* /opt/cola/permits/1257333122_1642801905.86/0/jetty-setuid-java-1-0-4-sources-jar/org/eclipse/jetty/setuid/SetUIDListener.java

* /opt/cola/permits/1257333122_1642801905.86/0/jetty-setuid-java-1-0-4-sources-jar/org/eclipse/jetty/setuid/SetUIDServer.java

* /opt/cola/permits/1257333122_1642801905.86/0/jetty-setuid-java-1-0-4-sources-

jar/org/eclipse/jetty/setuid/SetUID.java
* /opt/cola/permits/1257333122_1642801905.86/0/jetty-setuid-java-1-0-4-sources-
jar/org/eclipse/jetty/setuid/Group.java
* /opt/cola/permits/1257333122_1642801905.86/0/jetty-setuid-java-1-0-4-sources-
jar/org/eclipse/jetty/setuid/RLimit.java
* /opt/cola/permits/1257333122_1642801905.86/0/jetty-setuid-java-1-0-4-sources-
jar/org/eclipse/jetty/setuid/Passwd.java

1.41 log4j2-ecs-layout 1.2.0

1.41.1 Available under license :

ecs-logging-java

Copyright 2019 - 2020 Elasticsearch B.V.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2019 - 2020 Elastic and contributors

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.42 netty-transport 4.1.93.Final

1.42.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2018 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
```

jar/io/netty/channel/socket/nio/NioChannelOption.java

* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-

jar/io/netty/channel/SimpleUserEventChannelHandler.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2017 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License, version 2.0 (the

* "License"); you may not use this file except in compliance with the License. You may obtain a

* copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License

* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express

* or implied. See the License for the specific language governing permissions and limitations under

* the License.

*/

Found in path(s):

* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-

jar/io/netty/channel/AbstractCoalescingBufferQueue.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2013 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-

jar/io/netty/channel/oio/OioByteStreamChannel.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2020 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/StacklessClosedChannelException.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/DuplexChannelConfig.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2019 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ExtendedClosedChannelException.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/EventLoopTaskQueueFactory.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ChannelHandlerMask.java

No license file was found, but licenses were detected in source scan.

The Netty Project licenses this file to you under the Apache License,

version 2.0 (the "License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at:
distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

Found in path(s):

* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/META-INF/native-image/io.netty/netty-transport/native-image.properties

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2012 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:

~

~ <https://www.apache.org/licenses/LICENSE-2.0>

~

~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.

-->

Found in path(s):

* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-transport/pom.xml

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2015 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License, version 2.0 (the
* "License"); you may not use this file except in compliance with the License. You may obtain a
* copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.

*/

Found in path(s):

* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-

jar/io/netty/channel/CoalescingBufferQueue.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2012 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

*/

/**

* Handles an I/O event or intercepts an I/O operation, and forwards it to its next handler in

* its { @link ChannelPipeline }.

*

* <h3>Sub-types</h3>

* <p>

* { @link ChannelHandler } itself does not provide many methods, but you usually have to implement one of its subtypes:

*

* { @link ChannelInboundHandler } to handle inbound I/O events, and

* { @link ChannelOutboundHandler } to handle outbound I/O operations.

*

* </p>

* <p>

* Alternatively, the following adapter classes are provided for your convenience:

*

* { @link ChannelInboundHandlerAdapter } to handle inbound I/O events,

* { @link ChannelOutboundHandlerAdapter } to handle outbound I/O operations, and

* { @link ChannelDuplexHandler } to handle both inbound and outbound events

*

* </p>

* <p>

* For more information, please refer to the documentation of each subtype.

* </p>

*

* <h3>The context object</h3>

* <p>

* A { @link ChannelHandler } is provided with a { @link ChannelHandlerContext }

* object. A { @link ChannelHandler } is supposed to interact with the

* { @link ChannelPipeline } it belongs to via a context object. Using the

```

* context object, the { @link ChannelHandler } can pass events upstream or
* downstream, modify the pipeline dynamically, or store the information
* (using { @link AttributeKey }s) which is specific to the handler.
*
* <h3>State management</h3>
*
* A { @link ChannelHandler } often needs to store some stateful information.
* The simplest and recommended approach is to use member variables:
* <pre>
* public interface Message {
*     // your methods here
* }
*
* public class DataServerHandler extends { @link SimpleChannelInboundHandler } &lt; Message &gt; {
*
*     <b>private boolean loggedIn;</b>
*
*     { @code @Override }
*     public void channelRead0({ @link ChannelHandlerContext } ctx, Message message) {
*         if (message instanceof LoginMessage) {
*             authenticate((LoginMessage) message);
*             <b>loggedIn = true;</b>
*         } else (message instanceof GetDataMessage) {
*             if (<b>loggedIn</b>) {
*                 ctx.writeAndFlush(fetchSecret((GetDataMessage) message));
*             } else {
*                 fail();
*             }
*         }
*     }
*     ...
* }
* </pre>
* Because the handler instance has a state variable which is dedicated to
* one connection, you have to create a new handler instance for each new
* channel to avoid a race condition where an unauthenticated client can get
* the confidential information:
* <pre>
* // Create a new handler instance per channel.
* // See { @link ChannelInitializer#initChannel(Channel) }.
* public class DataServerInitializer extends { @link ChannelInitializer } &lt; { @link Channel } &gt; {
*     { @code @Override }
*     public void initChannel({ @link Channel } channel) {
*         channel.pipeline().addLast("handler", <b>new DataServerHandler()</b>);
*     }
* }
*
* </pre>

```

```

*
* <h4>Using { @link AttributeKey}s</h4>
*
* Although it's recommended to use member variables to store the state of a
* handler, for some reason you might not want to create many handler instances.
* In such a case, you can use { @link AttributeKey}s which is provided by
* { @link ChannelHandlerContext}:
* <pre>
* public interface Message {
*     // your methods here
* }
*
* { @code @Sharable}
* public class DataServerHandler extends { @link SimpleChannelInboundHandler}&lt;Message&gt; {
*     private final { @link AttributeKey}&lt;Boolean&gt; auth =
*         { @link AttributeKey#valueOf(String) AttributeKey.valueOf("auth")};
*
*     { @code @Override}
*     public void channelRead({ @link ChannelHandlerContext} ctx, Message message) {
*         { @link Attribute}&lt;Boolean&gt; attr = ctx.attr(auth);
*         if (message instanceof LoginMessage) {
*             authenticate((LoginMessage) o);
*             <b>attr.set(true)</b>;
*         } else (message instanceof GetDataMessage) {
*             if (<b>Boolean.TRUE.equals(attr.get())</b>) {
*                 ctx.writeAndFlush(fetchSecret((GetDataMessage) o));
*             } else {
*                 fail();
*             }
*         }
*     }
*     ...
* }
* </pre>
* Now that the state of the handler is attached to the { @link ChannelHandlerContext}, you can add the
* same handler instance to different pipelines:
* <pre>
* public class DataServerInitializer extends { @link ChannelInitializer}&lt;Channel&gt; {
*
*     private static final DataServerHandler <b>SHARED</b> = new DataServerHandler();
*
*     { @code @Override}
*     public void initChannel({ @link Channel} channel) {
*         channel.pipeline().addLast("handler", <b>SHARED</b>);
*     }
* }
* </pre>
*

```

```

*
* <h4>The { @code @Sharable } annotation</h4>
* <p>
* In the example above which used an { @link AttributeKey },
* you might have noticed the { @code @Sharable } annotation.
* <p>
* If a { @link ChannelHandler } is annotated with the { @code @Sharable }
* annotation, it means you can create an instance of the handler just once and
* add it to one or more { @link ChannelPipeline }s multiple times without
* a race condition.
* <p>
* If this annotation is not specified, you have to create a new handler
* instance every time you add it to a pipeline because it has unshared state
* such as member variables.
* <p>
* This annotation is provided for documentation purpose, just like
* <a href="http://www.javaconcurrencyinpractice.com/annotations/doc/">the JCIP annotations</a>.
*
* <h3>Additional resources worth reading</h3>
* <p>
* Please refer to the { @link ChannelHandler }, and
* { @link ChannelPipeline } to find out more about inbound and outbound operations,
* what fundamental differences they have, how they flow in a pipeline, and how to handle
* the operation in your application.
*/

```

Found in path(s):

```

* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ChannelHandler.java

```

No license file was found, but licenses were detected in source scan.

```

/*

```

```

* Copyright 2015 The Netty Project

```

```

*

```

```

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

```

```

*

```

```

* https://www.apache.org/licenses/LICENSE-2.0

```

```

*

```

```

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

```

```

*/

```

Found in path(s):

* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/pool/FixedChannelPool.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/MaxMessagesRecvByteBufAllocator.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/DefaultMaxMessagesRecvByteBufAllocator.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/pool/AbstractChannelPoolMap.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/pool/SimpleChannelPool.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/MaxBytesRecvByteBufAllocator.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/pool/AbstractChannelPoolHandler.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/pool/package-info.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/pool/ChannelHealthChecker.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/pool/ChannelPool.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/pool/ChannelPoolMap.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/DefaultMaxBytesRecvByteBufAllocator.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/pool/ChannelPoolHandler.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2012 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/local/LocalChannelRegistry.java

* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-

jar/io/netty/channel/ChannelOutboundHandler.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/AbstractChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/SocketChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ChannelMetadata.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ChannelPromise.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/oio/package-info.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ChannelFuture.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/local/package-info.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/bootstrap/package-info.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/nio/AbstractNioByteChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/DefaultEventLoop.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/EventLoopGroup.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/local/LocalEventLoopGroup.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/oio/OioEventLoopGroup.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ChannelFlushPromiseNotifier.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/embedded/EmbeddedSocketAddress.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/embedded/package-info.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/SingleThreadEventLoop.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/nio/NioEventLoop.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/DatagramChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/bootstrap/AbstractBootstrap.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/CompleteChannelFuture.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/oio/OioSocketChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/embedded/EmbeddedChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-

jar/io/netty/channel/nio/NioTask.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/oio/OioServerSocketChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/DefaultEventLoopGroup.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/nio/AbstractNioChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ChannelException.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/DefaultFileRegion.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ThreadPerChannelEventLoopGroup.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ChannelOutboundHandlerAdapter.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/DatagramChannelConfig.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/FailedChannelFuture.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/nio/NioDatagramChannelConfig.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/AbstractChannelHandlerContext.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/nio/NioServerSocketChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/embedded/EmbeddedEventLoop.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ChannelDuplexHandler.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/DefaultChannelPipeline.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ChannelInboundHandler.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/nio/ProtocolFamilyConverter.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/local/LocalServerChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/RecvByteBufAllocator.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ChannelInboundHandlerAdapter.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ChannelPromiseNotifier.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/group/ChannelGroupFutureListener.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/ServerSocketChannelConfig.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-

jar/io/netty/channel/local/LocalChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/DatagramPacket.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/EventLoop.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/ServerSocketChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/Channel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/oio/OioDatagramChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/nio/AbstractNioMessageChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/VoidChannelPromise.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ChannelHandlerContext.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/SucceededChannelFuture.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ChannelConfig.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/DefaultDatagramChannelConfig.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/group/CombinedIterator.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/ChannelInputShutdownEvent.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ChannelOption.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ChannelFutureListener.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/nio/NioEventLoopGroup.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/nio/NioDatagramChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ThreadPerChannelEventLoop.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/InternetProtocolFamily.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ChannelPromiseAggregator.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/group/package-info.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/AbstractServerChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/EventLoopException.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-

jar/io/netty/channel/oio/AbstractOioMessageChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/nio/package-info.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/nio/NioSocketChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/FixedRecvByteBufAllocator.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/group/DefaultChannelGroupFuture.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/local/LocalAddress.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/oio/AbstractOioChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/DefaultSocketChannelConfig.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ChannelInitializer.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/SocketChannelConfig.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/MultithreadEventLoopGroup.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ChannelPipeline.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/AdaptiveRecvByteBufAllocator.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ChannelPipelineException.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/oio/package-info.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/oio/AbstractOioByteChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/bootstrap/ServerBootstrap.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/nio/package-info.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/CombinedChannelDuplexHandler.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ServerChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/package-info.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/group/ChannelGroupFuture.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/package-info.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/DefaultChannelPromise.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-

jar/io/netty/channel/socket/DefaultServerSocketChannelConfig.java

```
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/bootstrap/Bootstrap.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/FileRegion.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/DefaultChannelConfig.java
```

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2022 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

```
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/nio/SelectorProviderUtil.java
```

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2016 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

```
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
```

jar/io/netty/channel/DefaultSelectStrategy.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ChannelOutboundInvoker.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/DuplexChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/WriteBufferWaterMark.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/SelectStrategy.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/bootstrap/ServerBootstrapConfig.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/bootstrap/AbstractBootstrapConfig.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/DefaultSelectStrategyFactory.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/SelectStrategyFactory.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/group/VoidChannelGroupFuture.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/PreferHeapByteBufAllocator.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/bootstrap/BootstrapConfig.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ChannelInboundInvoker.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ReflectiveChannelFactory.java

* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/AbstractEventLoop.java

```
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/PendingWriteQueue.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/embedded/EmbeddedChannelId.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ChannelFactory.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2017 The Netty Project
```

```
*
```

```
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
```

```
*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/internal/ChannelUtils.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/ChannelInputShutdownReadComplete.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/bootstrap/FailedChannel.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/ChannelOutputShutdownEvent.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/internal/package-info.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/DelegatingChannelPromiseNotifier.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/nio/SelectedSelectionKeySetSelector.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/PendingBytesTracker.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/oio/DefaultOioDatagramChannelConfig.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/oio/OioDatagramChannelConfig.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/ChannelOutputShutdownException.java
```


No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2013 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/group/ChannelGroup.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/group/ChannelMatchers.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/AddressedEnvelope.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/DefaultChannelProgressivePromise.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/oio/DefaultOioServerSocketChannelConfig.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/oio/OioServerSocketChannelConfig.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ChannelProgressiveFuture.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/DefaultAddressedEnvelope.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/SimpleChannelInboundHandler.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/AbstractEventLoopGroup.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/group/ChannelMatcher.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ChannelProgressiveFutureListener.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/group/ChannelGroupException.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ChannelHandlerAdapter.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
```

jar/io/netty/channel/ConnectTimeoutException.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/bootstrap/ChannelFactory.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/oio/DefaultOioSocketChannelConfig.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/DefaultMessageSizeEstimator.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/group/DefaultChannelGroup.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ChannelProgressivePromise.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/nio/SelectedSelectionKeySet.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ChannelId.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/MessageSizeEstimator.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/DefaultChannelId.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/socket/oio/OioSocketChannelConfig.java
* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ChannelOutboundBuffer.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2021 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-
jar/io/netty/channel/ServerChannelRecvByteBufAllocator.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014 The Netty Project

*
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * <https://www.apache.org/licenses/LICENSE-2.0>
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */

Found in path(s):

* /opt/cola/permits/1698848033_1685285735.7649164/0/netty-transport-4-1-93-final-sources-jar/io/netty/channel/DefaultChannelHandlerContext.java

1.43 jetty 9.4.51.v20230217

1.43.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
 - i) changes to the Program, and
 - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor

itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.
- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
 - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
 - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
 - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
 - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims

or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent

necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and

attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the

appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

=====
Jetty Web Container

Copyright 1995-2018 Mort Bay Consulting Pty Ltd.
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd
unless otherwise noted.

Jetty is dual licensed under both

* The Apache 2.0 License

<http://www.apache.org/licenses/LICENSE-2.0.html>

and

* The Eclipse Public 1.0 License

<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

Eclipse

The following artifacts are EPL.

* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.

* org.eclipse.jetty.orbit:javafx.security.auth.message

The following artifacts are EPL and CDDL 1.0.

* org.eclipse.jetty.orbit:javafx.mail.glassfish

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

* javax.servlet:javax.servlet-api

* javax.annotation:javax.annotation-api

* javax.transaction:javax.transaction-api

* javax.websocket:javax.websocket-api

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

org.ow2.asm:asm-commons

org.ow2.asm:asm

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec

org.apache.taglibs:taglibs-standard-impl

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

org.mortbay.jasper:apache-jsp

org.apache.tomcat:tomcat-jasper

org.apache.tomcat:tomcat-juli

org.apache.tomcat:tomcat-jsp-api

org.apache.tomcat:tomcat-el-api

org.apache.tomcat:tomcat-jasper-el

org.apache.tomcat:tomcat-api

org.apache.tomcat:tomcat-util-scan
org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el
org.apache.tomcat:tomcat-jasper-el
org.apache.tomcat:tomcat-el-api

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

1.44 kotlin 1.3.70

1.44.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
{"version":3,"file":"kotlin.js","sources":["wrapper.js","arrayUtils.js","callableReferenceUtils.js","conversions.js","core.js","long.js","markerFunctions.js","misc.js","polyfills.js","rtti.js","arrayUtils.kt","runtime/Enum.kt","primitiveCompanionObjects.kt","generated/_Arrays.kt","generated/_Ranges.kt","kotlin/UByte.kt","kotlin/UInt.kt","kotlin/UShort.kt","Ranges.kt","collections/Collections.kt","collections/Maps.kt","collections/Sets.kt","text/StringNumberConversions.kt","kotlin/UnsignedUtils.kt","collections/Iterables.kt","collections/Sequences.kt","util/Preconditions.kt","generated/_ArraysJs.kt","comparisons/Comparisons.kt","kotlin/Comparator.kt","util/Standard.kt","generated/_ComparisonsJs.kt","generated/_Collections.kt","kotlin/collections.kt","collections/Iterators.kt","generated/_Comparisons.kt","generated/_Maps.kt","generated/_Sequences.kt","generated/_Sets.kt","generated/_Strings.kt","text/Strings.kt","kotlin/text/string.kt","kotlin/UByteArray.kt","kotlin/UIntArray.kt","kotlin/ULongArray.kt","kotlin/ULong.kt","kotlin/UShortArray.kt","generated/_UArrays.kt","generated/_UCollections.kt","generated/_UComparisons.kt","generated/_URanges.kt","generated/_USequences.kt","Collections.kt","Iterators.kt","ProgressionIterators.kt","Progressions.kt","Range.kt","Unit.kt","annotation/Annotations.kt","internal/InternalAnnotations.kt","internal/progressionUtil.kt","reflect/KParameter.kt","reflect/KType.kt","reflect/KVariance.kt","reflect/KVisibility.kt","kotlin/builtins.kt","kotlin/jsTypeOf.kt","kotlin/kotlin.kt","kotlin/coroutines/CoroutineImpl.kt","util/Result.kt","coroutines/Continuation.kt","kotlin/coroutines/intrinsics/IntrinsicsJs.kt","kotlin/currentBeMisc.kt","kotlin/jsOperators.kt","kotlin/math_js-
```

v1.kt","kotlin/numbers_js-v1.kt","kotlin/text/numberConversions_js-
v1.kt","generated/_CollectionsJs.kt","generated/_StringsJs.kt","generated/_UArraysJs.kt","jquery/ui.kt","kotlin/anno
tations.kt","kotlin/annotationsJVM.kt","kotlin/collections/AbstractMutableCollection.kt","kotlin/collections/Abstrac
tMutableList.kt","kotlin/collections/AbstractMutableMap.kt","kotlin/collections/AbstractMutableSet.kt","kotlin/coll
ections/ArrayList.kt","kotlin/collections/ArraySorting.kt","kotlin/collections/ArraysJs.kt","kotlin/collections/Equalit
yComparator.kt","kotlin/collections/HashMap.kt","kotlin/collections/HashSet.kt","kotlin/collections/InternalHashCo
deMap.kt","kotlin/collections/InternalMap.kt","kotlin/collections/InternalStringMap.kt","kotlin/collections/LinkedH
ashMap.kt","kotlin/collections/LinkedHashSet.kt","kotlin/concurrent.kt","kotlin/console.kt","kotlin/coroutines/Safe
ContinuationJs.kt","kotlin/coroutines/js/internal/EmptyContinuation.kt","kotlin/date.kt","kotlin/dom/Builders.kt","k
otlin/dom/Classes.kt","text/regex/RegexExtensions.kt","text/StringBuilder.kt","kotlin/dom/Dom.kt","kotlin/dom/Event
Listener.kt","kotlin/dom/ItemArrayLike.kt","kotlin/dom/Mutations.kt","kotlin/dynamic.kt","kotlin/exceptionUtils
.kt","kotlin/exceptions.kt","kotlin/grouping.kt","collections/Grouping.kt","kotlin/js.math.kt","kotlin/json.kt","kotlin/
math.kt","kotlin/numbers.kt","kotlin/promise.kt","kotlin/random/PlatformRandom.kt","kotlin/reflect/JsClass.kt","ko
tlin/reflect/KClassImpl.kt","kotlin/reflect/KTypeHelpers.kt","kotlin/reflect/KTypeImpl.kt","kotlin/reflect/KTypePar
ameterImpl.kt","kotlin/reflect/primitives.kt","kotlin/reflect/reflection.kt","kotlin/regexp.kt","kotlin/sequence.kt","kot
lin/text/CharacterCodingExceptionJs.kt","kotlin/text/StringBuilderJs.kt","kotlin/text/char.kt","kotlin/text/numberCo
nversions.kt","kotlin/text/regex.kt","kotlin/text/stringsCode.kt","kotlin/text/utf8Encoding.kt","kotlin/time/DurationU
nit.kt","kotlin/time/MonoTimeSource.kt","kotlin/time/formatToDecimals.kt","org.w3c/deprecated.kt","org.w3c/org.
khronos.webgl.kt","org.w3c/org.w3c.dom.clipboard.kt","org.w3c/org.w3c.dom.css.kt","org.w3c/org.w3c.dom.event
s.kt","org.w3c/org.w3c.dom.kt","org.w3c/org.w3c.fetch.kt","org.w3c/org.w3c.dom.mediacapture.kt","org.w3c/org.
w3c.dom.pointerevents.kt","org.w3c/org.w3c.dom.svg.kt","org.w3c/org.w3c.files.kt","org.w3c/org.w3c.notification
s.kt","org.w3c/org.w3c.workers.kt","org.w3c/org.w3c.xhr.kt","annotations/Experimental.kt","annotations/Experime
ntalStdlibApi.kt","annotations/Inference.kt","annotations/Multiplatform.kt","annotations/OptIn.kt","collections/Abst
ractCollection.kt","collections/AbstractIterator.kt","collections/AbstractList.kt","collections/AbstractMap.kt","collec
tions/AbstractSet.kt","collections/ArrayDeque.kt","collections/Arrays.kt","collections/IndexedValue.kt","collections
/MapAccessors.kt","collections/MapWithDefault.kt","collections/MutableCollections.kt","collections/ReversedVie
ws.kt","collections/SequenceBuilder.kt","collections/SlidingWindow.kt","collections/UArraySorting.kt","contracts/
ContractBuilder.kt","coroutines/ContinuationInterceptor.kt","coroutines/CoroutineContext.kt","coroutines/Coroutin
eContextImpl.kt","coroutines/intrinsics/Intrinsics.kt","experimental/bitwiseOperations.kt","experimental/inferenceM
arker.kt","internal/Annotations.kt","properties/Delegates.kt","properties/ObservableProperty.kt","random/Random.k
t","random/URandom.kt","random/XorWowRandom.kt","ranges/Ranges.kt","reflect/KClasses.kt","reflect/typeOf.kt
","text/Appendable.kt","text/Char.kt","text/Indent.kt","text/Typography.kt","text/regex/MatchResult.kt","time/Durat
ion.kt","time/DurationUnit.kt","time/ExperimentalTime.kt","time/TimeSource.kt","time/TimeSources.kt","time/measureTime.kt","util/HashCode.kt","util/KotlinVersion.kt","util/Lateinit.kt","util/Lazy.kt","util/Numbers.kt","util/Susp
end.kt","util/Tuples.kt","kotlin/UIntRange.kt","kotlin/UIterators.kt","kotlin/ULongRange.kt","kotlin/UMath.kt","kot
lin/UNumbers.kt","kotlin/UProgressionUtil.kt","kotlin/UStrings.kt","kotlin/annotations/Unsigned.kt","kotlin/MathH
.kt","coroutines.kt","CoroutinesLibrary.kt","coroutinesIntrinsics.kt","ContinuationInterceptor.kt","CoroutineContext
.kt","CoroutineContextImpl.kt","Coroutines.kt","Intrinsics.kt","SequenceBuilder.kt"],"sourcesContent":["(function
(root, factory) {\n if (typeof define === 'function' && define.amd) {\n define('kotlin', ['exports'], factory);\n
}\n else if (typeof exports === 'object') {\n factory(module.exports);\n }\n else {\n root.kotlIn = {};\n
factory(root.kotlIn);\n }\n}(this, function (Kotlin) {\n var _ = Kotlin;\n\n insertContent();\n});\n","/*\n *
Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\nKotlin.isBooleanArray = function (a) {\n return (Array.isArray(a) || a instanceof Int8Array) && a.\$type\$
=== \"BooleanArray\"\n};\n\nKotlin.isByteArray = function (a) {\n return a instanceof Int8Array && a.\$type\$
!=== \"BooleanArray\"\n};\n\nKotlin.isShortArray = function (a) {\n return a instanceof
Int16Array\n};\n\nKotlin.isCharArray = function (a) {\n return a instanceof Uint16Array && a.\$type\$ ===
\"CharArray\"\n};\n\nKotlin.isIntArray = function (a) {\n return a instanceof

```

Int32Array\n};\n\nKotlin.isFloatArray = function (a) {\n  return a instanceof
Float32Array\n};\n\nKotlin.isDoubleArray = function (a) {\n  return a instanceof
Float64Array\n};\n\nKotlin.isLongArray = function (a) {\n  return Array.isArray(a) && a.$type$ ===
"LongArray"\n};\n\nKotlin.isArray = function (a) {\n  return Array.isArray(a) &&
!a.$type$;\n};\n\nKotlin.isArrayish = function (a) {\n  return Array.isArray(a) ||
ArrayBuffer.isView(a)\n};\n\nKotlin.arrayToString = function (a) {\n  var toString = Kotlin.isCharArray(a) ?
String.fromCharCode : Kotlin.toString;\n  return "[" + Array.prototype.map.call(a, function(e) { return
toString(e); }).join(", ") + ""]";\n};\n\nKotlin.arrayDeepToString = function (arr) {\n  return
Kotlin.kotlin.collections.contentDeepToStringImpl(arr);\n};\n\nKotlin.arrayEquals = function (a, b) {\n  if (a ===
b) {\n    return true;\n  }\n  if (!Kotlin.isArrayish(b) || a.length !== b.length) {\n    return false;\n  }\n  for
(var i = 0, n = a.length; i < n; i++) {\n    if (!Kotlin.equals(a[i], b[i])) {\n      return false;\n    }\n  }\n  return true;\n};\n\nKotlin.arrayDeepEquals = function (a, b) {\n  return
Kotlin.kotlin.collections.contentDeepEqualsImpl(a, b);\n};\n\nKotlin.arrayHashCode = function (arr) {\n  var
result = 1;\n  for (var i = 0, n = arr.length; i < n; i++) {\n    result = ((31 * result | 0) + Kotlin.hashCode(arr[i])) |
0;\n  }\n  return result;\n};\n\nKotlin.arrayDeepHashCode = function (arr) {\n  return
Kotlin.kotlin.collections.contentDeepHashCodeImpl(arr);\n};\n\nKotlin.primitiveArraySort = function (array) {\n
array.sort(Kotlin.doubleCompareTo)\n};\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\nKotlin.getCallableRef = function(name, f) {\n  f.callableName = name;\n  return
f;\n};\n\nKotlin.getPropertyCallableRef = function(name, paramCount, getter, setter) {\n  getter.get = getter;\n
getter.set = setter;\n  getter.callableName = name;\n  return getPropertyRefClass(getter, setter,
propertyRefClassMetadataCache[paramCount]);\n};\n\nfunction getPropertyRefClass(obj, setter, cache) {\n
obj.$metadata$ = getPropertyRefMetadata(typeof setter === "function" ? cache.mutable : cache.immutable);\n
obj.constructor = obj;\n  return obj;\n}\n\nvar propertyRefClassMetadataCache = [\n  {\n    mutable: { value:
null, implementedInterface: function () {\n      return Kotlin.kotlin.reflect.KMutableProperty0 }\n    },\n
immutable: { value: null, implementedInterface: function () {\n      return Kotlin.kotlin.reflect.KProperty0 }\n
}\n  },\n  {\n    mutable: { value: null, implementedInterface: function () {\n      return
Kotlin.kotlin.reflect.KMutableProperty1 }\n    },\n    immutable: { value: null, implementedInterface: function
() {\n      return Kotlin.kotlin.reflect.KProperty1 }\n    }\n  }\n];\n\nfunction getPropertyRefMetadata(cache)
{\n  if (cache.value === null) {\n    cache.value = {\n      interfaces: [cache.implementedInterface()],\n
baseClass: null,\n      functions: {},\n      properties: {},\n      types: {},\n      staticMembers: {}\n
};\n  }\n  return cache.value;\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\nKotlin.toShort = function (a) {\n  return (a & 0xFFFF) << 16 >>
16;\n};\n\nKotlin.toByte = function (a) {\n  return (a & 0xFF) << 24 >> 24;\n};\n\nKotlin.toChar = function (a) {\n
return a & 0xFFFF;\n};\n\nKotlin.numberToLong = function (a) {\n  return a instanceof Kotlin.Long ? a :
Kotlin.Long.fromNumber(a);\n};\n\nKotlin.numberToInt = function (a) {\n  return a instanceof Kotlin.Long ?
a.toInt() : Kotlin.doubleToInt(a);\n};\n\nKotlin.numberToShort = function (a) {\n  return
Kotlin.toShort(Kotlin.numberToInt(a));\n};\n\nKotlin.numberToByte = function (a) {\n  return
Kotlin.toByte(Kotlin.numberToInt(a));\n};\n\nKotlin.numberToDouble = function (a) {\n  return
+a;\n};\n\nKotlin.numberToChar = function (a) {\n  return
Kotlin.toChar(Kotlin.numberToInt(a));\n};\n\nKotlin.doubleToInt = function(a) {\n  if (a > 2147483647) return
2147483647;\n  if (a < -2147483648) return -2147483648;\n  return a | 0;\n};\n\nKotlin.toBoxedChar = function
(a) {\n  if (a == null) return a;\n  if (a instanceof Kotlin.BoxedChar) return a;\n  return new
Kotlin.BoxedChar(a);\n};\n\nKotlin.unboxChar = function(a) {\n  if (a == null) return a;\n  return
Kotlin.toChar(a);\n};\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\nKotlin.equals = function (obj1, obj2) {\n  if (obj1 == null) {\n    return obj2 ==

```



```

null;\n } \n\n if (obj2 == null) {\n     return false;\n } \n\n if (obj1 !== obj2) {\n     return obj2 !== obj2;\n } \n\n if (typeof obj1 === "object" && typeof obj1.equals === "function") {\n     return obj1.equals(obj2);\n } \n\n if (typeof obj1 === "number" && typeof obj2 === "number") {\n     return obj1 === obj2 && (obj1 !== 0 || 1 / obj1 === 1 / obj2)\n } \n\n return obj1 === obj2;\n};\n\nKotlin.hashCode = function (obj) {\n if (obj == null) {\n     return 0;\n } \n var objType = typeof obj;\n if ("object" === objType) {\n     return "function" === typeof obj.hashCode ? obj.hashCode() : getObjectHashCode(obj);\n } \n if ("function" === objType) {\n     return getObjectHashCode(obj);\n } \n if ("number" === objType) {\n     return Kotlin.numberHashCode(obj);\n } \n if ("boolean" === objType) {\n     return Number(obj)\n } \n\n var str = String(obj);\n return getStringHashCode(str);\n};\n\nKotlin.toString = function (o) {\n if (o == null) {\n     return "null";\n } \n else if (Kotlin.isArrayish(o)) {\n     return "[...]";\n } \n else {\n     return o.toString();\n } \n};\n\n/** @const *\nvar POW_2_32 = 4294967296;\n// TODO: consider switching to Symbol type once we are on ES6.\n/** @const *\nvar OBJECT_HASH_CODE_PROPERTY_NAME = "kotlinHashCodeValue";\n\nfunction getObjectHashCode(obj) {\n if (!(OBJECT_HASH_CODE_PROPERTY_NAME in obj)) {\n     var hash = (Math.random() * POW_2_32) | 0;\n // Make 32-bit signed integer.\n     Object.defineProperty(obj, OBJECT_HASH_CODE_PROPERTY_NAME, {\n         value: hash, enumerable: false });\n } \n return obj[OBJECT_HASH_CODE_PROPERTY_NAME];\n}\n\nfunction getStringHashCode(str) {\n var hash = 0;\n for (var i = 0; i < str.length; i++) {\n     var code = str.charCodeAt(i);\n     hash = (hash * 31 + code) | 0;\n // Keep it 32-bit.\n } \n return hash;\n}\n\nKotlin.identityHashCode = getObjectHashCode;\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n// Copyright 2009 The Closure Library Authors. All Rights Reserved.\n// Licensed under the Apache License, Version 2.0 (the "License");\n// you may not use this file except in compliance with the License.\n// You may obtain a copy of the License at\n// http://www.apache.org/licenses/LICENSE-2.0\n// Unless required by applicable law or agreed to in writing, software\n// distributed under the License is distributed on an "AS-IS" BASIS,\n// WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n/**\n * Constructs a 64-bit two's-complement integer, given its low and high 32-bit\n * values as *signed* integers. See the from* functions below for more\n * convenient ways of constructing Longs.\n *\n * The internal representation of a long is the two given signed, 32-bit values.\n *\n * We use 32-bit pieces because these are the size of integers on which\n * Javascript performs bit-operations. For operations like addition and\n * multiplication, we split each number into 16-bit pieces, which can easily be\n * multiplied within Javascript's floating-point representation without overflow\n * or change in sign.\n *\n * In the algorithms below, we frequently reduce the negative case to the\n * positive case by negating the input(s) and then post-processing the result.\n * Note that we must ALWAYS check specially whether those values are MIN_VALUE\n * (-2^63) because -MIN_VALUE == MIN_VALUE (since 2^63 cannot be represented as\n * a positive number, it overflows back into a negative). Not handling this\n * case would often result in infinite recursion.\n *\n * @param {number} low The low (signed) 32 bits of the long.\n * @param {number} high The high (signed) 32 bits of the long.\n * @constructor\n * @final\n *\nKotlin.Long = function(low, high) {\n /**\n * @type {number}\n * @private\n */\n this.low_ = low | 0; // force into 32 signed bits.\n\n /**\n * @type {number}\n * @private\n */\n this.high_ = high | 0; // force into 32 signed bits.\n};\n\nKotlin.Long.$metadata$ = {\n kind: "class",\n simpleName: "Long",\n interfaces: []\n};\n\n// NOTE: Common constant values ZERO, ONE, NEG_ONE, etc. are defined below the\n// from* methods on which they depend.\n\n/**\n * A cache of the Long representations of small integer values.\n * @type {!Object}\n * @private\n *\nKotlin.Long.IntCache_ = {};\n\n/**\n * Returns a Long representing the given (32-bit) integer value.\n * @param {number} value The 32-bit integer in question.\n * @return {!Kotlin.Long} The corresponding Long value.\n *\nKotlin.Long.fromInt = function(value) {\n if (-128 <= value && value < 128) {\n     var cachedObj = Kotlin.Long.IntCache_[value];\n     if (cachedObj) {\n         return cachedObj;\n     } \n } \n\n var obj = new Kotlin.Long(value | 0, value < 0 ? -1 : 0);\n if (-128 <= value && value < 128) {\n     Kotlin.Long.IntCache_[value] = obj;\n } \n return obj;\n};\n\n/**\n * Converts this number value to `Long`. \n * The fractional part, if any, is rounded down towards zero.\n * Returns

```

```

zero if this `Double` value is `NaN`, `Long.MIN_VALUE` if it's less than `Long.MIN_VALUE`, `n *
`Long.MAX_VALUE` if it's bigger than `Long.MAX_VALUE`. `n * @param {number} value The number in
question. `n * @return {!Kotlin.Long} The corresponding Long value. `n */
Kotlin.Long.fromNumber =
function(value) { `n if (isNaN(value)) { `n return Kotlin.Long.ZERO; `n } else if (value <= -
Kotlin.Long.TWO_PWR_63_DBL_) { `n return Kotlin.Long.MIN_VALUE; `n } else if (value + 1 >=
Kotlin.Long.TWO_PWR_63_DBL_) { `n return Kotlin.Long.MAX_VALUE; `n } else if (value < 0) { `n return
Kotlin.Long.fromNumber(-value).negate(); `n } else { `n return new Kotlin.Long(`n (value %
Kotlin.Long.TWO_PWR_32_DBL_) | 0, `n (value / Kotlin.Long.TWO_PWR_32_DBL_) | 0); `n
} `n }; `n `n /** `n * Returns a Long representing the 64-bit integer that comes by concatenating `n * the given high and
low bits. Each is assumed to use 32 bits. `n * @param {number} lowBits The low 32-bits. `n * @param {number}
highBits The high 32-bits. `n * @return {!Kotlin.Long} The corresponding Long value. `n */
Kotlin.Long.fromBits =
function(lowBits, highBits) { `n return new Kotlin.Long(lowBits, highBits); `n }; `n `n /** `n * Returns a Long
representation of the given string, written using the given `n * radix. `n * @param {string} str The textual
representation of the Long. `n * @param {number=} opt_radix The radix in which the text is written. `n * @return
{!Kotlin.Long} The corresponding Long value. `n */
Kotlin.Long.fromString =
function(str, opt_radix) { `n if
(str.length == 0) { `n throw Error('number format error: empty string'); `n } `n `n var radix = opt_radix || 10; `n if
(radix < 2 || 36 < radix) { `n throw Error('radix out of range: ' + radix); `n } `n `n if (str.charAt(0) == '-') { `n return
Kotlin.Long.fromString(str.substring(1), radix).negate(); `n } else if (str.indexOf('-') >= 0) { `n throw Error('number
format error: interior "-" character: ' + str); `n } `n `n // Do several (8) digits each time through the loop, so as to `n //
minimize the calls to the very expensive emulated div. `n var radixToPower =
Kotlin.Long.fromNumber(Math.pow(radix, 8)); `n `n var result = Kotlin.Long.ZERO; `n for (var i = 0; i < str.length;
i += 8) { `n var size = Math.min(8, str.length - i); `n var value = parseInt(str.substring(i, i + size), radix); `n if
(size < 8) { `n var power = Kotlin.Long.fromNumber(Math.pow(radix, size)); `n result =
result.multiply(power).add(Kotlin.Long.fromNumber(value)); `n } else { `n result =
result.multiply(radixToPower); `n result = result.add(Kotlin.Long.fromNumber(value)); `n } `n } `n return
result; `n }; `n `n // NOTE: the compiler should inline these constant values below and then remove `n // these
variables, so there should be no runtime penalty for these. `n `n /** `n * Number used repeated below in calculations.
This must appear before the `n * first call to any from* function below. `n * @type {number} `n * @private `n
*/
Kotlin.Long.TWO_PWR_16_DBL_ = 1 << 16; `n `n /** `n * @type {number} `n * @private `n
*/
Kotlin.Long.TWO_PWR_24_DBL_ = 1 << 24; `n `n /** `n * @type {number} `n * @private `n
*/
Kotlin.Long.TWO_PWR_32_DBL_ = `n Kotlin.Long.TWO_PWR_16_DBL_ *
Kotlin.Long.TWO_PWR_16_DBL_; `n `n /** `n * @type {number} `n * @private `n
*/
Kotlin.Long.TWO_PWR_31_DBL_ = `n Kotlin.Long.TWO_PWR_32_DBL_ / 2; `n `n /** `n * @type
{number} `n * @private `n */
Kotlin.Long.TWO_PWR_48_DBL_ = `n Kotlin.Long.TWO_PWR_32_DBL_ *
Kotlin.Long.TWO_PWR_16_DBL_; `n `n /** `n * @type {number} `n * @private `n
*/
Kotlin.Long.TWO_PWR_64_DBL_ = `n Kotlin.Long.TWO_PWR_32_DBL_ *
Kotlin.Long.TWO_PWR_32_DBL_; `n `n /** `n * @type {number} `n * @private `n
*/
Kotlin.Long.TWO_PWR_63_DBL_ = `n Kotlin.Long.TWO_PWR_64_DBL_ / 2; `n `n /** `n * @type
{!Kotlin.Long} `n */
Kotlin.Long.ZERO = Kotlin.Long.fromInt(0); `n `n /** `n * @type {!Kotlin.Long} `n
*/
Kotlin.Long.ONE = Kotlin.Long.fromInt(1); `n `n /** `n * @type {!Kotlin.Long} `n */
Kotlin.Long.NEG_ONE =
Kotlin.Long.fromInt(-1); `n `n /** `n * @type {!Kotlin.Long} `n */
Kotlin.Long.MAX_VALUE = `n
Kotlin.Long.fromBits(0xFFFFFFFF | 0, 0x7FFFFFFF | 0); `n `n /** `n * @type {!Kotlin.Long} `n
*/
Kotlin.Long.MIN_VALUE = Kotlin.Long.fromBits(0, 0x80000000 | 0); `n `n /** `n * @type {!Kotlin.Long} `n *
@private `n */
Kotlin.Long.TWO_PWR_24_ = Kotlin.Long.fromInt(1 << 24); `n `n /** `n * @return {number} The
value, assuming it is a 32-bit integer. `n */
Kotlin.Long.prototype.toInt =
function() { `n return this.low_; `n }; `n `n /** `n *
@return {number} The closest floating-point representation to this value. `n */
Kotlin.Long.prototype.toNumber =
function() { `n return this.high_ * Kotlin.Long.TWO_PWR_32_DBL_ + `n
this.getLowBitsUnsigned(); `n }; `n `n /** `n * @return {number} The 32-bit hashCode of this value.

```

```

*\nKotlin.Long.prototype.hashCode = function() {\n return this.high_ ^ this.low_;\n};\n\n/**\n * @param
 {number=} opt_radix The radix in which the text should be written.\n * @return {string} The textual representation
 of this value.\n * @override\n */\nKotlin.Long.prototype.toString = function(opt_radix) {\n var radix = opt_radix ||
 10;\n if (radix < 2 || 36 < radix) {\n throw Error('radix out of range: ' + radix);\n }\n\n if (this.isZero()) {\n
return '0';\n }\n\n if (this.isNegative()) {\n if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n // We need to
change the Long value before it can be negated, so we remove\n // the bottom-most digit in this base and then
recurse to do the rest.\n var radixLong = Kotlin.Long.fromNumber(radix);\n var div = this.div(radixLong);\n
var rem = div.multiply(radixLong).subtract(this);\n return div.toString(radix) + rem.toInt().toString(radix);\n }
else {\n return '-' + this.negate().toString(radix);\n }\n }\n\n // Do several (6) digits each time through the loop,
so as to\n // minimize the calls to the very expensive emulated div.\n var radixToPower =
Kotlin.Long.fromNumber(Math.pow(radix, 6));\n\n var rem = this;\n var result = '';\n while (true) {\n var
remDiv = rem.div(radixToPower);\n var intVal = rem.subtract(remDiv.multiply(radixToPower)).toInt();\n var
digits = intVal.toString(radix);\n rem = remDiv;\n if (rem.isZero()) {\n return digits + result;\n } else {\n
while (digits.length < 6) {\n digits = '0' + digits;\n }\n result = " + digits + result;\n }\n }\n};\n\n/**
 * @return {number} The high 32-bits as a signed value. *\nKotlin.Long.prototype.getHighBits = function() {\n
return this.high_;\n};\n\n/**\n * @return {number} The low 32-bits as a signed value.
*\nKotlin.Long.prototype.getLowBits = function() {\n return this.low_;\n};\n\n/**\n * @return {number} The low
32-bits as an unsigned value. *\nKotlin.Long.prototype.getLowBitsUnsigned = function() {\n return (this.low_ >=
0) ?\n this.low_ : Kotlin.Long.TWO_PWR_32_DBL_ + this.low_;\n};\n\n/**\n * @return {number} Returns
the number of bits needed to represent the absolute\n * value of this Long.\n
*\nKotlin.Long.prototype.getNumBitsAbs = function() {\n if (this.isNegative()) {\n if
(this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return 64;\n } else {\n return
this.negate().getNumBitsAbs();\n }\n } else {\n var val = this.high_ != 0 ? this.high_ : this.low_;\n for (var bit
= 31; bit > 0; bit--) {\n if ((val & (1 << bit)) != 0) {\n break;\n }\n }\n return this.high_ != 0 ? bit + 33
: bit + 1;\n }\n};\n\n/**\n * @return {boolean} Whether this value is zero. *\nKotlin.Long.prototype.isZero =
function() {\n return this.high_ == 0 && this.low_ == 0;\n};\n\n/**\n * @return {boolean} Whether this value is
negative. *\nKotlin.Long.prototype.isNegative = function() {\n return this.high_ < 0;\n};\n\n/**\n * @return
{boolean} Whether this value is odd. *\nKotlin.Long.prototype.isOdd = function() {\n return (this.low_ & 1) ==
1;\n};\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this
Long equals the other.\n */\nKotlin.Long.prototype.equalsLong = function(other) {\n return (this.high_ ==
other.high_) && (this.low_ == other.low_);\n};\n\n/**\n * @param {Kotlin.Long} other Long to compare
against.\n * @return {boolean} Whether this Long does not equal the other.\n
*\nKotlin.Long.prototype.notEqualsLong = function(other) {\n return (this.high_ != other.high_) || (this.low_ !=
other.low_);\n};\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return {boolean}
Whether this Long is less than the other.\n */\nKotlin.Long.prototype.lessThan = function(other) {\n return
this.compare(other) < 0;\n};\n\n/**\n * @param {Kotlin.Long} other Long to compare against.\n * @return
{boolean} Whether this Long is less than or equal to the other.\n */\nKotlin.Long.prototype.lessThanOrEqual =
function(other) {\n return this.compare(other) <= 0;\n};\n\n/**\n * @param {Kotlin.Long} other Long to
compare against.\n * @return {boolean} Whether this Long is greater than the other.\n
*\nKotlin.Long.prototype.greaterThan = function(other) {\n return this.compare(other) > 0;\n};\n\n/**\n *
@param {Kotlin.Long} other Long to compare against.\n * @return {boolean} Whether this Long is greater than or
equal to the other.\n */\nKotlin.Long.prototype.greaterThanOrEqual = function(other) {\n return
this.compare(other) >= 0;\n};\n\n/**\n * Compares this Long with the given one.\n * @param {Kotlin.Long}
other Long to compare against.\n * @return {number} 0 if they are the same, 1 if the this is greater, and -1\n * if
the given one is greater.\n */\nKotlin.Long.prototype.compare = function(other) {\n if (this.equalsLong(other)) {\n
return 0;\n }\n\n var thisNeg = this.isNegative();\n var otherNeg = other.isNegative();\n if (thisNeg &&
!otherNeg) {\n return -1;\n }\n if (!thisNeg && otherNeg) {\n return 1;\n }\n\n // at this point, the signs are the
same, so subtraction will not overflow\n if (this.subtract(other).isNegative()) {\n return -1;\n } else {\n return

```

```

1;\n };\n\n\n/** @return {!Kotlin.Long} The negation of this value. *\nKotlin.Long.prototype.negate =
function() {\n if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return Kotlin.Long.MIN_VALUE;\n } else
{\n return this.not().add(Kotlin.Long.ONE);\n };\n\n\n/**\n * Returns the sum of this and the given Long.\n *
@param {Kotlin.Long} other Long to add to this one.\n * @return {!Kotlin.Long} The sum of this and the given
Long.\n *\nKotlin.Long.prototype.add = function(other) {\n // Divide each number into 4 chunks of 16 bits, and
then sum the chunks.\n\n var a48 = this.high_ >>> 16;\n var a32 = this.high_ & 0xFFFF;\n var a16 = this.low_
>>> 16;\n var a00 = this.low_ & 0xFFFF;\n\n var b48 = other.high_ >>> 16;\n var b32 = other.high_ & 0xFFFF;\n
var b16 = other.low_ >>> 16;\n var b00 = other.low_ & 0xFFFF;\n\n var c48 = 0, c32 = 0, c16 = 0, c00 = 0;\n c00
+= a00 + b00;\n c16 += c00 >>> 16;\n c00 &= 0xFFFF;\n c16 += a16 + b16;\n c32 += c16 >>> 16;\n c16 &=
0xFFFF;\n c32 += a32 + b32;\n c48 += c32 >>> 16;\n c32 &= 0xFFFF;\n c48 += a48 + b48;\n c48 &=
0xFFFF;\n return Kotlin.Long.fromBits((c16 << 16) | c00, (c48 << 16) | c32);\n};\n\n\n/**\n * Returns the
difference of this and the given Long.\n * @param {Kotlin.Long} other Long to subtract from this.\n * @return
{!Kotlin.Long} The difference of this and the given Long.\n *\nKotlin.Long.prototype.subtract = function(other)
{\n return this.add(other.negate());\n};\n\n\n/**\n * Returns the product of this and the given long.\n * @param
{Kotlin.Long} other Long to multiply with this.\n * @return {!Kotlin.Long} The product of this and the other.\n
*\nKotlin.Long.prototype.multiply = function(other) {\n if (this.isZero()) {\n return Kotlin.Long.ZERO;\n } else
if (other.isZero()) {\n return Kotlin.Long.ZERO;\n }\n\n if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n
return other.isOdd() ? Kotlin.Long.MIN_VALUE : Kotlin.Long.ZERO;\n } else if
(other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return this.isOdd() ? Kotlin.Long.MIN_VALUE :
Kotlin.Long.ZERO;\n }\n\n if (this.isNegative()) {\n if (other.isNegative()) {\n return
this.negate().multiply(other.negate());\n } else {\n return this.negate().multiply(other).negate();\n }\n } else if
(other.isNegative()) {\n return this.multiply(other.negate()).negate();\n }\n\n // If both longs are small, use float
multiplication\n if (this.lessThan(Kotlin.Long.TWO_PWR_24_) &&\n
other.lessThan(Kotlin.Long.TWO_PWR_24_)) {\n return Kotlin.Long.fromNumber(this.toNumber() *
other.toNumber());\n }\n\n // Divide each long into 4 chunks of 16 bits, and then add up 4x4 products.\n // We can
skip products that would overflow.\n\n var a48 = this.high_ >>> 16;\n var a32 = this.high_ & 0xFFFF;\n var a16 =
this.low_ >>> 16;\n var a00 = this.low_ & 0xFFFF;\n\n var b48 = other.high_ >>> 16;\n var b32 = other.high_ &
0xFFFF;\n var b16 = other.low_ >>> 16;\n var b00 = other.low_ & 0xFFFF;\n\n var c48 = 0, c32 = 0, c16 = 0, c00
= 0;\n c00 += a00 * b00;\n c16 += c00 >>> 16;\n c00 &= 0xFFFF;\n c16 += a16 * b00;\n c32 += c16 >>> 16;\n
c16 &= 0xFFFF;\n c16 += a00 * b16;\n c32 += c16 >>> 16;\n c16 &= 0xFFFF;\n c32 += a32 * b00;\n c48 +=
c32 >>> 16;\n c32 &= 0xFFFF;\n c32 += a16 * b16;\n c48 += c32 >>> 16;\n c32 &= 0xFFFF;\n c32 += a00 *
b32;\n c48 += c32 >>> 16;\n c32 &= 0xFFFF;\n c48 += a48 * b00 + a32 * b16 + a16 * b32 + a00 * b48;\n c48
&= 0xFFFF;\n return Kotlin.Long.fromBits((c16 << 16) | c00, (c48 << 16) | c32);\n};\n\n\n\n/**\n * Returns this
Long divided by the given one.\n * @param {Kotlin.Long} other Long by which to divide.\n * @return
{!Kotlin.Long} This Long divided by the given one.\n *\nKotlin.Long.prototype.div = function(other) {\n if
(other.isZero()) {\n throw Error('division by zero');\n } else if (this.isZero()) {\n return Kotlin.Long.ZERO;\n
}\n\n if (this.equalsLong(Kotlin.Long.MIN_VALUE)) {\n if (other.equalsLong(Kotlin.Long.ONE) ||\n
other.equalsLong(Kotlin.Long.NEG_ONE)) {\n return Kotlin.Long.MIN_VALUE; // recall that -MIN_VALUE
== MIN_VALUE\n } else if (other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return Kotlin.Long.ONE;\n
}\n } else {\n // At this point, we have |other| >= 2, so |this/other| < |MIN_VALUE|.\n var halfThis =
this.shiftRight(1);\n var approx = halfThis.div(other).shiftLeft(1);\n if
(approx.equalsLong(Kotlin.Long.ZERO)) {\n return other.isNegative() ? Kotlin.Long.ONE :
Kotlin.Long.NEG_ONE;\n } else {\n var rem = this.subtract(other.multiply(approx));\n var result =
approx.add(rem.div(other));\n return result;\n }\n }\n } else if
(other.equalsLong(Kotlin.Long.MIN_VALUE)) {\n return Kotlin.Long.ZERO;\n }\n\n if (this.isNegative()) {\n
if (other.isNegative()) {\n return this.negate().div(other.negate());\n } else {\n return
this.negate().div(other).negate();\n }\n } else if (other.isNegative()) {\n return
this.div(other.negate()).negate();\n }\n\n // Repeat the following until the remainder is less than other: find a\n //

```

```

floating-point that approximates remainder / other *from below*, add this\n // into the result, and subtract it from
the remainder. It is critical that\n // the approximate value is less than or equal to the real value so that the\n //
remainder never becomes negative.\n var res = Kotlin.Long.ZERO;\n var rem = this;\n while
(rem.greaterThanOrEqual(other)) {\n // Approximate the result of division. This may be a little greater or\n //
smaller than the actual value.\n var approx = Math.max(1, Math.floor(rem.toNumber() / other.toNumber()));\n\n
// We will tweak the approximate result by changing it in the 48-th digit or\n // the smallest non-fractional digit,
whichever is larger.\n var log2 = Math.ceil(Math.log(approx) / Math.LN2);\n var delta = (log2 <= 48) ? 1 :
Math.pow(2, log2 - 48);\n // Decrease the approximation until it is smaller than the remainder. Note\n // that if
it is too large, the product overflows and is negative.\n var approxRes = Kotlin.Long.fromNumber(approx);\n
var approxRem = approxRes.multiply(other);\n while (approxRem.isNegative() || approxRem.greaterThan(rem))
{\n approx -= delta;\n approxRes = Kotlin.Long.fromNumber(approx);\n approxRem =
approxRes.multiply(other);\n }\n\n // We know the answer can't be zero... and actually, zero would cause\n //
infinite recursion since we would make no progress.\n if (approxRes.isZero()) {\n approxRes =
Kotlin.Long.ONE;\n }\n\n res = res.add(approxRes);\n rem = rem.subtract(approxRem);\n }\n return
res;\n};\n\n\n/**\n * Returns this Long modulo the given one.\n * @param {Kotlin.Long} other Long by which to
mod.\n * @return {!Kotlin.Long} This Long modulo the given one.\n */\nKotlin.Long.prototype.modulo =
function(other) {\n return this.subtract(this.div(other).multiply(other));\n};\n\n\n/**\n * @return {!Kotlin.Long} The
bitwise-NOT of this value. *\nKotlin.Long.prototype.not = function() {\n return Kotlin.Long.fromBits(~this.low_,
~this.high_);\n};\n\n\n/**\n * Returns the bitwise-AND of this Long and the given one.\n * @param {Kotlin.Long}
other The Long with which to AND.\n * @return {!Kotlin.Long} The bitwise-AND of this and the other.\n
*/\nKotlin.Long.prototype.and = function(other) {\n return Kotlin.Long.fromBits(this.low_ & other.low_,\n
this.high_ & other.high_);\n};\n\n\n/**\n * Returns the bitwise-OR of this Long and the given one.\n *
@param {Kotlin.Long} other The Long with which to OR.\n * @return {!Kotlin.Long} The bitwise-OR of this and
the other.\n */\nKotlin.Long.prototype.or = function(other) {\n return Kotlin.Long.fromBits(this.low_ |
other.low_,\n this.high_ | other.high_);\n};\n\n\n/**\n * Returns the bitwise-XOR of this Long
and the given one.\n * @param {Kotlin.Long} other The Long with which to XOR.\n * @return {!Kotlin.Long}
The bitwise-XOR of this and the other.\n */\nKotlin.Long.prototype.xor = function(other) {\n return
Kotlin.Long.fromBits(this.low_ ^ other.low_,\n this.high_ ^ other.high_);\n};\n\n\n/**\n *
Returns this Long with bits shifted to the left by the given amount.\n * @param {number} numBits The number of
bits by which to shift.\n * @return {!Kotlin.Long} This shifted to the left by the given amount.\n
*/\nKotlin.Long.prototype.shiftLeft = function(numBits) {\n numBits &= 63;\n if (numBits == 0) {\n return
this;\n } else {\n var low = this.low_;\n if (numBits < 32) {\n var high = this.high_;\n return
Kotlin.Long.fromBits(\n low << numBits,\n (high << numBits) | (low >>> (32 - numBits)));\n } else
{\n return Kotlin.Long.fromBits(0, low << (numBits - 32));\n }\n }\n};\n\n\n/**\n * Returns this Long with
bits shifted to the right by the given amount.\n * @param {number} numBits The number of bits by which to shift.\n
* @return {!Kotlin.Long} This shifted to the right by the given amount.\n */\nKotlin.Long.prototype.shiftRight =
function(numBits) {\n numBits &= 63;\n if (numBits == 0) {\n return this;\n } else {\n var high = this.high_;\n
if (numBits < 32) {\n var low = this.low_;\n return Kotlin.Long.fromBits(\n (low >>> numBits) | (high
<<< (32 - numBits)),\n high >> numBits);\n } else {\n return Kotlin.Long.fromBits(\n high >>
(numBits - 32),\n high >= 0 ? 0 : -1);\n }\n }\n};\n\n\n/**\n * Returns this Long with bits shifted to the right
by the given amount, with\n * zeros placed into the new leading bits.\n * @param {number} numBits The number
of bits by which to shift.\n * @return {!Kotlin.Long} This shifted to the right by the given amount, with\n *
zeros placed into the new leading bits.\n */\nKotlin.Long.prototype.shiftRightUnsigned = function(numBits) {\n
numBits &= 63;\n if (numBits == 0) {\n return this;\n } else {\n var high = this.high_;\n if (numBits < 32) {\n
var low = this.low_;\n return Kotlin.Long.fromBits(\n (low >>> numBits) | (high <<< (32 - numBits)),\n
high >>> numBits);\n } else if (numBits == 32) {\n return Kotlin.Long.fromBits(high >>> (numBits - 32), 0);\n }
else {\n return Kotlin.Long.fromBits(high >>> (numBits - 32), 0);\n }\n }\n};\n\n\n// Support for
Kotlin\nKotlin.Long.prototype.equals = function (other) {\n return other instanceof Kotlin.Long &&

```

```

this.equalsLong(other);\n};\n\nKotlin.Long.prototype.compareTo_11rb$ =
Kotlin.Long.prototype.compare;\n\nKotlin.Long.prototype.inc = function() {\n  return
this.add(Kotlin.Long.ONE);\n};\n\nKotlin.Long.prototype.dec = function() {\n  return
this.add(Kotlin.Long.NEG_ONE);\n};\n\nKotlin.Long.prototype.valueOf = function() {\n  return
this.toNumber();\n};\n\nKotlin.Long.prototype.unaryPlus = function() {\n  return
this;\n};\n\nKotlin.Long.prototype.unaryMinus = Kotlin.Long.prototype.negate;\n\nKotlin.Long.prototype.inv =
Kotlin.Long.prototype.not;\n\nKotlin.Long.prototype.rangeTo = function (other) {\n  return new
Kotlin.kotlin.ranges.LongRange(this, other);\n};\n\n/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\n * @param {string} id\n * @param {Object} declaration\n\n *\nKotlin.defineModule = function (id, declaration) {\n};\n\nKotlin.defineInlineFunction = function(tag, fun) {\n
return fun;\n};\n\nKotlin.wrapFunction = function(fun) {\n  var f = function() {\n    f = fun();\n    return
f.apply(this, arguments);\n  }; \n  return function() {\n    return f.apply(this, arguments);\n
};\n};\n\nKotlin.isTypeOf = function(type) {\n  return function (object) {\n    return typeof object === type;\n
}\n};\n\nKotlin.isInstanceOf = function (klass) {\n  return function (object) {\n    return Kotlin.isType(object,
klass);\n  }\n};\n\nKotlin.orNull = function (fn) {\n  return function (object) {\n    return object == null ||
fn(object);\n  }\n};\n\nKotlin.andPredicate = function (a, b) {\n  return function (object) {\n    return a(object)
&& b(object);\n  }\n};\n\nKotlin.kotlinModuleMetadata = function (abiVersion, moduleName, data)
{\n};\n\nKotlin.suspendCall = function(value) {\n  return value;\n};\n\nKotlin.coroutineResult = function(qualifier)
{\n  throwMarkerError();\n};\n\nKotlin.coroutineController = function(qualifier) {\n
throwMarkerError();\n};\n\nKotlin.coroutineReceiver = function(qualifier) {\n
throwMarkerError();\n};\n\nKotlin.setCoroutineResult = function(value, qualifier) {\n
throwMarkerError();\n};\n\nKotlin.getReifiedTypeParameterKType = function(typeParameter) {\n
throwMarkerError();\n};\n\nfunction throwMarkerError() {\n  throw new Error(\n    \"This marker function
should never be called. \n\" +\n    \"Looks like compiler did not eliminate it properly. \n\" +\n    \"Please, report
an issue if you caught this exception.\");\n}\n\nKotlin.getFunctionById = function(id, defaultValue) {\n  return
function() {\n    return defaultValue;\n  }\n};\n\n/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors. \n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\nKotlin.compareTo = function (a, b) {\n  var typeA = typeof a;\n  if
(typeA === \"number\") {\n    if (typeof b === \"number\") {\n      return Kotlin.doubleCompareTo(a, b);\n
}\n    return Kotlin.primitiveCompareTo(a, b);\n  }\n  if (typeA === \"string\" || typeA === \"boolean\") {\n
return Kotlin.primitiveCompareTo(a, b);\n  }\n  return
a.compareTo_11rb$(b);\n};\n\nKotlin.primitiveCompareTo = function (a, b) {\n  return a < b ? -1 : a > b ? 1 :
0;\n};\n\nKotlin.doubleCompareTo = function (a, b) {\n  if (a < b) return -1;\n  if (a > b) return 1;\n\n  if (a ===
b) {\n    if (a !== 0) return 0;\n\n    var ia = 1 / a;\n    return ia === 1 / b ? 0 : (ia < 0 ? -1 : 1);\n  }\n\n
return a !== a ? (b !== b ? 0 : 1) : -1;\n};\n\nKotlin.charInc = function (value) {\n  return
Kotlin.toChar(value+1);\n};\n\nKotlin.charDec = function (value) {\n  return Kotlin.toChar(value-
1);\n};\n\nKotlin.imul = Math.imul || imul;\n\nKotlin.imulEmulated = imul;\n\nfunction imul(a, b) {\n  return ((a &
0xffff0000) * (b & 0xffff) + (a & 0xffff) * (b | 0)) | 0;\n}\n\n(function() {\n  var buf = new ArrayBuffer(8);\n  var
bufFloat64 = new Float64Array(buf);\n  var bufFloat32 = new Float32Array(buf);\n  var bufInt32 = new
Int32Array(buf);\n  var lowIndex = 0;\n  var highIndex = 1;\n\n  bufFloat64[0] = -1; // bff00000_00000000\n  if
(bufInt32[lowIndex] !== 0) {\n    lowIndex = 1;\n    highIndex = 0;\n  }\n\n  Kotlin.doubleToBits =
function(value) {\n    return Kotlin.doubleToRawBits(isNaN(value) ? NaN : value);\n  };\n\n  Kotlin.doubleToRawBits = function(value) {\n    bufFloat64[0] = value;\n    return
Kotlin.Long.fromBits(bufInt32[lowIndex], bufInt32[highIndex]);\n  };\n\n  Kotlin.doubleFromBits =
function(value) {\n    bufInt32[lowIndex] = value.low_;\n    bufInt32[highIndex] = value.high_;\n    return
bufFloat64[0];\n  };\n\n  Kotlin.floatToBits = function(value) {\n    return Kotlin.floatToRawBits(isNaN(value)
? NaN : value);\n  };\n\n  Kotlin.floatToRawBits = function(value) {\n    bufFloat32[0] = value;\n    return

```

```

bufInt32[0];\n
};\n\n
Kotlin.floatFromBits = function(value) {\n
    bufInt32[0] = value;\n
    return
bufFloat32[0];\n
};\n\n
// returns zero value for number with positive sign bit and non-zero value for number
with negative sign bit.\n
Kotlin.doubleSignBit = function(value) {\n
    bufFloat64[0] = value;\n
    return
bufInt32[highIndex] & 0x80000000;\n
};\n\n
Kotlin.numberHashCode = function(obj) {\n
    if ((obj | 0) ===
obj) {\n
        return obj | 0;\n
    }\n
    else {\n
        bufFloat64[0] = obj;\n
        return (bufInt32[highIndex]
* 31 | 0) + bufInt32[lowIndex] | 0;\n
    }\n
}\n
});\n\n
Kotlin.ensureNotNull = function(x) {\n
    return x != null
? x : Kotlin.throwNPE();\n
};\n\n
"/*\n
 * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n
 * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
 */\n\n
nif (typeof String.prototype.startsWith === "undefined") {\n
String.prototype.startsWith = function(searchString, position) {\n
    position = position || 0;\n
    return
this.lastIndexOf(searchString, position) === position;\n
};\n\n
}\n\n
nif (typeof String.prototype.endsWith ===
"undefined") {\n
String.prototype.endsWith = function(searchString, position) {\n
    var subjectString =
this.toString();\n
    if (position === undefined || position > subjectString.length) {\n
        position =
subjectString.length;\n
    }\n
    position -= searchString.length;\n
    var lastIndex =
subjectString.indexOf(searchString, position);\n
    return lastIndex !== -1 && lastIndex === position;\n
};\n\n
}\n\n
// ES6 Math polyfills\n\n
nif (typeof Math.sign === "undefined") {\n
Math.sign = function(x) {\n
    x = +x;\n
// convert to a number\n
    if (x === 0 || isNaN(x)) {\n
        return Number(x);\n
    }\n
    return x > 0 ? 1 : -
1;\n
};\n\n
}\n\n
nif (typeof Math.trunc === "undefined") {\n
Math.trunc = function(x) {\n
    if (isNaN(x)) {\n
        return NaN;\n
    }\n
    if (x > 0) {\n
        return Math.floor(x);\n
    }\n
    return Math.ceil(x);\n
};\n\n
}\n\n
(function() {\n
    var epsilon = 2.220446049250313E-16;\n
    var taylor_2_bound = Math.sqrt(epsilon);\n
    var taylor_n_bound = Math.sqrt(taylor_2_bound);\n
    var upper_taylor_2_bound = 1/taylor_2_bound;\n
    var
upper_taylor_n_bound = 1/taylor_n_bound;\n\n
    if (typeof Math.sinh === "undefined") {\n
        Math.sinh =
function(x) {\n
            if (Math.abs(x) < taylor_n_bound) {\n
                var result = x;\n
                if (Math.abs(x) >
taylor_2_bound) {\n
                    result += (x * x * x) / 6;\n
                }\n
                return result;\n
            } else {\n
                var y = Math.exp(x);\n
                var y1 = 1 / y;\n
                if (!isFinite(y)) return Math.exp(x - Math.LN2);\n
                if (!isFinite(y1)) return -Math.exp(-x - Math.LN2);\n
                return (y - y1) / 2;\n
            }\n
        };\n
    }\n\n
    if (typeof Math.cosh === "undefined") {\n
        Math.cosh = function(x) {\n
            var y = Math.exp(x);\n
            var y1 = 1 / y;\n
            if (!isFinite(y) || !isFinite(y1)) return Math.exp(Math.abs(x) - Math.LN2);\n
            return (y
+ y1) / 2;\n
        };\n
    }\n\n
    if (typeof Math.tanh === "undefined") {\n
        Math.tanh = function(x){\n
            if
(Math.abs(x) < taylor_n_bound) {\n
                var result = x;\n
                if (Math.abs(x) > taylor_2_bound) {\n
                    result -= (x * x * x) / 3;\n
                }\n
                return result;\n
            }\n
            else {\n
                var a =
Math.exp(+x), b = Math.exp(-x);\n
                return a === Infinity ? 1 : b === Infinity ? -1 : (a - b) / (a + b);\n
            }\n
        };\n
    }\n\n
    // Inverse hyperbolic function implementations derived from boost special math functions,\n
// Copyright Eric Ford & Hubert Holin 2001.\n\n
    if (typeof Math.asinh === "undefined") {\n
        var asinh =
function(x) {\n
            if (x >= +taylor_n_bound)\n
                {\n
                    if (x > upper_taylor_n_bound)\n
{\n
                        if (x > upper_taylor_2_bound)\n
                            {\n
                                // approximation by laurent series in
1/x at 0+ order from -1 to 0\n
                                return Math.log(x) + Math.LN2;\n
                            }\n
                            else\n
{\n
                                // approximation by laurent series in 1/x at 0+ order from -1 to 1\n
                                return
Math.log(x * 2 + (1 / (x * 2)));\n
                            }\n
                            else\n
{\n
                                return
Math.log(x + Math.sqrt(x * x + 1));\n
                            }\n
                            else if (x <= -taylor_n_bound)\n
{\n
                                return
- Math.asinh(-x);\n
                            }\n
                            else\n
{\n
                                // approximation by taylor series in x at 0 up to
order 2\n
                                var result = x;\n
                                if (Math.abs(x) >= taylor_2_bound)\n
                                    {\n
                                        var x3 =
x * x * x;\n
                                        // approximation by taylor series in x at 0 up to order 4\n
                                        result -= x3 / 6;\n
                                    }\n
                                return result;\n
                            }\n
                        };\n
                    Math.asinh = asinh;\n
                }\n
            }\n
        }\n\n
        if (typeof Math.acosh ===
"undefined") {\n
            Math.acosh = function(x) {\n
                if (x < 1)\n
                    {\n
                        return NaN;\n
                    }\n
                    else if (x - 1 >= taylor_n_bound)\n
                        {\n
                            if (x > upper_taylor_2_bound)\n
                                {\n
                                    // approximation by laurent series in 1/x at 0+ order from -1 to 0\n
                                    return Math.log(x) + Math.LN2;\n
                                }\n
                                else\n
                                    {\n
                                        return Math.log(x + Math.sqrt(x * x - 1));\n
                                    }\n
                                }\n
                            }\n
                        }\n
                    }\n
                }\n
            }\n
        }\n\n
    }\n\n
}

```

```

}\n      else\n      {\n          var y = Math.sqrt(x - 1);\n          // approximation by taylor series in y at 0\n          up to order 2\n          var result = y;\n          if (y >= taylor_2_bound)\n          {\n              var y3 = y *\n              y * y;\n              // approximation by taylor series in y at 0 up to order 4\n              result -= y3 / 12;\n          }\n          return Math.sqrt(2) * result;\n      }\n      };\n      }\n      if (typeof Math.atanh === \"undefined\")\n      {\n          Math.atanh = function(x) {\n              if (Math.abs(x) < taylor_n_bound) {\n                  var result = x;\n                  if (Math.abs(x) > taylor_2_bound) {\n                      result += (x * x * x) / 3;\n                  }\n                  return result;\n              }\n              return Math.log((1 + x) / (1 - x)) / 2;\n          };\n      }\n      if (typeof Math.log1p === \"undefined\") {\n          Math.log1p = function(x) {\n              if (Math.abs(x) < taylor_n_bound) {\n                  var x2 = x * x;\n                  var x3 = x2 * x;\n                  var x4 = x3 * x;\n                  // approximation by taylor series in x at 0 up to order 4\n                  return (-x4 / 4 + x3 / 3 - x2 / 2 + x);\n              }\n              return Math.log(x + 1);\n          };\n      }\n      if (typeof\n      Math.expm1 === \"undefined\") {\n          Math.expm1 = function(x) {\n              if (Math.abs(x) < taylor_n_bound)\n              {\n                  var x2 = x * x;\n                  var x3 = x2 * x;\n                  var x4 = x3 * x;\n                  // approximation by\n                  taylor series in x at 0 up to order 4\n                  return (x4 / 24 + x3 / 6 + x2 / 2 + x);\n              }\n              return\n              Math.exp(x) - 1;\n          };\n      }\n      }\n      }\n      if (typeof Math.hypot === \"undefined\") {\n          Math.hypot = function() {\n              var y = 0;\n              var length = arguments.length;\n              for (var i = 0; i < length; i++) {\n                  if (arguments[i]\n                  === Infinity || arguments[i] === -Infinity) {\n                      return Infinity;\n                  }\n                  y += arguments[i] *\n                  arguments[i];\n              }\n              return Math.sqrt(y);\n          };\n      }\n      }\n      if (typeof Math.log10 === \"undefined\") {\n          Math.log10 = function(x) {\n              return Math.log(x) * Math.LOG10E;\n          };\n      }\n      }\n      if (typeof Math.log2 ===\n      \"undefined\") {\n          Math.log2 = function(x) {\n              return Math.log(x) * Math.LOG2E;\n          };\n      }\n      }\n      if (typeof\n      Math.clz32 === \"undefined\") {\n          Math.clz32 = (function(log, LN2) {\n              return function(x) {\n                  var\n                  asUint = x >>> 0;\n                  if (asUint === 0) {\n                      return 32;\n                  }\n                  return 31 - (log(asUint) /\n                  LN2 | 0) | 0; // the \"| 0\" acts like math.floor\n              };\n          })(Math.log, Math.LN2);\n      }\n      }\n      }\n      // For HtmlUnit and\n      PhantomJs\n      if (typeof ArrayBuffer.isView === \"undefined\") {\n          ArrayBuffer.isView = function(a) {\n              return a != null && a.__proto__ != null && a.__proto__.__proto__ === Int8Array.prototype.__proto__;\n          };\n      }\n      }\n      }\n      if (typeof Array.prototype.fill === \"undefined\") {\n          // Polyfill from https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/Array/fill#Polyfill\n          Array.prototype.fill = function() {\n              //\n              Steps 1-2.\n              if (this == null) {\n                  throw new TypeError('this is null or not defined');\n              }\n              var O =\n              Object(this);\n              // Steps 3-5.\n              var len = O.length >>> 0;\n              // Steps 6-7.\n              var start = arguments[1];\n              var relativeStart = start >> 0;\n              // Step 8.\n              var k = relativeStart < 0 ?\n              Math.max(len + relativeStart,\n              0) : Math.min(relativeStart, len);\n              // Steps 9-10.\n              var end = arguments[2];\n              var relativeEnd =\n              end === undefined ?\n              len : end >> 0;\n              // Step 11.\n              var final = relativeEnd < 0 ?\n              Math.max(len +\n              relativeEnd, 0) : Math.min(relativeEnd, len);\n              // Step 12.\n              while (k < final) {\n                  O[k] =\n                  value;\n                  k++;\n              }\n              // Step 13.\n              return O;\n          };\n      }\n      }\n      }\n      (function() {\n          function\n          normalizeOffset(offset, length) {\n              if (offset < 0) return Math.max(0, offset + length);\n              return\n              Math.min(offset, length);\n          }\n          function typedArraySlice(begin, end) {\n              if (typeof end === \"undefined\")\n              {\n                  end = this.length;\n              }\n              begin = normalizeOffset(begin || 0, this.length);\n              end =\n              Math.max(begin, normalizeOffset(end, this.length));\n              return new this.constructor(this.subarray(begin, end));\n          }\n          var arrays = [Int8Array, Int16Array, Uint16Array, Int32Array, Float32Array, Float64Array];\n          for (var i =\n          0; i < arrays.length; ++i) {\n              var TypedArray = arrays[i];\n              if (typeof TypedArray.prototype.fill ===\n              \"undefined\") {\n                  TypedArray.prototype.fill = Array.prototype.fill;\n              }\n              if (typeof\n              TypedArray.prototype.slice === \"undefined\") {\n                  Object.defineProperty(TypedArray.prototype, 'slice', {\n                      value: typedArraySlice\n                  });\n              }\n          }\n          // Patch apply to work with TypedArrays if needed.\n          try {\n              (function() {}).apply(null, new Int32Array(0))\n          } catch (e) {\n              var apply =\n              Function.prototype.apply;\n              Object.defineProperty(Function.prototype, 'apply', {\n                  value: function(self,\n                  array) {\n                      return apply.call(this, self, [].slice.call(array));\n                  }\n              });\n          }\n          // Patch map to\n          work with TypedArrays if needed.\n          for (var i = 0; i < arrays.length; ++i) {\n              var TypedArray = arrays[i];\n              if (typeof TypedArray.prototype.map === \"undefined\") {\n                  Object.defineProperty(TypedArray.prototype,\n                  'map', {\n                      value: function(callback, self) {\n                          return [].slice.call(this).map(callback, self);\n                      }\n                  });\n              }\n          }\n      })();

```



```

    });\n    }\n    }\n\n    // Patch sort to work with TypedArrays if needed.\n    // TODO: consider to
remove following function and replace it with `Kotlin.doubleCompareTo` (see misc.js)\n    var
totalOrderComparator = function (a, b) {\n        if (a < b) return -1;\n        if (a > b) return 1;\n\n        if (a === b) {\n            if (a !== 0) return 0;\n\n            var ia = 1 / a;\n            return ia === 1 / b ? 0 : (ia < 0 ? -1 : 1);\n        }\n\n        return a !== a ? (b !== b ? 0 : 1) : -1\n    };\n\n    for (var i = 0; i < arrays.length; ++i) {\n        var TypedArray =
arrays[i];\n        if (typeof TypedArray.prototype.sort === "undefined") {\n            Object.defineProperty(TypedArray.prototype, 'sort', {\n                value: function(compareFunction) {\n                    return Array.prototype.sort.call(this, compareFunction || totalOrderComparator);\n                }\n            });\n        }\n    }\n\n    };\n\n    };\n\n    /*\n    * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. \n    * Use
of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n    Kotlin.Kind = {\n        CLASS: "class",\n        INTERFACE: "interface",\n        OBJECT:
"object"\n    };\n\n    Kotlin.callGetter = function (thisObject, klass, propertyName) {\n        var propertyDescriptor =
Object.getOwnPropertyDescriptor(klass, propertyName);\n        if (propertyDescriptor != null &&
propertyDescriptor.get != null) {\n            return propertyDescriptor.get.call(thisObject);\n        }\n\n        propertyDescriptor =
Object.getOwnPropertyDescriptor(thisObject, propertyName);\n        if (propertyDescriptor != null && "value" in
propertyDescriptor) {\n            return thisObject[propertyName];\n        }\n\n        return Kotlin.callGetter(thisObject,
Object.getPrototypeOf(klass), propertyName);\n    };\n\n    Kotlin.callSetter = function (thisObject, klass, propertyName,
value) {\n        var propertyDescriptor = Object.getOwnPropertyDescriptor(klass, propertyName);\n        if
(propertyDescriptor != null && propertyDescriptor.set != null) {\n            propertyDescriptor.set.call(thisObject,
value);\n            return;\n        }\n\n        propertyDescriptor = Object.getOwnPropertyDescriptor(thisObject,
propertyName);\n        if (propertyDescriptor != null && "value" in propertyDescriptor) {\n            thisObject[propertyName] = value;\n            return\n        }\n\n        Kotlin.callSetter(thisObject,
Object.getPrototypeOf(klass), propertyName, value);\n    };\n\n    function isInheritanceFromInterface(ctor, iface) {\n        if
(ctor === iface) return true;\n\n        var metadata = ctor.$metadata$;\n        if (metadata != null) {\n            var interfaces =
metadata.interfaces;\n            for (var i = 0; i < interfaces.length; i++) {\n                if
(isInheritanceFromInterface(interfaces[i], iface)) {\n                    return true;\n                }\n            }\n        }\n\n        var
superPrototype = ctor.prototype != null ? Object.getPrototypeOf(ctor.prototype) : null;\n        var superConstructor =
superPrototype != null ? superPrototype.constructor : null;\n        return superConstructor != null &&
isInheritanceFromInterface(superConstructor, iface);\n    }\n\n    /**\n    * @param {*} object\n    * @param
{Function|Object} klass\n    * @returns {Boolean}\n    */\n    Kotlin.isType = function (object, klass) {\n        if (klass ===
Object) {\n            switch (typeof object) {\n                case "string":\n                case "number":\n                case
"boolean":\n                case "function":\n                    return true;\n                default:\n                    return object instanceof
Object;\n            }\n        }\n\n        if (object == null || klass == null || (typeof object !== 'object' && typeof object !==
'function')) {\n            return false;\n        }\n\n        if (typeof klass === "function" && object instanceof klass) {\n            return true;\n        }\n\n        var proto = Object.getPrototypeOf(klass);\n        var constructor = proto != null ?
proto.constructor : null;\n        if (constructor != null && "$metadata$" in constructor) {\n            var metadata =
constructor.$metadata$;\n            if (metadata.kind === Kotlin.Kind.OBJECT) {\n                return object === klass;\n            }\n        }\n\n        var classMetadata = klass.$metadata$;\n\n        // In WebKit (JavaScriptCore) for some interfaces from
DOM typeof returns "object", nevertheless they can be used in RHS of instanceof\n        if (classMetadata == null) {\n            return object instanceof klass;\n        }\n\n        if (classMetadata.kind === Kotlin.Kind.INTERFACE &&
object.constructor != null) {\n            return isInheritanceFromInterface(object.constructor, klass);\n        }\n\n        return
false;\n    };\n\n    Kotlin.isNumber = function (a) {\n        return typeof a == "number" || a instanceof
Kotlin.Long;\n    };\n\n    Kotlin.isChar = function (value) {\n        return value instanceof
Kotlin.BoxedChar;\n    };\n\n    Kotlin.isComparable = function (value) {\n        var type = typeof value;\n\n        return type
=== "string" ||\n            type === "boolean" ||\n            Kotlin.isNumber(value) ||\n            Kotlin.isType(value,
Kotlin.kotlin.Comparable);\n    };\n\n    Kotlin.isCharSequence = function (value) {\n        return typeof value === "string"
|| Kotlin.isType(value, Kotlin.kotlin.CharSequence);\n    };
\n    /*\n    * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors. \n    * Use of this source code is governed by the Apache 2.0 license that

```

```

can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\npublic class Enum<T : Enum<T>> :  
Comparable<Enum<T>> {\n    @JsName("name$") private var _name: String = ""\n    @JsName("ordinal$")  
private var _ordinal: Int = 0\n    val name: String\n    get() = _name\n    val ordinal: Int\n    get() =  
_ordinal\n    override fun compareTo(other: Enum<T>) = ordinal.compareTo(other.ordinal)\n    override fun  
equals(other: Any?) = this === other\n    override fun hashCode(): Int = js("Kotlin.identityHashCode")(this)\n    override fun toString() = name\n    companion object\n}",null,"/*\n * Copyright 2010-2019 JetBrains s.r.o. and  
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that  
can be found in the license/LICENSE.txt file.\n\n*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("ArraysKt")\n\npackage  
kotlin.collections\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:  
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\nimport  
kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the  
size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior  
is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component1(): T  
{\n    return get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the  
size of this array is less than 1,  
throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component1(): Byte {\n    return  
get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the  
size of this array is less than 1, throws an  
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component1(): Short {\n    return  
get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the  
size of this array is less than 1, throws an  
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component1(): Int {\n    return  
get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the  
size of this array is less than 1, throws an  
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component1(): Long {\n    return  
get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the  
size of this array is less than 1, throws an  
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component1(): Float {\n    return  
get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the  
size of this array is less than 1, throws an  
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component1(): Double {\n    return  
get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the  
size of this array is less than 1, throws an  
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component1(): Boolean {\n    return  
get(0)\n}\n\n/**\n * Returns 1st *element* from the array.\n * \n * If the  
size of this array is less than 1, throws an  
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component1(): Char {\n    return  
get(0)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the  
size of this array is less than 2, throws an  
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component2(): T {\n    return  
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the  
size of this array is less than 2, throws an  
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component2(): Byte {\n    return  
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the  
size of this array is less than 2, throws an  
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component2(): Short {\n    return  
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the  
size of this array is less than 2, throws an

```

[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n

```
*\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component2(): Int {\n    return  
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an  
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
```

```
*\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component2(): Long {\n    return  
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an  
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
```

```
*\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component2(): Float {\n    return  
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an  
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
```

```
*\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component2(): Double {\n    return  
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an  
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
```

```
*\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component2(): Boolean {\n    return  
get(1)\n}\n\n/**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an  
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
```

```
*\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component2(): Char {\n    return  
get(1)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an  
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
```

```
*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component3(): T {\n    return  
get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an  
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
```

```
*\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component3(): Byte {\n    return  
get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an  
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
```

```
*\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component3(): Short {\n    return  
get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an  
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
```

```
*\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component3(): Int {\n    return  
get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an  
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
```

```
*\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component3(): Long {\n    return  
get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an  
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
```

```
*\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component3(): Float {\n    return  
get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an  
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
```

```
*\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component3(): Double {\n    return  
get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an  
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
```

```
*\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component3(): Boolean {\n    return  
get(2)\n}\n\n/**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an  
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
```

```
*\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component3(): Char {\n    return  
get(2)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an  
[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n
```

```
*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component4(): T {\n    return  
get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an
```

[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n

```
*\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component4(): Byte {\n    return\n    get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an\n [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component4(): Short {\n    return\n    get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an\n [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component4(): Int {\n    return\n    get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an\n [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component4(): Long {\n    return\n    get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an\n [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component4(): Float {\n    return\n    get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an\n [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component4(): Double {\n    return\n    get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an\n [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component4(): Boolean {\n    return\n    get(3)\n}\n\n/**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an\n [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun CharArray.component4(): Char {\n    return\n    get(3)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an\n [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> Array<out T>.component5(): T {\n    return\n    get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an\n [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun ByteArray.component5(): Byte {\n    return\n    get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an\n [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun ShortArray.component5(): Short {\n    return\n    get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an\n [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun IntArray.component5(): Int {\n    return\n    get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an\n [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun LongArray.component5(): Long {\n    return\n    get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an\n [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun FloatArray.component5(): Float {\n    return\n    get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an\n [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun DoubleArray.component5(): Double {\n    return\n    get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an\n [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun BooleanArray.component5(): Boolean {\n    return\n    get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an
```

[IndexOutOfBoundsException] except in Kotlin/JS where the behavior is unspecified.

```

*  

@kotlin.internal.InlineOnly  

public inline operator fun CharArray.component5(): Char {  

return  

get(4)}  

}

* Returns `true` if [element] is found in the array.
*  

public operator fun  

<@kotlin.internal.OnlyInputTypes T> Array<out T>.contains(element: T): Boolean {  

return indexOf(element)  

>= 0}  

}

* Returns `true` if [element] is found in the array.
*  

public operator fun  

ByteArray.contains(element: Byte): Boolean {  

return indexOf(element) >= 0}  

}

* Returns `true` if  

[element] is found in the array.
*  

public operator fun  

ShortArray.contains(element: Short): Boolean {  

return  

indexOf(element) >= 0}  

}

* Returns `true` if [element] is found in the array.
*  

public operator fun  

IntArray.contains(element: Int): Boolean {  

return  

indexOf(element) >= 0}  

}

* Returns `true` if  

[element] is found in the array.
*  

public operator fun  

LongArray.contains(element: Long): Boolean {  

return  

indexOf(element) >= 0}  

}

* Returns `true` if  

[element] is found in the array.
*  

public operator fun  

FloatArray.contains(element: Float): Boolean {  

return  

indexOf(element) >= 0}  

}

* Returns `true` if  

[element] is found in the array.
*  

public operator fun  

DoubleArray.contains(element: Double): Boolean {  

return  

indexOf(element) >= 0}  

}

* Returns  

`true` if [element] is found in the array.
*  

public operator fun  

BooleanArray.contains(element: Boolean): Boolean {  

return  

indexOf(element) >= 0}  

}

* Returns  

`true` if [element] is found in the array.
*  

public operator fun  

CharArray.contains(element: Char): Boolean {  

return  

indexOf(element) >= 0}  

}

* Returns an element at the given [index] or throws an  

[IndexOutOfBoundsException] if the [index] is out of bounds of this array.
*  

@sample  

samples.collections.Collections.Elements.elementAt  

*  

public expect fun <T> Array<out T>.elementAt(index:  

Int): T  

*  

Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index]  

is out of bounds of this array.
*  

@sample  

samples.collections.Collections.Elements.elementAt  

*  

public  

expect fun ByteArray.elementAt(index: Int): Byte  

*  

Returns an element at the given [index] or throws an  

[IndexOutOfBoundsException] if the [index] is out of bounds of this array.
*  

@sample  

samples.collections.Collections.Elements.elementAt  

*  

public expect fun ShortArray.elementAt(index: Int):  

Short  

*  

Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index]  

is out of bounds of this array.
*  

@sample  

samples.collections.Collections.Elements.elementAt  

*  

public  

expect fun IntArray.elementAt(index: Int): Int  

*  

Returns an element at the given [index] or throws an  

[IndexOutOfBoundsException] if the [index] is out of bounds of this array.
*  

@sample  

samples.collections.Collections.Elements.elementAt  

*  

public expect fun LongArray.elementAt(index: Int):  

Long  

*  

Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index]  

is out of bounds of this array.
*  

@sample  

samples.collections.Collections.Elements.elementAt  

*  

public  

expect fun FloatArray.elementAt(index: Int): Float  

*  

Returns an element at the given [index] or throws an  

[IndexOutOfBoundsException] if the [index] is out of bounds of this array.
*  

@sample  

samples.collections.Collections.Elements.elementAt  

*  

public expect fun DoubleArray.elementAt(index: Int):  

Double  

*  

Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the  

[index] is out of bounds of this array.
*  

@sample  

samples.collections.Collections.Elements.elementAt  

*  

public  

expect fun BooleanArray.elementAt(index: Int): Boolean  

*  

Returns an element at the given  

[index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.
*  

@sample  

samples.collections.Collections.Elements.elementAt  

*  

public expect fun CharArray.elementAt(index: Int):  

Char  

*  

Returns an element at the given [index] or the result of calling the [defaultValue] function if the  

[index] is out of bounds of this array.
*  

@sample  

samples.collections.Collections.Elements.elementAtOrElse  

*  

@kotlin.internal.InlineOnly  

public inline fun  

<T> Array<out T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {  

return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)}  

}

* Returns an element at the given [index] or the result of  

calling the [defaultValue] function if the [index] is out of bounds of this array.
*  

@sample  

samples.collections.Collections.Elements.elementAtOrElse  

*  

@kotlin.internal.InlineOnly  

public inline fun  

ByteArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Byte): Byte {  

return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)}  

}

* Returns an element at the given [index] or the result of

```

calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample

```

samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Short): Short {\n  return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Int): Int {\n  return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Long): Long {\n  return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Float): Float {\n  return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun
DoubleArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Double): Double {\n  return if (index >= 0 &&
index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the
result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Boolean): Boolean {\n  return if (index >= 0 &&
index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the
result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n */\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.elementAtOrElse(index: Int, defaultValue: (Int) -> Char): Char {\n  return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the
[index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun
<T> Array<out T>.elementAtOrNull(index: Int): T? {\n  return this.getOrNull(index)\n}\n\n/**\n * Returns an
element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.elementAtOrNull(index: Int): Byte? {\n  return this.getOrNull(index)\n}\n\n/**\n * Returns an element
at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.elementAtOrNull(index: Int): Short? {\n  return this.getOrNull(index)\n}\n\n/**\n * Returns an element
at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.elementAtOrNull(index: Int): Int? {\n  return this.getOrNull(index)\n}\n\n/**\n * Returns an element at
the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.elementAtOrNull(index: Int): Long? {\n  return this.getOrNull(index)\n}\n\n/**\n * Returns an element
at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.elementAtOrNull(index: Int): Float? {\n  return this.getOrNull(index)\n}\n\n/**\n * Returns an element
at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun

```

DoubleArray.elementAtOrNull(index: Int): Double? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.elementAtOrNull(index: Int): Boolean? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.elementAtOrNull(index: Int): Char? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.find(predicate: (T) -> Boolean): T? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.find(predicate: (Byte) -> Boolean): Byte? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.find(predicate: (Short) -> Boolean): Short? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.find(predicate: (Int) -> Boolean): Int? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.find(predicate: (Long) -> Boolean): Long? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.find(predicate: (Float) -> Boolean): Float? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.find(predicate: (Double) -> Boolean): Double? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.find(predicate: (Boolean) -> Boolean): Boolean? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.find(predicate: (Char) -> Boolean): Char? {\n return firstOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.findLast(predicate: (T) -> Boolean): T? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.findLast(predicate: (Byte) -> Boolean): Byte? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.findLast(predicate: (Short) -> Boolean): Short? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.findLast(predicate: (Int) -> Boolean): Int? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.findLast(predicate: (Long) -> Boolean): Long? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.findLast(predicate: (Float) -> Boolean): Float? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.findLast(predicate: (Double) -> Boolean): Double? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.findLast(predicate: (Boolean) -> Boolean): Boolean? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n@kotlin.internal.InlineOnly\npublic inline fun

```

CharArray.findLast(predicate: (Char) -> Boolean): Char? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun <T> Array<out T>.first(): T {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun ByteArray.first(): Byte {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun ShortArray.first(): Short {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun IntArray.first(): Int {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun LongArray.first(): Long {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun FloatArray.first(): Float {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun DoubleArray.first(): Double {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun BooleanArray.first(): Boolean {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return this[0]\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n */\npublic fun CharArray.first(predicate: (Char) -> Boolean): Char {\n    if (isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun <T> Array<out T>.first(predicate: (T) -> Boolean): T {\n    for (element in this) if (predicate(element)) return element\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun ByteArray.first(predicate: (Byte) -> Boolean): Byte {\n    for (element in this) if (predicate(element)) return element\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun ShortArray.first(predicate: (Short) -> Boolean): Short {\n    for (element in this) if (predicate(element)) return element\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun IntArray.first(predicate: (Int) -> Boolean): Int {\n    for (element in this) if (predicate(element)) return element\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun LongArray.first(predicate: (Long) -> Boolean): Long {\n    for (element in this) if (predicate(element)) return element\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun FloatArray.first(predicate: (Float) -> Boolean): Float {\n    for (element in this) if (predicate(element)) return element\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun DoubleArray.first(predicate: (Double) -> Boolean): Double {\n    for (element in this) if (predicate(element)) return element\n    throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\npublic inline fun BooleanArray.first(predicate: (Boolean) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return element\n    throw NoSuchElementException("Array contains no element matching the

```



```

predicate.\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun CharArray.first(predicate: (Char) ->
Boolean): Char {\n    for (element in this) if (predicate(element)) return element\n    throw
NoSuchElementException("Array contains no element matching the predicate.\n")\n}\n\n/**\n * Returns the first
element, or `null` if the array is empty.\n */\npublic fun <T> Array<out T>.firstOrNull(): T? {\n    return if
(isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun
ByteArray.firstOrNull(): Byte? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or
`null` if the array is empty.\n */\npublic fun ShortArray.firstOrNull(): Short? {\n    return if (isEmpty()) null else
this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun IntArray.firstOrNull():
Int? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is
empty.\n */\npublic fun LongArray.firstOrNull(): Long? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n *
Returns the first element, or `null` if the array is empty.\n */\npublic fun FloatArray.firstOrNull(): Float? {\n
return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n
*/\npublic fun DoubleArray.firstOrNull(): Double? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns
the first element, or `null` if the array is empty.\n */\npublic fun BooleanArray.firstOrNull(): Boolean? {\n    return
if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n */\npublic fun
CharArray.firstOrNull(): Char? {\n    return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element
matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun <T> Array<out
T>.firstOrNull(predicate: (T) -> Boolean): T? {\n    for (element in this) if (predicate(element)) return element\n
return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not
found.\n */\npublic inline fun ByteArray.firstOrNull(predicate: (Byte) -> Boolean): Byte? {\n    for (element in this)
if (predicate(element)) return element\n    return null\n}\n\n/**\n * Returns the first element matching the given
[predicate], or `null` if element was not found.\n */\npublic inline fun ShortArray.firstOrNull(predicate: (Short) ->
Boolean): Short? {\n    for (element in this) if (predicate(element)) return element\n    return null\n}\n\n/**\n *
Returns the first element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun
IntArray.firstOrNull(predicate: (Int) -> Boolean): Int? {\n    for (element in this) if (predicate(element)) return
element\n    return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element
was not found.\n */\npublic inline fun LongArray.firstOrNull(predicate: (Long) -> Boolean): Long? {\n    for
(element in this) if (predicate(element)) return element\n    return null\n}\n\n/**\n * Returns the first element
matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun
FloatArray.firstOrNull(predicate: (Float) -> Boolean): Float? {\n    for (element in this) if (predicate(element))
return element\n    return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if
element was not found.\n */\npublic inline fun DoubleArray.firstOrNull(predicate: (Double) -> Boolean): Double?
{\n    for (element in this) if (predicate(element)) return element\n    return null\n}\n\n/**\n * Returns the first
element matching the given [predicate], or `null` if element was not found.\n */\npublic inline fun
BooleanArray.firstOrNull(predicate: (Boolean) -> Boolean): Boolean? {\n    for (element in this) if
(predicate(element)) return element\n    return null\n}\n\n/**\n * Returns the first element matching the given
[predicate], or `null` if element was not found.\n */\npublic inline fun CharArray.firstOrNull(predicate: (Char) ->
Boolean): Char? {\n    for (element in this) if (predicate(element)) return element\n    return null\n}\n\n/**\n *
Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of
bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.getOrNull(index: Int,
defaultValue: (Int) -> T): T? {\n    return if (index >= 0 && index <= lastIndex) get(index) else
defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue]
function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.getOrNull(index: Int, defaultValue: (Int) -> Byte): Byte? {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.getOrNull(index: Int, defaultValue: (Int) -> Short):

```

```

Short { \n  return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n }\n\n/**\n * Returns
an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of
this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.getOrNull(index: Int): Int? { \n  return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n }\n\n/**\n *
Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of
bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.getOrNull(index: Int,
defaultValue: (Int) -> Long): Long? { \n  return if (index >= 0 && index <= lastIndex) get(index) else
defaultValue(index)\n }\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue]
function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.getOrNull(index: Int, defaultValue: (Int) -> Float): Float? { \n  return if (index >= 0 && index <=
lastIndex) get(index) else default\nValue(index)\n }\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.getOrNull(index: Int, defaultValue: (Int) -> Double): Double? { \n  return if (index >= 0 && index <= lastIndex) get(index) else default\nValue(index)\n }\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of
bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.getOrNull(index: Int,
defaultValue: (Int) -> Boolean): Boolean? { \n  return if (index >= 0 && index <= lastIndex) get(index) else
default\nValue(index)\n }\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue]
function if the [index] is out of bounds of this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.getOrNull(index: Int, defaultValue: (Int) -> Char): Char? { \n  return if (index >= 0 && index <=
lastIndex) get(index) else default\nValue(index)\n }\n\n/**\n * Returns an element at the given [index] or `null` if the
[index] is out of bounds of this array.\n */\npublic fun <T> Array<out T>.getOrNull(index: Int): T? { \n  return if
(index >= 0 && index <= lastIndex) get(index) else null\n }\n\n/**\n * Returns an element at the given [index] or
`null` if the [index] is out of bounds of this array.\n */\npublic fun ByteArray.getOrNull(index: Int): Byte? { \n
return if (index >= 0 && index <= lastIndex) get(index) else null\n }\n\n/**\n * Returns an element at the given
[index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun ShortArray.getOrNull(index: Int):
Short? { \n  return if (index >= 0 && index <= lastIndex) get(index) else null\n }\n\n/**\n * Returns an element at
the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun IntArray.getOrNull(index:
Int): Int? { \n  return if (index >= 0 && index <= lastIndex) get(index) else null\n }\n\n/**\n * Returns an element at
the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun LongArray.getOrNull(index:
Int): Long? { \n  return if (index >= 0 && index <= lastIndex) get(index) else null\n }\n\n/**\n * Returns an element
at the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun
FloatArray.getOrNull(index: Int): Float? { \n  return if (index >= 0 && index <= lastIndex) get(index) else
null\n }\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n */\npublic fun DoubleArray.getOrNull(index: Int): Double? { \n  return if (index >= 0 && index <= lastIndex)
get(index) else null\n }\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of
this array.\n */\npublic fun BooleanArray.getOrNull(index: Int): Boolean? { \n  return if (index >= 0 && index <=
lastIndex) get(index) else null\n }\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of
bounds of this array.\n */\npublic fun CharArray.getOrNull(index: Int): Char? { \n  return if (index >= 0 && index
<= lastIndex) get(index) else null\n }\n\n/**\n * Returns first index of [element], or -1 if the array does not contain
element.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Array<out T>.indexOf(element: T): Int { \n  if
(element == null) { \n    for (index in indices) { \n      if (this[index] == null) { \n        return index\n
      }\n    }\n  } else { \n    for (index in indices) { \n      if (element == this[index]) { \n        return index\n
      }\n    }\n  }\n  return -1\n }\n\n/**\n * Returns first index of [element], or -1 if the array does not contain
element.\n */\npublic fun ByteArray.indexOf(element: Byte): Int { \n  for (index in indices) { \n    if (element ==
this[index]) { \n      return index\n    }\n  }\n  return -1\n }\n\n/**\n * Returns first index of [element], or -1 if
the array does not contain element.\n */\npublic fun ShortArray.indexOf(element: Short): Int { \n  for (index in
indices) { \n    if (element == this[index]) { \n      return index\n    }\n  }\n  return -1\n }\n\n/**\n * Returns

```

```

first index of [element], or -1 if the array does not contain element.\n */\npublic fun IntArray.indexOf(element: Int):
Int {\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -
1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun
LongArray.indexOf(element: Long): Int {\n for (index in indices) {\n if (element == this[index]) {\n
return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not
contain element.\n */\npublic fun FloatArray.indexOf(element: Float): Int {\n for (index in indices) {\n if
(element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of
[element], or -1 if the array does not contain element.\n */\npublic fun DoubleArray.indexOf(element: Double): Int
{\n for (index in indices) {\n if (element == this[index]) {\n return index\n }\n }\n return -
1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not contain element.\n */\npublic fun
BooleanArray.indexOf(element: Boolean): Int {\n for (index in indices) {\n if (element == this[index]) {\n
return index\n }\n }\n return -1\n}\n\n/**\n * Returns first index of [element], or -1 if the array does not
contain element.\n */\npublic fun CharArray.indexOf(element: Char): Int {\n for (index in indices) {\n if
(element == this[index]) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun <T>
Array<out T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n for (index in indices) {\n if
(predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
ByteArray.indexOfFirst(predicate: (Byte) -> Boolean): Int {\n for (index in indices) {\n if
(predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
ShortArray.indexOfFirst(predicate: (Short) -> Boolean): Int {\n for (index in indices) {\n if
(predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
IntArray.indexOfFirst(predicate: (Int) -> Boolean): Int {\n for (index in indices) {\n if (predicate(this[index]))
{\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first element matching the
given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
LongArray.indexOfFirst(predicate: (Long) -> Boolean): Int {\n for (index in indices) {\n if
(predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
FloatArray.indexOfFirst(predicate: (Float) -> Boolean): Int {\n for (index in indices) {\n if
(predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
DoubleArray.indexOfFirst(predicate: (Double) -> Boolean): Int {\n for (index in indices) {\n if
(predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
BooleanArray.indexOfFirst(predicate: (Boolean) -> Boolean): Int {\n for (index in indices) {\n if
(predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the first
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
CharArray.indexOfFirst(predicate: (Char) -> Boolean): Int {\n for (index in indices) {\n if
(predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun <T>
Array<out T>.indexOfLast(predicate: (T) -> Boolean): Int {\n for (index in indices.reversed()) {\n if
(predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun
ByteArray.indexOfLast(predicate: (Byte) -> Boolean): Int {\n for (index in indices.reversed()) {\n if
(predicate(this[index])) {\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns index of the last
element matching the given [predicate], or -1 if the array does not contain such element.\n */\npublic inline fun

```

```

ShortArray.indexOfLast(predicate: (Short) -> Boolean): Int {
    for (index in indices.reversed()) {
        if (predicate(this[index]))
            return index
    }
    return -1
}
Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.

IntArray.indexOfLast(predicate: (Int) -> Boolean): Int {
    for (index in indices.reversed()) {
        if (predicate(this[index]))
            return index
    }
    return -1
}
Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.

LongArray.indexOfLast(predicate: (Long) -> Boolean): Int {
    for (index in indices.reversed()) {
        if (predicate(this[index]))
            return index
    }
    return -1
}
Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.

FloatArray.indexOfLast(predicate: (Float) -> Boolean): Int {
    for (index in indices.reversed()) {
        if (predicate(this[index]))
            return index
    }
    return -1
}
Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.

DoubleArray.indexOfLast(predicate: (Double) -> Boolean): Int {
    for (index in indices.reversed()) {
        if (predicate(this[index]))
            return index
    }
    return -1
}
Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.

BooleanArray.indexOfLast(predicate: (Boolean) -> Boolean): Int {
    for (index in indices.reversed()) {
        if (predicate(this[index]))
            return index
    }
    return -1
}
Returns index of the last element matching the given [predicate], or -1 if the array does not contain such element.

CharArray.indexOfLast(predicate: (Char) -> Boolean): Int {
    for (index in indices.reversed()) {
        if (predicate(this[index]))
            return index
    }
    return -1
}
Returns the last element.

@throws [NoSuchElementException] if the array is empty.

public inline fun <T> Array<out T>.last(): T {
    if (isEmpty())
        throw NoSuchElementException("Array is empty.")
    return this[lastIndex]
}
Returns the last element.

@throws [NoSuchElementException] if the array is empty.

public fun ByteArray.last(): Byte {
    if (isEmpty())
        throw NoSuchElementException("Array is empty.")
    return this[lastIndex]
}
Returns the last element.

@throws [NoSuchElementException] if the array is empty.

public fun ShortArray.last(): Short {
    if (isEmpty())
        throw NoSuchElementException("Array is empty.")
    return this[lastIndex]
}
Returns the last element.

@throws [NoSuchElementException] if the array is empty.

public fun IntArray.last(): Int {
    if (isEmpty())
        throw NoSuchElementException("Array is empty.")
    return this[lastIndex]
}
Returns the last element.

@throws [NoSuchElementException] if the array is empty.

public fun LongArray.last(): Long {
    if (isEmpty())
        throw NoSuchElementException("Array is empty.")
    return this[lastIndex]
}
Returns the last element.

@throws [NoSuchElementException] if the array is empty.

public fun FloatArray.last(): Float {
    if (isEmpty())
        throw NoSuchElementException("Array is empty.")
    return this[lastIndex]
}
Returns the last element.

@throws [NoSuchElementException] if the array is empty.

public fun DoubleArray.last(): Double {
    if (isEmpty())
        throw NoSuchElementException("Array is empty.")
    return this[lastIndex]
}
Returns the last element.

@throws [NoSuchElementException] if the array is empty.

public fun BooleanArray.last(): Boolean {
    if (isEmpty())
        throw NoSuchElementException("Array is empty.")
    return this[lastIndex]
}
Returns the last element.

@throws [NoSuchElementException] if the array is empty.

public fun CharArray.last(): Char {
    if (isEmpty())
        throw NoSuchElementException("Array is empty.")
    return this[lastIndex]
}
Returns the last element matching the given [predicate].

@throws [NoSuchElementException] if no such element is found.

public inline fun <T> Array<out T>.last(predicate: (T) -> Boolean): T {
    for (index in this.indices.reversed()) {
        val element = this[index]
        if (predicate(element))
            return element
    }
    throw NoSuchElementException("Array contains no element matching the predicate.")
}
Returns the last element matching the given [predicate].

@throws [NoSuchElementException] if no such element is found.

public inline fun ByteArray.last(predicate: (Byte) -> Boolean): Byte {
    for (index in this.indices.reversed()) {
        val element = this[index]
        if (predicate(element))
            return element
    }
    throw NoSuchElementException("Array contains no element

```

```

matching the predicate.\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun ShortArray.last(predicate: (Short) ->
Boolean): Short {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element
matching the predicate.\n")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun IntArray.last(predicate: (Int) ->
Boolean): Int {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element
matching the predicate.\n")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun LongArray.last(predicate: (Long) ->
Boolean): Long {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element
matching the predicate.\n")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun FloatArray.last(predicate: (Float) ->
Boolean): Float {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element
matching the predicate.\n")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun DoubleArray.last(predicate:
(Double) -> Boolean): Double {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element
matching the predicate.\n")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun BooleanArray.last(predicate:
(Boolean) -> Boolean): Boolean {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element
matching the predicate.\n")\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws
[NoSuchElementException] if no such element is found.\n */\npublic inline fun CharArray.last(predicate: (Char) ->
Boolean): Char {\n    for (index in this.indices.reversed()) {\n        val element = this[index]\n        if
(predicate(element)) return element\n    }\n    throw NoSuchElementException("Array contains no element
matching the predicate.\n")\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain
element.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T> Array<out T>.lastIndexOf(element: T): Int {\n    if
(element == null) {\n        for (index in indices.reversed()) {\n            if (this[index] == null) {\n                return
index\n            }\n        }\n    } else {\n        for (index in indices.reversed()) {\n            if (element == this[index]) {\n                return
index\n            }\n        }\n    }\n    return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the
array does not contain element.\n */\npublic fun ByteArray.lastIndexOf(element: Byte): Int {\n    for (index in
indices.reversed()) {\n        if (element == this[index]) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun
ShortArray.lastIndexOf(element: Short): Int {\n    for (index in indices.reversed()) {\n        if (element ==
this[index]) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns last index of [element], or -1 if
the array does not contain element.\n */\npublic fun IntArray.lastIndexOf(element: Int): Int {\n    for (index in
indices.reversed()) {\n        if (element == this[index]) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun
LongArray.lastIndexOf(element: Long): Int {\n    for (index in indices.reversed()) {\n        if (element ==
this[index]) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns last index of [element], or -1 if
the array does not contain element.\n */\npublic fun FloatArray.lastIndexOf(element: Float): Int {\n    for (index in
indices.reversed()) {\n        if (element == this[index]) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun
DoubleArray.lastIndexOf(element: Double): Int {\n    for (index in indices.reversed()) {\n        if (element ==
this[index]) {\n            return index\n        }\n    }\n    return -1\n}\n\n/**\n * Returns last index of [element], or -1 if

```

```

the array does not contain element.\n */\npublic fun BooleanArray.lastIndexOf(element: Boolean): Int {\n for
(index in indices.reversed()) {\n if (element == this[index]) {\n return index\n }\n }\n return -
1\n}\n\n/**\n * Returns last index of [element], or -1 if the array does not contain element.\n */\npublic fun
CharArray.lastIndexOf(element: Char): Int {\n for (index in indices.reversed()) {\n if (element == this[index])
{\n return index\n }\n }\n return -1\n}\n\n/**\n * Returns the last element, or `null` if the array is
empty.\n */\npublic fun <T> Array<out T>.lastOrNull(): T? {\n return if (isEmpty()) null else this[size -
1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun ByteArray.lastOrNull():
Byte? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is
empty.\n */\npublic fun ShortArray.lastOrNull(): Short? {\n return if (isEmpty()) null else this[size -
1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n */\npublic fun IntArray.lastOrNull(): Int?
{\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is
empty.\n */\npublic fun LongArray.lastOrNull(): Long? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n
* Returns the last element, or `null` if the array is empty.\n */\npublic fun FloatArray.lastOrNull(): Float? {\n
return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n
*/\npublic fun DoubleArray.lastOrNull(): Double? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n
* Returns the last element, or `null` if the array is empty.\n */\npublic fun BooleanArray.lastOrNull(): Boolean? {\n
return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n
*/\npublic fun CharArray.lastOrNull(): Char? {\n return if (isEmpty()) null else this[size - 1]\n}\n\n/**\n
* Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun
<T> Array<out T>.lastOrNull(predicate: (T) -> Boolean): T? {\n for (index in this.indices.reversed()) {\n val
element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last
element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun
ByteArray.lastOrNull(predicate: (Byte) -> Boolean): Byte? {\n for (index in this.indices.reversed()) {\n val
element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last
element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun
ShortArray.lastOrNull(predicate: (Short) -> Boolean): Short? {\n for (index in this.indices.reversed()) {\n val
element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last
element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun
IntArray.lastOrNull(predicate: (Int) -> Boolean): Int? {\n for (index in this.indices.reversed()) {\n val element
= this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last element
matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun
LongArray.lastOrNull(predicate: (Long) -> Boolean): Long? {\n for (index in this.indices.reversed()) {\n val
element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last
element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun
FloatArray.lastOrNull(predicate: (Float) -> Boolean): Float? {\n for (index in this.indices.reversed()) {\n val
element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the last
element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun
DoubleArray.lastOrNull(predicate: (Double) -> Boolean): Double? {\n for (index in this.indices.reversed()) {\n
val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns the
last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun
BooleanArray.lastOrNull(predicate: (Boolean) -> Boolean): Boolean? {\n for (index in this.indices.reversed()) {\n
val element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns
the last element matching the given [predicate], or `null` if no such element was found.\n */\npublic inline fun
CharArray.lastOrNull(predicate: (Char) -> Boolean): Char? {\n for (index in this.indices.reversed()) {\n val
element = this[index]\n if (predicate(element)) return element\n }\n return null\n}\n\n/**\n * Returns a
random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n\n
*/\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.random(): T {\n
return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws

```

```

NoSuchElementException if this array is empty.\n */\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic
inline fun ByteArray.random(): Byte {\n    return random(Random)\n}\n\n/**\n * Returns a random element from
this array.\n * \n * @throws NoSuchElementException if this array is empty.\n
*/\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.random(): Short {\n    return
random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws
NoSuchElementException if this array is empty.\n */\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic
inline fun IntArray.random(): Int {\n    return random(Random)\n}\n\n/**\n * Returns a random element from this
array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n
@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.random(): Long {\n    return
random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws
NoSuchElementException if this array is empty.\n */\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic
inline fun FloatArray.random(): Float {\n    return random(Random)\n}\n\n/**\n * Returns a random element from
this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n
@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.random(): Double {\n    return
random(Random)\n}\n\n/**\n * Returns a random element from this array.\n * \n * @throws
NoSuchElementException if this array is empty.\n */\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic
inline fun BooleanArray.random(): Boolean {\n    return random(Random)\n}\n\n/**\n * Returns a random element
from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n
@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.random(): Char {\n    return
random(Random)\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin("1.3")\npublic
fun <T> Array<out T>.random(random: Random): T {\n    if (isEmpty())\n        throw
NoSuchElementException("Array is empty.")\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random
element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if
this array is empty.\n */\n@SinceKotlin("1.3")\npublic fun ByteArray.random(random: Random): Byte {\n    if
(isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin("1.3")\npublic
fun ShortArray.random(random: Random): Short {\n    if (isEmpty())\n        throw
NoSuchElementException("Array is empty.")\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random
element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if
this array is empty.\n */\n@SinceKotlin("1.3")\npublic fun IntArray.random(random: Random): Int {\n    if
(isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin("1.3")\npublic
fun LongArray.random(random: Random): Long {\n    if (isEmpty())\n        throw
NoSuchElementException("Array is empty.")\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random
element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if
this array is empty.\n */\n@SinceKotlin("1.3")\npublic fun FloatArray.random(random: Random): Float {\n    if
(isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin("1.3")\npublic
fun DoubleArray.random(random: Random): Double {\n    if (isEmpty())\n        throw
NoSuchElementException("Array is empty.")\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random
element from this array using the specified source of randomness.\n * \n * @throws NoSuchElementException if
this array is empty.\n */\n@SinceKotlin("1.3")\npublic fun BooleanArray.random(random: Random): Boolean {\n    if
(isEmpty())\n        throw NoSuchElementException("Array is empty.")\n    return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of

```

```

randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n */\n@SinceKotlin("1.3")\npublic
fun CharArray.random(random: Random): Char {\n    if (isEmpty())\n        throw NoSuchElementException("Array
is empty.")\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array, or `null` if
this array is empty.\n */\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic
inline fun <T> Array<out T>.randomOrNull(): T? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a
random element from this array, or `null` if this array is empty.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.randomOrNull(): Byte? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element
from this array, or `null` if this array is empty.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.randomOrNull(): Short? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element
from this array, or `null` if this array is empty.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.randomOrNull(): Int? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element from
this array, or `null` if this array is empty.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.randomOrNull(): Long? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element
from this array, or `null` if this array is empty.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.randomOrNull(): Float? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element
from this array, or `null` if this array is empty.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
DoubleArray.randomOrNull(): Double? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random
element from this array, or `null` if this array is empty.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.randomOrNull(): Boolean? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random
element from this array, or `null` if this array is empty.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.randomOrNull(): Char? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element
from this array using the specified source of randomness, or `null` if this array is empty.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun <T> Array<out T>.randomOrNull(random:
Random): T? {\n    if (isEmpty())\n        return null\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a
random element from this array using the specified source of randomness, or `null` if this array is empty.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun ByteArray.randomOrNull(random: Random):
Byte? {\n    if (isEmpty())\n        return null\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random
element from this array using the specified source of randomness, or `null` if this array is empty.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun ShortArray.randomOrNull(random: Random):
Short? {\n    if (isEmpty())\n        return null\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random
element from this array using the specified source of randomness, or `null` if this array is empty.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun IntArray.randomOrNull(random: Random): Int?
{\n    if (isEmpty())\n        return null\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random element
from this array using the specified source of randomness, or `null` if this array is empty.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun LongArray.randomOrNull(random: Random):
Long? {\n    if (isEmpty())\n        return null\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random
element from this array using the specified source of randomness, or `null` if this array is empty.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun FloatArray.randomOrNull(random: Random):
Float? {\n    if (isEmpty())\n        return null\n    return get(random.nextInt(size))\n}\n\n/**\n * Returns a random
element from this array using the specified source of randomness, or `null` if this array is empty.\n
*/

```



```

*^@SinceKotlin("1.3")^@ExperimentalStdlibApi^public fun DoubleArray.randomOrNull(random: Random):
Double? {^n if (isEmpty())^n return null^n return get(random.nextInt(size))^n}^n/^n/**^n * Returns a random
element from this array using the specified source of randomness, or `null` if this array is empty.^n
*^@SinceKotlin("1.3")^@ExperimentalStdlibApi^public fun BooleanArray.randomOrNull(random: Random):
Boolean? {^n if (isEmpty())^n return null^n return get(random.nextInt(size))^n}^n/^n/**^n * Returns a random
element from this array using the specified source of randomness, or `null` if this array is empty.^n
*^@SinceKotlin("1.3")^@ExperimentalStdlibApi^public fun CharArray.randomOrNull(random: Random):
Char? {^n if (isEmpty())^n return null^n return get(random.nextInt(size))^n}^n/^n/^n/**^n * Returns the single
element, or throws an exception if the array is empty or has more than one element.^n *^@public fun <T> Array<out
T>.single(): T {^n return when (size) {^n 0 -> throw NoSuchElementException("Array is empty.")^n 1 ->
this[0]^n else -> throw IllegalArgumentException("Array has more than one element.")^n }^n}^n/^n/^n/**^n *
Returns the single element, or throws an exception if the array is empty or has more than one element.^n *^@public
fun ByteArray.single(): Byte {^n return when (size) {^n 0 -> throw NoSuchElementException("Array is
empty.")^n 1 -> this[0]^n else -> throw IllegalArgumentException("Array has more than one element.")^n
}^n}^n/^n/^n/**^n * Returns the single element, or throws an exception if the array is empty or has more than one
element.^n *^@public fun ShortArray.single(): Short {^n return when (size) {^n 0 -> throw
NoSuchElementException("Array is empty.")^n 1 -> this[0]^n else -> throw
IllegalArgumentException("Array has more than one element.")^n }^n}^n/^n/^n/**^n * Returns the single element, or
throws an exception if the array is empty or has more than one element.^n *^@public fun IntArray.single(): Int {^n
return when (size) {^n 0 -> throw NoSuchElementException("Array is empty.")^n 1 -> this[0]^n else -
> throw IllegalArgumentException("Array has more than one element.")^n }^n}^n/^n/^n/**^n * Returns the single
element, or throws an exception if the array is empty or has more than one element.^n *^@public fun
LongArray.single(): Long {^n return when (size) {^n 0 -> throw NoSuchElementException("Array is
empty.")^n 1 -> this[0]^n else -> throw IllegalArgumentException("Array has more than one element.")^n
}^n}^n/^n/^n/**^n * Returns the single element, or throws an exception if the array is empty or has more than one
element.^n *^@public fun FloatArray.single(): Float {^n return when (size) {^n 0 -> throw
NoSuchElementException("Array is empty.")^n 1 -> this[0]^n else -> throw
IllegalArgumentException("Array has more than one element.")^n }^n}^n/^n/^n/**^n * Returns the single element, or
throws an exception if the array is empty or has more than one element.^n *^@public fun DoubleArray.single():
Double {^n return when (size) {^n 0 -> throw NoSuchElementException("Array is empty.")^n 1 ->
this[0]^n else -> throw IllegalArgumentException("Array has more than one element.")^n }^n}^n/^n/^n/**^n *
Returns the single element, or throws an exception if the array is empty or has more than one element.^n *^@public
fun BooleanArray.single(): Boolean {^n return when (size) {^n 0 -> throw NoSuchElementException("Array
is empty.")^n 1 -> this[0]^n else -> throw IllegalArgumentException("Array has more than one
element.")^n }^n}^n/^n/^n/**^n * Returns the single element, or throws an exception if the array is empty or has more
than one element.^n *^@public fun CharArray.single(): Char {^n return when (size) {^n 0 -> throw
NoSuchElementException("Array is empty.")^n 1 -> this[0]^n else -> throw
IllegalArgumentException("Array has more than one element.")^n }^n}^n/^n/^n/**^n * Returns the single element
matching the given [predicate], or throws exception if there is no or more than one matching element.^n *^@public
inline fun <T> Array<out T>.single(predicate: (T) -> Boolean): T {^n var single: T? = null^n var found = false^n
for (element in this) {^n if (predicate(element)) {^n if (found) throw IllegalArgumentException("Array
contains more than one matching element.")^n single = element^n found = true^n }^n }^n if
(!found) throw NoSuchElementException("Array contains no element matching the predicate.")^n
@Suppress("UNCHECKED_CAST")^n return single as T^n}^n/^n/^n/**^n * Returns the single element matching the
given [predicate], or throws exception if there is no or more than one matching element.^n *^@public inline fun
ByteArray.single(predicate: (Byte) -> Boolean): Byte {^n var single: Byte? = null^n var found = false^n
for (element in this) {^n if (predicate(element)) {^n if (found) throw IllegalArgumentException("Array
contains more than one matching element.")^n single = element^n found = true^n }^n }^n if

```

```

(!found) throw NoSuchElementException("Array contains no element matching the predicate.")\n
@Suppress("UNCHECKED_CAST")\n return single as Byte\n}\n\n/**\n * Returns the single element matching\n the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun\n ShortArray.single(predicate: (Short) -> Boolean): Short {\n var single: Short? = null\n var found = false\n for\n (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException("Array\n contains more than one matching element.")\n single = element\n found = true\n }\n }\n if\n (!found) throw NoSuchElementException("Array contains no element matching the predicate.")\n }\n\n@Suppress("UNCHECKED_CAST")\n return single as Short\n}\n\n/**\n * Returns the single element matching\n the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun\n IntArray.single(predicate: (Int) -> Boolean): Int {\n var single: Int? = null\n var found = false\n for (element in\n this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException("Array contains more\n than one matching element.")\n single = element\n found = true\n }\n }\n if (!found) throw\n NoSuchElementException("Array contains no element matching the predicate.")\n }\n\n@Suppress("UNCHECKED_CAST")\n return single as Int\n}\n\n/**\n * Returns the single element matching\n the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun\n LongArray.single(predicate: (Long) -> Boolean): Long {\n var single: Long? = null\n var found = false\n for\n (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException("Array\n contains more than one matching element.")\n single = element\n found = true\n }\n }\n if\n (!found) throw NoSuchElementException("Array contains no element matching the predicate.")\n }\n\n@Suppress("UNCHECKED_CAST")\n return single as Long\n}\n\n/**\n * Returns the single element matching\n the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun\n FloatArray.single(predicate: (Float) -> Boolean): Float {\n var single: Float? = null\n var found = false\n for\n (element in this) {\n if (predicate(element)) {\n if (found) throw IllegalArgumentException("Array\n contains more than one matching element.")\n single = element\n found = true\n }\n }\n if\n (!found) throw NoSuchElementException("Array contains no element matching the predicate.")\n }\n\n@Suppress("UNCHECKED_CAST")\n return single as Float\n}\n\n/**\n * Returns the single element matching\n the given [predicate], or throws exception if there is no or more than one matching element.\n */\npublic inline fun\n DoubleArray.single(predicate: (Double) -> Boolean): Double {\n var single: Double? = null\n var found =\n false\n for (element in this) {\n if (predicate(element)) {\n if (found) throw\n IllegalArgumentException("Array contains more than one matching element.")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException("Array contains no element matching\n the predicate.")\n }\n\n@Suppress("UNCHECKED_CAST")\n return single as Double\n}\n\n/**\n * Returns the\n single element matching the given [predicate], or throws exception if there is no or more than one matching\n element.\n */\npublic inline fun BooleanArray.single(predicate: (Boolean) -> Boolean): Boolean {\n var single:\n Boolean? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found)\n throw IllegalArgumentException("Array contains more than one matching element.")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException("Array contains no element\n matching the predicate.")\n }\n\n@Suppress("UNCHECKED_CAST")\n return single as Boolean\n}\n\n/**\n * Returns the single element matching the given [predicate], or throws exception if there is no or more than one\n matching element.\n */\npublic inline fun CharArray.single(predicate: (Char) -> Boolean): Char {\n var single:\n Char? = null\n var found = false\n for (element in this) {\n if (predicate(element)) {\n if (found)\n throw IllegalArgumentException("Array contains more than one matching element.")\n single = element\n found = true\n }\n }\n if (!found) throw NoSuchElementException("Array contains no element\n matching the predicate.")\n }\n\n@Suppress("UNCHECKED_CAST")\n return single as Char\n}\n\n/**\n * Returns\n single element, or `null` if the array is empty or has more than one element.\n */\npublic fun <T> Array<out\n T>.singleOrNull(): T? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if\n the array is empty or has more than one element.\n */\npublic fun ByteArray.singleOrNull(): Byte? {\n return if\n (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more than one

```

```

element.

public fun ShortArray.singleOrNull(): Short? {
    return if (size == 1) this[0] else null
}

Returns single element, or `null` if the array is empty or has more than one element.

public fun
IntArray.singleOrNull(): Int? {
    return if (size == 1) this[0] else null
}

Returns single element, or
`null` if the array is empty or has more than one element.

public fun LongArray.singleOrNull(): Long? {
    return if (size == 1) this[0] else null
}

Returns single element, or `null` if the array is empty or has more
than one element.

public fun FloatArray.singleOrNull(): Float? {
    return if (size == 1) this[0] else
    null
}

Returns single element, or `null` if the array is empty or has more than one element.

public
fun DoubleArray.singleOrNull(): Double? {
    return if (size == 1) this[0] else null
}

Returns single
element, or `null` if the array is empty or has more than one element.

public fun BooleanArray.singleOrNull():
Boolean? {
    return if (size == 1) this[0] else null
}

Returns single element, or `null` if the array is
empty or has more than one element.

public fun CharArray.singleOrNull(): Char? {
    return if (size == 1)
    this[0] else null
}

Returns the single element matching the given [predicate], or `null` if element was not
found or more than one element was found.

public inline fun <T> Array<out T>.singleOrNull(predicate: (T) -
> Boolean): T? {
    var single: T? = null
    var found = false
    for (element in this) {
        if
        (predicate(element)) {
            if (found) return null
            single = element
            found = true
        }
        if (!found) return null
    }
    return single
}

Returns the single element matching the given [predicate], or
`null` if element was not found or more than one element was found.

public inline fun
ByteArray.singleOrNull(predicate: (Byte) -> Boolean): Byte? {
    var single: Byte? = null
    var found = false
    for (element in this) {
        if (predicate(element)) {
            if (found) return null
            single = element
            found = true
        }
        if (!found) return null
    }
    return single
}

Returns the single element
matching the given [predicate], or `null` if element was not found or more than one element was found.

public
inline fun ShortArray.singleOrNull(predicate: (Short) -> Boolean): Short? {
    var single: Short? = null
    var
    found = false
    for (element in this) {
        if (predicate(element)) {
            if (found) return null
            single
            = element
            found = true
        }
        if (!found) return null
    }
    return single
}

Returns the
single element matching the given [predicate], or `null` if element was not found or more than one element was
found.

public inline fun IntArray.singleOrNull(predicate: (Int) -> Boolean): Int? {
    var single: Int? = null
    var
    found = false
    for (element in this) {
        if (predicate(element)) {
            if (found) return null
            single
            = element
            found = true
        }
        if (!found) return null
    }
    return single
}

Returns the single element matching the given [predicate], or `null` if element was not found or more than one
element was found.

public inline fun LongArray.singleOrNull(predicate: (Long) -> Boolean): Long? {
    var single: Long? = null
    var found = false
    for (element in this) {
        if (predicate(element)) {
            if
            (found) return null
            single = element
            found = true
        }
        if (!found) return null
    }
    return
    single
}

Returns the single element matching the given [predicate], or `null` if element was not found or
more than one element was found.

public inline fun FloatArray.singleOrNull(predicate: (Float) -> Boolean):
Float? {
    var single: Float? = null
    var found = false
    for (element in this) {
        if (predicate(element))
        {
            if (found) return null
            single = element
            found = true
        }
        if (!found) return
        null
    }
    return single
}

Returns the single element matching the given [predicate], or `null` if element
was not found or more than one element was found.

public inline fun DoubleArray.singleOrNull(predicate:
(Double) -> Boolean): Double? {
    var single: Double? = null
    var found = false
    for (element in this) {
        if
        (predicate(element)) {
            if (found) return null
            single = element
            found = true
        }
        if (!found) return
        null
    }
    return single
}

Returns the single element matching the given
[predicate], or `null` if element was not found or more than one element was found.

public inline fun
BooleanArray.singleOrNull(predicate: (Boolean) -> Boolean): Boolean? {
    var single: Boolean? = null
    var
    found = false
    for (element in this) {
        if (predicate(element)) {
            if (found) return null
            single
            = element
            found = true
        }
        if (!found) return null
    }
    return single
}

Returns the
single element matching the given [predicate], or `null` if element was not found or more than one element was
found.

public inline fun CharArray.singleOrNull(predicate: (Char) -> Boolean): Char? {
    var single: Char?
    = null
    var found = false
    for (element in this) {
        if (predicate(element)) {
            if (found) return

```

```

null\n      single = element\n      found = true\n    }\n  }\n  if (!found) return null\n  return
single\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun <T> Array<out T>.drop(n: Int): List<T> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun ByteArray.drop(n: Int): List<Byte> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun ShortArray.drop(n: Int): List<Short> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun IntArray.drop(n: Int): List<Int> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun LongArray.drop(n: Int): List<Long> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun FloatArray.drop(n: Int): List<Float> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun DoubleArray.drop(n: Int): List<Double> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun BooleanArray.drop(n: Int): List<Boolean>
{\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except first [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun CharArray.drop(n: Int): List<Char> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return takeLast((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun <T> Array<out T>.dropLast(n: Int): List<T>
{\n  require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun ByteArray.dropLast(n: Int): List<Byte> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n  return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic fun ShortArray.dropLast(n: Int): List<Short> {\n

```

```

require(n >= 0) { "Requested element count $n is less than zero." }
return take((size -
n).coerceAtLeast(0))
}
Returns a list containing all elements except last [n] elements.
Throws
IllegalArgumentExcep
tion if [n] is negative.
@sample
samples.collections.Collections.Transformations.drop
public fun IntArray.dropLast(n: Int): List<Int> {
require(n >= 0) { "Requested element count $n is less than zero." }
return take((size -
n).coerceAtLeast(0))
}
Returns a list containing all elements except last [n] elements.
Throws
IllegalArgumentExcep
tion if [n] is negative.
@sample
samples.collections.Collections.Transformations.drop
public fun LongArray.dropLast(n: Int): List<Long> {
require(n >= 0) { "Requested element count $n is less than zero." }
return take((size -
n).coerceAtLeast(0))
}
Returns a list containing all elements except last [n] elements.
Throws
IllegalArgumentExcep
tion if [n] is negative.
@sample
samples.collections.Collections.Transformations.drop
public fun FloatArray.dropLast(n: Int): List<Float> {
require(n >= 0) { "Requested element count $n is less than zero." }
return take((size -
n).coerceAtLeast(0))
}
Returns a list containing all elements except last [n] elements.
Throws
IllegalArgumentExcep
tion if [n] is negative.
@sample
samples.collections.Collections.Transformations.drop
public fun DoubleArray.dropLast(n: Int): List<Double> {
require(n >= 0) { "Requested element count $n is less than zero." }
return take((size -
n).coerceAtLeast(0))
}
Returns a list containing all elements except last [n] elements.
Throws
IllegalArgumentExcep
tion if [n] is negative.
@sample
samples.collections.Collections.Transformations.drop
public fun BooleanArray.dropLast(n: Int):
List<Boolean> {
require(n >= 0) { "Requested element count $n is less than zero." }
return take((size -
n).coerceAtLeast(0))
}
Returns a list containing all elements except last [n] elements.
Throws
IllegalArgumentExcep
tion if [n] is negative.
@sample
samples.collections.Collections.Transformations.drop
public fun CharArray.dropLast(n: Int): List<Char> {
require(n >= 0) { "Requested element count $n is less than zero." }
return take((size -
n).coerceAtLeast(0))
}
Returns a list containing all elements except last elements that satisfy the given
[predicate].
@sample
samples.collections.Collections.Transformations.drop
public inline fun <T>
Array<out T>.dropLastWhile(predicate: (T) -> Boolean): List<T> {
for (index in lastIndex downTo 0) {
if (!predicate(this[index])) {
return take(index + 1)
}
}
return emptyList()
}
Returns
a list containing all elements except last elements that satisfy the given [predicate].
@sample
samples.collections.Collections.Transformations.drop
public inline fun ByteArray.dropLastWhile(predicate:
(Byte) -> Boolean): List<Byte> {
for (index in lastIndex downTo 0) {
if (!predicate(this[index])) {
return take(index + 1)
}
}
return emptyList()
}
Returns a list containing all elements
except last elements that satisfy the given [predicate].
@sample
samples.collections.Collections.Transformations.drop
public inline fun ShortArray.dropLastWhile(predicate:
(Short) -> Boolean): List<Short> {
for (index in lastIndex downTo 0) {
if (!predicate(this[index])) {
return take(index + 1)
}
}
return emptyList()
}
Returns a list containing all elements
except last elements that satisfy the given [predicate].
@sample
samples.collections.Collections.Transformations.drop
public inline fun IntArray.dropLastWhile(predicate:
(Int) -> Boolean): List<Int> {
for (index in lastIndex downTo 0) {
if (!predicate(this[index])) {
return take(index + 1)
}
}
return emptyList()
}
Returns a list containing all elements
except last elements that satisfy the given [predicate].
@sample
samples.collections.Collections.Transformations.drop
public inline fun LongArray.dropLastWhile(predicate:
(Long) -> Boolean): List<Long> {
for (index in lastIndex downTo 0) {
if (!predicate(this[index])) {
return take(index + 1)
}
}
return emptyList()
}
Returns a list containing all elements
except last elements that satisfy the given [predicate].
@sample
samples.collections.Collections.Transformations.drop
public inline fun FloatArray.dropLastWhile(predicate:
(Float) -> Boolean): List<Float> {
for (index in lastIndex downTo 0) {
if (!predicate(this[index])) {

```

```

return take(index + 1)\n    }\n    }\n    return emptyList()\n}\n\n/**\n * Returns a list containing all elements
except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun DoubleArray.dropLastWhile(predicate:
(Double) -> Boolean): List<Double> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n
return take(index + 1)\n        }\n    }\n    return emptyList()\n}\n\n/**\n * Returns a list containing all elements
except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun
BooleanArray.dropLastWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n    for (index in lastIndex
downTo 0) {\n        if (!predicate(this[index])) {\n            return take(index + 1)\n        }\n    }\n    return
emptyList()\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given
[predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n *\npublic inline fun
CharArray.dropLastWhile(predicate: (Char) -> Boolean): List<Char> {\n    for (index in lastIndex downTo 0) {\n
if (!predicate(this[index])) {\n        return take(index + 1)\n    }\n    }\n    return emptyList()\n}\n\n/**\n *
Returns a list containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun <T> Array<out
T>.dropWhile(predicate: (T) -> Boolean): List<T> {\n    var yielding = false\n    val list = ArrayList<T>()\n    for
(item in this)\n        if (yielding)\n            list.add(item)\n        else if (!predicate(item)) {\n            list.add(item)\n
yielding = true\n        }\n    return list\n}\n\n/**\n * Returns a list containing all elements except first elements that
satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n *\npublic
inline fun ByteArray.dropWhile(predicate: (Byte) -> Boolean): List<Byte> {\n    var yielding = false\n    val list =
ArrayList<Byte>()\n    for (item in this)\n        if (yielding)\n            list.add(item)\n        else if (!predicate(item)) {\n
list.add(item)\n            yielding = true\n        }\n    return list\n}\n\n/**\n * Returns a list containing all
elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun ShortArray.dropWhile(predicate:
(Short) -> Boolean): List<Short> {\n    var yielding = false\n    val list = ArrayList<Short>()\n    for (item in this)\n
if (yielding)\n        list.add(item)\n    else if (!predicate(item)) {\n        list.add(item)\n        yielding =
true\n    }\n    return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the
given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n *\npublic inline fun
IntArray.dropWhile(predicate: (Int) -> Boolean): List<Int> {\n    var yielding = false\n    val list =
ArrayList<Int>()\n    for (item in this)\n        if (yielding)\n            list.add(item)\n        else if (!predicate(item)) {\n
list.add(item)\n            yielding = true\n        }\n    return list\n}\n\n/**\n * Returns a list containing all elements
except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun LongArray.dropWhile(predicate:
(Long) -> Boolean): List<Long> {\n    var yielding = false\n    val list = ArrayList<Long>()\n    for (item in this)\n
if (yielding)\n        list.add(item)\n    else if (!predicate(item)) {\n        list.add(item)\n        yielding =
true\n    }\n    return list\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the
given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n *\npublic inline fun
FloatArray.dropWhile(predicate: (Float) -> Boolean): List<Float> {\n    var yielding = false\n    val list =
ArrayList<Float>()\n    for (item in this)\n        if (yielding)\n            list.add(item)\n        else if (!predicate(item))
{\n            list.add(item)\n            yielding = true\n        }\n    return list\n}\n\n/**\n * Returns a list containing all
elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun DoubleArray.dropWhile(predicate:
(Double) -> Boolean): List<Double> {\n    var yielding = false\n    val list = ArrayList<Double>()\n    for (item in
this)\n        if (yielding)\n            list.add(item)\n        else if (!predicate(item)) {\n            list.add(item)\n
yielding = true\n        }\n    return list\n}\n\n/**\n * Returns a list containing all elements except first elements that
satisfy the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n *\npublic
inline fun BooleanArray.dropWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n    var yielding = false\n
val list = ArrayList<Boolean>()\n    for (item in this)\n        if (yielding)\n            list.add(item)\n        else if

```

```

(!predicate(item)) {\n      list.add(item)\n      yielding = true\n    }\n    return list\n}\n\n/**\n * Returns a list
containing all elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n *\npublic inline fun CharArray.dropWhile(predicate:
(Char) -> Boolean): List<Char> {\n    var yielding = false\n    val list = ArrayList<Char>()\n    for (item in this)\n    if (yielding)\n        list.add(item)\n    else if (!predicate(item)) {\n        list.add(item)\n        yielding =
true\n    }\n    return list\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n
*\npublic inline fun <T> Array<out T>.filter(predicate: (T) -> Boolean): List<T> {\n    return
filterTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given
[predicate].\n *\npublic inline fun ByteArray.filter(predicate: (Byte) -> Boolean): List<Byte> {\n    return
filterTo(ArrayList<Byte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given
[predicate].\n *\npublic inline fun ShortArray.filter(predicate: (Short) -> Boolean): List<Short> {\n    return
filterTo(ArrayList<Short>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given
[predicate].\n *\npublic inline fun IntArray.filter(predicate: (Int) -> Boolean): List<Int> {\n    return
filterTo(ArrayList<Int>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given
[predicate].\n *\npublic inline fun LongArray.filter(predicate: (Long) -> Boolean): List<Long> {\n    return
filterTo(ArrayList<Long>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given
[predicate].\n *\npublic inline fun FloatArray.filter(predicate: (Float) -> Boolean): List<Float> {\n    return
filterTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given
[predicate].\n *\npublic inline fun DoubleArray.filter(predicate: (Double) -> Boolean): List<Double> {\n    return
filterTo(ArrayList<Double>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given
[predicate].\n *\npublic inline fun BooleanArray.filter(predicate: (Boolean) -> Boolean): List<Boolean> {\n    return
filterTo(ArrayList<Boolean>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n *\npublic inline fun CharArray.filter(predicate: (Char) -> Boolean): List<Char> {\n    return
filterTo(ArrayList<Char>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given
[predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and returns
the result of predicate evaluation on the element.\n *\npublic inline fun <T> Array<out T>.filterIndexed(predicate:
(index: Int, T) -> Boolean): List<T> {\n    return filterIndexedTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a
list containing only elements matching the given [predicate].\n * @param [predicate] function that takes the index of
an element and the element itself\n * and returns the result of predicate evaluation on the element.\n *\npublic inline
fun ByteArray.filterIndexed(predicate: (index: Int, Byte) -> Boolean): List<Byte> {\n    return
filterIndexedTo(ArrayList<Byte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation on the element.\n *\npublic inline fun ShortArray.filterIndexed(predicate:
(index: Int, Short) -> Boolean): List<Short> {\n    return filterIndexedTo(ArrayList<Short>(), predicate)\n}\n\n/**\n
* Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes
the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n
*\npublic inline fun IntArray.filterIndexed(predicate: (index: Int, Int) -> Boolean): List<Int> {\n    return
filterIndexedTo(ArrayList<Int>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation on the element.\n *\npublic inline fun LongArray.filterIndexed(predicate:
(index: Int, Long) -> Boolean): List<Long> {\n    return filterIndexedTo(ArrayList<Long>(), predicate)\n}\n\n/**\n
* Returns a list containing only elements matching the given [predicate].\n * @param [predicate] function that takes
the index of an element and the element itself\n * and returns the result of predicate evaluation on the element.\n
*\npublic inline fun FloatArray.filterIndexed(predicate: (index: Int, Float) -> Boolean): List<Float> {\n    return
filterIndexedTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation on the element.\n *\npublic inline fun
DoubleArray.filterIndexed(predicate: (index: Int, Double) -> Boolean): List<Double> {\n    return

```

```

filterIndexedTo(ArrayList<Double>(), predicate)\n\n\n**\n * Returns a list containing only elements matching the
given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation on the element.\n */\npublic inline fun
BooleanArray.filterIndexed(predicate: (index: Int, Boolean) -> Boolean): List<Boolean> {\n    return
filterIndexedTo(ArrayList<Boolean>(), predicate)\n\n\n**\n * Returns a list containing only elements matching
the given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n *
and returns the result of predicate evaluation on the element.\n */\npublic inline fun
CharArray.filterIndexed(predicate: (index: Int, Char) -> Boolean): List<Char> {\n    return
filterIndexedTo(ArrayList<Char>(), predicate)\n\n\n**\n * Appends all elements matching the given [predicate] to
the given [destination].\n * @param [predicate] function that takes the index of an element and the element itself\n *
and returns the result of predicate evaluation on the element.\n */\npublic inline fun <T, C : MutableCollection<in
T>> Array<out T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean): C {\n    forEachIndexed {
index, element ->\n        if (predicate(index, element)) destination.add(element)\n    }\n    return
destination}\n\n\n**\n * Appends all elements matching the given [predicate] to the given [destination].\n *
@param [predicate] function that takes the index of an element and the element itself\n * and returns the result of
predicate evaluation on the element.\n */\npublic inline fun <C : MutableCollection<in Byte>>
ByteArray.filterIndexedTo(destination: C, predicate: (index: Int, Byte) -> Boolean): C {\n    forEachIndexed {
index, element ->\n        if (predicate(index, element)) destination.add(element)\n    }\n    return
destination}\n\n\n**\n * Appends all elements matching the given [predicate] to the given [destination].\n *
@param [predicate] function that takes the index of an element and the element itself\n * and returns the result of
predicate evaluation on the element.\n */\npublic inline fun <C : MutableCollection<in Short>>
ShortArray.filterIndexedTo(destination: C, predicate: (index: Int, Short) -> Boolean): C {\n    forEachIndexed {
index, element ->\n        if (predicate(index, element)) destination.add(element)\n    }\n    return
destination}\n\n\n**\n * Appends all elements matching the given [predicate] to the given [destination].\n *
@param [predicate] function that takes the index of an element and the element itself\n * and returns the result of
predicate evaluation on the element.\n */\npublic inline fun <C : MutableCollection<in Int>>
IntArray.filterIndexedTo(destination: C, predicate: (index: Int, Int) -> Boolean): C {\n    forEachIndexed { index,
element ->\n        if (predicate(index, element)) destination.add(element)\n    }\n    return destination}\n\n\n**\n *
Appends all elements matching the given [predicate] to the given [destination].\n * @param [predicate] function that
takes the index of an element and the element itself\n * and returns the result of predicate evaluation on the
element.\n */\npublic inline fun <C : MutableCollection<in Long>> LongArray.filterIndexedTo(destination: C,
predicate: (index: Int, Long) -> Boolean): C {\n    forEachIndexed { index, element ->\n        if (predicate(index,
element)) destination.add(element)\n    }\n    return destination}\n\n\n**\n * Appends all elements matching the
given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and
the element itself\n * and returns the result of predicate evaluation on the element.\n */\npublic inline fun <C :
MutableCollection<in Float>> FloatArray.filterIndexedTo(destination: C, predicate: (index: Int, Float) -> Boolean):
C {\n    forEachIndexed { index, element ->\n        if (predicate(index, element)) destination.add(element)\n    }\n    return
destination}\n\n\n**\n * Appends all elements matching the given [predicate] to the given [destination].\n *
@param [predicate] function that takes the index of an element and the element itself\n * and returns the result of
predicate evaluation on the element.\n */\npublic inline fun <C : MutableCollection<in Double>>
DoubleArray.filterIndexedTo(destination: C, predicate: (index: Int, Double) -> Boolean): C {\n    forEachIndexed {
index, element ->\n        if (predicate(index, element)) destination.add(element)\n    }\n    return
destination}\n\n\n**\n * Appends all elements matching the given [predicate] to the given [destination].\n *
@param [predicate] function that takes the index of an element and the element itself\n * and returns the result of
predicate evaluation on the element.\n */\npublic inline fun <C : MutableCollection<in Boolean>>
BooleanArray.filterIndexedTo(destination: C, predicate: (index: Int, Boolean) -> Boolean): C {\n    forEachIndexed {
index, element ->\n        if (predicate(index, element)) destination.add(element)\n    }\n    return
destination}\n\n\n**\n * Appends all elements matching the given [predicate] to the given [destination].\n *

```



```

@param [predicate] function that takes the index of an element and the element itself\n * and returns the result of
predicate evaluation on the element.\n *\npublic inline fun <C : MutableCollection<in Char>>
CharArray.filterIndexedTo(destination: C, predicate: (index: Int, Char) -> Boolean): C {\n  forEachIndexed {
index, element ->\n    if (predicate(index, element)) destination.add(element)\n  }\n  return
destination\n}\n\n/**\n * Returns a list containing all elements that are instances of specified type parameter R.\n *\npublic inline fun <reified R> Array<*>.filterIsInstance(): List<@kotlin.internal.NoInfer R> {\n  return
filterIsInstanceTo(ArrayList<R>())\n}\n\n/**\n * Appends all elements that are instances of specified type
parameter R to the given [destination].\n *\npublic inline fun <reified R, C : MutableCollection<in R>>
Array<*>.filterIsInstanceTo(destination: C): C {\n  for (element in this) if (element is R)
destination.add(element)\n  return destination\n}\n\n/**\n * Returns a list containing all elements not matching the
given [predicate].\n *\npublic inline fun <T> Array<out T>.filterNot(predicate: (T) -> Boolean): List<T> {\n
return filterNotTo(ArrayList<T>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the
given [predicate].\n *\npublic inline fun ByteArray.filterNot(predicate: (Byte) -> Boolean): List<Byte> {\n  return
filterNotTo(ArrayList<Byte>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the
given [predicate].\n *\npublic inline fun ShortArray.filterNot(predicate: (Short) -> Boolean): List<Short> {\n
return filterNotTo(ArrayList<Short>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching
the given [predicate].\n *\npublic inline fun IntArray.filterNot(predicate: (Int) -> Boolean): List<Int> {\n  return
filterNotTo(ArrayList<Int>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given
[predicate].\n *\npublic inline fun LongArray.filterNot(predicate: (Long) -> Boolean): List<Long> {\n  return
filterNotTo(ArrayList<Long>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the
given [predicate].\n *\npublic inline fun FloatArray.filterNot(predicate: (Float) -> Boolean): List<Float> {\n
return filterNotTo(ArrayList<Float>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not matching
the given [predicate].\n *\npublic inline fun DoubleArray.filterNot(predicate: (Double) -> Boolean): List<Double>
{\n  return filterNotTo(ArrayList<Double>(), predicate)\n}\n\n/**\n * Returns a list containing all elements not
matching the given [predicate].\n *\npublic inline fun BooleanArray.filterNot(predicate: (Boolean) -> Boolean):
List<Boolean> {\n  return filterNotTo(ArrayList<Boolean>(), predicate)\n}\n\n/**\n * Returns a list containing all
elements not matching the given [predicate].\n *\npublic inline fun CharArray.filterNot(predicate: (Char) ->
Boolean): List<Char> {\n  return filterNotTo(ArrayList<Char>(), predicate)\n}\n\n/**\n * Returns a list containing
all elements that are not `null`.\n *\npublic fun <T : Any> Array<out T?>.filterNotNull(): List<T> {\n  return
filterNotNullTo(ArrayList<T>())\n}\n\n/**\n * Appends all elements that are not `null` to the given [destination].\n
*\npublic fun <C : MutableCollection<in T>, T : Any> Array<out T?>.filterNotNullTo(destination: C): C {\n  for
(element in this) if (element != null) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all
elements not matching the given [predicate] to the given [destination].\n *\npublic inline fun <T, C :
MutableCollection<in T>> Array<out T>.filterNotTo(destination: C, predicate: (T) -> Boolean): C {\n  for
(element in this) if (!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all
elements not matching the given [predicate] to the given [destination].\n *\npublic inline fun <C :
MutableCollection<in Byte>> ByteArray.filterNotTo(destination: C, predicate: (Byte) -> Boolean): C {\n  for
(element in this) if (!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all
elements not matching the given [predicate] to the given [destination].\n *\npublic inline fun <C :
MutableCollection<in Short>> ShortArray.filterNotTo(destination: C, predicate: (Short) -> Boolean): C {\n  for
(element in this) if (!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all
elements not matching the given [predicate] to the given [destination].\n *\npublic inline fun <C :
MutableCollection<in Int>> IntArray.filterNotTo(destination: C, predicate: (Int) -> Boolean): C {\n  for (element
in this) if (!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements
not matching the given [predicate] to the given [destination].\n *\npublic inline fun <C : MutableCollection<in
Long>> LongArray.filterNotTo(destination: C, predicate: (Long) -> Boolean): C {\n  for (element in this) if
(!predicate(element)) destination.add(element)\n  return destination\n}\n\n/**\n * Appends all elements not
matching the given [predicate] to the given [destination].\n *\npublic inline fun <C : MutableCollection<in Float>>

```

FloatArray.filterNotTo(destination: C, predicate: (Float) -> Boolean): C { \n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\n\npublic inline fun <C : MutableCollection<in Double>> DoubleArray.filterNotTo(destination: C, predicate: (Double) -> Boolean): C { \n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\n\npublic inline fun <C : MutableCollection<in Boolean>> BooleanArray.filterNotTo(destination: C, predicate: (Boolean) -> Boolean): C { \n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements not matching the given [predicate] to the given [destination].\n */\n\npublic inline fun <C : MutableCollection<in Char>> CharArray.filterNotTo(destination: C, predicate: (Char) -> Boolean): C { \n for (element in this) if (!predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\n\npublic inline fun <T, C : MutableCollection<in T>> Array<out T>.filterTo(destination: C, predicate: (T) -> Boolean): C { \n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\n\npublic inline fun <C : MutableCollection<in Byte>> ByteArray.filterTo(destination: C, predicate: (Byte) -> Boolean): C { \n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\n\npublic inline fun <C : MutableCollection<in Short>> ShortArray.filterTo(destination: C, predicate: (Short) -> Boolean): C { \n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\n\npublic inline fun <C : MutableCollection<in Int>> IntArray.filterTo(destination: C, predicate: (Int) -> Boolean): C { \n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\n\npublic inline fun <C : MutableCollection<in Long>> LongArray.filterTo(destination: C, predicate: (Long) -> Boolean): C { \n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\n\npublic inline fun <C : MutableCollection<in Float>> FloatArray.filterTo(destination: C, predicate: (Float) -> Boolean): C { \n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\n\npublic inline fun <C : MutableCollection<in Double>> DoubleArray.filterTo(destination: C, predicate: (Double) -> Boolean): C { \n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\n\npublic inline fun <C : MutableCollection<in Boolean>> BooleanArray.filterTo(destination: C, predicate: (Boolean) -> Boolean): C { \n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n */\n\npublic inline fun <C : MutableCollection<in Char>> CharArray.filterTo(destination: C, predicate: (Char) -> Boolean): C { \n for (element in this) if (predicate(element)) destination.add(element)\n return destination\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\n\npublic fun <T> Array<out T>.slice(indices: IntRange): List<T> { \n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\n\npublic fun ByteArray.slice(indices: IntRange): List<Byte> { \n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\n\npublic fun ShortArray.slice(indices: IntRange): List<Short> { \n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\n\npublic fun IntArray.slice(indices: IntRange): List<Int> { \n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\n\npublic fun LongArray.slice(indices: IntRange): List<Long> { \n if

```

(indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic
fun FloatArray.slice(indices: IntRange): List<Float> {\n    if (indices.isEmpty()) return listOf()\n    return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at
indices in the specified [indices] range.\n */\npublic fun DoubleArray.slice(indices: IntRange): List<Double> {\n
if (indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n */\npublic
fun BooleanArray.slice(indices: IntRange): List<Boolean> {\n    if (indices.isEmpty()) return listOf()\n    return
copyOfRange(indices.start, indices.endInclusive + 1).asList()\n}\n\n/**\n * Returns a list containing elements at
indices in the specified [indices] range.\n */\npublic fun CharArray.slice(indices: IntRange): List<Char> {\n    if
(indices.isEmpty()) return listOf()\n    return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun <T> Array<out
T>.slice(indices: Iterable<Int>): List<T> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0)
return emptyList()\n    val list = ArrayList<T>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n
return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun
ByteArray.slice(indices: Iterable<Int>): List<Byte> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size
== 0) return emptyList()\n    val list = ArrayList<Byte>(size)\n    for (index in indices) {\n        list.add(get(index))\n
    }\n    return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n */\npublic fun
ShortArray.slice(indices: Iterable<Int>): List<Short> {\n    val size = indices.collectionSizeOrDefault(10)\n    if
(size == 0) return emptyList()\n    val list = ArrayList<Short>(size)\n    for (index in indices) {\n
list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n
*/\npublic fun IntArray.slice(indices: Iterable<Int>): List<Int> {\n    val size =
indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Int>(size)\n
for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing elements at
specified [indices].\n */\npublic fun LongArray.slice(indices: Iterable<Int>): List<Long> {\n    val size =
indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Long>(size)\n
for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing
elements at specified [indices].\n */\npublic fun FloatArray.slice(indices: Iterable<Int>): List<Float> {\n    val size =
indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list = ArrayList<Float>(size)\n
for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n * Returns a list containing
elements at specified [indices].\n */\npublic fun DoubleArray.slice(indices: Iterable<Int>): List<Double> {\n    val
size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list =
ArrayList<Double>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n
 * Returns a list containing elements at specified [indices].\n */\npublic fun BooleanArray.slice(indices: Iterable<Int>):
List<Boolean> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list
= ArrayList<Boolean>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n
 * Returns a list containing elements at specified [indices].\n */\npublic fun CharArray.slice(indices: Iterable<Int>):
List<Char> {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return emptyList()\n    val list =
ArrayList<Char>(size)\n    for (index in indices) {\n        list.add(get(index))\n    }\n    return list\n}\n\n/**\n
 * Returns an array containing elements of this array at specified [indices].\n */\npublic fun <T>
Array<T>.sliceArray(indices: Collection<Int>): Array<T> {\n    val result = arrayOfNulls(this, indices.size)\n    var
targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n    return
result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun
ByteArray.sliceArray(indices: Collection<Int>): ByteArray {\n    val result = ByteArray(indices.size)\n    var
targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n    return
result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n */\npublic fun
ShortArray.sliceArray(indices: Collection<Int>): ShortArray {\n    val result = ShortArray(indices.size)\n    var
targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n    return
}

```

```

result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n *\npublic fun
IntArray.sliceArray(indices: Collection<Int>): IntArray {\n    val result = IntArray(indices.size)\n    var targetIndex
= 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n    return
result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n *\npublic fun
LongArray.sliceArray(indices: Collection<Int>): LongArray {\n    val result = LongArray(indices.size)\n    var
targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n    return
result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n *\npublic fun
FloatArray.sliceArray(indices: Collection<Int>): FloatArray {\n    val result = FloatArray(indices.size)\n    var
targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n    return
result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n *\npublic fun
DoubleArray.sliceArray(indices: Collection<Int>): DoubleArray {\n    val result = DoubleArray(indices.size)\n
var targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n
return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n *\npublic fun
BooleanArray.sliceArray(indices: Collection<Int>): BooleanArray {\n    val result = BooleanArray(indices.size)\n
var targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n
return result\n}\n\n/**\n * Returns an array containing elements of this array at specified [indices].\n *\npublic fun
CharArray.sliceArray(indices: Collection<Int>): CharArray {\n    val result = CharArray(indices.size)\n    var
targetIndex = 0\n    for (sourceIndex in indices) {\n        result[targetIndex++] = this[sourceIndex]\n    }\n    return
result\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n *\npublic fun
<T> Array<T>.sliceArray(indices: IntRange): Array<T> {\n    if (indices.isEmpty()) return copyOfRange(0, 0)\n
return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at
indices in the specified [indices] range.\n *\npublic fun ByteArray.sliceArray(indices: IntRange): ByteArray {\n    if
(indices.isEmpty()) return ByteArray(0)\n    return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n
* Returns an array containing elements at indices in the specified [indices] range.\n *\npublic fun
ShortArray.sliceArray(indices: IntRange): ShortArray {\n    if (indices.isEmpty()) return ShortArray(0)\n    return
copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices
in the specified [indices] range.\n *\npublic fun IntArray.sliceArray(indices: IntRange): IntArray {\n    if
(indices.isEmpty()) return IntArray(0)\n    return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n
* Returns an array containing elements at indices in the specified [indices] range.\n *\npublic fun
LongArray.sliceArray(indices: IntRange): LongArray {\n    if (indices.isEmpty()) return LongArray(0)\n    return
copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at indices
in the specified [indices] range.\n *\npublic fun FloatArray.sliceArray(indices: IntRange): FloatArray {\n    if
(indices.isEmpty()) return FloatArray(0)\n    return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n
* Returns an array containing elements at indices in the specified [indices] range.\n *\npublic fun
DoubleArray.sliceArray(indices: IntRange): DoubleArray {\n    if (indices.isEmpty()) return DoubleArray(0)\n
return copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns an array containing elements at
indices in the specified [indices] range.\n *\npublic fun BooleanArray.sliceArray(indices: IntRange): BooleanArray
{\n    if (indices.isEmpty()) return BooleanArray(0)\n    return copyOfRange(indices.start, indices.endInclusive +
1)\n}\n\n/**\n * Returns an array containing elements at indices in the specified [indices] range.\n *\npublic fun
CharArray.sliceArray(indices: IntRange): CharArray {\n    if (indices.isEmpty()) return CharArray(0)\n    return
copyOfRange(indices.start, indices.endInclusive + 1)\n}\n\n/**\n * Returns a list containing first [n] elements.\n *\n
* @throws IllegalArgumentException if [n] is negative.\n *\n * @sample
samples.collections.Collections.Transformations.take\n *\npublic fun <T> Array<out T>.take(n: Int): List<T> {\n
require(n >= 0) {\n    "Requested element count $n is less than zero." }\n    if (n == 0) return emptyList()\n    if (n >=
size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<T>(n)\n    for
(item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n    return list\n}\n\n/**\n
* Returns a list containing first [n] elements.\n *\n * @throws IllegalArgumentException if [n] is negative.\n *\n * @sample
samples.collections.Collections.Transformations.take\n *\npublic fun ByteArray.take(n: Int): List<Byte> {\n

```

```

require(n >= 0) { \"Requested element count $n is less than zero.\" } \n  if (n == 0) return emptyList()\n  if (n >=
size) return toList()\n  if (n == 1) return listOf(this[0])\n  var count = 0\n  val list = ArrayList<Byte>(n)\n  for
(item in this) {\n    list.add(item)\n    if (++count == n)\n      break\n  }\n  return list\n}\n\n/**\n * Returns
a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic fun ShortArray.take(n: Int): List<Short> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" } \n  if (n == 0) return emptyList()\n  if (n >=
size) return toList()\n  if (n == 1) return listOf(this[0])\n  var count = 0\n  val list = ArrayList<Short>(n)\n  for
(item in this) {\n    list.add(item)\n    if (++count == n)\n      break\n  }\n  return list\n}\n\n/**\n * Returns
a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic fun IntArray.take(n: Int): List<Int> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" } \n  if (n == 0) return emptyList()\n  if (n >=
size) return toList()\n  if (n == 1) return listOf(this[0])\n  var count = 0\n  val list = ArrayList<Int>(n)\n  for
(item in this) {\n    list.add(item)\n    if (++count == n)\n      break\n  }\n  return list\n}\n\n/**\n * Returns
a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic fun LongArray.take(n: Int): List<Long> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" } \n  if (n == 0) return emptyList()\n  if (n >=
size) return toList()\n  if (n == 1) return listOf(this[0])\n  var count = 0\n  val list = ArrayList<Long>(n)\n  for
(item in this) {\n    list.add(item)\n    if (++count == n)\n      break\n  }\n  return list\n}\n\n/**\n * Returns
a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic fun FloatArray.take(n: Int): List<Float> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" } \n  if (n == 0) return emptyList()\n  if (n >=
size) return toList()\n  if (n == 1) return listOf(this[0])\n  var count = 0\n  val list = ArrayList<Float>(n)\n  for
(item in this) {\n    list.add(item)\n    if (++count == n)\n      break\n  }\n  return list\n}\n\n/**\n * Returns
a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic fun DoubleArray.take(n: Int): List<Double> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" } \n  if (n == 0) return emptyList()\n  if (n >=
size) return toList()\n  if (n == 1) return listOf(this[0])\n  var count = 0\n  val list = ArrayList<Double>(n)\n
for (item in this) {\n    list.add(item)\n    if (++count == n)\n      break\n  }\n  return list\n}\n\n/**\n *
Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n *
@sample samples.collections.Collections.Transformations.take\n *\npublic fun BooleanArray.take(n: Int):
List<Boolean> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" } \n  if (n == 0) return
emptyList()\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[0])\n  var count = 0\n  val list =
ArrayList<Boolean>(n)\n  for (item in this) {\n    list.add(item)\n    if (++count == n)\n      break\n  }\n
return list\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if
[n] is negative.\n * \n * @sample samples.collections.Collections.Transformations.take\n *\npublic fun
CharArray.take(n: Int): List<Char> {\n  require(n >= 0) { \"Requested element count $n is less than zero.\" } \n  if
(n == 0) return emptyList()\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[0])\n  var count = 0\n
val list = ArrayList<Char>(n)\n  for (item in this) {\n    list.add(item)\n    if (++count == n)\n      break\n
}\n  return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws
IllegalArgumentExcep\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic fun <T> Array<out T>.takeLast(n: Int): List<T>
{\n  require(n >= 0) { \"Requested element count $n is less than zero.\" } \n  if (n == 0) return emptyList()\n  val
size = size\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[size - 1])\n  val list =
ArrayList<T>(n)\n  for (index in size - n until size)\n    list.add(this[index])\n  return list\n}\n\n/**\n * Returns
a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic fun ByteArray.takeLast(n: Int): List<Byte> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" } \n  if (n == 0) return emptyList()\n  val size =
size\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[size - 1])\n  val list = ArrayList<Byte>(n)\n

```

```

for (index in size - n until size)\n    list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic fun ShortArray.takeLast(n: Int): List<Short> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size =
size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<Short>(n)\n
for (index in size - n until size)\n    list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic fun IntArray.takeLast(n: Int): List<Int> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size =
size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<Int>(n)\n
for (index in size - n until size)\n    list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic fun LongArray.takeLast(n: Int): List<Long> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size =
size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<Long>(n)\n
for (index in size - n until size)\n    list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic fun FloatArray.takeLast(n: Int): List<Float> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size =
size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<Float>(n)\n
for (index in size - n until size)\n    list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic fun DoubleArray.takeLast(n: Int): List<Double>
{\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val
size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list =
ArrayList<Double>(n)\n    for (index in size - n until size)\n    list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic fun BooleanArray.takeLast(n: Int):
List<Boolean> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return
emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list
= ArrayList<Boolean>(n)\n    for (index in size - n until size)\n    list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic fun CharArray.takeLast(n: Int):
List<Char> {\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return
emptyList()\n    val size = size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list
= ArrayList<Char>(n)\n    for (index in size - n until size)\n    list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun <T> Array<out
T>.takeLastWhile(predicate: (T) -> Boolean): List<T> {\n    for (index in lastIndex downTo 0) {\n        if
(!predicate(this[index])) {\n            return drop(index + 1)\n        }\n    }\n    return toList()\n}\n\n/**\n * Returns a
list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun ByteArray.takeLastWhile(predicate:
(Byte) -> Boolean): List<Byte> {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n
return drop(index + 1)\n        }\n    }\n    return toList()\n}\n\n/**\n * Returns a list containing last elements
satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\npublic inline fun ShortArray.takeLastWhile(predicate: (Short) -> Boolean): List<Short> {\n    for (index in lastIndex
downTo 0) {\n        if (!predicate(this[index])) {\n            return drop(index + 1)\n        }\n    }\n    return
toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample

```

```

samples.collections.Collections.Transformations.take\n *^\npublic inline fun IntArray.takeLastWhile(predicate: (Int)
-> Boolean): List<Int> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n return
drop(index + 1)\n } \n } \n return toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the
given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n *^\npublic inline fun
LongArray.takeLastWhile(predicate: (Long) -> Boolean): List<Long> {\n for (index in lastIndex downTo 0) {\n
if (!predicate(this[index])) {\n return drop(index + 1)\n } \n } \n return toList()\n}\n\n/**\n * Returns
a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *^\npublic inline fun FloatArray.takeLastWhile(predicate:
(Float) -> Boolean): List<Float> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n
return drop(index + 1)\n } \n } \n return toList()\n}\n\n/**\n * Returns a list containing last elements
satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n *^\npublic
inline fun DoubleArray.takeLastWhile(predicate: (Double) -> Boolean): List<Double> {\n for (index in lastIndex
downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n } \n } \n return
toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *^\npublic inline fun
BooleanArray.takeLastWhile(predicate: (Boolean) -> Boolean): List<Boolean> {\n for (index in lastIndex
downTo 0) {\n if (!predicate(this[index])) {\n return drop(index + 1)\n } \n } \n return
toList()\n}\n\n/**\n * Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *^\npublic inline fun CharArray.takeLastWhile(predicate:
(Char) -> Boolean): List<Char> {\n for (index in lastIndex downTo 0) {\n if (!predicate(this[index])) {\n
return drop(index + 1)\n } \n } \n return toList()\n}\n\n/**\n * Returns a list containing first elements
satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n *^\npublic
inline fun <T> Array<out T>.takeWhile(predicate: (T) -> Boolean): List<T> {\n val list = ArrayList<T>()\n for
(item in this) {\n if (!predicate(item))\n break\n list.add(item)\n } \n return list\n}\n\n/**\n *
Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *^\npublic inline fun ByteArray.takeWhile(predicate: (Byte)
-> Boolean): List<Byte> {\n val list = ArrayList<Byte>()\n for (item in this) {\n if (!predicate(item))\n
break\n list.add(item)\n } \n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the
given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n *^\npublic inline fun
ShortArray.takeWhile(predicate: (Short) -> Boolean): List<Short> {\n val list = ArrayList<Short>()\n for (item
in this) {\n if (!predicate(item))\n break\n list.add(item)\n } \n return list\n}\n\n/**\n * Returns a
list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *^\npublic inline fun IntArray.takeWhile(predicate: (Int) ->
Boolean): List<Int> {\n val list = ArrayList<Int>()\n for (item in this) {\n if (!predicate(item))\n
break\n list.add(item)\n } \n return list\n}\n\n/**\n * Returns a list containing first elements satisfying the
given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n *^\npublic inline fun
LongArray.takeWhile(predicate: (Long) -> Boolean): List<Long> {\n val list = ArrayList<Long>()\n for (item
in this) {\n if (!predicate(item))\n break\n list.add(item)\n } \n return list\n}\n\n/**\n * Returns a
list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *^\npublic inline fun FloatArray.takeWhile(predicate:
(Float) -> Boolean): List<Float> {\n val list = ArrayList<Float>()\n for (item in this) {\n if
(!predicate(item))\n break\n list.add(item)\n } \n return list\n}\n\n/**\n * Returns a list containing first
elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n
*^\npublic inline fun DoubleArray.takeWhile(predicate: (Double) -> Boolean): List<Double> {\n val list =
ArrayList<Double>()\n for (item in this) {\n if (!predicate(item))\n break\n list.add(item)\n } \n
return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *^\npublic inline fun BooleanArray.takeWhile(predicate:
(Boolean) -> Boolean): List<Boolean> {\n val list = ArrayList<Boolean>()\n for (item in this) {\n if

```

```

(!predicate(item))\n      break\n      list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing first
elements satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n
*/\npublic inline fun CharArray.takeWhile(predicate: (Char) -> Boolean): List<Char> {\n    val list =
ArrayList<Char>()\n    for (item in this) {\n        if (!predicate(item))\n            break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun <T> Array<T>.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in
0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun ByteArray.reverse():
Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in
0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun ShortArray.reverse():
Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in
0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun IntArray.reverse():
Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in
0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun LongArray.reverse():
Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in
0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun FloatArray.reverse():
Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in
0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n */\npublic fun
DoubleArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var reverseIndex =
lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] = this[reverseIndex]\n
this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the array in-place.\n
*/\npublic fun BooleanArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0) return\n    var
reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index] =
this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Reverses elements in the
array in-place.\n */\npublic fun CharArray.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if (midPoint < 0)
return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n        this[index]
= this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n/**\n * Returns a list with
elements in reversed order.\n */\npublic fun <T> Array<out T>.reversed(): List<T> {\n    if (isEmpty()) return
emptyList()\n    val list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements
in reversed order.\n */\npublic fun ByteArray.reversed(): List<Byte> {\n    if (isEmpty()) return emptyList()\n    val
list = toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n
*/\npublic fun ShortArray.reversed(): List<Short> {\n    if (isEmpty()) return emptyList()\n    val list =
toMutableList()\n    list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n
*/\npublic fun IntArray.reversed(): List<Int> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n
list.reverse()\n    return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun
LongArray.reversed(): List<Long> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n    list.reverse()\n
return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun
FloatArray.reversed(): List<Float> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n    list.reverse()\n
return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun
DoubleArray.reversed(): List<Double> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n    list.reverse()\n
return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun
BooleanArray.reversed(): List<Boolean> {\n    if (isEmpty()) return emptyList()\n    val list = toMutableList()\n    list.reverse()\n
return list\n}\n\n/**\n * Returns a list with elements in reversed order.\n */\npublic fun

```



```

CharArray.reversed(): List<Char> {\n  if (isEmpty()) return emptyList()\n  val list = toMutableList()\n  list.reverse()\n  return list\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun <T> Array<T>.reversedArray(): Array<T> {\n  if (isEmpty()) return this\n  val result = arrayOfNulls(this, size)\n  val lastIndex = lastIndex\n  for (i in 0..lastIndex)\n    result[lastIndex - i] = this[i]\n  return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun ByteArray.reversedArray(): ByteArray {\n  if (isEmpty()) return this\n  val result = ByteArray(size)\n  val lastIndex = lastIndex\n  for (i in 0..lastIndex)\n    result[lastIndex - i] = this[i]\n  return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun ShortArray.reversedArray(): ShortArray {\n  if (isEmpty()) return this\n  val result = ShortArray(size)\n  val lastIndex = lastIndex\n  for (i in 0..lastIndex)\n    result[lastIndex - i] = this[i]\n  return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun IntArray.reversedArray(): IntArray {\n  if (isEmpty()) return this\n  val result = IntArray(size)\n  val lastIndex = lastIndex\n  for (i in 0..lastIndex)\n    result[lastIndex - i] = this[i]\n  return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun LongArray.reversedArray(): LongArray {\n  if (isEmpty()) return this\n  val result = LongArray(size)\n  val lastIndex = lastIndex\n  for (i in 0..lastIndex)\n    result[lastIndex - i] = this[i]\n  return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun FloatArray.reversedArray(): FloatArray {\n  if (isEmpty()) return this\n  val result = FloatArray(size)\n  val lastIndex = lastIndex\n  for (i in 0..lastIndex)\n    result[lastIndex - i] = this[i]\n  return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun DoubleArray.reversedArray(): DoubleArray {\n  if (isEmpty()) return this\n  val result = DoubleArray(size)\n  val lastIndex = lastIndex\n  for (i in 0..lastIndex)\n    result[lastIndex - i] = this[i]\n  return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun BooleanArray.reversedArray(): BooleanArray {\n  if (isEmpty()) return this\n  val result = BooleanArray(size)\n  val lastIndex = lastIndex\n  for (i in 0..lastIndex)\n    result[lastIndex - i] = this[i]\n  return result\n}\n\n/**\n * Returns an array with elements of this array in reversed order.\n */\npublic fun CharArray.reversedArray(): CharArray {\n  if (isEmpty()) return this\n  val result = CharArray(size)\n  val lastIndex = lastIndex\n  for (i in 0..lastIndex)\n    result[lastIndex - i] = this[i]\n  return result\n}\n\nSorts elements in the array in-place according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>> Array<out T>.sortBy(crossinline selector: (T) -> R?): Unit {\n  if (size > 1) sortBy(compareBy(selector))\n}\n\n/**\n * Sorts elements in the array in-place descending according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic inline fun <T, R : Comparable<R>> Array<out T>.sortByDescending(crossinline selector: (T) -> R?): Unit {\n  if (size > 1) sortByDescending(compareByDescending(selector))\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Array<out T>.sortDescending(): Unit {\n  sortByDescending(reverseOrder())\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun ByteArray.sortDescending(): Unit {\n  if (size > 1) {\n    sort()\n    reverse()\n  }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun ShortArray.sortDescending(): Unit {\n  if (size > 1) {\n    sort()\n    reverse()\n  }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun IntArray.sortDescending(): Unit {\n  if (size > 1) {\n    sort()\n    reverse()\n  }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun LongArray.sortDescending(): Unit {\n  if (size > 1) {\n    sort()\n    reverse()\n  }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun FloatArray.sortDescending(): Unit {\n  if (size > 1) {\n    sort()\n    reverse()\n  }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */\npublic fun DoubleArray.sortDescending(): Unit {\n  if (size > 1) {\n    sort()\n    reverse()\n  }\n}\n\n/**\n * Sorts elements in the array in-place descending according to their natural sort order.\n */

```

```

*^public fun CharArray.sortDescending(): Unit {
    if (size > 1) {
        sort()
        reverse()
    }
}
Returns a list of all elements sorted according to their natural sort order.
The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.
^public fun <T : Comparable<T>>
Array<out T>.sorted(): List<T> {
    return sortedArray().asList()
}
Returns a list of all elements sorted according to their natural sort order.
^public fun ByteArray.sorted(): List<Byte> {
    return
toTypedArray().apply { sort() }.asList()
}
Returns a list of all elements sorted according to their natural sort order.
^public fun ShortArray.sorted(): List<Short> {
    return toTypedArray().apply { sort()
}.asList()
}
Returns a list of all elements sorted according to their natural sort order.
^public fun IntArray.sorted(): List<Int> {
    return toTypedArray().apply { sort() }.asList()
}
Returns a list of all elements sorted according to their natural sort order.
^public fun LongArray.sorted(): List<Long> {
    return toTypedArray().apply { sort() }.asList()
}
Returns a list of all elements sorted according to their natural sort order.
^public fun FloatArray.sorted(): List<Float> {
    return toTypedArray().apply { sort()
}.asList()
}
Returns a list of all elements sorted according to their natural sort order.
^public fun DoubleArray.sorted(): List<Double> {
    return toTypedArray().apply { sort() }.asList()
}
Returns a list of all elements sorted according to their natural sort order.
^public fun CharArray.sorted(): List<Char> {
    return toTypedArray().apply { sort() }.asList()
}
Returns an array with all elements of this array sorted according to their natural sort order.
The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.
^public fun <T : Comparable<T>> Array<T>.sortedArray(): Array<T> {
    if (isEmpty()) return this
    return this.copyOf().apply { sort() }
}
Returns an array with all elements of this array sorted according to their natural sort order.
^public fun ByteArray.sortedArray(): ByteArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sort() }
}
Returns an array with all elements of this array sorted according to their natural sort order.
^public fun ShortArray.sortedArray(): ShortArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sort() }
}
Returns an array with all elements of this array sorted according to their natural sort order.
^public fun IntArray.sortedArray(): IntArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sort() }
}
Returns an array with all elements of this array sorted according to their natural sort order.
^public fun LongArray.sortedArray(): LongArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sort() }
}
Returns an array with all elements of this array sorted according to their natural sort order.
^public fun FloatArray.sortedArray(): FloatArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sort() }
}
Returns an array with all elements of this array sorted according to their natural sort order.
^public fun DoubleArray.sortedArray(): DoubleArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sort() }
}
Returns an array with all elements of this array sorted according to their natural sort order.
^public fun CharArray.sortedArray(): CharArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sort() }
}
Returns an array with all elements of this array sorted descending according to their natural sort order.
The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.
^public fun <T : Comparable<T>>
Array<T>.sortedArrayDescending(): Array<T> {
    if (isEmpty()) return this
    return this.copyOf().apply {
sortWith(reverseOrder()) }
}
Returns an array with all elements of this array sorted descending according to their natural sort order.
^public fun ByteArray.sortedArrayDescending(): ByteArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sortDescending() }
}
Returns an array with all elements of this array sorted descending according to their natural sort order.
^public fun ShortArray.sortedArrayDescending(): ShortArray {
    if (isEmpty()) return this
    return this.copyOf().apply {
sortDescending() }
}
Returns an array with all elements of this array sorted descending according to their natural sort order.
^public fun IntArray.sortedArrayDescending(): IntArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sortDescending() }
}
Returns an array with all elements of this array sorted descending according to their natural sort order.
^public fun LongArray.sortedArrayDescending(): LongArray {
    if (isEmpty()) return this
    return this.copyOf().apply { sortDescending() }
}
Returns an array with all elements of this array sorted descending according to their natural sort order.
^public fun FloatArray.sortedArrayDescending(): FloatArray {
    if (isEmpty()) return this
    return this.copyOf().apply {

```

```

sortDescending() } } \n \n /** \n * Returns an array with all elements of this array sorted descending according to
their natural sort order. \n */ \n public fun DoubleArray.sortedArrayDescending(): DoubleArray { \n if (isEmpty())
return this \n return this.copyOf().apply { sortDescending() } } \n \n /** \n * Returns an array with all elements of
this array sorted descending according to their natural sort order. \n */ \n public fun
CharArray.sortedArrayDescending(): CharArray { \n if (isEmpty()) return this \n return this.copyOf().apply {
sortDescending() } } \n \n /** \n * Returns an array with all elements of this array sorted according the specified
[comparator]. \n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other
after sorting. \n */ \n public fun <T> Array<out T>.sortedArrayWith(comparator: Comparator<in T>): Array<out T>
{ \n if (isEmpty()) return this \n return this.copyOf().apply { sortWith(comparator) } } \n \n /** \n * Returns a list
of all elements sorted according to natural sort order of the value returned by specified [selector] function. \n * \n *
The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting. \n
*/ \n public inline fun <T, R : Comparable<R>> Array<out T>.sortedBy(crossinline selector: (T) -> R?): List<T> { \n
return sortedWith(compareBy(selector)) } \n \n /** \n * Returns a list of all elements sorted according to natural sort
order of the value returned by specified [selector] function. \n */ \n public inline fun <R : Comparable<R>>
ByteArray.sortedBy(crossinline selector: (Byte) -> R?): List<Byte> { \n return
sortedWith(compareBy(selector)) } \n \n /** \n * Returns a list of all elements sorted according to natural sort order
of the value returned by specified [selector] function. \n */ \n public inline fun <R : Comparable<R>>
ShortArray.sortedBy(crossinline selector: (Short) -> R?): List<Short> { \n return
sortedWith(compareBy(selector)) } \n \n /** \n * Returns a list of all elements sorted according to natural sort order
of the value returned by specified [selector] function. \n */ \n public inline fun <R : Comparable<R>>
IntArray.sortedBy(crossinline selector: (Int) -> R?): List<Int> { \n return
sortedWith(compareBy(selector)) } \n \n /** \n * Returns a list of all elements sorted according to natural sort order
of the value returned by specified [selector] function. \n */ \n public inline fun <R : Comparable<R>>
LongArray.sortedBy(crossinline selector: (Long) -> R?): List<Long> { \n return
sortedWith(compareBy(selector)) } \n \n /** \n * Returns a list of all elements sorted according to natural sort order
of the value returned by specified [selector] function. \n */ \n public inline fun <R : Comparable<R>>
FloatArray.sortedBy(crossinline selector: (Float) -> R?): List<Float> { \n return
sortedWith(compareBy(selector)) } \n \n /** \n * Returns a list of all elements sorted according to natural sort order
of the value returned by specified [selector] function. \n */ \n public inline fun <R : Comparable<R>>
DoubleArray.sortedBy(crossinline selector: (Double) -> R?): List<Double> { \n return
sortedWith(compareBy(selector)) } \n \n /** \n * Returns a list of all elements sorted according to natural sort order
of the value returned by specified [selector] function. \n */ \n public inline fun <R : Comparable<R>>
BooleanArray.sortedBy(crossinline selector: (Boolean) -> R?): List<Boolean> { \n return
sortedWith(compareBy(selector)) } \n \n /** \n * Returns a list of all elements sorted according to natural sort order
of the value returned by specified [selector] function. \n */ \n public inline fun <R : Comparable<R>>
CharArray.sortedBy(crossinline selector: (Char) -> R?): List<Char> { \n return
sortedWith(compareBy(selector)) } \n \n /** \n * Returns a list of all elements sorted descending according to natural
sort order of the value returned by specified [selector] function. \n * \n * The sort is _stable_. It means that equal
elements preserve their order relative to each other after sorting. \n */ \n public inline fun <T, R : Comparable<R>>
Array<out T>.sortedByDescending(crossinline selector: (T) -> R?): List<T> { \n return
sortedWith(compareByDescending(selector)) } \n \n /** \n * Returns a list of all elements sorted descending
according to natural sort order of the value returned by specified [selector] function. \n */ \n public inline fun <R :
Comparable<R>> ByteArray.sortedByDescending(crossinline selector: (Byte) -> R?): List<Byte> { \n return
sortedWith(compareByDescending(selector)) } \n \n /** \n * Returns a list of all elements sorted descending
according to natural sort order of the value returned by specified [selector] function. \n */ \n public inline fun <R :
Comparable<R>> ShortArray.sortedByDescending(crossinline selector: (Short) -> R?): List<Short> { \n return
sortedWith(compareByDescending(selector)) } \n \n /** \n * Returns a list of all elements sorted descending
according to natural sort order of the value returned by specified [selector] function. \n */ \n public inline fun <R :

```

Comparable<R>> IntArray.sortedByDescending(crossinline selector: (Int) -> R?): List<Int> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> LongArray.sortedByDescending(crossinline selector: (Long) -> R?): List<Long> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> FloatArray.sortedByDescending(crossinline selector: (Float) -> R?): List<Float> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> DoubleArray.sortedByDescending(crossinline selector: (Double) -> R?): List<Double> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> BooleanArray.sortedByDescending(crossinline selector: (Boolean) -> R?): List<Boolean> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to natural sort order of the value returned by specified [selector] function.\n */\npublic inline fun <R : Comparable<R>> CharArray.sortedByDescending(crossinline selector: (Char) -> R?): List<Char> {\n return sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\n\n * The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T : Comparable<T>> Array<out T>.sortedDescending(): List<T> {\n return sortedWith(reverseOrder())\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun ByteArray.sortedDescending(): List<Byte> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun ShortArray.sortedDescending(): List<Short> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun IntArray.sortedDescending(): List<Int> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun LongArray.sortedDescending(): List<Long> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun FloatArray.sortedDescending(): List<Float> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun DoubleArray.sortedDescending(): List<Double> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending according to their natural sort order.\n */\npublic fun CharArray.sortedDescending(): List<Char> {\n return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\n\n * The sort is `_stable_`. It means that equal elements preserve their order relative to each other after sorting.\n */\npublic fun <T> Array<out T>.sortedWith(comparator: Comparator<in T>): List<T> {\n return sortedArrayWith(comparator).asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun ByteArray.sortedWith(comparator: Comparator<in Byte>): List<Byte> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun ShortArray.sortedWith(comparator: Comparator<in Short>): List<Short> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun IntArray.sortedWith(comparator: Comparator<in Int>): List<Int> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun LongArray.sortedWith(comparator: Comparator<in Long>): List<Long> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according to the specified [comparator].\n */\npublic fun FloatArray.sortedWith(comparator: Comparator<in Float>): List<Float> {\n return toTypedArray().apply { sortWith(comparator) }.asList()\n}\n\n/**\n * Returns a list of all elements sorted according

to the specified [comparator].
`public fun DoubleArray.sortedWith(comparator: Comparator<in Double>): List<Double> {`
`return toTypedArray().apply { sortedWith(comparator) }.asList()`
`}`
Returns a list of all elements sorted according to the specified [comparator].
`public fun BooleanArray.sortedWith(comparator: Comparator<in Boolean>): List<Boolean> {`
`return toTypedArray().apply { sortedWith(comparator) }.asList()`
`}`
Returns a list of all elements sorted according to the specified [comparator].
`public fun CharArray.sortedWith(comparator: Comparator<in Char>): List<Char> {`
`return toTypedArray().apply { sortedWith(comparator) }.asList()`
`}`
Returns a [List] that wraps the original array.
`public expect fun <T> Array<out T>.asList(): List<T>`
Returns a [List] that wraps the original array.
`public expect fun ByteArray.asList(): List<Byte>`
Returns a [List] that wraps the original array.
`public expect fun ShortArray.asList(): List<Short>`
Returns a [List] that wraps the original array.
`public expect fun IntArray.asList(): List<Int>`
Returns a [List] that wraps the original array.
`public expect fun LongArray.asList(): List<Long>`
Returns a [List] that wraps the original array.
`public expect fun FloatArray.asList(): List<Float>`
Returns a [List] that wraps the original array.
`public expect fun DoubleArray.asList(): List<Double>`
Returns a [List] that wraps the original array.
`public expect fun BooleanArray.asList(): List<Boolean>`
Returns a [List] that wraps the original array.
`public expect fun CharArray.asList(): List<Char>`
Returns `true` if the two specified arrays are **deeply** equal to one another, i.e. contain the same number of the same elements in the same order. If two corresponding elements are nested arrays, they are also compared deeply. If any of arrays contains itself on any nesting level the behavior is undefined. The elements of other types are compared for equality with the [equals][Any.equals] function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
`@SinceKotlin("1.1")`
`public expect infix fun <T> Array<out T>.contentDeepEquals(other: Array<out T>): Boolean`
Returns a hash code based on the contents of this array as if it is [List]. Nested arrays are treated as lists too. If any of arrays contains itself on any nesting level the behavior is undefined.
`@SinceKotlin("1.1")`
`public expect fun <T> Array<out T>.contentDeepHashCode(): Int`
Returns a string representation of the contents of this array as if it is a [List]. Nested arrays are treated as lists too. If any of arrays contains itself on any nesting level that reference is rendered as `[...]` to prevent recursion.
`@sample` samples.collections.Arrays.ContentOperations.contentDeepToString
`@SinceKotlin("1.1")`
`public expect fun <T> Array<out T>.contentDeepToString(): String`
Returns `true` if the two specified arrays are **structurally** equal to one another, i.e. contain the same number of the same elements in the same order. The elements are compared for equality with the [equals][Any.equals] function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
`@SinceKotlin("1.1")`
`public expect infix fun <T> Array<out T>.contentEquals(other: Array<out T>): Boolean`
Returns `true` if the two specified arrays are **structurally** equal to one another, i.e. contain the same number of the same elements in the same order. The elements are compared for equality with the [equals][Any.equals] function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
`@SinceKotlin("1.1")`
`public expect infix fun ByteArray.contentEquals(other: ByteArray): Boolean`
Returns `true` if the two specified arrays are **structurally** equal to one another, i.e. contain the same number of the same elements in the same order. The elements are compared for equality with the [equals][Any.equals] function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
`@SinceKotlin("1.1")`
`public expect infix fun ShortArray.contentEquals(other: ShortArray): Boolean`
Returns `true` if the two specified arrays are **structurally** equal to one another, i.e. contain the same number of the same elements in the same order. The elements are compared for equality with the [equals][Any.equals] function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
`@SinceKotlin("1.1")`
`public expect infix fun IntArray.contentEquals(other: IntArray): Boolean`
Returns `true` if the two specified arrays are **structurally** equal to one another, i.e. contain the same number of the same elements in the same order. The elements are compared for equality with the [equals][Any.equals] function. For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
`@SinceKotlin("1.1")`
`public expect infix fun LongArray.contentEquals(other: LongArray): Boolean`

Boolean\n\n**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin("1.1")\npublic expect infix fun FloatArray.contentEquals(other: FloatArray): Boolean\n\n**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin("1.1")\npublic expect infix fun DoubleArray.contentEquals(other: DoubleArray): Boolean\n\n**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin("1.1")\npublic expect infix fun BooleanArray.contentEquals(other: BooleanArray): Boolean\n\n**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n */\n@SinceKotlin("1.1")\npublic expect infix fun CharArray.contentEquals(other: CharArray): Boolean\n\n**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin("1.1")\npublic expect fun <T> Array<out T>.contentHashCode(): Int\n\n**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin("1.1")\npublic expect fun ByteArray.contentHashCode(): Int\n\n**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin("1.1")\npublic expect fun ShortArray.contentHashCode(): Int\n\n**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin("1.1")\npublic expect fun IntArray.contentHashCode(): Int\n\n**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin("1.1")\npublic expect fun LongArray.contentHashCode(): Int\n\n**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin("1.1")\npublic expect fun FloatArray.contentHashCode(): Int\n\n**\n * Returns a hash code based on the contents of this array as if it is [List].\n */\n@SinceKotlin("1.1")\npublic expect fun DoubleArray.contentHashCode(): Int\n\n**\n * Returns a string representation of the contents of the specified array as if it is [List].\n */\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin("1.1")\npublic expect fun <T> Array<out T>.contentToString(): String\n\n**\n * Returns a string representation of the contents of the specified array as if it is [List].\n */\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin("1.1")\npublic expect fun ByteArray.contentToString(): String\n\n**\n * Returns a string representation of the contents of the specified array as if it is [List].\n */\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin("1.1")\npublic expect fun ShortArray.contentToString(): String\n\n**\n * Returns a string representation of the contents of the specified array as if it is [List].\n */\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin("1.1")\npublic expect fun IntArray.contentToString(): String\n\n**\n * Returns a string representation of the contents of the specified array as if it is [List].\n */\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin("1.1")\npublic expect fun LongArray.contentToString(): String\n\n**\n * Returns a string representation of the contents of the specified array as if it is [List].\n */\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin("1.1")\npublic expect fun FloatArray.contentToString(): String\n\n**\n * Returns a string representation of the contents of the specified array as if it is [List].\n */\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin("1.1")\npublic expect fun DoubleArray.contentToString(): String\n\n**\n * Returns a string representation of the contents of the specified array as if it is [List].\n */\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin("1.1")\npublic expect fun CharArray.contentToString(): String

representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin("1.1")\npublic expect fun BooleanArray.contentToString(): String\n\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n */\n@SinceKotlin("1.1")\npublic expect fun CharArray.contentToString(): String\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin("1.3")\npublic expect fun <T> Array<out T>.copyInto(destination: Array<T>, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): Array<T>\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin("1.3")\npublic expect fun ByteArray.copyInto(destination: ByteArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ByteArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin("1.3")\npublic expect fun ShortArray.copyInto(destination: ShortArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ShortArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n */\n@SinceKotlin("1.3")\npublic expect fun IntArray.copyInto(destination: IntArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): IntArray\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the

subrange so that it overlaps with the destination range.

`@param destination` the array to copy to.

`@param destinationOffset` the position in the [destination] array to copy to, 0 by default.

`@param startIndex` the beginning (inclusive) of the subrange to copy, 0 by default.

`@param endIndex` the end (exclusive) of the subrange to copy, size of this array by default.

`@throws IndexOutOfBoundsException` or `[IllegalArgumentException]` when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex``.

`@throws IndexOutOfBoundsException` when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],

or when that index is out of the [destination] array indices range.

`@return` the [destination] array.

```

@SinceKotlin("1.3")
public expect fun
LongArray.copyInto(destination: LongArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size):
LongArray

```

Copies this array or its subrange into the [destination] array and returns that array.

It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.

`@param destination` the array to copy to.

`@param destinationOffset` the position in the [destination] array to copy to, 0 by default.

`@param startIndex` the beginning (inclusive) of the subrange to copy, 0 by default.

`@param endIndex` the end (exclusive) of the subrange to copy, size of this array by default.

`@throws IndexOutOfBoundsException` or `[IllegalArgumentException]` when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex``.

`@throws IndexOutOfBoundsException` when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],

or when that index is out of the [destination] array indices range.

`@return` the [destination] array.

```

@SinceKotlin("1.3")
public expect fun FloatArray.copyInto(destination: FloatArray, destinationOffset: Int =
0, startIndex: Int = 0, endIndex: Int = size): FloatArray

```

Copies this array or its subrange into the [destination] array and returns that array.

It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.

`@param destination` the array to copy to.

`@param destinationOffset` the position in the [destination] array to copy to, 0 by default.

`@param startIndex` the beginning (inclusive) of the subrange to copy, 0 by default.

`@param endIndex` the end (exclusive) of the subrange to copy, size of this array by default.

`@throws IndexOutOfBoundsException` or `[IllegalArgumentException]` when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex``.

`@throws IndexOutOfBoundsException` when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],

or when that index is out of the [destination] array indices range.

`@return` the [destination] array.

```

@SinceKotlin("1.3")
public expect fun
DoubleArray.copyInto(destination: DoubleArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int =
size): DoubleArray

```

Copies this array or its subrange into the [destination] array and returns that array.

It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.

`@param destination` the array to copy to.

`@param destinationOffset` the position in the [destination] array to copy to, 0 by default.

`@param startIndex` the beginning (inclusive) of the subrange to copy, 0 by default.

`@param endIndex` the end (exclusive) of the subrange to copy, size of this array by default.

`@throws IndexOutOfBoundsException` or `[IllegalArgumentException]` when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex``.

`@throws IndexOutOfBoundsException` when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],

or when that index is out of the [destination] array indices range.

`@return` the [destination] array.

```

@SinceKotlin("1.3")
public expect fun BooleanArray.copyInto(destination: BooleanArray, destinationOffset:
Int = 0, startIndex: Int = 0, endIndex: Int = size): BooleanArray

```

Copies this array or its subrange into the [destination] array and returns that array.

It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.

`@param destination` the array to copy to.

`@param destinationOffset` the position in the [destination] array to copy to, 0 by default.

`@param startIndex` the beginning (inclusive) of the subrange to copy, 0 by default.

`@param endIndex` the end (exclusive) of the subrange to copy, size of this array by default.

`@throws IndexOutOfBoundsException` or `[IllegalArgumentException]` when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex``.

`@throws IndexOutOfBoundsException` when the subrange doesn't fit into the [destination] array

starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n *
\n * @return the [destination] array.\n *
\n * @Since Kotlin("1.3")\n\npublic expect fun
CharArray.copyInto(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size):
CharArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOfOf\n\n *
\n * @Suppress("NO_ACTUAL_FOR_EXPECT")\n\npublic expect fun <T> Array<T>.copyOf():
Array<T>\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOfOf\n\n *
\n\npublic expect fun ByteArray.copyOfOf():
ByteArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOfOf\n\n *
\n\npublic expect fun ShortArray.copyOfOf():
ShortArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOfOf\n\n *
\n\npublic expect fun IntArray.copyOfOf(): IntArray\n\n/**\n\n * Returns new array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOfOf\n\n *
\n\npublic expect fun LongArray.copyOfOf():
LongArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOfOf\n\n *
\n\npublic expect fun FloatArray.copyOfOf():
FloatArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOfOf\n\n *
\n\npublic expect fun DoubleArray.copyOfOf():
DoubleArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOfOf\n\n *
\n\npublic expect fun BooleanArray.copyOfOf():
BooleanArray\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOfOf\n\n *
\n\npublic expect fun CharArray.copyOfOf():
CharArray\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * \n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n\n *
\n\npublic expect fun
ByteArray.copyOfOf(newSize: Int): ByteArray\n\n/**\n * Returns new array which is a copy of the original array,
resized to the given [newSize].\n * \n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n\n *
\n\npublic expect fun
ShortArray.copyOfOf(newSize: Int): ShortArray\n\n/**\n * Returns new array which is a copy of the
original array, resized to the given [newSize].\n * \n * The copy is either truncated or padded at the end with zero values
if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the
[newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are
filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n\n *
\n\npublic expect fun
IntArray.copyOfOf(newSize: Int): IntArray\n\n/**\n * Returns new array which is a copy of the
original array, resized to the given [newSize].\n * \n * The copy is either truncated or padded at the end with zero values
if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the
[newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are
filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n\n *
\n\npublic expect fun
LongArray.copyOfOf(newSize: Int): LongArray\n\n/**\n * Returns new array which is a copy of
the original array, resized to the given [newSize].\n * \n * The copy is either truncated or padded at the end with zero
values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the
[newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are
filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n\n *
\n\npublic expect fun
FloatArray.copyOfOf(newSize: Int): FloatArray\n\n/**\n * Returns new array which is a copy of

`BooleanArray.copyOfRange(fromIndex: Int, toIndex: Int): BooleanArray`
Returns a new array which is a copy of the specified range of the original array.
@param fromIndex the start of the range (inclusive), must be in `0..array.size`
@param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`
/public expect fun `CharArray.copyOfRange(fromIndex: Int, toIndex: Int): CharArray`
Fills this array or its subrange with the specified [element] value.
@param fromIndex the start of the range (inclusive), 0 by default.
@param toIndex the end of the range (exclusive), size of this array by default.
@throws `IndexOutOfBoundsException` if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.
@throws `IllegalArgumentException` if [fromIndex] is greater than [toIndex].
@SinceKotlin("1.3")
/public expect fun `<T> Array<T>.fill(element: T, fromIndex: Int = 0, toIndex: Int = size): Unit`
Fills this array or its subrange with the specified [element] value.
@param fromIndex the start of the range (inclusive), 0 by default.
@param toIndex the end of the range (exclusive), size of this array by default.
@throws `IndexOutOfBoundsException` if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.
@throws `IllegalArgumentException` if [fromIndex] is greater than [toIndex].
@SinceKotlin("1.3")
/public expect fun `ByteArray.fill(element: Byte, fromIndex: Int = 0, toIndex: Int = size): Unit`
Fills this array or its subrange with the specified [element] value.
@param fromIndex the start of the range (inclusive), 0 by default.
@param toIndex the end of the range (exclusive), size of this array by default.
@throws `IndexOutOfBoundsException` if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.
@throws `IllegalArgumentException` if [fromIndex] is greater than [toIndex].
@SinceKotlin("1.3")
/public expect fun `ShortArray.fill(element: Short, fromIndex: Int = 0, toIndex: Int = size): Unit`
Fills this array or its subrange with the specified [element] value.
@param fromIndex the start of the range (inclusive), 0 by default.
@param toIndex the end of the range (exclusive), size of this array by default.
@throws `IndexOutOfBoundsException` if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.
@throws `IllegalArgumentException` if [fromIndex] is greater than [toIndex].
@SinceKotlin("1.3")
/public expect fun `IntArray.fill(element: Int, fromIndex: Int = 0, toIndex: Int = size): Unit`
Fills this array or its subrange with the specified [element] value.
@param fromIndex the start of the range (inclusive), 0 by default.
@param toIndex the end of the range (exclusive), size of this array by default.
@throws `IndexOutOfBoundsException` if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.
@throws `IllegalArgumentException` if [fromIndex] is greater than [toIndex].
@SinceKotlin("1.3")
/public expect fun `LongArray.fill(element: Long, fromIndex: Int = 0, toIndex: Int = size): Unit`
Fills this array or its subrange with the specified [element] value.
@param fromIndex the start of the range (inclusive), 0 by default.
@param toIndex the end of the range (exclusive), size of this array by default.
@throws `IndexOutOfBoundsException` if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.
@throws `IllegalArgumentException` if [fromIndex] is greater than [toIndex].
@SinceKotlin("1.3")
/public expect fun `FloatArray.fill(element: Float, fromIndex: Int = 0, toIndex: Int = size): Unit`
Fills this array or its subrange with the specified [element] value.
@param fromIndex the start of the range (inclusive), 0 by default.
@param toIndex the end of the range (exclusive), size of this array by default.
@throws `IndexOutOfBoundsException` if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.
@throws `IllegalArgumentException` if [fromIndex] is greater than [toIndex].
@SinceKotlin("1.3")
/public expect fun `DoubleArray.fill(element: Double, fromIndex: Int = 0, toIndex: Int = size): Unit`
Fills this array or its subrange with the specified [element] value.
@param fromIndex the start of the range (inclusive), 0 by default.
@param toIndex the end of the range (exclusive), size of this array by default.
@throws `IndexOutOfBoundsException` if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.
@throws `IllegalArgumentException` if [fromIndex] is greater than [toIndex].
@SinceKotlin("1.3")
/public expect fun `BooleanArray.fill(element: Boolean, fromIndex: Int = 0, toIndex: Int = size): Unit`
Fills this array or its subrange with the specified [element] value.
@param fromIndex the start of the range (inclusive), 0 by default.
@param toIndex the end of the range (exclusive), size of this array by default.
@throws `IndexOutOfBoundsException` if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.
@throws `IllegalArgumentException` if [fromIndex] is greater than

```

[toIndex].\n *\n@SinceKotlin("1.3")\npublic expect fun CharArray.fill(element: Char, fromIndex: Int = 0,
toIndex: Int = size): Unit\n\n/**\n * Returns the range of valid indices for the array.\n *\npublic val <T> Array<out
T>.indices: IntRange\n    get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n *\npublic val ByteArray.indices: IntRange\n    get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid
indices for the array.\n *\npublic val ShortArray.indices: IntRange\n    get() = IntRange(0, lastIndex)\n\n/**\n *
Returns the range of valid indices for the array.\n *\npublic val IntArray.indices: IntRange\n    get() = IntRange(0,
lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n *\npublic val LongArray.indices:
IntRange\n    get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n *\npublic
val FloatArray.indices: IntRange\n    get() = IntRange(0, lastIndex)\n\n/**\n * Returns the range of valid indices for
the array.\n *\npublic val DoubleArray.indices: IntRange\n    get() = IntRange(0, lastIndex)\n\n/**\n * Returns the
range of valid indices for the array.\n *\npublic val BooleanArray.indices: IntRange\n    get() = IntRange(0,
lastIndex)\n\n/**\n * Returns the range of valid indices for the array.\n *\npublic val CharArray.indices: IntRange\n
    get() = IntRange(0, lastIndex)\n\n/**\n * Returns `true` if the array is empty.\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out T>.isEmpty(): Boolean {\n    return size ==
0\n}\n\n/**\n * Returns `true` if the array is empty.\n *\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.isEmpty(): Boolean {\n    return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n
*\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.isEmpty(): Boolean {\n    return size == 0\n}\n\n/**\n
* Returns `true` if the array is empty.\n *\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.isEmpty():
Boolean {\n    return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n
*\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.isEmpty(): Boolean {\n    return size == 0\n}\n\n/**\n
* Returns `true` if the array is empty.\n *\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.isEmpty():
Boolean {\n    return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n
*\n@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.isEmpty(): Boolean {\n    return size ==
0\n}\n\n/**\n * Returns `true` if the array is empty.\n *\n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.isEmpty(): Boolean {\n    return size == 0\n}\n\n/**\n * Returns `true` if the array is empty.\n
*\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.isEmpty(): Boolean {\n    return size == 0\n}\n\n/**\n
* Returns `true` if the array is not empty.\n *\n@kotlin.internal.InlineOnly\npublic inline fun <T> Array<out
T>.isNotEmpty(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n
*\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.isNotEmpty(): Boolean {\n    return
!isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n *\n@kotlin.internal.InlineOnly\npublic inline
fun ShortArray.isNotEmpty(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not
empty.\n *\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.isNotEmpty(): Boolean {\n    return
!isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n *\n@kotlin.internal.InlineOnly\npublic inline
fun LongArray.isNotEmpty(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not
empty.\n *\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.isNotEmpty(): Boolean {\n    return
!isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n *\n@kotlin.internal.InlineOnly\npublic inline
fun DoubleArray.isNotEmpty(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if the array is not
empty.\n *\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.isNotEmpty(): Boolean {\n    return
!isEmpty()\n}\n\n/**\n * Returns `true` if the array is not empty.\n *\n@kotlin.internal.InlineOnly\npublic inline
fun CharArray.isNotEmpty(): Boolean {\n    return !isEmpty()\n}\n\n/**\n * Returns the last valid index for the
array.\n *\npublic val <T> Array<out T>.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns the last valid index
for the array.\n *\npublic val ByteArray.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns the last valid index
for the array.\n *\npublic val ShortArray.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns the last valid
index for the array.\n *\npublic val IntArray.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns the last
valid index for the array.\n *\npublic val LongArray.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns the
last valid index for the array.\n *\npublic val FloatArray.lastIndex: Int\n    get() = size - 1\n\n/**\n * Returns
the last valid index for the array.\n *\npublic val DoubleArray.lastIndex: Int\n    get() = size - 1\n\n/**\n *
Returns the last valid index for the array.\n *\npublic val BooleanArray.lastIndex: Int\n    get() = size - 1\n\n
**\n * Returns the last valid index for the

```

```

array.\n *\npublic val CharArray.lastIndex: Int\n  get() = size - 1\n\n * Returns an array containing all
elements of the original array and then the given [element].\n
*\n@Suppress("NO_ACTUAL_FOR_EXPECT")\npublic expect operator fun <T> Array<T>.plus(element: T):
Array<T>\n\n * Returns an array containing all elements of the original array and then the given [element].\n
*\npublic expect operator fun ByteArray.plus(element: Byte): ByteArray\n\n * Returns an array containing all
elements of the original array and then the given [element].\n *\npublic expect operator fun
ShortArray.plus(element: Short): ShortArray\n\n * Returns an array containing all elements of the original
array and then the given [element].\n *\npublic expect operator fun IntArray.plus(element: Int): IntArray\n\n *
Returns an array containing all elements of the original array and then the given [element].\n *\npublic expect
operator fun LongArray.plus(element: Long): LongArray\n\n * Returns an array containing all elements of the
original array and then the given [element].\n *\npublic expect operator fun FloatArray.plus(element: Float):
FloatArray\n\n * Returns an array containing all elements of the original array and then the given [element].\n
*\npublic expect operator fun DoubleArray.plus(element: Double): DoubleArray\n\n * Returns an array
containing all elements of the original array and then the given [element].\n *\npublic expect operator fun
BooleanArray.plus(element: Boolean): BooleanArray\n\n * Returns an array containing all elements of the
original array and then the given [element].\n *\npublic expect operator fun CharArray.plus(element: Char):
CharArray\n\n * Returns an array containing all elements of the original array and then all elements of the
given [elements] collection.\n *\n@Suppress("NO_ACTUAL_FOR_EXPECT")\npublic expect operator fun <T>
Array<T>.plus(elements: Collection<T>): Array<T>\n\n * Returns an array containing all elements of the
original array and then all elements of the given [elements] collection.\n *\npublic expect operator fun
ByteArray.plus(elements: Collection<Byte>): ByteArray\n\n * Returns an array containing all elements of the
original array and then all elements of the given [elements] collection.\n *\npublic expect operator fun
ShortArray.plus(elements: Collection<Short>): ShortArray\n\n * Returns an array containing all elements of
the original array and then all elements of the given [elements] collection.\n *\npublic expect operator fun
IntArray.plus(elements: Collection<Int>): IntArray\n\n * Returns an array containing all elements of the
original array and then all elements of the given [elements] collection.\n *\npublic expect operator fun
LongArray.plus(elements: Collection<Long>): LongArray\n\n * Returns an array containing all elements of the
original array and then all elements of the given [elements] collection.\n *\npublic expect operator fun
FloatArray.plus(elements: Collection<Float>): FloatArray\n\n * Returns an array containing all elements of the
original array and then all elements of the given [elements] collection.\n *\npublic expect operator fun
DoubleArray.plus(elements: Collection<Double>): DoubleArray\n\n * Returns an array containing all elements
of the original array and then all elements of the given [elements] collection.\n *\npublic expect operator fun
BooleanArray.plus(elements: Collection<Boolean>): BooleanArray\n\n * Returns an array containing all
elements of the original array and then all elements of the given [elements] collection.\n *\npublic expect operator
fun CharArray.plus(elements: Collection<Char>): CharArray\n\n * Returns an array containing all elements of
the original array and then all elements of the given [elements] array.\n
*\n@Suppress("NO_ACTUAL_FOR_EXPECT")\npublic expect operator fun <T> Array<T>.plus(elements:
Array<out T>): Array<T>\n\n * Returns an array containing all elements of the original array and then all
elements of the given [elements] array.\n *\npublic expect operator fun ByteArray.plus(elements: ByteArray):
ByteArray\n\n * Returns an array containing all elements of the original array and then all elements of the
given [elements] array.\n *\npublic expect operator fun ShortArray.plus(elements: ShortArray):
ShortArray\n\n * Returns an array containing all elements of the original array and then all elements of the
given [elements] array.\n *\npublic expect operator fun IntArray.plus(elements: IntArray): IntArray\n\n *
Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n
*\npublic expect operator fun LongArray.plus(elements: LongArray): LongArray\n\n * Returns an array
containing all elements of the original array and then all elements of the given [elements] array.\n *\npublic expect
operator fun FloatArray.plus(elements: FloatArray): FloatArray\n\n * Returns an array containing all elements
of the original array and then all elements of the given [elements] array.\n *\npublic expect operator fun

```

DoubleArray.plus(elements: DoubleArray): DoubleArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n *^\npublic expect operator fun

BooleanArray.plus(elements: BooleanArray): BooleanArray\n\n**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] array.\n *^\npublic expect operator fun

CharArray.plus(elements: CharArray): CharArray\n\n**\n * Returns an array containing all elements of the original array and then the given [element].\n *^\n@Suppress("NO_ACTUAL_FOR_EXPECT")\npublic expect fun <T>

Array<T>.plusElement(element: T): Array<T>\n\n**\n * Sorts the array in-place.\n * \n * @sample

samples.collections.Arrays.Sorting.sortArray\n *^\npublic expect fun IntArray.sort(): Unit\n\n**\n * Sorts the array in-place.\n * \n * @sample

samples.collections.Arrays.Sorting.sortArray\n *^\npublic expect fun LongArray.sort(): Unit\n\n**\n * Sorts the array in-place.\n * \n * @sample

samples.collections.Arrays.Sorting.sortArray\n *^\npublic expect fun ByteArray.sort(): Unit\n\n**\n * Sorts the array in-place.\n * \n * @sample

samples.collections.Arrays.Sorting.sortArray\n *^\npublic expect fun ShortArray.sort(): Unit\n\n**\n * Sorts the array in-place.\n * \n * @sample

samples.collections.Arrays.Sorting.sortArray\n *^\npublic expect fun DoubleArray.sort(): Unit\n\n**\n * Sorts the array in-place.\n * \n * @sample

samples.collections.Arrays.Sorting.sortArray\n *^\npublic expect fun FloatArray.sort(): Unit\n\n**\n * Sorts the array in-place.\n * \n * @sample

samples.collections.Arrays.Sorting.sortArray\n *^\npublic expect fun CharArray.sort(): Unit\n\n**\n * Sorts the array in-place according to the natural order of its elements.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n * \n * @sample

samples.collections.Arrays.Sorting.sortArrayOfComparable\n *^\npublic expect fun <T : Comparable<T>> Array<out T>.sort(): Unit\n\n**\n * Sorts the array in-place according to the order specified by the given [comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n *^\npublic expect fun <T> Array<out T>.sortWith(comparator: Comparator<in T>): Unit\n\n**\n * Returns an array of Boolean containing all of the elements of this generic array.\n *^\npublic fun Array<out Boolean>.toBooleanArray(): BooleanArray {\n return BooleanArray(size) { index -> this[index] }\n}\n\n**\n * Returns an array of Byte containing all of the elements of this generic array.\n *^\npublic fun Array<out Byte>.toByteArray(): ByteArray {\n return ByteArray(size) { index -> this[index] }\n}\n\n**\n * Returns an array of Char containing all of the elements of this generic array.\n *^\npublic fun Array<out Char>.toCharArray(): CharArray {\n return CharArray(size) { index -> this[index] }\n}\n\n**\n * Returns an array of Double containing all of the elements of this generic array.\n *^\npublic fun Array<out Double>.toDoubleArray(): DoubleArray {\n return DoubleArray(size) { index -> this[index] }\n}\n\n**\n * Returns an array of Float containing all of the elements of this generic array.\n *^\npublic fun Array<out Float>.toFloatArray(): FloatArray {\n return FloatArray(size) { index -> this[index] }\n}\n\n**\n * Returns an array of Int containing all of the elements of this generic array.\n *^\npublic fun Array<out Int>.toIntArray(): IntArray {\n return IntArray(size) { index -> this[index] }\n}\n\n**\n * Returns an array of Long containing all of the elements of this generic array.\n *^\npublic fun Array<out Long>.toLongArray(): LongArray {\n return LongArray(size) { index -> this[index] }\n}\n\n**\n * Returns an array of Short containing all of the elements of this generic array.\n *^\npublic fun Array<out Short>.toShortArray(): ShortArray {\n return ShortArray(size) { index -> this[index] }\n}\n\n**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n *^\npublic expect fun ByteArray.toTypedArray(): Array<Byte>\n\n**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n *^\npublic expect fun ShortArray.toTypedArray(): Array<Short>\n\n**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n *^\npublic expect fun IntArray.toTypedArray(): Array<Int>\n\n**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n *^\npublic expect fun LongArray.toTypedArray(): Array<Long>\n\n**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n *^\npublic expect fun FloatArray.toTypedArray(): Array<Float>\n\n**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n *^\npublic expect fun DoubleArray.toTypedArray(): Array<Double>\n\n**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n *^\npublic expect fun BooleanArray.toTypedArray(): Array<Boolean>\n\n**\n * Returns a *typed* object array containing all of the

elements of this primitive array.

```

public expect fun CharArray.toTypedArray(): Array<Char>
Returns a [Map] containing key-value pairs provided by [transform] function applied to elements of the given array. If any of two pairs would have the same key the last one gets added to the map. The returned map preserves the entry iteration order of the original array.
@sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitives
public inline fun <T, K, V>
Array<out T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {
    val capacity =
    mapCapacity(size).coerceAtLeast(16)
    return associateTo(LinkedHashMap<K, V>(capacity),
    transform)
}
Returns a [Map] containing key-value pairs provided by [transform] function applied to elements of the given array. If any of two pairs would have the same key the last one gets added to the map. The returned map preserves the entry iteration order of the original array.
@sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitives
public inline fun <T, K, V>
ByteArray.associate(transform: (Byte) -> Pair<K, V>): Map<K, V> {
    val capacity =
    mapCapacity(size).coerceAtLeast(16)
    return associateTo(LinkedHashMap<K, V>(capacity),
    transform)
}
Returns a [Map] containing key-value pairs provided by [transform] function applied to elements of the given array. If any of two pairs would have the same key the last one gets added to the map. The returned map preserves the entry iteration order of the original array.
@sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitives
public inline fun <T, K, V>
ShortArray.associate(transform: (Short) -> Pair<K, V>): Map<K, V> {
    val capacity =
    mapCapacity(size).coerceAtLeast(16)
    return associateTo(LinkedHashMap<K, V>(capacity),
    transform)
}
Returns a [Map] containing key-value pairs provided by [transform] function applied to elements of the given array. If any of two pairs would have the same key the last one gets added to the map. The returned map preserves the entry iteration order of the original array.
@sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitives
public inline fun <T, K, V>
IntArray.associate(transform: (Int) -> Pair<K, V>): Map<K, V> {
    val capacity =
    mapCapacity(size).coerceAtLeast(16)
    return associateTo(LinkedHashMap<K, V>(capacity),
    transform)
}
Returns a [Map] containing key-value pairs provided by [transform] function applied to elements of the given array. If any of two pairs would have the same key the last one gets added to the map. The returned map preserves the entry iteration order of the original array.
@sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitives
public inline fun <T, K, V>
LongArray.associate(transform: (Long) -> Pair<K, V>): Map<K, V> {
    val capacity =
    mapCapacity(size).coerceAtLeast(16)
    return associateTo(LinkedHashMap<K, V>(capacity),
    transform)
}
Returns a [Map] containing key-value pairs provided by [transform] function applied to elements of the given array. If any of two pairs would have the same key the last one gets added to the map. The returned map preserves the entry iteration order of the original array.
@sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitives
public inline fun <T, K, V>
FloatArray.associate(transform: (Float) -> Pair<K, V>): Map<K, V> {
    val capacity =
    mapCapacity(size).coerceAtLeast(16)
    return associateTo(LinkedHashMap<K, V>(capacity),
    transform)
}
Returns a [Map] containing key-value pairs provided by [transform] function applied to elements of the given array. If any of two pairs would have the same key the last one gets added to the map. The returned map preserves the entry iteration order of the original array.
@sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitives
public inline fun <T, K, V>
DoubleArray.associate(transform: (Double) -> Pair<K, V>): Map<K, V> {
    val capacity =
    mapCapacity(size).coerceAtLeast(16)
    return associateTo(LinkedHashMap<K, V>(capacity),
    transform)
}
Returns a [Map] containing key-value pairs provided by [transform] function applied to elements of the given array. If any of two pairs would have the same key the last one gets added to the map. The returned map preserves the entry iteration order of the original array.
@sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitives
public inline fun <T, K, V>
BooleanArray.associate(transform: (Boolean) -> Pair<K, V>): Map<K, V> {
    val capacity =

```

```

mapCapacity(size).coerceAtLeast(16)\n  return associateTo(LinkedHashMap<K, V>(capacity),
transform)\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by [transform] function\n * applied to
elements of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * The returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitives\n *\npublic inline fun <K, V>
CharArray.associate(transform: (Char) -> Pair<K, V>): Map<K, V> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateTo(LinkedHashMap<K, V>(capacity),
transform)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n *\npublic inline fun <T, K>
Array<out T>.associateBy(keySelector: (T) -> K): Map<K, T> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, T>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n *\npublic inline fun <K>
ByteArray.associateBy(keySelector: (Byte) -> K): Map<K, Byte> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, Byte>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n *\npublic inline fun <K>
ShortArray.associateBy(keySelector: (Short) -> K): Map<K, Short> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, Short>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n *\npublic inline fun <K>
IntArray.associateBy(keySelector: (Int) -> K): Map<K, Int> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, Int>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n *\npublic inline fun <K>
LongArray.associateBy(keySelector: (Long) -> K): Map<K, Long> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, Long>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n *\npublic inline fun <K>
FloatArray.associateBy(keySelector: (Float) -> K): Map<K, Float> {\n  val capacity =

```



```

mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, Float>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K>
DoubleArray.associateBy(keySelector: (Double) -> K): Map<K, Double> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, Double>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K>
BooleanArray.associateBy(keySelector: (Boolean) -> K): Map<K, Boolean> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, Boolean>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the elements from the given array indexed by the key\n *
returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesBy\n */\npublic inline fun <K>
CharArray.associateBy(keySelector: (Char) -> K): Map<K, Char> {\n  val capacity =
mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, Char>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by
[keySelector] functions applied to elements of the given array.\n * \n * If any two elements would have the same key
returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry iteration
order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline
fun <T, K, V> Array<out T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n  val
capacity = mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform]
and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline
fun <K, V> ByteArray.associateBy(keySelector: (Byte) -> K, valueTransform: (Byte) -> V): Map<K, V> {\n  val
capacity = mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform]
and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline
fun <K, V> ShortArray.associateBy(keySelector: (Short) -> K, valueTransform: (Short) -> V): Map<K, V> {\n
val capacity = mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform]
and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline

```

```

fun <K, V> IntArray.associateBy(keySelector: (Int) -> K, valueTransform: (Int) -> V): Map<K, V> {\n  val
capacity = mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform]
and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline
fun <K, V> LongArray.associateBy(keySelector: (Long) -> K, valueTransform: (Long) -> V): Map<K, V> {\n  val
capacity = mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform]
and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline
fun <K, V> FloatArray.associateBy(keySelector: (Float) -> K, valueTransform: (Float) -> V): Map<K, V> {\n  val
capacity = mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform]
and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline
fun <K, V> DoubleArray.associateBy(keySelector: (Double) -> K, valueTransform: (Double) -> V): Map<K, V>
{\n  val capacity = mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K,
V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by
[valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two
elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The
returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline
fun <K, V> BooleanArray.associateBy(keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): Map<K, V>
{\n  val capacity = mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K,
V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Returns a [Map] containing the values provided by
[valueTransform] and indexed by [keySelector] functions applied to elements of the given array.\n * \n * If any two
elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The
returned map preserves the entry iteration order of the original array.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByWithValueTransform\n */\npublic inline
fun <K, V> CharArray.associateBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, V> {\n  val
capacity = mapCapacity(size).coerceAtLeast(16)\n  return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value
pairs,\n * where key is provided by the [keySelector] function applied to each element of the given array\n * and
value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last
one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n */\npublic inline fun <T, K, M :
MutableMap<in K, in T>> Array<out T>.associateByTo(destination: M, keySelector: (T) -> K): M {\n  for
(element in this) {\n    destination.put(keySelector(element), element)\n  }\n  return destination\n}\n\n/**\n *
Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the
[keySelector] function applied to each element of the given array\n * and value is the element itself.\n * \n * If any
two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n *
@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo\n */\npublic inline fun <K,

```

`M : MutableMap<in K, in Byte>> ByteArray.associateByTo(destination: M, keySelector: (Byte) -> K): M` {
for (element in this) {
destination.put(keySelector(element), element)
} return destination
}

Populates and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector] function applied to each element of the given array and value is the element itself. If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo

`M : MutableMap<in K, in Short>> ShortArray.associateByTo(destination: M, keySelector: (Short) -> K): M` {
for (element in this) {
destination.put(keySelector(element), element)
} return destination
}

Populates and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector] function applied to each element of the given array and value is the element itself. If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo

`M : MutableMap<in K, in Int>> IntArray.associateByTo(destination: M, keySelector: (Int) -> K): M` {
for (element in this) {
destination.put(keySelector(element), element)
} return destination
}

Populates and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector] function applied to each element of the given array and value is the element itself. If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo

`M : MutableMap<in K, in Long>> LongArray.associateByTo(destination: M, keySelector: (Long) -> K): M` {
for (element in this) {
destination.put(keySelector(element), element)
} return destination
}

Populates and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector] function applied to each element of the given array and value is the element itself. If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo

`M : MutableMap<in K, in Float>> FloatArray.associateByTo(destination: M, keySelector: (Float) -> K): M` {
for (element in this) {
destination.put(keySelector(element), element)
} return destination
}

Populates and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector] function applied to each element of the given array and value is the element itself. If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo

`M : MutableMap<in K, in Double>> DoubleArray.associateByTo(destination: M, keySelector: (Double) -> K): M` {
for (element in this) {
destination.put(keySelector(element), element)
} return destination
}

Populates and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector] function applied to each element of the given array and value is the element itself. If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo

`M : MutableMap<in K, in Boolean>> BooleanArray.associateByTo(destination: M, keySelector: (Boolean) -> K): M` {
for (element in this) {
destination.put(keySelector(element), element)
} return destination
}

Populates and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector] function applied to each element of the given array and value is the element itself. If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

@sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByTo

`M : MutableMap<in K, in Char>> CharArray.associateByTo(destination: M, keySelector: (Char) -> K): M` {
for (element in this) {
destination.put(keySelector(element), element)
} return destination
}

Populates and returns the [destination] mutable map with key-value pairs, where key is provided by the [keySelector] function and value is provided by the [valueTransform] function applied to elements of the given array. If any two elements would have the same key returned by [keySelector] the last one gets added to the map.

@sample

```

samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n *\npublic
inline fun <T, K, V, M : MutableMap<in K, in V>> Array<out T>.associateByTo(destination: M, keySelector: (T) -
> K, valueTransform: (T) -> V): M {\n  for (element in this) {\n    destination.put(keySelector(element),
valueTransform(element))\n  }\n  return destination\n}\n\n/**\n * Populates and returns the [destination] mutable
map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by
the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the
same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n *\npublic
inline fun <K, V, M : MutableMap<in K, in V>> ByteArray.associateByTo(destination: M, keySelector: (Byte) ->
K, valueTransform: (Byte) -> V): M {\n  for (element in this) {\n    destination.put(keySelector(element),
valueTransform(element))\n  }\n  return destination\n}\n\n/**\n * Populates and returns the [destination] mutable
map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by
the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the
same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n *\npublic
inline fun <K, V, M : MutableMap<in K, in V>> ShortArray.associateByTo(destination: M, keySelector: (Short) ->
K, valueTransform: (Short) -> V): M {\n  for (element in this) {\n    destination.put(keySelector(element),
valueTransform(element))\n  }\n  return destination\n}\n\n/**\n * Populates and returns the [destination] mutable
map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by
the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the
same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n *\npublic
inline fun <K, V, M : MutableMap<in K, in V>> IntArray.associateByTo(destination: M, keySelector: (Int) -> K,
valueTransform: (Int) -> V): M {\n  for (element in this) {\n    destination.put(keySelector(element),
valueTransform(element))\n  }\n  return destination\n}\n\n/**\n * Populates and returns the [destination] mutable
map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by
the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the
same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n *\npublic
inline fun <K, V, M : MutableMap<in K, in V>> LongArray.associateByTo(destination: M, keySelector: (Long) ->
K, valueTransform: (Long) -> V): M {\n  for (element in this) {\n    destination.put(keySelector(element),
valueTransform(element))\n  }\n  return destination\n}\n\n/**\n * Populates and returns the [destination] mutable
map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by
the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the
same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n *\npublic
inline fun <K, V, M : MutableMap<in K, in V>> FloatArray.associateByTo(destination: M, keySelector: (Float) ->
K, valueTransform: (Float) -> V): M {\n  for (element in this) {\n    destination.put(keySelector(element),
valueTransform(element))\n  }\n  return destination\n}\n\n/**\n * Populates and returns the [destination] mutable
map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by
the [valueTransform] function applied to elements of the given array.\n * \n * If any two elements would have the
same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n *\npublic
inline fun <K, V, M : MutableMap<in K, in V>> DoubleArray.associateByTo(destination: M, keySelector:
(Double) -> K, valueTransform: (Double) -> V): M {\n  for (element in this) {\n
destination.put(keySelector(element), valueTransform(element))\n  }\n  return destination\n}\n\n/**\n * Populates
and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector]
function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n *

```

```

\n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n *
\n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n
*/\npublic inline fun <K, V, M : MutableMap<in K, in V>> BooleanArray.associateByTo(destination: M,
keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): M {\n    for (element in this) {\n
destination.put(keySelector(element), valueTransform(element))\n    }\n    return destination\n}\n\n/**\n * Populates
and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector]
function and\n * and value is provided by the [valueTransform] function applied to elements of the given array.\n *
\n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n *
\n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesByToWithValueTransform\n
*/\npublic inline fun <K, V, M : MutableMap<in K, in V>> CharArray.associateByTo(destination: M, keySelector:
(Char) -> K, valueTransform: (Char) -> V): M {\n    for (element in this) {\n
destination.put(keySelector(element), valueTransform(element))\n    }\n    return destination\n}\n\n/**\n * Populates
and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each
element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic
inline fun <T, K, V, M : MutableMap<in K, in V>> Array<out T>.associateTo(destination: M, transform: (T) ->
Pair<K, V>): M {\n    for (element in this) {\n        destination += transform(element)\n    }\n    return
destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by
[transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key
the last one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic inline fun <K, V, M :
MutableMap<in K, in V>> ByteArray.associateTo(destination: M, transform: (Byte) -> Pair<K, V>): M {\n    for
(element in this) {\n        destination += transform(element)\n    }\n    return destination\n}\n\n/**\n * Populates and
returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each
element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic
inline fun <K, V, M : MutableMap<in K, in V>> ShortArray.associateTo(destination: M, transform: (Short) ->
Pair<K, V>): M {\n    for (element in this) {\n        destination += transform(element)\n    }\n    return
destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by
[transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key
the last one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic inline fun <K, V, M :
MutableMap<in K, in V>> IntArray.associateTo(destination: M, transform: (Int) -> Pair<K, V>): M {\n    for
(element in this) {\n        destination += transform(element)\n    }\n    return destination\n}\n\n/**\n * Populates and
returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each
element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic
inline fun <K, V, M : MutableMap<in K, in V>> LongArray.associateTo(destination: M, transform: (Long) ->
Pair<K, V>): M {\n    for (element in this) {\n        destination += transform(element)\n    }\n    return
destination\n}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by
[transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key
the last one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic inline fun <K, V, M :
MutableMap<in K, in V>> FloatArray.associateTo(destination: M, transform: (Float) -> Pair<K, V>): M {\n    for
(element in this) {\n        destination += transform(element)\n    }\n    return destination\n}\n\n/**\n * Populates and
returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each
element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic

```

```

inline fun <K, V, M : MutableMap<in K, in V>> DoubleArray.associateTo(destination: M, transform: (Double) ->
Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return
destination}\n\n/**\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by
[transform] function applied to each element of the given array.\n * \n * If any of two pairs would have the same key
the last one gets added to the map.\n * \n * @sample
samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic inline fun <K, V, M :
MutableMap<in K, in V>> BooleanArray.associateTo(destination: M, transform: (Boolean) -> Pair<K, V>): M {\n
for (element in this) {\n destination += transform(element)\n }\n return destination}\n\n/**\n * Populates
and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each
element of the given array.\n * \n * If any of two pairs would have the same key the last one gets added to the
map.\n * \n * @sample samples.collections.Arrays.Transformations.associateArrayOfPrimitivesTo\n */\npublic
inline fun <K, V, M : MutableMap<in K, in V>> CharArray.associateTo(destination: M, transform: (Char) ->
Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return
destination}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <T, C :
MutableCollection<in T>> Array<out T>.toCollection(destination: C): C {\n for (item in this) {\n
destination.add(item)\n }\n return destination}\n\n/**\n * Appends all elements to the given [destination]
collection.\n */\npublic fun <C : MutableCollection<in Byte>> ByteArray.toCollection(destination: C): C {\n for
(item in this) {\n destination.add(item)\n }\n return destination}\n\n/**\n * Appends all elements to the
given [destination] collection.\n */\npublic fun <C : MutableCollection<in Short>>
ShortArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return
destination}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C :
MutableCollection<in Int>> IntArray.toCollection(destination: C): C {\n for (item in this) {\n
destination.add(item)\n }\n return destination}\n\n/**\n * Appends all elements to the given [destination]
collection.\n */\npublic fun <C : MutableCollection<in Long>> LongArray.toCollection(destination: C): C {\n for
(item in this) {\n destination.add(item)\n }\n return destination}\n\n/**\n * Appends all elements to the
given [destination] collection.\n */\npublic fun <C : MutableCollection<in Float>>
FloatArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return
destination}\n\n/**\n * Appends all elements to the given [destination] collection.\n */\npublic fun <C :
MutableCollection<in Double>> DoubleArray.toCollection(destination: C): C {\n for (item in this) {\n
destination.add(item)\n }\n return destination}\n\n/**\n * Appends all elements to the given [destination]
collection.\n */\npublic fun <C : MutableCollection<in Boolean>> BooleanArray.toCollection(destination: C): C {\n
for (item in this) {\n destination.add(item)\n }\n return destination}\n\n/**\n * Appends all elements to
the given [destination] collection.\n */\npublic fun <C : MutableCollection<in Char>>
CharArray.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return
destination}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic fun <T> Array<out T>.toHashSet():
HashSet<T> {\n return toCollection(HashSet<T>(mapCapacity(size)))}\n\n/**\n * Returns a [HashSet] of all
elements.\n */\npublic fun ByteArray.toHashSet(): HashSet<Byte> {\n return
toCollection(HashSet<Byte>(mapCapacity(size)))}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic
fun ShortArray.toHashSet(): HashSet<Short> {\n return
toCollection(HashSet<Short>(mapCapacity(size)))}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic
fun IntArray.toHashSet(): HashSet<Int> {\n return toCollection(HashSet<Int>(mapCapacity(size)))}\n\n/**\n *
Returns a [HashSet] of all elements.\n */\npublic fun LongArray.toHashSet(): HashSet<Long> {\n return
toCollection(HashSet<Long>(mapCapacity(size)))}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic
fun FloatArray.toHashSet(): HashSet<Float> {\n return
toCollection(HashSet<Float>(mapCapacity(size)))}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic
fun DoubleArray.toHashSet(): HashSet<Double> {\n return
toCollection(HashSet<Double>(mapCapacity(size)))}\n\n/**\n * Returns a [HashSet] of all elements.\n */\npublic
fun BooleanArray.toHashSet(): HashSet<Boolean> {\n return

```

```

toCollection(HashSet<Boolean>(mapCapacity(size)))\n\n\n**\n * Returns a [HashSet] of all elements.\n
*\npublic fun CharArray.toHashSet(): HashSet<Char> {\n return
toCollection(HashSet<Char>(mapCapacity(size)))\n\n\n**\n * Returns a [List] containing all elements.\n
*\npublic fun <T> Array<out T>.toList(): List<T> {\n return when (size) {\n 0 -> emptyList()\n 1 ->
listOf(this[0])\n else -> this.toMutableList()\n }\n\n\n**\n * Returns a [List] containing all elements.\n
*\npublic fun ByteArray.toList(): List<Byte> {\n return when (size) {\n 0 -> emptyList()\n 1 ->
listOf(this[0])\n else -> this.toMutableList()\n }\n\n\n**\n * Returns a [List] containing all elements.\n
*\npublic fun ShortArray.toList(): List<Short> {\n return when (size) {\n 0 -> emptyList()\n 1 ->
listOf(this[0])\n else -> this.toMutableList()\n }\n\n\n**\n * Returns a [List] containing all elements.\n
*\npublic fun IntArray.toList(): List<Int> {\n return when (size) {\n 0 -> emptyList()\n 1 ->
listOf(this[0])\n else -> this.toMutableList()\n }\n\n\n**\n * Returns a [List] containing all elements.\n
*\npublic fun LongArray.toList(): List<Long> {\n return when (size) {\n 0 -> emptyList()\n 1 ->
listOf(this[0])\n else -> this.toMutableList()\n }\n\n\n**\n * Returns a [List] containing all elements.\n
*\npublic fun FloatArray.toList(): List<Float> {\n return when (size) {\n 0 -> emptyList()\n 1 ->
listOf(this[0])\n else -> this.toMutableList()\n }\n\n\n**\n * Returns a [List] containing all elements.\n
*\npublic fun DoubleArray.toList(): List<Double> {\n return when (size) {\n 0 -> emptyList()\n 1 ->
listOf(this[0])\n else -> this.toMutableList()\n }\n\n\n**\n * Returns a [List] containing all elements.\n
*\npublic fun BooleanArray.toList(): List<Boolean> {\n return when (size) {\n 0 -> emptyList()\n 1 ->
listOf(this[0])\n else -> this.toMutableList()\n }\n\n\n**\n * Returns a [List] containing all elements.\n
*\npublic fun CharArray.toList(): List<Char> {\n return when (size) {\n 0 -> emptyList()\n 1 ->
listOf(this[0])\n else -> this.toMutableList()\n }\n\n\n**\n * Returns a [MutableList] filled with all elements
of this array.\n
*\npublic fun <T> Array<out T>.toMutableList(): MutableList<T> {\n return
ArrayList(this.asCollection())\n\n\n**\n * Returns a [MutableList] filled with all elements of this array.\n
*\npublic fun ByteArray.toMutableList(): MutableList<Byte> {\n val list = ArrayList<Byte>(size)\n for (item
in this) list.add(item)\n return list\n\n\n**\n * Returns a [MutableList] filled with all elements of this array.\n
*\npublic fun ShortArray.toMutableList(): MutableList<Short> {\n val list = ArrayList<Short>(size)\n for (item
in this) list.add(item)\n return list\n\n\n**\n * Returns a [MutableList] filled with all elements of this array.\n
*\npublic fun IntArray.toMutableList(): MutableList<Int> {\n val list = ArrayList<Int>(size)\n for (item in this)
list.add(item)\n return list\n\n\n**\n * Returns a [MutableList] filled with all elements of this array.\n
*\npublic fun LongArray.toMutableList(): MutableList<Long> {\n val list = ArrayList<Long>(size)\n for (item in this)
list.add(item)\n return list\n\n\n**\n * Returns a [MutableList] filled with all elements of this array.\n
*\npublic fun FloatArray.toMutableList(): MutableList<Float> {\n val list = ArrayList<Float>(size)\n for (item in this)
list.add(item)\n return list\n\n\n**\n * Returns a [MutableList] filled with all elements of this array.\n
*\npublic fun DoubleArray.toMutableList(): MutableList<Double> {\n val list = ArrayList<Double>(size)\n for (item in
this) list.add(item)\n return list\n\n\n**\n * Returns a [MutableList] filled with all elements of this array.\n
*\npublic fun BooleanArray.toMutableList(): MutableList<Boolean> {\n val list = ArrayList<Boolean>(size)\n
for (item in this) list.add(item)\n return list\n\n\n**\n * Returns a [MutableList] filled with all elements of this
array.\n
*\npublic fun CharArray.toMutableList(): MutableList<Char> {\n val list = ArrayList<Char>(size)\n
for (item in this) list.add(item)\n return list\n\n\n**\n * Returns a [Set] of all elements.\n
*\n * The returned set
preserves the element iteration order of the original array.\n
*\npublic fun <T> Array<out T>.toSet(): Set<T> {\n
return when (size) {\n 0 -> emptySet()\n 1 -> setOf(this[0])\n else ->
toCollection(LinkedHashSet<T>(mapCapacity(size)))\n }\n\n\n**\n * Returns a [Set] of all elements.\n
*\n\n *
The returned set preserves the element iteration order of the original array.\n
*\npublic fun ByteArray.toSet():
Set<Byte> {\n return when (size) {\n 0 -> emptySet()\n 1 -> setOf(this[0])\n else ->
toCollection(LinkedHashSet<Byte>(mapCapacity(size)))\n }\n\n\n**\n * Returns a [Set] of all elements.\n
*\n\n *
The returned set preserves the element iteration order of the original array.\n
*\npublic fun ShortArray.toSet():
Set<Short> {\n return when (size) {\n 0 -> emptySet()\n 1 -> setOf(this[0])\n else ->
toCollection(LinkedHashSet<Short>(mapCapacity(size)))\n }\n\n\n**\n * Returns a [Set] of all elements.\n
*\n\n *

```

```

* The returned set preserves the element iteration order of the original array.\n */\npublic fun IntArray.toSet():
Set<Int> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else ->
toCollection(LinkedHashSet<Int>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n *
The returned set preserves the element iteration order of the original array.\n */\npublic fun LongArray.toSet():
Set<Long> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else ->
toCollection(LinkedHashSet<Long>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n *
* The returned set preserves the element iteration order of the original array.\n */\npublic fun FloatArray.toSet():
Set<Float> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else ->
toCollection(LinkedHashSet<Float>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n *
* The returned set preserves the element iteration order of the original array.\n */\npublic fun DoubleArray.toSet():
Set<Double> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else ->
toCollection(LinkedHashSet<Double>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all elements.\n * \n *
\n * The returned set preserves the element iteration order of the original array.\n */\npublic fun
BooleanArray.toSet(): Set<Boolean> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n
else -> toCollection(LinkedHashSet<Boolean>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a [Set] of all
elements.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun
CharArray.toSet(): Set<Char> {\n    return when (size) {\n        0 -> emptySet()\n        1 -> setOf(this[0])\n        else -
> toCollection(LinkedHashSet<Char>(mapCapacity(size)))\n    }\n}\n\n/**\n * Returns a single list of all elements
yielded from results of [transform] function being invoked on each element of original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <T, R> Array<out
T>.flatMap(transform: (T) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n *
Returns a single list of all elements yielded from results of [transform] function being invoked on each element of
original array.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun
<R> ByteArray.flatMap(transform: (Byte) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> ShortArray.flatMap(transform:
(Short) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single
list of all elements yielded from results of [transform] function being invoked on each element of original array.\n *
\n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R>
IntArray.flatMap(transform: (Int) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R> LongArray.flatMap(transform:
(Long) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single
list of all elements yielded from results of [transform] function being invoked on each element of original array.\n *
\n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R>
FloatArray.flatMap(transform: (Float) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R>
DoubleArray.flatMap(transform: (Double) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n */\npublic inline fun <R>
BooleanArray.flatMap(transform: (Boolean) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being
invoked on each element of original array.\n * \n * @sample

```



```

samples.collections.Collections.Transformations.flatMap\n * \npublic inline fun <R> CharArray.flatMap(transform:
(Char) -> Iterable<R>): List<R> {\n    return flatMapTo(ArrayList<R>(), transform)\n}\n\n\n * Appends all
elements yielded from results of [transform] function being invoked on each element of original array, to the given
[destination].\n * \npublic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.flatMapTo(destination: C,
transform: (T) -> Iterable<R>): C {\n    for (element in this) {\n        val list = transform(element)\n
destination.addAll(list)\n    }\n    return destination\n}\n\n\n * Appends all elements yielded from results of
[transform] function being invoked on each element of original array, to the given [destination].\n * \npublic inline
fun <R, C : MutableCollection<in R>> ByteArray.flatMapTo(destination: C, transform: (Byte) -> Iterable<R>): C
{\n    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return
destination\n}\n\n\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original array, to the given [destination].\n * \npublic inline fun <R, C : MutableCollection<in R>>
ShortArray.flatMapTo(destination: C, transform: (Short) -> Iterable<R>): C {\n    for (element in this) {\n        val
list = transform(element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n\n * Appends all
elements yielded from results of [transform] function being invoked on each element of original array, to the given
[destination].\n * \npublic inline fun <R, C : MutableCollection<in R>> IntArray.flatMapTo(destination: C,
transform: (Int) -> Iterable<R>): C {\n    for (element in this) {\n        val list = transform(element)\n
destination.addAll(list)\n    }\n    return destination\n}\n\n\n * Appends all elements yielded from results of
[transform] function being invoked on each element of original array, to the given [destination].\n * \npublic inline
fun <R, C : MutableCollection<in R>> LongArray.flatMapTo(destination: C, transform: (Long) -> Iterable<R>): C
{\n    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return
destination\n}\n\n\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original array, to the given [destination].\n * \npublic inline fun <R, C : MutableCollection<in R>>
FloatArray.flatMapTo(destination: C, transform: (Float) -> Iterable<R>): C {\n    for (element in this) {\n        val
list = transform(element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n\n * Appends all
elements yielded from results of [transform] function being invoked on each element of original array, to the given
[destination].\n * \npublic inline fun <R, C : MutableCollection<in R>> DoubleArray.flatMapTo(destination: C,
transform: (Double) -> Iterable<R>): C {\n    for (element in this) {\n        val list = transform(element)\n
destination.addAll(list)\n    }\n    return destination\n}\n\n\n * Appends all elements yielded from results of
[transform] function being invoked on each element of original array, to the given [destination].\n * \npublic inline
fun <R, C : MutableCollection<in R>> BooleanArray.flatMapTo(destination: C, transform: (Boolean) ->
Iterable<R>): C {\n    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n
    }\n    return destination\n}\n\n\n * Appends all elements yielded from results of [transform] function being
invoked on each element of original array, to the given [destination].\n * \npublic inline fun <R, C :
MutableCollection<in R>> CharArray.flatMapTo(destination: C, transform: (Char) -> Iterable<R>): C {\n    for
(element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return
destination\n}\n\n\n * Groups elements of the original array by the key returned by the given [keySelector]
function\n * applied to each element and returns a map where each group key is associated with a list of
corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the
original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n * \npublic inline fun
<T, K> Array<out T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n    return
groupByTo(LinkedHashMap<K, MutableList<T>>(), keySelector)\n}\n\n\n * Groups elements of the original
array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where
each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry
iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n * \npublic inline fun <K>
ByteArray.groupBy(keySelector: (Byte) -> K): Map<K, List<Byte>> {\n    return groupByTo(LinkedHashMap<K,
MutableList<Byte>>(), keySelector)\n}\n\n\n * Groups elements of the original array by the key returned by the
given [keySelector] function\n * applied to each element and returns a map where each group key is associated with

```

a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> ShortArray.groupBy(keySelector: (Short) -> K): Map<K, List<Short>> {\n return groupByTo(LinkedHashMap<K, MutableList<Short>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> IntArray.groupBy(keySelector: (Int) -> K): Map<K, List<Int>> {\n return groupByTo(LinkedHashMap<K, MutableList<Int>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> LongArray.groupBy(keySelector: (Long) -> K): Map<K, List<Long>> {\n return groupByTo(LinkedHashMap<K, MutableList<Long>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> FloatArray.groupBy(keySelector: (Float) -> K): Map<K, List<Float>> {\n return groupByTo(LinkedHashMap<K, MutableList<Float>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> DoubleArray.groupBy(keySelector: (Double) -> K): Map<K, List<Double>> {\n return groupByTo(LinkedHashMap<K, MutableList<Double>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> BooleanArray.groupBy(keySelector: (Boolean) -> K): Map<K, List<Boolean>> {\n return groupByTo(LinkedHashMap<K, MutableList<Boolean>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <K> CharArray.groupBy(keySelector: (Char) -> K): Map<K, List<Char>> {\n return groupByTo(LinkedHashMap<K, MutableList<Char>>(), keySelector)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V> Array<out T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n return groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced from the original array.\n * \n * @sample

```
samples.collections.Collections.Transformations.groupByKeyAndValues\n *\npublic inline fun <K, V>  
ByteArray.groupBy(keySelector: (Byte) -> K, valueTransform: (Byte) -> V): Map<K, List<V>> {\n return  
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values  
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by  
the given [keySelector] function applied to the element\n * and returns a map where each group key is associated  
with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys  
produced from the original array.\n * \n * @sample
```

```
samples.collections.Collections.Transformations.groupByKeyAndValues\n *\npublic inline fun <K, V>  
ShortArray.groupBy(keySelector: (Short) -> K, valueTransform: (Short) -> V): Map<K, List<V>> {\n return  
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values  
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by  
the given [keySelector] function applied to the element\n * and returns a map where each group key is associated  
with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys  
produced from the original array.\n * \n * @sample
```

```
samples.collections.Collections.Transformations.groupByKeyAndValues\n *\npublic inline fun <K, V>  
IntArray.groupBy(keySelector: (Int) -> K, valueTransform: (Int) -> V): Map<K, List<V>> {\n return  
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values  
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by  
the given [keySelector] function applied to the element\n * and returns a map where each group key is associated  
with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys  
produced from the original array.\n * \n * @sample
```

```
samples.collections.Collections.Transformations.groupByKeyAndValues\n *\npublic inline fun <K, V>  
LongArray.groupBy(keySelector: (Long) -> K, valueTransform: (Long) -> V): Map<K, List<V>> {\n return  
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values  
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by  
the given [keySelector] function applied to the element\n * and returns a map where each group key is associated  
with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys  
produced from the original array.\n * \n * @sample
```

```
samples.collections.Collections.Transformations.groupByKeyAndValues\n *\npublic inline fun <K, V>  
FloatArray.groupBy(keySelector: (Float) -> K, valueTransform: (Float) -> V): Map<K, List<V>> {\n return  
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values  
returned by the [valueTransform] function applied to each element of the original array\n * by the key returned by  
the given [keySelector] function applied to the element\n * and returns a map where each group key is associated  
with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys  
produced from the original array.\n * \n * @sample
```

```
samples.collections.Collections.Transformations.groupByKeyAndValues\n *\npublic inline fun <K, V>  
DoubleArray.groupBy(keySelector: (Double) -> K, valueTransform: (Double) -> V): Map<K, List<V>> {\n return  
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups  
values returned by the [valueTransform] function applied to each element of the original array\n * by the key  
returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is  
associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the  
keys produced from the original array.\n * \n * @sample
```

```
samples.collections.Collections.Transformations.groupByKeyAndValues\n *\npublic inline fun <K, V>  
BooleanArray.groupBy(keySelector: (Boolean) -> K, valueTransform: (Boolean) -> V): Map<K, List<V>> {\n return  
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups  
values returned by the [valueTransform] function applied to each element of the original array\n * by the key  
returned by the given [keySelector] function applied to the element\n * and returns a map where each group key is  
associated with a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the
```

```

keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n * \n\npublic inline fun <K, V>
CharArray.groupBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, List<V>> {\n    return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements
of the original array by the key returned by the given [keySelector] function\n * applied to each element and puts to
the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n * \n\npublic inline
fun <T, K, M : MutableMap<in K, MutableList<T>>> Array<out T>.groupByTo(destination: M, keySelector: (T) -
> K): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list = destination.getOrPut(key)
{ ArrayList<T>() }\n        list.add(element)\n    }\n    return destination\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the
[destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n * \n\npublic inline
fun <K, M : MutableMap<in K, MutableList<Byte>>> ByteArray.groupByTo(destination: M, keySelector: (Byte) -
> K): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list = destination.getOrPut(key)
{ ArrayList<Byte>() }\n        list.add(element)\n    }\n    return destination\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the
[destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n * \n\npublic inline
fun <K, M : MutableMap<in K, MutableList<Short>>> ShortArray.groupByTo(destination: M, keySelector: (Short)
-> K): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list =
destination.getOrPut(key) { ArrayList<Short>() }\n        list.add(element)\n    }\n    return destination\n}\n\n/**\n *
Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each
element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n *
@return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n *
\n\npublic inline fun <K, M : MutableMap<in K, MutableList<Int>>> IntArray.groupByTo(destination: M,
keySelector: (Int) -> K): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list =
destination.getOrPut(key) { ArrayList<Int>() }\n        list.add(element)\n    }\n    return destination\n}\n\n/**\n *
Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each
element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n *
@return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n *
\n\npublic inline fun <K, M : MutableMap<in K, MutableList<Long>>> LongArray.groupByTo(destination: M,
keySelector: (Long) -> K): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list =
destination.getOrPut(key) { ArrayList<Long>() }\n        list.add(element)\n    }\n    return destination\n}\n\n/**\n *
Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each
element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n *
@return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n *
\n\npublic inline fun <K, M : MutableMap<in K, MutableList<Float>>> FloatArray.groupByTo(destination: M,
keySelector: (Float) -> K): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list =
destination.getOrPut(key) { ArrayList<Float>() }\n        list.add(element)\n    }\n    return destination\n}\n\n/**\n *
Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each
element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n *
@return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n *
\n\npublic inline fun <K, M : MutableMap<in K, MutableList<Double>>> DoubleArray.groupByTo(destination: M,
keySelector: (Double) -> K): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list =
destination.getOrPut(key) { ArrayList<Double>() }\n        list.add(element)\n    }\n    return destination\n}\n\n/**\n *
Groups elements of the original array by the key returned by the given [keySelector] function\n * applied to each
element and puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n *

```

```

@return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*\npublic inline fun <K, M : MutableMap<in K, MutableList<Boolean>>> BooleanArray.groupByTo(destination:\n
M, keySelector: (Boolean) -> K): M {\n for (element in this) {\n val key = keySelector(element)\n val list\n
= destination.getOrPut(key) { ArrayList<Boolean>() }\n list.add(element)\n }\n return\n
destination}\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector]\n
function\n * applied to each element and puts to the [destination] map each group key associated with a list of\n
corresponding elements.\n * \n * @return The [destination] map.\n * \n * @sample\n
samples.collections.Collections.Transformations.groupBy\n
*\npublic inline fun <K, M : MutableMap<in K,\n
MutableList<Char>>> CharArray.groupByTo(destination: M, keySelector: (Char) -> K): M {\n for (element in\n
this) {\n val key = keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<Char>() }\n\n
list.add(element)\n }\n return destination}\n}\n\n/**\n * Groups values returned by the [valueTransform] function\n
applied to each element of the original array\n * by the key returned by the given [keySelector] function applied to\n
the element\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n
*\n * \n * @return The [destination] map.\n * \n * @sample\n
samples.collections.Collections.Transformations.groupByKeysAndValues\n
*\npublic inline fun <T, K, V, M : MutableMap<in K, MutableList<V>>> Array<out T>.groupByTo(destination: M, keySelector: (T) -> K,\n
valueTransform: (T) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list =\n
destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return\n
destination}\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the\n
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the\n
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]\n
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n
*\npublic\n
inline fun <K, V, M : MutableMap<in K, MutableList<V>>> ByteArray.groupByTo(destination: M, keySelector:\n
(Byte) -> K, valueTransform: (Byte) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n\n
val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return\n
destination}\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the\n
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the\n
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]\n
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n
*\npublic\n
inline fun <K, V, M : MutableMap<in K, MutableList<V>>> ShortArray.groupByTo(destination: M, keySelector:\n
(Short) -> K, valueTransform: (Short) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n\n
val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return\n
destination}\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the\n
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the\n
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]\n
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n
*\npublic\n
inline fun <K, V, M : MutableMap<in K, MutableList<V>>> IntArray.groupByTo(destination: M, keySelector:\n
(Int) -> K, valueTransform: (Int) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n\n
val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return\n
destination}\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the\n
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the\n
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]\n
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n
*\npublic\n
inline fun <K, V, M : MutableMap<in K, MutableList<V>>> LongArray.groupByTo(destination: M, keySelector:\n
(Long) -> K, valueTransform: (Long) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n\n
val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return\n
destination}\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the\n
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the

```

```

[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeyAndValues\n * \n\npublic
inline fun <K, V, M : MutableMap<in K, MutableList<V>>> FloatArray.groupByTo(destination: M, keySelector:
(Float) -> K, valueTransform: (Float) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n
val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return
destination}\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeyAndValues\n * \n\npublic
inline fun <K, V, M : MutableMap<in K, MutableList<V>>> DoubleArray.groupByTo(destination: M, keySelector:
(Double) -> K, valueTransform: (Double) -> V): M {\n for (element in this) {\n val key =
keySelector(element)\n val list = destination.getOrPut(key) { ArrayList<V>() }\n
list.add(valueTransform(element))\n }\n return destination}\n}\n\n/**\n * Groups values returned by the
[valueTransform] function applied to each element of the original array\n * by the key returned by the given
[keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a
list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeyAndValues\n * \n\npublic inline fun <K, V, M :
MutableMap<in K, MutableList<V>>> BooleanArray.groupByTo(destination: M, keySelector: (Boolean) -> K,
valueTransform: (Boolean) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n val list
= destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return
destination}\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeyAndValues\n * \n\npublic
inline fun <K, V, M : MutableMap<in K, MutableList<V>>> CharArray.groupByTo(destination: M, keySelector:
(Char) -> K, valueTransform: (Char) -> V): M {\n for (element in this) {\n val key = keySelector(element)\n
val list = destination.getOrPut(key) { ArrayList<V>() }\n list.add(valueTransform(element))\n }\n return
destination}\n}\n\n/**\n * Creates a [Grouping] source from an array to be used later with one of group-and-fold
operations\n * using the specified [keySelector] function to extract a key from each element.\n * \n * @sample
samples.collections.Grouping.groupingByEachCount\n * \n\n@SinceKotlin("1.1")\n\npublic inline fun <T, K>
Array<out T>.groupingBy(crossinline keySelector: (T) -> K): Grouping<T, K> {\n return object : Grouping<T,
K> {\n override fun sourceIterator(): Iterator<T> = this@groupingBy.iterator()\n override fun
keyOf(element: T): K = keySelector(element)\n }\n}\n\n/**\n * Returns a list containing the results of applying
the given [transform] function\n * to each element in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.map\n * \n\npublic inline fun <T, R> Array<out T>.map(transform:
(T) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n}\n\n/**\n * Returns a list containing the
results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.map\n * \n\npublic inline fun <R> ByteArray.map(transform: (Byte)
-> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n}\n\n/**\n * Returns a list containing the
results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.map\n * \n\npublic inline fun <R> ShortArray.map(transform:
(Short) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n}\n\n/**\n * Returns a list containing
the results of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.map\n * \n\npublic inline fun <R> IntArray.map(transform: (Int) ->
R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n}\n\n/**\n * Returns a list containing the results
of applying the given [transform] function\n * to each element in the original array.\n * \n * @sample
samples.collections.Collections.Transformations.map\n * \n\npublic inline fun <R> LongArray.map(transform:
(Long) -> R): List<R> {\n return mapTo(ArrayList<R>(size), transform)\n}\n}\n\n/**\n * Returns a list containing

```

the results of applying the given [transform] function to each element in the original array.

```

@sample
samples.collections.Collections.Transformations.map
public inline fun <R> FloatArray.map(transform: (Float) -> R): List<R> {
    return mapTo(ArrayList<R>(size), transform)
}
Returns a list containing the results of applying the given [transform] function to each element in the original array.
@sample
samples.collections.Collections.Transformations.map
public inline fun <R> DoubleArray.map(transform: (Double) -> R): List<R> {
    return mapTo(ArrayList<R>(size), transform)
}
Returns a list containing the results of applying the given [transform] function to each element in the original array.
@sample
samples.collections.Collections.Transformations.map
public inline fun <R> BooleanArray.map(transform: (Boolean) -> R): List<R> {
    return mapTo(ArrayList<R>(size), transform)
}
Returns a list containing the results of applying the given [transform] function to each element in the original array.
@sample
samples.collections.Collections.Transformations.map
public inline fun <R> CharArray.map(transform: (Char) -> R): List<R> {
    return mapTo(ArrayList<R>(size), transform)
}
Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.
@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.
public inline fun <T, R> Array<out T>.mapIndexed(transform: (index: Int, T) -> R): List<R> {
    return mapIndexedTo(ArrayList<R>(size), transform)
}
Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.
@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.
public inline fun <R> ByteArray.mapIndexed(transform: (index: Int, Byte) -> R): List<R> {
    return mapIndexedTo(ArrayList<R>(size), transform)
}
Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.
@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.
public inline fun <R> ShortArray.mapIndexed(transform: (index: Int, Short) -> R): List<R> {
    return mapIndexedTo(ArrayList<R>(size), transform)
}
Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.
@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.
public inline fun <R> IntArray.mapIndexed(transform: (index: Int, Int) -> R): List<R> {
    return mapIndexedTo(ArrayList<R>(size), transform)
}
Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.
@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.
public inline fun <R> LongArray.mapIndexed(transform: (index: Int, Long) -> R): List<R> {
    return mapIndexedTo(ArrayList<R>(size), transform)
}
Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.
@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.
public inline fun <R> FloatArray.mapIndexed(transform: (index: Int, Float) -> R): List<R> {
    return mapIndexedTo(ArrayList<R>(size), transform)
}
Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.
@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.
public inline fun <R> DoubleArray.mapIndexed(transform: (index: Int, Double) -> R): List<R> {
    return mapIndexedTo(ArrayList<R>(size), transform)
}
Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.
@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.
public inline fun <R> BooleanArray.mapIndexed(transform: (index: Int, Boolean) -> R): List<R> {
    return mapIndexedTo(ArrayList<R>(size), transform)
}
Returns a list containing the results of applying the given [transform] function to each element and its index in the original array.
@param [transform] function that takes the index of an element and the element itself and returns the result of the transform applied to the element.
public inline fun <R>

```

```

CharArray.mapIndexed(transform: (index: Int, Char) -> R): List<R> {\n  return
mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing only the non-null results of
applying the given [transform] function\n * to each element and its index in the original array.\n * @param
[transform] function that takes the index of an element and the element itself\n * and returns the result of the
transform applied to the element.\n */\npublic inline fun <T, R : Any> Array<out
T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): List<R> {\n  return
mapIndexedNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each
element and its index in the original array\n * and appends only the non-null results to the given [destination].\n *
@param [transform] function that takes the index of an element and the element itself\n * and returns the result of
the transform applied to the element.\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Array<out
T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {\n  forEachIndexed { index,
element -> transform(index, element)?.let { destination.add(it) } }\n  return destination\n}\n\n/**\n * Applies the
given [transform] function to each element and its index in the original array\n * and appends the results to the given
[destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and
returns the result of the transform applied to the element.\n */\npublic inline fun <T, R, C : MutableCollection<in
R>> Array<out T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {\n  var index = 0\n  for
(item in this)\n    destination.add(transform(index++, item))\n  return destination\n}\n\n/**\n * Applies the given
[transform] function to each element and its index in the original array\n * and appends the results to the given
[destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and
returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in
R>> ByteArray.mapIndexedTo(destination: C, transform: (index: Int, Byte) -> R): C {\n  var index = 0\n  for (item in
this)\n    destination.add(transform(index++, item))\n  return destination\n}\n\n/**\n * Applies the given
[transform] function to each element and its index in the original array\n * and appends the results to the given
[destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and
returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in
R>> ShortArray.mapIndexedTo(destination: C, transform: (index: Int, Short) -> R): C {\n  var index = 0\n  for (item in
this)\n    destination.add(transform(index++, item))\n  return destination\n}\n\n/**\n * Applies the given
[transform] function to each element and its index in the original array\n * and appends the results to the given
[destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and
returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in
R>> IntArray.mapIndexedTo(destination: C, transform: (index: Int, Int) -> R): C {\n  var index = 0\n  for (item in
this)\n    destination.add(transform(index++, item))\n  return destination\n}\n\n/**\n * Applies the given
[transform] function to each element and its index in the original array\n * and appends the results to the given
[destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and
returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in
R>> LongArray.mapIndexedTo(destination: C, transform: (index: Int, Long) -> R): C {\n  var index = 0\n  for (item in
this)\n    destination.add(transform(index++, item))\n  return destination\n}\n\n/**\n * Applies the given
[transform] function to each element and its index in the original array\n * and appends the results to the given
[destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and
returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in
R>> FloatArray.mapIndexedTo(destination: C, transform: (index: Int, Float) -> R): C {\n  var index = 0\n  for (item in
this)\n    destination.add(transform(index++, item))\n  return destination\n}\n\n/**\n * Applies the given
[transform] function to each element and its index in the original array\n * and appends the results to the given
[destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and
returns the result of the transform applied to the element.\n */\npublic inline fun <R, C : MutableCollection<in
R>> DoubleArray.mapIndexedTo(destination: C, transform: (index: Int, Double) -> R): C {\n  var index = 0\n  for
(item in this)\n    destination.add(transform(index++, item))\n  return destination\n}\n\n/**\n * Applies the given
[transform] function to each element and its index in the original array\n * and appends the results to the given

```



```

[destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and
returns the result of the transform applied to the element.\n *\npublic inline fun <R, C : MutableCollection<in R>>
BooleanArray.mapIndexedTo(destination: C, transform: (index: Int, Boolean) -> R): C {\n  var index = 0\n  for
(item in this)\n    destination.add(transform(index++, item))\n  return destination\n}\n\n/**\n * Applies the given
[transform] function to each element and its index in the original array\n * and appends the results to the given
[destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and
returns the result of the transform applied to the element.\n *\npublic inline fun <R, C : MutableCollection<in R>>
CharArray.mapIndexedTo(destination: C, transform: (index: Int, Char) -> R): C {\n  var index = 0\n  for (item in
this)\n    destination.add(transform(index++, item))\n  return destination\n}\n\n/**\n * Returns a list containing
only the non-null results of applying the given [transform] function\n * to each element in the original array.\n
*\npublic inline fun <T, R : Any> Array<out T>.mapNotNull(transform: (T) -> R?): List<R> {\n  return
mapNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each element in
the original array\n * and appends only the non-null results to the given [destination].\n *\npublic inline fun <T, R :
Any, C : MutableCollection<in R>> Array<out T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {\n
  forEach { element -> transform(element)?.let { destination.add(it) } }\n  return destination\n}\n\n/**\n * Applies
the given [transform] function to each element of the original array\n * and appends the results to the given
[destination].\n *\npublic inline fun <T, R, C : MutableCollection<in R>> Array<out T>.mapTo(destination: C,
transform: (T) -> R): C {\n  for (item in this)\n    destination.add(transform(item))\n  return
destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original array\n * and
appends the results to the given [destination].\n *\npublic inline fun <R, C : MutableCollection<in R>>
ByteArray.mapTo(destination: C, transform: (Byte) -> R): C {\n  for (item in this)\n
  destination.add(transform(item))\n  return destination\n}\n\n/**\n * Applies the given [transform] function to each
element of the original array\n * and appends the results to the given [destination].\n *\npublic inline fun <R, C :
MutableCollection<in R>> ShortArray.mapTo(destination: C, transform: (Short) -> R): C {\n  for (item in this)\n
  destination.add(transform(item))\n  return destination\n}\n\n/**\n * Applies the given [transform] function to
each element of the original array\n * and appends the results to the given [destination].\n *\npublic inline fun <R,
C : MutableCollection<in R>> IntArray.mapTo(destination: C, transform: (Int) -> R): C {\n  for (item in this)\n
  destination.add(transform(item))\n  return destination\n}\n\n/**\n * Applies the given [transform] function to each
element of the original array\n * and appends the results to the given [destination].\n *\npublic inline fun <R, C :
MutableCollection<in R>> LongArray.mapTo(destination: C, transform: (Long) -> R): C {\n  for (item in this)\n
  destination.add(transform(item))\n  return destination\n}\n\n/**\n * Applies the given [transform] function to
each element of the original array\n * and appends the results to the given [destination].\n *\npublic inline fun <R,
C : MutableCollection<in R>> FloatArray.mapTo(destination: C, transform: (Float) -> R): C {\n  for (item in
this)\n    destination.add(transform(item))\n  return destination\n}\n\n/**\n * Applies the given [transform]
function to each element of the original array\n * and appends the results to the given [destination].\n *\npublic
inline fun <R, C : MutableCollection<in R>> DoubleArray.mapTo(destination: C, transform: (Double) -> R): C {\n
  for (item in this)\n    destination.add(transform(item))\n  return destination\n}\n\n/**\n * Applies the given
[transform] function to each element of the original array\n * and appends the results to the given [destination].\n
*\npublic inline fun <R, C : MutableCollection<in R>> BooleanArray.mapTo(destination: C, transform: (Boolean)
-> R): C {\n  for (item in this)\n    destination.add(transform(item))\n  return destination\n}\n\n/**\n * Applies
the given [transform] function to each element of the original array\n * and appends the results to the given
[destination].\n *\npublic inline fun <R, C : MutableCollection<in R>> CharArray.mapTo(destination: C,
transform: (Char) -> R): C {\n  for (item in this)\n    destination.add(transform(item))\n  return
destination\n}\n\n/**\n * Returns a lazy [Iterable] that wraps each element of the original array\n * into an
[IndexValue] containing the index of that element and the element itself.\n *\npublic fun <T> Array<out
T>.withIndex(): Iterable<IndexedValue<T>> {\n  return IndexingIterable { iterator() }\n}\n\n/**\n * Returns a
lazy [Iterable] that wraps each element of the original array\n * into an [IndexedValue] containing the index of that
element and the element itself.\n *\npublic fun ByteArray.withIndex(): Iterable<IndexedValue<Byte>> {\n  return

```



```

source array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\npublic
fun CharArray.distinct(): List<Char> {\n    return this.toMutableSet().toList()\n}\n\n/**\n * Returns a list containing
only elements from the given array\n * having distinct keys returned by the given [selector] function.\n * \n * The
elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\npublic inline fun <T, K> Array<out
T>.distinctBy(selector: (T) -> K): List<T> {\n    val set = HashSet<K>()\n    val list = ArrayList<T>()\n    for (e in
this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n *
Returns a list containing only elements from the given array\n * having distinct keys returned by the given [selector]
function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n *
@sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\npublic inline fun <K>
ByteArray.distinctBy(selector: (Byte) -> K): List<Byte> {\n    val set = HashSet<K>()\n    val list =
ArrayList<Byte>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n
return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys
returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they
were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\npublic inline fun <K>
ShortArray.distinctBy(selector: (Short) -> K): List<Short> {\n    val set = HashSet<K>()\n    val list =
ArrayList<Short>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n
return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys
returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they
were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\npublic inline fun <K>
IntArray.distinctBy(selector: (Int) -> K): List<Int> {\n    val set = HashSet<K>()\n    val list = ArrayList<Int>()\n
for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n *
Returns a list containing only elements from the given array\n * having distinct keys returned by the given
[selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source
array.\n * \n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\npublic inline
fun <K> LongArray.distinctBy(selector: (Long) -> K): List<Long> {\n    val set = HashSet<K>()\n    val list =
ArrayList<Long>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n
return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys
returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they
were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\npublic inline fun <K>
FloatArray.distinctBy(selector: (Float) -> K): List<Float> {\n    val set = HashSet<K>()\n    val list =
ArrayList<Float>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n
return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys
returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they
were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\npublic inline fun <K>
DoubleArray.distinctBy(selector: (Double) -> K): List<Double> {\n    val set = HashSet<K>()\n    val list =
ArrayList<Double>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n
return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys
returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they
were in the source array.\n * \n * @sample
samples.collections.Collections.Transformations.distinctAndDistinctBy\n *^\npublic inline fun <K>
BooleanArray.distinctBy(selector: (Boolean) -> K): List<Boolean> {\n    val set = HashSet<K>()\n    val list =
ArrayList<Boolean>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n
return list\n}\n\n/**\n * Returns a list containing only elements from the given array\n * having distinct keys

```

returned by the given [selector] function.\n * \n * The elements in the resulting list are in the same order as they were in the source array.\n * \n * @sample

```

samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic inline fun <K>
CharArray.distinctBy(selector: (Char) -> K): List<Char> {\n    val set = HashSet<K>()\n    val list =
ArrayList<Char>()\n    for (e in this) {\n        val key = selector(e)\n        if (set.add(key))\n            list.add(e)\n    }\n    return list\n}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified
collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set
containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun <T>
Array<out T>.intersect(other: Iterable<T>): Set<T> {\n    val set = this.toMutableSet()\n    set.retainAll(other)\n
return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified
collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set
containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun
ByteArray.intersect(other: Iterable<Byte>): Set<Byte> {\n    val set = this.toMutableSet()\n    set.retainAll(other)\n
return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this array and the specified
collection.\n * \n * The returned set preserves the element iteration order of the original array.\n * \n * To get a set
containing all elements that are contained at least in one of these collections use [union].\n */\npublic infix fun
ShortArray.intersect(other: Iterable<Short>): Set<Short> {\n    val set = this.toMutableSet()\n
set.retainAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this
array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original
array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use
[union].\n */\npublic infix fun IntArray.intersect(other: Iterable<Int>): Set<Int> {\n    val set = this.toMutableSet()\n
set.retainAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all elements that are contained by both this
array and the specified collection.\n * \n * The returned set preserves the element iteration order of the original
array.\n * \n * To get a set containing all elements that are contained at least in one of these collections use
[union].\n */\npublic infix fun LongArray.intersect(other: Iterable<Long>): Set<Long> {\n    val set =
this.toMutableSet()\n    set.retainAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all elements that are
contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration
order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these
collections use [union].\n */\npublic infix fun FloatArray.intersect(other: Iterable<Float>): Set<Float> {\n    val set
= this.toMutableSet()\n    set.retainAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all elements that
are contained by both this array and the specified collection.\n * \n * The returned set preserves the element iteration
order of the original array.\n * \n * To get a set containing all elements that are contained at least in one of these
collections use [union].\n */\npublic infix fun DoubleArray.intersect(other: Iterable<Double>): Set<Double> {\n
val set = this.toMutableSet()\n    set.retainAll(other)\n    return set\n}\n\n/**\n * Returns a set containing all
elements that are contained by both this array and the specified collection.\n * \n * The returned set preserves the
element iteration order of the original array.\n * \n * To get a set containing all elements that are contained at least
in one of these collections use [union].\n */\npublic infix fun BooleanArray.intersect(other: Iterable<Boolean>):
Set<Boolean> {\n    val set = this.toMutableSet()\n    set.retainAll(other)\n    return set\n}\n\n/**\n * Returns a set
containing all elements that are contained by both this array and the specified collection.\n * \n * The returned set
preserves the element iteration order of the original array.\n * \n * To get a set containing all elements that are
contained at least in one of these collections use [union].\n */\npublic infix fun CharArray.intersect(other:
Iterable<Char>): Set<Char> {\n    val set = this.toMutableSet()\n    set.retainAll(other)\n    return set\n}\n\n/**\n
 * Returns a set containing all elements that are contained by this array and not contained by the specified collection.\n
 * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun <T>
Array<out T>.subtract(other: Iterable<T>): Set<T> {\n    val set = this.toMutableSet()\n    set.removeAll(other)\n
return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this array and not contained by
the specified collection.\n * \n * The returned set preserves the element iteration order of the original array.\n
 */\npublic infix fun ByteArray.subtract(other: Iterable<Byte>): Set<Byte> {\n    val set = this.toMutableSet()\n

```

```

set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this
array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of
the original array.\n */\npublic infix fun ShortArray.subtract(other: Iterable<Short>): Set<Short> {\n val set =
this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that
are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the
element iteration order of the original array.\n */\npublic infix fun IntArray.subtract(other: Iterable<Int>): Set<Int>
{\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all
elements that are contained by this array and not contained by the specified
collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun LongArray.subtract(other:
Iterable<Long>): Set<Long> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n *
Returns a set containing all elements that are contained by this array and not contained by the specified
collection.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic infix fun FloatArray.subtract(other: Iterable<Float>): Set<Float> {\n val set = this.toMutableSet()\n
set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that are contained by this
array and not contained by the specified collection.\n * \n * The returned set preserves the element iteration order of
the original array.\n */\npublic infix fun DoubleArray.subtract(other: Iterable<Double>): Set<Double> {\n val set =
this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set containing all elements that
are contained by this array and not contained by the specified collection.\n * \n * The returned set preserves the
element iteration order of the original array.\n */\npublic infix fun BooleanArray.subtract(other: Iterable<Boolean>): Set<Boolean> {\n val set = this.toMutableSet()\n set.removeAll(other)\n return set\n}\n\n/**\n * Returns a set
containing all elements that are contained by this array and not contained by the specified collection.\n * \n * The
returned set preserves the element iteration order of the original array.\n */\npublic infix fun CharArray.subtract(other: Iterable<Char>): Set<Char> {\n val set = this.toMutableSet()\n set.removeAll(other)\n
return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.\n * \n * The
returned set preserves the element iteration order of the original array.\n */\npublic fun <T> Array<out
T>.toMutableSet(): MutableSet<T> {\n val set = LinkedHashSet<T>(mapCapacity(size))\n for (item in this)
set.add(item)\n return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given
array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun
ByteArray.toMutableSet(): MutableSet<Byte> {\n val set = LinkedHashSet<Byte>(mapCapacity(size))\n for
(item in this) set.add(item)\n return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from
the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun ShortArray.toMutableSet(): MutableSet<Short> {\n val set = LinkedHashSet<Short>(mapCapacity(size))\n for
(item in this) set.add(item)\n return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from
the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun IntArray.toMutableSet(): MutableSet<Int> {\n val set = LinkedHashSet<Int>(mapCapacity(size))\n for (item in this) set.add(item)\n return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun LongArray.toMutableSet(): MutableSet<Long> {\n val set = LinkedHashSet<Long>(mapCapacity(size))\n for (item in this) set.add(item)\n return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun FloatArray.toMutableSet(): MutableSet<Float> {\n val set = LinkedHashSet<Float>(mapCapacity(size))\n for (item in this) set.add(item)\n return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun DoubleArray.toMutableSet(): MutableSet<Double> {\n val set = LinkedHashSet<Double>(mapCapacity(size))\n for (item in this) set.add(item)\n return set\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given array.\n * \n * The returned set preserves the element iteration order of the original array.\n */\npublic fun BooleanArray.toMutableSet(): MutableSet<Boolean> {\n val set = LinkedHashSet<Boolean>(mapCapacity(size))\n for (item in this) set.add(item)\n return set\n}\n\n/**\n *

```

Returns a mutable set containing all distinct elements from the given array. The returned set preserves the element iteration order of the original array.

```

public fun CharArray.toMutableSet(): MutableSet<Char> {
    val set = LinkedHashSet<Char>(mapCapacity(size))
    for (item in this) set.add(item)
    return set
}

```

Returns a set containing all distinct elements from both collections. The returned set preserves the element iteration order of the original array. Those elements of the [other] collection that are unique are iterated in the end in the order of the [other] collection. To get a set containing all elements that are contained in both collections use [intersect].

```

public infix fun <T> Array<out T>.union(other: Iterable<T>): Set<T> {
    val set = this.toMutableSet()
    set.addAll(other)
    return set
}

```

Returns a set containing all distinct elements from both collections. The returned set preserves the element iteration order of the original array. Those elements of the [other] collection that are unique are iterated in the end in the order of the [other] collection. To get a set containing all elements that are contained in both collections use [intersect].

```

public infix fun ByteArray.union(other: Iterable<Byte>): Set<Byte> {
    val set = this.toMutableSet()
    set.addAll(other)
    return set
}

```

Returns a set containing all distinct elements from both collections. The returned set preserves the element iteration order of the original array. Those elements of the [other] collection that are unique are iterated in the end in the order of the [other] collection. To get a set containing all elements that are contained in both collections use [intersect].

```

public infix fun ShortArray.union(other: Iterable<Short>): Set<Short> {
    val set = this.toMutableSet()
    set.addAll(other)
    return set
}

```

Returns a set containing all distinct elements from both collections. The returned set preserves the element iteration order of the original array. Those elements of the [other] collection that are unique are iterated in the end in the order of the [other] collection. To get a set containing all elements that are contained in both collections use [intersect].

```

public infix fun IntArray.union(other: Iterable<Int>): Set<Int> {
    val set = this.toMutableSet()
    set.addAll(other)
    return set
}

```

Returns a set containing all distinct elements from both collections. The returned set preserves the element iteration order of the original array. Those elements of the [other] collection that are unique are iterated in the end in the order of the [other] collection. To get a set containing all elements that are contained in both collections use [intersect].

```

public infix fun LongArray.union(other: Iterable<Long>): Set<Long> {
    val set = this.toMutableSet()
    set.addAll(other)
    return set
}

```

Returns a set containing all distinct elements from both collections. The returned set preserves the element iteration order of the original array. Those elements of the [other] collection that are unique are iterated in the end in the order of the [other] collection. To get a set containing all elements that are contained in both collections use [intersect].

```

public infix fun FloatArray.union(other: Iterable<Float>): Set<Float> {
    val set = this.toMutableSet()
    set.addAll(other)
    return set
}

```

Returns a set containing all distinct elements from both collections. The returned set preserves the element iteration order of the original array. Those elements of the [other] collection that are unique are iterated in the end in the order of the [other] collection. To get a set containing all elements that are contained in both collections use [intersect].

```

public infix fun DoubleArray.union(other: Iterable<Double>): Set<Double> {
    val set = this.toMutableSet()
    set.addAll(other)
    return set
}

```

Returns a set containing all distinct elements from both collections. The returned set preserves the element iteration order of the original array. Those elements of the [other] collection that are unique are iterated in the end in the order of the [other] collection. To get a set containing all elements that are contained in both collections use [intersect].

```

public infix fun BooleanArray.union(other: Iterable<Boolean>): Set<Boolean> {
    val set = this.toMutableSet()
    set.addAll(other)
    return set
}

```

Returns a set containing all distinct elements from both collections. The returned set preserves the element iteration order of the original array. Those elements of the [other] collection that are unique are iterated in the end in the order of the [other] collection. To get a set containing all elements that are contained in both collections use [intersect].

```

public infix fun CharArray.union(other: Iterable<Char>): Set<Char> {
    val set = this.toMutableSet()
    set.addAll(other)
    return set
}

```

Returns true if all elements match the given [predicate].

```

@sample
samples.collections.Collections.Aggregates.all
public inline fun <T> Array<out T>.all(predicate: (T) -> Boolean): Boolean {
    for (element in this) if (!predicate(element)) return false
    return true
}

```

Returns `true` if all elements match the given [predicate].\n * \n * @sample

samples.collections.Collections.Aggregates.all\n */\npublic inline fun ByteArray.all(predicate: (Byte) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample

samples.collections.Collections.Aggregates.all\n */\npublic inline fun ShortArray.all(predicate: (Short) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample

samples.collections.Collections.Aggregates.all\n */\npublic inline fun IntArray.all(predicate: (Int) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample

samples.collections.Collections.Aggregates.all\n */\npublic inline fun LongArray.all(predicate: (Long) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample

samples.collections.Collections.Aggregates.all\n */\npublic inline fun FloatArray.all(predicate: (Float) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample

samples.collections.Collections.Aggregates.all\n */\npublic inline fun DoubleArray.all(predicate: (Double) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample

samples.collections.Collections.Aggregates.all\n */\npublic inline fun BooleanArray.all(predicate: (Boolean) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample

samples.collections.Collections.Aggregates.all\n */\npublic inline fun CharArray.all(predicate: (Char) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n**\n * Returns `true` if array has at least one element.\n * \n * @sample

samples.collections.Collections.Aggregates.any\n */\npublic fun <T> Array<out T>.any(): Boolean {\n return !isEmpty()\n}\n\n**\n * Returns `true` if array has at least one element.\n * \n * @sample

samples.collections.Collections.Aggregates.any\n */\npublic fun ByteArray.any(): Boolean {\n return !isEmpty()\n}\n\n**\n * Returns `true` if array has at least one element.\n * \n * @sample

samples.collections.Collections.Aggregates.any\n */\npublic fun ShortArray.any(): Boolean {\n return !isEmpty()\n}\n\n**\n * Returns `true` if array has at least one element.\n * \n * @sample

samples.collections.Collections.Aggregates.any\n */\npublic fun IntArray.any(): Boolean {\n return !isEmpty()\n}\n\n**\n * Returns `true` if array has at least one element.\n * \n * @sample

samples.collections.Collections.Aggregates.any\n */\npublic fun LongArray.any(): Boolean {\n return !isEmpty()\n}\n\n**\n * Returns `true` if array has at least one element.\n * \n * @sample

samples.collections.Collections.Aggregates.any\n */\npublic fun FloatArray.any(): Boolean {\n return !isEmpty()\n}\n\n**\n * Returns `true` if array has at least one element.\n * \n * @sample

samples.collections.Collections.Aggregates.any\n */\npublic fun DoubleArray.any(): Boolean {\n return !isEmpty()\n}\n\n**\n * Returns `true` if array has at least one element.\n * \n * @sample

samples.collections.Collections.Aggregates.any\n */\npublic fun BooleanArray.any(): Boolean {\n return !isEmpty()\n}\n\n**\n * Returns `true` if array has at least one element.\n * \n * @sample

samples.collections.Collections.Aggregates.any\n */\npublic fun CharArray.any(): Boolean {\n return !isEmpty()\n}\n\n**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample

samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun <T> Array<out T>.any(predicate: (T) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample

samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun ByteArray.any(predicate: (Byte) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return false\n}\n\n**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample

samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun ShortArray.any(predicate: (Short) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return true\n return

```

false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun IntArray.any(predicate: (Int) -
> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return true\n    return false\n}\n\n/**\n *
Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun LongArray.any(predicate:
(Long) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return true\n    return
false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun FloatArray.any(predicate:
(Float) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return true\n    return
false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun DoubleArray.any(predicate:
(Double) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return true\n    return
false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun BooleanArray.any(predicate:
(Boolean) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return true\n    return
false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n */\npublic inline fun CharArray.any(predicate:
(Char) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return true\n    return
false\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline
fun <T> Array<out T>.count(): Int {\n    return size\n}\n\n/**\n * Returns the number of elements in this array.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.count(): Int {\n    return size\n}\n\n/**\n * Returns the
number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.count(): Int {\n
return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic
inline fun IntArray.count(): Int {\n    return size\n}\n\n/**\n * Returns the number of elements in this array.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.count(): Int {\n    return size\n}\n\n/**\n * Returns the
number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun FloatArray.count(): Int {\n
return size\n}\n\n/**\n * Returns the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic
inline fun DoubleArray.count(): Int {\n    return size\n}\n\n/**\n * Returns the number of elements in this array.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun BooleanArray.count(): Int {\n    return size\n}\n\n/**\n * Returns
the number of elements in this array.\n */\n@kotlin.internal.InlineOnly\npublic inline fun CharArray.count(): Int {\n
return size\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun
<T> Array<out T>.count(predicate: (T) -> Boolean): Int {\n    var count = 0\n    for (element in this) if
(predicate(element)) ++count\n    return count\n}\n\n/**\n * Returns the number of elements matching the given
[predicate].\n */\npublic inline fun ByteArray.count(predicate: (Byte) -> Boolean): Int {\n    var count = 0\n
for (element in this) if (predicate(element)) ++count\n    return count\n}\n\n/**\n * Returns the number of elements
matching the given [predicate].\n */\npublic inline fun ShortArray.count(predicate: (Short) -> Boolean): Int {\n
var count = 0\n    for (element in this) if (predicate(element)) ++count\n    return count\n}\n\n/**\n * Returns the
number of elements matching the given [predicate].\n */\npublic inline fun IntArray.count(predicate: (Int) ->
Boolean): Int {\n    var count = 0\n    for (element in this) if (predicate(element)) ++count\n    return
count\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun
LongArray.count(predicate: (Long) -> Boolean): Int {\n    var count = 0\n    for (element in this) if
(predicate(element)) ++count\n    return count\n}\n\n/**\n * Returns the number of elements matching the given
[predicate].\n */\npublic inline fun FloatArray.count(predicate: (Float) -> Boolean): Int {\n    var count = 0\n
for (element in this) if (predicate(element)) ++count\n    return count\n}\n\n/**\n * Returns the number of elements
matching the given [predicate].\n */\npublic inline fun DoubleArray.count(predicate: (Double) -> Boolean): Int {\n
var count = 0\n    for (element in this) if (predicate(element)) ++count\n    return count\n}\n\n/**\n * Returns the
number of elements matching the given [predicate].\n */\npublic inline fun BooleanArray.count(predicate: (Boolean)
-> Boolean): Int {\n    var count = 0\n    for (element in this) if (predicate(element)) ++count\n    return

```



```

count\n\n\n/**\n * Returns the number of elements matching the given [predicate].\n */\npublic inline fun
CharArray.count(predicate: (Char) -> Boolean): Int {\n    var count = 0\n    for (element in this) if
(predicate(element)) ++count\n    return count\n}\n\n/**\n * Accumulates value starting with [initial] value and
applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <T, R>
Array<out T>.fold(initial: R, operation: (acc: R, T) -> R): R {\n    var accumulator = initial\n    for (element in this)
accumulator = operation(accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting
with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <R> ByteArray.fold(initial: R, operation: (acc: R, Byte) -> R): R {\n    var accumulator =
initial\n    for (element in this) accumulator = operation(accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator
value and each element.\n */\npublic inline fun <R> ShortArray.fold(initial: R, operation: (acc: R, Short) -> R): R {\n    var accumulator = initial\n    for (element in this) accumulator = operation(accumulator, element)\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right
to current accumulator value and each element.\n */\npublic inline fun <R> IntArray.fold(initial: R, operation: (acc:
R, Int) -> R): R {\n    var accumulator = initial\n    for (element in this) accumulator = operation(accumulator,
element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying
[operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <R>
LongArray.fold(initial: R, operation: (acc: R, Long) -> R): R {\n    var accumulator = initial\n    for (element in this)
accumulator = operation(accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting
with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline fun <R> FloatArray.fold(initial: R, operation: (acc: R, Float) -> R): R {\n    var accumulator =
initial\n    for (element in this) accumulator = operation(accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator
value and each element.\n */\npublic inline fun <R> DoubleArray.fold(initial: R, operation: (acc: R, Double) -> R):
R {\n    var accumulator = initial\n    for (element in this) accumulator = operation(accumulator, element)\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right
to current accumulator value and each element.\n */\npublic inline fun <R> BooleanArray.fold(initial: R, operation:
(acc: R, Boolean) -> R): R {\n    var accumulator = initial\n    for (element in this) accumulator =
operation(accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting with [initial]
value and applying [operation] from left to right to current accumulator value and each element.\n */\npublic inline
fun <R> CharArray.fold(initial: R, operation: (acc: R, Char) -> R): R {\n    var accumulator = initial\n    for (element
in this) accumulator = operation(accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value
starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each
element with its index in the original array.\n * @param [operation] function that takes the index of an element,
current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline
fun <T, R> Array<out T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): R {\n    var index = 0\n    var accumulator = initial\n    for (element in this) accumulator = operation(index++, accumulator, element)\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left
to right\n * to current accumulator value and each element with its index in the original array.\n * @param
[operation] function that takes the index of an element, current accumulator value\n * and the element itself, and
calculates the next accumulator value.\n */\npublic inline fun <R> ByteArray.foldIndexed(initial: R, operation:
(index: Int, acc: R, Byte) -> R): R {\n    var index = 0\n    var accumulator = initial\n    for (element in this)
accumulator = operation(index++, accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value
starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and each
element with its index in the original array.\n * @param [operation] function that takes the index of an element,
current accumulator value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline
fun <R> ShortArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Short) -> R): R {\n    var index = 0\n    var
accumulator = initial\n    for (element in this) accumulator = operation(index++, accumulator, element)\n    return

```

```

accumulator\n}\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n */\npublic inline fun <R> IntArray.foldIndexed(initial: R, operation: (index: Int, acc: R,
Int) -> R): R {\n    var index = 0\n    var accumulator = initial\n    for (element in this) accumulator =
operation(index++, accumulator, element)\n    return accumulator\n}\n/**\n * Accumulates value starting with
[initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its
index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator
value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R>
LongArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Long) -> R): R {\n    var index = 0\n    var
accumulator = initial\n    for (element in this) accumulator = operation(index++, accumulator, element)\n    return
accumulator\n}\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n */\npublic inline fun <R> FloatArray.foldIndexed(initial: R, operation: (index: Int, acc: R,
Float) -> R): R {\n    var index = 0\n    var accumulator = initial\n    for (element in this) accumulator =
operation(index++, accumulator, element)\n    return accumulator\n}\n/**\n * Accumulates value starting with
[initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its
index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator
value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R>
DoubleArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Double) -> R): R {\n    var index = 0\n    var
accumulator = initial\n    for (element in this) accumulator = operation(index++, accumulator, element)\n    return
accumulator\n}\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n */\npublic inline fun <R> BooleanArray.foldIndexed(initial: R, operation: (index: Int, acc:
R, Boolean) -> R): R {\n    var index = 0\n    var accumulator = initial\n    for (element in this) accumulator =
operation(index++, accumulator, element)\n    return accumulator\n}\n/**\n * Accumulates value starting with
[initial] value and applying [operation] from left to right\n * to current accumulator value and each element with its
index in the original array.\n * @param [operation] function that takes the index of an element, current accumulator
value\n * and the element itself, and calculates the next accumulator value.\n */\npublic inline fun <R>
CharArray.foldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): R {\n    var index = 0\n    var
accumulator = initial\n    for (element in this) accumulator = operation(index++, accumulator, element)\n    return
accumulator\n}\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left
to each element and current accumulator value.\n */\npublic inline fun <T, R> Array<out T>.foldRight(initial: R,
operation: (T, acc: R) -> R): R {\n    var index = lastIndex\n    var accumulator = initial\n    while (index >= 0) {\n
        accumulator = operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n/**\n * Accumulates value
starting with [initial] value and applying [operation] from right to left to each element and current accumulator
value.\n */\npublic inline fun <R> ByteArray.foldRight(initial: R, operation: (Byte, acc: R) -> R): R {\n    var index
= lastIndex\n    var accumulator = initial\n    while (index >= 0) {\n        accumulator = operation(get(index--),
accumulator)\n    }\n    return accumulator\n}\n/**\n * Accumulates value starting with [initial] value and applying
[operation] from right to left to each element and current accumulator value.\n */\npublic inline fun <R>
ShortArray.foldRight(initial: R, operation: (Short, acc: R) -> R): R {\n    var index = lastIndex\n    var accumulator =
initial\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return
accumulator\n}\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left
to each element and current accumulator value.\n */\npublic inline fun <R> IntArray.foldRight(initial: R, operation:
(Int, acc: R) -> R): R {\n    var index = lastIndex\n    var accumulator = initial\n    while (index >= 0) {\n
        accumulator = operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n/**\n * Accumulates value

```

starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.

```

public inline fun <R> LongArray.foldRight(initial: R, operation: (Long, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.

```

public inline fun <R> FloatArray.foldRight(initial: R, operation: (Float, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.

```

public inline fun <R> DoubleArray.foldRight(initial: R, operation: (Double, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.

```

public inline fun <R> BooleanArray.foldRight(initial: R, operation: (Boolean, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.

```

public inline fun <R> CharArray.foldRight(initial: R, operation: (Char, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from right to left to each element with its index in the original array and current accumulator value.

@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

public inline fun <T, R> Array<out T>.foldRightIndexed(initial: R, operation: (index: Int, T, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from right to left to each element with its index in the original array and current accumulator value.

@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

public inline fun <R> ByteArray.foldRightIndexed(initial: R, operation: (index: Int, Byte, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from right to left to each element with its index in the original array and current accumulator value.

@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

public inline fun <R> ShortArray.foldRightIndexed(initial: R, operation: (index: Int, Short, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from right to left to each element with its index in the original array and current accumulator value.

@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

public inline fun <R> IntArray.foldRightIndexed(initial: R, operation: (index: Int, Int, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from right to left to each element with its index in the original array and current accumulator value.

@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

public inline fun <R> LongArray.foldRightIndexed(initial: R, operation: (index: Int, Long, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from right to left to each element with

its index in the original array and current accumulator value.

```

    * @param [operation] function that takes the index of
    an element, the element itself
    * and current accumulator value, and calculates the next accumulator value.
    */
    public inline fun <R> FloatArray.foldRightIndexed(initial: R, operation: (index: Int, Float, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
    }
    * Accumulates value starting with [initial] value and applying [operation] from right to left
    * to each element with its index in the original array and current accumulator value.
    * @param [operation] function that takes the index of an element, the element itself
    * and current accumulator value, and calculates the next accumulator value.
    */
    public inline fun <R> DoubleArray.foldRightIndexed(initial: R, operation: (index: Int, Double, acc: R) -> R): R {
    var index =
    lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(index, get(index),
        accumulator)
        --index
    }
    return accumulator
    }
    * Accumulates value starting with [initial] value and applying [operation] from right to left
    * to each element with its index in the original array and current accumulator value.
    * @param [operation] function that takes the index of an element, the element itself
    * and current accumulator value, and calculates the next accumulator value.
    */
    public inline fun <R> BooleanArray.foldRightIndexed(initial: R, operation: (index: Int, Boolean, acc: R) -> R): R {
    var index =
    lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(index, get(index),
        accumulator)
        --index
    }
    return accumulator
    }
    * Accumulates value starting with [initial] value and applying [operation] from right to left
    * to each element with its index in the original array and current accumulator value.
    * @param [operation] function that takes the index of an element, the element itself
    * and current accumulator value, and calculates the next accumulator value.
    */
    public inline fun <R> CharArray.foldRightIndexed(initial: R, operation: (index: Int, Char, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
    }
    * Performs the given [action] on each element.
    */
    public inline fun <T> Array<out T>.forEach(action: (T) -> Unit): Unit {
    for (element in this)
    action(element)
    }
    * Performs the given [action] on each element.
    */
    public inline fun ByteArray.forEach(action: (Byte) -> Unit): Unit {
    for (element in this) action(element)
    }
    * Performs the given [action] on each element.
    */
    public inline fun ShortArray.forEach(action: (Short) -> Unit): Unit {
    for (element in this) action(element)
    }
    * Performs the given [action] on each element.
    */
    public inline fun IntArray.forEach(action: (Int) -> Unit): Unit {
    for (element in this) action(element)
    }
    * Performs the given [action] on each element.
    */
    public inline fun LongArray.forEach(action: (Long) -> Unit): Unit {
    for (element in this) action(element)
    }
    * Performs the given [action] on each element.
    */
    public inline fun FloatArray.forEach(action: (Float) -> Unit): Unit {
    for (element in this) action(element)
    }
    * Performs the given [action] on each element.
    */
    public inline fun DoubleArray.forEach(action: (Double) -> Unit): Unit {
    for (element in this) action(element)
    }
    * Performs the given [action] on each element.
    */
    public inline fun BooleanArray.forEach(action: (Boolean) -> Unit): Unit {
    for (element in this)
    action(element)
    }
    * Performs the given [action] on each element.
    */
    public inline fun CharArray.forEach(action: (Char) -> Unit): Unit {
    for (element in this) action(element)
    }
    * Performs the given [action] on each element, providing sequential index with the element.
    * @param [action] function that takes the index of an element and the element itself
    * and performs the desired action on the element.
    */
    public inline fun <T> Array<out T>.forEachIndexed(action: (index: Int, T) -> Unit): Unit {
    var index = 0
    for (item in this)
    action(index++, item)
    }
    * Performs the given [action] on each element, providing sequential index with the element.
    * @param [action] function that takes the index of an element and the element itself
    * and performs the desired action on the element.
    */
    public inline fun ByteArray.forEachIndexed(action: (index: Int, Byte) -> Unit): Unit {
    var index = 0
    for (item in this)
    action(index++, item)
    }
    * Performs the given [action] on each element, providing sequential index with the element.
    * @param [action] function that takes the index of an element and the element itself
    * and performs the desired action on the element.
    */
    public inline fun ShortArray.forEachIndexed(action: (index: Int, Short) -> Unit): Unit {
    var index = 0
    for (item in this)
    action(index++, item)
    }
    * Performs the given [action] on each element, providing sequential index with

```

the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun IntArray.forEachIndexed(action: (index: Int, Int) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun LongArray.forEachIndexed(action: (index: Int, Long) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun FloatArray.forEachIndexed(action: (index: Int, Float) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun DoubleArray.forEachIndexed(action: (index: Int, Double) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun BooleanArray.forEachIndexed(action: (index: Int, Boolean) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Performs the given [action] on each element, providing sequential index with the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs the desired action on the element.\n */\npublic inline fun CharArray.forEachIndexed(action: (index: Int, Char) -> Unit): Unit {\n var index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin("1.1")\npublic fun Array<out Double>.max(): Double? {\n if (isEmpty()) return null\n var max = this[0]\n if (max.isNaN()) return max\n for (i in 1..lastIndex) {\n val e = this[i]\n if (e.isNaN()) return e\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin("1.1")\npublic fun Array<out Float>.max(): Float? {\n if (isEmpty()) return null\n var max = this[0]\n if (max.isNaN()) return max\n for (i in 1..lastIndex) {\n val e = this[i]\n if (e.isNaN()) return e\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun <T : Comparable<T>> Array<out T>.max(): T? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun ByteArray.max(): Byte? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun ShortArray.max(): Short? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun IntArray.max(): Int? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun LongArray.max(): Long? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\npublic fun FloatArray.max(): Float? {\n if (isEmpty()) return null\n var max = this[0]\n if (max.isNaN()) return max\n for (i in 1..lastIndex) {\n val e = this[i]\n if (e.isNaN()) return e\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\npublic fun DoubleArray.max(): Double? {\n if (isEmpty()) return null\n var max = this[0]\n if (max.isNaN()) return max\n for (i in 1..lastIndex) {\n val e = this[i]\n if (e.isNaN()) return e\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n */\npublic fun CharArray.max(): Char? {\n if (isEmpty()) return null\n var max = this[0]\n for (i in 1..lastIndex) {\n val e

```

= this[i] if (max < e) max = e } return max } * Returns the first element yielding the largest
value of the given function or `null` if there are no elements. * @sample
samples.collections.Collections.Aggregates.maxBy * /public inline fun <T, R : Comparable<R>> Array<out
T>.maxBy(selector: (T) -> R): T? { if (isEmpty()) return null var maxElem = this[0] val lastIndex =
this.lastIndex if (lastIndex == 0) return maxElem var maxValue = selector(maxElem) for (i in
1..lastIndex) { val e = this[i] val v = selector(e) if (maxValue < v) { maxElem = e
maxValue = v } } return maxElem } * Returns the first element yielding the largest value
of the given function or `null` if there are no elements. * @sample
samples.collections.Collections.Aggregates.maxBy * /public inline fun <R : Comparable<R>>
ByteArray.maxBy(selector: (Byte) -> R): Byte? { if (isEmpty()) return null var maxElem = this[0] val
lastIndex = this.lastIndex if (lastIndex == 0) return maxElem var maxValue = selector(maxElem) for (i
in 1..lastIndex) { val e = this[i] val v = selector(e) if (maxValue < v) { maxElem = e
maxValue = v } } return maxElem } * Returns the first element yielding the largest value
of the given function or `null` if there are no elements. * @sample
samples.collections.Collections.Aggregates.maxBy * /public inline fun <R : Comparable<R>>
ShortArray.maxBy(selector: (Short) -> R): Short? { if (isEmpty()) return null var maxElem = this[0] val
lastIndex = this.lastIndex if (lastIndex == 0) return maxElem var maxValue = selector(maxElem) for (i
in 1..lastIndex) { val e = this[i] val v = selector(e) if (maxValue < v) { maxElem = e
maxValue = v } } return maxElem } * Returns the first element yielding the largest value
of the given function or `null` if there are no elements. * @sample
samples.collections.Collections.Aggregates.maxBy * /public inline fun <R : Comparable<R>>
IntArray.maxBy(selector: (Int) -> R): Int? { if (isEmpty()) return null var maxElem = this[0] val
lastIndex = this.lastIndex if (lastIndex == 0) return maxElem var maxValue = selector(maxElem) for (i
in 1..lastIndex) { val e = this[i] val v = selector(e) if (maxValue < v) { maxElem = e
maxValue = v } } return maxElem } * Returns the first element yielding the largest value
of the given function or `null` if there are no elements. * @sample
samples.collections.Collections.Aggregates.maxBy * /public inline fun <R : Comparable<R>>
LongArray.maxBy(selector: (Long) -> R): Long? { if (isEmpty()) return null var maxElem = this[0] val
lastIndex = this.lastIndex if (lastIndex == 0) return maxElem var maxValue = selector(maxElem) for (i
in 1..lastIndex) { val e = this[i] val v = selector(e) if (maxValue < v) { maxElem = e
maxValue = v } } return maxElem } * Returns the first element yielding the largest value
of the given function or `null` if there are no elements. * @sample
samples.collections.Collections.Aggregates.maxBy * /public inline fun <R : Comparable<R>>
FloatArray.maxBy(selector: (Float) -> R): Float? { if (isEmpty()) return null var maxElem = this[0] val
lastIndex = this.lastIndex if (lastIndex == 0) return maxElem var maxValue = selector(maxElem) for (i
in 1..lastIndex) { val e = this[i] val v = selector(e) if (maxValue < v) { maxElem = e
maxValue = v } } return maxElem } * Returns the first element yielding the largest value
of the given function or `null` if there are no elements. * @sample
samples.collections.Collections.Aggregates.maxBy * /public inline fun <R : Comparable<R>>
DoubleArray.maxBy(selector: (Double) -> R): Double? { if (isEmpty()) return null var maxElem = this[0]
val lastIndex = this.lastIndex if (lastIndex == 0) return maxElem var maxValue = selector(maxElem) for
(i in 1..lastIndex) { val e = this[i] val v = selector(e) if (maxValue < v) { maxElem = e
maxValue = v } } return maxElem } * Returns the first element yielding the largest
value of the given function or `null` if there are no elements. * @sample
samples.collections.Collections.Aggregates.maxBy * /public inline fun <R : Comparable<R>>
BooleanArray.maxBy(selector: (Boolean) -> R): Boolean? { if (isEmpty()) return null var maxElem =
this[0] val lastIndex = this.lastIndex if (lastIndex == 0) return maxElem var maxValue =
selector(maxElem) for (i in 1..lastIndex) { val e = this[i] val v = selector(e) if (maxValue < v)

```

```

{\n      maxElem = e\n      maxValue = v\n    }\n  }\n  return maxElem\n}\n\n/**\n * Returns the first
element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.maxBy\n */\npublic inline fun <R : Comparable<R>>
CharArray.maxBy(selector: (Char) -> R): Char? {\n  if (isEmpty()) return null\n  var maxElem = this[0]\n  val
lastIndex = this.lastIndex\n  if (lastIndex == 0) return maxElem\n  var maxValue = selector(maxElem)\n  for (i
in 1..lastIndex) {\n    val e = this[i]\n    val v = selector(e)\n    if (maxValue < v) {\n      maxElem = e\n
      maxValue = v\n    }\n  }\n  return maxElem\n}\n\n/**\n * Returns the first element having the largest value
according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun <T> Array<out
T>.maxWith(comparator: Comparator<in T>): T? {\n  if (isEmpty()) return null\n  var max = this[0]\n  for (i in
1..lastIndex) {\n    val e = this[i]\n    if (comparator.compare(max, e) < 0) max = e\n  }\n  return
max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator] or `null`
if there are no elements.\n */\npublic fun ByteArray.maxWith(comparator: Comparator<in Byte>): Byte? {\n  if
(isEmpty()) return null\n  var max = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if
(comparator.compare(max, e) < 0) max = e\n  }\n  return max\n}\n\n/**\n * Returns the first element having the
largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun
ShortArray.maxWith(comparator: Comparator<in Short>): Short? {\n  if (isEmpty()) return null\n  var max =
this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (comparator.compare(max, e) < 0) max = e\n  }\n
return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator]
or `null` if there are no elements.\n */\npublic fun IntArray.maxWith(comparator: Comparator<in Int>): Int? {\n
if (isEmpty()) return null\n  var max = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if
(comparator.compare(max, e) < 0) max = e\n  }\n  return max\n}\n\n/**\n * Returns the first element having the
largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun
LongArray.maxWith(comparator: Comparator<in Long>): Long? {\n  if (isEmpty()) return null\n  var max =
this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (comparator.compare(max, e) < 0) max = e\n  }\n
return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator]
or `null` if there are no elements.\n */\npublic fun FloatArray.maxWith(comparator: Comparator<in Float>): Float?
{\n  if (isEmpty()) return null\n  var max = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if
(comparator.compare(max, e) < 0) max = e\n  }\n  return max\n}\n\n/**\n * Returns the first element having the
largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun
DoubleArray.maxWith(comparator: Comparator<in Double>): Double? {\n  if (isEmpty()) return null\n  var max
= this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (comparator.compare(max, e) < 0) max = e\n  }\n
return max\n}\n\n/**\n * Returns the first element having the largest value according to the provided [comparator]
or `null` if there are no elements.\n */\npublic fun BooleanArray.maxWith(comparator: Comparator<in Boolean>):
Boolean? {\n  if (isEmpty()) return null\n  var max = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n
if (comparator.compare(max, e) < 0) max = e\n  }\n  return max\n}\n\n/**\n * Returns the first element having the
largest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun
CharArray.maxWith(comparator: Comparator<in Char>): Char? {\n  if (isEmpty()) return null\n  var max =
this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (comparator.compare(max, e) < 0) max = e\n  }\n
return max\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements
is `NaN` returns `NaN`.\n */\n@SinceKotlin("1.1")\npublic fun Array<out Double>.min(): Double? {\n  if
(isEmpty()) return null\n  var min = this[0]\n  if (min.isNaN()) return min\n  for (i in 1..lastIndex) {\n    val e =
this[i]\n    if (e.isNaN()) return e\n    if (min > e) min = e\n  }\n  return min\n}\n\n/**\n * Returns the
smallest element or `null` if there are no elements.\n * \n * If any of elements is `NaN` returns `NaN`.\n */\n@SinceKotlin("1.1")\npublic fun Array<out Float>.min(): Float? {\n  if (isEmpty()) return null\n  var min =
this[0]\n  if (min.isNaN()) return min\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (e.isNaN()) return e\n
if (min > e) min = e\n  }\n  return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no
elements.\n */\npublic fun <T : Comparable<T>> Array<out T>.min(): T? {\n  if (isEmpty()) return null\n  var
min = this[0]\n  for (i in 1..lastIndex) {\n    val e = this[i]\n    if (min > e) min = e\n  }\n  return

```

```

min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\npublic fun ByteArray.min():  
Byte? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if  
(min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no  
elements.\n */\npublic fun ShortArray.min(): Short? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in  
1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest  
element or `null` if there are no elements.\n */\npublic fun IntArray.min(): Int? {\n if (isEmpty()) return null\n  
var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (min > e) min = e\n }\n return  
min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\npublic fun LongArray.min():  
Long? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if  
(min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no  
elements.\n */\n * \n * If any of elements is `NaN` returns `NaN`.\n */\npublic fun FloatArray.min(): Float? {\n if  
(isEmpty()) return null\n var min = this[0]\n if (min.isNaN()) return min\n for (i in 1..lastIndex) {\n val e =  
this[i]\n if (e.isNaN()) return e\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the  
smallest element or `null` if there are no elements.\n */\n * \n * If any of elements is `NaN` returns `NaN`.\n */\npublic  
fun DoubleArray.min(): Double? {\n if (isEmpty()) return null\n var min = this[0]\n if (min.isNaN()) return  
min\n for (i in 1..lastIndex) {\n val e = this[i]\n if (e.isNaN()) return e\n if (min > e) min = e\n }\n  
return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n */\npublic fun  
CharArray.min(): Char? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n val e  
= this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the first element yielding the smallest  
value of the given function or `null` if there are no elements.\n */\n * \n * @sample  
samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <T, R : Comparable<R>> Array<out  
T>.minBy(selector: (T) -> R): T? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex =  
this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in  
1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n  
minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value  
of the given function or `null` if there are no elements.\n */\n * \n * @sample  
samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <R : Comparable<R>>  
ByteArray.minBy(selector: (Byte) -> R): Byte? {\n if (isEmpty()) return null\n var minElem = this[0]\n val  
lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in  
1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n  
minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value  
of the given function or `null` if there are no elements.\n */\n * \n * @sample  
samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <R : Comparable<R>>  
ShortArray.minBy(selector: (Short) -> R): Short? {\n if (isEmpty()) return null\n var minElem = this[0]\n val  
lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in  
1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n  
minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value  
of the given function or `null` if there are no elements.\n */\n * \n * @sample  
samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <R : Comparable<R>>  
IntArray.minBy(selector: (Int) -> R): Int? {\n if (isEmpty()) return null\n var minElem = this[0]\n val lastIndex  
= this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in  
1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n  
minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value  
of the given function or `null` if there are no elements.\n */\n * \n * @sample  
samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <R : Comparable<R>>  
LongArray.minBy(selector: (Long) -> R): Long? {\n if (isEmpty()) return null\n var minElem = this[0]\n val  
lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for (i in  
1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n  
minValue = v\n }\n }\n return minElem\n}\n

```



```

minValue = v\n    }\n    }\n    return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value
of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minBy\n *\npublic inline fun <R : Comparable<R>>
FloatArray.minBy(selector: (Float) -> R): Float? {\n    if (isEmpty()) return null\n    var minElem = this[0]\n    val
lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var minValue = selector(minElem)\n    for (i in
1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v) {\n            minElem = e\n
minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value
of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minBy\n *\npublic inline fun <R : Comparable<R>>
DoubleArray.minBy(selector: (Double) -> R): Double? {\n    if (isEmpty()) return null\n    var minElem = this[0]\n
val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var minValue = selector(minElem)\n    for (i
in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v) {\n            minElem = e\n
minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the first element yielding the smallest value
of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minBy\n *\npublic inline fun <R : Comparable<R>>
BooleanArray.minBy(selector: (Boolean) -> R): Boolean? {\n    if (isEmpty()) return null\n    var minElem =
this[0]\n    val lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var minValue =
selector(minElem)\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v)
{\n            minElem = e\n            minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minBy\n *\npublic inline fun <R : Comparable<R>>
CharArray.minBy(selector: (Char) -> R): Char? {\n    if (isEmpty()) return null\n    var minElem = this[0]\n    val
lastIndex = this.lastIndex\n    if (lastIndex == 0) return minElem\n    var minValue = selector(minElem)\n    for (i in
1..lastIndex) {\n        val e = this[i]\n        val v = selector(e)\n        if (minValue > v) {\n            minElem = e\n
minValue = v\n        }\n    }\n    return minElem\n}\n\n/**\n * Returns the first element having the smallest value
according to the provided [comparator] or `null` if there are no elements.\n *\npublic fun <T> Array<out
T>.minWith(comparator: Comparator<in T>): T? {\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in
1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n    return
min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator] or
`null` if there are no elements.\n *\npublic fun ByteArray.minWith(comparator: Comparator<in Byte>): Byte? {\n
if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if
(comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having the
smallest value according to the provided [comparator] or `null` if there are no elements.\n *\npublic fun
ShortArray.minWith(comparator: Comparator<in Short>): Short? {\n    if (isEmpty()) return null\n    var min =
this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n
return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator]
or `null` if there are no elements.\n *\npublic fun IntArray.minWith(comparator: Comparator<in Int>): Int? {\n    if
(isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if
(comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having the
smallest value according to the provided [comparator] or `null` if there are no elements.\n *\npublic fun
LongArray.minWith(comparator: Comparator<in Long>): Long? {\n    if (isEmpty()) return null\n    var min =
this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if (comparator.compare(min, e) > 0) min = e\n    }\n
return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator]
or `null` if there are no elements.\n *\npublic fun FloatArray.minWith(comparator: Comparator<in Float>): Float?
{\n    if (isEmpty()) return null\n    var min = this[0]\n    for (i in 1..lastIndex) {\n        val e = this[i]\n        if
(comparator.compare(min, e) > 0) min = e\n    }\n    return min\n}\n\n/**\n * Returns the first element having the
smallest value according to the provided [comparator] or `null` if there are no elements.\n *\npublic fun
DoubleArray.minWith(comparator: Comparator<in Double>): Double? {\n    if (isEmpty()) return null\n    var min =

```

```

this[0]\n for (i in 1..lastIndex) {\n     val e = this[i]\n     if (comparator.compare(min, e) > 0) min = e\n }
return min\n}\n\n/**\n * Returns the first element having the smallest value according to the provided [comparator]
or `null` if there are no elements.\n */\npublic fun BooleanArray.minWith(comparator: Comparator<in Boolean>):
Boolean? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n     val e = this[i]\n
if (comparator.compare(min, e) > 0) min = e\n } return min\n}\n\n/**\n * Returns the first element having the
smallest value according to the provided [comparator] or `null` if there are no elements.\n */\npublic fun
CharArray.minWith(comparator: Comparator<in Char>): Char? {\n if (isEmpty()) return null\n var min =
this[0]\n for (i in 1..lastIndex) {\n     val e = this[i]\n     if (comparator.compare(min, e) > 0) min = e\n }
return min\n}\n\n/**\n * Returns `true` if the array has no elements.\n */\n @sample
samples.collections.Collections.Aggregates.none\n */\npublic fun <T> Array<out T>.none(): Boolean {\n return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n */\n @sample
samples.collections.Collections.Aggregates.none\n */\npublic fun ByteArray.none(): Boolean {\n return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n */\n @sample
samples.collections.Collections.Aggregates.none\n */\npublic fun ShortArray.none(): Boolean {\n return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n */\n @sample
samples.collections.Collections.Aggregates.none\n */\npublic fun IntArray.none(): Boolean {\n return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n */\n @sample
samples.collections.Collections.Aggregates.none\n */\npublic fun LongArray.none(): Boolean {\n return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n */\n @sample
samples.collections.Collections.Aggregates.none\n */\npublic fun FloatArray.none(): Boolean {\n return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n */\n @sample
samples.collections.Collections.Aggregates.none\n */\npublic fun DoubleArray.none(): Boolean {\n return
isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n */\n @sample
samples.collections.Collections.Aggregates.none\n */\npublic fun BooleanArray.none(): Boolean {\n return
isEmpty()\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n */\n @sample
samples.collections.Collections.Aggregates.none\n */\npublic inline fun <T> Array<out
T>.none(predicate: (T) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n */\n @sample
samples.collections.Collections.Aggregates.none\n */\npublic inline fun ByteArray.none(predicate:
(Byte) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n */\n @sample
samples.collections.Collections.Aggregates.none\n */\npublic inline fun ShortArray.none(predicate:
(Short) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n */\n @sample
samples.collections.Collections.Aggregates.none\n */\npublic inline fun IntArray.none(predicate: (Int)
-> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return true\n}\n\n/**\n *
Returns `true` if no elements match the given [predicate].\n */\n @sample
samples.collections.Collections.Aggregates.none\n */\npublic inline fun LongArray.none(predicate:
(Long) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n */\n @sample
samples.collections.Collections.Aggregates.none\n */\npublic inline fun FloatArray.none(predicate:
(Float) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n */\n @sample
samples.collections.Collections.Aggregates.none\n */\npublic inline fun DoubleArray.none(predicate:
(Double) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return false\n return
true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n */\n @sample

```

```

samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun
BooleanArray.none(predicate: (Boolean) -> Boolean): Boolean {\n    for (element in this) if (predicate(element))
return false\n    return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun CharArray.none(predicate:
(Char) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return false\n    return
true\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to
current accumulator value and each element.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun <S, T : S> Array<out T>.reduce(operation: (acc: S, T) -> S): S {\n    if (isEmpty())\n        throw
UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator: S = this[0]\n    for (index
in 1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator
value and each element.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun
ByteArray.reduce(operation: (acc: Byte, Byte) -> Byte): Byte {\n    if (isEmpty())\n        throw
UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for (index in
1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator
value and each element.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun
ShortArray.reduce(operation: (acc: Short, Short) -> Short): Short {\n    if (isEmpty())\n        throw
UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for (index in
1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator
value and each element.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun
IntArray.reduce(operation: (acc: Int, Int) -> Int): Int {\n    if (isEmpty())\n        throw
UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for (index in
1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator
value and each element.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun
LongArray.reduce(operation: (acc: Long, Long) -> Long): Long {\n    if (isEmpty())\n        throw
UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for (index in
1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator
value and each element.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun
FloatArray.reduce(operation: (acc: Float, Float) -> Float): Float {\n    if (isEmpty())\n        throw
UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for (index in
1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator
value and each element.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun
DoubleArray.reduce(operation: (acc: Double, Double) -> Double): Double {\n    if (isEmpty())\n        throw
UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for (index in
1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator
value and each element.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun
BooleanArray.reduce(operation: (acc: Boolean, Boolean) -> Boolean): Boolean {\n    if (isEmpty())\n        throw
UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for (index in
1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator
value and each element.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun
CharArray.reduce(operation: (acc: Char, Char) -> Char): Char {\n    if (isEmpty())\n        throw

```

```

UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for (index in
1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n *
Accumulates value starting with the first element and applying [operation] from left to right\n * to current
accumulator value and each element with its index in the original array.\n * @param [operation] function that takes
the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun <S, T : S>
Array<out T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {\n    if (isEmpty())\n        throw
UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator: S = this[0]\n    for (index
in 1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun
ByteArray.reduceIndexed(operation: (index: Int, acc: Byte, Byte) -> Byte): Byte {\n    if (isEmpty())\n        throw
UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for (index in
1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun
ShortArray.reduceIndexed(operation: (index: Int, acc: Short, Short) -> Short): Short {\n    if (isEmpty())\n        throw
UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for (index in
1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun
IntArray.reduceIndexed(operation: (index: Int, acc: Int, Int) -> Int): Int {\n    if (isEmpty())\n        throw
UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for (index in
1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun
LongArray.reduceIndexed(operation: (index: Int, acc: Long, Long) -> Long): Long {\n    if (isEmpty())\n        throw
UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for (index in
1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun
FloatArray.reduceIndexed(operation: (index: Int, acc: Float, Float) -> Float): Float {\n    if (isEmpty())\n        throw
UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for (index in
1..lastIndex) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun

```

```

DoubleArray.reduceIndexed(operation: (index: Int, acc: Double, Double) -> Double): Double {
    if (isEmpty())
        throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return accumulator
}
// Accumulates value starting with the first element and applying [operation] from left to right
// to current accumulator value and each element with its index in the original array.
// @param [operation] function that takes the index of an element, current accumulator value
// and the element itself and calculates the next accumulator value.
// @sample samples.collections.Collections.Aggregates.reduce

public inline fun BooleanArray.reduceIndexed(operation: (index: Int, acc: Boolean, Boolean) -> Boolean): Boolean {
    if (isEmpty())
        throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return accumulator
}
// Accumulates value starting with the first element and applying [operation] from left to right
// to current accumulator value and each element with its index in the original array.
// @param [operation] function that takes the index of an element, current accumulator value
// and the element itself and calculates the next accumulator value.
// @sample samples.collections.Collections.Aggregates.reduce

public inline fun CharArray.reduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): Char {
    if (isEmpty())
        throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return accumulator
}
// Accumulates value starting with the first element and applying [operation] from left to right
// to current accumulator value and each element. Returns null if the array is empty.
// @sample samples.collections.Collections.Aggregates.reduceOrNull

@SinceKotlin("1.3")@ExperimentalStdlibApi public inline fun <S, T : S> Array<out T>.reduceOrNull(operation: (acc: S, T) -> S): S? {
    if (isEmpty())
        return null
    var accumulator: S = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}
// Accumulates value starting with the first element and applying [operation] from left to right
// to current accumulator value and each element. Returns null if the array is empty.
// @sample samples.collections.Collections.Aggregates.reduceOrNull

@SinceKotlin("1.3")@ExperimentalStdlibApi public inline fun ByteArray.reduceOrNull(operation: (acc: Byte, Byte) -> Byte): Byte? {
    if (isEmpty())
        return null
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}
// Accumulates value starting with the first element and applying [operation] from left to right
// to current accumulator value and each element. Returns null if the array is empty.
// @sample samples.collections.Collections.Aggregates.reduceOrNull

@SinceKotlin("1.3")@ExperimentalStdlibApi public inline fun ShortArray.reduceOrNull(operation: (acc: Short, Short) -> Short): Short? {
    if (isEmpty())
        return null
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}
// Accumulates value starting with the first element and applying [operation] from left to right
// to current accumulator value and each element. Returns null if the array is empty.
// @sample samples.collections.Collections.Aggregates.reduceOrNull

@SinceKotlin("1.3")@ExperimentalStdlibApi public inline fun IntArray.reduceOrNull(operation: (acc: Int, Int) -> Int): Int? {
    if (isEmpty())
        return null
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}
// Accumulates value starting with the first element and applying [operation] from left to right
// to current accumulator value and each element. Returns null if the array is empty.
// @sample samples.collections.Collections.Aggregates.reduceOrNull

@SinceKotlin("1.3")@ExperimentalStdlibApi public inline fun LongArray.reduceOrNull(operation: (acc: Long, Long) -> Long): Long? {
    if (isEmpty())
        return null
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}
// Accumulates value starting with the first element and applying [operation] from left to right
// to current accumulator

```

value and each element. Returns null if the array is empty.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceOrNull\n

```

*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun FloatArray.reduceOrNull(operation: (acc: Float, Float) -> Float): Float? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element. Returns null if the array is empty.\n * \n * @sample\n samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun DoubleArray.reduceOrNull(operation: (acc: Double, Double) -> Double): Double? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element. Returns null if the array is empty.\n * \n * @sample\n samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun BooleanArray.reduceOrNull(operation: (acc: Boolean, Boolean) -> Boolean): Boolean? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element. Returns null if the array is empty.\n * \n * @sample\n samples.collections.Collections.Aggregates.reduceOrNull\n */\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun CharArray.reduceOrNull(operation: (acc: Char, Char) -> Char): Char? {\n if (isEmpty())\n return null\n var accumulator = this[0]\n for (index in 1..lastIndex) {\n accumulator = operation(accumulator, this[index])\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n * \n * @sample\n samples.collections.Collections.Aggregates.reduceRight\n */\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun <S, T : S> Array<out T>.reduceRight(operation: (T, acc: S) -> S): S {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator: S = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n * \n * @sample\n samples.collections.Collections.Aggregates.reduceRight\n */\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun ByteArray.reduceRight(operation: (Byte, acc: Byte) -> Byte): Byte {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n * \n * @sample\n samples.collections.Collections.Aggregates.reduceRight\n */\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun ShortArray.reduceRight(operation: (Short, acc: Short) -> Short): Short {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n * \n * @sample\n samples.collections.Collections.Aggregates.reduceRight\n */\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun IntArray.reduceRight(operation: (Int, acc: Int) -> Int): Int {\n var index = lastIndex\n if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n var accumulator = get(index--)\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.\n * \n * @sample\n samples.collections.Collections.Aggregates.reduceRight\n */\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun LongArray.reduceRight(operation: (Long, acc: Long) -> Long): Long {\n var index = lastIndex\n if (index <

```

```

0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = get(index--)\n
while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left
to each element and current accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun FloatArray.reduceRight(operation:
(Float, acc: Float) -> Float): Float {\n  var index = lastIndex\n  if (index < 0) throw
UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = get(index--)\n  while
(index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left to each element and current
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline
fun DoubleArray.reduceRight(operation: (Double, acc: Double) -> Double): Double {\n  var index = lastIndex\n
if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator =
get(index--)\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left
to each element and current accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun
BooleanArray.reduceRight(operation: (Boolean, acc: Boolean) -> Boolean): Boolean {\n  var index = lastIndex\n
if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator =
get(index--)\n  while (index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left
to each element and current accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun CharArray.reduceRight(operation:
(Char, acc: Char) -> Char): Char {\n  var index = lastIndex\n  if (index < 0) throw
UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator = get(index--)\n  while
(index >= 0) {\n    accumulator = operation(get(index--), accumulator)\n  }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n * to each element with its
index in the original array and current accumulator value.\n * @param [operation] function that takes the index of an
element, the element itself\n * and current accumulator value, and calculates the next accumulator value.\n * \n *
@sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun <S, T : S> Array<out
T>.reduceRightIndexed(operation: (index: Int, T, acc: S) -> S): S {\n  var index = lastIndex\n  if (index < 0) throw
UnsupportedOperationException("Empty array can't be reduced.")\n  var accumulator: S = get(index--)\n  while
(index >= 0) {\n    accumulator = operation(index, get(index), accumulator)\n    --index\n  }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n *
to each element with its index in the original array and current accumulator value.\n * @param [operation]
function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n */\npublic
inline fun ByteArray.reduceRightIndexed(operation: (index: Int, Byte, acc: Byte) -> Byte): Byte {\n  var index =
lastIndex\n  if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var
accumulator = get(index--)\n  while (index >= 0) {\n    accumulator = operation(index, get(index),
accumulator)\n    --index\n  }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element
and applying [operation] from right to left\n * to each element with its index in the original array and current
accumulator value.\n * @param [operation] function that takes the index of an element, the element itself\n * and
current accumulator value, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRight\n */\npublic inline fun
ShortArray.reduceRightIndexed(operation: (index: Int, Short, acc: Short) -> Short): Short {\n  var index =
lastIndex\n  if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n  var
accumulator = get(index--)\n  while (index >= 0) {\n    accumulator = operation(index, get(index),
accumulator)\n    --index\n  }\n return accumulator\n}\n\n/**\n * Accumulates value starting with last element

```

and applying [operation] from right to left to each element with its index in the original array and current accumulator value.

`@param [operation]` function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

`@sample`

```

samples.collections.Collections.Aggregates.reduceRight
public inline fun
IntArray.reduceRightIndexed(operation: (index: Int, Int, acc: Int) -> Int): Int {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value.

`@param [operation]` function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

`@sample`

```

samples.collections.Collections.Aggregates.reduceRight
public inline fun
LongArray.reduceRightIndexed(operation: (index: Int, Long, acc: Long) -> Long): Long {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value.

`@param [operation]` function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

`@sample`

```

samples.collections.Collections.Aggregates.reduceRight
public inline fun
FloatArray.reduceRightIndexed(operation: (index: Int, Float, acc: Float) -> Float): Float {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value.

`@param [operation]` function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

`@sample`

```

samples.collections.Collections.Aggregates.reduceRight
public inline fun
DoubleArray.reduceRightIndexed(operation: (index: Int, Double, acc: Double) -> Double): Double {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value.

`@param [operation]` function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

`@sample`

```

samples.collections.Collections.Aggregates.reduceRight
public inline fun
BooleanArray.reduceRightIndexed(operation: (index: Int, Boolean, acc: Boolean) -> Boolean): Boolean {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with last element and applying [operation] from right to left to each element with its index in the original array and current accumulator value.

`@param [operation]` function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

`@sample`

```

samples.collections.Collections.Aggregates.reduceRight
public inline fun
CharArray.reduceRightIndexed(operation: (index: Int, Char, acc: Char) -> Char): Char {
    var index = lastIndex
    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = get(index--)
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value. Returns null if the array is empty.

`@sample`


```

samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun <S, T : S> Array<out
T>.reduceRightOrNull(operation: (T, acc: S) -> S): S? {\n    var index = lastIndex\n    if (index < 0) return null\n
    var accumulator: S = get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--),
accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying
[operation] from right to left to each element and current accumulator value. Returns null if the array is empty.\n *
\n * @sample samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun ByteArray.reduceRightOrNull(operation:
(Byte, acc: Byte) -> Byte): Byte? {\n    var index = lastIndex\n    if (index < 0) return null\n    var accumulator =
get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left
to each element and current accumulator value. Returns null if the array is empty.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun ShortArray.reduceRightOrNull(operation:
(Short, acc: Short) -> Short): Short? {\n    var index = lastIndex\n    if (index < 0) return null\n    var accumulator =
get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left
to each element and current accumulator value. Returns null if the array is empty.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun IntArray.reduceRightOrNull(operation:
(Int, acc: Int) -> Int): Int? {\n    var index = lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--
)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left
to each element and current accumulator value. Returns null if the array is empty.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun LongArray.reduceRightOrNull(operation:
(Long, acc: Long) -> Long): Long? {\n    var index = lastIndex\n    if (index < 0) return null\n    var accumulator =
get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left
to each element and current accumulator value. Returns null if the array is empty.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun FloatArray.reduceRightOrNull(operation:
(Float, acc: Float) -> Float): Float? {\n    var index = lastIndex\n    if (index < 0) return null\n    var accumulator =
get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left
to each element and current accumulator value. Returns null if the array is empty.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun DoubleArray.reduceRightOrNull(operation:
(Double, acc: Double) -> Double): Double? {\n    var index = lastIndex\n    if (index < 0) return null\n    var
accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n
    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from
right to left to each element and current accumulator value. Returns null if the array is empty.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun
BooleanArray.reduceRightOrNull(operation: (Boolean, acc: Boolean) -> Boolean): Boolean? {\n    var index =
lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n
        accumulator = operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value
starting with last element and applying [operation] from right to left to each element and current accumulator value.

```

Returns null if the array is empty.\n * \n * @sample

samples.collections.Collections.Aggregates.reduceRightOrNull\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun CharArray.reduceRightOrNull(operation:  
(Char, acc: Char) -> Char): Char? {\n    var index = lastIndex\n    if (index < 0) return null\n    var accumulator =  
    get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return  
    accumulator\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying  
 [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the  
 previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an  
 element, and calculates the next accumulator value.\n * \n * @sample
```

```
samples.collections.Collections.Aggregates.scan\n*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic  
inline fun <T, R> Array<out T>.scan(initial: R, operation: (acc: R, T) -> R): List<R> {\n    if (isEmpty()) return  
    listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for  
    (element in this) {\n        accumulator = operation(accumulator, element)\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying  
 [operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the  
 previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an  
 element, and calculates the next accumulator value.\n * \n * @sample
```

samples.collections.Collections.Aggregates.scan\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <R>  
ByteArray.scan(initial: R, operation: (acc: R, Byte) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val  
    result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (element in this) {\n        accumulator = operation(accumulator, element)\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to  
 each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to  
 [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next  
 accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <R>  
ShortArray.scan(initial: R, operation: (acc: R, Short) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val  
    result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (element in this) {\n        accumulator = operation(accumulator, element)\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to  
 each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to  
 [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next  
 accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <R>  
IntArray.scan(initial: R, operation: (acc: R, Int) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val  
    result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (element in this) {\n        accumulator = operation(accumulator, element)\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to  
 each element and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to  
 [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next  
 accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <R>
```

```

LongArray.scan(initial: R, operation: (acc: R, Long) -> R): List<R> {
    if (isEmpty()) return listOf(initial)
    val result = ArrayList<R>(size + 1).apply { add(initial) }
    var accumulator = initial
    for (element in this) {
        accumulator = operation(accumulator, element)
        result.add(accumulator)
    }
    return result
}

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with [initial] value. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

@param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.
@sample samples.collections.Collections.Aggregates.scan

*\/@SinceKotlin("1.3")@ExperimentalStdlibApi@kotlin.internal.InlineOnly\npublic inline fun <R>
FloatArray.scan(initial: R, operation: (acc: R, Float) -> R): List<R> {
    if (isEmpty()) return listOf(initial)
    val result = ArrayList<R>(size + 1).apply { add(initial) }
    var accumulator = initial
    for (element in this) {
        accumulator = operation(accumulator, element)
        result.add(accumulator)
    }
    return result
}

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with [initial] value. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

@param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.
@sample samples.collections.Collections.Aggregates.scan

*\/@SinceKotlin("1.3")@ExperimentalStdlibApi@kotlin.internal.InlineOnly\npublic inline fun <R>
DoubleArray.scan(initial: R, operation: (acc: R, Double) -> R): List<R> {
    if (isEmpty()) return listOf(initial)
    val result = ArrayList<R>(size + 1).apply { add(initial) }
    var accumulator = initial
    for (element in this) {
        accumulator = operation(accumulator, element)
        result.add(accumulator)
    }
    return result
}

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with [initial] value. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

@param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.
@sample samples.collections.Collections.Aggregates.scan

*\/@SinceKotlin("1.3")@ExperimentalStdlibApi@kotlin.internal.InlineOnly\npublic inline fun <R>
BooleanArray.scan(initial: R, operation: (acc: R, Boolean) -> R): List<R> {
    if (isEmpty()) return listOf(initial)
    val result = ArrayList<R>(size + 1).apply { add(initial) }
    var accumulator = initial
    for (element in this) {
        accumulator = operation(accumulator, element)
        result.add(accumulator)
    }
    return result
}

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with [initial] value. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

@param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.
@sample samples.collections.Collections.Aggregates.scan

*\/@SinceKotlin("1.3")@ExperimentalStdlibApi@kotlin.internal.InlineOnly\npublic inline fun <R>
CharArray.scan(initial: R, operation: (acc: R, Char) -> R): List<R> {
    if (isEmpty()) return listOf(initial)
    val result = ArrayList<R>(size + 1).apply { add(initial) }
    var accumulator = initial
    for (element in this) {
        accumulator = operation(accumulator, element)
        result.add(accumulator)
    }
    return result
}

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element, its index in the original array and current accumulator value that starts with [initial] value. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

@param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.
@sample samples.collections.Collections.Aggregates.scan
*\/@SinceKotlin("1.3")@ExperimentalStdlibApi\npublic inline fun <T, R>
Array<out T>.scanIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): List<R> {
    if (isEmpty()) return listOf(initial)
    val result = ArrayList<R>(size + 1).apply { add(initial) }
    var accumulator = initial
    for (index in indices) {
        accumulator = operation(index, accumulator, this[index])
    }
}

```

result.add(accumulator)\n } \n return result\n}\n\n**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nByteArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Byte) -> R): List<R> {\n    if (isEmpty()) return\n    listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for\n    (index in indices) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n**\n * Returns a list containing successive accumulation values generated by applying\n [operation] from left to right\n * to each element, its index in the original array and current accumulator value that\n starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the\n index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator\n value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nShortArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Short) -> R): List<R> {\n    if (isEmpty()) return\n    listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for\n    (index in indices) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n**\n * Returns a list containing successive accumulation values generated by applying\n [operation] from left to right\n * to each element, its index in the original array and current accumulator value that\n starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the\n index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator\n value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nIntArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Int) -> R): List<R> {\n    if (isEmpty()) return\n    listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for\n    (index in indices) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n**\n * Returns a list containing successive accumulation values generated by applying\n [operation] from left to right\n * to each element, its index in the original array and current accumulator value that\n starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the\n index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator\n value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nLongArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Long) -> R): List<R> {\n    if (isEmpty()) return\n    listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for\n    (index in indices) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n**\n * Returns a list containing successive accumulation values generated by applying\n [operation] from left to right\n * to each element, its index in the original array and current accumulator value that\n starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the\n index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator\n value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <R>\nFloatArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Float) -> R): List<R> {\n    if (isEmpty()) return\n
```

```

listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (index in indices) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <R> DoubleArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Double) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (index in indices) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <R> BooleanArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Boolean) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (index in indices) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <R> CharArray.scanIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (index in indices) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and the element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun <S, T : S> Array<out T>.scanReduce(operation: (acc: S, T) -> S): List<S> {\n    if (isEmpty()) return emptyList()\n    var accumulator: S = this[0]\n    val result = ArrayList<S>(size).apply { add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.scanReduce(operation: (acc: Byte, Byte) -> Byte): List<Byte> {\n    if (isEmpty()) return emptyList()\n

```

```

var accumulator = this[0]\n    val result = ArrayList<Byte>(size).apply { add(accumulator) }\n    for (index in 1 until
size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return
result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from
left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n *
@param [operation] function that takes current accumulator value and an element, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n
*/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.scanReduce(operation: (acc: Short, Short) -> Short): List<Short> {\n    if (isEmpty()) return
emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Short>(size).apply { add(accumulator) }\n    for
(index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n
}\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying
[operation] from left to right\n * to each element and current accumulator value that starts with the first element of
this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates
the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n
*/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.scanReduce(operation: (acc: Int, Int) -> Int): List<Int> {\n    if (isEmpty()) return emptyList()\n    var
accumulator = this[0]\n    val result = ArrayList<Int>(size).apply { add(accumulator) }\n    for (index in 1 until size)
{\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return
result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from
left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n *
@param [operation] function that takes current accumulator value and an element, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n
*/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.scanReduce(operation: (acc: Long, Long) -> Long): List<Long> {\n    if (isEmpty()) return
emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Long>(size).apply { add(accumulator) }\n    for
(index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n
}\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying
[operation] from left to right\n * to each element and current accumulator value that starts with the first element of
this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates
the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n
*/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.scanReduce(operation: (acc: Float, Float) -> Float): List<Float> {\n    if (isEmpty()) return emptyList()\n
    var accumulator = this[0]\n    val result = ArrayList<Float>(size).apply { add(accumulator) }\n    for (index in 1
until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return
result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from
left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n *
@param [operation] function that takes current accumulator value and an element, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n
*/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
DoubleArray.scanReduce(operation: (acc: Double, Double) -> Double): List<Double> {\n    if (isEmpty()) return
emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Double>(size).apply { add(accumulator) }\n    for
(index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n
}\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying
[operation] from left to right\n * to each element and current accumulator value that starts with the first element of
this array.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates
the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n
*/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.scanReduce(operation: (acc: Boolean, Boolean) -> Boolean): List<Boolean> {\n    if (isEmpty())

```

```

return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Boolean>(size).apply {
add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n    }\n    result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element and current accumulator value that
starts with the first element of this array.\n * \n * @param [operation] function that takes current accumulator value
and an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scanReduce\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.scanReduce(operation: (acc: Char, Char) -> Char): List<Char> {\n    if (isEmpty()) return emptyList()\n
var accumulator = this[0]\n    val result = ArrayList<Char>(size).apply { add(accumulator) }\n    for (index in 1 until
size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return
result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from
left to right\n * to each element, its index in the original array and current accumulator value that starts with the first
element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise
it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the
index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun <S, T : S> Array<out
T>.scanReduceIndexed(operation: (index: Int, acc: S, T) -> S): List<S> {\n    if (isEmpty()) return emptyList()\n
var accumulator: S = this[0]\n    val result = ArrayList<S>(size).apply { add(accumulator) }\n    for (index in 1 until
size) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n
return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying
[operation] from left to right\n * to each element, its index in the original array and current accumulator value that
starts with the first element of this array.\n * \n * @param [operation] function that takes the index of an element,
current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scanReduce\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.scanReduceIndexed(operation: (index: Int, acc: Byte, Byte) -> Byte): List<Byte> {\n    if (isEmpty())
return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Byte>(size).apply { add(accumulator)
}\n    for (index in 1 until size) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n
result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that
takes the index of an element, current accumulator value\n * and the element itself, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.scanReduceIndexed(operation: (index: Int, acc: Short, Short) -> Short): List<Short> {\n    if (isEmpty())
return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Short>(size).apply { add(accumulator)
}\n    for (index in 1 until size) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n
result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that
takes the index of an element, current accumulator value\n * and the element itself, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.scanReduceIndexed(operation: (index: Int, acc: Int, Int) -> Int): List<Int> {\n    if (isEmpty()) return
emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Int>(size).apply { add(accumulator) }\n    for
(index in 1 until size) {\n        accumulator = operation(index, accumulator, this[index])\n    }\n
return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation]
from left to right\n * to each element, its index in the original array and current accumulator value that starts with
the first element of this array.\n * \n * @param [operation] function that takes the index of an element, current
accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scanReduce\n
*/

```

```

result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that
takes the index of an element, current accumulator value\n * and the element itself, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.scanReduceIndexed(operation: (index: Int, acc: Long, Long) -> Long): List<Long> {\n    if (isEmpty())
return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Long>(size).apply { add(accumulator)
}\n    for (index in 1 until size) {\n        accumulator = operation(index, accumulator, this[index])\n
result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that
takes the index of an element, current accumulator value\n * and the element itself, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.scanReduceIndexed(operation: (index: Int, acc: Float, Float) -> Float): List<Float> {\n    if (isEmpty())
return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Float>(size).apply { add(accumulator)
}\n    for (index in 1 until size) {\n        accumulator = operation(index, accumulator, this[index])\n
result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that
takes the index of an element, current accumulator value\n * and the element itself, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
DoubleArray.scanReduceIndexed(operation: (index: Int, acc: Double, Double) -> Double): List<Double> {\n    if
(isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Double>(size).apply {
add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(index, accumulator, this[index])\n
result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that
takes the index of an element, current accumulator value\n * and the element itself, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
BooleanArray.scanReduceIndexed(operation: (index: Int, acc: Boolean, Boolean) -> Boolean): List<Boolean> {\n
if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Boolean>(size).apply {
add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(index, accumulator, this[index])\n
result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with the first element of this array.\n * \n * @param [operation] function that
takes the index of an element, current accumulator value\n * and the element itself, and calculates the next
accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
CharArray.scanReduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): List<Char> {\n    if (isEmpty())
return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<Char>(size).apply { add(accumulator)
}\n    for (index in 1 until size) {\n        accumulator = operation(index, accumulator, this[index])\n
result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n *\n@public inline fun <T> Array<out T>.sumBy(selector: (T) -> Int):
Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n

```



```

* Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic
inline fun ByteArray.sumBy(selector: (Byte) -> Int): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum
+= selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n */\npublic inline fun ShortArray.sumBy(selector: (Short) -> Int): Int
{\n    var sum: Int = 0\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n *
Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic
inline fun IntArray.sumBy(selector: (Int) -> Int): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum +=
selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n */\npublic inline fun LongArray.sumBy(selector: (Long) -> Int): Int {\n    var
sum: Int = 0\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns
the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic inline fun
FloatArray.sumBy(selector: (Float) -> Int): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum +=
selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n */\npublic inline fun DoubleArray.sumBy(selector: (Double) -> Int): Int {\n
var sum: Int = 0\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n *
Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic
inline fun BooleanArray.sumBy(selector: (Boolean) -> Int): Int {\n    var sum: Int = 0\n    for (element in this) {\n
sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector]
function applied to each element in the array.\n */\npublic inline fun CharArray.sumBy(selector: (Char) -> Int): Int
{\n    var sum: Int = 0\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n *
Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic
inline fun <T> Array<out T>.sumByDouble(selector: (T) -> Double): Double {\n    var sum: Double = 0.0\n    for
(element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values
produced by [selector] function applied to each element in the array.\n */\npublic inline fun
ByteArray.sumByDouble(selector: (Byte) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in this)
{\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n */\npublic inline fun ShortArray.sumByDouble(selector:
(Short) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in this) {\n        sum += selector(element)\n
}\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each
element in the array.\n */\npublic inline fun IntArray.sumByDouble(selector: (Int) -> Double): Double {\n    var
sum: Double = 0.0\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n *
Returns the sum of all values produced by [selector] function applied to each element in the array.\n */\npublic
inline fun LongArray.sumByDouble(selector: (Long) -> Double): Double {\n    var sum: Double = 0.0\n    for
(element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values
produced by [selector] function applied to each element in the array.\n */\npublic inline fun
FloatArray.sumByDouble(selector: (Float) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in this)
{\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by
[selector] function applied to each element in the array.\n */\npublic inline fun DoubleArray.sumByDouble(selector:
(Double) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in this) {\n        sum +=
selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each element in the array.\n */\npublic inline fun BooleanArray.sumByDouble(selector: (Boolean) ->
Double): Double {\n    var sum: Double = 0.0\n    for (element in this) {\n        sum += selector(element)\n    }\n
return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in
the array.\n */\npublic inline fun CharArray.sumByDouble(selector: (Char) -> Double): Double {\n    var sum:
Double = 0.0\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns
an original collection containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are
any `null` elements.\n */\npublic fun <T : Any> Array<T?.>.requireNonNulls(): Array<T> {\n    for (element in this)
{\n        if (element == null) {\n            throw IllegalArgumentException("\`null element found in $this.`")\n        }\n
}

```

```

}\n @Suppress("UNCHECKED_CAST")\n return this as Array<T>()\n\n/**\n * Splits the original array into
pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list
contains elements for which [predicate] yielded `false`.\n */\npublic inline fun <T> Array<out
T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {\n val first = ArrayList<T>()\n val second =
ArrayList<T>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n
second.add(element)\n }\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair
of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list
contains elements for which [predicate] yielded `false`.\n */\npublic inline fun ByteArray.partition(predicate: (Byte) ->
Boolean): Pair<List<Byte>, List<Byte>> {\n val first = ArrayList<Byte>()\n val second = ArrayList<Byte>()\n
for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n
second.add(element)\n }\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of
lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list
contains elements for which [predicate] yielded `false`.\n */\npublic inline fun ShortArray.partition(predicate: (Short) ->
Boolean): Pair<List<Short>, List<Short>> {\n val first = ArrayList<Short>()\n val second =
ArrayList<Short>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n }
else {\n second.add(element)\n }\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of
lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list
contains elements for which [predicate] yielded `false`.\n */\npublic inline fun IntArray.partition(predicate: (Int) ->
Boolean): Pair<List<Int>, List<Int>> {\n val first = ArrayList<Int>()\n val second = ArrayList<Int>()\n
for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else {\n
second.add(element)\n }\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into pair of
lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list
contains elements for which [predicate] yielded `false`.\n */\npublic inline fun LongArray.partition(predicate: (Long) ->
Boolean): Pair<List<Long>, List<Long>> {\n val first = ArrayList<Long>()\n val second =
ArrayList<Long>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else
{\n second.add(element)\n }\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into
pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list
contains elements for which [predicate] yielded `false`.\n */\npublic inline fun FloatArray.partition(predicate: (Float)
-> Boolean): Pair<List<Float>, List<Float>> {\n val first = ArrayList<Float>()\n val second =
ArrayList<Float>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n } else
{\n second.add(element)\n }\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array into
pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list
contains elements for which [predicate] yielded `false`.\n */\npublic inline fun DoubleArray.partition(predicate:
(Double) -> Boolean): Pair<List<Double>, List<Double>> {\n val first = ArrayList<Double>()\n val second =
ArrayList<Double>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n }
else {\n second.add(element)\n }\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original array
into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while *second* list
contains elements for which [predicate] yielded `false`.\n */\npublic inline fun BooleanArray.partition(predicate:
(Boolean) -> Boolean): Pair<List<Boolean>, List<Boolean>> {\n val first = ArrayList<Boolean>()\n val second
= ArrayList<Boolean>()\n for (element in this) {\n if (predicate(element)) {\n first.add(element)\n }
else {\n second.add(element)\n }\n }\n }\n return Pair(first, second)\n}\n\n/**\n * Splits the original
array into pair of lists,\n * where *first* list contains elements for which [predicate] yielded `true`,\n * while
*second* list contains elements for which [predicate] yielded `false`.\n */\npublic inline fun
CharArray.partition(predicate: (Char) -> Boolean): Pair<List<Char>, List<Char>> {\n val first =
ArrayList<Char>()\n val second = ArrayList<Char>()\n for (element in this) {\n if (predicate(element)) {\n
first.add(element)\n } else {\n second.add(element)\n }\n }\n }\n return Pair(first,
second)\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the
same index.\n * The returned list has length of the shortest collection.\n */\n @sample

```

```

samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <T, R> Array<out T>.zip(other:
Array<out R>): List<Pair<T, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs
built from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of
the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun
<R> ByteArray.zip(other: Array<out R>): List<Pair<Byte, R>> {\n    return zip(other) { t1, t2 -> t1 to t2
}\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same
index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <R> ShortArray.zip(other: Array<out
R>): List<Pair<Short, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from
the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <R>
IntArray.zip(other: Array<out R>): List<Pair<Int, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n *
Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <R> LongArray.zip(other: Array<out
R>): List<Pair<Long, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from
the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <R>
FloatArray.zip(other: Array<out R>): List<Pair<Float, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n *
Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <R> DoubleArray.zip(other: Array<out
R>): List<Pair<Double, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built
from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <R>
BooleanArray.zip(other: Array<out R>): List<Pair<Boolean, R>> {\n    return zip(other) { t1, t2 -> t1 to t2
}\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same
index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun <R> CharArray.zip(other: Array<out R>):
List<Pair<Char, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the
elements of `this` array and the [other] array with the same index\n * using the provided [transform] function
applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <T, R, V> Array<out
T>.zip(other: Array<out R>, transform: (a: T, b: R) -> V): List<V> {\n    val size = minOf(size, other.size)\n    val
list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return
list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same
index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length
of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\npublic inline fun <R, V> ByteArray.zip(other: Array<out R>, transform: (a: Byte, b: R) -> V): List<V> {\n    val
size = minOf(size, other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n
list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements
of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each
pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <R, V>
ShortArray.zip(other: Array<out R>, transform: (a: Short, b: R) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i],
other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned

```

```

list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n * \npublic inline fun <R, V>
IntArray.zip(other: Array<out R>, transform: (a: Int, b: R) -> V): List<V> {\n    val size = minOf(size, other.size)\n
    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return
list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same
index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length
of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
* \npublic inline fun <R, V> LongArray.zip(other: Array<out R>, transform: (a: Long, b: R) -> V): List<V> {\n
    val size = minOf(size, other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n
        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements
of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each
pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n * \npublic inline fun <R, V>
FloatArray.zip(other: Array<out R>, transform: (a: Float, b: R) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n
    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n * \npublic inline fun <R, V>
DoubleArray.zip(other: Array<out R>, transform: (a: Double, b: R) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n
    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n * \npublic inline fun <R, V>
BooleanArray.zip(other: Array<out R>, transform: (a: Boolean, b: R) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n
    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n * \npublic inline fun <R, V>
CharArray.zip(other: Array<out R>, transform: (a: Char, b: R) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n
    }\n    return list\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with
the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n * \npublic infix fun <T, R> Array<out T>.zip(other:
Iterable<R>): List<Pair<T, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built
from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n * \npublic infix fun <R>
ByteArray.zip(other: Iterable<R>): List<Pair<Byte, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n *
Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n * \npublic infix fun <R> ShortArray.zip(other: Iterable<R>):
List<Pair<Short, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the
elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n * \npublic infix fun <R>
IntArray.zip(other: Iterable<R>): List<Pair<Int, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n *
Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The

```

```

returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n * \n public infix fun <R> LongArray.zip(other: Iterable<R>):
List<Pair<Long, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from the
elements of `this` collection and [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n * \n public infix fun <R>
FloatArray.zip(other: Iterable<R>): List<Pair<Float, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n *
Returns a list of pairs built from the elements of `this` collection and [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n * \n public infix fun <R> DoubleArray.zip(other:
Iterable<R>): List<Pair<Double, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs
built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of
the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n * \n public infix fun
<R> BooleanArray.zip(other: Iterable<R>): List<Pair<Boolean, R>> {\n    return zip(other) { t1, t2 -> t1 to t2
}\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` collection and [other] array with the same
index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n * \n public infix fun <R> CharArray.zip(other: Iterable<R>):
List<Pair<Char, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the
elements of `this` array and the [other] collection with the same index\n * using the provided [transform] function
applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n * \n public inline fun <T, R, V> Array<out
T>.zip(other: Iterable<R>, transform: (a: T, b: R) -> V): List<V> {\n    val arraySize = size\n    val list =
ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other) {\n
if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n * Returns a
list of values built from the elements of `this` array and the [other] collection with the same index\n * using the
provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n * \n public inline
fun <R, V> ByteArray.zip(other: Iterable<R>, transform: (a: Byte, b: R) -> V): List<V> {\n    val arraySize = size\n
val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in
other) {\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the
same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length
of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n * \n public inline fun <R, V> ShortArray.zip(other: Iterable<R>, transform: (a: Short, b: R) -> V): List<V> {\n    val
arraySize = size\n    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n
for (element in other) {\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n
return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the
same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has
length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n * \n public inline fun <R, V>
IntArray.zip(other: Iterable<R>, transform: (a: Int, b: R) -> V): List<V> {\n    val arraySize = size\n    val list =
ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other) {\n
if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n * Returns a
list of values built from the elements of `this` array and the [other] collection with the same index\n * using the
provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n * \n public inline
fun <R, V> LongArray.zip(other: Iterable<R>, transform: (a: Long, b: R) -> V): List<V> {\n    val arraySize =
size\n    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element
in other) {\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return

```

```

list\}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the
same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has
length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <R, V>
FloatArray.zip(other: Iterable<R>, transform: (a: Float, b: R) -> V): List<V> {\n    val arraySize = size\n    val list =
ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other) {\n
if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\}\n\n/**\n * Returns a
list of values built from the elements of `this` array and the [other] collection with the same index\n * using the
provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline
fun <R, V> DoubleArray.zip(other: Iterable<R>, transform: (a: Double, b: R) -> V): List<V> {\n    val arraySize =
size\n    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element
in other) {\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return
list\}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] collection with the
same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has
length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *\npublic inline fun <R, V>
BooleanArray.zip(other: Iterable<R>, transform: (a: Boolean, b: R) -> V): List<V> {\n    val arraySize = size\n    val
list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other)
{\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\}\n\n/**\n *
Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n *
using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\npublic inline fun <R, V> CharArray.zip(other: Iterable<R>, transform: (a: Char, b: R) -> V): List<V> {\n    val
arraySize = size\n    val list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n
for (element in other) {\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n
return list\}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same
index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun ByteArray.zip(other: ByteArray):
List<Pair<Byte, Byte>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from
the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun
ShortArray.zip(other: ShortArray): List<Pair<Short, Short>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n
* Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun IntArray.zip(other: IntArray):
List<Pair<Int, Int>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from
the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun
LongArray.zip(other: LongArray): List<Pair<Long, Long>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n
* Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun FloatArray.zip(other: FloatArray):
List<Pair<Float, Float>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from
the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n *\npublic infix fun
DoubleArray.zip(other: DoubleArray): List<Pair<Double, Double>> {\n    return zip(other) { t1, t2 -> t1 to t2
}\n}\n\n/**\n * Returns a list of pairs built from the elements of `this` array and the [other] array with the same

```

```

index.\n * The returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n * \npublic infix fun BooleanArray.zip(other: BooleanArray):
List<Pair<Boolean, Boolean>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built
from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n * \npublic infix fun
CharArray.zip(other: CharArray): List<Pair<Char, Char>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n *
Returns a list of values built from the elements of `this` array and the [other] array with the same index\n * using the
provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest
array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n * \npublic inline fun
<V> ByteArray.zip(other: ByteArray, transform: (a: Byte, b: Byte) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n * \npublic inline fun <V>
ShortArray.zip(other: ShortArray, transform: (a: Short, b: Short) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n * \npublic inline fun <V> IntArray.zip(other:
IntArray, transform: (a: Int, b: Int) -> V): List<V> {\n    val size = minOf(size, other.size)\n    val list =
ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return
list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array with the same
index\n * using the provided [transform] function applied to each pair of elements.\n * The returned list has length
of the shortest array.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
* \npublic inline fun <V> LongArray.zip(other: LongArray, transform: (a: Long, b: Long) -> V): List<V> {\n    val
size = minOf(size, other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n
list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements
of `this` array and the [other] array with the same index\n * using the provided [transform] function applied to each
pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n * \npublic inline fun <V>
FloatArray.zip(other: FloatArray, transform: (a: Float, b: Float) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n * \npublic inline fun <V>
DoubleArray.zip(other: DoubleArray, transform: (a: Double, b: Double) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n * \npublic inline fun <V>
BooleanArray.zip(other: BooleanArray, transform: (a: Boolean, b: Boolean) -> V): List<V> {\n    val size =
minOf(size, other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i],
other[i]))\n    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the
[other] array with the same index\n * using the provided [transform] function applied to each pair of elements.\n *

```

The returned list has length of the shortest array.

```

\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n *
\npublic inline fun <V>
CharArray.zip(other: CharArray, transform: (a: Char, b: Char) -> V): List<V> {
    val size = minOf(size, other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}
\n\n/**
\n * Appends the string from all the elements separated using [separator] and using the
given [prefix] and [postfix] if supplied.
\n * \n * If the collection could be huge, you can specify a non-negative value
of [limit], in which case only the first [limit]
\n * elements will be appended, followed by the [truncated] string
(which defaults to "...").
\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n *
\npublic fun
<T, A : Appendable> Array<out T>.joinTo(buffer: A, separator: CharSequence = "\", \"", prefix: CharSequence = "\"",
postfix: CharSequence = "\"", limit: Int = -1, truncated: CharSequence = "...", transform: ((T) -> CharSequence)? =
null): A {
    buffer.append(prefix)
    var count = 0
    for (element in this) {
        if (++count > 1)
            buffer.append(separator)
        if (limit < 0 || count <= limit) {
            buffer.appendElement(element, transform)
        } else break
    }
    if (limit >= 0 && count > limit) buffer.append(truncated)
    buffer.append(postfix)
    return buffer
}
\n\n/**
\n * Appends the string from all the elements separated using [separator] and using the given
[prefix] and [postfix] if supplied.
\n * \n * If the collection could be huge, you can specify a non-negative value of
[limit], in which case only the first [limit]
\n * elements will be appended, followed by the [truncated] string (which
defaults to "...").
\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n *
\npublic fun <A :
Appendable> ByteArray.joinTo(buffer: A, separator: CharSequence = "\", \"", prefix: CharSequence = "\"", postfix:
CharSequence = "\"", limit: Int = -1, truncated: CharSequence = "...", transform: ((Byte) -> CharSequence)? =
null): A {
    buffer.append(prefix)
    var count = 0
    for (element in this) {
        if (++count > 1)
            buffer.append(separator)
        if (limit < 0 || count <= limit) {
            if (transform != null)
                buffer.append(transform(element))
            else
                buffer.append(element.toString())
        } else break
    }
    if (limit >= 0 && count > limit) buffer.append(truncated)
    buffer.append(postfix)
    return
buffer
}
\n\n/**
\n * Appends the string from all the elements separated using [separator] and using the given
[prefix] and [postfix] if supplied.
\n * \n * If the collection could be huge, you can specify a non-negative value of
[limit], in which case only the first [limit]
\n * elements will be appended, followed by the [truncated] string (which
defaults to "...").
\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n *
\npublic fun <A :
Appendable> ShortArray.joinTo(buffer: A, separator: CharSequence = "\", \"", prefix: CharSequence = "\"", postfix:
CharSequence = "\"", limit: Int = -1, truncated: CharSequence = "...", transform: ((Short) -> CharSequence)? =
null): A {
    buffer.append(prefix)
    var count = 0
    for (element in this) {
        if (++count > 1)
            buffer.append(separator)
        if (limit < 0 || count <= limit) {
            if (transform != null)
                buffer.append(transform(element))
            else
                buffer.append(element.toString())
        } else break
    }
    if (limit >= 0 && count > limit) buffer.append(truncated)
    buffer.append(postfix)
    return
buffer
}
\n\n/**
\n * Appends the string from all the elements separated using [separator] and using the given
[prefix] and [postfix] if supplied.
\n * \n * If the collection could be huge, you can specify a non-negative value of
[limit], in which case only the first [limit]
\n * elements will be appended, followed by the [truncated] string (which
defaults to "...").
\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n *
\npublic fun <A :
Appendable> IntArray.joinTo(buffer: A, separator: CharSequence = "\", \"", prefix: CharSequence = "\"", postfix:
CharSequence = "\"", limit: Int = -1, truncated: CharSequence = "...", transform: ((Int) -> CharSequence)? =
null): A {
    buffer.append(prefix)
    var count = 0
    for (element in this) {
        if (++count > 1)
            buffer.append(separator)
        if (limit < 0 || count <= limit) {
            if (transform != null)
                buffer.append(transform(element))
            else
                buffer.append(element.toString())
        } else break
    }
    if (limit >= 0 && count > limit) buffer.append(truncated)
    buffer.append(postfix)
    return
buffer
}
\n\n/**
\n * Appends the string from all the elements separated using [separator] and using the given
[prefix] and [postfix] if supplied.
\n * \n * If the collection could be huge, you can specify a non-negative value of
[limit], in which case only the first [limit]
\n * elements will be appended, followed by the [truncated] string (which
defaults to "...").
\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n *
\npublic fun <A :
Appendable> LongArray.joinTo(buffer: A, separator: CharSequence = "\", \"", prefix: CharSequence = "\"", postfix:

```



```

CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Long) -> CharSequence)? =
null): A {
    buffer.append(prefix)
    var count = 0
    for (element in this) {
        if (++count > 1)
            buffer.append(separator)
        if (limit < 0 || count <= limit) {
            if (transform != null)
                buffer.append(transform(element))
            else
                buffer.append(element.toString())
        } else break
    }
    if (limit >= 0 && count > limit) buffer.append(truncated)
    buffer.append(postfix)
    return buffer
}

```

Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied. If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit] elements will be appended, followed by the [truncated] string (which defaults to "...").

```

@sample samples.collections.Collections.Transformations.joinTo

```

public fun <A : Appendable> FloatArray.joinTo(buffer: A, separator: CharSequence = "\", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Float) -> CharSequence)? = null): A {

```

    buffer.append(prefix)
    var count = 0
    for (element in this) {
        if (++count > 1)
            buffer.append(separator)
        if (limit < 0 || count <= limit) {
            if (transform != null)
                buffer.append(transform(element))
            else
                buffer.append(element.toString())
        } else break
    }
    if (limit >= 0 && count > limit) buffer.append(truncated)
    buffer.append(postfix)
    return buffer
}

```

Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied. If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit] elements will be appended, followed by the [truncated] string (which defaults to "...").

```

@sample samples.collections.Collections.Transformations.joinTo

```

public fun <A : Appendable> DoubleArray.joinTo(buffer: A, separator: CharSequence = "\", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Double) -> CharSequence)? = null): A {

```

    buffer.append(prefix)
    var count = 0
    for (element in this) {
        if (++count > 1)
            buffer.append(separator)
        if (limit < 0 || count <= limit) {
            if (transform != null)
                buffer.append(transform(element))
            else
                buffer.append(element.toString())
        } else break
    }
    if (limit >= 0 && count > limit) buffer.append(truncated)
    buffer.append(postfix)
    return buffer
}

```

Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied. If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit] elements will be appended, followed by the [truncated] string (which defaults to "...").

```

@sample samples.collections.Collections.Transformations.joinTo

```

public fun <A : Appendable> BooleanArray.joinTo(buffer: A, separator: CharSequence = "\", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Boolean) -> CharSequence)? = null): A {

```

    buffer.append(prefix)
    var count = 0
    for (element in this) {
        if (++count > 1)
            buffer.append(separator)
        if (limit < 0 || count <= limit) {
            if (transform != null)
                buffer.append(transform(element))
            else
                buffer.append(element.toString())
        } else break
    }
    if (limit >= 0 && count > limit) buffer.append(truncated)
    buffer.append(postfix)
    return buffer
}

```

Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied. If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit] elements will be appended, followed by the [truncated] string (which defaults to "...").

```

@sample samples.collections.Collections.Transformations.joinTo

```

public fun <A : Appendable> CharArray.joinTo(buffer: A, separator: CharSequence = "\", \", prefix: CharSequence = \"\", postfix: CharSequence = \"\", limit: Int = -1, truncated: CharSequence = \"...\", transform: ((Char) -> CharSequence)? = null): A {

```

    buffer.append(prefix)
    var count = 0
    for (element in this) {
        if (++count > 1)
            buffer.append(separator)
        if (limit < 0 || count <= limit) {
            if (transform != null)
                buffer.append(transform(element))
            else
                buffer.append(element)
        } else break
    }
    if (limit >= 0 && count > limit) buffer.append(truncated)
    buffer.append(postfix)
    return buffer
}

```

Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied. If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit] elements will be appended, followed by the [truncated] string (which defaults to "...").

```

@sample samples.collections.Collections.Transformations.joinToString\n *\npublic fun <T> Array<out
T>.joinToString(separator: CharSequence = "\", \", prefix: CharSequence = "\", postfix: CharSequence = "\", limit:
Int = -1, truncated: CharSequence = "\"...\"", transform: ((T) -> CharSequence)? = null): String {\n  return
joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a
string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n
* If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first
[limit]\n * elements will be appended, followed by the [truncated] string (which defaults to "\"...\"").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n *\npublic fun ByteArray.joinToString(separator:
CharSequence = "\", \", prefix: CharSequence = "\", postfix: CharSequence = "\", limit: Int = -1, truncated:
CharSequence = "\"...\"", transform: ((Byte) -> CharSequence)? = null): String {\n  return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be
huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be
appended, followed by the [truncated] string (which defaults to "\"...\"").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n *\npublic fun ShortArray.joinToString(separator:
CharSequence = "\", \", prefix: CharSequence = "\", postfix: CharSequence = "\", limit: Int = -1, truncated:
CharSequence = "\"...\"", transform: ((Short) -> CharSequence)? = null): String {\n  return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be
huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be
appended, followed by the [truncated] string (which defaults to "\"...\"").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n *\npublic fun IntArray.joinToString(separator:
CharSequence = "\", \", prefix: CharSequence = "\", postfix: CharSequence = "\", limit: Int = -1, truncated:
CharSequence = "\"...\"", transform: ((Int) -> CharSequence)? = null): String {\n  return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be
huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be
appended, followed by the [truncated] string (which defaults to "\"...\"").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n *\npublic fun LongArray.joinToString(separator:
CharSequence = "\", \", prefix: CharSequence = "\", postfix: CharSequence = "\", limit: Int = -1, truncated:
CharSequence = "\"...\"", transform: ((Long) -> CharSequence)? = null): String {\n  return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be
huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be
appended, followed by the [truncated] string (which defaults to "\"...\"").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n *\npublic fun FloatArray.joinToString(separator:
CharSequence = "\", \", prefix: CharSequence = "\", postfix: CharSequence = "\", limit: Int = -1, truncated:
CharSequence = "\"...\"", transform: ((Float) -> CharSequence)? = null): String {\n  return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be
huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be
appended, followed by the [truncated] string (which defaults to "\"...\"").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n *\npublic fun DoubleArray.joinToString(separator:
CharSequence = "\", \", prefix: CharSequence = "\", postfix: CharSequence = "\", limit: Int = -1, truncated:
CharSequence = "\"...\"", transform: ((Double) -> CharSequence)? = null): String {\n  return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates a string from all the elements
separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be
huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be

```

```

appended, followed by the [truncated] string (which defaults to "...").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n *\npublic fun
BooleanArray.joinToString(separator: CharSequence = ", ", prefix: CharSequence = "", postfix: CharSequence =
"", limit: Int = -1, truncated: CharSequence = "...", transform: ((Boolean) -> CharSequence)? = null): String {\n
return joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates
a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n
* If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first
[limit]\n * elements will be appended, followed by the [truncated] string (which defaults to "...").\n * \n * @sample
samples.collections.Collections.Transformations.joinToString\n *\npublic fun CharArray.joinToString(separator:
CharSequence = ", ", prefix: CharSequence = "", postfix: CharSequence = "", limit: Int = -1, truncated:
CharSequence = "...", transform: ((Char) -> CharSequence)? = null): String {\n  return joinTo(StringBuilder(),
separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates an [Iterable] instance that
wraps the original array returning its elements when being iterated.\n *\npublic fun <T> Array<out T>.asIterable():
Iterable<T> {\n  if (isEmpty()) return emptyList()\n  return Iterable { this.iterator() }\n}\n\n/**\n * Creates an
[Iterable] instance that wraps the original array returning its elements when being iterated.\n *\npublic fun
ByteArray.asIterable(): Iterable<Byte> {\n  if (isEmpty()) return emptyList()\n  return Iterable { this.iterator()
}\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when being
iterated.\n *\npublic fun ShortArray.asIterable(): Iterable<Short> {\n  if (isEmpty()) return emptyList()\n  return
Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its
elements when being iterated.\n *\npublic fun IntArray.asIterable(): Iterable<Int> {\n  if (isEmpty()) return
emptyList()\n  return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original
array returning its elements when being iterated.\n *\npublic fun LongArray.asIterable(): Iterable<Long> {\n  if
(isEmpty()) return emptyList()\n  return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that
wraps the original array returning its elements when being iterated.\n *\npublic fun FloatArray.asIterable():
Iterable<Float> {\n  if (isEmpty()) return emptyList()\n  return Iterable { this.iterator() }\n}\n\n/**\n * Creates an
[Iterable] instance that wraps the original array returning its elements when being iterated.\n *\npublic fun
DoubleArray.asIterable(): Iterable<Double> {\n  if (isEmpty()) return emptyList()\n  return Iterable {
this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original array returning its elements when
being iterated.\n *\npublic fun BooleanArray.asIterable(): Iterable<Boolean> {\n  if (isEmpty()) return
emptyList()\n  return Iterable { this.iterator() }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original
array returning its elements when being iterated.\n *\npublic fun CharArray.asIterable(): Iterable<Char> {\n  if
(isEmpty()) return emptyList()\n  return Iterable { this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that
wraps the original array returning its elements when being iterated.\n * \n * @sample
samples.collections.Sequences.Building.sequenceFromArray\n *\npublic fun <T> Array<out T>.asSequence():
Sequence<T> {\n  if (isEmpty()) return emptySequence()\n  return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n *\npublic fun ByteArray.asSequence():
Sequence<Byte> {\n  if (isEmpty()) return emptySequence()\n  return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n *\npublic fun ShortArray.asSequence():
Sequence<Short> {\n  if (isEmpty()) return emptySequence()\n  return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n *\npublic fun IntArray.asSequence():
Sequence<Int> {\n  if (isEmpty()) return emptySequence()\n  return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n *\npublic fun LongArray.asSequence():
Sequence<Long> {\n  if (isEmpty()) return emptySequence()\n  return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *

```

```

@sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun FloatArray.asSequence():
Sequence<Float> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun DoubleArray.asSequence():
Sequence<Double> {\n if (isEmpty()) return emptySequence()\n return Sequence { this.iterator() }\n}\n\n/**\n *
Creates a [Sequence] instance that wraps the original array returning its elements when being iterated.\n * \n *
@sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic fun
BooleanArray.asSequence(): Sequence<Boolean> {\n if (isEmpty()) return emptySequence()\n return Sequence
{ this.iterator() }\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original array returning its elements
when being iterated.\n * \n * @sample samples.collections.Sequences.Building.sequenceFromArray\n */\npublic
fun CharArray.asSequence(): Sequence<Char> {\n if (isEmpty()) return emptySequence()\n return Sequence {
this.iterator() }\n}\n\n/**\n * Returns an average value of elements in the array.\n
*/\n\n@kotlin.jvm.JvmName("averageOfByte")\npublic fun Array<out Byte>.average(): Double {\n var sum:
Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n ++count\n }\n return
if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n
*/\n\n@kotlin.jvm.JvmName("averageOfShort")\npublic fun Array<out Short>.average(): Double {\n var sum:
Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n ++count\n }\n return
if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n
*/\n\n@kotlin.jvm.JvmName("averageOfInt")\npublic fun Array<out Int>.average(): Double {\n var sum: Double
= 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n ++count\n }\n return if (count
== 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n
*/\n\n@kotlin.jvm.JvmName("averageOfLong")\npublic fun Array<out Long>.average(): Double {\n var sum:
Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n ++count\n }\n return
if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n
*/\n\n@kotlin.jvm.JvmName("averageOfFloat")\npublic fun Array<out Float>.average(): Double {\n var sum:
Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n ++count\n }\n return
if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n
*/\n\n@kotlin.jvm.JvmName("averageOfDouble")\npublic fun Array<out Double>.average(): Double {\n var sum:
Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n ++count\n }\n return
if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n
*/\n\npublic fun ByteArray.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in
this) {\n sum += element\n ++count\n }\n return if (count == 0) Double.NaN else sum /
count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\n\npublic fun ShortArray.average():
Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n
++count\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of
elements in the array.\n */\n\npublic fun IntArray.average(): Double {\n var sum: Double = 0.0\n var count: Int =
0\n for (element in this) {\n sum += element\n ++count\n }\n return if (count == 0) Double.NaN else
sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\n\npublic fun LongArray.average():
Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n sum += element\n
++count\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of
elements in the array.\n */\n\npublic fun FloatArray.average(): Double {\n var sum: Double = 0.0\n var count: Int
= 0\n for (element in this) {\n sum += element\n ++count\n }\n return if (count == 0) Double.NaN
else sum / count\n}\n\n/**\n * Returns an average value of elements in the array.\n */\n\npublic fun
DoubleArray.average(): Double {\n var sum: Double = 0.0\n var count: Int = 0\n for (element in this) {\n
sum += element\n ++count\n }\n return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
the sum of all elements in the array.\n */\n\n@kotlin.jvm.JvmName("sumOfByte")\npublic fun Array<out
Byte>.sum(): Int {\n var sum: Int = 0\n for (element in this) {\n sum += element\n }\n return
sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n

```

```

*^@kotlin.jvm.JvmName("sumOfShort")\npublic fun Array<out Short>.sum(): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n*^@kotlin.jvm.JvmName("sumOfInt")\npublic fun Array<out Int>.sum(): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n*^@kotlin.jvm.JvmName("sumOfLong")\npublic fun Array<out Long>.sum(): Long {\n    var sum: Long = 0L\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n*^@kotlin.jvm.JvmName("sumOfFloat")\npublic fun Array<out Float>.sum(): Float {\n    var sum: Float = 0.0f\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n*^@kotlin.jvm.JvmName("sumOfDouble")\npublic fun Array<out Double>.sum(): Double {\n    var sum: Double = 0.0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n*^public fun ByteArray.sum(): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n*^public fun ShortArray.sum(): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n*^public fun IntArray.sum(): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n*^public fun LongArray.sum(): Long {\n    var sum: Long = 0L\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n*^public fun FloatArray.sum(): Float {\n    var sum: Float = 0.0f\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n */\n*^public fun DoubleArray.sum(): Double {\n    var sum: Double = 0.0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n", "/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n*^@file:kotlin.jvm.JvmMultifileClass@file:kotlin.jvm.JvmName("RangesKt")\npackage kotlin.ranges\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\n\n/**\n * Returns a random element from this range.\n */\n* @throws IllegalArgumentException if this range is empty.\n */\n*^@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun IntRange.random(): Int {\n    return random(Random)\n}\n\n/**\n * Returns a random element from this range.\n */\n* @throws IllegalArgumentException if this range is empty.\n */\n*^@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun LongRange.random(): Long {\n    return random(Random)\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness.\n */\n* @throws IllegalArgumentException if this range is empty.\n */\n*^@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun CharRange.random(): Char {\n    return random(Random)\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness.\n */\n* @throws IllegalArgumentException if this range is empty.\n */\n*^@SinceKotlin("1.3")\npublic fun IntRange.random(random: Random): Int {\n    try {\n        return random.nextInt(this)\n    } catch (e: IllegalArgumentException) {\n        throw NoSuchElementException(e.message)\n    }\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness.\n */\n* @throws IllegalArgumentException if this range is empty.\n */\n*^@SinceKotlin("1.3")\npublic fun LongRange.random(random: Random): Long {\n    try {\n        return random.nextLong(this)\n    } catch (e: IllegalArgumentException) {\n        throw NoSuchElementException(e.message)\n    }\n}\n\n/**\n * Returns a random element from this range using the specified source of randomness.\n */\n* @throws IllegalArgumentException if this range is empty.\n */\n*^@SinceKotlin("1.3")\npublic fun CharRange.random(random: Random): Char {\n    try {\n        return random.nextInt(first.toInt(), last.toInt() + 1).toChar()\n    } catch (e: IllegalArgumentException) {\n        throw NoSuchElementException(e.message)\n    }\n}\n\n/**\n * Returns a random element from this range, or `null` if this range is empty.\n */\n*^@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun IntRange.randomOrNull(): Int? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element

```

from this range, or `null` if this range is empty.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun  
LongRange.randomOrNull(): Long? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element  
from this range, or `null` if this range is empty.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun  
CharRange.randomOrNull(): Char? {\n    return randomOrNull(Random)\n}\n\n/**\n * Returns a random element  
from this range using the specified source of randomness, or `null` if this range is empty.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun IntRange.randomOrNull(random: Random): Int?  
{\n    if (isEmpty())\n        return null\n    return random.nextInt(this)\n}\n\n/**\n * Returns a random element from  
this range using the specified source of randomness, or `null` if this range is empty.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun LongRange.randomOrNull(random: Random):  
Long? {\n    if (isEmpty())\n        return null\n    return random.nextLong(this)\n}\n\n/**\n * Returns a random  
element from this range using the specified source of randomness, or `null` if this range is empty.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun CharRange.randomOrNull(random: Random):  
Char? {\n    if (isEmpty())\n        return null\n    return random.nextInt(first.toInt(), last.toInt() +  
1).toChar()\n}\n\n/**\n * Returns `true` if this range contains the specified [element].\n * \n * Always returns `false`  
if the [element] is `null`.\n
```

```
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline operator fun  
IntRange.contains(element: Int?): Boolean {\n    return element != null && contains(element)\n}\n\n/**\n * Returns  
`true` if this range contains the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n
```

```
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline operator fun LongRange.contains(element:  
Long?): Boolean {\n    return element != null && contains(element)\n}\n\n/**\n * Returns `true` if this range  
contains the specified [element].\n * \n * Always returns `false` if the [element] is `null`.\n
```

```
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline operator fun CharRange.contains(element:  
Char?): Boolean {\n    return element != null && contains(element)\n}\n\n/**\n * Checks if the specified [value]  
belongs to this range.\n
```

```
*\n@kotlin.jvm.JvmName("intRangeContains")\npublic operator fun  
ClosedRange<Int>.contains(value: Byte): Boolean {\n    return contains(value.toInt())\n}\n\n/**\n * Checks if the  
specified [value] belongs to this range.\n
```

```
*\n@kotlin.jvm.JvmName("longRangeContains")\npublic operator fun  
ClosedRange<Long>.contains(value: Byte): Boolean {\n    return contains(value.toLong())\n}\n\n/**\n * Checks if  
the specified [value] belongs to this range.\n
```

```
*\n@kotlin.jvm.JvmName("shortRangeContains")\npublic operator  
fun ClosedRange<Short>.contains(value: Byte): Boolean {\n    return contains(value.toShort())\n}\n\n/**\n * \n * Checks if the specified [value] belongs to this range.\n * \n * @Deprecated("This `contains` operation mixing integer  
and floating point arguments has ambiguous semantics and is going to be  
removed.")\n
```

```
*\n@kotlin.jvm.JvmName("doubleRangeContains")\npublic operator fun  
ClosedRange<Double>.contains(value: Byte): Boolean {\n    return contains(value.toDouble())\n}\n\n/**\n * \n * Checks if the specified [value] belongs to this range.\n * \n * @Deprecated("This `contains` operation mixing integer  
and floating point arguments has ambiguous semantics and is going to be  
removed.")\n
```

```
*\n@kotlin.jvm.JvmName("floatRangeContains")\npublic operator fun  
ClosedRange<Float>.contains(value: Byte): Boolean {\n    return contains(value.toFloat())\n}\n\n/**\n * \n * Checks if  
the specified [value] belongs to this range.\n * \n * @Deprecated("This `contains` operation mixing integer  
and floating point arguments has ambiguous semantics and is going to be  
removed.")\n
```

```
*\n@kotlin.jvm.JvmName("intRangeContains")\npublic operator fun ClosedRange<Int>.contains(value:  
Double): Boolean {\n    return value.toIntExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n/**\n * \n * Checks if the specified [value] belongs to this range.\n * \n * @Deprecated("This `contains` operation mixing integer  
and floating point arguments has ambiguous semantics and is going to be  
removed.")\n
```

```
*\n@kotlin.jvm.JvmName("longRangeContains")\npublic operator fun  
ClosedRange<Long>.contains(value: Double): Boolean {\n    return value.toLongExactOrNull().let { if (it != null)  
contains(it) else false }\n}\n\n/**\n * \n * Checks if the specified [value] belongs to this range.\n * \n * @Deprecated("This `contains` operation mixing integer  
and floating point arguments has ambiguous semantics  
and is going to be removed.")\n
```

```
*\n@Deprecated("This `contains` operation mixing integer  
and floating point arguments has ambiguous semantics  
and is going to be removed.")\n
```

and is going to be removed.\")\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic operator fun
ClosedRange<Byte>.contains(value: Double): Boolean {\n return value.toByteExactOrNull().let { if (it != null)
contains(it) else false }\n}\n\n**\n * Checks if the specified [value] belongs to this range.\n
*\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics
and is going to be removed.\")\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic operator fun
ClosedRange<Short>.contains(value: Double): Boolean {\n return value.toShortExactOrNull().let { if (it != null)
contains(it) else false }\n}\n\n**\n * Checks if the specified [value] belongs to this range.\n
*\n@kotlin.jvm.JvmName(\"floatRangeContains\")\npublic operator fun ClosedRange<Float>.contains(value:
Double): Boolean {\n return contains(value.toFloat())\n}\n\n**\n * Checks if the specified [value] belongs to this
range.\n *\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous
semantics and is going to be removed.\")\n@kotlin.jvm.JvmName(\"intRangeContains\")\npublic operator fun
ClosedRange<Int>.contains(value: Float): Boolean {\n return value.toIntExactOrNull().let { if (it != null)
contains(it) else false }\n}\n\n**\n * Checks if the specified [value] belongs to this range.\n
*\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics
and is going to be removed.\")\n@kotlin.jvm.JvmName(\"longRangeContains\")\npublic operator fun
ClosedRange<Long>.contains(value: Float): Boolean {\n return value.toLongExactOrNull().let { if (it != null)
contains(it) else false }\n}\n\n**\n * Checks if the specified [value] belongs to this range.\n
*\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics
and is going to be removed.\")\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic operator fun
ClosedRange<Byte>.contains(value: Float): Boolean {\n return value.toByteExactOrNull().let { if (it != null)
contains(it) else false }\n}\n\n**\n * Checks if the specified [value] belongs to this range.\n
*\n@Deprecated(\"This `contains` operation mixing integer and floating point arguments has ambiguous semantics
and is going to be removed.\")\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic operator fun
ClosedRange<Short>.contains(value: Float): Boolean {\n return value.toShortExactOrNull().let { if (it != null)
contains(it) else false }\n}\n\n**\n * Checks if the specified [value] belongs to this range.\n
*\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator fun ClosedRange<Double>.contains(value:
Float): Boolean {\n return contains(value.toDouble())\n}\n\n**\n * Checks if the specified [value] belongs to this
range.\n *\n@kotlin.jvm.JvmName(\"longRangeContains\")\npublic operator fun
ClosedRange<Long>.contains(value: Int): Boolean {\n return contains(value.toLong())\n}\n\n**\n * Checks if the
specified [value] belongs to this range.\n *\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic operator fun
ClosedRange<Byte>.contains(value: Int): Boolean {\n return value.toByteExactOrNull().let { if (it != null)
contains(it) else false }\n}\n\n**\n * Checks if the specified [value] belongs to this range.\n
*\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic operator fun ClosedRange<Short>.contains(value: Int):
Boolean {\n return value.toShortExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n**\n * Checks if
the specified [value] belongs to this range.\n *\n@Deprecated(\"This `contains` operation mixing integer and
floating point arguments has ambiguous semantics and is going to be
removed.\")\n@kotlin.jvm.JvmName(\"doubleRangeContains\")\npublic operator fun
ClosedRange<Double>.contains(value: Int): Boolean {\n return contains(value.toDouble())\n}\n\n**\n * Checks
if the specified [value] belongs to this range.\n *\n@Deprecated(\"This `contains` operation mixing integer and
floating point arguments has ambiguous semantics and is going to be
removed.\")\n@kotlin.jvm.JvmName(\"floatRangeContains\")\npublic operator fun
ClosedRange<Float>.contains(value: Int): Boolean {\n return contains(value.toFloat())\n}\n\n**\n * Checks if the
specified [value] belongs to this range.\n *\n@kotlin.jvm.JvmName(\"intRangeContains\")\npublic operator fun
ClosedRange<Int>.contains(value: Long): Boolean {\n return value.toIntExactOrNull().let { if (it != null)
contains(it) else false }\n}\n\n**\n * Checks if the specified [value] belongs to this range.\n
*\n@kotlin.jvm.JvmName(\"byteRangeContains\")\npublic operator fun ClosedRange<Byte>.contains(value:
Long): Boolean {\n return value.toByteExactOrNull().let { if (it != null) contains(it) else false }\n}\n\n**\n *
Checks if the specified [value] belongs to this range.\n *\n@kotlin.jvm.JvmName(\"shortRangeContains\")\npublic

```

operator fun ClosedRange<Short>.contains(value: Long): Boolean {
    return value.toShortExactOrNull().let { if (it != null) contains(it) else false }
}
// Checks if the specified [value] belongs to this range.
// @Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.")
@kotlin.jvm.JvmName("doubleRangeContains")
public operator fun ClosedRange<Double>.contains(value: Long): Boolean {
    return contains(value.toDouble())
}
// Checks if the specified [value] belongs to this range.
// @Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.")
@kotlin.jvm.JvmName("floatRangeContains")
public operator fun ClosedRange<Float>.contains(value: Long): Boolean {
    return contains(value.toFloat())
}
// Checks if the specified [value] belongs to this range.
// @kotlin.jvm.JvmName("intRangeContains")
public operator fun ClosedRange<Int>.contains(value: Short): Boolean {
    return contains(value.toInt())
}
// Checks if the specified [value] belongs to this range.
// @kotlin.jvm.JvmName("longRangeContains")
public operator fun ClosedRange<Long>.contains(value: Short): Boolean {
    return contains(value.toLong())
}
// Checks if the specified [value] belongs to this range.
// @kotlin.jvm.JvmName("byteRangeContains")
public operator fun ClosedRange<Byte>.contains(value: Short): Boolean {
    return value.toByteExactOrNull().let { if (it != null) contains(it) else false }
}
// Checks if the specified [value] belongs to this range.
// @Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.")
@kotlin.jvm.JvmName("doubleRangeContains")
public operator fun ClosedRange<Double>.contains(value: Short): Boolean {
    return contains(value.toDouble())
}
// Checks if the specified [value] belongs to this range.
// @Deprecated("This `contains` operation mixing integer and floating point arguments has ambiguous semantics and is going to be removed.")
@kotlin.jvm.JvmName("floatRangeContains")
public operator fun ClosedRange<Float>.contains(value: Short): Boolean {
    return contains(value.toFloat())
}
// Returns a progression from this value down to the specified [to] value with the step -1.
// The [to] value should be less than or equal to `this` value.
// If the [to] value is greater than `this` value the returned progression is empty.
// @public infix fun Int.downTo(to: Byte): IntProgression {
//     return IntProgression.fromClosedRange(this, to.toInt(), -1)
// }
// Returns a progression from this value down to the specified [to] value with the step -1.
// The [to] value should be less than or equal to `this` value.
// If the [to] value is greater than `this` value the returned progression is empty.
// @public infix fun Long.downTo(to: Byte): LongProgression {
//     return LongProgression.fromClosedRange(this, to.toLong(), -1L)
// }
// Returns a progression from this value down to the specified [to] value with the step -1.
// The [to] value should be less than or equal to `this` value.
// If the [to] value is greater than `this` value the returned progression is empty.
// @public infix fun Byte.downTo(to: Byte): IntProgression {
//     return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)
// }
// Returns a progression from this value down to the specified [to] value with the step -1.
// The [to] value should be less than or equal to `this` value.
// If the [to] value is greater than `this` value the returned progression is empty.
// @public infix fun Short.downTo(to: Byte): IntProgression {
//     return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)
// }
// Returns a progression from this value down to the specified [to] value with the step -1.
// The [to] value should be less than or equal to `this` value.
// If the [to] value is greater than `this` value the returned progression is empty.
// @public infix fun Char.downTo(to: Char): CharProgression {
//     return CharProgression.fromClosedRange(this, to, -1)
// }
// Returns a progression from this value down to the specified [to] value with the step -1.
// The [to] value should be less than or equal to `this` value.
// If the [to] value is greater than `this` value the returned progression is empty.
// @public infix fun Int.downTo(to: Int): IntProgression {
//     return IntProgression.fromClosedRange(this, to, -1)
// }
// Returns a progression from this value down to the specified [to] value with the step -1.
// The [to] value should be less than or equal to `this` value.
// If the [to] value is greater than `this` value the returned progression is empty.
// @public infix fun Long.downTo(to: Int): LongProgression {
//     return LongProgression.fromClosedRange(this, to.toLong(), -1L)
// }
// Returns a progression from this value down to the specified [to] value with the step -1.
// The [to] value should be less than or equal to `this` value.

```


* If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Byte.downTo(to: Int): IntProgression {
    return IntProgression.fromClosedRange(this.toInt(), to, -1)
}

```

Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Short.downTo(to: Int): IntProgression {
    return IntProgression.fromClosedRange(this.toInt(), to, -1)
}

```

Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Int.downTo(to: Long): LongProgression {
    return LongProgression.fromClosedRange(this.toLong(), to, -1L)
}

```

Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Long.downTo(to: Long): LongProgression {
    return LongProgression.fromClosedRange(this, to, -1L)
}

```

Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Byte.downTo(to: Long): LongProgression {
    return LongProgression.fromClosedRange(this.toLong(), to, -1L)
}

```

Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Short.downTo(to: Long): LongProgression {
    return LongProgression.fromClosedRange(this.toLong(), to, -1L)
}

```

Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Int.downTo(to: Short): IntProgression {
    return IntProgression.fromClosedRange(this, to.toInt(), -1)
}

```

Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Long.downTo(to: Short): LongProgression {
    return LongProgression.fromClosedRange(this, to.toLong(), -1L)
}

```

Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Byte.downTo(to: Short): IntProgression {
    return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)
}

```

Returns a progression from this value down to the specified [to] value with the step -1. The [to] value should be less than or equal to `this` value. If the [to] value is greater than `this` value the returned progression is empty.

```

public infix fun Short.downTo(to: Short): IntProgression {
    return IntProgression.fromClosedRange(this.toInt(), to.toInt(), -1)
}

```

Returns a progression that goes over the same range in the opposite direction with the same step.

```

public fun IntProgression.reversed(): IntProgression {
    return IntProgression.fromClosedRange(last, first, -step)
}

```

Returns a progression that goes over the same range in the opposite direction with the same step.

```

public fun LongProgression.reversed(): LongProgression {
    return LongProgression.fromClosedRange(last, first, -step)
}

```

Returns a progression that goes over the same range in the opposite direction with the given step.

```

public infix fun IntProgression.step(step: Int): IntProgression {
    checkStepIsPositive(step > 0, step)
    return IntProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)
}

```

Returns a progression that goes over the same range with the given step.

```

public infix fun LongProgression.step(step: Long): LongProgression {
    checkStepIsPositive(step > 0, step)
    return LongProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)
}

```

Returns a progression that goes over the same range with the given step.

```

public infix fun CharProgression.step(step: Int): CharProgression {
    checkStepIsPositive(step > 0, step)
    return CharProgression.fromClosedRange(first, last, if (this.step > 0) step else -step)
}

```

internal fun Int.toByteExactOrNull(): Byte? {
 return if (this in

```

Byte.MIN_VALUE.toInt()..Byte.MAX_VALUE.toInt()) this.toByteArray() else null\n}\n\ninternal fun
Long.toByteArrayOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toLong()..Byte.MAX_VALUE.toLong()) this.toByteArray() else null\n}\n\ninternal fun
Short.toByteArrayOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toShort()..Byte.MAX_VALUE.toShort()) this.toByteArray() else null\n}\n\ninternal fun
Double.toByteArrayOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toDouble()..Byte.MAX_VALUE.toDouble()) this.toByteArray() else null\n}\n\ninternal fun
Float.toByteArrayOrNull(): Byte? {\n    return if (this in
Byte.MIN_VALUE.toFloat()..Byte.MAX_VALUE.toFloat()) this.toByteArray() else null\n}\n\ninternal fun
Long.toIntExactOrNull(): Int? {\n    return if (this in Int.MIN_VALUE.toLong()..Int.MAX_VALUE.toLong())
this.toInt() else null\n}\n\ninternal fun Double.toIntExactOrNull(): Int? {\n    return if (this in
Int.MIN_VALUE.toDouble()..Int.MAX_VALUE.toDouble()) this.toInt() else null\n}\n\ninternal fun
Float.toIntExactOrNull(): Int? {\n    return if (this in Int.MIN_VALUE.toFloat()..Int.MAX_VALUE.toFloat())
this.toInt() else null\n}\n\ninternal fun Double.toLongExactOrNull(): Long? {\n    return if (this in
Long.MIN_VALUE.toDouble()..Long.MAX_VALUE.toDouble()) this.toLong() else null\n}\n\ninternal fun
Float.toLongExactOrNull(): Long? {\n    return if (this in
Long.MIN_VALUE.toFloat()..Long.MAX_VALUE.toFloat()) this.toLong() else null\n}\n\ninternal fun
Int.toShortExactOrNull(): Short? {\n    return if (this in Short.MIN_VALUE.toInt()..Short.MAX_VALUE.toInt())
this.toShort() else null\n}\n\ninternal fun Long.toShortExactOrNull(): Short? {\n    return if (this in
Short.MIN_VALUE.toLong()..Short.MAX_VALUE.toLong()) this.toShort() else null\n}\n\ninternal fun
Double.toShortExactOrNull(): Short? {\n    return if (this in
Short.MIN_VALUE.toDouble()..Short.MAX_VALUE.toDouble()) this.toShort() else null\n}\n\ninternal fun
Float.toShortExactOrNull(): Short? {\n    return if (this in
Short.MIN_VALUE.toFloat()..Short.MAX_VALUE.toFloat()) this.toShort() else null\n}\n\n**\n * Returns a range
from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this`
value, then the returned range is empty.\n *\npublic infix fun Int.until(to: Byte): IntRange {\n    return this ..
(to.toInt() - 1).toInt()\n}\n\n**\n * Returns a range from this value up to but excluding the specified [to] value.\n *
\n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n *\npublic infix fun
Long.until(to: Byte): LongRange {\n    return this .. (to.toLong() - 1).toLong()\n}\n\n**\n * Returns a range from
this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this`
value, then the returned range is empty.\n *\npublic infix fun Byte.until(to: Byte): IntRange {\n    return this.toInt() ..
(to.toInt() - 1).toInt()\n}\n\n**\n * Returns a range from this value up to but excluding the specified [to] value.\n *
\n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n *\npublic infix fun
Short.until(to: Byte): IntRange {\n    return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n**\n * Returns a range from
this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this`
value, then the returned range is empty.\n *\npublic infix fun Char.until(to: Char): CharRange {\n    if (to <=
'\u0000')
return CharRange.EMPTY\n    return this .. (to - 1).toChar()\n}\n\n**\n * Returns a range from this value up to but
excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned
range is empty.\n *\npublic infix fun Int.until(to: Int): IntRange {\n    if (to <= Int.MIN_VALUE) return
IntRange.EMPTY\n    return this .. (to - 1).toInt()\n}\n\n**\n * Returns a range from this value up to but excluding
the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is
empty.\n *\npublic infix fun Long.until(to: Int): LongRange {\n    return this .. (to.toLong() -
1).toLong()\n}\n\n**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the
[to] value is less than or equal to `this` value, then the returned range is empty.\n *\npublic infix fun Byte.until(to:
Int): IntRange {\n    if (to <= Int.MIN_VALUE) return IntRange.EMPTY\n    return this.toInt() .. (to -
1).toInt()\n}\n\n**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the
[to] value is less than or equal to `this` value, then the returned range is empty.\n *\npublic infix fun Short.until(to:
Int): IntRange {\n    if (to <= Int.MIN_VALUE) return IntRange.EMPTY\n    return this.toInt() .. (to -

```

1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Int.until(to: Long): LongRange {\n if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n return this.toLong() .. (to - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Long.until(to: Long): LongRange {\n if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n return this .. (to - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Byte.until(to: Long): LongRange {\n if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n return this.toLong() .. (to - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Short.until(to: Long): LongRange {\n if (to <= Long.MIN_VALUE) return LongRange.EMPTY\n return this.toLong() .. (to - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Int.until(to: Short): IntRange {\n return this .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Long.until(to: Short): LongRange {\n return this .. (to.toLong() - 1).toLong()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Byte.until(to: Short): IntRange {\n return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Returns a range from this value up to but excluding the specified [to] value.\n * \n * If the [to] value is less than or equal to `this` value, then the returned range is empty.\n */\npublic infix fun Short.until(to: Short): IntRange {\n return this.toInt() .. (to.toInt() - 1).toInt()\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeastComparable\n */\npublic fun <T : Comparable<T>> T.coerceAtLeast(minimumValue: T): T {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Byte.coerceAtLeast(minimumValue: Byte): Byte {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Short.coerceAtLeast(minimumValue: Short): Short {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Int.coerceAtLeast(minimumValue: Int): Int {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Long.coerceAtLeast(minimumValue: Long): Long {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Float.coerceAtLeast(minimumValue: Float): Float {\n return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this value is not less than the specified [minimumValue].\n * \n * @return this value if it's greater than or equal to the [minimumValue] or the [minimumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtLeast\n */\npublic fun Double.coerceAtLeast(minimumValue: Double): Double {\n return if (this < minimumValue) minimumValue else

```

this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this
value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMostComparable\n *\npublic fun <T : Comparable<T>>
T.coerceAtMost(maximumValue: T): T {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less
than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMost\n *\npublic fun Byte.coerceAtMost(maximumValue: Byte):
Byte {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not
greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the
[maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMost\n *\npublic fun Short.coerceAtMost(maximumValue: Short):
Short {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not
greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the
[maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMost\n *\npublic fun Int.coerceAtMost(maximumValue: Int): Int
{\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater
than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the [maximumValue] or
the [maximumValue] otherwise.\n * \n * @sample samples.comparisons.ComparableOps.coerceAtMost\n
*\npublic fun Long.coerceAtMost(maximumValue: Long): Long {\n    return if (this > maximumValue)
maximumValue else this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n *
\n * @return this value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n *
@sample samples.comparisons.ComparableOps.coerceAtMost\n *\npublic fun
Float.coerceAtMost(maximumValue: Float): Float {\n    return if (this > maximumValue) maximumValue else
this\n}\n\n/**\n * Ensures that this value is not greater than the specified [maximumValue].\n * \n * @return this
value if it's less than or equal to the [maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMost\n *\npublic fun Double.coerceAtMost(maximumValue:
Double): Double {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this
value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range,
or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than
[maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceInComparable\n *\npublic fun
<T : Comparable<T>> T.coerceIn(minimumValue: T?, maximumValue: T?): T {\n    if (minimumValue !== null
&& maximumValue !== null) {\n        if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n        if (this < minimumValue) return minimumValue\n        if (this >
maximumValue) return maximumValue\n    }\n    else {\n        if (minimumValue !== null && this <
minimumValue) return minimumValue\n        if (maximumValue !== null && this > maximumValue) return
maximumValue\n    }\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n *\npublic fun Byte.coerceIn(minimumValue: Byte,
maximumValue: Byte): Byte {\n    if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue)
return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n *\npublic fun Short.coerceIn(minimumValue: Short,
maximumValue: Short): Short {\n    if (minimumValue > maximumValue) throw

```

```

IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n if (this < minimumValue) return minimumValue\n if (this > maximumValue)
return maximumValue\n return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n *\npublic fun Int.coerceIn(minimumValue: Int, maximumValue:
Int): Int {\n if (minimumValue > maximumValue) throw IllegalArgumentException("Cannot coerce value to an
empty range: maximum $maximumValue is less than minimum $minimumValue.")\n if (this < minimumValue)
return minimumValue\n if (this > maximumValue) return maximumValue\n return this\n}\n\n/**\n * Ensures
that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in
the range, or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater
than [maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n *\npublic fun
Long.coerceIn(minimumValue: Long, maximumValue: Long): Long {\n if (minimumValue > maximumValue)
throw IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n if (this < minimumValue) return minimumValue\n if (this > maximumValue)
return maximumValue\n return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n *\npublic fun Float.coerceIn(minimumValue: Float,
maximumValue: Float): Float {\n if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n if (this < minimumValue) return minimumValue\n if (this > maximumValue)
return maximumValue\n return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceIn\n *\npublic fun Double.coerceIn(minimumValue: Double,
maximumValue: Double): Double {\n if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n if (this < minimumValue) return minimumValue\n if (this > maximumValue)
return maximumValue\n return this\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n *
@return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive`
if this value is greater than `range.endInclusive`.\n * \n * @sample
samples.comparisons.ComparableOps.coerceInFloatingPointRange\n *\n@SinceKotlin("1.1")\npublic fun <T :
Comparable<T>> T.coerceIn(range: ClosedFloatingPointRange<T>): T {\n if (range.isEmpty()) throw
IllegalArgumentException("Cannot coerce value to an empty range: $range.")\n return when {\n // this <
start equiv to this <= start && !(this >= start)\n range.lessThanOrEqualTo(this, range.start) &&
!range.lessThanOrEqualTo(range.start, this) -> range.start\n // this > end equiv to this >= end && !(this <= end)\n
range.lessThanOrEqualTo(range.endInclusive, this) && !range.lessThanOrEqualTo(this, range.endInclusive) ->
range.endInclusive\n else -> this\n }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n *
@return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive`
if this value is greater than `range.endInclusive`.\n * \n * @sample
samples.comparisons.ComparableOps.coerceInComparable\n *\npublic fun <T : Comparable<T>>
T.coerceIn(range: ClosedRange<T>): T {\n if (range is ClosedFloatingPointRange) {\n return
this.coerceIn<T>(range)\n }\n if (range.isEmpty()) throw IllegalArgumentException("Cannot coerce value to an
empty range: $range.")\n return when {\n this < range.start -> range.start\n this > range.endInclusive ->
range.endInclusive\n else -> this\n }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n *
@return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive`
if this value is greater than `range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceIn\n

```

```

*^public fun Int.coerceIn(range: ClosedRange<Int>): Int {
    if (range is ClosedFloatingPointRange) {
        return this.coerceIn<Int>(range)
    }
    if (range.isEmpty()) throw IllegalArgumentException("Cannot coerce value to an empty range: $range.")
    return when {
        this < range.start -> range.start
        this > range.endInclusive -> range.endInclusive
        else -> this
    }
}
/** Ensures that this value lies in the specified [range].
 * @return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive` if this value is greater than `range.endInclusive`.
 * @sample samples.comparisons.ComparableOps.coerceIn
 */
*^public fun Long.coerceIn(range: ClosedRange<Long>): Long {
    if (range is ClosedFloatingPointRange) {
        return this.coerceIn<Long>(range)
    }
    if (range.isEmpty()) throw IllegalArgumentException("Cannot coerce value to an empty range: $range.")
    return when {
        this < range.start -> range.start
        this > range.endInclusive -> range.endInclusive
        else -> this
    }
}
}
/** Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
*^// Auto-generated file. DO NOT EDIT!
package kotlin
import kotlin.experimental.*
@Suppress("NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS")
SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public inline class UByte @PublishedApi internal constructor(@PublishedApi internal val data: Byte) : Comparable<UByte> {
    companion object {
        /** A constant holding the minimum value an instance of UByte can have.
         */
        public const val MIN_VALUE: UByte = UByte(0)
        /** A constant holding the maximum value an instance of UByte can have.
         */
        public const val MAX_VALUE: UByte = UByte(-1)
        /** The number of bytes used to represent an instance of UByte in a binary form.
         */
        public const val SIZE_BYTES: Int = 1
        /** The number of bits used to represent an instance of UByte in a binary form.
         */
        public const val SIZE_BITS: Int = 8
    }
    /** Compares this value with the specified value for order.
     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,
     * or a positive number if it's greater than other.
     */
    @kotlin.internal.InlineOnly
    @Suppress("OVERRIDE_BY_INLINE")
    public override inline operator fun compareTo(other: UByte): Int = this.toInt().compareTo(other.toInt())
    /** Compares this value with the specified value for order.
     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,
     * or a positive number if it's greater than other.
     */
    @kotlin.internal.InlineOnly
    public inline operator fun compareTo(other: UShort): Int = this.toInt().compareTo(other.toInt())
    /** Compares this value with the specified value for order.
     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,
     * or a positive number if it's greater than other.
     */
    @kotlin.internal.InlineOnly
    public inline operator fun compareTo(other: UInt): Int = this.toUInt().compareTo(other)
    /** Compares this value with the specified value for order.
     * Returns zero if this value is equal to the specified other value, a negative number if it's less than other,
     * or a positive number if it's greater than other.
     */
    @kotlin.internal.InlineOnly
    public inline operator fun compareTo(other: ULong): Int = this.toULong().compareTo(other)
    /** Adds the other value to this value.
     */
    @kotlin.internal.InlineOnly
    public inline operator fun plus(other: UByte): UInt = this.toUInt().plus(other.toUInt())
    /** Adds the other value to this value.
     */
    @kotlin.internal.InlineOnly
    public inline operator fun plus(other: UShort): UInt = this.toUInt().plus(other.toUInt())
    /** Adds the other value to this value.
     */
    @kotlin.internal.InlineOnly
    public inline operator fun plus(other: UInt): UInt = this.toUInt().plus(other)
    /** Adds the other value to this value.
     */
    @kotlin.internal.InlineOnly
    public inline operator fun plus(other: ULong): ULong = this.toULong().plus(other)
    /** Subtracts the other value from this value.
     */
    @kotlin.internal.InlineOnly
    public inline operator fun minus(other: UByte): UInt = this.toUInt().minus(other.toUInt())
    /** Subtracts the other value from this value.
     */
    @kotlin.internal.InlineOnly
    public inline operator fun minus(other: UShort): UInt = this.toUInt().minus(other.toUInt())
    /** Subtracts the other value from this value.
     */
    @kotlin.internal.InlineOnly
    public inline operator fun minus(other: UInt): UInt = this.toUInt().minus(other)
    /** Subtracts the other value from this value.
     */
    @kotlin.internal.InlineOnly
    public inline operator fun minus(other: ULong): ULong = this.toULong().minus(other)
    /** Multiplies this value by the other value.
     */

```

```

@kotlin.internal.InlineOnly\n public inline operator fun times(other: UByte): UInt =
this.toUInt().times(other.toUInt())\n /** Multiplies this value by the other value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun times(other: UShort): UInt =
this.toUInt().times(other.toUInt())\n /** Multiplies this value by the other value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun times(other: UInt): UInt = this.toUInt().times(other)\n
/** Multiplies this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun
times(other: ULong): ULong = this.toULong().times(other)\n\n /** Divides this value by the other value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun div(other: UByte): UInt =
this.toUInt().div(other.toUInt())\n /** Divides this value by the other value. */\n @kotlin.internal.InlineOnly\n
public inline operator fun div(other: UShort): UInt = this.toUInt().div(other.toUInt())\n /** Divides this value by
the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun div(other: UInt): UInt =
this.toUInt().div(other)\n /** Divides this value by the other value. */\n @kotlin.internal.InlineOnly\n public
inline operator fun div(other: ULong): ULong = this.toULong().div(other)\n\n /** Calculates the remainder of
dividing this value by the other value. */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other:
UByte): UInt = this.toUInt().rem(other.toUInt())\n /** Calculates the remainder of dividing this value by the other
value. */\n @kotlin.internal.InlineOnly\n public inline operator fun rem(other: UShort): UInt =
this.toUInt().rem(other.toUInt())\n /** Calculates the remainder of dividing this value by the other value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun rem(other: UInt): UInt = this.toUInt().rem(other)\n /**
Calculates the remainder of dividing this value by the other value. */\n @kotlin.internal.InlineOnly\n public
inline operator fun rem(other: ULong): ULong = this.toULong().rem(other)\n\n /** Increments this value. */\n
@kotlin.internal.InlineOnly\n public inline operator fun inc(): UByte = UByte(data.inc())\n /** Decrements this
value. */\n @kotlin.internal.InlineOnly\n public inline operator fun dec(): UByte = UByte(data.dec())\n\n /**
Creates a range from this value to the specified [other] value. */\n @kotlin.internal.InlineOnly\n public inline
operator fun rangeTo(other: UByte): UIntRange = UIntRange(this.toUInt(), other.toUInt())\n\n /** Performs a
bitwise AND operation between the two values. */\n @kotlin.internal.InlineOnly\n public inline infix fun
and(other: UByte): UByte = UByte(this.data and other.data)\n /** Performs a bitwise OR operation between the
two values. */\n @kotlin.internal.InlineOnly\n public inline infix fun or(other: UByte): UByte = UByte(this.data
or other.data)\n\n /** Performs a bitwise XOR operation between the two values. */\n
@kotlin.internal.InlineOnly\n public inline infix fun xor(other: UByte): UByte = UByte(this.data xor other.data)\n
/** Inverts the bits in this value. */\n @kotlin.internal.InlineOnly\n public inline fun inv(): UByte =
UByte(data.inv())\n\n /**\n * Converts this [UByte] value to [Byte].\n * \n * If this value is less than or
equals to [Byte.MAX_VALUE], the resulting `Byte` value represents\n * the same numerical value as this
`UByte`. Otherwise the result is negative.\n * \n * The resulting `Byte` value has the same binary representation
as this `UByte` value.\n */\n @kotlin.internal.InlineOnly\n public inline fun toByte(): Byte = data\n /**\n
* Converts this [UByte] value to [Short].\n * \n * The resulting `Short` value represents the same numerical
value as this `UByte`.\n * \n * The least significant 8 bits of the resulting `Short` value are the same as the bits
of this `UByte` value,\n * whereas the most significant 8 bits are filled with zeros.\n */\n
@kotlin.internal.InlineOnly\n public inline fun toShort(): Short = data.toShort() and 0xFF\n /**\n * Converts
this [UByte] value to [Int].\n * \n * The resulting `Int` value represents the same numerical value as this
`UByte`.\n * \n * The least significant 8 bits of the resulting `Int` value are the same as the bits of this `UByte`
value,\n * whereas the most significant 24 bits are filled with zeros.\n */\n
@kotlin.internal.InlineOnly\n public inline fun toInt(): Int = data.toInt() and 0xFF\n /**\n * Converts this
[UByte] value to [Long].\n * \n * The resulting `Long` value represents the same numerical value as this `UByte`.\n
* \n * The least significant 8 bits of the resulting `Long` value are the same as the bits of this `UByte` value,\n
* whereas the most significant 56 bits are filled with zeros.\n */\n
@kotlin.internal.InlineOnly\n public inline fun toLong(): Long =
data.toLong() and 0xFF\n /** Returns this value. */\n @kotlin.internal.InlineOnly\n public inline fun
toUByte(): UByte = this\n /**\n * Converts this [UByte] value to [UShort].\n * \n * The resulting `UShort`
value represents the same numerical value as this `UByte`.\n * \n * The least significant 8 bits of the resulting

```

```

`UShort` value are the same as the bits of this `UByte` value,
 * whereas the most significant 8 bits are filled
with zeros.
 *
@kotlin.internal.InlineOnly
public inline fun toUShort(): UShort = UShort(data.toShort()
and 0xFF)
 /**
 * Converts this [UByte] value to [UInt].
 *
 * The resulting `UInt` value represents
the same numerical value as this `UByte`.
 *
 * The least significant 8 bits of the resulting `UInt` value are
the same as the bits of this `UByte` value,
 * whereas the most significant 24 bits are filled with zeros.
 *
@kotlin.internal.InlineOnly
public inline fun toUInt(): UInt = UInt(data.toInt() and 0xFF)
 /**
 * Converts this [UByte] value to [ULong].
 *
 * The resulting `ULong` value represents the same numerical
value as this `UByte`.
 *
 * The least significant 8 bits of the resulting `ULong` value are the same as the bits
of this `UByte` value,
 * whereas the most significant 56 bits are filled with zeros.
 *
@kotlin.internal.InlineOnly
public inline fun toULong(): ULong = ULong(data.toLong() and 0xFF)
 /**
 * Converts this [UByte] value to [Float].
 *
 * The resulting `Float` value represents the same numerical
value as this `UByte`.
 *
@kotlin.internal.InlineOnly
public inline fun toFloat(): Float =
this.toInt().toFloat()
 /**
 * Converts this [UByte] value to [Double].
 *
 * The resulting `Double`
value represents the same numerical value as this `UByte`.
 *
@kotlin.internal.InlineOnly
public inline
fun toDouble(): Double = this.toInt().toDouble()
public override fun toString(): String =
toInt().toString()
}
 /**
 * Converts this [Byte] value to [UByte].
 *
 * If this value is positive, the resulting
`UByte` value represents the same numerical value as this `Byte`.
 *
 * The resulting `UByte` value has the same
binary representation as this `Byte` value.
 *
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
Byte.toUByte(): UByte = UByte(this)
 /**
 * Converts this [Short] value to [UByte].
 *
 * If this value is
positive and less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents
 * the same
numerical value as this `Short`.
 *
 * The resulting `UByte` value is represented by the least significant 8 bits of
this `Short` value.
 *
@kotlin.internal.InlineOnly
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
Short.toUByte(): UByte = UByte(this.toByte())
 /**
 * Converts this [Int] value to [UByte].
 *
 * If this value is
positive and less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents
 * the same
numerical value as this `Int`.
 *
 * The resulting `UByte` value is represented by the least significant 8 bits of this
`Int` value.
 *
@kotlin.internal.InlineOnly
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public
inline fun Int.toUByte(): UByte = UByte(this.toByte())
 /**
 * Converts this [Long] value to [UByte].
 *
 * If
this value is positive and less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents
 *
the same numerical value as this `Long`.
 *
 * The resulting `UByte` value is represented by the least significant 8
bits of this `Long` value.
 *
@kotlin.internal.InlineOnly
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
Long.toUByte(): UByte = UByte(this.toByte())
",
 /**
 * Copyright 2010-2019 JetBrains s.r.o. and Kotlin
Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.
 *
@n// Auto-generated file. DO NOT EDIT!
package kotlin.experimental
 *
@Suppress("NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS")
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public inline class UInt @PublishedApi internal
constructor(@PublishedApi internal val data: Int) : Comparable<UInt> {
    companion object {
        /**
 * A constant holding the minimum value an instance of UInt can have.
 *
@kotlin.internal.InlineOnly
public const val
MIN_VALUE: UInt = UInt(0)
 /**
 * A constant holding the maximum value an instance of UInt can
have.
 *
@kotlin.internal.InlineOnly
public const val MAX_VALUE: UInt = UInt(-1)
 /**
 * The number of bytes
used to represent an instance of UInt in a binary form.
 *
@kotlin.internal.InlineOnly
public const val SIZE_BYTES: Int = 4
 /**
 * The number of bits used to represent an instance of UInt in a binary form.
 *
@kotlin.internal.InlineOnly
public const
val SIZE_BITS: Int = 32
 }
 /**
 * Compares this value with the specified value for order.
 *
 * Returns
zero if this value is equal to the specified other value, a negative number if it's less than other,
 * or a positive
number if it's greater than other.
 *
@kotlin.internal.InlineOnly
public inline operator fun
compareTo(other: UByte): Int = this.compareTo(other.toUInt())
 /**
 * Compares this value with the

```



```

specified value for order.\n    * Returns zero if this value is equal to the specified other value, a negative number if
it's less than other,\n    * or a positive number if it's greater than other.\n    */\n    @kotlin.internal.InlineOnly\n    public inline operator fun compareTo(other: UShort): Int = this.compareTo(other.toUInt())\n\n    /**\n     * Compares this value with the specified value for order.\n     * Returns zero if this value is equal to the specified other
value, a negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n    @Suppress("OVERRIDE_BY_INLINE")\n    public override inline operator fun
compareTo(other: UInt): Int = uintCompare(this.data, other.data)\n\n    /**\n     * Compares this value with the
specified value for order.\n     * Returns zero if this value is equal to the specified other value, a negative number if
it's less than other,\n     * or a positive number if it's greater than other.\n     */\n    @kotlin.internal.InlineOnly\n    public inline operator fun compareTo(other: ULong): Int = this.toULong().compareTo(other)\n\n    /** Adds the
other value to this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UByte): UInt =
this.plus(other.toUInt())\n\n    /** Adds the other value to this value. */\n    @kotlin.internal.InlineOnly\n    public
inline operator fun plus(other: UShort): UInt = this.plus(other.toUInt())\n\n    /** Adds the other value to this value.
*/\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UInt): UInt =
UInt(this.data.plus(other.data))\n\n    /** Adds the other value to this value. */\n    @kotlin.internal.InlineOnly\n    public
inline operator fun plus(other: ULong): ULong = this.toULong().plus(other)\n\n    /** Subtracts the other
value from this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: UByte): UInt =
this.minus(other.toUInt())\n\n    /** Subtracts the other value from this value. */\n    @kotlin.internal.InlineOnly\n    public
inline operator fun minus(other: UShort): UInt = this.minus(other.toUInt())\n\n    /** Subtracts the other value
from this value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun minus(other: UInt): UInt =
UInt(this.data.minus(other.data))\n\n    /** Subtracts the other value from this value. */\n    @kotlin.internal.InlineOnly\n    public
inline operator fun minus(other: ULong): ULong =
this.toULong().minus(other)\n\n    /** Multiplies this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public
inline operator fun times(other: UByte): UInt = this.times(other.toUInt())\n\n    /** Multiplies this value by the
other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: UShort): UInt =
this.times(other.toUInt())\n\n    /** Multiplies this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public
inline operator fun times(other: UInt): UInt = UInt(this.data.times(other.data))\n\n    /** Multiplies this value
by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun times(other: ULong): ULong =
this.toULong().times(other)\n\n    /** Divides this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public
inline operator fun div(other: UByte): UInt = this.div(other.toUInt())\n\n    /** Divides this value by the other
value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun div(other: UShort): UInt =
this.div(other.toUInt())\n\n    /** Divides this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public
inline operator fun div(other: UInt): UInt = uintDivide(this, other)\n\n    /** Divides this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public
inline operator fun div(other: ULong): ULong =
this.toULong().div(other)\n\n    /** Calculates the remainder of dividing this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public
inline operator fun rem(other: UByte): UInt = this.rem(other.toUInt())\n\n    /**
Calculates the remainder of dividing this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public
inline operator fun rem(other: UShort): UInt = this.rem(other.toUInt())\n\n    /** Calculates the remainder of dividing
this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun rem(other: UInt): UInt
= uintRemainder(this, other)\n\n    /** Calculates the remainder of dividing this value by the other value. */\n    @kotlin.internal.InlineOnly\n    public
inline operator fun rem(other: ULong): ULong =
this.toULong().rem(other)\n\n    /** Increments this value. */\n    @kotlin.internal.InlineOnly\n    public inline
operator fun inc(): UInt = UInt(data.inc())\n\n    /** Decrements this value. */\n    @kotlin.internal.InlineOnly\n    public
inline operator fun dec(): UInt = UInt(data.dec())\n\n    /** Creates a range from this value to the specified
[other] value. */\n    @kotlin.internal.InlineOnly\n    public inline operator fun rangeTo(other: UInt): UIntRange =
UIntRange(this, other)\n\n    /** Shifts this value left by the [bitCount] number of bits. */\n    @kotlin.internal.InlineOnly\n    public
inline infix fun shl(bitCount: Int): UInt = UInt(data shl bitCount)\n\n    /**
Shifts this value right by the [bitCount] number of bits, filling the leftmost bits with zeros. */\n

```


bits are filled with the sign bit of this value.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
Short.toInt(): UInt = UInt(this.toInt())\n/**\n * Converts this [Int] value to [UInt].\n * If this value is positive,  
the resulting `UInt` value represents the same numerical value as this `Int`.\n * The resulting `UInt` value has the  
same binary representation as this `Int` value.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
Int.toInt(): UInt = UInt(this)\n/**\n * Converts this [Long] value to [UInt].\n * If this value is positive and less  
than or equals to [UInt.MAX_VALUE], the resulting `UInt` value represents  
the same numerical value as this  
`Long`.\n * The resulting `UInt` value is represented by the least significant 32 bits of this `Long` value.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
Long.toInt(): UInt = UInt(this.toInt())\n/**\n * Converts this [Float] value to [UInt].\n * The fractional part,  
if any, is rounded down towards zero.\n * Returns zero if this `Float` value is negative or `NaN`,  
[UInt.MAX_VALUE] if it's bigger than `UInt.MAX_VALUE`.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
Float.toInt(): UInt = doubleToUInt(this.toDouble())\n/**\n * Converts this [Double] value to [UInt].\n * The  
fractional part, if any, is rounded down towards zero.\n * Returns zero if this `Double` value is negative or `NaN`,  
[UInt.MAX_VALUE] if it's bigger than `UInt.MAX_VALUE`.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
Double.toInt(): UInt = doubleToUInt(this)\n"/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin  
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be  
found in the license/LICENSE.txt file.\n *\n// Auto-generated file. DO NOT EDIT!\npackage kotlin\nimport  
kotlin.experimental.\n@Suppress("NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline class UShort @PublishedApi internal  
constructor(@PublishedApi internal val data: Short) : Comparable<UShort> {\n    companion object {\n
```

```
        * A constant holding the minimum value an instance of UShort can have.\n        public const val  
MIN_VALUE: UShort = UShort(0)\n        * A constant holding the maximum value an instance of  
UShort can have.\n        public const val MAX_VALUE: UShort = UShort(-1)\n        * The  
number of bytes used to represent an instance of UShort in a binary form.\n        public const val  
SIZE_BYTES: Int = 2\n        * The number of bits used to represent an instance of UShort in a binary  
form.\n        public const val SIZE_BITS: Int = 16\n    }\n    /**\n     * Compares this value with the  
specified value for order.\n     * Returns zero if this value is equal to the specified other value, a negative number if  
it's less than other,\n     * or a positive number if it's greater than other.\n     *\n    @kotlin.internal.InlineOnly\n    public inline operator fun compareTo(other: UByte): Int = this.toInt().compareTo(other.toInt())\n    /**\n     * Compares this value with the specified value for order.\n     * Returns zero if this value is equal to the specified other  
value, a negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     *\n
```

```
@kotlin.internal.InlineOnly\n    @Suppress("OVERRIDE_BY_INLINE")\n    public override inline operator fun  
compareTo(other: UShort): Int = this.toInt().compareTo(other.toInt())\n    /**\n     * Compares this value with the  
specified value for order.\n     * Returns zero if this value is equal to the specified other value, a negative number if  
it's less than other,\n     * or a positive number if it's greater than other.\n     *\n    @kotlin.internal.InlineOnly\n    public inline operator fun compareTo(other: UInt): Int = this.toUInt().compareTo(other)\n    /**\n     * Compares  
this value with the specified value for order.\n     * Returns zero if this value is equal to the specified other value, a  
negative number if it's less than other,\n     * or a positive number if it's greater than other.\n     *\n
```

```
@kotlin.internal.InlineOnly\n    public inline operator fun compareTo(other: ULong): Int =  
this.toULong().compareTo(other)\n    /** Adds the other value to this value. *\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UByte): UInt = this.toUInt().plus(other.toUInt())\n    /** Adds the other value  
to this value. *\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UShort): UInt =  
this.toUInt().plus(other.toUInt())\n    /** Adds the other value to this value. *\n    @kotlin.internal.InlineOnly\n    public inline operator fun plus(other: UInt): UInt = this.toUInt().plus(other)\n    /** Adds the other value to this
```

```

value. *^@kotlin.internal.InlineOnly public inline operator fun plus(other: ULong): ULong =
this.toULong().plus(other)\n\n /** Subtracts the other value from this value. *^@kotlin.internal.InlineOnly
public inline operator fun minus(other: UByte): UInt = this.toUInt().minus(other.toUInt())\n /** Subtracts the
other value from this value. *^@kotlin.internal.InlineOnly public inline operator fun minus(other: UShort):
UInt = this.toUInt().minus(other.toUInt())\n /** Subtracts the other value from this value. *^
@kotlin.internal.InlineOnly public inline operator fun minus(other: UInt): UInt = this.toUInt().minus(other)\n
/** Subtracts the other value from this value. *^@kotlin.internal.InlineOnly public inline operator fun
minus(other: ULong): ULong = this.toULong().minus(other)\n\n /** Multiplies this value by the other value. *^
@kotlin.internal.InlineOnly public inline operator fun times(other: UByte): UInt =
this.toUInt().times(other.toUInt())\n /** Multiplies this value by the other value. *^
@kotlin.internal.InlineOnly public inline operator fun times(other: UShort): UInt =
this.toUInt().times(other.toUInt())\n /** Multiplies this value by the other value. *^
@kotlin.internal.InlineOnly public inline operator fun times(other: UInt): UInt = this.toUInt().times(other)\n
/** Multiplies this value by the other value. *^@kotlin.internal.InlineOnly public inline operator fun
times(other: ULong): ULong = this.toULong().times(other)\n\n /** Divides this value by the other value. *^
@kotlin.internal.InlineOnly public inline operator fun div(other: UByte): UInt =
this.toUInt().div(other.toUInt())\n /** Divides this value by the other value. *^@kotlin.internal.InlineOnly
public inline operator fun div(other: UShort): UInt = this.toUInt().div(other.toUInt())\n /** Divides this value by
the other value. *^@kotlin.internal.InlineOnly public inline operator fun div(other: UInt): UInt =
this.toUInt().div(other)\n /** Divides this value by the other value. *^@kotlin.internal.InlineOnly public
inline operator fun div(other: ULong): ULong = this.toULong().div(other)\n\n /** Calculates the remainder of
dividing this value by the other value. *^@kotlin.internal.InlineOnly public inline operator fun rem(other:
UByte): UInt = this.toUInt().rem(other.toUInt())\n /** Calculates the remainder of dividing this value by the other
value. *^@kotlin.internal.InlineOnly public inline operator fun rem(other: UShort): UInt =
this.toUInt().rem(other.toUInt())\n /** Calculates the remainder of dividing this value by the other value. *^
@kotlin.internal.InlineOnly public inline operator fun rem(other: UInt): UInt = this.toUInt().rem(other)\n /**
Calculates the remainder of dividing this value by the other value. *^@kotlin.internal.InlineOnly public
inline operator fun rem(other: ULong): ULong = this.toULong().rem(other)\n\n /** Increments this value. *^
@kotlin.internal.InlineOnly public inline operator fun inc(): UShort = UShort(data.inc())\n /** Decrements
this value. *^@kotlin.internal.InlineOnly public inline operator fun dec(): UShort = UShort(data.dec())\n\n
/** Creates a range from this value to the specified [other] value. *^@kotlin.internal.InlineOnly public inline
operator fun rangeTo(other: UShort): UIntRange = UIntRange(this.toUInt(), other.toUInt())\n\n /** Performs a
bitwise AND operation between the two values. *^@kotlin.internal.InlineOnly public inline infix fun
and(other: UShort): UShort = UShort(this.data and other.data)\n\n /** Performs a bitwise OR operation between the
two values. *^@kotlin.internal.InlineOnly public inline infix fun or(other: UShort): UShort =
UShort(this.data or other.data)\n\n /** Performs a bitwise XOR operation between the two values. *^
@kotlin.internal.InlineOnly public inline infix fun xor(other: UShort): UShort = UShort(this.data xor
other.data)\n\n /** Inverts the bits in this value. *^@kotlin.internal.InlineOnly public inline fun inv():
UShort = UShort(data.inv())\n\n /** * Converts this [UShort] value to [Byte].\n * If this value is less
than or equals to [Byte.MAX_VALUE], the resulting `Byte` value represents\n * the same numerical value as this
`UShort`.\n * The resulting `Byte` value is represented by the least significant 8 bits of this `UShort`
value.\n * Note that the resulting `Byte` value may be negative.\n *^@kotlin.internal.InlineOnly public
inline fun toByte(): Byte = data.toByte()\n\n /** * Converts this [UShort] value to [Short].\n * If this
value is less than or equals to [Short.MAX_VALUE], the resulting `Short` value represents\n * the same
numerical value as this `UShort`. Otherwise the result is negative.\n * The resulting `Short` value has the
same binary representation as this `UShort` value.\n *^@kotlin.internal.InlineOnly public inline fun
toShort(): Short = data\n\n /** * Converts this [UShort] value to [Int].\n * The resulting `Int` value
represents the same numerical value as this `UShort`.\n * The least significant 16 bits of the resulting `Int`

```

```

value are the same as the bits of this `UShort` value,
 * whereas the most significant 16 bits are filled with
zeros.
 */
@kotlin.internal.InlineOnly
public inline fun toInt(): Int = data.toInt() and 0xFFFF
 * Converts this [UShort] value to [Long].
 * The resulting `Long` value represents the same numerical
value as this `UShort`.
 * The least significant 16 bits of the resulting `Long` value are the same as the bits
of this `UShort` value,
 * whereas the most significant 48 bits are filled with zeros.
 */
@kotlin.internal.InlineOnly
public inline fun toLong(): Long = data.toLong() and 0xFFFF
 * Converts this [UShort] value to [UByte].
 * If this value is less than or equals to [UByte.MAX_VALUE],
the resulting `UByte` value represents
 * the same numerical value as this `UShort`.
 * The resulting
`UByte` value is represented by the least significant 8 bits of this `UShort` value.
 */
@kotlin.internal.InlineOnly
public inline fun toUByte(): UByte = data.toUByte()
 /** Returns this value. */
@kotlin.internal.InlineOnly
public inline fun toUShort(): UShort = this
 * Converts this [UShort]
value to [UInt].
 * The resulting `UInt` value represents the same numerical value as this `UShort`.
 * The least significant 16 bits of the resulting `UInt` value are the same as the bits of this `UShort` value,
 * whereas the most significant 16 bits are filled with zeros.
 */
@kotlin.internal.InlineOnly
public inline
fun toUInt(): UInt = UInt(data.toInt() and 0xFFFF)
 * Converts this [UShort] value to [ULong].
 * The resulting `ULong` value represents the same numerical value as this `UShort`.
 * The least
significant 16 bits of the resulting `ULong` value are the same as the bits of this `UShort` value,
 * whereas the
most significant 48 bits are filled with zeros.
 */
@kotlin.internal.InlineOnly
public inline fun toULong():
ULong = ULong(data.toLong() and 0xFFFF)
 * Converts this [UShort] value to [Float].
 * The resulting `Float` value represents the same numerical value as this `UShort`.
 */
@kotlin.internal.InlineOnly
public inline fun toFloat(): Float = this.toInt().toFloat()
 * Converts this
[UShort] value to [Double].
 * The resulting `Double` value represents the same numerical value as this
`UShort`.
 */
@kotlin.internal.InlineOnly
public inline fun toDouble(): Double =
this.toInt().toDouble()
public override fun toString(): String = toInt().toString()
 * Converts this
[Byte] value to [UShort].
 * If this value is positive, the resulting `UShort` value represents the same numerical
value as this `Byte`.
 * The least significant 8 bits of the resulting `UShort` value are the same as the bits of this
`Byte` value,
 * whereas the most significant 8 bits are filled with the sign bit of this value.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
Byte.toUShort(): UShort = UShort(this.toShort())
 * Converts this [Short] value to [UShort].
 * If this
value is positive, the resulting `UShort` value represents the same numerical value as this `Short`.
 * The
resulting `UShort` value has the same binary representation as this `Short` value.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
Short.toUShort(): UShort = UShort(this)
 * Converts this [Int] value to [UShort].
 * If this value is
positive and less than or equals to [UShort.MAX_VALUE], the resulting `UShort` value represents
 * the same
numerical value as this `Int`.
 * The resulting `UShort` value is represented by the least significant 16 bits of
this `Int` value.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public
inline fun Int.toUShort(): UShort = UShort(this.toShort())
 * Converts this [Long] value to [UShort].
 * If
this value is positive and less than or equals to [UShort.MAX_VALUE], the resulting `UShort` value represents
 *
the same numerical value as this `Long`.
 * The resulting `UShort` value is represented by the least significant
16 bits of this `Long` value.
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
Long.toUShort(): UShort = UShort(this.toShort())
 * Copyright 2010-2019 JetBrains s.r.o. and Kotlin
Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.
 * Auto-generated file. DO NOT EDIT!
 */
package
kotlin.ranges
 * A range of values of type `Char`.
 */
public class CharRange(start: Char, endInclusive:
Char) : CharProgression(start, endInclusive, 1), ClosedRange<Char> {
    override val start: Char get() = first
    override val endInclusive: Char get() = last
    override fun contains(value: Char): Boolean = first <= value &&
value <= last
    override fun isEmpty(): Boolean = first > last
    override fun equals(other: Any?): Boolean

```

```

=\\n    other is CharRange && (isEmpty()) && other.isEmpty() ||\\n    first == other.first && last ==
other.last)\\n\\n    override fun hashCode(): Int =\\n        if (isEmpty()) -1 else (31 * first.toInt() + last.toInt())\\n\\n
override fun toString(): String = \"$first..$last\"\\n\\n    companion object {\\n        /** An empty range of values of
type Char. */\\n        public val EMPTY: CharRange = CharRange(1.toChar(), 0.toChar())\\n    }\\n}\\n\\n/** A
range of values of type `Int`. */\\n\\npublic class IntRange(start: Int, endInclusive: Int) : IntProgression(start,
endInclusive, 1), ClosedRange<Int> {\\n    override val start: Int get() = first\\n    override val endInclusive: Int get() =
last\\n\\n    override fun contains(value: Int): Boolean = first <= value && value <= last\\n\\n    override fun isEmpty():
Boolean = first > last\\n\\n    override fun equals(other: Any?): Boolean =\\n        other is IntRange && (isEmpty() &&
other.isEmpty()) ||\\n        first == other.first && last == other.last)\\n\\n    override fun hashCode(): Int =\\n        if
(isEmpty()) -1 else (31 * first + last)\\n\\n    override fun toString(): String = \"$first..$last\"\\n\\n    companion object
{\\n        /** An empty range of values of type Int. */\\n        public val EMPTY: IntRange = IntRange(1, 0)\\n    }\\n}\\n\\n/** A
range of values of type `Long`. */\\n\\npublic class LongRange(start: Long, endInclusive: Long) :
LongProgression(start, endInclusive, 1), ClosedRange<Long> {\\n    override val start: Long get() = first\\n    override
val endInclusive: Long get() = last\\n\\n    override fun contains(value: Long): Boolean = first <= value && value <=
last\\n\\n    override fun isEmpty(): Boolean = first > last\\n\\n    override fun equals(other: Any?): Boolean =\\n
other is LongRange && (isEmpty() && other.isEmpty()) ||\\n    first == other.first && last == other.last)\\n\\n
override fun hashCode(): Int =\\n    if (isEmpty()) -1 else (31 * (first xor (first ushr 32)) + (last xor (last ushr
32))).toInt()\\n\\n    override fun toString(): String = \"$first..$last\"\\n\\n    companion object {\\n        /** An empty
range of values of type Long. */\\n        public val EMPTY: LongRange = LongRange(1, 0)\\n    }\\n}\\n\\n"/**
Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\\n
*/\\n\\n@file:kotlin.jvm.JvmMultifileClass\\n@file:kotlin.jvm.JvmName("\\CollectionsKt")\\n@file:UseExperimental(
kotlin.experimental.ExperimentalTypeInference::class)\\n\\npackage kotlin.collections\\n\\nimport
kotlin.contracts.*\\n\\ninternal object EmptyIterator : ListIterator<Nothing> {\\n    override fun hasNext(): Boolean =
false\\n    override fun hasPrevious(): Boolean = false\\n    override fun nextIndex(): Int = 0\\n    override fun
previousIndex(): Int = -1\\n    override fun next(): Nothing = throw NoSuchElementException()\\n    override fun
previous(): Nothing = throw NoSuchElementException()\\n}\\n\\ninternal object EmptyList : List<Nothing>,
Serializable, RandomAccess {\\n    private const val serialVersionUID: Long = -7390468764508069838L\\n\\n
override fun equals(other: Any?): Boolean = other is List<*> && other.isEmpty()\\n    override fun hashCode(): Int
= 1\\n    override fun toString(): String = \"[]\"\\n\\n    override val size: Int get() = 0\\n    override fun isEmpty():
Boolean = true\\n    override fun contains(element: Nothing): Boolean = false\\n    override fun containsAll(elements:
Collection<Nothing>): Boolean = elements.isEmpty()\\n\\n    override fun get(index: Int): Nothing = throw
IndexOutOfBoundsException(\"Empty list doesn't contain element at index $index.\")\\n    override fun
indexOf(element: Nothing): Int = -1\\n    override fun lastIndexOf(element: Nothing): Int = -1\\n\\n    override fun
iterator(): Iterator<Nothing> = EmptyIterator\\n    override fun listIterator(): ListIterator<Nothing> = EmptyIterator\\n
    override fun listIterator(index: Int): ListIterator<Nothing> {\\n        if (index != 0) throw
IndexOutOfBoundsException(\"Index: $index\")\\n        return EmptyIterator\\n    }\\n\\n    override fun
subList(fromIndex: Int, toIndex: Int): List<Nothing> {\\n        if (fromIndex == 0 && toIndex == 0) return this\\n
throw IndexOutOfBoundsException(\"fromIndex: $fromIndex, toIndex: $toIndex\")\\n    }\\n\\n    private fun
readResolve(): Any = EmptyList\\n}\\n\\ninternal fun <T> Array<out T>.asCollection(): Collection<T> =
ArrayAsCollection(this, isVarargs = false)\\n\\nprivate class ArrayAsCollection<T>(val values: Array<out T>, val
isVarargs: Boolean) : Collection<T> {\\n    override val size: Int get() = values.size\\n    override fun isEmpty():
Boolean = values.isEmpty()\\n    override fun contains(element: T): Boolean = values.contains(element)\\n    override
fun containsAll(elements: Collection<T>): Boolean = elements.all { contains(it) }\\n    override fun iterator():
Iterator<T> = values.iterator()\\n    // override hidden toArray implementation to prevent copying of values array\\n
public fun toArray(): Array<out Any?> = values.copyOfToArrayOfAny(isVarargs)\\n}\\n\\n/** Returns an empty
read-only list. The returned list is serializable (JVM). */\\n * @sample
samples.collections.Collections.Lists.emptyReadOnlyList\\n */\\n\\npublic fun <T> emptyList(): List<T> =

```

EmptyList\n\n/**\n * Returns a new read-only list of given elements. The returned list is serializable (JVM).\n *
@sample samples.collections.Collections.Lists.readOnlyList\n *
public fun <T> listOf(vararg elements: T): List<T> = if (elements.size > 0) elements.asList() else emptyList()\n\n/**\n * Returns an empty read-only list. The returned list is serializable (JVM).\n *
@sample samples.collections.Collections.Lists.emptyReadOnlyList\n *
@kotlin.internal.InlineOnly\npublic inline fun <T> listOf(): List<T> = emptyList()\n\n/**\n * Returns an empty new [MutableList].\n *
@sample samples.collections.Collections.Lists.emptyMutableList\n *
@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> mutableListOf(): MutableList<T> = ArrayList()\n\n/**\n * Returns an empty new [ArrayList].\n *
@sample samples.collections.Collections.Lists.emptyArrayList\n *
@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> arrayListOf(): ArrayList<T> = ArrayList()\n\n/**\n * Returns a new [MutableList] with the given elements.\n *
@sample samples.collections.Collections.Lists.mutableList\n *
public fun <T> mutableListOf(vararg elements: T): MutableList<T> =\n if (elements.size == 0) ArrayList() else ArrayList(ArrayAsCollection(elements, isVarargs = true))\n\n/**\n * Returns a new [ArrayList] with the given elements.\n *
@sample samples.collections.Collections.Lists.arrayList\n *
public fun <T> arrayListOf(vararg elements: T): ArrayList<T> =\n if (elements.size == 0) ArrayList() else ArrayList(ArrayAsCollection(elements, isVarargs = true))\n\n/**\n * Returns a new read-only list either of single given element, if it is not null, or empty list if the element is null. The returned list is serializable (JVM).\n *
@sample samples.collections.Collections.Lists.listOfNotNull\n *
public fun <T : Any> listOfNotNull(element: T?): List<T> = if (element != null) listOf(element) else emptyList()\n\n/**\n * Returns a new read-only list only of those given elements, that are not null. The returned list is serializable (JVM).\n *
@sample samples.collections.Collections.Lists.listOfNotNull\n *
public fun <T : Any> listOfNotNull(vararg elements: T?): List<T> = elements.filterNotNull()\n\n/**\n * Creates a new read-only list with the specified [size], where each element is calculated by calling the specified\n * [init] function.\n *
The function [init] is called for each list element sequentially starting from the first one.\n *
It should return the value for a list element given its index.\n *
@sample samples.collections.Collections.Lists.readOnlyListFromInitializer\n *
@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> List(size: Int, init: (index: Int) -> T): List<T> = MutableList(size, init)\n\n/**\n * Creates a new mutable list with the specified [size], where each element is calculated by calling the specified\n * [init] function.\n *
The function [init] is called for each list element sequentially starting from the first one.\n *
It should return the value for a list element given its index.\n *
@sample samples.collections.Collections.Lists.mutableListFromInitializer\n *
@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> MutableList(size: Int, init: (index: Int) -> T): MutableList<T> {\n val list = ArrayList<T>(size)\n repeat(size) { index -> list.add(init(index)) }\n return list\n}\n\n/**\n * Builds a new read-only [List] by populating a [MutableList] using the given [builderAction]\n * and returning a read-only list with the same elements.\n *
The list passed as a receiver to the [builderAction] is valid only inside that function.\n *
Using it outside of the function produces an unspecified behavior.\n *
@sample samples.collections.Builders.Lists.buildListSample\n *
@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <E> buildList(@BuilderInference builderAction: MutableList<E>().->Unit): List<E> {\n contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n return ArrayList<E>().apply(builderAction)\n}\n\n/**\n * Builds a new read-only [List] by populating a [MutableList] using the given [builderAction]\n * and returning a read-only list with the same elements.\n *
The list passed as a receiver to the [builderAction] is valid only inside that function.\n *
Using it outside of the function produces an unspecified behavior.\n *
[capacity] is used to hint the expected number of elements added in the [builderAction].\n *
@throws IllegalArgumentException if the given [capacity] is negative.\n *
@sample samples.collections.Builders.Lists.buildListSample\n *
@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <E> buildList(capacity: Int, @BuilderInference builderAction: MutableList<E>().->Unit): List<E> {\n contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n checkBuilderCapacity(capacity)\n return

```

ArrayList<E>(capacity).apply(builderAction)\n\n\n/**\n * Returns an [IntRange] of the valid indices for this
collection.\n * @sample samples.collections.Collections.Collections.indicesOfCollection\n */\npublic val
Collection<*>.indices: IntRange\n    get() = 0..size - 1\n\n/**\n * Returns the index of the last item in the list or -1 if
the list is empty.\n * @sample samples.collections.Collections.Collections.lastIndex\n */\npublic val <T>
List<T>.lastIndex: Int\n    get() = this.size - 1\n\n/**\n * Returns `true` if the collection is not empty.\n * @sample
samples.collections.Collections.Collections.collectionIsNotEmpty\n */\n\n@kotlin.internal.InlineOnly\npublic inline
fun <T> Collection<T>.isNotEmpty(): Boolean = !isEmpty()\n\n/**\n * Returns `true` if this nullable collection is
either null or empty.\n * @sample samples.collections.Collections.Collections.collectionIsNullOrEmpty\n
*/\n\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>?.isNullOrEmpty():
Boolean {\n    contract {\n        returns(false) implies (this@isNullOrEmpty != null)\n    }\n    return this == null ||
this.isEmpty()\n}\n\n/**\n * Returns this Collection if it's not `null` and the empty list otherwise.\n * @sample
samples.collections.Collections.Collections.collectionOrEmpty\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun
<T> Collection<T>?.orEmpty(): Collection<T> = this ?: emptyList()\n\n/**\n * Returns this List if it's not `null` and
the empty list otherwise.\n * @sample samples.collections.Collections.Collections.lists.orEmpty\n
*/\n\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>?.orEmpty(): List<T> = this ?: emptyList()\n\n/**\n
 * Returns this collection if it's not empty\n * or the result of calling [defaultValue] function if the collection is
empty.\n * @sample samples.collections.Collections.Collections.collectionIfEmpty\n
*/\n\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun <C, R> C.ifEmpty(defaultValue: () ->
R): R where C : Collection<*>, C : R =\n    if (isEmpty()) defaultValue() else this\n\n\n/**\n * Checks if all
elements in the specified collection are contained in this collection.\n * @sample samples.collections.Collections.Collections.collectionContainsAll\n
*/\n\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false warning, extension takes precedence in
some cases\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes T>
Collection<T>.containsAll(elements: Collection<T>): Boolean = this.containsAll(elements)\n\n\ninternal fun <T>
List<T>.optimizeReadOnlyList() = when (size) {\n    0 -> emptyList()\n    1 -> listOf(this[0])\n    else ->
this\n}\n\n\n/**\n * Searches this list or its range for the provided [element] using the binary search algorithm.\n * The
list is expected to be sorted into ascending order according to the Comparable natural ordering of its elements,\n *
otherwise the result is undefined.\n * @sample samples.collections.Collections.Collections.binarySearch\n */\n\n * If the list contains multiple elements equal to the specified [element], there
is no guarantee which one will be found.\n * @sample samples.collections.Collections.Collections.binarySearch\n */\n\n * `null` value is considered to be less than any non-null value.\n * @return the index of the element, if it is contained in the list within the specified range;\n * otherwise, the inverted
insertion point `(-insertion point - 1)`.\n * The insertion point is defined as the index at which the element should be
inserted,\n * so that the list (or the specified subrange of list) still remains sorted.\n * @sample
samples.collections.Collections.Collections.binarySearchOnComparable\n */\n\n * @sample
samples.collections.Collections.Collections.binarySearchWithBoundaries\n */\n\npublic fun <T : Comparable<T>>
List<T?>.binarySearch(element: T?, fromIndex: Int = 0, toIndex: Int = size): Int {\n    rangeCheck(size, fromIndex,
toIndex)\n    var low = fromIndex\n    var high = toIndex - 1\n    while (low <= high) {\n        val mid = (low +
high).ushr(1) // safe from overflows\n        val midVal = get(mid)\n        val cmp = compareValues(midVal,
element)\n        if (cmp < 0)\n            low = mid + 1\n        else if (cmp > 0)\n            high = mid - 1\n        else\n
            return mid // key found\n    }\n    return -(low + 1) // key not found\n}\n\n\n/**\n * Searches this list or its range
for the provided [element] using the binary search algorithm.\n * The list is expected to be sorted into ascending
order according to the specified [comparator].\n * otherwise the result is undefined.\n * @sample samples.collections.Collections.Collections.binarySearch\n */\n\n * If the list contains
multiple elements equal to the specified [element], there is no guarantee which one will be found.\n * @sample samples.collections.Collections.Collections.binarySearch\n */\n\n * `null`
value is considered to be less than any non-null value.\n * @return the index of the element, if it is contained in
the list within the specified range;\n * otherwise, the inverted insertion point `(-insertion point - 1)`.\n * The
insertion point is defined as the index at which the element should be inserted,\n * so that the list (or the specified
subrange of list) still remains sorted according to the specified [comparator].\n * @sample
samples.collections.Collections.Collections.binarySearchWithComparator\n */\n\npublic fun <T>

```



```

List<T>.binarySearch(element: T, comparator: Comparator<in T>, fromIndex: Int = 0, toIndex: Int = size): Int {
    rangeCheck(size, fromIndex, toIndex)
    var low = fromIndex
    var high = toIndex - 1
    while (low <= high) {
        val mid = (low + high).ushr(1) // safe from overflows
        val midVal = get(mid)
        val cmp = comparator.compare(midVal, element)
        if (cmp < 0) low = mid + 1
        else if (cmp > 0) high = mid - 1
        else return mid // key found
    }
    return -(low + 1) // key not found
}

Searches this list or its range for an element having the key returned by the specified [selector] function
equal to the provided [key] value using the binary search algorithm.
The list is expected to be sorted into ascending order according to the Comparable natural ordering of keys of its elements.
otherwise the result is undefined.
If the list contains multiple elements with the specified [key], there is no guarantee which one will be found.
`null` value is considered to be less than any non-null value.
@return the index of the element with the specified [key], if it is contained in the list within the specified range;
otherwise, the inverted insertion point `(-insertion point - 1)`.
The insertion point is defined as the index at which the element should be inserted,
so that the list (or the specified subrange of list) still remains sorted.
@sample
samples.collections.Collections.Lists.binarySearchByKey

public inline fun <T, K : Comparable<K>>
List<T>.binarySearchBy(key: K?, fromIndex: Int = 0, toIndex: Int = size, crossinline selector: (T) -> K?): Int =
    binarySearch(fromIndex, toIndex) { compareValues(selector(it), key) }

do not introduce this overload --- too rare
public fun <T, K> List<T>.binarySearchBy(key: K, comparator: Comparator<K>, fromIndex: Int = 0, toIndex: Int = size(), selector: (T) -> K): Int =
    binarySearch(fromIndex, toIndex) { comparator.compare(selector(it), key) }

Searches this list or its range for an element for which the given [comparison] function returns zero using the binary search algorithm.
The list is expected to be sorted so that the signs of the [comparison] function's return values ascend on the list elements,
i.e. negative values come before zero and zeroes come before positive values.
Otherwise, the result is undefined.
If the list contains multiple elements for which [comparison] returns zero, there is no guarantee which one will be found.
@param comparison function that returns zero when called on the list element being searched.
On the elements coming before the target element, the function must return negative values;
on the elements coming after the target element, the function must return positive values.
@return the index of the found element, if it is contained in the list within the specified range;
otherwise, the inverted insertion point `(-insertion point - 1)`.
The insertion point is defined as the index at which the element should be inserted,
so that the list (or the specified subrange of list) still remains sorted.
@sample
samples.collections.Collections.Lists.binarySearchWithComparisonFunction

public fun <T>
List<T>.binarySearch(fromIndex: Int = 0, toIndex: Int = size, comparison: (T) -> Int): Int {
    rangeCheck(size, fromIndex, toIndex)
    var low = fromIndex
    var high = toIndex - 1
    while (low <= high) {
        val mid = (low + high).ushr(1) // safe from overflows
        val midVal = get(mid)
        val cmp = comparison(midVal)
        if (cmp < 0) low = mid + 1
        else if (cmp > 0) high = mid - 1
        else return mid // key found
    }
    return -(low + 1) // key not found
}

Checks that `from` and `to` are in the range of [0..size] and throws an appropriate exception, if they aren't.
private fun rangeCheck(size: Int, fromIndex: Int, toIndex: Int) {
    when {
        fromIndex > toIndex -> throw IllegalArgumentException("fromIndex ($fromIndex) is greater than toIndex ($toIndex).")
        fromIndex < 0 -> throw IndexOutOfBoundsException("fromIndex ($fromIndex) is less than zero.")
        toIndex > size -> throw IndexOutOfBoundsException("toIndex ($toIndex) is greater than size ($size).")
    }
}

@PublishedApi
@SinceKotlin("1.3")
internal expect fun checkIndexOverflow(index: Int): Int

@PublishedApi
@SinceKotlin("1.3")
internal expect fun checkCountOverflow(count: Int): Int

@PublishedApi
@SinceKotlin("1.3")
internal fun throwIndexOverflow() {
    throw ArithmeticException("Index overflow has happened.")
}

@PublishedApi
@SinceKotlin("1.3")
internal fun throwCountOverflow() {
    throw ArithmeticException("Count overflow has happened.")
}

/* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
*/
@file:kotlin.jvm.JvmMultifileClass
@file:kotlin.jvm.JvmName("MapsKt")
@file:UseExperimental(kotlin

```

```

.experimental.ExperimentalTypeInference::class)\n\npackage kotlin.collections\n\nimport
kotlin.contracts.*\n\nprivate object EmptyMap : Map<Any?, Nothing>, Serializable {\n    private const val
serialVersionUID: Long = 8246714829545688274\n\n    override fun equals(other: Any?): Boolean = other is
Map<*, *> && other.isEmpty()\n    override fun hashCode(): Int = 0\n    override fun toString(): String = "{}"\n\n    override val size: Int get() = 0\n    override fun isEmpty(): Boolean = true\n\n    override fun containsKey(key:
Any?): Boolean = false\n    override fun containsValue(value: Nothing): Boolean = false\n    override fun get(key:
Any?): Nothing? = null\n    override val entries: Set<Map.Entry<Any?, Nothing>> get() = EmptySet\n    override
val keys: Set<Any?> get() = EmptySet\n    override val values: Collection<Nothing> get() = EmptyList\n\n    private
fun readResolve(): Any = EmptyMap\n}\n\n/**\n * Returns an empty read-only map of specified type.\n * The
returned map is serializable (JVM).\n * @sample samples.collections.Maps.Instantiation.emptyReadOnlyMap\n
*/\n\npublic fun <K, V> emptyMap(): Map<K, V> = @Suppress("UNCHECKED_CAST") (EmptyMap as Map<K,
V>)\n\n/**\n * Returns a new read-only map with the specified contents, given as a list of pairs\n * where the first
value is the key and the second is the value.\n * If multiple pairs have the same key, the resulting map will
contain the value from the last of those pairs.\n * Entries of the map are iterated in the order they were
specified.\n * The returned map is serializable (JVM).\n * @sample
samples.collections.Maps.Instantiation.mapFromPairs\n */\n\npublic fun <K, V> mapOf(vararg pairs: Pair<K, V>):
Map<K, V> =\n    if (pairs.size > 0) pairs.toMap(LinkedHashMap(mapCapacity(pairs.size))) else
emptyMap()\n\n/**\n * Returns an empty read-only map.\n * The returned map is serializable (JVM).\n *
@sample samples.collections.Maps.Instantiation.emptyReadOnlyMap\n */\n\n@kotlin.internal.InlineOnly\npublic
inline fun <K, V> mapOf(): Map<K, V> = emptyMap()\n\n/**\n * Returns an empty new [MutableMap].\n * The
returned map preserves the entry iteration order.\n * @sample
samples.collections.Maps.Instantiation.emptyMutableMap\n
*/\n\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> mutableMapOf():
MutableMap<K, V> = LinkedHashMap()\n\n/**\n * Returns a new [MutableMap] with the specified contents, given
as a list of pairs\n * where the first component is the key and the second is the value.\n * If multiple pairs
have the same key, the resulting map will contain the value from the last of those pairs.\n * Entries of the map
are iterated in the order they were specified.\n * @sample
samples.collections.Maps.Instantiation.mutableMapFromPairs\n * @sample
samples.collections.Maps.Instantiation.emptyMutableMap\n */\n\npublic fun <K, V> mutableMapOf(vararg pairs:
Pair<K, V>): MutableMap<K, V> =\n    LinkedHashMap<K, V>(mapCapacity(pairs.size)).apply { putAll(pairs)
}\n\n/**\n * Returns an empty new [HashMap].\n * @sample
samples.collections.Maps.Instantiation.emptyHashMap\n
*/\n\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> hashMapOf(): HashMap<K, V>
= HashMap<K, V>()\n\n/**\n * Returns a new [HashMap] with the specified contents, given as a list of pairs\n *
where the first component is the key and the second is the value.\n * @sample
samples.collections.Maps.Instantiation.hashMapFromPairs\n */\n\npublic fun <K, V> hashMapOf(vararg pairs:
Pair<K, V>): HashMap<K, V> = HashMap<K, V>(mapCapacity(pairs.size)).apply { putAll(pairs) }\n\n/**\n *
Returns an empty new [LinkedHashMap].\n * @sample samples.collections.Maps.Instantiation.emptyReadOnlyMap\n
*/\n\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline
fun <K, V> linkedMapOf(): LinkedHashMap<K, V> = LinkedHashMap<K, V>()\n\n/**\n * Returns a new
[LinkedHashMap] with the specified contents, given as a list of pairs\n * where the first component is the key and
the second is the value.\n * If multiple pairs have the same key, the resulting map will contain the value from
the last of those pairs.\n * Entries of the map are iterated in the order they were specified.\n * @sample
samples.collections.Maps.Instantiation.linkedMapFromPairs\n */\n\npublic fun <K, V> linkedMapOf(vararg pairs:
Pair<K, V>): LinkedHashMap<K, V> = pairs.toMap(LinkedHashMap(mapCapacity(pairs.size)))\n\n/**\n * Builds
a new read-only [Map] by populating a [MutableMap] using the given [builderAction]\n * and returning a read-only
map with the same key-value pairs.\n * The map passed as a receiver to the [builderAction] is valid only inside
that function.\n * Using it outside of the function produces an unspecified behavior.\n * Entries of the map are
iterated in the order they were added by the [builderAction].\n * @sample

```

```

samples.collections.Builders.Maps.buildMapSample
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <K, V>
buildMap(@BuilderInference builderAction: MutableMap<K, V>().->Unit): Map<K, V> {\n  contract {
callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n  return LinkedHashMap<K,
V>().apply(builderAction)\n}\n\n**\n * Builds a new read-only [Map] by populating a [MutableMap] using the
given [builderAction]\n * and returning a read-only map with the same key-value pairs.\n *\n * The map passed as a
receiver to the [builderAction] is valid only inside that function.\n * Using it outside of the function produces an
unspecified behavior.\n *\n * [capacity] is used to hint the expected number of pairs added in the [builderAction].\n
*\n * Entries of the map are iterated in the order they were added by the [builderAction].\n *\n * @throws
IllegalArgumentException if the given [capacity] is negative.\n *\n * @sample
samples.collections.Builders.Maps.buildMapSample
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <K, V>
buildMap(capacity: Int, @BuilderInference builderAction: MutableMap<K, V>().->Unit): Map<K, V> {\n
contract { callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n  checkBuilderCapacity(capacity)\n
return LinkedHashMap<K, V>(mapCapacity(capacity)).apply(builderAction)\n}\n\n**\n * Calculate the initial
capacity of a map.\n *\n@PublishedApi\ninternal expect fun mapCapacity(expectedSize: Int): Int\n\n**\n *
Checks a collection builder function capacity argument.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@PublishedApi\ninternal expect fun
checkBuilderCapacity(capacity: Int)\n\n**\n Returns `true` if this map is not empty.
*\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.isEmpty(): Boolean =
!isEmpty()\n\n**\n * Returns `true` if this nullable map is either null or empty.\n * @sample
samples.collections.Maps.Usage.mapOrNullOrEmpty
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K,
V>?.isEmptyOrNullOrEmpty(): Boolean {\n  contract {\n    returns(false) implies (this@isEmptyOrNullOrEmpty != null)\n  }\n
return this == null || isEmpty()\n}\n\n**\n * Returns the [Map] if its not `null`, or the empty [Map] otherwise.\n
*\n * @sample samples.collections.Maps.Usage.mapOrEmpty
*\n@kotlin.internal.InlineOnly\npublic inline fun
<K, V> Map<K, V>?.orEmpty(): Map<K, V> = this ?: emptyMap()\n\n**\n * Returns this map if it's not empty\n *
or the result of calling [defaultValue] function if the map is empty.\n *\n * @sample
samples.collections.Maps.Usage.mapIfEmpty
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic
inline fun <M, R> M.ifEmpty(defaultValue: () -> R): R where M : Map<*, *>, M : R =\n  if (isEmpty())
defaultValue() else this\n\n**\n * Checks if the map contains the given key.\n *\n * This method allows to use the
`x in map` syntax for checking whether an object is contained in the map.\n *\n@kotlin.internal.InlineOnly\npublic
inline operator fun <@kotlin.internal.OnlyInputTypes K, V> Map<out K, V>.contains(key: K): Boolean =
containsKey(key)\n\n**\n * Returns the value corresponding to the given [key], or `null` if such a key is not present
in the map.\n *\n@kotlin.internal.InlineOnly\npublic inline operator fun <@kotlin.internal.OnlyInputTypes K, V>
Map<out K, V>.get(key: K): V? =\n  @Suppress("UNCHECKED_CAST") (this as Map<K,
V>).get(key)\n\n**\n * Allows to use the index operator for storing values in a mutable map.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K, V>.set(key: K, value: V): Unit
{\n  put(key, value)\n}\n\n**\n * Returns `true` if the map contains the specified [key].\n *\n * Allows to
overcome type-safety restriction of `containsKey` that requires to pass a key of type `K`.\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes K> Map<out K,
*>.containsKey(key: K): Boolean =\n  @Suppress("UNCHECKED_CAST") (this as Map<K,
*>).containsKey(key)\n\n**\n * Returns `true` if the map maps one or more keys to the specified [value].\n *\n *
Allows to overcome type-safety restriction of `containsValue` that requires to pass a value of type `V`.\n *\n
* @sample samples.collections.Maps.Usage.containsValue
*\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false warning, extension takes precedence in
some cases\n@kotlin.internal.InlineOnly\npublic inline fun <K, @kotlin.internal.OnlyInputTypes V> Map<K,
V>.containsValue(value: V): Boolean = this.containsValue(value)\n\n**\n * Removes the specified key and its

```

corresponding value from this map.
`@return` the previous value associated with the key, or `null` if the key was not present in the map.
Allows to overcome type-safety restriction of `remove` that requires to pass a key of type `K`.
`@kotlin.internal.InlineOnly`
`public inline fun <@kotlin.internal.OnlyInputTypes K, V> MutableMap<out K, V>.remove(key: K): V? =`
`@Suppress("UNCHECKED_CAST") (this as MutableMap<K, V>).remove(key)`
Returns the key component of the map entry.
This method allows to use destructuring declarations when working with maps, for example:
`for ((key, value) in map) {`
// do something with the key and the value
`}`
Returns the value component of the map entry.
This method allows to use destructuring declarations when working with maps, for example:
`for ((key, value) in map) {`
// do something with the key and the value
`}`
Converts entry to `[Pair]` with key being first component and value being second.
Returns the value for the given key, or the result of the `[defaultValue]` function if there was no entry for the given key.
@sample `samples.collections.Maps.Usage.getOrElse`
Returns the value for the given `[key]` or throws an exception if there is no such key in the map.
If the map was created by `[withDefault]`, resorts to its `defaultValue` provider function instead of throwing an exception.
@throws `NoSuchElementException` when the map doesn't contain a value for the specified key and no implicit default value was provided for that map.
@SinceKotlin("1.1")
Returns the value for the given key. If the key is not found in the map, calls the `[defaultValue]` function, puts its result into the map under the given key and returns it.
Note that the operation is not guaranteed to be atomic if the map is being modified concurrently.
@sample `samples.collections.Maps.Usage.getOrPut`
Returns an `[Iterator]` over the entries in the `[Map]`.
@sample `samples.collections.Maps.Usage.forOverEntries`
Returns a `[MutableIterator]` over the mutable entries in the `[MutableMap]`.
@kotlin.jvm.JvmName("mutableIterator")
Populates the given `[destination]` map with entries having the keys of this map and the values obtained by applying the `[transform]` function to each entry in this `[Map]`.
Populates the given `[destination]` map with entries having the keys obtained by applying the `[transform]` function to each entry in this `[Map]` and the values of this map.
In case if any two entries are mapped to the equal keys, the value of the latter one will overwrite the value associated with the former one.
Puts all the given `[pairs]` into this `[MutableMap]` with the first component in the pair being the key and the second the value.
Puts all the elements of the given collection into this `[MutableMap]` with the first component in the pair being the key and the second the value.

```

}
}

* Puts all the elements of the given sequence into this [MutableMap] with the first component in the
pair being the key and the second the value.
^public fun <K, V> MutableMap<in K, in V>.putAll(pairs:
Sequence<Pair<K, V>>): Unit {
    for ((key, value) in pairs) {
        put(key, value)
    }
}

* Returns a
new map with entries having the keys of this map and the values obtained by applying the [transform]
* function
to each entry in this [Map].
* The returned map preserves the entry iteration order of the original map.
*
@sample samples.collections.Maps.Transformations.mapValues
^public inline fun <K, V, R> Map<out K,
V>.mapValues(transform: (Map.Entry<K, V>) -> R): Map<K, R> {
    return mapValuesTo(LinkedHashMap<K,
R>(mapCapacity(size)), transform) // .optimizeReadOnlyMap()
}

* Returns a new Map with entries
having the keys obtained by applying the [transform] function to each entry in this
* [Map] and the values of this
map.
* In case if any two entries are mapped to the equal keys, the value of the latter one will overwrite
* the
value associated with the former one.
* The returned map preserves the entry iteration order of the original
map.
*
@sample samples.collections.Maps.Transformations.mapKeys
^public inline fun <K, V, R>
Map<out K, V>.mapKeys(transform: (Map.Entry<K, V>) -> R): Map<R, V> {
    return
mapKeysTo(LinkedHashMap<R, V>(mapCapacity(size)), transform) // .optimizeReadOnlyMap()
}

* Returns a map containing all key-value pairs with keys matching the given [predicate].
* The returned map
preserves the entry iteration order of the original map.
*
@sample samples.collections.Maps.Filtering.filterKeys
^public inline fun <K, V> Map<out K, V>.filterKeys(predicate: (K) -> Boolean): Map<K, V> {
    val result =
LinkedHashMap<K, V>()
    for (entry in this) {
        if (predicate(entry.key)) {
            result.put(entry.key,
entry.value)
        }
    }
    return result
}

* Returns a map containing all key-value pairs with values
matching the given [predicate].
* The returned map preserves the entry iteration order of the original map.
*
@sample samples.collections.Maps.Filtering.filterValues
^public inline fun <K, V> Map<out K,
V>.filterValues(predicate: (V) -> Boolean): Map<K, V> {
    val result = LinkedHashMap<K, V>()
    for (entry
in this) {
        if (predicate(entry.value)) {
            result.put(entry.key, entry.value)
        }
    }
    return
result
}

* Appends all entries matching the given [predicate] into the mutable map given as [destination]
parameter.
* @return the destination map.
*
@sample samples.collections.Maps.Filtering.filterTo
^public inline fun <K, V, M : MutableMap<in K, in V>> Map<out K, V>.filterTo(destination: M, predicate:
(Map.Entry<K, V>) -> Boolean): M {
    for (element in this) {
        if (predicate(element)) {
            destination.put(element.key, element.value)
        }
    }
    return destination
}

* Returns a new map
containing all key-value pairs matching the given [predicate].
* The returned map preserves the entry iteration
order of the original map.
*
@sample samples.collections.Maps.Filtering.filter
^public inline fun <K, V>
Map<out K, V>.filter(predicate: (Map.Entry<K, V>) -> Boolean): Map<K, V> {
    return
filterTo(LinkedHashMap<K, V>(), predicate)
}

* Appends all entries not matching the given [predicate]
into the given [destination].
* @return the destination map.
*
@sample
samples.collections.Maps.Filtering.filterNotTo
^public inline fun <K, V, M : MutableMap<in K, in V>>
Map<out K, V>.filterNotTo(destination: M, predicate: (Map.Entry<K, V>) -> Boolean): M {
    for (element in
this) {
        if (!predicate(element)) {
            destination.put(element.key, element.value)
        }
    }
    return
destination
}

* Returns a new map containing all key-value pairs not matching the given [predicate].
*
The returned map preserves the entry iteration order of the original map.
*
@sample
samples.collections.Maps.Filtering.filterNot
^public inline fun <K, V> Map<out K, V>.filterNot(predicate:
(Map.Entry<K, V>) -> Boolean): Map<K, V> {
    return filterNotTo(LinkedHashMap<K, V>(),
predicate)
}

* Returns a new map containing all key-value pairs from the given collection of pairs.
*
The returned map preserves the entry iteration order of the original collection.
*
If any of two pairs would have the
same key the last one gets added to the map.
^public fun <K, V> Iterable<Pair<K, V>>.toMap(): Map<K, V>
{
    if (this is Collection) {
        return when (size) {
            0 -> emptyMap()
            1 -> mapOf(if (this is
List) this[0] else iterator().next())
            else -> toMap(LinkedHashMap<K, V>(mapCapacity(size)))
        }
    }
    return toMap(LinkedHashMap<K, V>()).optimizeReadOnlyMap()
}

* Populates and returns the
[destination] mutable map with key-value pairs from the given collection of pairs.
^public fun <K, V, M :
MutableMap<in K, in V>> Iterable<Pair<K, V>>.toMap(destination: M): M =
    destination.apply {

```

```

putAll(this@toMap) }
}

* Returns a new map containing all key-value pairs from the given array of pairs.
* The returned map preserves the entry iteration order of the original array.
* If any of two pairs would have the same key the last one gets added to the map.
public fun <K, V> Array<out Pair<K, V>>.toMap(): Map<K, V> = when (size) {
    0 -> emptyMap()
    1 -> mapOf(this[0])
    else -> toMap(LinkedHashMap<K, V>(mapCapacity(size)))
}

* Populates and returns the [destination] mutable map with key-value pairs from the given array of pairs.
public fun <K, V, M : MutableMap<in K, in V>> Array<out Pair<K, V>>.toMap(destination: M): M =
    destination.apply { putAll(this@toMap) }

* Returns a new map containing all key-value pairs from the given sequence of pairs.
* The returned map preserves the entry iteration order of the original sequence.
* If any of two pairs would have the same key the last one gets added to the map.
public fun <K, V> Sequence<Pair<K, V>>.toMap(): Map<K, V> = toMap(LinkedHashMap<K, V>()).optimizeReadOnlyMap()

* Populates and returns the [destination] mutable map with key-value pairs from the given sequence of pairs.
public fun <K, V, M : MutableMap<in K, in V>> Sequence<Pair<K, V>>.toMap(destination: M): M =
    destination.apply { putAll(this@toMap) }

* Returns a new read-only map containing all key-value pairs from the original map.
* The returned map preserves the entry iteration order of the original map.
@SinceKotlin("1.1")
public fun <K, V> Map<out K, V>.toMap(): Map<K, V> = when (size) {
    0 -> emptyMap()
    1 -> toSingletonMap()
    else -> toMutableMap()
}

* Returns a new mutable map containing all key-value pairs from the original map.
* The returned map preserves the entry iteration order of the original map.
@SinceKotlin("1.1")
public fun <K, V> Map<out K, V>.toMutableMap(): MutableMap<K, V> = LinkedHashMap(this)

* Populates and returns the [destination] mutable map with key-value pairs from the given map.
@SinceKotlin("1.1")
public fun <K, V, M : MutableMap<in K, in V>> Map<out K, V>.toMap(destination: M): M =
    destination.apply {
        putAll(this@toMap)
    }

* Creates a new read-only map by replacing or adding an entry to this map from a given key-value [pair].
* The returned map preserves the entry iteration order of the original map.
* The [pair] is iterated in the end if it has a unique key.
public operator fun <K, V> Map<out K, V>.plus(pair: Pair<K, V>): Map<K, V> =
    if (this.isEmpty()) mapOf(pair) else LinkedHashMap(this).apply { put(pair.first, pair.second) }

* Creates a new read-only map by replacing or adding entries to this map from a given collection of key-value [pairs].
* The returned map preserves the entry iteration order of the original map.
* Those [pairs] with unique keys are iterated in the end in the order of [pairs] collection.
public operator fun <K, V> Map<out K, V>.plus(pairs: Iterable<Pair<K, V>>): Map<K, V> =
    if (this.isEmpty()) pairs.toMap() else LinkedHashMap(this).apply { putAll(pairs) }

* Creates a new read-only map by replacing or adding entries to this map from a given array of key-value [pairs].
* The returned map preserves the entry iteration order of the original map.
* Those [pairs] with unique keys are iterated in the end in the order of [pairs] array.
public operator fun <K, V> Map<out K, V>.plus(pairs: Array<out Pair<K, V>>): Map<K, V> =
    if (this.isEmpty()) pairs.toMap() else LinkedHashMap(this).apply { putAll(pairs) }

* Creates a new read-only map by replacing or adding entries to this map from a given sequence of key-value [pairs].
* The returned map preserves the entry iteration order of the original map.
* Those [pairs] with unique keys are iterated in the end in the order of [pairs] sequence.
public operator fun <K, V> Map<out K, V>.plus(pairs: Sequence<Pair<K, V>>): Map<K, V> =
    LinkedHashMap(this).apply { putAll(pairs) }.optimizeReadOnlyMap()

* Creates a new read-only map by replacing or adding entries to this map from another [map].
* The returned map preserves the entry iteration order of the original map.
* Those entries of another [map] that are missing in this map are iterated in the end in the order of that [map].
public operator fun <K, V> Map<out K, V>.plus(map: Map<out K, V>): Map<K, V> =
    LinkedHashMap(this).apply { putAll(map) }

* Appends or replaces the given [pair] in this mutable map.
@kotlin.internal.InlineOnly
public inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pair: Pair<K, V>) {
    put(pair.first, pair.second)
}

* Appends or replaces all pairs from the given collection of [pairs] in this mutable map.
@kotlin.internal.InlineOnly
public inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs: Iterable<Pair<K, V>>) {
    putAll(pairs)
}

* Appends or replaces all pairs from the given array of [pairs] in this mutable map.
@kotlin.internal.InlineOnly
public inline operator fun <K, V> MutableMap<in K, in V>.plusAssign(pairs:

```

```

Array<out Pair<K, V>> {\n  putAll(pairs)\n}\n\n/**\n * Appends or replaces all pairs from the given sequence of
 [pairs] in this mutable map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<in
 K, in V>.plusAssign(pairs: Sequence<Pair<K, V>>) {\n  putAll(pairs)\n}\n\n/**\n * Appends or replaces all
 entries from the given [map] in this mutable map.\n */\n@kotlin.internal.InlineOnly\npublic inline operator fun <K,
 V> MutableMap<in K, in V>.plusAssign(map: Map<K, V>) {\n  putAll(map)\n}\n\n/**\n * Returns a map
 containing all entries of the original map except the entry with the given [key].\n */\n * The returned map preserves
 the entry iteration order of the original map.\n */\n@SinceKotlin("1.1")\npublic operator fun <K, V> Map<out K,
 V>.minus(key: K): Map<K, V> =\n  this.toMutableMap().apply { minusAssign(key)
 }\n.optimizeReadOnlyMap()\n\n/**\n * Returns a map containing all entries of the original map except those entries\n
 * the keys of which are contained in the given [keys] collection.\n */\n * The returned map preserves the entry
 iteration order of the original map.\n */\n@SinceKotlin("1.1")\npublic operator fun <K, V> Map<out K,
 V>.minus(keys: Iterable<K>): Map<K, V> =\n  this.toMutableMap().apply { minusAssign(keys)
 }\n.optimizeReadOnlyMap()\n\n/**\n * Returns a map containing all entries of the original map except those entries\n
 * the keys of which are contained in the given [keys] array.\n */\n * The returned map preserves the entry iteration
 order of the original map.\n */\n@SinceKotlin("1.1")\npublic operator fun <K, V> Map<out K, V>.minus(keys:
 Array<out K>): Map<K, V> =\n  this.toMutableMap().apply { minusAssign(keys)
 }\n.optimizeReadOnlyMap()\n\n/**\n * Returns a map containing all entries of the original map except those entries\n
 * the keys of which are contained in the given [keys] sequence.\n */\n * The returned map preserves the entry
 iteration order of the original map.\n */\n@SinceKotlin("1.1")\npublic operator fun <K, V> Map<out K,
 V>.minus(keys: Sequence<K>): Map<K, V> =\n  this.toMutableMap().apply { minusAssign(keys)
 }\n.optimizeReadOnlyMap()\n\n/**\n * Removes the entry with the given [key] from this mutable map.\n
 */\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K,
 V>.minusAssign(key: K) {\n  remove(key)\n}\n\n/**\n * Removes all entries the keys of which are contained in
 the given [keys] collection from this mutable map.\n
 */\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K,
 V>.minusAssign(keys: Iterable<K>) {\n  this.keys.removeAll(keys)\n}\n\n/**\n * Removes all entries the keys of
 which are contained in the given [keys] array from this mutable map.\n
 */\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K,
 V>.minusAssign(keys: Array<out K>) {\n  this.keys.removeAll(keys)\n}\n\n/**\n * Removes all entries from the
 keys of which are contained in the given [keys] sequence from this mutable map.\n
 */\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline operator fun <K, V> MutableMap<K,
 V>.minusAssign(keys: Sequence<K>) {\n  this.keys.removeAll(keys)\n}\n\n// do not expose for now
@PublishedApi\ninternal fun <K, V> Map<K, V>.optimizeReadOnlyMap() = when (size) {\n  0 -> emptyMap()\n
  1 -> toSingletonMapOrSelf()\n  else -> this\n}\n\n"/\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
 Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
 found in the license/LICENSE.txt file.\n
 */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("SetsKt")\n@file:UseExperimental(kotlin.e
xperimental.ExperimentalTypeInference::class)\n\npackage kotlin.collections\n\nimport
kotlin.contracts.*\n\ninternal object EmptySet : Set<Nothing>, Serializable {\n  private const val
serialVersionUID: Long = 3406603774387020532\n  override fun equals(other: Any?): Boolean = other is
Set<*> && other.isEmpty()\n  override fun hashCode(): Int = 0\n  override fun toString(): String = "[]"\n\n
override val size: Int get() = 0\n  override fun isEmpty(): Boolean = true\n  override fun contains(element:
Nothing): Boolean = false\n  override fun containsAll(elements: Collection<Nothing>): Boolean =
elements.isEmpty()\n\n  override fun iterator(): Iterator<Nothing> = EmptyIterator\n\n  private fun readResolve():
Any = EmptySet\n}\n\n/**\n * Returns an empty read-only set. The returned set is serializable (JVM).\n
 */\n@sample samples.collections.Collections.Sets.emptyReadOnlySet\n\n@public fun <T> emptySet(): Set<T> =
EmptySet\n\n/**\n * Returns a new read-only set with the given elements.\n * Elements of the set are iterated in the
order they were specified.\n * The returned set is serializable (JVM).\n */\n * @sample

```

```

samples.collections.Collections.Sets.readOnlySet\n *\/\npublic fun <T> setOf(vararg elements: T): Set<T> = if
(elements.size > 0) elements.toSet() else emptySet()\n\n/**\n * Returns an empty read-only set. The returned set is
serializable (JVM).\n * @sample samples.collections.Collections.Sets.emptyReadOnlySet\n
*\/\n@kotlin.internal.InlineOnly\npublic inline fun <T> setOf(): Set<T> = emptySet()\n\n/**\n * Returns an empty
new [MutableSet].\n *\/\n * The returned set preserves the element iteration order.\n * @sample
samples.collections.Collections.Sets.emptyMutableSet\n
*\/\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> mutableSetOf(): MutableSet<T> =
LinkedHashSet()\n\n/**\n * Returns a new [MutableSet] with the given elements.\n * Elements of the set are
iterated in the order they were specified.\n * @sample samples.collections.Collections.Sets.mutableSet\n *\/\npublic
fun <T> mutableSetOf(vararg elements: T): MutableSet<T> =
elements.toCollection(LinkedHashSet(mapCapacity(elements.size)))\n\n/**\n * Returns an empty new [HashSet].
*\/\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> hashSetOf(): HashSet<T> =
HashSet()\n\n/**\n * Returns a new [HashSet] with the given elements. *\/\npublic fun <T> hashSetOf(vararg elements:
T): HashSet<T> = elements.toCollection(HashSet(mapCapacity(elements.size)))\n\n/**\n * Returns an empty new
[LinkedHashSet].\n * @sample samples.collections.Collections.Sets.emptyLinkedHashSet\n
*\/\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun <T> linkedSetOf(): LinkedHashSet<T>
= LinkedHashSet()\n\n/**\n * Returns a new [LinkedHashSet] with the given elements.\n * Elements of the set are
iterated in the order they were specified.\n * @sample samples.collections.Collections.Sets.linkedHashSet\n
*\/\npublic fun <T> linkedSetOf(vararg elements: T): LinkedHashSet<T> =
elements.toCollection(LinkedHashSet(mapCapacity(elements.size)))\n\n/**\n * Builds a new read-only [Set] by
populating a [MutableSet] using the given [builderAction]\n * and returning a read-only set with the same
elements.\n *\/\n * The set passed as a receiver to the [builderAction] is valid only inside that function.\n * Using it
outside of the function produces an unspecified behavior.\n *\/\n * Elements of the set are iterated in the order they
were added by the [builderAction].\n *\/\n * @sample samples.collections.Builders.Sets.buildSetSample\n
*\/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <E>
buildSet(@BuilderInference builderAction: MutableSet<E>.() -> Unit): Set<E> {\n    contract {
callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n    return
LinkedHashSet<E>().apply(builderAction)\n}\n\n/**\n * Builds a new read-only [Set] by populating a [MutableSet]
using the given [builderAction]\n * and returning a read-only set with the same elements.\n *\/\n * The set passed as a
receiver to the [builderAction] is valid only inside that function.\n * Using it outside of the function produces an
unspecified behavior.\n *\/\n * [capacity] is used to hint the expected number of elements added in the
[builderAction].\n *\/\n * Elements of the set are iterated in the order they were added by the [builderAction].\n *\/\n *
@throws IllegalArgumentException if the given [capacity] is negative.\n *\/\n * @sample
samples.collections.Builders.Sets.buildSetSample\n
*\/\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <E>
buildSet(capacity: Int, @BuilderInference builderAction: MutableSet<E>.() -> Unit): Set<E> {\n    contract {
callsInPlace(builderAction, InvocationKind.EXACTLY_ONCE) }\n    checkBuilderCapacity(capacity)\n    return
LinkedHashSet<E>(mapCapacity(capacity)).apply(builderAction)\n}\n\n/**\n * Returns this Set if it's not `null` and
the empty set otherwise. *\/\n@kotlin.internal.InlineOnly\npublic inline fun <T> Set<T>?.orEmpty(): Set<T> = this
?.emptySet()\n\ninternal fun <T> Set<T>.optimizeReadOnlySet() = when (size) {\n    0 -> emptySet()\n    1 ->
setOf(iterator().next())\n    else -> this\n}\n\n"/**\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*\/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StringsKt")\n@file:Suppress("PLATFORM
M_CLASS_MAPPED_TO_KOTLIN")\n\npackage kotlin.text\n\n/**\n * Parses the string as a signed [Byte]
number and returns the result\n * or `null` if the string is not a valid representation of a number.\n
*\/\n\n@SinceKotlin("1.1")\npublic fun String.toByteOrNull(): Byte? = toByteOrNull(radix = 10)\n\n/**\n * Parses
the string as a signed [Byte] number and returns the result\n * or `null` if the string is not a valid representation of a

```



```

number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number
conversion.\n *\n @SinceKotlin("1.1")\npublic fun String.toByteArray(radix: Int): Byte? {\n    val int =
this.toIntOrNull(radix) ?: return null\n    if (int < Byte.MIN_VALUE || int > Byte.MAX_VALUE) return null\n
return int.toByteArray()\n}\n\n/**\n * Parses the string as a [Short] number and returns the result\n * or `null` if the string
is not a valid representation of a number.\n *\n @SinceKotlin("1.1")\npublic fun String.toShortOrNull(): Short? =
toShortOrNull(radix = 10)\n\n/**\n * Parses the string as a [Short] number and returns the result\n * or `null` if the
string is not a valid representation of a number.\n *\n * @throws IllegalArgumentException when [radix] is not a
valid radix for string to number conversion.\n *\n @SinceKotlin("1.1")\npublic fun String.toShortOrNull(radix:
Int): Short? {\n    val int = this.toIntOrNull(radix) ?: return null\n    if (int < Short.MIN_VALUE || int >
Short.MAX_VALUE) return null\n    return int.toShort()\n}\n\n/**\n * Parses the string as an [Int] number and
returns the result\n * or `null` if the string is not a valid representation of a number.\n
*\n @SinceKotlin("1.1")\npublic fun String.toIntOrNull(): Int? = toIntOrNull(radix = 10)\n\n/**\n * Parses the
string as an [Int] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n
*\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*\n @SinceKotlin("1.1")\npublic fun String.toIntOrNull(radix: Int): Int? {\n    checkRadix(radix)\n\n    val length
= this.length\n    if (length == 0) return null\n\n    val start: Int\n    val isNegative: Boolean\n    val limit: Int\n    val
firstChar = this[0]\n    if (firstChar < '0') { // Possible leading sign\n        if (length == 1) return null // non-digit
(possible sign) only, no digits after\n\n        start = 1\n\n        if (firstChar == '-') {\n            isNegative = true\n
limit = Int.MIN_VALUE\n        } else if (firstChar == '+') {\n            isNegative = false\n            limit = -
Int.MAX_VALUE\n        } else\n            return null\n    } else {\n        start = 0\n        isNegative = false\n        limit
= -Int.MAX_VALUE\n    }\n\n    val limitForMaxRadix = (-Int.MAX_VALUE) / 36\n    var limitBeforeMul =
limitForMaxRadix\n    var result = 0\n    for (i in start until length) {\n        val digit = digitOf(this[i], radix)\n
if (digit < 0) return null\n        if (result < limitBeforeMul) {\n            if (limitBeforeMul == limitForMaxRadix) {\n
                limitBeforeMul = limit / radix\n\n                if (result < limitBeforeMul) {\n                    return null\n
                }\n            } else {\n                return null\n            }\n        }\n        result *= radix\n\n        if (result < limit + digit)
return null\n        result -= digit\n    }\n    return if (isNegative) result else -result\n}\n\n/**\n * Parses the string
as a [Long] number and returns the result\n * or `null` if the string is not a valid representation of a number.\n
*\n @SinceKotlin("1.1")\npublic fun String.toLongOrNull(): Long? = toLongOrNull(radix = 10)\n\n/**\n * Parses
the string as a [Long] number and returns the result\n * or `null` if the string is not a valid representation of a
number.\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number
conversion.\n *\n @SinceKotlin("1.1")\npublic fun String.toLongOrNull(radix: Int): Long? {\n    checkRadix(radix)\n\n    val length = this.length\n    if (length == 0) return null\n\n    val start: Int\n    val isNegative:
Boolean\n    val limit: Long\n    val firstChar = this[0]\n    if (firstChar < '0') { // Possible leading sign\n        if
(length == 1) return null // non-digit (possible sign) only, no digits after\n\n        start = 1\n\n        if (firstChar == '-')
{\n            isNegative = true\n            limit = Long.MIN_VALUE\n        } else if (firstChar == '+') {\n           
isNegative = false\n            limit = -Long.MAX_VALUE\n        } else\n            return null\n    } else {\n        start =
0\n        isNegative = false\n        limit = -Long.MAX_VALUE\n    }\n\n    val limitForMaxRadix = (-
Long.MAX_VALUE) / 36\n    var limitBeforeMul = limitForMaxRadix\n    var result = 0L\n    for (i in start until
length) {\n        val digit = digitOf(this[i], radix)\n\n        if (digit < 0) return null\n        if (result < limitBeforeMul)
{\n            if (limitBeforeMul == limitForMaxRadix) {\n                limitBeforeMul = limit / radix\n\n                if
(result < limitBeforeMul) {\n                    return null\n                }\n            } else {\n                return null\n
            }\n        }\n        result *= radix\n\n        if (result < limit + digit) return null\n        result -= digit\n    }\n
return if (isNegative) result else -result\n}\n\ninternal fun numberFormatError(input: String): Nothing = throw
NumberFormatException("Invalid number format: '$input')\n", "*/\n * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n
*\n @file:kotlin.jvm.JvmName("UnsignedKt")\n @file:UseExperimental(ExperimentalUnsignedTypes::class)\npackage kotlin\n\n @PublishedApi\ninternal fun uintCompare(v1: Int, v2: Int): Int = (v1 xor

```

```

Int.MIN_VALUE).compareTo(v2 xor Int.MIN_VALUE)\n@PublishedApi\ninternal fun ulongCompare(v1: Long,
v2: Long): Int = (v1 xor Long.MIN_VALUE).compareTo(v2 xor Long.MIN_VALUE)\n\n@PublishedApi\ninternal
fun uintDivide(v1: UInt, v2: UInt): UInt = (v1.toLong() / v2.toLong()).toUInt()\n\n@PublishedApi\ninternal fun
uintRemainder(v1: UInt, v2: UInt): UInt = (v1.toLong() % v2.toLong()).toUInt()\n\n// Division and remainder are
based on Guava's UnsignedLongs implementation\n// Copyright 2011 The Guava
Authors\n\n@PublishedApi\ninternal fun ulongDivide(v1: ULong, v2: ULong): ULong {\n    val dividend =
v1.toLong()\n    val divisor = v2.toLong()\n    if (divisor < 0) { // i.e., divisor >= 2^63:\n        return if (v1 < v2)
ULong(0) else ULong(1)\n    }\n    // Optimization - use signed division if both dividend and divisor < 2^63\n    if
(dividend >= 0) {\n        return ULong(dividend / divisor)\n    }\n    // Otherwise, approximate the quotient, check,
and correct if necessary.\n    val quotient = ((dividend ushr 1) / divisor) shl 1\n    val rem = dividend - quotient *
divisor\n    return ULong(quotient + if (ULong(rem) >= ULong(divisor)) 1 else 0)\n}\n\n@PublishedApi\ninternal
fun ulongRemainder(v1: ULong, v2: ULong): ULong {\n    val dividend = v1.toLong()\n    val divisor =
v2.toLong()\n    if (divisor < 0) { // i.e., divisor >= 2^63:\n        return if (v1 < v2) {\n            v1 // dividend <
divisor\n        } else {\n            v1 - v2 // dividend >= divisor\n        }\n    }\n    // Optimization - use signed
modulus if both dividend and divisor < 2^63\n    if (dividend >= 0) {\n        return ULong(dividend % divisor)\n
    }\n    // Otherwise, approximate the quotient, check, and correct if necessary.\n    val quotient = ((dividend ushr 1)
/ divisor) shl 1\n    val rem = dividend - quotient * divisor\n    return ULong(rem - if (ULong(rem) >=
ULong(divisor)) divisor else 0)\n}\n\n@PublishedApi\ninternal fun doubleToUInt(v: Double): UInt = when {\n
v.isNaN() -> 0\n    v <= UInt.MIN_VALUE.toDouble() -> UInt.MIN_VALUE\n    v >=
UInt.MAX_VALUE.toDouble() -> UInt.MAX_VALUE\n    v <= Int.MAX_VALUE -> v.toInt().toUInt()\n    else -
> (v - Int.MAX_VALUE).toInt().toUInt() + Int.MAX_VALUE.toInt() // Int.MAX_VALUE < v <
UInt.MAX_VALUE\n}\n\n@PublishedApi\ninternal fun doubleToULong(v: Double): ULong = when {\n
v.isNaN() -> 0\n    v <= ULong.MIN_VALUE.toDouble() -> ULong.MIN_VALUE\n    v >=
ULong.MAX_VALUE.toDouble() -> ULong.MAX_VALUE\n    v < Long.MAX_VALUE ->
v.toLong().toULong()\n    // Real values from Long.MAX_VALUE to (Long.MAX_VALUE + 1) are not
representable in Double, so don't handle them.\n    else -> (v - 9223372036854775808.0).toLong().toULong() +
9223372036854775808uL // Long.MAX_VALUE + 1 < v <
ULong.MAX_VALUE\n}\n\n\n@PublishedApi\ninternal fun uintToDouble(v: Int): Double = (v and
Int.MAX_VALUE).toDouble() + (v ushr 31 shl 30).toDouble() * 2\n\n@PublishedApi\ninternal fun
ulongToDouble(v: Long): Double = (v ushr 11).toDouble() * 2048 + (v and 2047)\n\n\ninternal fun
ulongToString(v: Long): String = ulongToString(v, 10)\n\n\ninternal fun ulongToString(v: Long, base: Int): String {\n
    if (v >= 0) return v.toString(base)\n    var quotient = ((v ushr 1) / base) shl 1\n    var rem = v - quotient * base\n
    if (rem >= base) {\n        rem -= base\n        quotient += 1\n    }\n    return quotient.toString(base) +
rem.toString(base)\n}\n\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n\n@file:kotlin.jvm.JvmName("\CollectionsKt")\n\npackage
kotlin.collections\n\n/**\n * Given an [iterator] function constructs an [Iterable] instance that returns values through
the [Iterator]\n * provided by that function.\n * @sample samples.collections.Iterables.Building.iterable\n
*\n\n@kotlin.internal.InlineOnly\n\npublic inline fun <T> Iterable(crossinline iterator: () -> Iterator<T>): Iterable<T>
= object : Iterable<T> {\n    override fun iterator(): Iterator<T> = iterator()\n}\n\n/**\n * A wrapper over another
[Iterable] (or any other object that can produce an [Iterator]) that returns\n * an indexing iterator.\n */\n\ninternal class
IndexingIterable<out T>(private val iteratorFactory: () -> Iterator<T>) : Iterable<IndexedValue<T>> {\n    override
fun iterator(): Iterator<IndexedValue<T>> = IndexingIterator(iteratorFactory())\n}\n\n\n/**\n * Returns the size of
this iterable if it is known, or `null` otherwise.\n */\n\n@PublishedApi\ninternal fun <T>
Iterable<T>.collectionSizeOrNull(): Int? = if (this is Collection<*>) this.size else null\n\n\n/**\n * Returns the size of
this iterable if it is known, or the specified [default] value otherwise.\n */\n\n@PublishedApi\ninternal fun <T>
Iterable<T>.collectionSizeOrDefault(default: Int): Int = if (this is Collection<*>) this.size else default\n\n\n/**

```

```

Returns true when it's safe to convert this collection to a set without changing contains method behavior. */nprivate
fun <T> Collection<T>.safeToConvertToSet() = size > 2 && this is ArrayList\n\n/** Converts this collection to a
set, when it's worth so and it doesn't change contains method behavior. */ninternal fun <T>
Iterable<T>.convertToSetForSetOperationWith(source: Iterable<T>): Collection<T> =\n when (this) {\n is
Set -> this\n is Collection ->\n when {\n source is Collection && source.size < 2 -> this\n
else -> if (this.safeToConvertToSet()) toHashSet() else this\n } \n else -> toHashSet()\n }\n\n/**
Converts this collection to a set, when it's worth so and it doesn't change contains method behavior. */ninternal fun
<T> Iterable<T>.convertToSetForSetOperation(): Collection<T> =\n when (this) {\n is Set -> this\n is
Collection -> if (this.safeToConvertToSet()) toHashSet() else this\n else -> toHashSet()\n }\n\n\n/**
Returns a single list of all elements from all collections in the given collection.\n * @sample
samples.collections.Iterables.Operations.flattenIterable\n */npublic fun <T> Iterable<Iterable<T>>.flatten():
List<T> {\n val result = ArrayList<T>()\n for (element in this) {\n result.addAll(element)\n }\n return
result\n}\n\n\n/**
Returns a pair of lists, where\n * *first* list is built from the first values of each pair from this
collection,\n * *second* list is built from the second values of each pair from this collection.\n * @sample
samples.collections.Iterables.Operations.unzipIterable\n */npublic fun <T, R> Iterable<Pair<T, R>>.unzip():
Pair<List<T>, List<R>> {\n val expectedSize = collectionSizeOrDefault(10)\n val listT =
ArrayList<T>(expectedSize)\n val listR = ArrayList<R>(expectedSize)\n for (pair in this) {\n
listT.add(pair.first)\n listR.add(pair.second)\n }\n return listT to listR\n}\n\n\n/**
Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("\SequencesKt")\n\npackage
kotlin.sequences\n\n\n/**
Given an [iterator] function constructs a [Sequence] that returns values through the
[Iterator]\n * provided by that function.\n * The values are evaluated lazily, and the sequence is potentially
infinite.\n * */n * @sample samples.collections.Sequences.Building.sequenceFromIterator\n
*/n\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence(crossinline iterator: () -> Iterator<T>):
Sequence<T> = object : Sequence<T> {\n override fun iterator(): Iterator<T> = iterator()\n}\n\n\n/**
Creates a
sequence that returns all elements from this iterator. The sequence is constrained to be iterated only once.\n * */n *
@sample samples.collections.Sequences.Building.sequenceFromIterator\n */n\npublic fun <T>
Iterator<T>.asSequence(): Sequence<T> = Sequence { this }.constrainOnce()\n\n\n/**
Creates a sequence that
returns the specified values.\n * */n * @sample samples.collections.Sequences.Building.sequenceOfValues\n
*/n\npublic fun <T> sequenceOf(vararg elements: T): Sequence<T> = if (elements.isEmpty()) emptySequence() else
elements.asSequence()\n\n\n/**
Returns an empty sequence.\n * */n\npublic fun <T> emptySequence():
Sequence<T> = EmptySequence\n\n\nprivate object EmptySequence : Sequence<Nothing>,
DropTakeSequence<Nothing> {\n override fun iterator(): Iterator<Nothing> = EmptyIterator\n override fun
drop(n: Int) = EmptySequence\n override fun take(n: Int) = EmptySequence\n}\n\n\n\n/**
Returns this sequence if
it's not `null` and the empty sequence otherwise.\n * @sample
samples.collections.Sequences.Usage.sequenceOrEmpty\n
*/n\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>?.orEmpty():
Sequence<T> = this ?: emptySequence()\n\n\n/**
Returns a sequence that iterates through the elements either of
this sequence\n * or, if this sequence turns out to be empty, of the sequence returned by [defaultValue] function.\n
*/n * @sample samples.collections.Sequences.Usage.sequenceIfEmpty\n */n\n@SinceKotlin("1.3")\npublic fun
<T> Sequence<T>.ifEmpty(defaultValue: () -> Sequence<T>): Sequence<T> = sequence {\n val iterator =
this@ifEmpty.iterator()\n if (iterator.hasNext()) {\n yieldAll(iterator)\n } else {\n
yieldAll(defaultValue())\n }\n}\n\n\n/**
Returns a sequence of all elements from all sequences in this
sequence.\n * */n * The operation is _intermediate_ and _stateless_.\n */n\npublic fun <T>
Sequence<Sequence<T>>.flatten(): Sequence<T> = flatten { it.iterator() }\n\n\n/**
Returns a sequence of all
elements from all iterables in this sequence.\n * */n * The operation is _intermediate_ and _stateless_.\n
*/n\n@kotlin.jvm.JvmName("\flattenSequenceOfIterable")\npublic fun <T> Sequence<Iterable<T>>.flatten():

```

```

Sequence<T> = flatten { it.iterator() }
private fun <T, R> Sequence<T>.flatten(iterator: (T) -> Iterator<R>):
Sequence<R> {
    if (this is TransformingSequence<*, *>) {
        return (this as TransformingSequence<*,
T>).flatten(iterator)
    }
    return FlatteningSequence(this, { it }, iterator)
}
/** Returns a pair of lists,
where the first list is built from the first values of each pair from this sequence,
the second list is built from the second values of each pair from this sequence.
The operation is _terminal_.
*/
public fun <T, R>
Sequence<Pair<T, R>>.unzip(): Pair<List<T>, List<R>> {
    val listT = ArrayList<T>()
    val listR =
ArrayList<R>()
    for (pair in this) {
        listT.add(pair.first)
        listR.add(pair.second)
    }
    return listT to listR
}
/** A sequence that returns the values from the underlying [sequence] that either match or do not
match the specified [predicate].
@param sendWhen If `true`, values for which the predicate returns `true`
are returned. Otherwise, values for which the predicate returns `false` are returned.
*/
internal class
FilteringSequence<T> {
    private val sequence: Sequence<T>
    private val sendWhen: Boolean = true
    private val predicate: (T) -> Boolean
}
: Sequence<T> {
    override fun iterator(): Iterator<T> = object :
Iterator<T> {
        val iterator = sequence.iterator()
        var nextState: Int = -1 // -1 for unknown, 0 for done, 1
for continue
        var nextItem: T? = null
        private fun calcNext() {
            while (iterator.hasNext()) {
                val item = iterator.next()
                if (predicate(item) == sendWhen) {
                    nextItem = item
                    nextState = 1
                    return
                }
                nextState = 0
            }
            override fun
next(): T {
                if (nextState == -1)
                    calcNext()
                if (nextState == 0)
                    throw
NoSuchElementException()
                val result = nextItem
                nextItem = null
                nextState = -1
            }
            @Suppress("UNCHECKED_CAST")
            return result as T
        }
        override fun hasNext(): Boolean {
            if (nextState == -1)
                calcNext()
            return nextState == 1
        }
    }
}
/** A
sequence which returns the results of applying the given [transformer] function to the values in the underlying
[sequence].
*/
internal class TransformingSequence<T, R> {
    constructor(private val sequence: Sequence<T>,
private val transformer: (T) -> R) : Sequence<R> {
        override fun iterator(): Iterator<R> = object : Iterator<R> {
            val iterator = sequence.iterator()
            override fun next(): R {
                return transformer(iterator.next())
            }
            override fun hasNext(): Boolean {
                return iterator.hasNext()
            }
        }
        internal fun <E>
flatten(iterator: (R) -> Iterator<E>): Sequence<E> {
            return FlatteningSequence<T, R, E>(sequence,
transformer, iterator)
        }
    }
}
/** A
sequence which returns the results of applying the given [transformer] function to the values in the underlying
[sequence], where the transformer function takes the index of the value in the underlying sequence along with the
value itself.
*/
internal class TransformingIndexedSequence<T,
R> {
    constructor(private val sequence: Sequence<T>, private val transformer: (Int, T) -> R) : Sequence<R> {
        override fun iterator(): Iterator<R> = object : Iterator<R> {
            val iterator = sequence.iterator()
            var index = 0
            override fun next(): R {
                return transformer(checkIndexOverflow(index++), iterator.next())
            }
            override fun hasNext(): Boolean {
                return iterator.hasNext()
            }
        }
    }
}
/** A
sequence which combines values from the underlying [sequence] with their indices and returns them as [IndexedValue]
objects.
*/
internal class IndexingSequence<T> {
    constructor(private val sequence:
Sequence<T>) : Sequence<IndexedValue<T>> {
        override fun iterator(): Iterator<IndexedValue<T>> = object :
Iterator<IndexedValue<T>> {
            val iterator = sequence.iterator()
            var index = 0
            override fun next():
IndexedValue<T> {
                return IndexedValue(checkIndexOverflow(index++), iterator.next())
            }
            override fun hasNext(): Boolean {
                return iterator.hasNext()
            }
        }
    }
}
/** A
sequence which takes the values from two parallel underlying sequences, passes them to the given [transform] function
and returns the values returned by that function. The sequence stops returning values as soon as one of the
underlying sequences stops returning values.
*/
internal class MergingSequence<T1, T2, V> {
    constructor(
private val sequence1: Sequence<T1>,
private val sequence2: Sequence<T2>,
private val transform: (T1,
T2) -> V) : Sequence<V> {
        override fun iterator(): Iterator<V> = object : Iterator<V> {
            val iterator1 =
sequence1.iterator()
            val iterator2 = sequence2.iterator()
            override fun next(): V {
                return
transform(iterator1.next(), iterator2.next())
            }
            override fun hasNext(): Boolean {
                return
iterator1.hasNext() && iterator2.hasNext()
            }
        }
    }
}
internal class FlatteningSequence<T,
R, E> {
    constructor(
private val sequence: Sequence<T>,
private val transformer: (T) -> R,
private val

```

```

iterator: (R) -> Iterator<E>\n : Sequence<E> {\n  override fun iterator(): Iterator<E> = object : Iterator<E> {\n
val iterator = sequence.iterator()\n    var itemIterator: Iterator<E>? = null\n\n    override fun next(): E {\n
if (!ensureItemIterator())\n        throw NoSuchElementException()\n        return itemIterator!!.next()\n
}\n\n    override fun hasNext(): Boolean {\n        return ensureItemIterator()\n    }\n\n    private fun
ensureItemIterator(): Boolean {\n        if (itemIterator?.hasNext() == false)\n            itemIterator = null\n\n        while (itemIterator == null) {\n            if (!iterator.hasNext()) {\n                return false\n            } else {\n
                val element = iterator.next()\n                val nextItemIterator = iterator(transformer(element))\n
            }\n        }\n        itemIterator = nextItemIterator\n        return true\n    }\n\n    }\n\n    }\n\n    return true\n    }\n }\n}\n\n**\n * A sequence that supports drop(n) and
take(n) operations\n *
internal interface DropTakeSequence<T> : Sequence<T> {\n  fun drop(n: Int):
Sequence<T>\n  fun take(n: Int): Sequence<T>\n}\n\n**\n * A sequence that skips [startIndex] values from the
underlying [sequence]\n * and stops returning values right before [endIndex], i.e. stops at `endIndex - 1`\n
*\n internal class SubSequence<T>(\n  private val sequence: Sequence<T>,\n  private val startIndex: Int,\n
private val endIndex: Int)\n : Sequence<T>, DropTakeSequence<T> {\n\n  init {\n    require(startIndex >= 0) {\n
\"startIndex should be non-negative, but is $startIndex\" }\n    require(endIndex >= 0) {\n \"endIndex should be
non-negative, but is $endIndex\" }\n    require(endIndex >= startIndex) {\n \"endIndex should be not less than
startIndex, but was $endIndex < $startIndex\" }\n    }\n\n  private val count: Int get() = endIndex - startIndex\n\n
override fun drop(n: Int): Sequence<T> = if (n >= count) emptySequence() else SubSequence(sequence, startIndex
+ n, endIndex)\n  override fun take(n: Int): Sequence<T> = if (n >= count) this else SubSequence(sequence,
startIndex, startIndex + n)\n\n  override fun iterator() = object : Iterator<T> {\n\n    val iterator =
sequence.iterator()\n    var position = 0\n\n    // Shouldn't be called from constructor to avoid premature
iteration\n    private fun drop() {\n        while (position < startIndex && iterator.hasNext()) {\n
            iterator.next()\n            position++\n        }\n    }\n\n    override fun hasNext(): Boolean {\n        drop()\n
return (position < endIndex) && iterator.hasNext()\n    }\n\n    override fun next(): T {\n        drop()\n
if (position >= endIndex)\n        throw NoSuchElementException()\n        position++\n        return
iterator.next()\n    }\n  }\n}\n\n**\n * A sequence that returns at most [count] values from the underlying
[sequence], and stops returning values\n * as soon as that count is reached.\n *
internal class TakeSequence<T>(\n  private val sequence: Sequence<T>,\n  private val count: Int)\n : Sequence<T>, DropTakeSequence<T> {\n\n  init {\n    require(count >= 0) {\n
\"count must be non-negative, but was $count.\" }\n    }\n\n  override fun drop(n:
Int): Sequence<T> = if (n >= count) emptySequence() else SubSequence(sequence, n, count)\n  override fun
take(n: Int): Sequence<T> = if (n >= count) this else TakeSequence(sequence, n)\n\n  override fun iterator():
Iterator<T> = object : Iterator<T> {\n\n    var left = count\n    val iterator = sequence.iterator()\n\n    override
fun next(): T {\n        if (left == 0)\n            throw NoSuchElementException()\n            left--\n            return
iterator.next()\n        }\n\n    override fun hasNext(): Boolean {\n        return left > 0 && iterator.hasNext()\n
}\n  }\n}\n\n**\n * A sequence that returns values from the underlying [sequence] while the [predicate] function
returns\n * `true`, and stops returning values once the function returns `false` for the next element.\n *
internal
class TakeWhileSequence<T>\n constructor(\n  private val sequence: Sequence<T>,\n  private val predicate: (T) -
> Boolean)\n : Sequence<T> {\n  override fun iterator(): Iterator<T> = object : Iterator<T> {\n    val iterator =
sequence.iterator()\n    var nextState: Int = -1 // -1 for unknown, 0 for done, 1 for continue\n    var nextItem: T?
= null\n\n    private fun calcNext() {\n        if (iterator.hasNext()) {\n            val item = iterator.next()\n
            if (predicate(item)) {\n                nextState = 1\n                nextItem = item\n                return\n            }\n
            nextState = 0\n        }\n    }\n\n    override fun next(): T {\n        if (nextState == -1)\n
calcNext() // will change nextState\n        if (nextState == 0)\n            throw NoSuchElementException()\n\n        @Suppress(\"UNCHECKED_CAST\")\n        val result = nextItem as T\n\n        // Clean next to avoid keeping
reference on yielded instance\n        nextItem = null\n        nextState = -1\n        return result\n    }\n\n    override fun hasNext(): Boolean {\n        if (nextState == -1)\n            calcNext() // will change nextState\n
return nextState == 1\n    }\n  }\n}\n\n**\n * A sequence that skips the specified number of values from the
underlying [sequence] and returns\n * all values after that.\n *
internal class DropSequence<T>(\n  private val

```

```

sequence: Sequence<T>,\n private val count: Int\n) : Sequence<T>, DropTakeSequence<T> {\n init {\n
require(count >= 0) { \"count must be non-negative, but was $count.\" }\n }\n\n override fun drop(n: Int):
Sequence<T> = (count + n).let { n1 -> if (n1 < 0) DropSequence(this, n) else DropSequence(sequence, n1) }\n
override fun take(n: Int): Sequence<T> = (count + n).let { n1 -> if (n1 < 0) TakeSequence(this, n) else
SubSequence(sequence, count, n1) }\n\n override fun iterator(): Iterator<T> = object : Iterator<T> {\n val
iterator = sequence.iterator()\n var left = count\n\n // Shouldn't be called from constructor to avoid
premature iteration\n private fun drop() {\n while (left > 0 && iterator.hasNext()) {\n
iterator.next()\n left--\n }\n }\n\n override fun next(): T {\n drop()\n return
iterator.next()\n }\n\n override fun hasNext(): Boolean {\n drop()\n return iterator.hasNext()\n
}\n }\n}\n\n/**\n * A sequence that skips the values from the underlying [sequence] while the given
[predicate] returns `true` and returns\n * all values after that.\n */\n\ninternal class
DropWhileSequence<T>{\n constructor(\n private val sequence: Sequence<T>,\n private val predicate: (T) ->
Boolean\n) : Sequence<T> {\n\n override fun iterator(): Iterator<T> = object : Iterator<T> {\n val iterator =
sequence.iterator()\n var dropState: Int = -1 // -1 for not dropping, 1 for nextItem, 0 for normal iteration\n
var nextItem: T? = null\n\n private fun drop() {\n while (iterator.hasNext()) {\n val item =
iterator.next()\n if (!predicate(item)) {\n nextItem = item\n dropState = 1\n
return\n }\n }\n dropState = 0\n }\n\n override fun next(): T {\n if
(dropState == -1)\n drop()\n if (dropState == 1) {\n
@Suppress(\"UNCHECKED_CAST\")\n val result = nextItem as T\n nextItem = null\n
dropState = 0\n return result\n }\n return iterator.next()\n }\n\n override fun
hasNext(): Boolean {\n if (dropState == -1)\n drop()\n return dropState == 1 ||
iterator.hasNext()\n }\n }\n}\n\ninternal class DistinctSequence<T, K>(\n private val source: Sequence<T>,\n
private val keySelector: (T) -> K) : Sequence<T> {\n override fun iterator(): Iterator<T> =
DistinctIterator(source.iterator(), keySelector)\n}\n\nprivate class DistinctIterator<T, K>(\n private val source:
Iterator<T>,\n private val keySelector: (T) -> K) : AbstractIterator<T>() {\n private val observed =
HashSet<K>()\n\n override fun computeNext() {\n while (source.hasNext()) {\n val next =
source.next()\n val key = keySelector(next)\n if (observed.add(key)) {\n setNext(next)\n
return\n }\n }\n done()\n }\n}\n\nprivate class GeneratorSequence<T : Any>(\n private val
getInitialValue: () -> T?,\n private val getNextValue: (T) -> T?) : Sequence<T> {\n override fun iterator():
Iterator<T> = object : Iterator<T> {\n var nextItem: T? = null\n var nextState: Int = -2 // -2 for initial
unknown, -1 for next unknown, 0 for done, 1 for continue\n\n private fun calcNext() {\n nextItem = if
(nextState == -2) getInitialValue() else getNextValue(nextItem!!)\n nextState = if (nextItem == null) 0 else
1\n }\n\n override fun next(): T {\n if (nextState < 0)\n calcNext()\n if (nextState
== 0)\n throw NoSuchElementException()\n val result = nextItem as T\n // Do not clean
nextItem (to avoid keeping reference on yielded instance) -- need to keep state for getNextValue\n nextState
= -1\n return result\n }\n\n override fun hasNext(): Boolean {\n if (nextState < 0)\n
calcNext()\n return nextState == 1\n }\n }\n}\n\n/**\n * Returns a wrapper sequence that provides
values of this sequence, but ensures it can be iterated only one time.\n */\n * The operation is `_intermediate_` and
`_stateless_`\n */\n * [IllegalStateException] is thrown on iterating the returned sequence from the second time.\n */\n
*\n * public fun <T> Sequence<T>.constrainOnce(): Sequence<T> {\n // as? does not work in js\n //return this as?
ConstrainedOnceSequence<T>?: ConstrainedOnceSequence(this)\n return if (this is
ConstrainedOnceSequence<T>) this else ConstrainedOnceSequence(this)\n }\n}\n\n/**\n * Returns a sequence which
invokes the function to calculate the next value on each iteration until the function returns `null`.\n */\n * The
returned sequence is constrained to be iterated only once.\n */\n * @see constrainOnce\n * @see
kotlin.sequences.sequence\n */\n * @sample samples.collections.Sequences.Building.generateSequence\n */\n * public
fun <T : Any> generateSequence(nextFunction: () -> T?): Sequence<T> {\n return
GeneratorSequence(nextFunction, { nextFunction() }).constrainOnce()\n}\n\n/**\n * Returns a sequence defined by
the starting value [seed] and the function [nextFunction],\n */\n * which is invoked to calculate the next value based on

```

the previous one on each iteration.\n * The sequence produces values until it encounters first `null` value.\n * If [seed] is `null`, an empty sequence is produced.\n * The sequence can be iterated multiple times, each time starting with [seed].\n * @see kotlin.sequences.sequence\n * @sample samples.collections.Sequences.Building.generateSequenceWithSeed

```

* \n @kotlin.internal.LowPriorityInOverloadResolution\n public fun <T : Any> generateSequence(seed: T?,
nextFunction: (T) -> T?): Sequence<T> =\n if (seed == null)\n     EmptySequence\n else\n     GeneratorSequence({ seed }, nextFunction)\n\n **\n * Returns a sequence defined by the function [seedFunction],
which is invoked to produce the starting value,\n * and the [nextFunction], which is invoked to calculate the next
value based on the previous one on each iteration.\n * The sequence produces values until it encounters first
`null` value.\n * If [seedFunction] returns `null`, an empty sequence is produced.\n * The sequence can be
iterated multiple times.\n * @see kotlin.sequences.sequence\n * @sample
samples.collections.Sequences.Building.generateSequenceWithLazySeed
* \n public fun <T : Any>
generateSequence(seedFunction: () -> T?, nextFunction: (T) -> T?): Sequence<T> =\n
GeneratorSequence(seedFunction, nextFunction)\n\n\n **\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n\n
* \n\n @file:kotlin.jvm.JvmMultifileClass\n @file:kotlin.jvm.JvmName("PreconditionsKt")\n\n package
kotlin\n\n import kotlin.contracts.contract\n\n **\n * Throws an [IllegalArgumentException] if the [value] is false.\n
* \n * @sample samples.misc.Preconditions.failRequireWithLazyMessage\n * \n @kotlin.internal.InlineOnly\n public
inline fun require(value: Boolean): Unit {\n contract {\n returns() implies value\n }\n require(value) {\n
"Failed requirement." }\n}\n\n **\n * Throws an [IllegalArgumentException] with the result of calling
[lazyMessage] if the [value] is false.\n * @sample samples.misc.Preconditions.failRequireWithLazyMessage\n
* \n @kotlin.internal.InlineOnly\n public inline fun require(value: Boolean, lazyMessage: () -> Any): Unit {\n
contract {\n returns() implies value\n }\n if (!value) {\n val message = lazyMessage()\n throw
IllegalArgumentException(message.toString())\n }\n}\n\n **\n * Throws an [IllegalArgumentException] if the
[value] is null. Otherwise returns the not null value.\n * \n @kotlin.internal.InlineOnly\n public inline fun <T : Any>
requireNotNull(value: T?): T {\n contract {\n returns() implies (value != null)\n }\n return
requireNotNull(value) {"Required value was null." }\n}\n\n **\n * Throws an [IllegalArgumentException] with
the result of calling [lazyMessage] if the [value] is null. Otherwise\n * returns the not null value.\n * @sample
samples.misc.Preconditions.failRequireWithLazyMessage\n * \n @kotlin.internal.InlineOnly\n public inline fun <T :
Any> requireNotNull(value: T?, lazyMessage: () -> Any): T {\n contract {\n returns() implies (value !=
null)\n }\n\n if (value == null) {\n val message = lazyMessage()\n throw
IllegalArgumentException(message.toString())\n } else {\n return value\n }\n}\n\n **\n * Throws an
[IllegalStateException] if the [value] is false.\n * \n * @sample
samples.misc.Preconditions.failCheckWithLazyMessage\n * \n @kotlin.internal.InlineOnly\n public inline fun
check(value: Boolean): Unit {\n contract {\n returns() implies value\n }\n check(value) {"Check failed."
}\n}\n\n **\n * Throws an [IllegalStateException] with the result of calling [lazyMessage] if the [value] is false.\n
* \n * @sample samples.misc.Preconditions.failCheckWithLazyMessage\n * \n @kotlin.internal.InlineOnly\n public
inline fun check(value: Boolean, lazyMessage: () -> Any): Unit {\n contract {\n returns() implies value\n }\n
if (!value) {\n val message = lazyMessage()\n throw IllegalStateException(message.toString())\n }\n}\n\n **\n *
Throws an [IllegalStateException] if the [value] is null. Otherwise\n * returns the not null value.\n * @sample
samples.misc.Preconditions.failCheckWithLazyMessage\n * \n @kotlin.internal.InlineOnly\n public
inline fun <T : Any> checkNotNull(value: T?): T {\n contract {\n returns() implies (value != null)\n }\n
return checkNotNull(value) {"Required value was null." }\n}\n\n **\n * Throws an [IllegalStateException] with
the result of calling [lazyMessage] if the [value] is null. Otherwise\n * returns the not null value.\n * @sample
samples.misc.Preconditions.failCheckWithLazyMessage\n * \n @kotlin.internal.InlineOnly\n public inline fun <T :
Any> checkNotNull(value: T?, lazyMessage: () -> Any): T {\n contract {\n returns() implies (value != null)\n
}\n\n if (value == null) {\n val message = lazyMessage()\n throw

```

```

IllegalStateException(message.toString())\n } else {\n     return value\n }\n}\n\n\n/**\n * Throws an
[IllegalStateException] with the given [message].\n * \n * @sample samples.misc.Preconditions.failWithError\n
*\n*\n@kotlin.internal.InlineOnly\npublic inline fun error(message: Any): Nothing = throw
IllegalStateException(message.toString())\n","/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n * \n\npackage kotlin.collections\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED
by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport
kotlin.js.*\nimport primitiveArrayConcat\nimport withType\nimport kotlin.ranges.contains\nimport
kotlin.ranges.reversed\n\n/**\n * Returns an element at the given [index] or throws an
[IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n * \n\npublic actual fun <T> Array<out T>.elementAt(index:
Int): T {\n     return elementAtOrElse(index) { throw IndexOutOfBoundsException("\index: $index, size: $size")}
}\n}\n\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n * \n\npublic
actual fun ByteArray.elementAt(index: Int): Byte {\n     return elementAtOrElse(index) { throw
IndexOutOfBoundsException("\index: $index, size: $size")} }\n}\n\n\n/**\n * Returns an element at the given
[index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n * \n\npublic actual fun ShortArray.elementAt(index: Int): Short
{\n     return elementAtOrElse(index) { throw IndexOutOfBoundsException("\index: $index, size: $size")}
}\n}\n\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n * \n\npublic
actual fun IntArray.elementAt(index: Int): Int {\n     return elementAtOrElse(index) { throw
IndexOutOfBoundsException("\index: $index, size: $size")} }\n}\n\n\n/**\n * Returns an element at the given
[index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n * \n\npublic actual fun LongArray.elementAt(index: Int): Long
{\n     return elementAtOrElse(index) { throw IndexOutOfBoundsException("\index: $index, size: $size")}
}\n}\n\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n * \n\npublic
actual fun FloatArray.elementAt(index: Int): Float {\n     return elementAtOrElse(index) { throw
IndexOutOfBoundsException("\index: $index, size: $size")} }\n}\n\n\n/**\n * Returns an element at the given
[index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n * \n\npublic actual fun DoubleArray.elementAt(index: Int):
Double {\n     return elementAtOrElse(index) { throw IndexOutOfBoundsException("\index: $index, size: $size")}
}\n}\n\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n * \n\npublic
actual fun BooleanArray.elementAt(index: Int): Boolean {\n     return elementAtOrElse(index) { throw
IndexOutOfBoundsException("\index: $index, size: $size")} }\n}\n\n\n/**\n * Returns an element at the given
[index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAt\n * \n\npublic actual fun CharArray.elementAt(index: Int): Char
{\n     return elementAtOrElse(index) { throw IndexOutOfBoundsException("\index: $index, size: $size")}
}\n}\n\n\n/**\n * Returns a [List] that wraps the original array.\n * \n\npublic actual fun <T> Array<out T>.asList():
List<T> {\n     return ArrayList<T>(this.unsafeCast<Array<Any?>>())\n}\n}\n\n\n/**\n * Returns a [List] that wraps the
original array.\n * \n\n@kotlin.internal.InlineOnly\npublic actual inline fun ByteArray.asList(): List<Byte> {\n
return this.unsafeCast<Array<Byte>>().asList()\n}\n}\n\n\n/**\n * Returns a [List] that wraps the original array.\n
*\n*\n@kotlin.internal.InlineOnly\npublic actual inline fun ShortArray.asList(): List<Short> {\n     return
this.unsafeCast<Array<Short>>().asList()\n}\n}\n\n\n/**\n * Returns a [List] that wraps the original array.\n
*\n*\n@kotlin.internal.InlineOnly\npublic actual inline fun IntArray.asList(): List<Int> {\n     return
this.unsafeCast<Array<Int>>().asList()\n}\n}\n\n\n/**\n * Returns a [List] that wraps the original array.\n

```



```

*\n@kotlin.internal.InlineOnly\npublic actual inline fun LongArray.asList(): List<Long> {\n    return
this.unsafeCast<Array<Long>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*\n@kotlin.internal.InlineOnly\npublic actual inline fun FloatArray.asList(): List<Float> {\n    return
this.unsafeCast<Array<Float>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*\n@kotlin.internal.InlineOnly\npublic actual inline fun DoubleArray.asList(): List<Double> {\n    return
this.unsafeCast<Array<Double>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*\n@kotlin.internal.InlineOnly\npublic actual inline fun BooleanArray.asList(): List<Boolean> {\n    return
this.unsafeCast<Array<Boolean>>().asList()\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*\npublic actual fun CharArray.asList(): List<Char> {\n    return object : AbstractList<Char>(), RandomAccess {\n
        override val size: Int get() = this@asList.size\n        override fun isEmpty(): Boolean = this@asList.isEmpty()\n
        override fun contains(element: Char): Boolean = this@asList.contains(element)\n        override fun get(index: Int):
Char {\n            AbstractList.checkElementIndex(index, size)\n            return this@asList[index]\n        }\n
        override fun indexOf(element: Char): Int {\n            if ((element as Any?) !is Char) return -1\n            return
this@asList.indexOf(element)\n        }\n        override fun lastIndexOf(element: Char): Int {\n            if ((element as
Any?) !is Char) return -1\n            return this@asList.lastIndexOf(element)\n        }\n    }\n}\n\n/**\n * Returns
`true` if the two specified arrays are *deeply* equal to one another,\n * i.e. contain the same number of the same
elements in the same order.\n * \n * If two corresponding elements are nested arrays, they are also compared
deeply.\n * \n * If any of arrays contains itself on any nesting level the behavior is undefined.\n * \n * The elements of
other types are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it
means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n
*\n@SinceKotlin("1.1")\n@library("arrayDeepEquals")\npublic actual infix fun <T> Array<out
T>.contentDeepEquals(other: Array<out T>): Boolean {\n    definedExternally\n}\n\n/**\n * Returns a hash code
based on the contents of this array as if it is [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays
contains itself on any nesting level the behavior is undefined.\n
*\n@SinceKotlin("1.1")\n@library("arrayDeepHashCode")\npublic actual fun <T> Array<out
T>.contentDeepHashCode(): Int {\n    definedExternally\n}\n\n/**\n * Returns a string representation of the
contents of this array as if it is a [List].\n * Nested arrays are treated as lists too.\n * \n * If any of arrays contains
itself on any nesting level that reference\n * is rendered as `[...]` to prevent recursion.\n * \n * @sample
samples.collections.Arrays.ContentOperations.contentDeepToString\n
*\n@SinceKotlin("1.1")\n@library("arrayDeepToString")\npublic actual fun <T> Array<out
T>.contentDeepToString(): String {\n    definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays
are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n *
*\n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers
it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n
*\n@SinceKotlin("1.1")\n@library("arrayEquals")\npublic actual infix fun <T> Array<out
T>.contentEquals(other: Array<out T>): Boolean {\n    definedExternally\n}\n\n/**\n * Returns `true` if the two
specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the
same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating
point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n
*\n@SinceKotlin("1.1")\n@library("arrayEquals")\npublic actual infix fun ByteArray.contentEquals(other:
ByteArray): Boolean {\n    definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are
*structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n
*\n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it
means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.\n
*\n@SinceKotlin("1.1")\n@library("arrayEquals")\npublic actual infix fun ShortArray.contentEquals(other:
ShortArray): Boolean {\n    definedExternally\n}\n\n/**\n * Returns `true` if the two specified arrays are
*structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n
*\n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it

```

means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.

```
*\n@SinceKotlin("1.1")\n@library("arrayEquals")\npublic actual infix fun IntArray.contentEquals(other: IntArray): Boolean {\n    definedExternally\n}\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
```

```
*\n@SinceKotlin("1.1")\n@library("arrayEquals")\npublic actual infix fun LongArray.contentEquals(other: LongArray): Boolean {\n    definedExternally\n}\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
```

```
*\n@SinceKotlin("1.1")\n@library("arrayEquals")\npublic actual infix fun FloatArray.contentEquals(other: FloatArray): Boolean {\n    definedExternally\n}\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
```

```
*\n@SinceKotlin("1.1")\n@library("arrayEquals")\npublic actual infix fun DoubleArray.contentEquals(other: DoubleArray): Boolean {\n    definedExternally\n}\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
```

```
*\n@SinceKotlin("1.1")\n@library("arrayEquals")\npublic actual infix fun BooleanArray.contentEquals(other: BooleanArray): Boolean {\n    definedExternally\n}\n/**\n * Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the same order.\n * \n * The elements are compared for equality with the [equals][Any.equals] function.\n * For floating point numbers it means that `NaN` is equal to itself and `-0.0` is not equal to `0.0`.
```

```
*\n@SinceKotlin("1.1")\n@library("arrayEquals")\npublic actual infix fun CharArray.contentEquals(other: CharArray): Boolean {\n    definedExternally\n}\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n *\n@SinceKotlin("1.1")\n@library("arrayHashCode")\npublic actual fun <T> Array<out T>.contentHashCode(): Int {\n    definedExternally\n}\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n *\n@SinceKotlin("1.1")\n@library("arrayHashCode")\npublic actual fun ByteArray.contentHashCode(): Int {\n    definedExternally\n}\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n *\n@SinceKotlin("1.1")\n@library("arrayHashCode")\npublic actual fun ShortArray.contentHashCode(): Int {\n    definedExternally\n}\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n *\n@SinceKotlin("1.1")\n@library("arrayHashCode")\npublic actual fun IntArray.contentHashCode(): Int {\n    definedExternally\n}\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n *\n@SinceKotlin("1.1")\n@library("arrayHashCode")\npublic actual fun LongArray.contentHashCode(): Int {\n    definedExternally\n}\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n *\n@SinceKotlin("1.1")\n@library("arrayHashCode")\npublic actual fun FloatArray.contentHashCode(): Int {\n    definedExternally\n}\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n *\n@SinceKotlin("1.1")\n@library("arrayHashCode")\npublic actual fun DoubleArray.contentHashCode(): Int {\n    definedExternally\n}\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n *\n@SinceKotlin("1.1")\n@library("arrayHashCode")\npublic actual fun BooleanArray.contentHashCode(): Int {\n    definedExternally\n}\n/**\n * Returns a hash code based on the contents of this array as if it is [List].\n *\n@SinceKotlin("1.1")\n@library("arrayHashCode")\npublic actual fun CharArray.contentHashCode(): Int {\n    definedExternally\n}\n/**\n * Returns a string representation of the contents of the specified array as if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
```

```

*\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun <T> Array<out T>.contentToString():
String {\n  definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as
if it is [List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun ByteArray.contentToString(): String {\n
  definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun ShortArray.contentToString(): String {\n
  definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun IntArray.contentToString(): String {\n
  definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun LongArray.contentToString(): String {\n
  definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun FloatArray.contentToString(): String {\n
  definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun DoubleArray.contentToString(): String
{\n  definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun BooleanArray.contentToString(): String
{\n  definedExternally\n}\n\n/**\n * Returns a string representation of the contents of the specified array as if it is
[List].\n * \n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*\n@SinceKotlin("1.1")\n@library("arrayToString")\npublic actual fun CharArray.contentToString(): String {\n
  definedExternally\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that
array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it
overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset
the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of
the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this
array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex]
or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws
IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified
[destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the
[destination] array.\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT
_ARGUMENTS")\npublic actual inline fun <T> Array<out T>.copyInto(destination: Array<T>, destinationOffset:
Int = 0, startIndex: Int = 0, endIndex: Int = size): Array<T> {\n  arrayCopy(this, destination, destinationOffset,
startIndex, endIndex)\n  return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination]
array and returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the
subrange so that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n *
@param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the
beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the
subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or
[IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex
> endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array
starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices
range.\n * \n * @return the [destination] array.\n

```

```

*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun ByteArray.copyInto(destination: ByteArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ByteArray {\n    arrayCopy(this.unsafeCast<Array<Byte>>(), destination.unsafeCast<Array<Byte>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * @return the [destination] array.\n */\n*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun ShortArray.copyInto(destination: ShortArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): ShortArray {\n    arrayCopy(this.unsafeCast<Array<Short>>(), destination.unsafeCast<Array<Short>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * @return the [destination] array.\n */\n*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun IntArray.copyInto(destination: IntArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): IntArray {\n    arrayCopy(this.unsafeCast<Array<Int>>(), destination.unsafeCast<Array<Int>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * @return the [destination] array.\n */\n*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun LongArray.copyInto(destination: LongArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): LongArray {\n    arrayCopy(this.unsafeCast<Array<Long>>(), destination.unsafeCast<Array<Long>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.\n * @param destination the array to copy to.\n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * @throws

```

IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.
.n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],
.n * or when that index is out of the [destination] array indices range.
.n * \n * @return the [destination] array.
.n

```
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun FloatArray.copyInto(destination: FloatArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): FloatArray {\n    arrayCopy(this.unsafeCast<Array<Float>>(), destination.unsafeCast<Array<Float>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.  
.n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.  
.n * \n * @param destination the array to copy to.  
.n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.  
.n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.  
.n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.  
.n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.  
.n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],  
.n * or when that index is out of the [destination] array indices range.  
.n * \n * @return the [destination] array.  
.n
```

```
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun DoubleArray.copyInto(destination: DoubleArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): DoubleArray {\n    arrayCopy(this.unsafeCast<Array<Double>>(), destination.unsafeCast<Array<Double>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.  
.n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.  
.n * \n * @param destination the array to copy to.  
.n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.  
.n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.  
.n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.  
.n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.  
.n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],  
.n * or when that index is out of the [destination] array indices range.  
.n * \n * @return the [destination] array.  
.n
```

```
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun BooleanArray.copyInto(destination: BooleanArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): BooleanArray {\n    arrayCopy(this.unsafeCast<Array<Boolean>>(), destination.unsafeCast<Array<Boolean>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.  
.n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.  
.n * \n * @param destination the array to copy to.  
.n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.  
.n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.  
.n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.  
.n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.  
.n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],  
.n * or when that index is out of the [destination] array indices range.  
.n * \n * @return the [destination] array.  
.n
```

```
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual inline fun CharArray.copyInto(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size): CharArray {\n    arrayCopy(this.unsafeCast<Array<Char>>(), destination.unsafeCast<Array<Char>>(), destinationOffset, startIndex, endIndex)\n    return destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.  
.n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the destination range.  
.n * \n * @param destination the array to copy to.  
.n * @param destinationOffset the position in the [destination] array to copy to, 0 by default.  
.n * @param startIndex the beginning (inclusive) of the subrange to copy, 0 by default.  
.n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.  
.n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.  
.n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],  
.n * or when that index is out of the [destination] array indices range.  
.n * \n * @return the [destination] array.  
.n
```

```

* Returns new array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOfOf\n *^n@Suppress("\ACTUAL_WITHOUT_EXPECT",
"\NOTHING_TO_INLINE")\npublic actual inline fun <T> Array<out T>.copyOf(): Array<T> {\n return
this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOfOf\n *^n@Suppress("\NOTHING_TO_INLINE")\npublic
actual inline fun ByteArray.copyOfOf(): ByteArray {\n return this.asDynamic().slice()\n}\n\n/**\n * Returns new
array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOfOf\n *^n@Suppress("\NOTHING_TO_INLINE")\npublic
actual inline fun ShortArray.copyOfOf(): ShortArray {\n return this.asDynamic().slice()\n}\n\n/**\n * Returns new
array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOfOf\n *^n@Suppress("\NOTHING_TO_INLINE")\npublic
actual inline fun IntArray.copyOfOf(): IntArray {\n return this.asDynamic().slice()\n}\n\n/**\n * Returns new array
which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n
*^n@Suppress("\NOTHING_TO_INLINE")\npublic actual fun LongArray.copyOfOf(): LongArray {\n return withType("\LongArray",
this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOfOf\n *^n@Suppress("\NOTHING_TO_INLINE")\npublic
actual inline fun FloatArray.copyOfOf(): FloatArray {\n return this.asDynamic().slice()\n}\n\n/**\n * Returns new
array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOfOf\n *^n@Suppress("\NOTHING_TO_INLINE")\npublic
actual inline fun DoubleArray.copyOfOf(): DoubleArray {\n return this.asDynamic().slice()\n}\n\n/**\n * Returns
new array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOfOf\n *^n@Suppress("\NOTHING_TO_INLINE")\npublic
actual fun BooleanArray.copyOfOf():
BooleanArray {\n return withType("\BooleanArray", this.asDynamic().slice()\n}\n\n/**\n * Returns new array
which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n
*^n@Suppress("\NOTHING_TO_INLINE")\npublic actual fun CharArray.copyOfOf(): CharArray {\n return withType("\CharArray",
this.asDynamic().slice()\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given
[newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize]
is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater
than the size of the original array, the extra elements in the copy array are filled with zero values.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n *^n@Suppress("\NOTHING_TO_INLINE")\npublic
actual fun
ByteArray.copyOfOf(newSize: Int): ByteArray {\n require(newSize >= 0) { "\Invalid new array size: $newSize.\n"
}\n return fillFrom(this, ByteArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original
array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if
necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the
[newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are
filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n
*^n@Suppress("\NOTHING_TO_INLINE")\npublic actual fun
ShortArray.copyOfOf(newSize: Int): ShortArray {\n require(newSize >= 0) { "\Invalid new
array size: $newSize.\n" }\n return fillFrom(this, ShortArray(newSize))\n}\n\n/**\n * Returns new array which is a
copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with
zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated
to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array
are filled with zero values.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n *^n@Suppress("\NOTHING_TO_INLINE")\npublic
actual fun
IntArray.copyOfOf(newSize: Int): IntArray {\n require(newSize >= 0) { "\Invalid new array size: $newSize.\n" }\n
return fillFrom(this, IntArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array,
resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n
* \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * -
If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero

```

```

values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n *\npublic actual
fun LongArray.copyOf(newSize: Int): LongArray {\n  require(newSize >= 0) { \"Invalid new array size:
$newSize.\" }\n  return withType(\"LongArray\", arrayCopyResize(this, newSize, 0L))\n}\n\n/**\n * Returns new
array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded
at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy
array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements
in the copy array are filled with zero values.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n *\npublic actual fun
FloatArray.copyOf(newSize: Int): FloatArray {\n  require(newSize >= 0) { \"Invalid new array size: $newSize.\"
}\n  return fillFrom(this, FloatArray(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original
array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if
necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is truncated to the
[newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are
filled with zero values.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n
*\npublic actual fun DoubleArray.copyOf(newSize: Int): DoubleArray {\n  require(newSize >= 0) { \"Invalid new
array size: $newSize.\" }\n  return fillFrom(this, DoubleArray(newSize))\n}\n\n/**\n * Returns new array which is
a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end
with `false` values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is
truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the
copy array are filled with `false` values.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n *\npublic actual fun
BooleanArray.copyOf(newSize: Int): BooleanArray {\n  require(newSize >= 0) { \"Invalid new array size:
$newSize.\" }\n  return withType(\"BooleanArray\", arrayCopyResize(this, newSize, false))\n}\n\n/**\n * Returns
new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or
padded at the end with null char (`\u0000`) values if necessary.\n * \n * - If [newSize] is less than the size of the
original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original
array, the extra elements in the copy array are filled with null char (`\u0000`) values.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.resizedPrimitiveCopyOf\n *\npublic actual fun
CharArray.copyOf(newSize: Int): CharArray {\n  require(newSize >= 0) { \"Invalid new array size: $newSize.\"
}\n  return withType(\"CharArray\", fillFrom(this, CharArray(newSize)))\n}\n\n/**\n * Returns new array which is
a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end
with `null` values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array is
truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the
copy array are filled with `null` values.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.resizingCopyOf\n
*\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\")\npublic actual fun <T> Array<out T>.copyOf(newSize: Int):
Array<T?> {\n  require(newSize >= 0) { \"Invalid new array size: $newSize.\" }\n  return arrayCopyResize(this,
newSize, null)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n
* @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the
range (exclusive), must be in `fromIndex..array.size`\n
*\n@Suppress(\"ACTUAL_WITHOUT_EXPECT\")\npublic actual fun <T> Array<out
T>.copyOfRange(fromIndex: Int, toIndex: Int): Array<T> {\n  AbstractList.checkRangeIndexes(fromIndex,
toIndex, size)\n  return this.asDynamic().slice(fromIndex, toIndex)\n}\n\n/**\n * Returns a new array which is a
copy of the specified range of the original array.\n * \n * @param fromIndex the start of the range (inclusive), must
be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n
*\npublic actual fun ByteArray.copyOfRange(fromIndex: Int, toIndex: Int): ByteArray {\n
AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n  return this.asDynamic().slice(fromIndex,
toIndex)\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * \n

```

```

@param fromIndex the start of the range (inclusive), must be in `0..array.size`
@param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`
^/npublic actual fun ShortArray.copyOfRange(fromIndex: Int, toIndex: Int): ShortArray {
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
    return this.asDynamic().slice(fromIndex, toIndex)
}
^/n/n/**
 * Returns a new array which is a copy of the specified range of the original array.
 *
 * @param fromIndex the start of the range (inclusive), must be in `0..array.size`
 * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`
^/npublic actual fun IntArray.copyOfRange(fromIndex: Int, toIndex: Int): IntArray {
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
    return this.asDynamic().slice(fromIndex, toIndex)
}
^/n/n/**
 * Returns a new array which is a copy of the specified range of the original array.
 *
 * @param fromIndex the start of the range (inclusive), must be in `0..array.size`
 * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`
^/npublic actual fun LongArray.copyOfRange(fromIndex: Int, toIndex: Int): LongArray {
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
    return withType("LongArray", this.asDynamic().slice(fromIndex, toIndex))
}
^/n/n/**
 * Returns a new array which is a copy of the specified range of the original array.
 *
 * @param fromIndex the start of the range (inclusive), must be in `0..array.size`
 * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`
^/npublic actual fun FloatArray.copyOfRange(fromIndex: Int, toIndex: Int): FloatArray {
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
    return this.asDynamic().slice(fromIndex, toIndex)
}
^/n/n/**
 * Returns a new array which is a copy of the specified range of the original array.
 *
 * @param fromIndex the start of the range (inclusive), must be in `0..array.size`
 * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`
^/npublic actual fun DoubleArray.copyOfRange(fromIndex: Int, toIndex: Int): DoubleArray {
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
    return this.asDynamic().slice(fromIndex, toIndex)
}
^/n/n/**
 * Returns a new array which is a copy of the specified range of the original array.
 *
 * @param fromIndex the start of the range (inclusive), must be in `0..array.size`
 * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`
^/npublic actual fun BooleanArray.copyOfRange(fromIndex: Int, toIndex: Int): BooleanArray {
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
    return withType("BooleanArray", this.asDynamic().slice(fromIndex, toIndex))
}
^/n/n/**
 * Returns a new array which is a copy of the specified range of the original array.
 *
 * @param fromIndex the start of the range (inclusive), must be in `0..array.size`
 * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`
^/npublic actual fun CharArray.copyOfRange(fromIndex: Int, toIndex: Int): CharArray {
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
    return withType("CharArray", this.asDynamic().slice(fromIndex, toIndex))
}
^/n/n/**
 * Fills this array or its subrange with the specified [element] value.
 *
 * @param fromIndex the start of the range (inclusive), 0 by default.
 * @param toIndex the end of the range (exclusive), size of this array by default.
 * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.
 * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].
^/n
^/n@SinceKotlin("1.3")
^/n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
npublic actual fun <T> Array<T>.fill(element: T, fromIndex: Int = 0, toIndex: Int = size): Unit {
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
    this.asDynamic().fill(element, fromIndex, toIndex);
}
^/n/n/**
 * Fills this array or its subrange with the specified [element] value.
 *
 * @param fromIndex the start of the range (inclusive), 0 by default.
 * @param toIndex the end of the range (exclusive), size of this array by default.
 * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.
 * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].
^/n
^/n@SinceKotlin("1.3")
^/n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
npublic actual fun ByteArray.fill(element: Byte, fromIndex: Int = 0, toIndex: Int = size): Unit {
    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)
    this.asDynamic().fill(element, fromIndex, toIndex);
}
^/n/n/**
 * Fills this array or its subrange with the specified [element] value.
 *
 * @param

```


fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n

```
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic\nactual fun ShortArray.fill(element: Short, fromIndex: Int = 0, toIndex: Int = size): Unit {\n\n    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
```

```
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic\nactual fun IntArray.fill(element: Int, fromIndex: Int = 0, toIndex: Int = size): Unit {\n\n    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
```

```
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic\nactual fun LongArray.fill(element: Long, fromIndex: Int = 0, toIndex: Int = size): Unit {\n\n    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
```

```
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic\nactual fun FloatArray.fill(element: Float, fromIndex: Int = 0, toIndex: Int = size): Unit {\n\n    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
```

```
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic\nactual fun DoubleArray.fill(element: Double, fromIndex: Int = 0, toIndex: Int = size): Unit {\n\n    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
```

```
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic\nactual fun BooleanArray.fill(element: Boolean, fromIndex: Int = 0, toIndex: Int = size): Unit {\n\n    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * \n * @param
```

fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n

```
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual fun CharArray.fill(element: Char, fromIndex: Int = 0, toIndex: Int = size): Unit {\n    AbstractList.checkRangeIndexes(fromIndex, toIndex, size)\n    this.asDynamic().fill(element, fromIndex, toIndex);\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress("ACTUAL_WITHOUT_EXPECT", "NOTHING_TO_INLINE")\npublic actual inline operator fun <T> Array<out T>.plus(element: T): Array<T> {\n    return this.asDynamic().concat(arrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun ByteArray.plus(element: Byte): ByteArray {\n    return plus(byteArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun ShortArray.plus(element: Short): ShortArray {\n    return plus(shortArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun IntArray.plus(element: Int): IntArray {\n    return plus(intArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun LongArray.plus(element: Long): LongArray {\n    return plus(longArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun FloatArray.plus(element: Float): FloatArray {\n    return plus(floatArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun DoubleArray.plus(element: Double): DoubleArray {\n    return plus(doubleArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun BooleanArray.plus(element: Boolean): BooleanArray {\n    return plus(booleanArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given [element].\n */\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline operator fun CharArray.plus(element: Char): CharArray {\n    return plus(charArrayOf(element))\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n@Suppress("ACTUAL_WITHOUT_EXPECT")\npublic actual operator fun <T> Array<out T>.plus(elements: Collection<T>): Array<T> {\n    return arrayPlusCollection(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n@public actual operator fun ByteArray.plus(elements: Collection<Byte>): ByteArray {\n    return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n@public actual operator fun ShortArray.plus(elements: Collection<Short>): ShortArray {\n    return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n@public actual operator fun IntArray.plus(elements: Collection<Int>): IntArray {\n    return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n@public actual operator fun LongArray.plus(elements: Collection<Long>): LongArray {\n    return arrayPlusCollection(this, elements)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements of the given [elements] collection.\n */\n@public actual operator fun FloatArray.plus(elements: Collection<Float>): FloatArray {\n    return fillFromCollection(this.copyOf(size + elements.size), this.size, elements)\n}\n\n/**\n * Returns an array containing
```

all elements of the original array and then all elements of the given [elements] collection.

`public actual operator fun DoubleArray.plus(elements: Collection<Double>): DoubleArray {`
`return`
`fillFromCollection(this.copyOf(size + elements.size), this.size, elements)}`

`}`
`}`
`/**`
`* Returns an array containing`
`all elements of the original array and then all elements of the given [elements] collection.`
`*/`
`public actual`
`operator fun BooleanArray.plus(elements: Collection<Boolean>): BooleanArray {`
`return`
`arrayPlusCollection(this, elements)}`

`}`
`}`
`/**`
`* Returns an array containing all elements of the original array and`
`then all elements of the given [elements] collection.`
`*/`
`public actual operator fun CharArray.plus(elements:`
`Collection<Char>): CharArray {`
`return`
`fillFromCollection(this.copyOf(size + elements.size), this.size,`
`elements)}`
`}`
`/**`
`* Returns an array containing all elements of the original array and then all elements of the`
`given [elements] array.`
`*/`
`@Suppress("ACTUAL_WITHOUT_EXPECT",`
`"NOTHING_TO_INLINE")`
`public actual inline operator fun <T> Array<out T>.plus(elements: Array<out T>):`
`Array<T> {`
`return`
`this.asDynamic().concat(elements)}`
`}`
`/**`
`* Returns an array containing all elements of`
`the original array and then all elements of the given [elements] array.`
`*/`
`@Suppress("NOTHING_TO_INLINE")`
`public actual inline operator fun ByteArray.plus(elements:`
`ByteArray): ByteArray {`
`return`
`primitiveArrayConcat(this, elements)}`
`}`
`/**`
`* Returns an array containing`
`all elements of the original array and then all elements of the given [elements] array.`
`*/`
`@Suppress("NOTHING_TO_INLINE")`
`public actual inline operator fun ShortArray.plus(elements:`
`ShortArray): ShortArray {`
`return`
`primitiveArrayConcat(this, elements)}`
`}`
`/**`
`* Returns an array`
`containing all elements of the original array and then all elements of the given [elements] array.`
`*/`
`@Suppress("NOTHING_TO_INLINE")`
`public actual inline operator fun IntArray.plus(elements: IntArray):`
`IntArray {`
`return`
`primitiveArrayConcat(this, elements)}`
`}`
`/**`
`* Returns an array containing all elements of`
`the original array and then all elements of the given [elements] array.`
`*/`
`@Suppress("NOTHING_TO_INLINE")`
`public actual inline operator fun LongArray.plus(elements:`
`LongArray): LongArray {`
`return`
`primitiveArrayConcat(this, elements)}`
`}`
`/**`
`* Returns an array`
`containing all elements of the original array and then all elements of the given [elements] array.`
`*/`
`@Suppress("NOTHING_TO_INLINE")`
`public actual inline operator fun FloatArray.plus(elements:`
`FloatArray): FloatArray {`
`return`
`primitiveArrayConcat(this, elements)}`
`}`
`/**`
`* Returns an array containing`
`all elements of the original array and then all elements of the given [elements] array.`
`*/`
`@Suppress("NOTHING_TO_INLINE")`
`public actual inline operator fun DoubleArray.plus(elements:`
`DoubleArray): DoubleArray {`
`return`
`primitiveArrayConcat(this, elements)}`
`}`
`/**`
`* Returns an array`
`containing all elements of the original array and then all elements of the given [elements] array.`
`*/`
`@Suppress("NOTHING_TO_INLINE")`
`public actual inline operator fun BooleanArray.plus(elements:`
`BooleanArray): BooleanArray {`
`return`
`primitiveArrayConcat(this, elements)}`
`}`
`/**`
`* Returns an array`
`containing all elements of the original array and then all elements of the given [elements] array.`
`*/`
`@Suppress("NOTHING_TO_INLINE")`
`public actual inline operator fun CharArray.plus(elements:`
`CharArray): CharArray {`
`return`
`primitiveArrayConcat(this, elements)}`
`}`
`/**`
`* Returns an array containing`
`all elements of the original array and then the given [element].`
`*/`
`@Suppress("ACTUAL_WITHOUT_EXPECT", "NOTHING_TO_INLINE")`
`public actual inline fun <T>`
`Array<out T>.plusElement(element: T): Array<T> {`
`return`
`this.asDynamic().concat(arrayOf(element))}`
`}`
`/**`
`* Sorts the array in-place.`
`*/`
`@sample`
`samples.collections.Arrays.Sorting.sortArray`
`*/`
`@library("primitiveArraySort")`
`public actual fun`
`IntArray.sort(): Unit {`
`definedExternally`
`}`
`/**`
`* Sorts the array in-place.`
`*/`
`@sample`
`samples.collections.Arrays.Sorting.sortArray`
`*/`
`public actual fun`
`LongArray.sort(): Unit {`
`if (size > 1) sort {`
`a: Long, b: Long -> a.compareTo(b) }`
`}`
`}`
`/**`
`* Sorts the array in-place.`
`*/`
`@sample`
`samples.collections.Arrays.Sorting.sortArray`
`*/`
`@library("primitiveArraySort")`
`public actual fun`
`ByteArray.sort(): Unit {`
`definedExternally`
`}`
`/**`
`* Sorts the array in-place.`
`*/`
`@sample`
`samples.collections.Arrays.Sorting.sortArray`
`*/`
`@library("primitiveArraySort")`
`public actual fun`
`ShortArray.sort(): Unit {`
`definedExternally`
`}`
`/**`
`* Sorts the array in-place.`
`*/`
`@sample`

```

samples.collections.Arrays.Sorting.sortArray\n *^@library(\\"primitiveArraySort\\")\npublic actual fun
DoubleArray.sort(): Unit {\n  definedExternally\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample
samples.collections.Arrays.Sorting.sortArray\n *^@library(\\"primitiveArraySort\\")\npublic actual fun
FloatArray.sort(): Unit {\n  definedExternally\n}\n\n/**\n * Sorts the array in-place.\n * \n * @sample
samples.collections.Arrays.Sorting.sortArray\n *^@library(\\"primitiveArraySort\\")\npublic actual fun
CharArray.sort(): Unit {\n  definedExternally\n}\n\n/**\n * Sorts the array in-place according to the natural order
of its elements.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other
after sorting.\n * \n * @sample samples.collections.Arrays.Sorting.sortArrayOfComparable\n *^@npublic actual fun
<T : Comparable<T>> Array<out T>.sort(): Unit {\n  if (size > 1) sortArray(this)\n}\n\n/**\n * Sorts the array in-
place according to the order specified by the given [comparison] function.\n * \n * The sort is _stable_. It means that
equal elements preserve their order relative to each other after sorting.\n *^@npublic fun <T> Array<out
T>.sort(comparison: (a: T, b: T) -> Int): Unit {\n  if (size > 1) sortArrayWith(this, comparison)\n}\n\n/**\n * Sorts
the array in-place according to the order specified by the given [comparison] function.\n
*^@kotlin.internal.InlineOnly\npublic inline fun ByteArray.sort(noinline comparison: (a: Byte, b: Byte) -> Int):
Unit {\n  asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by
the given [comparison] function.\n *^@kotlin.internal.InlineOnly\npublic inline fun ShortArray.sort(noinline
comparison: (a: Short, b: Short) -> Int): Unit {\n  asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-
place according to the order specified by the given [comparison] function.\n *^@kotlin.internal.InlineOnly\npublic
inline fun IntArray.sort(noinline comparison: (a: Int, b: Int) -> Int): Unit {\n
asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given
[comparison] function.\n *^@kotlin.internal.InlineOnly\npublic inline fun LongArray.sort(noinline comparison:
(a: Long, b: Long) -> Int): Unit {\n  asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according
to the order specified by the given [comparison] function.\n *^@kotlin.internal.InlineOnly\npublic inline fun
FloatArray.sort(noinline comparison: (a: Float, b: Float) -> Int): Unit {\n
asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given
[comparison] function.\n *^@kotlin.internal.InlineOnly\npublic inline fun DoubleArray.sort(noinline comparison:
(a: Double, b: Double) -> Int): Unit {\n  asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place
according to the order specified by the given [comparison] function.\n *^@kotlin.internal.InlineOnly\npublic
inline fun CharArray.sort(noinline comparison: (a: Char, b: Char) -> Int): Unit {\n
asDynamic().sort(comparison)\n}\n\n/**\n * Sorts the array in-place according to the order specified by the given
[comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other
after sorting.\n *^@npublic actual fun <T> Array<out T>.sortWith(comparator: Comparator<in T>): Unit {\n  if
(size > 1) sortArrayWith(this, comparator)\n}\n\n/**\n * Returns a typed object array containing all of the
elements of this primitive array.\n *^@npublic actual fun ByteArray.toTypedArray(): Array<Byte> {\n  return
js("\\[\\]").slice.call(this)\n}\n\n/**\n * Returns a typed object array containing all of the elements of this primitive
array.\n *^@npublic actual fun ShortArray.toTypedArray(): Array<Short> {\n  return
js("\\[\\]").slice.call(this)\n}\n\n/**\n * Returns a typed object array containing all of the elements of this primitive
array.\n *^@npublic actual fun IntArray.toTypedArray(): Array<Int> {\n  return js("\\[\\]").slice.call(this)\n}\n\n/**\n
* Returns a typed object array containing all of the elements of this primitive array.\n *^@npublic actual fun
LongArray.toTypedArray(): Array<Long> {\n  return js("\\[\\]").slice.call(this)\n}\n\n/**\n * Returns a typed
object array containing all of the elements of this primitive array.\n *^@npublic actual fun
FloatArray.toTypedArray(): Array<Float> {\n  return js("\\[\\]").slice.call(this)\n}\n\n/**\n * Returns a typed
object array containing all of the elements of this primitive array.\n *^@npublic actual fun
DoubleArray.toTypedArray(): Array<Double> {\n  return js("\\[\\]").slice.call(this)\n}\n\n/**\n * Returns a typed
object array containing all of the elements of this primitive array.\n *^@npublic actual fun
BooleanArray.toTypedArray(): Array<Boolean> {\n  return js("\\[\\]").slice.call(this)\n}\n\n/**\n * Returns a
typed object array containing all of the elements of this primitive array.\n *^@npublic actual fun
CharArray.toTypedArray(): Array<Char> {\n  return Array(size) { index -> this[index] }\n}\n\n"/\n * Copyright

```

2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n

```
*\n@file:kotlin.jvm.JvmName("ComparisonsKt")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage\nkotlin.comparisons\n\n/**\n * Compares two values using the specified functions [selectors] to calculate the result\n of the comparison.\n * The functions are called sequentially, receive the given values [a] and [b] and return\n [Comparable]\n * objects. As soon as the [Comparable] instances returned by a function for [a] and [b] values do\n not\n * compare as equal, the result of that comparison is returned.\n * \n * @sample\n samples.comparisons.Comparisons.compareValuesByWithSelectors\n\n * \n\npublic fun <T> compareValuesBy(a: T,\n b: T, vararg selectors: (T) -> Comparable<*>?): Int {\n    require(selectors.size > 0)\n    return\n compareValuesByImpl(a, b, selectors)\n}\n\nprivate fun <T> compareValuesByImpl(a: T, b: T, selectors:\n Array<out (T) -> Comparable<*>?>): Int {\n    for (fn in selectors) {\n        val v1 = fn(a)\n        val v2 = fn(b)\n        val diff = compareValues(v1, v2)\n        if (diff != 0) return diff\n    }\n    return 0\n}\n\n/**\n * Compares two\n values using the specified [selector] function to calculate the result of the comparison.\n * The function is applied to\n the given values [a] and [b] and return [Comparable] objects.\n * The result of comparison of these [Comparable]\n instances is returned.\n * \n * @sample\n samples.comparisons.Comparisons.compareValuesByWithSingleSelector\n\n * \n\n@kotlin.internal.InlineOnly\npublic inline fun <T> compareValuesBy(a: T, b: T, selector: (T) ->\n Comparable<*>?): Int {\n    return compareValues(selector(a), selector(b))\n}\n\n/**\n * Compares two values\n using the specified [selector] function to calculate the result of the comparison.\n * The function is applied to the\n given values [a] and [b] and return objects of type K which are then being\n * compared with the given\n [comparator].\n * \n * @sample\n samples.comparisons.Comparisons.compareValuesByWithComparator\n\n * \n\n@kotlin.internal.InlineOnly\npublic inline fun <T, K> compareValuesBy(a: T, b: T, comparator: Comparator<in\n K>,\n selector: (T) -> K): Int {\n    return comparator.compare(selector(a), selector(b))\n}\n\n//// Not so useful without\n type inference for receiver of expression\n//// compareValuesWith(v1, v2, compareBy { it.prop1 }\n thenByDescending { it.prop2 })\n\n/**\n * Compares two values using the specified [comparator].\n\n * \n\n@Suppress("NOTHING_TO_INLINE")\npublic inline fun <T> compareValuesWith(a: T, b: T, comparator:\n Comparator<T>): Int = comparator.compare(a, b)\n\n/**\n * Compares two nullable [Comparable] values. Null\n is considered less than any value.\n * \n * @sample\n samples.comparisons.Comparisons.compareValues\n\n * \n\npublic\n fun <T : Comparable<*>> compareValues(a: T?, b: T?): Int {\n    if (a === b) return 0\n    if (a == null) return -1\n    if (b == null) return 1\n    @Suppress("UNCHECKED_CAST")\n    return (a as\n Comparable<Any>).compareTo(b)\n}\n\n/**\n * Creates a comparator using the sequence of functions to calculate a\n result of comparison.\n * The functions are called sequentially, receive the given values `a` and `b` and return\n [Comparable]\n * objects. As soon as the [Comparable] instances returned by a function for `a` and `b` values do\n not\n * compare as equal, the result of that comparison is returned from the [Comparator].\n * \n * @sample\n samples.comparisons.Comparisons.compareByWithSelectors\n\n * \n\npublic fun <T> compareBy(vararg selectors: (T)\n -> Comparable<*>?): Comparator<T> {\n    require(selectors.size > 0)\n    return Comparator { a, b ->\n compareValuesByImpl(a, b, selectors) }\n}\n\n/**\n * Creates a comparator using the function to transform value\n to a [Comparable] instance for comparison.\n * \n * @sample\n samples.comparisons.Comparisons.compareByWithSingleSelector\n\n * \n\n@kotlin.internal.InlineOnly\npublic inline\n fun <T> compareBy(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =\n Comparator { a, b ->\n compareValuesBy(a, b, selector) }\n\n/**\n * Creates a comparator using the [selector] function to transform values\n being compared and then applying\n * the specified [comparator] to compare transformed values.\n * \n * @sample\n samples.comparisons.Comparisons.compareByWithComparator\n\n * \n\n@kotlin.internal.InlineOnly\npublic inline\n fun <T, K> compareBy(comparator: Comparator<in K>, crossinline selector: (T) -> K): Comparator<T> =\n Comparator { a, b -> compareValuesBy(a, b, comparator, selector) }\n\n/**\n * Creates a descending comparator\n using the function to transform value to a [Comparable] instance for comparison.\n * \n * @sample\n samples.comparisons.Comparisons.compareByDescendingWithSingleSelector\n\n * \n\n@kotlin.internal.InlineOnly\npublic inline fun <T> compareByDescending(crossinline selector: (T) ->\n Comparable<*>?): Comparator<T> =\n Comparator { a, b -> compareValuesBy(b, a, selector) }\n\n * \n\n
```

Creates a descending comparator using the [selector] function to transform values being compared and then applying the specified [comparator] to compare transformed values. Note that an order of [comparator] is reversed by this wrapper.

```

samples.comparisons.Comparisons.compareByDescendingWithComparator

@kotlin.internal.InlineOnly
public inline fun <T, K> compareByDescending(comparator: Comparator<in K>,
crossinline selector: (T) -> K): Comparator<T> =
    Comparator { a, b -> compareValuesBy(b, a, comparator,
selector) }

Creates a comparator comparing values after the primary comparator defined them equal. It uses the function to transform value to a [Comparable] instance for comparison.
samples.comparisons.Comparisons.thenBy

@kotlin.internal.InlineOnly
public inline fun <T>
Comparator<T>.thenBy(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =
    Comparator { a, b ->
        val previousCompare = this@thenBy.compare(a, b)
        if (previousCompare != 0) previousCompare else
compareValuesBy(a, b, selector) }

Creates a comparator comparing values after the primary comparator defined them equal. It uses the [selector] function to transform values and then compares them with the given [comparator].
samples.comparisons.Comparisons.thenByWithComparator

@kotlin.internal.InlineOnly
public inline fun <T, K> Comparator<T>.thenBy(comparator: Comparator<in K>,
crossinline selector: (T) -> K): Comparator<T> =
    Comparator { a, b ->
        val previousCompare =
this@thenBy.compare(a, b)
        if (previousCompare != 0) previousCompare else compareValuesBy(a, b,
comparator, selector) }

Creates a descending comparator using the primary comparator and the function to transform value to a [Comparable] instance for comparison.
samples.comparisons.Comparisons.thenByDescending

@kotlin.internal.InlineOnly
public inline fun <T>
Comparator<T>.thenByDescending(crossinline selector: (T) -> Comparable<*>?): Comparator<T> =
    Comparator { a, b ->
        val previousCompare = this@thenByDescending.compare(a, b)
        if
(previousCompare != 0) previousCompare else compareValuesBy(b, a, selector) }

Creates a descending comparator comparing values after the primary comparator defined them equal. It uses the [selector] function to transform values and then compares them with the given [comparator].
samples.comparisons.Comparisons.thenByDescendingWithComparator

@kotlin.internal.InlineOnly
public
inline fun <T, K> Comparator<T>.thenByDescending(comparator: Comparator<in K>, crossinline selector: (T) ->
K): Comparator<T> =
    Comparator { a, b ->
        val previousCompare = this@thenByDescending.compare(a,
b)
        if (previousCompare != 0) previousCompare else compareValuesBy(b, a, comparator, selector) }

Creates a comparator using the primary comparator and function to calculate a result of comparison.
samples.comparisons.Comparisons.thenComparator

@kotlin.internal.InlineOnly
public inline
fun <T> Comparator<T>.thenComparator(crossinline comparison: (a: T, b: T) -> Int): Comparator<T> =
    Comparator { a, b ->
        val previousCompare = this@thenComparator.compare(a, b)
        if (previousCompare
!= 0) previousCompare else comparison(a, b) }

Combines this comparator and the given [comparator] such that the latter is applied only when the former considered values equal.
samples.comparisons.Comparisons.then

public infix fun <T> Comparator<T>.then(comparator:
Comparator<in T>): Comparator<T> =
    Comparator { a, b ->
        val previousCompare =
this@then.compare(a, b)
        if (previousCompare != 0) previousCompare else comparator.compare(a, b) }

Combines this comparator and the given [comparator] such that the latter is applied only when the former considered values equal.
samples.comparisons.Comparisons.thenDescending

public
infix fun <T> Comparator<T>.thenDescending(comparator: Comparator<in T>): Comparator<T> =
    Comparator<T> { a, b ->
        val previousCompare = this@thenDescending.compare(a, b)
        if
(previousCompare != 0) previousCompare else comparator.compare(b, a) }

Not so useful without type inference for receiver of expression

Extends the given [comparator] of non-nullable values to a comparator of nullable values considering `null` value less than any other value.
samples.comparisons.Comparisons.nullsFirstLastWithComparator

public fun <T : Any>
nullsFirst(comparator: Comparator<in T>): Comparator<T?> =
    Comparator { a, b ->
        when {
            a
=== b -> 0
            a == null -> -1
            b == null -> 1
            else -> comparator.compare(a, b)
        } }

```

```

}

/** Provides a comparator of nullable [Comparable] values considering `null` value less than any other value.
 * @sample samples.comparisons.Comparisons.nullsFirstLastComparator
 */
@kotlin.internal.InlineOnly
public inline fun <T : Comparable<T>> nullsFirst(): Comparator<T?> =
    nullsFirst(naturalOrder())

/** Extends the given [comparator] of non-nullable values to a comparator of nullable values considering `null` value greater than any other value.
 * @sample samples.comparisons.Comparisons.nullsFirstLastWithComparator
 */
public fun <T : Any>
nullsLast(comparator: Comparator<in T>): Comparator<T?> =
    Comparator { a, b ->
        when {
            a === b -> 0
            a == null -> 1
            b == null -> -1
            else -> comparator.compare(a, b)
        }
    }

/** Provides a comparator of nullable [Comparable] values considering `null` value greater than any other value.
 * @sample samples.comparisons.Comparisons.nullsFirstLastComparator
 */
@kotlin.internal.InlineOnly
public inline fun <T : Comparable<T>> nullsLast(): Comparator<T?> =
    nullsLast(naturalOrder())

/** Returns a comparator that compares [Comparable] objects in natural order.
 * @sample samples.comparisons.Comparisons.naturalOrderComparator
 */
public fun <T : Comparable<T>>
naturalOrder(): Comparator<T> = @Suppress("UNCHECKED_CAST") (NaturalOrderComparator as
    Comparator<T>)

/** Returns a comparator that compares [Comparable] objects in reversed natural order.
 * @sample samples.comparisons.Comparisons.nullsFirstLastWithComparator
 */
public fun <T :
Comparable<T>> reverseOrder(): Comparator<T> = @Suppress("UNCHECKED_CAST")
    (ReverseOrderComparator as Comparator<T>)

/** Returns a comparator that imposes the reverse ordering of this comparator.
 * @sample samples.comparisons.Comparisons.reversed
 */
public fun <T>
Comparator<T>.reversed(): Comparator<T> = when (this) {
    is ReversedComparator -> this.comparator
    NaturalOrderComparator -> @Suppress("UNCHECKED_CAST") (ReverseOrderComparator as
        Comparator<T>)
    ReverseOrderComparator -> @Suppress("UNCHECKED_CAST")
        (NaturalOrderComparator as Comparator<T>)
    else -> ReversedComparator(this)
}

private class
ReversedComparator<T>(public val comparator: Comparator<T>) : Comparator<T> {
    override fun compare(a: T, b: T): Int = comparator.compare(b, a)
    @Suppress("VIRTUAL_MEMBER_HIDDEN")
    fun reversed():
        Comparator<T> = comparator
}

private object NaturalOrderComparator : Comparator<Comparable<Any>> {
    override fun compare(a: Comparable<Any>, b: Comparable<Any>): Int = a.compareTo(b)
    @Suppress("VIRTUAL_MEMBER_HIDDEN")
    fun reversed():
        Comparator<Comparable<Any>> =
            ReverseOrderComparator
}

private object ReverseOrderComparator : Comparator<Comparable<Any>> {
    override fun compare(a: Comparable<Any>, b: Comparable<Any>): Int = b.compareTo(a)
    @Suppress("VIRTUAL_MEMBER_HIDDEN")
    fun reversed():
        Comparator<Comparable<Any>> =
            NaturalOrderComparator
}

"/

/** Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the
    license/LICENSE.txt file.
 */
package kotlin
public actual interface Comparator<T> {
    @JsName("compare")
    actual fun compare(a: T, b: T): Int
}

public actual inline fun <T>
Comparator(crossinline comparison: (a: T, b: T) -> Int): Comparator<T> = object : Comparator<T> {
    override
        fun compare(a: T, b: T): Int = comparison(a, b)
}

"/

/** Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the
    license/LICENSE.txt file.
 */
@file:kotlin.jvm.JvmMultifileClass
@file:kotlin.jvm.JvmName("StandardKt")
package kotlin
import
kotlin.contracts.*

/** An exception is thrown to indicate that a method body remains to be implemented.
 */
public class NotImplementedError(message: String = "An operation is not implemented.") :
    Error(message)

/** Always throws [NotImplementedError] stating that operation is not implemented.
 */
@kotlin.internal.InlineOnly
public inline fun TODO(): Nothing = throw NotImplementedError()

/** Always throws [NotImplementedError] stating that operation is not implemented.
 * @param reason a string explaining why the implementation is missing.
 */
@kotlin.internal.InlineOnly
public inline fun TODO(reason: String): Nothing = throw NotImplementedError("An operation is not implemented: $reason")

/** Calls the specified function [block] and returns its result.
 * For detailed usage information see the documentation for

```

[scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#run).\n

```
*\n@kotlin.internal.InlineOnly\npublic inline fun <R> run(block: () -> R): R {\n  contract {\n    callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n  }\n  return block()\n}\n\n/**\n * Calls the specified function [block] with `this` value as its receiver and returns its result.\n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#run).\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> T.run(block: T.() -> R): R {\n  contract {\n    callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n  }\n  return block()\n}\n\n/**\n * Calls the specified function [block] with the given [receiver] as its receiver and returns its result.\n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#with).\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> with(receiver: T, block: T.() -> R): R {\n  contract {\n    callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n  }\n  return receiver.block()\n}\n\n/**\n * Calls the specified function [block] with `this` value as its receiver and returns `this` value.\n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#apply).\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> T.apply(block: T.() -> Unit): T {\n  contract {\n    callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n  }\n  block()\n  return this\n}\n\n/**\n * Calls the specified function [block] with `this` value as its argument and returns `this` value.\n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#also).\n */\n@kotlin.internal.InlineOnly\n@SinceKotlin("1.1")\npublic inline fun <T> T.also(block: (T) -> Unit): T {\n  contract {\n    callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n  }\n  block(this)\n  return this\n}\n\n/**\n * Calls the specified function [block] with `this` value as its argument and returns its result.\n * For detailed usage information see the documentation for [scope functions](https://kotlinlang.org/docs/reference/scope-functions.html#let).\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T, R> T.let(block: (T) -> R): R {\n  contract {\n    callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n  }\n  return block(this)\n}\n\n/**\n * Returns `this` value if it satisfies the given [predicate] or `null`, if it doesn't.\n */\n@kotlin.internal.InlineOnly\n@SinceKotlin("1.1")\npublic inline fun <T> T.takeIf(predicate: (T) -> Boolean): T? {\n  contract {\n    callsInPlace(predicate, InvocationKind.EXACTLY_ONCE)\n  }\n  return if (predicate(this)) this else null\n}\n\n/**\n * Returns `this` value if it _does not_ satisfy the given [predicate] or `null`, if it does.\n */\n@kotlin.internal.InlineOnly\n@SinceKotlin("1.1")\npublic inline fun <T> T.takeUnless(predicate: (T) -> Boolean): T? {\n  contract {\n    callsInPlace(predicate, InvocationKind.EXACTLY_ONCE)\n  }\n  return if (!predicate(this)) this else null\n}\n\n/**\n * Executes the given function [action] specified number of [times].\n * A zero-based index of current iteration is passed as a parameter to [action].\n * @sample samples.misc.ControlFlow.repeat\n */\n@kotlin.internal.InlineOnly\npublic inline fun repeat(times: Int, action: (Int) -> Unit) {\n  contract { callsInPlace(action) }\n  for (index in 0 until times) {\n    action(index)\n  }\n}\n\n/**\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.comparisons\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.js.*\n\n/**\n * Returns the greater of two values.\n * If values are equal, returns the first one.\n */\n@SinceKotlin("1.1")\npublic actual fun <T : Comparable<T>> maxOf(a: T, b: T): T {\n  return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual inline fun maxOf(a: Byte, b: Byte): Byte {\n  return Math.max(a.toInt(), b.toInt()).unsafeCast<Byte>()\n}\n\n/**\n * Returns the greater of two values.\n */\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual inline fun maxOf(a: Short, b: Short): Short {\n  return Math.max(a.toInt(), b.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the greater of two values.\n */
```



```

*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun maxOf(a: Int, b: Int): Int {\n    return Math.max(a, b)\n}\n\n/**\n * Returns the greater of two values.\n
*\n@SinceKotlin("1.1")\n@Suppress("DEPRECATION_ERROR", "NOTHING_TO_INLINE")\npublic actual
inline fun maxOf(a: Long, b: Long): Long {\n    return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two
values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun maxOf(a: Float, b: Float): Float {\n    return Math.max(a, b)\n}\n\n/**\n * Returns the greater of two
values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun maxOf(a: Double, b: Double): Double {\n    return Math.max(a, b)\n}\n\n/**\n * Returns the greater of
three values.\n
*\n@SinceKotlin("1.1")\npublic actual fun <T : Comparable<T>> maxOf(a: T, b: T, c: T): T {\n
return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun maxOf(a: Byte, b: Byte, c: Byte): Byte {\n    return Math.max(a.toInt(), b.toInt(),
c.toInt()).unsafeCast<Byte>()\n}\n\n/**\n * Returns the greater of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun maxOf(a: Short, b: Short, c: Short): Short {\n    return Math.max(a.toInt(), b.toInt(),
c.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the greater of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun maxOf(a: Int, b: Int, c: Int): Int {\n    return Math.max(a, b, c)\n}\n\n/**\n * Returns the greater of three
values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun maxOf(a: Long, b: Long,
c: Long): Long {\n    return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun maxOf(a: Float, b: Float, c: Float): Float {\n    return Math.max(a, b, c)\n}\n\n/**\n * Returns the greater
of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun maxOf(a: Double, b: Double, c: Double): Double {\n    return Math.max(a, b, c)\n}\n\n/**\n * Returns the
smaller of two values.\n
*\n * If values are equal, returns the first one.\n
*\n@SinceKotlin("1.1")\npublic actual fun
<T : Comparable<T>> minOf(a: T, b: T): T {\n    return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two
values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun minOf(a: Byte, b: Byte): Byte {\n    return Math.min(a.toInt(), b.toInt()).unsafeCast<Byte>()\n}\n\n/**\n
* Returns the smaller of two values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun minOf(a: Short, b: Short): Short {\n    return Math.min(a.toInt(),
b.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the smaller of two values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun minOf(a: Int, b: Int): Int {\n    return Math.min(a, b)\n}\n\n/**\n * Returns the smaller of two values.\n
*\n@SinceKotlin("1.1")\n@Suppress("DEPRECATION_ERROR", "NOTHING_TO_INLINE")\npublic actual
inline fun minOf(a: Long, b: Long): Long {\n    return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two
values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun minOf(a: Float, b: Float): Float {\n    return Math.min(a, b)\n}\n\n/**\n * Returns the smaller of two
values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun minOf(a: Double, b: Double): Double {\n    return Math.min(a, b)\n}\n\n/**\n * Returns the smaller of
three values.\n
*\n@SinceKotlin("1.1")\npublic actual fun <T : Comparable<T>> minOf(a: T, b: T, c: T): T {\n
return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller of three values.\n

```

```

*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun minOf(a: Byte, b: Byte, c: Byte): Byte {\n    return Math.min(a.toInt(), b.toInt(),
c.toInt()).unsafeCast<Byte>()\n}\n\n/**\n * Returns the smaller of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun minOf(a: Short, b: Short, c: Short): Short {\n    return Math.min(a.toInt(), b.toInt(),
c.toInt()).unsafeCast<Short>()\n}\n\n/**\n * Returns the smaller of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun minOf(a: Int, b: Int, c: Int): Int {\n    return Math.min(a, b, c)\n}\n\n/**\n * Returns the smaller of three
values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic actual inline fun minOf(a: Long, b: Long,
c: Long): Long {\n    return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun minOf(a: Float, b: Float, c: Float): Float {\n    return Math.min(a, b, c)\n}\n\n/**\n * Returns the smaller
of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@Suppress("DEPRECATION_ERROR")\npublic actual
inline fun minOf(a: Double, b: Double, c: Double): Double {\n    return Math.min(a, b, c)\n}\n\n"/*\n * Copyright
2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CollectionsKt")\n\npackage
kotlin.collections\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\nimport
kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns 1st *element* from the list.\n * \n *
Throws an [IndexOutOfBoundsException] if the size of this list is less than 1.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component1(): T {\n    return
get(0)\n}\n\n/**\n * Returns 2nd *element* from the list.\n * \n * Throws an [IndexOutOfBoundsException] if the
size of this list is less than 2.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T>
List<T>.component2(): T {\n    return get(1)\n}\n\n/**\n * Returns 3rd *element* from the list.\n * \n * Throws an
[IndexOutOfBoundsException] if the size of this list is less than 3.\n
*\n@kotlin.internal.InlineOnly\npublic inline
operator fun <T> List<T>.component3(): T {\n    return get(2)\n}\n\n/**\n * Returns 4th *element* from the list.\n
*\n * Throws an [IndexOutOfBoundsException] if the size of this list is less than 4.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T> List<T>.component4(): T {\n    return
get(3)\n}\n\n/**\n * Returns 5th *element* from the list.\n * \n * Throws an [IndexOutOfBoundsException] if the
size of this list is less than 5.\n
*\n@kotlin.internal.InlineOnly\npublic inline operator fun <T>
List<T>.component5(): T {\n    return get(4)\n}\n\n/**\n * Returns `true` if [element] is found in the collection.\n
*\npublic operator fun <@kotlin.internal.OnlyInputTypes T> Iterable<T>.contains(element: T): Boolean {\n    if
(this is Collection)\n        return contains(element)\n        return indexOf(element) >= 0\n}\n\n/**\n * Returns an
element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this
collection.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
*\npublic fun <T>
Iterable<T>.elementAt(index: Int): T {\n    if (this is List)\n        return get(index)\n        return
elementAtOrElse(index) { throw IndexOutOfBoundsException("Collection doesn't contain element at index
$index.") }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if
the [index] is out of bounds of this list.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
*\n@kotlin.internal.InlineOnly\npublic inline fun <T> List<T>.elementAt(index: Int): T {\n    return
get(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function
if the [index] is out of bounds of this collection.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n
*\npublic fun <T>
Iterable<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n    if (this is List)\n        return
this.getOrElse(index, defaultValue)\n        if (index < 0)\n            return defaultValue(index)\n        val iterator = iterator()\n        var count = 0\n        while (iterator.hasNext()) {\n            val element = iterator.next()\n            if (index == count++)\n

```

```

    return element\n } \n return default\nValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the
result of calling the [default\nValue] function if the [index] is out of bounds of this list.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrElse\n * \n\n@kotlin.internal.InlineOnly\n\npublic inline fun
<T> List<T>.elementAtOrElse(index: Int, default\nValue: (Int) -> T): T {\n return if (index >= 0 && index <=
lastIndex) get(index) else default\nValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the
[index] is out of bounds of this collection.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n * \n\npublic fun <T>
Iterable<T>.elementAtOrNull(index: Int): T? {\n if (this is List)\n return this.getOrNull(index)\n if (index <
0)\n return null\n val iterator = iterator()\n var count = 0\n while (iterator.hasNext()) {\n val element =
iterator.next()\n if (index == count++)\n return element\n }\n return null\n}\n\n/**\n * Returns an
element at the given [index] or `null` if the [index] is out of bounds of this list.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n * \n\n@kotlin.internal.InlineOnly\n\npublic inline fun
<T> List<T>.elementAtOrNull(index: Int): T? {\n return this.getOrNull(index)\n}\n\n/**\n * Returns the first
element matching the given [predicate], or `null` if no such element was found.\n * \n\n@kotlin.internal.InlineOnly\n\npublic inline fun <T> Iterable<T>.find(predicate: (T) -> Boolean): T? {\n return
firstOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such
element was found.\n * \n\n@kotlin.internal.InlineOnly\n\npublic inline fun <T> Iterable<T>.findLast(predicate: (T) ->
Boolean): T? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n * \n\n@kotlin.internal.InlineOnly\n\npublic inline fun <T>
List<T>.findLast(predicate: (T) -> Boolean): T? {\n return lastOrNull(predicate)\n}\n\n/**\n * Returns first
element.\n * @throws [NoSuchElementException] if the collection is empty.\n * \n\npublic fun <T>
Iterable<T>.first(): T {\n when (this) {\n is List -> return this.first()\n else -> {\n val iterator =
iterator()\n if (!iterator.hasNext())\n throw NoSuchElementException("Collection is empty.")\n return
iterator.next()\n }\n }\n}\n\n/**\n * Returns first element.\n * @throws [NoSuchElementException]
if the list is empty.\n * \n\npublic fun <T> List<T>.first(): T {\n if (isEmpty())\n throw
NoSuchElementException("List is empty.")\n return this[0]\n}\n\n/**\n * Returns the first element matching the
given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n * \n\npublic inline fun <T>
Iterable<T>.first(predicate: (T) -> Boolean): T {\n for (element in this) if (predicate(element)) return element\n
throw NoSuchElementException("Collection contains no element matching the predicate.")\n}\n\n/**\n * Returns
the first element, or `null` if the collection is empty.\n * \n\npublic fun <T> Iterable<T>.firstOrNull(): T? {\n when
(this) {\n is List -> {\n if (isEmpty())\n return null\n else\n return this[0]\n }\n else -> {\n val
iterator = iterator()\n if (!iterator.hasNext())\n return null\n return iterator.next()\n }\n }\n}\n\n/**\n * Returns the first element, or `null` if the list is empty.\n * \n\npublic
fun <T> List<T>.firstOrNull(): T? {\n return if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element
matching the given [predicate], or `null` if element was not found.\n * \n\npublic inline fun <T>
Iterable<T>.firstOrNull(predicate: (T) -> Boolean): T? {\n for (element in this) if (predicate(element)) return
element\n return null\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the
[default\nValue] function if the [index] is out of bounds of this list.\n * \n\n@kotlin.internal.InlineOnly\n\npublic inline
fun <T> List<T>.getOrNull(index: Int, default\nValue: (Int) -> T): T {\n return if (index >= 0 && index <=
lastIndex) get(index) else default\nValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the
[index] is out of bounds of this list.\n * \n\npublic fun <T> List<T>.getOrNull(index: Int): T? {\n return if (index >=
0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns first index of [element], or -1 if the collection
does not contain element.\n * \n\npublic fun <@kotlin.internal.OnlyInputTypes T> Iterable<T>.indexOf(element: T):
Int {\n if (this is List) return this.indexOf(element)\n var index = 0\n for (item in this) {\n
checkIndexOverflow(index)\n if (element == item)\n return index\n index++\n }\n return -
1\n}\n\n/**\n * Returns first index of [element], or -1 if the list does not contain element.\n * \n\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false warning, extension takes precedence in
some cases\n\npublic fun <@kotlin.internal.OnlyInputTypes T> List<T>.indexOf(element: T): Int {\n return

```

```

indexOf(element)\n\n\n**\n * Returns index of the first element matching the given [predicate], or -1 if the
collection does not contain such element.\n */\npublic inline fun <T> Iterable<T>.indexOfFirst(predicate: (T) ->
Boolean): Int {\n    var index = 0\n    for (item in this) {\n        checkIndexOverflow(index)\n        if
(predicate(item))\n            return index\n            index++\n    }\n    return -1\n}\n\n\n**\n * Returns index of the first
element matching the given [predicate], or -1 if the list does not contain such element.\n */\npublic inline fun <T>
List<T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n    var index = 0\n    for (item in this) {\n        if
(predicate(item))\n            return index\n            index++\n    }\n    return -1\n}\n\n\n**\n * Returns index of the last
element matching the given [predicate], or -1 if the collection does not contain such element.\n */\npublic inline fun
<T> Iterable<T>.indexOfLast(predicate: (T) -> Boolean): Int {\n    var lastIndex = -1\n    var index = 0\n    for (item
in this) {\n        checkIndexOverflow(index)\n        if (predicate(item))\n            lastIndex = index\n            index++\n
    }\n    return lastIndex\n}\n\n\n**\n * Returns index of the last element matching the given [predicate], or -1 if the list
does not contain such element.\n */\npublic inline fun <T> List<T>.indexOfLast(predicate: (T) -> Boolean): Int {\n
val iterator = this.listIterator(size)\n    while (iterator.hasPrevious()) {\n        if (predicate(iterator.previous())) {\n
return iterator.nextIndex()\n        }\n    }\n    return -1\n}\n\n\n**\n * Returns the last element.\n * @throws
[NoSuchElementException] if the collection is empty.\n */\npublic fun <T> Iterable<T>.last(): T {\n    when (this)
{\n        is List -> return this.last()\n        else -> {\n            val iterator = iterator()\n            if (!iterator.hasNext())\n                throw NoSuchElementException("Collection is empty.")\n            var last = iterator.next()\n            while
(iterator.hasNext())\n                last = iterator.next()\n            return last\n        }\n    }\n}\n\n\n**\n * Returns the last
element.\n * @throws [NoSuchElementException] if the list is empty.\n */\npublic fun <T> List<T>.last(): T {\n    if
(isEmpty())\n        throw NoSuchElementException("List is empty.")\n    return this[lastIndex]\n}\n\n\n**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such
element is found.\n */\npublic inline fun <T> Iterable<T>.last(predicate: (T) -> Boolean): T {\n    var last: T? =
null\n    var found = false\n    for (element in this) {\n        if (predicate(element)) {\n            last = element\n
found = true\n        }\n    }\n    if (!found) throw NoSuchElementException("Collection contains no element
matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return last as T\n}\n\n\n**\n * Returns the
last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n */\n
public inline fun <T> List<T>.last(predicate: (T) -> Boolean): T {\n    val iterator = this.listIterator(size)\n    while
(iterator.hasPrevious()) {\n        val element = iterator.previous()\n        if (predicate(element)) return
element\n    }\n    throw NoSuchElementException("List contains no element matching the predicate.")\n}\n\n\n**\n * Returns last index of [element], or -1 if the collection does not contain element.\n */\npublic fun
<@kotlin.internal.OnlyInputTypes T> Iterable<T>.lastIndexOf(element: T): Int {\n    if (this is List) return
this.lastIndexOf(element)\n    var lastIndex = -1\n    var index = 0\n    for (item in this) {\n
checkIndexOverflow(index)\n        if (element == item)\n            lastIndex = index\n            index++\n    }\n    return
lastIndex\n}\n\n\n**\n * Returns last index of [element], or -1 if the list does not contain element.\n */\n
*@Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false warning, extension takes precedence in
some cases\npublic fun <@kotlin.internal.OnlyInputTypes T> List<T>.lastIndexOf(element: T): Int {\n    return
lastIndexOf(element)\n}\n\n\n**\n * Returns the last element, or `null` if the collection is empty.\n */\npublic fun
<T> Iterable<T>.lastOrNull(): T? {\n    when (this) {\n        is List -> return if (isEmpty()) null else this[size - 1]\n
else -> {\n            val iterator = iterator()\n            if (!iterator.hasNext())\n                return null\n            var last =
iterator.next()\n            while (iterator.hasNext())\n                last = iterator.next()\n            return last\n        }\n
    }\n}\n\n\n**\n * Returns the last element, or `null` if the list is empty.\n */\npublic fun <T> List<T>.lastOrNull(): T?
{\n    return if (isEmpty()) null else this[size - 1]\n}\n\n\n**\n * Returns the last element matching the given
[predicate], or `null` if no such element was found.\n */\npublic inline fun <T> Iterable<T>.lastOrNull(predicate:
(T) -> Boolean): T? {\n    var last: T? = null\n    for (element in this) {\n        if (predicate(element)) {\n
last = element\n        }\n    }\n    return last\n}\n\n\n**\n * Returns the last element matching the given [predicate], or `null`
if no such element was found.\n */\npublic inline fun <T> List<T>.lastOrNull(predicate: (T) -> Boolean): T? {\n
val iterator = this.listIterator(size)\n    while (iterator.hasPrevious()) {\n        val element = iterator.previous()\n
if (predicate(element)) return element\n    }\n    return null\n}\n\n\n**\n * Returns a random element from this

```

```

collection.\n * \n * @throws NoSuchElementException if this collection is empty.\n
*\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>.random(): T {\n
return random(Random)\n}\n\n/**\n * Returns a random element from this collection using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this collection is empty.\n
*\n@SinceKotlin("1.3")\npublic fun <T> Collection<T>.random(random: Random): T {\n if (isEmpty())\n
throw NoSuchElementException("Collection is empty.")\n return elementAt(random.nextInt(size))\n}\n\n/**\n *
Returns a random element from this collection, or `null` if this collection is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Collection<T>.randomOrNull(): T? {\n return randomOrNull(Random)\n}\n\n/**\n * Returns a random element
from this collection using the specified source of randomness, or `null` if this collection is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun <T> Collection<T>.randomOrNull(random:
Random): T? {\n if (isEmpty())\n return null\n return elementAt(random.nextInt(size))\n}\n\n/**\n *
Returns the single element, or throws an exception if the collection is empty or has more than one element.\n
*\npublic fun <T> Iterable<T>.single(): T {\n when (this) {\n is List -> return this.single()\n else -> {\n
val iterator = iterator()\n if (!iterator.hasNext())\n throw NoSuchElementException("Collection
is empty.")\n val single = iterator.next()\n if (iterator.hasNext())\n throw
IllegalArgumentException("Collection has more than one element.")\n return single\n }\n
}\n}\n\n/**\n * Returns the single element, or throws an exception if the list is empty or has more than one
element.\n *\npublic fun <T> List<T>.single(): T {\n return when (size) {\n 0 -> throw
NoSuchElementException("List is empty.")\n 1 -> this[0]\n else -> throw
IllegalArgumentException("List has more than one element.")\n }\n}\n\n/**\n * Returns the single element
matching the given [predicate], or throws exception if there is no or more than one matching element.\n *\npublic
inline fun <T> Iterable<T>.single(predicate: (T) -> Boolean): T {\n var single: T? = null\n var found = false\n
for (element in this) {\n if (predicate(element)) {\n if (found) throw
IllegalArgumentException("Collection contains more than one matching element.")\n single = element\n
found = true\n }\n }\n if (!found) throw NoSuchElementException("Collection contains no element
matching the predicate.")\n @Suppress("UNCHECKED_CAST")\n return single as T\n}\n\n/**\n * Returns
single element, or `null` if the collection is empty or has more than one element.\n *\npublic fun <T>
Iterable<T>.singleOrNull(): T? {\n when (this) {\n is List -> return if (size == 1) this[0] else null\n
else -> {\n val iterator = iterator()\n if (!iterator.hasNext())\n return null\n val single =
iterator.next()\n if (iterator.hasNext())\n return null\n return single\n }\n }\n}\n\n/**\n *
Returns single element, or `null` if the list is empty or has more than one element.\n *\npublic fun <T>
List<T>.singleOrNull(): T? {\n return if (size == 1) this[0] else null\n}\n\n/**\n * Returns the single element
matching the given [predicate], or `null` if element was not found or more than one element was found.\n *\npublic
inline fun <T> Iterable<T>.singleOrNull(predicate: (T) -> Boolean): T? {\n var single: T? = null\n var found =
false\n for (element in this) {\n if (predicate(element)) {\n if (found) return null\n single =
element\n found = true\n }\n }\n if (!found) return null\n return single\n}\n\n/**\n * Returns a list
containing all elements except first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n *
*\n * @sample samples.collections.Collections.Transformations.drop\n *\npublic fun <T> Iterable<T>.drop(n: Int):
List<T> {\n require(n >= 0) {\n "Requested element count $n is less than zero." }\n if (n == 0) return toList()\n
val list: ArrayList<T>\n if (this is Collection<*>) {\n val resultSize = size - n\n if (resultSize <= 0)\n
return emptyList()\n if (resultSize == 1)\n return listOf(last())\n list = ArrayList<T>(resultSize)\n
if (this is List<T>) {\n if (this is RandomAccess) {\n for (index in n until size)\n
list.add(this[index])\n } else {\n for (item in listIterator(n))\n list.add(item)\n }\n
return list\n }\n }\n else {\n list = ArrayList<T>()\n }\n var count = 0\n for (item in this) {\n
if (count >= n) list.add(item) else ++count\n }\n return list.optimizeReadOnlyList()\n}\n\n/**\n * Returns a list
containing all elements except last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n *
*\n * @sample samples.collections.Collections.Transformations.drop\n *\npublic fun <T> List<T>.dropLast(n: Int):

```

```

List<T> {
    require(n >= 0) {
        "Requested element count $n is less than zero."
    }
    return take((size - n).coerceAtLeast(0))
}

/**
 * Returns a list containing all elements except last elements that satisfy the given [predicate].
 */
@sample samples.collections.Collections.Transformations.dropLastWhile
public inline fun <T> List<T>.dropLastWhile(predicate: (T) -> Boolean): List<T> {
    if (!isEmpty()) {
        val iterator = listIterator(size)
        while (iterator.hasPrevious()) {
            if (!predicate(iterator.previous())) {
                return take(iterator.nextIndex() + 1)
            }
        }
    }
    return emptyList()
}

/**
 * Returns a list containing all elements except first elements that satisfy the given [predicate].
 */
@sample samples.collections.Collections.Transformations.dropWhile
public inline fun <T> Iterable<T>.dropWhile(predicate: (T) -> Boolean): List<T> {
    var yielding = false
    val list = ArrayList<T>()
    for (item in this) {
        if (yielding) {
            list.add(item)
        } else if (!predicate(item)) {
            list.add(item)
            yielding = true
        }
    }
    return list
}

/**
 * Returns a list containing only elements matching the given [predicate].
 */
public inline fun <T> Iterable<T>.filter(predicate: (T) -> Boolean): List<T> {
    return filterTo(ArrayList<T>(), predicate)
}

/**
 * Returns a list containing only elements matching the given [predicate].
 */
@param [predicate] function that takes the index of an element and the element itself
 * and returns the result of predicate evaluation on the element.
 */
public inline fun <T> Iterable<T>.filterIndexed(predicate: (index: Int, T) -> Boolean): List<T> {
    return filterIndexedTo(ArrayList<T>(), predicate)
}

/**
 * Appends all elements matching the given [predicate] to the given [destination].
 */
@param [predicate] function that takes the index of an element and the element itself
 * and returns the result of predicate evaluation on the element.
 */
public inline fun <T, C : MutableCollection<in T>> Iterable<T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean): C {
    forEachIndexed { index, element ->
        if (predicate(index, element))
            destination.add(element)
    }
    return destination
}

/**
 * Returns a list containing all elements that are instances of specified type parameter R.
 */
public inline fun <reified R> Iterable<*>.filterIsInstance(): List<@kotlin.internal.NoInfer R> {
    return filterIsInstanceTo(ArrayList<R>())
}

/**
 * Appends all elements that are instances of specified type parameter R to the given [destination].
 */
public inline fun <reified R, C : MutableCollection<in R>> Iterable<*>.filterIsInstanceTo(destination: C): C {
    for (element in this) {
        if (element is R)
            destination.add(element)
    }
    return destination
}

/**
 * Returns a list containing all elements not matching the given [predicate].
 */
public inline fun <T> Iterable<T>.filterNot(predicate: (T) -> Boolean): List<T> {
    return filterNotTo(ArrayList<T>(), predicate)
}

/**
 * Returns a list containing all elements that are not `null`.
 */
public fun <T : Any> Iterable<T?>.filterNotNull(): List<T> {
    return filterNotNullTo(ArrayList<T>())
}

/**
 * Appends all elements that are not `null` to the given [destination].
 */
public fun <C : MutableCollection<in T>, T : Any> Iterable<T?>.filterNotNullTo(destination: C): C {
    for (element in this) {
        if (element != null)
            destination.add(element)
    }
    return destination
}

/**
 * Appends all elements not matching the given [predicate] to the given [destination].
 */
public inline fun <T, C : MutableCollection<in T>> Iterable<T>.filterNotTo(destination: C, predicate: (T) -> Boolean): C {
    for (element in this) {
        if (!predicate(element))
            destination.add(element)
    }
    return destination
}

/**
 * Appends all elements matching the given [predicate] to the given [destination].
 */
public inline fun <T, C : MutableCollection<in T>> Iterable<T>.filterTo(destination: C, predicate: (T) -> Boolean): C {
    for (element in this) {
        if (predicate(element))
            destination.add(element)
    }
    return destination
}

/**
 * Returns a list containing elements at indices in the specified [indices] range.
 */
public fun <T> List<T>.slice(indices: IntRange): List<T> {
    if (indices.isEmpty())
        return listOf()
    return this.subList(indices.start, indices.endInclusive + 1).toList()
}

/**
 * Returns a list containing elements at specified [indices].
 */
public fun <T> List<T>.slice(indices: Iterable<Int>): List<T> {
    val size = indices.collectionSizeOrDefault(10)
    if (size == 0)
        return emptyList()
    val list = ArrayList<T>(size)
    for (index in indices) {
        list.add(get(index))
    }
    return list
}

/**
 * Returns a list containing first [n] elements.
 */
 * @throws IllegalArgumentException if [n] is negative.
 */
@sample samples.collections.Collections.Transformations.take
public fun <T> Iterable<T>.take(n: Int): List<T> {
    require(n >= 0) {
        "Requested element count $n is less than zero."
    }
    if (n == 0)
        return emptyList()
    if (this is Collection<T>) {
        if (n >= size)
            return toList()
        if (n == 1)
            return listOf(first())
    }
    var count = 0
    val list = ArrayList<T>(n)
    for (item in this) {
        list.add(item)
        count++
    }
    return list
}

```

```

if (++count == n)\n      break\n    }\n    return list.optimizeReadOnlyList()\n\n\n**\n * Returns a list containing
last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\n\npublic fun <T> List<T>.takeLast(n: Int): List<T> {\n
require(n >= 0) {\n    "Requested element count $n is less than zero." }\n    if (n == 0) return emptyList()\n    val size =
size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(last())\n    val list = ArrayList<T>(n)\n    if (this is
RandomAccess) {\n        for (index in size - n until size)\n            list.add(this[index])\n    } else {\n        for (item in
listIterator(size - n))\n            list.add(item)\n    }\n    return list\n}\n\n\n**\n * Returns a list containing last elements
satisfying the given [predicate].\n * \n * @sample samples.collections.Collections.Transformations.take\n *\n\npublic
inline fun <T> List<T>.takeLastWhile(predicate: (T) -> Boolean): List<T> {\n    if (isEmpty())\n        return
emptyList()\n    val iterator = listIterator(size)\n    while (iterator.hasPrevious()) {\n        if
(!predicate(iterator.previous())) {\n            iterator.next()\n            val expectedSize = size - iterator.nextIndex()\n
            if (expectedSize == 0) return emptyList()\n            return ArrayList<T>(expectedSize).apply {\n                while
(iterator.hasNext())\n                    add(iterator.next())\n            }\n        }\n    }\n    return toList()\n}\n\n\n**\n *
Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n *\n\npublic inline fun <T> Iterable<T>.takeWhile(predicate:
(T) -> Boolean): List<T> {\n    val list = ArrayList<T>()\n    for (item in this) {\n        if (!predicate(item))\n            break\n        list.add(item)\n    }\n    return list\n}\n\n\n**\n * Reverses elements in the list in-place.\n *\n\npublic
expect fun <T> MutableList<T>.reverse(): Unit\n\n\n**\n * Returns a list with elements in reversed order.\n *\n\npublic fun <T> Iterable<T>.reversed(): List<T> {\n    if (this is Collection && size <= 1) return toList()\n    val
list = toMutableList()\n    list.reverse()\n    return list\n}\n\n\n**\n * Sorts elements in the list in-place according to
natural sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that
equal elements preserve their order relative to each other after sorting.\n *\n\npublic inline fun <T, R :
Comparable<R>> MutableList<T>.sortBy(crossinline selector: (T) -> R?): Unit {\n    if (size > 1)
sortByWith(compareBy(selector))\n}\n\n\n**\n * Sorts elements in the list in-place descending according to natural sort
order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal
elements preserve their order relative to each other after sorting.\n *\n\npublic inline fun <T, R : Comparable<R>>
MutableList<T>.sortByDescending(crossinline selector: (T) -> R?): Unit {\n    if (size > 1)
sortByDescendingWith(compareByDescending(selector))\n}\n\n\n**\n * Sorts elements in the list in-place descending according to
their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to
each other after sorting.\n *\n\npublic fun <T : Comparable<T>> MutableList<T>.sortDescending(): Unit {\n
sortByDescendingWith(reverseOrder())\n}\n\n\n**\n * Returns a list of all elements sorted according to their natural sort
order.\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other after
sorting.\n *\n\npublic fun <T : Comparable<T>> Iterable<T>.sorted(): List<T> {\n    if (this is Collection) {\n        if (size <= 1)
return this.toList()\n        @Suppress("UNCHECKED_CAST")\n        return (toTypedArray<Comparable<T>>())
as Array<T>().apply { sort() }.asList()\n    }\n    return toMutableList().apply { sort() }\n}\n\n\n**\n * Returns a list of
all elements sorted according to natural sort order of the value returned by specified [selector] function.\n * \n * The
sort is _stable_. It means that equal elements preserve their order relative to each other after sorting.\n *\n\npublic
inline fun <T, R : Comparable<R>> Iterable<T>.sortedBy(crossinline selector: (T) -> R?): List<T> {\n    return
sortedWith(compareBy(selector))\n}\n\n\n**\n * Returns a list of all elements sorted descending according to natural
sort order of the value returned by specified [selector] function.\n * \n * The sort is _stable_. It means that equal
elements preserve their order relative to each other after sorting.\n *\n\npublic inline fun <T, R : Comparable<R>>
Iterable<T>.sortedByDescending(crossinline selector: (T) -> R?): List<T> {\n    return
sortedWith(compareByDescending(selector))\n}\n\n\n**\n * Returns a list of all elements sorted descending
according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order
relative to each other after sorting.\n *\n\npublic fun <T : Comparable<T>> Iterable<T>.sortedDescending(): List<T>
{\n    return sortedWith(reverseOrder())\n}\n\n\n**\n * Returns a list of all elements sorted according to the specified
[comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative to each other
after sorting.\n *\n\npublic fun <T> Iterable<T>.sortedWith(comparator: Comparator<in T>): List<T> {\n    if (this is

```

```

Collection) {\n    if (size <= 1) return this.toList()\n    @Suppress(\"UNCHECKED_CAST\")\n    return
(toTypedArray<Any?>() as Array<T>).apply { sortWith(comparator) }.asList()\n } \n return
toMutableList().apply { sortWith(comparator) }\n}\n\n/**\n * Returns an array of Boolean containing all of the
elements of this collection.\n */\npublic fun Collection<Boolean>.toBooleanArray(): BooleanArray {\n    val result
= BooleanArray(size)\n    var index = 0\n    for (element in this)\n        result[index++] = element\n    return
result\n}\n\n/**\n * Returns an array of Byte containing all of the elements of this collection.\n */\npublic fun
Collection<Byte>.toByteArray(): ByteArray {\n    val result = ByteArray(size)\n    var index = 0\n    for (element in
this)\n        result[index++] = element\n    return result\n}\n\n/**\n * Returns an array of Char containing all of the
elements of this collection.\n */\npublic fun Collection<Char>.toCharArray(): CharArray {\n    val result =
CharArray(size)\n    var index = 0\n    for (element in this)\n        result[index++] = element\n    return
result\n}\n\n/**\n * Returns an array of Double containing all of the elements of this collection.\n */\npublic fun
Collection<Double>.toDoubleArray(): DoubleArray {\n    val result = DoubleArray(size)\n    var index = 0\n    for
(element in this)\n        result[index++] = element\n    return result\n}\n\n/**\n * Returns an array of Float containing
all of the elements of this collection.\n */\npublic fun Collection<Float>.toFloatArray(): FloatArray {\n    val result
= FloatArray(size)\n    var index = 0\n    for (element in this)\n        result[index++] = element\n    return
result\n}\n\n/**\n * Returns an array of Int containing all of the elements of this collection.\n */\npublic fun
Collection<Int>.toIntArray(): IntArray {\n    val result = IntArray(size)\n    var index = 0\n    for (element in this)\n
        result[index++] = element\n    return result\n}\n\n/**\n * Returns an array of Long containing all of the elements
of this collection.\n */\npublic fun Collection<Long>.toLongArray(): LongArray {\n    val result =
LongArray(size)\n    var index = 0\n    for (element in this)\n        result[index++] = element\n    return
result\n}\n\n/**\n * Returns an array of Short containing all of the elements of this collection.\n */\npublic fun
Collection<Short>.toShortArray(): ShortArray {\n    val result = ShortArray(size)\n    var index = 0\n    for (element
in this)\n        result[index++] = element\n    return result\n}\n\n/**\n * Returns a [Map] containing key-value pairs
provided by [transform] function\n * applied to elements of the given collection.\n * \n * If any of two pairs would
have the same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order
of the original collection.\n * \n * @sample samples.collections.Collections.Transformations.associate\n */\npublic
inline fun <T, K, V> Iterable<T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {\n    val capacity =
mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)\n    return associateTo(LinkedHashMap<K,
V>(capacity), transform)\n}\n\n/**\n * Returns a [Map] containing the elements from the given collection indexed
by the key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original collection.\n * \n * @sample
samples.collections.Collections.Transformations.associateBy\n */\npublic inline fun <T, K>
Iterable<T>.associateBy(keySelector: (T) -> K): Map<K, T> {\n    val capacity =
mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K,
T>(capacity), keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and
indexed by [keySelector] functions applied to elements of the given collection.\n * \n * If any two elements would
have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original collection.\n * \n * @sample
samples.collections.Collections.Transformations.associateByWithValueTransform\n */\npublic inline fun <T, K, V>
Iterable<T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n    val capacity =
mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K,
V>(capacity), keySelector, valueTransform)\n}\n\n/**\n * Populates and returns the [destination] mutable map with
key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given
collection\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by
[keySelector] the last one gets added to the map.\n * \n * @sample
samples.collections.Collections.Transformations.associateByTo\n */\npublic inline fun <T, K, M : MutableMap<in
K, in T>> Iterable<T>.associateByTo(destination: M, keySelector: (T) -> K): M {\n    for (element in this) {\n

```



```

destination.put(keySelector(element), element)\n } return destination\n\n\n * Populates and returns the
[destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n *
value is provided by the [valueTransform] function applied to elements of the given collection.\n * \n * If any two
elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * @sample
samples.collections.Collections.Transformations.associateByToWithValueTransform\n *\n\npublic inline fun <T, K,
V, M : MutableMap<in K, in V>> Iterable<T>.associateByTo(destination: M, keySelector: (T) -> K,
valueTransform: (T) -> V): M {\n for (element in this) {\n destination.put(keySelector(element),
valueTransform(element))\n }\n return destination\n}\n\n\n * Populates and returns the [destination] mutable
map with key-value pairs\n * provided by [transform] function applied to each element of the given collection.\n *
\n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * @sample
samples.collections.Collections.Transformations.associateTo\n *\n\npublic inline fun <T, K, V, M : MutableMap<in
K, in V>> Iterable<T>.associateTo(destination: M, transform: (T) -> Pair<K, V>): M {\n for (element in this) {\n
destination += transform(element)\n }\n return destination\n}\n\n\n * Returns a [Map] where keys are
elements from the given collection and values are\n * produced by the [valueSelector] function applied to each
element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map
preserves the entry iteration order of the original collection.\n * \n * @sample
samples.collections.Collections.Transformations.associateWith\n *\n\n@SinceKotlin("1.3")\n\npublic inline fun <K,
V> Iterable<K>.associateWith(valueSelector: (K) -> V): Map<K, V> {\n val result = LinkedHashMap<K,
V>(mapCapacity(collectionSizeOrDefault(10)).coerceAtLeast(16))\n return associateWithTo(result,
valueSelector)\n}\n\n\n * Populates and returns the [destination] mutable map with key-value pairs for each
element of the given collection,\n * where key is the element itself and value is provided by the [valueSelector]
function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the
map.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n
*\n\n@SinceKotlin("1.3")\n\npublic inline fun <K, V, M : MutableMap<in K, in V>>
Iterable<K>.associateWithTo(destination: M, valueSelector: (K) -> V): M {\n for (element in this) {\n
destination.put(element, valueSelector(element))\n }\n return destination\n}\n\n\n * Appends all elements to
the given [destination] collection.\n *\n\npublic fun <T, C : MutableCollection<in T>>
Iterable<T>.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return
destination\n}\n\n\n * Returns a [HashSet] of all elements.\n *\n\npublic fun <T> Iterable<T>.toHashSet():
HashSet<T> {\n return toCollection(HashSet<T>(mapCapacity(collectionSizeOrDefault(12))))\n}\n\n\n * Returns a [List] containing all elements.\n *\n\npublic fun <T> Iterable<T>.toList(): List<T> {\n if (this is
Collection) {\n return when (size) {\n 0 -> emptyList()\n 1 -> listOf(if (this is List) get(0) else
iterator().next())\n else -> this.toMutableList()\n }\n }\n return
this.toMutableList().optimizeReadOnlyList()\n}\n\n\n * Returns a [MutableList] filled with all elements of this
collection.\n *\n\npublic fun <T> Iterable<T>.toMutableList(): MutableList<T> {\n if (this is Collection<T>)\n return
this.toMutableList()\n return toCollection(ArrayList<T>())\n}\n\n\n * Returns a [MutableList] filled
with all elements of this collection.\n *\n\npublic fun <T> Collection<T>.toMutableList(): MutableList<T> {\n
return ArrayList(this)\n}\n\n\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element
iteration order of the original collection.\n *\n\npublic fun <T> Iterable<T>.toSet(): Set<T> {\n if (this is
Collection) {\n return when (size) {\n 0 -> emptySet()\n 1 -> setOf(if (this is List) this[0] else
iterator().next())\n else -> toCollection(LinkedHashSet<T>(mapCapacity(size)))\n }\n }\n return
toCollection(LinkedHashSet<T>()).optimizeReadOnlySet()\n}\n\n\n * Returns a single list of all elements
yielded from results of [transform] function being invoked on each element of original collection.\n * \n * @sample
samples.collections.Collections.Transformations.flatMap\n *\n\npublic inline fun <T, R>
Iterable<T>.flatMap(transform: (T) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(),
transform)\n}\n\n\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original collection, to the given [destination].\n *\n\npublic inline fun <T, R, C : MutableCollection<in
R>> Iterable<T>.flatMapTo(destination: C, transform: (T) -> Iterable<R>): C {\n for (element in this) {\n val

```

```

list = transform(element)\n    destination.addAll(list)\n } \n return destination\n}\n\n/**\n * Groups elements of
the original collection by the key returned by the given [keySelector] function\n * applied to each element and
returns a map where each group key is associated with a list of corresponding elements.\n * \n * The returned map
preserves the entry iteration order of the keys produced from the original collection.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n */\npublic inline fun <T, K>
Iterable<T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n    return groupByTo(LinkedHashMap<K,
MutableList<T>>(), keySelector)\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to
each element of the original collection\n * by the key returned by the given [keySelector] function applied to the
element\n * and returns a map where each group key is associated with a list of corresponding values.\n * \n * The
returned map preserves the entry iteration order of the keys produced from the original collection.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V>
Iterable<T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n    return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements
of the original collection by the key returned by the given [keySelector] function\n * applied to each element and
puts to the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n */\npublic inline
fun <T, K, M : MutableMap<in K, MutableList<T>>> Iterable<T>.groupByTo(destination: M, keySelector: (T) ->
K): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list = destination.getOrPut(key) {
ArrayList<T>() }\n        list.add(element)\n    }\n    return destination\n}\n\n/**\n * Groups values returned by the
[valueTransform] function applied to each element of the original collection\n * by the key returned by the given
[keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a
list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n */\npublic inline fun <T, K, V, M :
MutableMap<in K, MutableList<V>>> Iterable<T>.groupByTo(destination: M, keySelector: (T) -> K,
valueTransform: (T) -> V): M {\n    for (element in this) {\n        val key = keySelector(element)\n        val list =
destination.getOrPut(key) { ArrayList<V>() }\n        list.add(valueTransform(element))\n    }\n    return
destination\n}\n\n/**\n * Creates a [Grouping] source from a collection to be used later with one of group-and-fold
operations\n * using the specified [keySelector] function to extract a key from each element.\n * \n * @sample
samples.collections.Grouping.groupingByEachCount\n */\n@SinceKotlin("1.1")\npublic inline fun <T, K>
Iterable<T>.groupingBy(crossinline keySelector: (T) -> K): Grouping<T, K> {\n    return object : Grouping<T, K>
{\n        override fun sourceIterator(): Iterator<T> = this@groupingBy.iterator()\n        override fun keyOf(element:
T): K = keySelector(element)\n    }\n}\n\n/**\n * Returns a list containing the results of applying the given
[transform] function\n * to each element in the original collection.\n * \n * @sample
samples.collections.Collections.Transformations.map\n */\npublic inline fun <T, R> Iterable<T>.map(transform:
(T) -> R): List<R> {\n    return mapTo(ArrayList<R>(collectionSizeOrDefault(10)), transform)\n}\n\n/**\n *
Returns a list containing the results of applying the given [transform] function\n * to each element and its index in
the original collection.\n * @param [transform] function that takes the index of an element and the element itself\n *
and returns the result of the transform applied to the element.\n */\npublic inline fun <T, R>
Iterable<T>.mapIndexed(transform: (index: Int, T) -> R): List<R> {\n    return
mapIndexedTo(ArrayList<R>(collectionSizeOrDefault(10)), transform)\n}\n\n/**\n * Returns a list containing only
the non-null results of applying the given [transform] function\n * to each element and its index in the original
collection.\n * @param [transform] function that takes the index of an element and the element itself\n * and returns
the result of the transform applied to the element.\n */\npublic inline fun <T, R : Any>
Iterable<T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): List<R> {\n    return
mapIndexedNotNullTo(ArrayList<R>(), transform)\n}\n\n/**\n * Applies the given [transform] function to each
element and its index in the original collection\n * and appends only the non-null results to the given [destination].\n *
@param [transform] function that takes the index of an element and the element itself\n * and returns the result of
the transform applied to the element.\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>>

```

```

Iterable<T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {
    for (eachIndexed { index, element } in this)
        destination.add(transform(index, element))
    return destination
}
Applies the given [transform] function to each element and its index in the original collection
and appends the results to the given [destination].
@param [transform] function that takes the index of an element and the element itself
and returns the result of the transform applied to the element.
public inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {
    var index = 0
    for (item in this)
        destination.add(transform(checkIndexOverflow(index++), item))
    return destination
}
Returns a list containing only the non-null results of applying the given [transform] function
to each element in the original collection.
public inline fun <T, R : Any> Iterable<T>.mapNotNull(transform: (T) -> R?): List<R> {
    return mapNotNullTo(ArrayList<R>(), transform)
}
Applies the given [transform] function to each element in the original collection
and appends only the non-null results to the given [destination].
public inline fun <T, R : Any, C : MutableCollection<in R>> Iterable<T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {
    for (each { element } in this)
        destination.add(transform(element))
    return destination
}
Applies the given [transform] function to each element of the original collection
and appends the results to the given [destination].
public inline fun <T, R, C : MutableCollection<in R>> Iterable<T>.mapTo(destination: C, transform: (T) -> R): C {
    for (item in this)
        destination.add(transform(item))
    return destination
}
Returns a lazy [Iterable] that wraps each element of the original collection
into an [IndexedValue] containing the index of that element and the element itself.
public fun <T> Iterable<T>.withIndex(): Iterable<IndexedValue<T>> {
    return IndexingIterable { iterator() }
}
Returns a list containing only distinct elements from the given collection.
The elements in the resulting list are in the same order as they were in the source collection.
@sample
samples.collections.Collections.Transformations.distinctAndDistinctBy
public fun <T> Iterable<T>.distinct(): List<T> {
    return this.toMutableSet().toList()
}
Returns a list containing only elements from the given collection
having distinct keys returned by the given [selector] function.
The elements in the resulting list are in the same order as they were in the source collection.
@sample
samples.collections.Collections.Transformations.distinctAndDistinctBy
public inline fun <T, K> Iterable<T>.distinctBy(selector: (T) -> K): List<T> {
    val set = HashSet<K>()
    val list = ArrayList<T>()
    for (e in this) {
        val key = selector(e)
        if (set.add(key))
            list.add(e)
    }
    return list
}
Returns a set containing all elements that are contained by both this collection and the specified collection.
The returned set preserves the element iteration order of the original collection.
To get a set containing all elements that are contained at least in one of these collections use [union].
public infix fun <T> Iterable<T>.intersect(other: Iterable<T>): Set<T> {
    val set = this.toMutableSet()
    set.retainAll(other)
    return set
}
Returns a set containing all elements that are contained by this collection and not contained by the specified collection.
The returned set preserves the element iteration order of the original collection.
public infix fun <T> Iterable<T>.subtract(other: Iterable<T>): Set<T> {
    val set = this.toMutableSet()
    set.removeAll(other)
    return set
}
Returns a mutable set containing all distinct elements from the given collection.
The returned set preserves the element iteration order of the original collection.
public fun <T> Iterable<T>.toMutableSet(): MutableSet<T> {
    return when (this) {
        is Collection<T> -> LinkedHashSet(this)
        else -> toCollection(LinkedHashSet<T>())
    }
}
Returns a set containing all distinct elements from both collections.
The returned set preserves the element iteration order of the original collection.
Those elements of the [other] collection that are unique are iterated in the end
in the order of the [other] collection.
To get a set containing all elements that are contained in both collections use [intersect].
public infix fun <T> Iterable<T>.union(other: Iterable<T>): Set<T> {
    val set = this.toMutableSet()
    set.addAll(other)
    return set
}
Returns `true` if all elements match the given [predicate].
@sample samples.collections.Collections.Aggregates.all
public inline fun <T> Iterable<T>.all(predicate: (T) -> Boolean): Boolean {
    if (this is Collection && isEmpty()) return true
    for (element in this)
        if (!predicate(element)) return false
    return true
}
Returns `true` if collection has at

```

```

least one element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n * \n\npublic fun <T>
Iterable<T>.any(): Boolean {\n if (this is Collection) return !isEmpty()\n return iterator().hasNext()\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n * \n\npublic inline fun <T>
Iterable<T>.any(predicate: (T) -> Boolean): Boolean {\n if (this is Collection && isEmpty()) return false\n for
(element in this) if (predicate(element)) return true\n return false\n}\n\n/**\n * Returns the number of elements in
this collection.\n * \n\npublic fun <T> Iterable<T>.count(): Int {\n if (this is Collection) return size\n var count =
0\n for (element in this) checkCountOverflow(++count)\n return count\n}\n\n/**\n * Returns the number of
elements in this collection.\n * \n\n@kotlin.internal.InlineOnly\npublic inline fun <T> Collection<T>.count(): Int {\n
return size\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n * \n\npublic inline fun <T>
Iterable<T>.count(predicate: (T) -> Boolean): Int {\n if (this is Collection && isEmpty()) return 0\n var count =
0\n for (element in this) if (predicate(element)) checkCountOverflow(++count)\n return count\n}\n\n/**\n *
Accumulates value starting with [initial] value and applying [operation] from left to right to current accumulator
value and each element.\n * \n\npublic inline fun <T, R> Iterable<T>.fold(initial: R, operation: (acc: R, T) -> R): R
{\n var accumulator = initial\n for (element in this) accumulator = operation(accumulator, element)\n return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original collection.\n * @param
[operation] function that takes the index of an element, current accumulator value\n * and the element itself, and
calculates the next accumulator value.\n * \n\npublic inline fun <T, R> Iterable<T>.foldIndexed(initial: R, operation:
(index: Int, acc: R, T) -> R): R {\n var index = 0\n var accumulator = initial\n for (element in this) accumulator
= operation(checkIndexOverflow(index++), accumulator, element)\n return accumulator\n}\n\n/**\n *
Accumulates value starting with [initial] value and applying [operation] from right to left to each element and
current accumulator value.\n * \n\npublic inline fun <T, R> List<T>.foldRight(initial: R, operation: (T, acc: R) -> R):
R {\n var accumulator = initial\n if (!isEmpty()) {\n val iterator = listIterator(size)\n while
(iterator.hasPrevious()) {\n accumulator = operation(iterator.previous(), accumulator)\n }\n }\n return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to
left\n * to each element with its index in the original list and current accumulator value.\n * @param [operation]
function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the
next accumulator value.\n * \n\npublic inline fun <T, R> List<T>.foldRightIndexed(initial: R, operation: (index: Int,
T, acc: R) -> R): R {\n var accumulator = initial\n if (!isEmpty()) {\n val iterator = listIterator(size)\n
while (iterator.hasPrevious()) {\n val index = iterator.previousIndex()\n accumulator =
operation(index, iterator.previous(), accumulator)\n }\n }\n return accumulator\n}\n\n/**\n * Performs the
given [action] on each element.\n * \n\n@kotlin.internal.HidesMembers\npublic inline fun <T>
Iterable<T>.forEach(action: (T) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n * Performs the
given [action] on each element, providing sequential index with the element.\n * @param [action] function that
takes the index of an element and the element itself\n * and performs the desired action on the element.\n * \n\npublic
inline fun <T> Iterable<T>.forEachIndexed(action: (index: Int, T) -> Unit): Unit {\n var index = 0\n for (item in
this) action(checkIndexOverflow(index++), item)\n}\n\n/**\n * Returns the largest element or `null` if there are no
elements.\n * \n * \n * If any of elements is `NaN` returns `NaN`.\n * \n\n@SinceKotlin("1.1")\npublic fun
Iterable<Double>.max(): Double? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var max =
iterator.next()\n if (max.isNaN()) return max\n while (iterator.hasNext()) {\n val e = iterator.next()\n if
(e.isNaN()) return e\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns the largest element or
`null` if there are no elements.\n * \n * \n * If any of elements is `NaN` returns `NaN`.\n * \n\n@SinceKotlin("1.1")\npublic fun Iterable<Float>.max(): Float? {\n val iterator = iterator()\n if
(!iterator.hasNext()) return null\n var max = iterator.next()\n if (max.isNaN()) return max\n while
(iterator.hasNext()) {\n val e = iterator.next()\n if (e.isNaN()) return e\n if (max < e) max = e\n }\n
return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n * \n\npublic fun <T :
Comparable<T>> Iterable<T>.max(): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var

```

```

max = iterator.next()\n while (iterator.hasNext()) {\n     val e = iterator.next()\n     if (max < e) max = e\n }
return max\n\n\n * Returns the first element yielding the largest value of the given function or `null` if there
are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n * \npublic inline fun <T, R
: Comparable<R>> Iterable<T>.maxBy(selector: (T) -> R): T? {\n     val iterator = iterator()\n     if
(!iterator.hasNext()) return null\n     var maxElem = iterator.next()\n     if (!iterator.hasNext()) return maxElem\n     var
maxValue = selector(maxElem)\n     do {\n         val e = iterator.next()\n         val v = selector(e)\n         if (maxValue <
v) {\n             maxElem = e\n             maxValue = v\n         }\n     } while (iterator.hasNext())\n     return
maxElem\n}\n\n\n * Returns the first element having the largest value according to the provided [comparator] or
`null` if there are no elements.\n * \npublic fun <T> Iterable<T>.maxWith(comparator: Comparator<in T>): T? {\n
val iterator = iterator()\n if (!iterator.hasNext()) return null\n var max = iterator.next()\n while
(iterator.hasNext()) {\n     val e = iterator.next()\n     if (comparator.compare(max, e) < 0) max = e\n }\n
return max\n}\n\n\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of elements
is `NaN` returns `NaN`.\n * \n * @SinceKotlin("1.1")\npublic fun Iterable<Double>.min(): Double? {\n     val iterator
= iterator()\n     if (!iterator.hasNext()) return null\n     var min = iterator.next()\n     if (min.isNaN()) return min\n
while (iterator.hasNext()) {\n         val e = iterator.next()\n         if (e.isNaN()) return e\n         if (min > e) min = e\n
}\n     return min\n}\n\n\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any of
elements is `NaN` returns `NaN`.\n * \n * @SinceKotlin("1.1")\npublic fun Iterable<Float>.min(): Float? {\n     val
iterator = iterator()\n     if (!iterator.hasNext()) return null\n     var min = iterator.next()\n     if (min.isNaN()) return
min\n     while (iterator.hasNext()) {\n         val e = iterator.next()\n         if (e.isNaN()) return e\n         if (min > e) min
= e\n     }\n     return min\n}\n\n\n * Returns the smallest element or `null` if there are no elements.\n * \npublic
fun <T : Comparable<T>> Iterable<T>.min(): T? {\n     val iterator = iterator()\n     if (!iterator.hasNext()) return
null\n     var min = iterator.next()\n     while (iterator.hasNext()) {\n         val e = iterator.next()\n         if (min > e) min
= e\n     }\n     return min\n}\n\n\n * Returns the first element yielding the smallest value of the given function or
`null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n * \npublic
inline fun <T, R : Comparable<R>> Iterable<T>.minBy(selector: (T) -> R): T? {\n     val iterator = iterator()\n     if
(!iterator.hasNext()) return null\n     var minElem = iterator.next()\n     if (!iterator.hasNext()) return minElem\n     var
minValue = selector(minElem)\n     do {\n         val e = iterator.next()\n         val v = selector(e)\n         if (minValue >
v) {\n             minElem = e\n             minValue = v\n         }\n     } while (iterator.hasNext())\n     return
minElem\n}\n\n\n * Returns the first element having the smallest value according to the provided [comparator]
or `null` if there are no elements.\n * \npublic fun <T> Iterable<T>.minWith(comparator: Comparator<in T>): T?
{\n     val iterator = iterator()\n     if (!iterator.hasNext()) return null\n     var min = iterator.next()\n     while
(iterator.hasNext()) {\n         val e = iterator.next()\n         if (comparator.compare(min, e) > 0) min = e\n     }\n     return
min\n}\n\n\n * Returns `true` if the collection has no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n * \npublic fun <T> Iterable<T>.none(): Boolean {\n     if (this is
Collection) return isEmpty()\n     return !iterator().hasNext()\n}\n\n\n * Returns `true` if no elements match the
given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n * \npublic
inline fun <T> Iterable<T>.none(predicate: (T) -> Boolean): Boolean {\n     if (this is Collection && isEmpty())
return true\n     for (element in this) if (predicate(element)) return false\n     return true\n}\n\n\n * Performs the
given [action] on each element and returns the collection itself afterwards.\n * \n * @SinceKotlin("1.1")\npublic
inline fun <T, C : Iterable<T>> C.onEach(action: (T) -> Unit): C {\n     return apply { for (element in this)
action(element) }\n}\n\n\n * Accumulates value starting with the first element and applying [operation] from left
to right to current accumulator value and each element.\n * \n * @sample
samples.collections.Collections.Aggregates.reduce\n * \npublic inline fun <S, T : S> Iterable<T>.reduce(operation:
(acc: S, T) -> S): S {\n     val iterator = this.iterator()\n     if (!iterator.hasNext()) throw
UnsupportedOperationException("Empty collection can't be reduced.")\n     var accumulator: S = iterator.next()\n
while (iterator.hasNext()) {\n         accumulator = operation(accumulator, iterator.next())\n     }\n     return
accumulator\n}\n\n\n * Accumulates value starting with the first element and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original collection.\n * @param

```

[operation] function that takes the index of an element, current accumulator value and the element itself and calculates the next accumulator value.

```

@sample samples.collections.Collections.Aggregates.reduce
public inline fun <S, T : S> Iterable<T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {
    val iterator = this.iterator()
    if (!iterator.hasNext()) throw UnsupportedOperationException("Empty collection can't be reduced.")
    var index = 1
    var accumulator: S = iterator.next()
    while (iterator.hasNext()) {
        accumulator = operation(checkIndexOverflow(index++), accumulator, iterator.next())
    }
    return accumulator
}

```

Accumulates value starting with the first element and applying [operation] from left to right to current accumulator value and each element. Returns null if the collection is empty.

```

@sample samples.collections.Collections.Aggregates.reduceOrNull
@SinceKotlin("1.3")@ExperimentalStdlibApi
public inline fun <S, T : S> Iterable<T>.reduceOrNull(operation: (acc: S, T) -> S): S? {
    val iterator = this.iterator()
    if (!iterator.hasNext()) return null
    var accumulator: S = iterator.next()
    while (iterator.hasNext()) {
        accumulator = operation(accumulator, iterator.next())
    }
    return accumulator
}

```

Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value.

```

@sample samples.collections.Collections.Aggregates.reduceRight
public inline fun <S, T : S> List<T>.reduceRight(operation: (T, acc: S) -> S): S {
    val iterator = listIterator(size)
    if (!iterator.hasPrevious()) throw UnsupportedOperationException("Empty list can't be reduced.")
    var accumulator: S = iterator.previous()
    while (iterator.hasPrevious()) {
        accumulator = operation(iterator.previous(), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with last element and applying [operation] from right to left to each element with its index in the original list and current accumulator value.

@param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

@sample samples.collections.Collections.Aggregates.reduceRight
public inline fun <S, T : S> List<T>.reduceRightIndexed(operation: (index: Int, T, acc: S) -> S): S {
    val iterator = listIterator(size)
    if (!iterator.hasPrevious()) throw UnsupportedOperationException("Empty list can't be reduced.")
    var accumulator: S = iterator.previous()
    while (iterator.hasPrevious()) {
        val index = iterator.previousIndex()
        accumulator = operation(index, iterator.previous(), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with last element and applying [operation] from right to left to each element and current accumulator value. Returns null if the list is empty.

```

@sample samples.collections.Collections.Aggregates.reduceRightOrNull
@SinceKotlin("1.3")@ExperimentalStdlibApi
public inline fun <S, T : S> List<T>.reduceRightOrNull(operation: (T, acc: S) -> S): S? {
    val iterator = listIterator(size)
    if (!iterator.hasPrevious()) return null
    var accumulator: S = iterator.previous()
    while (iterator.hasPrevious()) {
        accumulator = operation(iterator.previous(), accumulator)
    }
    return accumulator
}

```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with [initial] value.

* Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

@param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.

```

@sample samples.collections.Collections.Aggregates.scan
@SinceKotlin("1.3")@ExperimentalStdlibApi
public inline fun <T, R> Iterable<T>.scan(initial: R, operation: (acc: R, T) -> R): List<R> {
    val estimatedSize = collectionSizeOrDefault(9)
    if (estimatedSize == 0) return listOf(initial)
    val result = ArrayList<R>(estimatedSize + 1).apply { add(initial) }
    var accumulator = initial
    for (element in this) {
        accumulator = operation(accumulator, element)
        result.add(accumulator)
    }
    return result
}

```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element, its index in the original collection and current accumulator value that starts with [initial] value.

* Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

@param [operation] function that takes the index of an element, current

accumulator value and the element itself, and calculates the next accumulator value.

```

@sample
samples.collections.Collections.Aggregates.scan
^@SinceKotlin("1.3")
@ExperimentalStdlibApi
public inline fun <T, R> Iterable<T>.scanIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): List<R> {
    val estimatedSize = collectionSizeOrDefault(9)
    if (estimatedSize == 0) return listOf(initial)
    val result = ArrayList<R>(estimatedSize + 1).apply { add(initial) }
    var index = 0
    var accumulator = initial
    for (element in this) {
        accumulator = operation(index++, accumulator, element)
        result.add(accumulator)
    }
    return result
}

```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with the first element of this collection. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

@param [operation] function that takes current accumulator value and the element, and calculates the next accumulator value.

```

@sample
samples.collections.Collections.Aggregates.scanReduce
^@SinceKotlin("1.3")
@ExperimentalStdlibApi
public inline fun <S, T : S> Iterable<T>.scanReduce(operation: (acc: S, T) -> S): List<S> {
    val iterator = this.iterator()
    if (!iterator.hasNext()) return emptyList()
    var accumulator: S = iterator.next()
    val result = ArrayList<S>(collectionSizeOrDefault(10)).apply { add(accumulator) }
    while (iterator.hasNext()) {
        accumulator = operation(accumulator, iterator.next())
        result.add(accumulator)
    }
    return result
}

```

Returns a list containing successive accumulation values generated by applying [operation] from left to right to each element, its index in the original collection and current accumulator value that starts with the first element of this collection. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting list.

@param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

```

@sample
samples.collections.Collections.Aggregates.scanReduce
^@SinceKotlin("1.3")
@ExperimentalStdlibApi
public inline fun <S, T : S> Iterable<T>.scanReduceIndexed(operation: (index: Int, acc: S, T) -> S): List<S> {
    val iterator = this.iterator()
    if (!iterator.hasNext()) return emptyList()
    var accumulator: S = iterator.next()
    val result = ArrayList<S>(collectionSizeOrDefault(10)).apply { add(accumulator) }
    var index = 1
    while (iterator.hasNext()) {
        accumulator = operation(index++, accumulator, iterator.next())
        result.add(accumulator)
    }
    return result
}

```

Returns the sum of all values produced by [selector] function applied to each element in the collection.

```

public inline fun <T> Iterable<T>.sumBy(selector: (T) -> Int): Int {
    var sum: Int = 0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

```

Returns the sum of all values produced by [selector] function applied to each element in the collection.

```

public inline fun <T> Iterable<T>.sumByDouble(selector: (T) -> Double): Double {
    var sum: Double = 0.0
    for (element in this) {
        sum += selector(element)
    }
    return sum
}

```

Returns an original collection containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are any `null` elements.

```

public fun <T : Any> Iterable<T?>.requireNonNulls(): Iterable<T> {
    for (element in this) {
        if (element == null) {
            throw IllegalArgumentException("null element found in $this.")
        }
    }
    @Suppress("UNCHECKED_CAST")
    return this as Iterable<T>
}

```

Returns an original collection containing all the non-`null` elements, throwing an [IllegalArgumentException] if there are any `null` elements.

```

public fun <T : Any> List<T?>.requireNonNulls(): List<T> {
    for (element in this) {
        if (element == null) {
            throw IllegalArgumentException("null element found in $this.")
        }
    }
    @Suppress("UNCHECKED_CAST")
    return this as List<T>
}

```

Splits this collection into a list of lists each not exceeding the given [size]. The last list in the resulting list may have less elements than the given [size].

@param size the number of elements to take in each list, must be positive and can be greater than the number of elements in this collection.

```

@sample
samples.collections.Collections.Transformations.chunked
^@SinceKotlin("1.2")
public fun <T> Iterable<T>.chunked(size: Int): List<List<T>> {
    return windowed(size, size, partialWindows = true)
}

```

Splits this collection into several lists each not exceeding the given [size] and applies the given [transform]

function to an each.

```

    @return list of results of the [transform] applied to an each list.
    Note that the list passed to the [transform] function is ephemeral and is valid only inside that function.
    You should not store it or allow it to escape in some way, unless you made a snapshot of it.
    The last list may have less elements than the given [size].
    @param size the number of elements to take in each list, must be positive and can be greater than the number of elements in this collection.
    @sample samples.text.Strings.chunkedTransform
    @SinceKotlin("1.2")
    public fun <T, R> Iterable<T>.chunked(size: Int, transform: (List<T>) -> R): List<R>
    {
        return windowed(size, size, partialWindows = true, transform = transform)
    }
    Returns a list containing all elements of the original collection without the first occurrence of the given [element].
    public operator fun <T> Iterable<T>.minus(element: T): List<T> {
        val result = ArrayList<T>(collectionSizeOrDefault(10))
        var removed = false
        return this.filterTo(result) { if (!removed && it == element) { removed = true; false } else true }
    }
    Returns a list containing all elements of the original collection except the elements contained in the given [elements] array.
    The [elements] array may be converted to a [HashSet] to speed up the operation, thus the elements are required to have a correct and stable implementation of `hashCode()` that doesn't change between successive invocations.
    public operator fun <T> Iterable<T>.minus(elements: Array<out T>): List<T> {
        if (elements.isEmpty()) return this.toList()
        val other = elements.toHashSet()
        return this.filterNot { it in other }
    }
    Returns a list containing all elements of the original collection except the elements contained in the given [elements] collection.
    The [elements] collection may be converted to a [HashSet] to speed up the operation, thus the elements are required to have a correct and stable implementation of `hashCode()` that doesn't change between successive invocations.
    public operator fun <T> Iterable<T>.minus(elements: Iterable<T>): List<T> {
        val other = elements.convertToSetForSetOperationWith(this)
        if (other.isEmpty()) return this.toList()
        return this.filterNot { it in other }
    }
    Returns a list containing all elements of the original collection except the elements contained in the given [elements] sequence.
    The [elements] sequence may be converted to a [HashSet] to speed up the operation, thus the elements are required to have a correct and stable implementation of `hashCode()` that doesn't change between successive invocations.
    public operator fun <T> Iterable<T>.minus(elements: Sequence<T>): List<T> {
        val other = elements.toHashSet()
        if (other.isEmpty()) return this.toList()
        return this.filterNot { it in other }
    }
    Returns a list containing all elements of the original collection without the first occurrence of the given [element].
    @kotlin.internal.InlineOnly
    public inline fun <T> Iterable<T>.minusElement(element: T): List<T> {
        return minus(element)
    }
    Splits the original collection into pair of lists, where *first* list contains elements for which [predicate] yielded `true`, while *second* list contains elements for which [predicate] yielded `false`.
    public inline fun <T> Iterable<T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {
        val first = ArrayList<T>()
        val second = ArrayList<T>()
        for (element in this) {
            if (predicate(element)) first.add(element)
            else second.add(element)
        }
        return Pair(first, second)
    }
    Returns a list containing all elements of the original collection and then the given [element].
    public operator fun <T> Iterable<T>.plus(element: T): List<T> {
        if (this is Collection) return this.plus(element)
        val result = ArrayList<T>()
        result.addAll(this)
        result.add(element)
        return result
    }
    Returns a list containing all elements of the original collection and then the given [element].
    public operator fun <T> Collection<T>.plus(element: T): List<T> {
        val result = ArrayList<T>(size + 1)
        result.addAll(this)
        result.add(element)
        return result
    }
    Returns a list containing all elements of the original collection and then all elements of the given [elements] array.
    public operator fun <T> Iterable<T>.plus(elements: Array<out T>): List<T> {
        if (this is Collection) return this.plus(elements)
        val result = ArrayList<T>()
        result.addAll(this)
        result.addAll(elements)
        return result
    }
    Returns a list containing all elements of the original collection and then all elements of the given [elements] array.
    public operator fun <T> Collection<T>.plus(elements: Array<out T>): List<T> {
        val result = ArrayList<T>(this.size + elements.size)
        result.addAll(this)
        result.addAll(elements)
        return result
    }
    Returns a list containing all elements of the original collection and then all elements of the given [elements] collection.
    public operator fun <T> Iterable<T>.plus(elements: Iterable<T>): List<T> {
        if (this is Collection) return
    }

```



```

this.plus(elements)\n    val result = ArrayList<T>()\n    result.addAll(this)\n    result.addAll(elements)\n    return
result\n}\n\n/**\n * Returns a list containing all elements of the original collection and then all elements of the given
[elements] collection.\n */\npublic operator fun <T> Collection<T>.plus(elements: Iterable<T>): List<T> {\n    if
(elements is Collection) {\n        val result = ArrayList<T>(this.size + elements.size)\n        result.addAll(this)\n
result.addAll(elements)\n        return result\n    } else {\n        val result = ArrayList<T>(this)\n
result.addAll(elements)\n        return result\n    }\n}\n\n/**\n * Returns a list containing all elements of the original
collection and then all elements of the given [elements] sequence.\n */\npublic operator fun <T>
Iterable<T>.plus(elements: Sequence<T>): List<T> {\n    val result = ArrayList<T>()\n    result.addAll(this)\n
result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a list containing all elements of the original
collection and then all elements of the given [elements] sequence.\n */\npublic operator fun <T>
Collection<T>.plus(elements: Sequence<T>): List<T> {\n    val result = ArrayList<T>(this.size + 10)\n
result.addAll(this)\n    result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a list containing all elements
of the original collection and then the given [element].\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T>
Iterable<T>.plusElement(element: T): List<T> {\n    return plus(element)\n}\n\n/**\n * Returns a list containing all
elements of the original collection and then the given [element].\n */\n@kotlin.internal.InlineOnly\npublic inline fun
<T> Collection<T>.plusElement(element: T): List<T> {\n    return plus(element)\n}\n\n/**\n * Returns a list of
snapshots of the window of the given [size]\n * sliding along this collection with the given [step], where each\n *
snapshot is a list.\n * \n * Several last lists may have less elements than the given [size].\n * \n * Both [size] and
[step] must be positive and can be greater than the number of elements in this collection.\n * @param size the
number of elements to take in each window\n * @param step the number of elements to move the window forward
by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the
end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample
samples.collections.Sequences.Transformations.takeWindows\n */\n@SinceKotlin("1.2")\npublic fun <T>
Iterable<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): List<List<T>> {\n
    checkWindowSizeStep(size, step)\n    if (this is RandomAccess && this is List) {\n        val thisSize = this.size\n
val resultCapacity = thisSize / step + if (thisSize % step == 0) 0 else 1\n        val result =
ArrayList<List<T>>(resultCapacity)\n        var index = 0\n        while (index in 0 until thisSize) {\n            val
windowSize = size.coerceAtMost(thisSize - index)\n            if (windowSize < size && !partialWindows) break\n
            result.add(List(windowSize) { this[it + index] })\n            index += step\n        }\n        return result\n    }\n    val
result = ArrayList<List<T>>()\n    windowedIterator(iterator(), size, step, partialWindows, reuseBuffer =
false).forEach {\n        result.add(it)\n    }\n    return result\n}\n\n/**\n * Returns a list of results of applying the
given [transform] function to\n * an each list representing a view over the window of the given [size]\n * sliding
along this collection with the given [step].\n * \n * Note that the list passed to the [transform] function is ephemeral
and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made
a snapshot of it.\n * Several last lists may have less elements than the given [size].\n * \n * Both [size] and [step]
must be positive and can be greater than the number of elements in this collection.\n * @param size the number of
elements to take in each window\n * @param step the number of elements to move the window forward by on an
each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if
any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample
samples.collections.Sequences.Transformations.averageWindows\n */\n@SinceKotlin("1.2")\npublic fun <T, R>
Iterable<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (List<T>) -> R):
List<R> {\n    checkWindowSizeStep(size, step)\n    if (this is RandomAccess && this is List) {\n        val thisSize =
this.size\n        val resultCapacity = thisSize / step + if (thisSize % step == 0) 0 else 1\n        val result =
ArrayList<R>(resultCapacity)\n        val window = MovingSubList(this)\n        var index = 0\n        while (index in 0
until thisSize) {\n            val windowSize = size.coerceAtMost(thisSize - index)\n            if (!partialWindows &&
windowSize < size) break\n            window.move(index, index + windowSize)\n            result.add(transform(window))\n
            index += step\n        }\n        return result\n    }\n    val result =
ArrayList<R>()\n    windowedIterator(iterator(), size, step, partialWindows, reuseBuffer = true).forEach {\n

```

```

result.add(transform(it))\n    }\n    return result\n}\n\n/**\n * Returns a list of pairs built from the elements of `this`\n collection and the [other] array with the same index.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <T, R> Iterable<T>.zip(other:\n Array<out R>): List<Pair<T, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values\n built from the elements of `this` collection and the [other] array with the same index\n * using the provided\n [transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <T, R, V>\n Iterable<T>.zip(other: Array<out R>, transform: (a: T, b: R) -> V): List<V> {\n    val arraySize = other.size\n    val list = ArrayList<V>(minOf(collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in this) {\n        if (i >= arraySize) break\n        list.add(transform(element, other[i++]))\n    }\n    return list\n}\n\n/**\n * Returns a list\n of pairs built from the elements of `this` collection and [other] collection with the same index.\n * The returned list\n has length of the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n */\npublic infix fun <T, R> Iterable<T>.zip(other: Iterable<R>): List<Pair<T, R>> {\n    return zip(other) { t1, t2 ->\n t1 to t2 }\n}\n\n/**\n * Returns a list of values built from the elements of `this` collection and the [other] collection\n with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned\n list has length of the shortest collection.\n * \n * @sample\n samples.collections.Iterables.Operations.zipIterableWithTransform\n */\npublic inline fun <T, R, V>\n Iterable<T>.zip(other: Iterable<R>, transform: (a: T, b: R) -> V): List<V> {\n    val first = iterator()\n    val second\n = other.iterator()\n    val list = ArrayList<V>(minOf(collectionSizeOrDefault(10),\n other.collectionSizeOrDefault(10)))\n    while (first.hasNext() && second.hasNext()) {\n        list.add(transform(first.next(), second.next()))\n    }\n    return list\n}\n\n/**\n * Returns a list of pairs of each two\n adjacent elements in this collection.\n * The returned list is empty if this collection contains less than two\n elements.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNext\n */\n@SinceKotlin("1.2")\npublic fun <T> Iterable<T>.zipWithNext(): List<Pair<T, T>> {\n    return zipWithNext\n { a, b -> a to b }\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to\n an each pair of two adjacent elements in this collection.\n * The returned list is empty if this collection contains\n less than two elements.\n * \n * @sample\n samples.collections.Collections.Transformations.zipWithNextToFindDeltas\n */\n@SinceKotlin("1.2")\npublic\n inline fun <T, R> Iterable<T>.zipWithNext(transform: (a: T, b: T) -> R): List<R> {\n    val iterator = iterator()\n    if\n (!iterator.hasNext()) return emptyList()\n    val result = mutableListOf<R>()\n    var current = iterator.next()\n    while (iterator.hasNext()) {\n        val next = iterator.next()\n        result.add(transform(current, next))\n        current\n = next\n    }\n    return result\n}\n\n/**\n * Appends the string from all the elements separated using [separator] and\n using the given [prefix] and [postfix] if supplied.\n * If the collection could be huge, you can specify a non-\n negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the\n [truncated] string (which defaults to "...").\n * \n * @sample\n samples.collections.Collections.Transformations.joinTo\n */\npublic fun <T, A : Appendable>\n Iterable<T>.joinTo(buffer: A, separator: CharSequence = "\n", prefix: CharSequence = "\n", postfix: CharSequence\n = "\n", limit: Int = -1, truncated: CharSequence = "...", transform: ((T) -> CharSequence)? = null): A {\n    buffer.append(prefix)\n    var count = 0\n    for (element in this) {\n        if (++count > 1) buffer.append(separator)\n        if (limit < 0 || count <= limit) {\n            buffer.appendElement(element, transform)\n        } else break\n    }\n    if (limit >= 0 && count > limit) buffer.append(truncated)\n    buffer.append(postfix)\n    return buffer\n}\n\n/**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if\n supplied.\n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only\n the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to "...").\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n */\npublic fun <T>\n Iterable<T>.joinToString(separator: CharSequence = "\n", prefix: CharSequence = "\n", postfix: CharSequence =\n "\n", limit: Int = -1, truncated: CharSequence = "...", transform: ((T) -> CharSequence)? = null): String {\n    return\n joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Returns this

```

```

collection as an [Iterable].\n *\/\n@kotlin.internal.InlineOnly\npublic inline fun <T> Iterable<T>.asIterable():
Iterable<T> {\n    return this\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original collection returning
its elements when being iterated.\n * \n * @sample
samples.collections.Sequences.Building.sequenceFromCollection\n *\/\npublic fun <T> Iterable<T>.asSequence():
Sequence<T> {\n    return Sequence { this.iterator() }\n}\n\n/**\n * Returns an average value of elements in the
collection.\n *\/\n@kotlin.jvm.JvmName("averageOfByte")\npublic fun Iterable<Byte>.average(): Double {\n    var
sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n
checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
an average value of elements in the collection.\n *\/\n@kotlin.jvm.JvmName("averageOfShort")\npublic fun
Iterable<Short>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n
sum += element\n        checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum /
count\n}\n\n/**\n * Returns an average value of elements in the collection.\n
*\/\n@kotlin.jvm.JvmName("averageOfInt")\npublic fun Iterable<Int>.average(): Double {\n    var sum: Double =
0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n        checkCountOverflow(++count)\n
}\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the
collection.\n *\/\n@kotlin.jvm.JvmName("averageOfLong")\npublic fun Iterable<Long>.average(): Double {\n
var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n
checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
an average value of elements in the collection.\n *\/\n@kotlin.jvm.JvmName("averageOfFloat")\npublic fun
Iterable<Float>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n
sum += element\n        checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum /
count\n}\n\n/**\n * Returns an average value of elements in the collection.\n
*\/\n@kotlin.jvm.JvmName("averageOfDouble")\npublic fun Iterable<Double>.average(): Double {\n    var sum:
Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n
checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
the sum of all elements in the collection.\n *\/\n@kotlin.jvm.JvmName("sumOfByte")\npublic fun
Iterable<Byte>.sum(): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum += element\n    }\n    return
sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n
*\/\n@kotlin.jvm.JvmName("sumOfShort")\npublic fun Iterable<Short>.sum(): Int {\n    var sum: Int = 0\n    for
(element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the
collection.\n *\/\n@kotlin.jvm.JvmName("sumOfInt")\npublic fun Iterable<Int>.sum(): Int {\n    var sum: Int = 0\n
for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in
the collection.\n *\/\n@kotlin.jvm.JvmName("sumOfLong")\npublic fun Iterable<Long>.sum(): Long {\n    var
sum: Long = 0L\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the
sum of all elements in the collection.\n *\/\n@kotlin.jvm.JvmName("sumOfFloat")\npublic fun
Iterable<Float>.sum(): Float {\n    var sum: Float = 0.0f\n    for (element in this) {\n        sum += element\n    }\n
return sum\n}\n\n/**\n * Returns the sum of all elements in the collection.\n
*\/\n@kotlin.jvm.JvmName("sumOfDouble")\npublic fun Iterable<Double>.sum(): Double {\n    var sum: Double
= 0.0\n    for (element in this) {\n        sum += element\n    }\n    return sum\n}\n\n", "/*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\/\n\npackage kotlin.collections\n\nimport
kotlin.comparisons.naturalOrder\nimport kotlin.random.Random\n\n/**\n * Returns the array if it's not `null`, or an
empty array otherwise.\n *\/\n@kotlin.internal.InlineOnly\npublic actual inline fun <T> Array<out T>?.orEmpty():
Array<out T> = this ?: emptyArray<T>()\n\n@kotlin.internal.InlineOnly\npublic actual inline fun <T>
Collection<T>.toArray(): Array<T> =
toArray(this)\n\n@JsName("copyToArray")\n@PublishedApi\ninternal fun <T> copyToArray(collection:
Collection<T>): Array<T> {\n    return if (collection.asDynamic().toArray !== undefined)\n
collection.asDynamic().toArray().unsafeCast<Array<T>>()\n    else\n

```

```

copyToArrayImpl(collection).unsafeCast<Array<T>>()\n\n@JsName("copyToArrayImpl")\ninternal actual fun
copyToArrayImpl(collection: Collection<*>): Array<Any?> {\n    val array = emptyArray<Any?>()\n    val iterator
= collection.iterator()\n    while (iterator.hasNext())\n        array.asDynamic().push(iterator.next())\n    return
array\n}\n\n@JsName("copyToExistingArrayImpl")\ninternal actual fun <T> copyToArrayImpl(collection:
Collection<*>, array: Array<T>): Array<T> {\n    if (array.size < collection.size)\n        return
copyToArrayImpl(collection).unsafeCast<Array<T>>()\n    val iterator = collection.iterator()\n    var index = 0\n
while (iterator.hasNext()) {\n        array[index++] = iterator.next().unsafeCast<T>()\n    }\n    if (index < array.size)
{\n        array[index] = null.unsafeCast<T>()\n    }\n    return array\n}\n\n/**\n * Returns an immutable list
containing only the specified object [element].\n */\npublic fun <T> listOf(element: T): List<T> =
arrayListOf(element)\n\n/**\n * Returns an immutable set containing only the specified object [element].\n */
*\npublic fun <T> setOf(element: T): Set<T> = hashSetOf(element)\n\n/**\n * Returns an immutable map,
mapping only the specified key to the\n * specified value.\n */\npublic fun <K, V> mapOf(pair: Pair<K, V>):
Map<K, V> = hashMapOf(pair)\n\n/**\n * Fills the list with the provided [value].\n * Each element in the list
gets replaced with the [value].\n */\n@SinceKotlin("1.2")\npublic actual fun <T> MutableList<T>.fill(value: T):
Unit {\n    for (index in 0..lastIndex) {\n        this[index] = value\n    }\n}\n\n/**\n * Randomly shuffles elements in
this list.\n * See: https://en.wikipedia.org/wiki/Fisher%20%80%93Yates_shuffle#The_modern_algorithm\n */
*\n@SinceKotlin("1.2")\npublic actual fun <T> MutableList<T>.shuffle(): Unit = shuffle(Random)\n\n/**\n *
Returns a new list with the elements of this list randomly shuffled.\n */\n@SinceKotlin("1.2")\npublic actual fun
<T> Iterable<T>.shuffled(): List<T> = toMutableList().apply { shuffle() }\n\n/**\n * Sorts elements in the list in-
place according to their natural sort order.\n * The sort is _stable_. It means that equal elements preserve their
order relative to each other after sorting.\n */\npublic actual fun <T : Comparable<T>> MutableList<T>.sort(): Unit
{\n    collectionsSort(this, naturalOrder())\n}\n\n/**\n * Sorts elements in the list in-place according to the order
specified with [comparator].\n * The sort is _stable_. It means that equal elements preserve their order relative to
each other after sorting.\n */\npublic actual fun <T> MutableList<T>.sortWith(comparator: Comparator<in T>):
Unit {\n    collectionsSort(this, comparator)\n}\n\nprivate fun <T> collectionsSort(list: MutableList<T>,
comparator: Comparator<in T>) {\n    if (list.size <= 1) return\n    val array = copyToArray(list)\n
sortArrayWith(array, comparator)\n    for (i in 0 until array.size) {\n        list[i] = array[i]\n    }\n}\n\ninternal
actual fun <T> arrayOfNulls(reference: Array<T>, size: Int): Array<T> {\n    return
arrayOfNulls<Any>(size).unsafeCast<Array<T>>()\n}\n\n@SinceKotlin("1.3")\n@PublishedApi\n@JsName("arrayCopy")\ninternal fun <T> arrayCopy(source: Array<out T>, destination: Array<in T>, destinationOffset: Int,
startIndex: Int, endIndex: Int) {\n    AbstractList.checkRangeIndexes(startIndex, endIndex, source.size)\n    val
rangeSize = endIndex - startIndex\n    AbstractList.checkRangeIndexes(destinationOffset, destinationOffset +
rangeSize, destination.size)\n    if (js("ArrayBuffer").isView(destination) &&
js("ArrayBuffer").isView(source)) {\n        val subrange = source.asDynamic().subarray(startIndex, endIndex)\n
destination.asDynamic().set(subrange, destinationOffset)\n    } else {\n        if (source !== destination ||
destinationOffset <= startIndex) {\n            for (index in 0 until rangeSize) {\n
destination[destinationOffset + index] = source[startIndex + index]\n            }\n        } else {\n            for (index in
rangeSize - 1 downTo 0) {\n                destination[destinationOffset + index] = source[startIndex + index]\n
            }\n        }\n    }\n}\n\n// no singleton map implementation in js, return map as
is\n@Suppress("NOTHING_TO_INLINE")\ninternal actual inline fun <K, V> Map<K,
V>.toSingletonMapOrSelf(): Map<K, V> = this\n\n@Suppress("NOTHING_TO_INLINE")\ninternal actual inline
fun <K, V> Map<out K, V>.toSingletonMap(): Map<K, V> =
this.toMutableMap()\n\n@Suppress("NOTHING_TO_INLINE")\ninternal actual inline fun <T> Array<out
T>.copyToArrayOfAny(isVarargs: Boolean): Array<out Any?> =\n    if (isVarargs)\n        // no need to copy vararg
array in JS\n    this\n    else\n        this.copyOf()\n\n@PublishedApi\ninternal actual fun
checkIndexOverflow(index: Int): Int {\n    if (index < 0) {\n        throwIndexOverflow()\n    }\n    return
index\n}\n\n@PublishedApi\ninternal actual fun checkCountOverflow(count: Int): Int {\n    if (count < 0) {\n
throwCountOverflow()\n    }\n    return count\n}\n\n/**\n * JS map and set implementations do not make use of

```

capacities or load factors.\n *
 @PublishedApi\ninternal actual fun mapCapacity(expectedSize: Int) =
 expectedSize\n\n/**\n * Checks a collection builder function capacity argument.\n * In JS no validation is made in
 Map/Set constructor yet.\n *
 @SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@PublishedApi\ninternal actual
 fun checkBuilderCapacity(capacity: Int) {\n require(capacity >= 0) { \"capacity must be non-negative.\
 }\n}, \"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this
 source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
 *
 @file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"CollectionsKt\")\n\npackage
 kotlin.collections\n\n/**\n * Returns the given iterator itself. This allows to use an instance of iterator in a `for`
 loop.\n * @sample samples.collections.Iterators.iterator\n *
 @kotlin.internal.InlineOnly\npublic inline operator
 fun <T> Iterator<T>.iterator(): Iterator<T> = this\n\n/**\n * Returns an [Iterator] that wraps each element produced
 by the original iterator\n * into an [IndexedValue] containing the index of that element and the element itself.\n *
 * @sample samples.collections.Iterators.withIndexIterator\n *
 @public fun <T> Iterator<T>.withIndex():
 Iterator<IndexedValue<T>> = IndexingIterator(this)\n\n/**\n * Performs the given [operation] on each element of
 this [Iterator].\n * @sample samples.collections.Iterators.forEachIterator\n *
 @public inline fun <T>
 Iterator<T>.forEach(operation: (T) -> Unit): Unit {\n for (element in this) operation(element)\n}\n\n/**\n *
 Iterator transforming original `iterator` into iterator of [IndexedValue], counting index from zero.\n *
 @internal class
 IndexingIterator<out T>(private val iterator: Iterator<T>) : Iterator<IndexedValue<T>> {\n private var index =
 0\n final override fun hasNext(): Boolean = iterator.hasNext()\n final override fun next(): IndexedValue<T> =
 IndexedValue(checkIndexOverflow(index++), iterator.next())\n}\n\", \"/*\n * Copyright 2010-2019 JetBrains s.r.o.
 and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
 that can be found in the license/LICENSE.txt file.\n
 *
 @file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"ComparisonsKt\")\n\npackage
 kotlin.comparisons\n\n/\n\nNOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
<https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib>\n/\n\nimport kotlin.random.*\n\n/**\n * Returns the
 greater of two values.\n * If values are equal, returns the first one.\n *
 @SinceKotlin("1.1")\n@public expect fun
 <T : Comparable<T>> maxOf(a: T, b: T): T\n\n/**\n * Returns the greater of two values.\n
 *
 @SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@public expect inline fun maxOf(a: Byte, b: Byte):
 Byte\n\n/**\n * Returns the greater of two values.\n *
 @SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@public expect inline fun maxOf(a: Short, b: Short): Short\n\n/**\n * Returns the greater of two values.\n
 *
 @SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@public expect inline fun maxOf(a: Int, b: Int): Int\n\n/**\n * Returns the greater of two values.\n *
 @SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@public expect inline fun maxOf(a: Long, b: Long): Long\n\n/**\n * Returns the greater of two values.\n
 *
 @SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@public expect inline fun maxOf(a: Float, b: Float):
 Float\n\n/**\n * Returns the greater of two values.\n
 *
 @SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@public expect inline fun maxOf(a: Double, b: Double):
 Double\n\n/**\n * Returns the greater of three values.\n *
 @SinceKotlin("1.1")\n@public expect fun <T :
 Comparable<T>> maxOf(a: T, b: T, c: T): T\n\n/**\n * Returns the greater of three values.\n
 *
 @SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@public expect inline fun maxOf(a: Byte, b: Byte, c: Byte):
 Byte\n\n/**\n * Returns the greater of three values.\n
 *
 @SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@public expect inline fun maxOf(a: Short, b: Short, c:
 Short): Short\n\n/**\n * Returns the greater of three values.\n
 *
 @SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@public expect inline fun maxOf(a: Int, b: Int, c: Int):
 Int\n\n/**\n * Returns the greater of three values.\n *
 @SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@public expect inline fun maxOf(a: Long, b: Long, c: Long): Long\n\n/**\n * Returns the greater of three values.\n
 *
 @SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@public expect inline fun maxOf(a: Float, b: Float, c:
 Float): Float\n\n/**\n * Returns the greater of three values.\n
 *
 @SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\n@public expect inline fun maxOf(a: Double, b: Double, c:
 Double): Double\n\n/**\n * Returns the greater of three values according to the order specified by the given

```

[comparator].\n *\n@SinceKotlin("1.1")\npublic fun <T> maxOf(a: T, b: T, c: T, comparator: Comparator<in T>):
T {\n    return maxOf(a, maxOf(b, c, comparator), comparator)\n}\n\n/**\n * Returns the greater of two values
according to the order specified by the given [comparator].\n * If values are equal, returns the first one.\n
*\n@SinceKotlin("1.1")\npublic fun <T> maxOf(a: T, b: T, comparator: Comparator<in T>): T {\n    return if
(comparator.compare(a, b) >= 0) a else b\n}\n\n/**\n * Returns the smaller of two values.\n * If values are equal,
returns the first one.\n *\n@SinceKotlin("1.1")\npublic expect fun <T : Comparable<T>> minOf(a: T, b: T):
T\n\n/**\n * Returns the smaller of two values.\n *\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic
expect inline fun minOf(a: Byte, b: Byte): Byte\n\n/**\n * Returns the smaller of two values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Short, b: Short):
Short\n\n/**\n * Returns the smaller of two values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Int, b: Int): Int\n\n/**\n
* Returns the smaller of two values.\n *\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline
fun minOf(a: Long, b: Long): Long\n\n/**\n * Returns the smaller of two values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Float, b: Float):
Float\n\n/**\n * Returns the smaller of two values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Double, b: Double):
Double\n\n/**\n * Returns the smaller of three values.\n *\n@SinceKotlin("1.1")\npublic expect fun <T :
Comparable<T>> minOf(a: T, b: T, c: T): T\n\n/**\n * Returns the smaller of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Byte, b: Byte, c: Byte):
Byte\n\n/**\n * Returns the smaller of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Short, b: Short, c:
Short): Short\n\n/**\n * Returns the smaller of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Int, b: Int, c: Int):
Int\n\n/**\n * Returns the smaller of three values.\n *\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic
expect inline fun minOf(a: Long, b: Long, c: Long): Long\n\n/**\n * Returns the smaller of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Float, b: Float, c: Float):
Float\n\n/**\n * Returns the smaller of three values.\n
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic expect inline fun minOf(a: Double, b: Double, c:
Double): Double\n\n/**\n * Returns the smaller of three values according to the order specified by the given
[comparator].\n *\n@SinceKotlin("1.1")\npublic fun <T> minOf(a: T, b: T, c: T, comparator: Comparator<in T>):
T {\n    return minOf(a, minOf(b, c, comparator), comparator)\n}\n\n/**\n * Returns the smaller of two values
according to the order specified by the given [comparator].\n * If values are equal, returns the first one.\n
*\n@SinceKotlin("1.1")\npublic fun <T> minOf(a: T, b: T, comparator: Comparator<in T>): T {\n    return if
(comparator.compare(a, b) <= 0) a else b\n}\n\n"/\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("MapsKt")\n\npackage
kotlin.collections\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\nimport
kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns a [List] containing all key-value pairs.\n
*\npublic fun <K, V> Map<out K, V>.toList(): List<Pair<K, V>> {\n    if (size == 0)\n        return emptyList()\n
    val iterator = entries.iterator()\n    if (!iterator.hasNext())\n        return emptyList()\n    val first = iterator.next()\n
    if (iterator.hasNext())\n        return listOf(first.toPair())\n    val result = ArrayList<Pair<K, V>>(size)\n
    result.add(first.toPair())\n    do {\n        result.add(iterator.next().toPair())\n    } while (iterator.hasNext())\n
    return result\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked
on each entry of original map.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n
*\npublic inline fun <K, V, R> Map<out K, V>.flatMap(transform: (Map.Entry<K, V>) -> Iterable<R>): List<R>
{\n    return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Appends all elements yielded from results of

```

```

[transform] function being invoked on each entry of original map, to the given [destination].\n *
public inline fun <K, V, R, C : MutableCollection<in R>> Map<out K, V>.flatMapTo(destination: C, transform: (Map.Entry<K, V>)
-> Iterable<R>): C {\n    for (element in this) {\n        val list = transform(element)\n        destination.addAll(list)\n    }\n    return destination\n}\n\n/**\n * Returns a list containing the results of applying the given [transform]
function\n * to each entry in the original map.\n * \n * @sample
samples.collections.Maps.Transformations.mapToList\n *
public inline fun <K, V, R> Map<out K,
V>.map(transform: (Map.Entry<K, V>) -> R): List<R> {\n    return mapTo(ArrayList<R>(size),
transform)\n}\n\n/**\n * Returns a list containing only the non-null results of applying the given [transform]
function\n * to each entry in the original map.\n *
public inline fun <K, V, R : Any> Map<out K,
V>.mapNotNull(transform: (Map.Entry<K, V>) -> R?): List<R> {\n    return mapNotNullTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Applies the given [transform] function to each entry in the original map\n * and appends
only the non-null results to the given [destination].\n *
public inline fun <K, V, R : Any, C : MutableCollection<in
R>> Map<out K, V>.mapNotNullTo(destination: C, transform: (Map.Entry<K, V>) -> R?): C {\n    forEach {
element -> transform(element)?.let { destination.add(it) } }\n    return destination\n}\n\n/**\n * Applies the given
[transform] function to each entry of the original map\n * and appends the results to the given [destination].\n *
public inline fun <K, V, R, C : MutableCollection<in R>> Map<out K, V>.mapTo(destination: C, transform:
(Map.Entry<K, V>) -> R): C {\n    for (item in this)\n        destination.add(transform(item))\n    return
destination\n}\n\n/**\n * Returns `true` if all entries match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n *
public inline fun <K, V> Map<out K, V>.all(predicate:
(Map.Entry<K, V>) -> Boolean): Boolean {\n    if (isEmpty()) return true\n    for (element in this) if
(!predicate(element)) return false\n    return true\n}\n\n/**\n * Returns `true` if map has at least one entry.\n * \n *
@sample samples.collections.Collections.Aggregates.any\n *
public fun <K, V> Map<out K, V>.any(): Boolean
{\n    return !isEmpty()\n}\n\n/**\n * Returns `true` if at least one entry matches the given [predicate].\n * \n *
@sample samples.collections.Collections.Aggregates.anyWithPredicate\n *
public inline fun <K, V> Map<out K,
V>.any(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {\n    if (isEmpty()) return false\n    for (element in
this) if (predicate(element)) return true\n    return false\n}\n\n/**\n * Returns the number of entries in this map.\n *
@kotlin.internal.InlineOnly\n *
public inline fun <K, V> Map<out K, V>.count(): Int {\n    return size\n}\n\n/**\n * Returns the number of entries matching the given [predicate].\n *
public inline fun <K, V> Map<out K,
V>.count(predicate: (Map.Entry<K, V>) -> Boolean): Int {\n    if (isEmpty()) return 0\n    var count = 0\n    for
(element in this) if (predicate(element)) ++count\n    return count\n}\n\n/**\n * Performs the given [action] on each
entry.\n *
@kotlin.internal.HidesMembers\n *
public inline fun <K, V> Map<out K, V>.forEach(action:
(Map.Entry<K, V>) -> Unit): Unit {\n    for (element in this) action(element)\n}\n\n/**\n * Returns the first entry
yielding the largest value of the given function or `null` if there are no entries.\n * \n * @sample
samples.collections.Collections.Aggregates.maxBy\n *
@kotlin.internal.InlineOnly\n *
public inline fun <K, V, R :
Comparable<R>> Map<out K, V>.maxBy(selector: (Map.Entry<K, V>) -> R): Map.Entry<K, V>? {\n    return
entries.maxBy(selector)\n}\n\n/**\n * Returns the first entry having the largest value according to the provided
[comparator] or `null` if there are no entries.\n *
@kotlin.internal.InlineOnly\n *
public inline fun <K, V> Map<out
K, V>.maxWith(comparator: Comparator<in Map.Entry<K, V>>): Map.Entry<K, V>? {\n    return
entries.maxWith(comparator)\n}\n\n/**\n * Returns the first entry yielding the smallest value of the given function
or `null` if there are no entries.\n * \n * @sample samples.collections.Collections.Aggregates.minBy\n *
public inline fun <K, V, R : Comparable<R>> Map<out K, V>.minBy(selector: (Map.Entry<K, V>) -> R): Map.Entry<K,
V>? {\n    return entries.minBy(selector)\n}\n\n/**\n * Returns the first entry having the smallest value according to
the provided [comparator] or `null` if there are no entries.\n *
public fun <K, V> Map<out K,
V>.minWith(comparator: Comparator<in Map.Entry<K, V>>): Map.Entry<K, V>? {\n    return
entries.minWith(comparator)\n}\n\n/**\n * Returns `true` if the map has no entries.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n *
public fun <K, V> Map<out K, V>.none(): Boolean {\n
return isEmpty()\n}\n\n/**\n * Returns `true` if no entries match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n *
public inline fun <K, V> Map<out K,

```

```

V>.none(predicate: (Map.Entry<K, V>) -> Boolean): Boolean {\n  if (isEmpty()) return true\n  for (element in this) if (predicate(element)) return false\n  return true}\n\n/**\n * Performs the given [action] on each entry and returns the map itself afterwards.\n */\n@SinceKotlin("1.1")\npublic inline fun <K, V, M : Map<out K, V>> M.onEach(action: (Map.Entry<K, V>) -> Unit): M {\n  return apply { for (element in this) action(element) }\n}\n\n/**\n * Creates an [Iterable] instance that wraps the original map returning its entries when being iterated.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <K, V> Map<out K, V>.asIterable(): Iterable<Map.Entry<K, V>> {\n  return entries}\n}\n\n/**\n * Creates a [Sequence] instance that wraps the original map returning its entries when being iterated.\n */\npublic fun <K, V> Map<out K, V>.asSequence(): Sequence<Map.Entry<K, V>> {\n  return entries.asSequence()\n}\n\n"/**\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("SequencesKt")\n\npackage kotlin.sequences\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\n\n/**\n * Returns `true` if [element] is found in the sequence.\n */\n * The operation is _terminal_.\n */\npublic operator fun <@kotlin.internal.OnlyInputTypes T> Sequence<T>.contains(element: T): Boolean {\n  return indexOf(element) >= 0\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this sequence.\n */\n * The operation is _terminal_.\n */\n * @sample samples.collections.Collections.Elements.elementAt\n */\npublic fun <T> Sequence<T>.elementAt(index: Int): T {\n  return elementAtOrElse(index) { throw IndexOutOfBoundsException("Sequence doesn't contain element at index $index.") }\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this sequence.\n */\n * The operation is _terminal_.\n */\n * @sample samples.collections.Collections.Elements.elementAtOrElse\n */\npublic fun <T> Sequence<T>.elementAtOrElse(index: Int, defaultValue: (Int) -> T): T {\n  if (index < 0)\n    return defaultValue(index)\n  val iterator = iterator()\n  var count = 0\n  while (iterator.hasNext()) {\n    val element = iterator.next()\n    if (index == count++)\n      return element\n  }\n  return defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this sequence.\n */\n * The operation is _terminal_.\n */\n * @sample samples.collections.Collections.Elements.elementAtOrNull\n */\npublic fun <T> Sequence<T>.elementOrNull(index: Int): T? {\n  if (index < 0)\n    return null\n  val iterator = iterator()\n  var count = 0\n  while (iterator.hasNext()) {\n    val element = iterator.next()\n    if (index == count++)\n      return element\n  }\n  return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if no such element was found.\n */\n * The operation is _terminal_.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.find(predicate: (T) -> Boolean): T? {\n  return firstOrNull(predicate)\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if no such element was found.\n */\n * The operation is _terminal_.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.findLast(predicate: (T) -> Boolean): T? {\n  return lastOrNull(predicate)\n}\n\n/**\n * Returns first element.\n */\n * @throws [NoSuchElementException] if the sequence is empty.\n */\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.first(): T {\n  val iterator = iterator()\n  if (!iterator.hasNext())\n    throw NoSuchElementException("Sequence is empty.")\n  return iterator.next()\n}\n\n/**\n * Returns the first element matching the given [predicate].\n */\n * @throws [NoSuchElementException] if no such element is found.\n */\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.first(predicate: (T) -> Boolean): T {\n  for (element in this) if (predicate(element))\n    return element\n  throw NoSuchElementException("Sequence contains no element matching the predicate.")\n}\n\n/**\n * Returns the first element, or `null` if the sequence is empty.\n */\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.firstOrNull(): T? {\n  val iterator = iterator()\n  if (!iterator.hasNext())\n    return null\n  return iterator.next()\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element was not found.\n */\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.firstOrNull(predicate: (T) -> Boolean): T? {\n  for (element in this) if (predicate(element))

```



```

return element\n    return null\n}\n\n/**\n * Returns first index of [element], or -1 if the sequence does not contain
element.\n *\n * The operation is _terminal_.\n */\npublic fun <@kotlin.internal.OnlyInputTypes T>
Sequence<T>.indexOf(element: T): Int {\n    var index = 0\n    for (item in this) {\n
checkIndexOverflow(index)\n        if (element == item)\n            return index\n        index++\n    }\n    return -
1\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the sequence does not
contain such element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T>
Sequence<T>.indexOfFirst(predicate: (T) -> Boolean): Int {\n    var index = 0\n    for (item in this) {\n
checkIndexOverflow(index)\n        if (predicate(item))\n            return index\n        index++\n    }\n    return -
1\n}\n\n/**\n * Returns index of the last element matching the given [predicate], or -1 if the sequence does not
contain such element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T>
Sequence<T>.indexOfLast(predicate: (T) -> Boolean): Int {\n    var lastIndex = -1\n    var index = 0\n    for (item in
this) {\n        checkIndexOverflow(index)\n            if (predicate(item))\n                lastIndex = index\n            index++\n    }\n    return lastIndex\n}\n\n/**\n * Returns the last element.\n * @throws [NoSuchElementException] if the
sequence is empty.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.last(): T {\n    val
iterator = iterator()\n    if (!iterator.hasNext())\n        throw NoSuchElementException("\nSequence is empty.\n")\n    var last = iterator.next()\n    while (iterator.hasNext())\n        last = iterator.next()\n    return last\n}\n\n/**\n * Returns the last element matching the given [predicate].\n * @throws [NoSuchElementException] if no such
element is found.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.last(predicate: (T) -
> Boolean): T {\n    var last: T? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element))\n            {\n                last = element\n                found = true\n            }\n    }\n    if (!found) throw
NoSuchElementException("\nSequence contains no element matching the predicate.\n")\n    @Suppress("\nUNCHECKED_CAST\n")\n    return last as T\n}\n\n/**\n * Returns last index of [element], or -1 if the
sequence does not contain element.\n *\n * The operation is _terminal_.\n */\npublic fun
<@kotlin.internal.OnlyInputTypes T> Sequence<T>.lastIndexOf(element: T): Int {\n    var lastIndex = -1\n    var
index = 0\n    for (item in this) {\n        checkIndexOverflow(index)\n            if (element == item)\n                lastIndex =
index\n            index++\n    }\n    return lastIndex\n}\n\n/**\n * Returns the last element, or `null` if the sequence is
empty.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.lastOrNull(): T? {\n    val iterator =
iterator()\n    if (!iterator.hasNext())\n        return null\n    var last = iterator.next()\n    while (iterator.hasNext())\n        last = iterator.next()\n    return last\n}\n\n/**\n * Returns the last element matching the given [predicate], or `null` if
no such element was found.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T>
Sequence<T>.lastOrNull(predicate: (T) -> Boolean): T? {\n    var last: T? = null\n    for (element in this) {\n        if
(predicate(element))\n            {\n                last = element\n            }\n    }\n    return last\n}\n\n/**\n * Returns the single element,
or throws an exception if the sequence is empty or has more than one element.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.single(): T {\n    val iterator = iterator()\n    if (!iterator.hasNext())\n        throw
NoSuchElementException("\nSequence is empty.\n")\n    val single = iterator.next()\n    if (iterator.hasNext())\n        throw IllegalArgumentException("\nSequence has more than one element.\n")\n    return single\n}\n\n/**\n * Returns
the single element matching the given [predicate], or throws exception if there is no or more than one matching
element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T> Sequence<T>.single(predicate: (T) ->
Boolean): T {\n    var single: T? = null\n    var found = false\n    for (element in this) {\n        if (predicate(element))\n            {\n                if (found) throw IllegalArgumentException("\nSequence contains more than one matching element.\n")\n                single = element\n                found = true\n            }\n    }\n    if (!found) throw NoSuchElementException("\nSequence
contains no element matching the predicate.\n")\n    @Suppress("\nUNCHECKED_CAST\n")\n    return single as
T\n}\n\n/**\n * Returns single element, or `null` if the sequence is empty or has more than one element.\n *\n * The
operation is _terminal_.\n */\npublic fun <T> Sequence<T>.singleOrNull(): T? {\n    val iterator = iterator()\n    if
(iterator.hasNext())\n        return null\n    val single = iterator.next()\n    if (iterator.hasNext())\n        return null\n    return single\n}\n\n/**\n * Returns the single element matching the given [predicate], or `null` if element was not
found or more than one element was found.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T>
Sequence<T>.singleOrNull(predicate: (T) -> Boolean): T? {\n    var single: T? = null\n    var found = false\n    for

```

```

(element in this) {
    if (predicate(element)) {
        if (found) return null
        single = element
        found = true
    }
    if (!found) return null
    return single
}

```

Returns a sequence containing all elements except first [n] elements.
 The operation is `_intermediate_` and `_stateless_`.
 @throws `IllegalArgumentException` if [n] is negative.
 @sample
 `samples.collections.Collections.Transformations.drop`

```

public fun <T> Sequence<T>.drop(n: Int):
Sequence<T> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    return when {
        n == 0 -> this
        this is DropTakeSequence -> this.drop(n)
        else -> DropSequence(this, n)
    }
}

```

Returns a sequence containing all elements except first elements that satisfy the given [predicate].
 The operation is `_intermediate_` and `_stateless_`.
 @sample
 `samples.collections.Collections.Transformations.dropWhile`

```

public fun <T> Sequence<T>.dropWhile(predicate: (T)
-> Boolean): Sequence<T> {
    return DropWhileSequence(this, predicate)
}

```

Returns a sequence containing only elements matching the given [predicate].
 The operation is `_intermediate_` and `_stateless_`.
 @sample
 `samples.collections.Collections.Transformations.filter`

```

public fun <T> Sequence<T>.filter(predicate: (T) -> Boolean): Sequence<T> {
    return FilteringSequence(this, true, predicate)
}

```

Returns a sequence containing only elements matching the given [predicate].
 @param [predicate] function that takes the index of an element and the element itself
 and returns the result of predicate evaluation on the element.
 The operation is `_intermediate_` and `_stateless_`.
 @sample
 `samples.collections.Collections.Transformations.filterIndexed`

```

public fun <T> Sequence<T>.filterIndexed(predicate: (index: Int, T) -> Boolean): Sequence<T> {
    // TODO: Rewrite with generalized MapFilterIndexingSequence
    return TransformingSequence(FilteringSequence(IndexingSequence(this), true, { predicate(it.index, it.value) }), { it.value })
}

```

Appends all elements matching the given [predicate] to the given [destination].
 @param [predicate] function that takes the index of an element and the element itself
 and returns the result of predicate evaluation on the element.
 The operation is `_terminal_`.
 @sample
 `samples.collections.Collections.Transformations.filterIndexedTo`

```

public inline fun <T, C : MutableCollection<in T>> Sequence<T>.filterIndexedTo(destination: C, predicate: (index: Int, T) -> Boolean): C {
    for (index, element) in this {
        if (predicate(index, element)) destination.add(element)
    }
    return destination
}

```

Returns a sequence containing all elements that are instances of specified type parameter R.
 The operation is `_intermediate_` and `_stateless_`.
 @sample
 `samples.collections.Collections.Transformations.filterIsInstance`

```

Sequence<*>.filterIsInstance(): Sequence<@kotlin.internal.NoInfer R> {
    @Suppress("UNCHECKED_CAST")
    return filter { it is R } as Sequence<R>
}

```

Appends all elements that are instances of specified type parameter R to the given [destination].
 The operation is `_terminal_`.
 @sample
 `samples.collections.Collections.Transformations.filterIsInstanceTo`

```

Sequence<*>.filterIsInstanceTo(destination: C): C {
    for (element in this) if (element is R) destination.add(element)
    return destination
}

```

Returns a sequence containing all elements not matching the given [predicate].
 The operation is `_intermediate_` and `_stateless_`.
 @sample
 `samples.collections.Collections.Transformations.filterNot`

```

Sequence<T>.filterNot(predicate: (T) -> Boolean): Sequence<T> {
    return FilteringSequence(this, false, predicate)
}

```

Returns a sequence containing all elements that are not `null`.
 The operation is `_intermediate_` and `_stateless_`.
 @sample
 `samples.collections.Collections.Transformations.filterNotNull`

```

public fun <T : Any> Sequence<T?>.filterNotNull(): Sequence<T> {
    @Suppress("UNCHECKED_CAST")
    return filterNot { it == null } as Sequence<T>
}

```

Appends all elements that are not `null` to the given [destination].
 The operation is `_terminal_`.
 @sample
 `samples.collections.Collections.Transformations.filterNotNullTo`

```

public fun <C : MutableCollection<in T>, T : Any> Sequence<T?>.filterNotNullTo(destination: C): C {
    for (element in this) if (element != null) destination.add(element)
    return destination
}

```

Appends all elements not matching the given [predicate] to the given [destination].
 The operation is `_terminal_`.
 @sample
 `samples.collections.Collections.Transformations.filterNotTo`

```

public fun <T, C : MutableCollection<in T>> Sequence<T>.filterNotTo(destination: C, predicate: (T) -> Boolean): C {
    for (element in this) if (!predicate(element)) destination.add(element)
    return destination
}

```

Appends all elements matching the given [predicate] to the given [destination].
 The operation is `_terminal_`.
 @sample
 `samples.collections.Collections.Transformations.filterTo`

```

public fun <T, C : MutableCollection<in T>> Sequence<T>.filterTo(destination: C, predicate: (T) -> Boolean): C {
    for (element in this) if (predicate(element)) destination.add(element)
    return destination
}

```

Returns a sequence containing first [n] elements.
 The operation is `_intermediate_` and `_stateless_`.
 @throws `IllegalArgumentException` if [n] is negative.
 @sample
 `samples.collections.Collections.Transformations.first`

```

samples.collections.Collections.Transformations.take\n *^\npublic fun <T> Sequence<T>.take(n: Int): Sequence<T>
{\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    return when {\n        n == 0 ->
emptySequence()\n        this is DropTakeSequence -> this.take(n)\n        else -> TakeSequence(this, n)\n    }\n}\n\n/**\n * Returns a sequence containing first elements satisfying the given [predicate].\n * \n * The operation
is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.take\n
*^\npublic fun <T> Sequence<T>.takeWhile(predicate: (T) -> Boolean): Sequence<T> {\n    return
TakeWhileSequence(this, predicate)\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted
according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements preserve their order
relative to each other after sorting.\n * \n * The operation is _intermediate_ and _stateful_.\n *^\npublic fun <T :
Comparable<T>> Sequence<T>.sorted(): Sequence<T> {\n    return object : Sequence<T> {\n        override fun
iterator(): Iterator<T> {\n            val sortedList = this@sorted.toMutableList()\n            sortedList.sort()\n
return sortedList.iterator()\n        }\n    }\n}\n\n/**\n * Returns a sequence that yields elements of this sequence
sorted according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is
_stable_. It means that equal elements preserve their order relative to each other after sorting.\n * \n * The operation
is _intermediate_ and _stateful_.\n *^\npublic inline fun <T, R : Comparable<R>>
Sequence<T>.sortedBy(crossinline selector: (T) -> R?): Sequence<T> {\n    return
sortedWith(compareBy(selector))\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted
descending according to natural sort order of the value returned by specified [selector] function.\n * \n * The sort is
_stable_. It means that equal elements preserve their order relative to each other after sorting.\n * \n * The operation
is _intermediate_ and _stateful_.\n *^\npublic inline fun <T, R : Comparable<R>>
Sequence<T>.sortedByDescending(crossinline selector: (T) -> R?): Sequence<T> {\n    return
sortedWith(compareByDescending(selector))\n}\n\n/**\n * Returns a sequence that yields elements of this sequence
sorted descending according to their natural sort order.\n * \n * The sort is _stable_. It means that equal elements
preserve their order relative to each other after sorting.\n * \n * The operation is _intermediate_ and _stateful_.\n
*^\npublic fun <T : Comparable<T>> Sequence<T>.sortedDescending(): Sequence<T> {\n    return
sortedWith(reverseOrder())\n}\n\n/**\n * Returns a sequence that yields elements of this sequence sorted according
to the specified [comparator].\n * \n * The sort is _stable_. It means that equal elements preserve their order relative
to each other after sorting.\n * \n * The operation is _intermediate_ and _stateful_.\n *^\npublic fun <T>
Sequence<T>.sortedWith(comparator: Comparator<in T>): Sequence<T> {\n    return object : Sequence<T> {\n
override fun iterator(): Iterator<T> {\n        val sortedList = this@sortedWith.toMutableList()\n
sortedList.sortWith(comparator)\n        return sortedList.iterator()\n    }\n}\n\n/**\n * Returns a [Map]
containing key-value pairs provided by [transform] function\n * applied to elements of the given sequence.\n * \n *
If any of two pairs would have the same key the last one gets added to the map.\n * \n * The returned map preserves
the entry iteration order of the original sequence.\n * \n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Transformations.associate\n *^\npublic inline fun <T, K, V>
Sequence<T>.associate(transform: (T) -> Pair<K, V>): Map<K, V> {\n    return associateTo(LinkedHashMap<K,
V>(), transform)\n}\n\n/**\n * Returns a [Map] containing the elements from the given sequence indexed by the
key\n * returned from [keySelector] function applied to each element.\n * \n * If any two elements would have the
same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry
iteration order of the original sequence.\n * \n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Transformations.associateBy\n *^\npublic inline fun <T, K>
Sequence<T>.associateBy(keySelector: (T) -> K): Map<K, T> {\n    return associateByTo(LinkedHashMap<K,
T>(), keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed
by [keySelector] functions applied to elements of the given sequence.\n * \n * If any two elements would have the
same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry
iteration order of the original sequence.\n * \n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Transformations.associateByWithValueTransform\n *^\npublic inline fun <T, K, V>
Sequence<T>.associateBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, V> {\n    return

```

associateByTo(LinkedHashMap<K, V>(), keySelector, valueTransform)\n\n\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function applied to each element of the given sequence\n * and value is the element itself.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.associateByTo\n */\npublic inline fun <T, K, M : MutableMap<in K, in T>> Sequence<T>.associateByTo(destination: M, keySelector: (T) -> K): M {\n for (element in this) {\n destination.put(keySelector(element), element)\n }\n return destination\n}\n\n\n * Populates and returns the [destination] mutable map with key-value pairs,\n * where key is provided by the [keySelector] function and\n * and value is provided by the [valueTransform] function applied to elements of the given sequence.\n * \n * If any two elements would have the same key returned by [keySelector] the last one gets added to the map.\n * \n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.associateByToWithValueTransform\n */\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Sequence<T>.associateByTo(destination: M, keySelector: (T) -> K, valueTransform: (T) -> V): M {\n for (element in this) {\n destination.put(keySelector(element), valueTransform(element))\n }\n return destination\n}\n\n\n * Populates and returns the [destination] mutable map with key-value pairs\n * provided by [transform] function applied to each element of the given sequence.\n * \n * If any of two pairs would have the same key the last one gets added to the map.\n * \n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.associateTo\n */\npublic inline fun <T, K, V, M : MutableMap<in K, in V>> Sequence<T>.associateTo(destination: M, transform: (T) -> Pair<K, V>): M {\n for (element in this) {\n destination += transform(element)\n }\n return destination\n}\n\n\n * Returns a [Map] where keys are elements from the given sequence and values are\n * produced by the [valueSelector] function applied to each element.\n * \n * If any two elements are equal, the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the original sequence.\n * \n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.associateWith\n */\n@SinceKotlin("1.3")\npublic inline fun <K, V> Sequence<K>.associateWith(valueSelector: (K) -> V): Map<K, V> {\n val result = LinkedHashMap<K, V>()\n return associateWithTo(result, valueSelector)\n}\n\n\n * Populates and returns the [destination] mutable map with key-value pairs for each element of the given sequence,\n * where key is the element itself and value is provided by the [valueSelector] function applied to that key.\n * \n * If any two elements are equal, the last one overwrites the former value in the map.\n * \n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.associateWithTo\n */\n@SinceKotlin("1.3")\npublic inline fun <K, V, M : MutableMap<in K, in V>> Sequence<K>.associateWithTo(destination: M, valueSelector: (K) -> V): M {\n for (element in this) {\n destination.put(element, valueSelector(element))\n }\n return destination\n}\n\n\n * Appends all elements to the given [destination] collection.\n * \n * The operation is _terminal_.\n */\npublic fun <T, C : MutableCollection<in T>> Sequence<T>.toCollection(destination: C): C {\n for (item in this) {\n destination.add(item)\n }\n return destination\n}\n\n\n * Returns a [HashSet] of all elements.\n * \n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.toHashSet(): HashSet<T> {\n return toCollection(HashSet<T>())\n}\n\n\n * Returns a [List] containing all elements.\n * \n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.toList(): List<T> {\n return this.toMutableList().optimizeReadOnlyList()\n}\n\n\n * Returns a [MutableList] filled with all elements of this sequence.\n * \n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.toMutableList(): MutableList<T> {\n return toCollection(ArrayList<T>())\n}\n\n\n * Returns a [Set] of all elements.\n * \n * The returned set preserves the element iteration order of the original sequence.\n * \n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.toSet(): Set<T> {\n return toCollection(LinkedHashSet<T>()).optimizeReadOnlySet()\n}\n\n\n * Returns a single sequence of all elements from results of [transform] function being invoked on each element of original sequence.\n * \n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.flatMap\n */\npublic fun <T, R> Sequence<T>.flatMap(transform: (T) -> Sequence<R>): Sequence<R> {\n return

```

FlatteningSequence(this, transform, { it.iterator() })\n\n\n * Appends all elements yielded from results of
[transform] function being invoked on each element of original sequence, to the given [destination].\n\n * The
operation is _terminal_.\n\n * \n\n public inline fun <T, R, C : MutableCollection<in R>>
Sequence<T>.flatMapTo(destination: C, transform: (T) -> Sequence<R>): C {\n  for (element in this) {\n    val
list = transform(element)\n    destination.addAll(list)\n  }\n  return destination\n}\n\n\n * Groups elements of
the original sequence by the key returned by the given [keySelector] function\n\n * applied to each element and
returns a map where each group key is associated with a list of corresponding elements.\n\n * \n\n * The returned map
preserves the entry iteration order of the keys produced from the original sequence.\n\n * \n\n * The operation is
_terminal_.\n\n * \n\n * @sample samples.collections.Collections.Transformations.groupBy\n\n * \n\n public inline fun <T,
K> Sequence<T>.groupBy(keySelector: (T) -> K): Map<K, List<T>> {\n  return groupByTo(LinkedHashMap<K,
MutableList<T>>(), keySelector)\n}\n\n\n\n * Groups values returned by the [valueTransform] function applied to
each element of the original sequence\n\n * by the key returned by the given [keySelector] function applied to the
element\n\n * and returns a map where each group key is associated with a list of corresponding values.\n\n * \n\n * The
returned map preserves the entry iteration order of the keys produced from the original sequence.\n\n * \n\n * The
operation is _terminal_.\n\n * \n\n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n\n * \n\n public inline fun <T, K, V>
Sequence<T>.groupBy(keySelector: (T) -> K, valueTransform: (T) -> V): Map<K, List<V>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n\n\n * Groups elements
of the original sequence by the key returned by the given [keySelector] function\n\n * applied to each element and
puts to the [destination] map each group key associated with a list of corresponding elements.\n\n * \n\n * @return The
[destination] map.\n\n * \n\n * The operation is _terminal_.\n\n * \n\n * @sample
samples.collections.Collections.Transformations.groupBy\n\n * \n\n public inline fun <T, K, M : MutableMap<in K,
MutableList<T>>> Sequence<T>.groupByTo(destination: M, keySelector: (T) -> K): M {\n  for (element in this)
{\n    val key = keySelector(element)\n    val list = destination.getOrPut(key) { ArrayList<T>() }\n    list.add(element)\n  }\n  return destination\n}\n\n\n\n * Groups values returned by the [valueTransform] function
applied to each element of the original sequence\n\n * by the key returned by the given [keySelector] function applied
to the element\n\n * and puts to the [destination] map each group key associated with a list of corresponding values.\n\n *
\n\n * @return The [destination] map.\n\n * \n\n * The operation is _terminal_.\n\n * \n\n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n\n * \n\n public inline fun <T, K, V, M :
MutableMap<in K, MutableList<V>>> Sequence<T>.groupByTo(destination: M, keySelector: (T) -> K,
valueTransform: (T) -> V): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list =
destination.getOrPut(key) { ArrayList<V>() }\n    list.add(valueTransform(element))\n  }\n  return
destination\n}\n\n\n\n * Creates a [Grouping] source from a sequence to be used later with one of group-and-fold
operations\n\n * using the specified [keySelector] function to extract a key from each element.\n\n * \n\n * The operation is
_intermediate_ and _stateless_.\n\n * \n\n * @sample samples.collections.Grouping.groupingByEachCount\n\n *
\n\n * @Since Kotlin("1.1")\n\n public inline fun <T, K> Sequence<T>.groupingBy(crossinline keySelector: (T) -> K):
Grouping<T, K> {\n  return object : Grouping<T, K> {\n    override fun sourceIterator(): Iterator<T> =
this@groupingBy.iterator()\n    override fun keyOf(element: T): K = keySelector(element)\n  }\n}\n\n\n\n * Returns a sequence containing the results of applying the given [transform] function\n\n * to each element in the
original sequence.\n\n * \n\n * The operation is _intermediate_ and _stateless_.\n\n * \n\n * @sample
samples.collections.Collections.Transformations.map\n\n * \n\n public fun <T, R> Sequence<T>.map(transform: (T) ->
R): Sequence<R> {\n  return TransformingSequence(this, transform)\n}\n\n\n\n * Returns a sequence containing
the results of applying the given [transform] function\n\n * to each element and its index in the original sequence.\n\n *
\n\n * @param [transform] function that takes the index of an element and the element itself\n\n * and returns the result of
the transform applied to the element.\n\n * \n\n * The operation is _intermediate_ and _stateless_.\n\n * \n\n public fun <T,
R> Sequence<T>.mapIndexed(transform: (index: Int, T) -> R): Sequence<R> {\n  return
TransformingIndexedSequence(this, transform)\n}\n\n\n\n * Returns a sequence containing only the non-null
results of applying the given [transform] function\n\n * to each element and its index in the original sequence.\n\n *

```

@param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T, R : Any> Sequence<T>.mapIndexedNotNull(transform: (index: Int, T) -> R?): Sequence<R> {\n return TransformingIndexedSequence(this, transform).filterNotNull()\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original sequence\n * and appends only the non-null results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Sequence<T>.mapIndexedNotNullTo(destination: C, transform: (index: Int, T) -> R?): C {\n forEachIndexed { index, element -> transform(index, element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original sequence\n * and appends the results to the given [destination].\n * @param [transform] function that takes the index of an element and the element itself\n * and returns the result of the transform applied to the element.\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.mapIndexedTo(destination: C, transform: (index: Int, T) -> R): C {\n var index = 0\n for (item in this)\n destination.add(transform(checkIndexOverflow(index++), item))\n return destination\n}\n\n/**\n * Returns a sequence containing only the non-null results of applying the given [transform] function\n * to each element in the original sequence.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T, R : Any> Sequence<T>.mapNotNull(transform: (T) -> R?): Sequence<R> {\n return TransformingSequence(this, transform).filterNotNull()\n}\n\n/**\n * Applies the given [transform] function to each element in the original sequence\n * and appends only the non-null results to the given [destination].\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R : Any, C : MutableCollection<in R>> Sequence<T>.mapNotNullTo(destination: C, transform: (T) -> R?): C {\n forEach { element -> transform(element)?.let { destination.add(it) } }\n return destination\n}\n\n/**\n * Applies the given [transform] function to each element of the original sequence\n * and appends the results to the given [destination].\n *\n * The operation is _terminal_.\n */\npublic inline fun <T, R, C : MutableCollection<in R>> Sequence<T>.mapTo(destination: C, transform: (T) -> R): C {\n for (item in this)\n destination.add(transform(item))\n return destination\n}\n\n/**\n * Returns a sequence that wraps each element of the original sequence\n * into an [IndexedValue] containing the index of that element and the element itself.\n *\n * The operation is _intermediate_ and _stateless_.\n */\npublic fun <T> Sequence<T>.withIndex(): Sequence<IndexedValue<T>> {\n return IndexingSequence(this)\n}\n\n/**\n * Returns a sequence containing only distinct elements from the given sequence.\n *\n * The elements in the resulting sequence are in the same order as they were in the source sequence.\n *\n * The operation is _intermediate_ and _stateful_.\n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun <T> Sequence<T>.distinct(): Sequence<T> {\n return this.distinctBy { it }\n}\n\n/**\n * Returns a sequence containing only elements from the given sequence\n * having distinct keys returned by the given [selector] function.\n *\n * The elements in the resulting sequence are in the same order as they were in the source sequence.\n *\n * The operation is _intermediate_ and _stateful_.\n * @sample samples.collections.Collections.Transformations.distinctAndDistinctBy\n */\npublic fun <T, K> Sequence<T>.distinctBy(selector: (T) -> K): Sequence<T> {\n return DistinctSequence(this, selector)\n}\n\n/**\n * Returns a mutable set containing all distinct elements from the given sequence.\n *\n * The returned set preserves the element iteration order of the original sequence.\n *\n * The operation is _terminal_.\n */\npublic fun <T> Sequence<T>.toMutableSet(): MutableSet<T> {\n val set = LinkedHashSet<T>()\n for (item in this)\n set.add(item)\n return set\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n *\n * The operation is _terminal_.\n * @sample samples.collections.Collections.Aggregates.all\n */\npublic inline fun <T> Sequence<T>.all(predicate: (T) -> Boolean): Boolean {\n for (element in this) if (!predicate(element)) return false\n return true\n}\n\n/**\n * Returns `true` if sequence has at least one element.\n *\n * The operation is _terminal_.\n * @sample samples.collections.Collections.Aggregates.any\n */\npublic fun <T> Sequence<T>.any(): Boolean {\n return iterator().hasNext()\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n *\n * The operation is _terminal_.\n * @sample

```

samples.collections.Collections.Aggregates.anyWithPredicate\n *\npublic inline fun <T>
Sequence<T>.any(predicate: (T) -> Boolean): Boolean {\n  for (element in this) if (predicate(element)) return
true\n  return false\n}\n\n/**\n * Returns the number of elements in this sequence.\n *\n * The operation is
_terminal_\n *\npublic fun <T> Sequence<T>.count(): Int {\n  var count = 0\n  for (element in this)
checkCountOverflow(++count)\n  return count\n}\n\n/**\n * Returns the number of elements matching the given
[predicate].\n *\n * The operation is _terminal_\n *\npublic inline fun <T> Sequence<T>.count(predicate: (T) ->
Boolean): Int {\n  var count = 0\n  for (element in this) if (predicate(element)) checkCountOverflow(++count)\n
return count\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to right
to current accumulator value and each element.\n *\n * The operation is _terminal_\n *\npublic inline fun <T, R>
Sequence<T>.fold(initial: R, operation: (acc: R, T) -> R): R {\n  var accumulator = initial\n  for (element in this)
accumulator = operation(accumulator, element)\n  return accumulator\n}\n\n/**\n * Accumulates value starting
with [initial] value and applying [operation] from left to right\n * to current accumulator value and each element
with its index in the original sequence.\n * @param [operation] function that takes the index of an element, current
accumulator value\n * and the element itself, and calculates the next accumulator value.\n *\n * The operation is
_terminal_\n *\npublic inline fun <T, R> Sequence<T>.foldIndexed(initial: R, operation: (index: Int, acc: R, T) ->
R): R {\n  var index = 0\n  var accumulator = initial\n  for (element in this) accumulator =
operation(checkIndexOverflow(index++), accumulator, element)\n  return accumulator\n}\n\n/**\n * Performs the
given [action] on each element.\n *\n * The operation is _terminal_\n *\npublic inline fun <T>
Sequence<T>.forEach(action: (T) -> Unit): Unit {\n  for (element in this) action(element)\n}\n\n/**\n * Performs
the given [action] on each element, providing sequential index with the element.\n * @param [action] function that
takes the index of an element and the element itself\n * and performs the desired action on the element.\n *\n * The
operation is _terminal_\n *\npublic inline fun <T> Sequence<T>.forEachIndexed(action: (index: Int, T) -> Unit):
Unit {\n  var index = 0\n  for (item in this) action(checkIndexOverflow(index++), item)\n}\n\n/**\n * Returns the
largest element or `null` if there are no elements.\n *\n * If any of elements is `NaN` returns `NaN`.\n *\n * The
operation is _terminal_\n *\n@SinceKotlin("1.1")\npublic fun Sequence<Double>.max(): Double? {\n  val
iterator = iterator()\n  if (!iterator.hasNext()) return null\n  var max = iterator.next()\n  if (max.isNaN()) return
max\n  while (iterator.hasNext()) {\n    val e = iterator.next()\n    if (e.isNaN()) return e\n    if (max < e) max
= e\n  }\n  return max\n}\n\n/**\n * Returns the largest element or `null` if there are no elements.\n *\n * If any
of elements is `NaN` returns `NaN`.\n *\n * The operation is _terminal_\n *\n@SinceKotlin("1.1")\npublic fun
Sequence<Float>.max(): Float? {\n  val iterator = iterator()\n  if (!iterator.hasNext()) return null\n  var max =
iterator.next()\n  if (max.isNaN()) return max\n  while (iterator.hasNext()) {\n    val e = iterator.next()\n    if
(e.isNaN()) return e\n    if (max < e) max = e\n  }\n  return max\n}\n\n/**\n * Returns the largest element or
`null` if there are no elements.\n *\n * The operation is _terminal_\n *\npublic fun <T : Comparable<T>>
Sequence<T>.max(): T? {\n  val iterator = iterator()\n  if (!iterator.hasNext()) return null\n  var max =
iterator.next()\n  while (iterator.hasNext()) {\n    val e = iterator.next()\n    if (max < e) max = e\n  }\n
return max\n}\n\n/**\n * Returns the first element yielding the largest value of the given function or `null` if there
are no elements.\n *\n * The operation is _terminal_\n *\n * @sample
samples.collections.Collections.Aggregates.maxBy\n *\npublic inline fun <T, R : Comparable<R>>
Sequence<T>.maxBy(selector: (T) -> R): T? {\n  val iterator = iterator()\n  if (!iterator.hasNext()) return null\n
var maxElem = iterator.next()\n  if (!iterator.hasNext()) return maxElem\n  var maxValue = selector(maxElem)\n
do {\n    val e = iterator.next()\n    val v = selector(e)\n    if (maxValue < v) {\n      maxElem = e\n
maxValue = v\n    }\n  } while (iterator.hasNext())\n  return maxElem\n}\n\n/**\n * Returns the first element
having the largest value according to the provided [comparator] or `null` if there are no elements.\n *\n * The
operation is _terminal_\n *\npublic fun <T> Sequence<T>.maxWith(comparator: Comparator<in T>): T? {\n  val
iterator = iterator()\n  if (!iterator.hasNext()) return null\n  var max = iterator.next()\n  while (iterator.hasNext())
{\n    val e = iterator.next()\n    if (comparator.compare(max, e) < 0) max = e\n  }\n  return max\n}\n\n/**\n *
Returns the smallest element or `null` if there are no elements.\n *\n * If any of elements is `NaN` returns `NaN`.\n
*\n * The operation is _terminal_\n *\n@SinceKotlin("1.1")\npublic fun Sequence<Double>.min(): Double? {\n

```

```

val iterator = iterator()\n if (!iterator.hasNext()) return null\n var min = iterator.next()\n if (min.isNaN()) return
min\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (e.isNaN()) return e\n if (min > e) min
= e\n }\n return min\n}\n\n/**\n * Returns the smallest element or `null` if there are no elements.\n * \n * If any
of elements is `NaN` returns `NaN`.\n * \n * The operation is _terminal_.\n * \n * @SinceKotlin("1.1")\n\npublic fun
Sequence<Float>.min(): Float? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var min =
iterator.next()\n if (min.isNaN()) return min\n while (iterator.hasNext()) {\n val e = iterator.next()\n if
(e.isNaN()) return e\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the smallest element or
`null` if there are no elements.\n * \n * The operation is _terminal_.\n * \n * @public fun <T : Comparable<T>>
Sequence<T>.min(): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n var min =
iterator.next()\n while (iterator.hasNext()) {\n val e = iterator.next()\n if (min > e) min = e\n }\n return
min\n}\n\n/**\n * Returns the first element yielding the smallest value of the given function or `null` if there are no
elements.\n * \n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Aggregates.minBy\n * \n * @public inline fun <T, R : Comparable<R>>
Sequence<T>.minBy(selector: (T) -> R): T? {\n val iterator = iterator()\n if (!iterator.hasNext()) return null\n
var minElem = iterator.next()\n if (!iterator.hasNext()) return minElem\n var minValue = selector(minElem)\n
do {\n val e = iterator.next()\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n
minValue = v\n }\n } while (iterator.hasNext())\n return minElem\n}\n\n/**\n * Returns the first element
having the smallest value according to the provided [comparator] or `null` if there are no elements.\n * \n * The
operation is _terminal_.\n * \n * @public fun <T> Sequence<T>.minWith(comparator: Comparator<in T>): T? {\n val
iterator = iterator()\n if (!iterator.hasNext()) return null\n var min = iterator.next()\n while (iterator.hasNext())
{\n val e = iterator.next()\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n *
Returns `true` if the sequence has no elements.\n * \n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n * \n * @public fun <T> Sequence<T>.none(): Boolean {\n return
!iterator().hasNext()\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * The operation is
_terminal_.\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n * \n * @public inline fun
<T> Sequence<T>.none(predicate: (T) -> Boolean): Boolean {\n for (element in this) if (predicate(element))
return false\n return true\n}\n\n/**\n * Returns a sequence which performs the given [action] on each element of
the original sequence as they pass through it.\n * \n * The operation is _intermediate_ and _stateless_.\n
*\n * @SinceKotlin("1.1")\n\npublic fun <T> Sequence<T>.onEach(action: (T) -> Unit): Sequence<T> {\n return
map {\n action(it)\n it\n }\n}\n\n/**\n * Accumulates value starting with the first element and applying
[operation] from left to right to current accumulator value and each element.\n * \n * The operation is _terminal_.\n *
*\n * @sample samples.collections.Collections.Aggregates.reduce\n * \n * @public inline fun <S, T : S>
Sequence<T>.reduce(operation: (acc: S, T) -> S): S {\n val iterator = this.iterator()\n if (!iterator.hasNext())
throw UnsupportedOperationException("Empty sequence can't be reduced.")\n var accumulator: S =
iterator.next()\n while (iterator.hasNext()) {\n accumulator = operation(accumulator, iterator.next())\n }\n
return accumulator\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation] from
left to right\n * to current accumulator value and each element with its index in the original sequence.\n * \n * @param
[operation] function that takes the index of an element, current accumulator value\n * and the element itself and
calculates the next accumulator value.\n * \n * The operation is _terminal_.\n * \n * @sample
samples.collections.Collections.Aggregates.reduce\n * \n * @public inline fun <S, T : S>
Sequence<T>.reduceIndexed(operation: (index: Int, acc: S, T) -> S): S {\n val iterator = this.iterator()\n if
(!iterator.hasNext()) throw UnsupportedOperationException("Empty sequence can't be reduced.")\n var index =
1\n var accumulator: S = iterator.next()\n while (iterator.hasNext()) {\n accumulator =
operation(checkIndexOverflow(index++), accumulator, iterator.next())\n }\n return accumulator\n}\n\n/**\n *
Accumulates value starting with the first element and applying [operation] from left to right to current accumulator
value and each element. Returns null if the sequence is empty.\n * \n * The operation is _terminal_.\n * \n *
*\n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*\n * @SinceKotlin("1.3")\n\n@ExperimentalStdlibApi\n\npublic inline fun <S, T : S>

```



```

Sequence<T>.reduceOrNull(operation: (acc: S, T) -> S): S? {
    val iterator = this.iterator()
    if (!iterator.hasNext()) return null
    var accumulator: S = iterator.next()
    while (iterator.hasNext()) {
        accumulator = operation(accumulator, iterator.next())
    }
    return accumulator
}

Returns a sequence containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with [initial] value. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting sequence. The [initial] value should also be immutable (or should not be mutated) as it may be passed to [operation] function later because of sequence's lazy nature.

@param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.

The operation is _intermediate_ and _stateless_.

@sample samples.collections.Collections.Aggregates.scan

*/

@SinceKotlin("1.3")
@ExperimentalStdlibApi
public fun <T, R> Sequence<T>.scan(initial: R, operation: (acc: R, T) -> R): Sequence<R> {
    return sequence {
        yield(initial)
        var accumulator = initial
        for (element in this@scan) {
            accumulator = operation(accumulator, element)
            yield(accumulator)
        }
    }
}

Returns a sequence containing successive accumulation values generated by applying [operation] from left to right to each element, its index in the original sequence and current accumulator value that starts with [initial] value. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting sequence. The [initial] value should also be immutable (or should not be mutated) as it may be passed to [operation] function later because of sequence's lazy nature.

@param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

The operation is _intermediate_ and _stateless_.

@sample samples.collections.Collections.Aggregates.scan

*/

@SinceKotlin("1.3")
@ExperimentalStdlibApi
public fun <T, R> Sequence<T>.scanIndexed(initial: R, operation: (index: Int, acc: R, T) -> R): Sequence<R> {
    return sequence {
        yield(initial)
        var index = 0
        var accumulator = initial
        for (element in this@scanIndexed) {
            accumulator = operation(checkIndexOverflow(index++), accumulator, element)
            yield(accumulator)
        }
    }
}

Returns a sequence containing successive accumulation values generated by applying [operation] from left to right to each element and current accumulator value that starts with the first element of this sequence. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting sequence.

@param [operation] function that takes current accumulator value and the element, and calculates the next accumulator value.

The operation is _intermediate_ and _stateless_.

@sample samples.collections.Collections.Aggregates.scanReduce

*/

@SinceKotlin("1.3")
@ExperimentalStdlibApi
public fun <S, T : S> Sequence<T>.scanReduce(operation: (acc: S, T) -> S): Sequence<S> {
    return sequence {
        val iterator = iterator()
        if (iterator.hasNext()) {
            var accumulator: S = iterator.next()
            yield(accumulator)
            while (iterator.hasNext()) {
                accumulator = operation(accumulator, iterator.next())
                yield(accumulator)
            }
        }
    }
}

Returns a sequence containing successive accumulation values generated by applying [operation] from left to right to each element, its index in the original sequence and current accumulator value that starts with the first element of this sequence. Note that `acc` value passed to [operation] function should not be mutated; otherwise it would affect the previous value in resulting sequence.

@param [operation] function that takes the index of an element, current accumulator value and the element itself, and calculates the next accumulator value.

The operation is _intermediate_ and _stateless_.

@sample samples.collections.Collections.Aggregates.scanReduce

*/

@SinceKotlin("1.3")
@ExperimentalStdlibApi
public fun <S, T : S> Sequence<T>.scanReduceIndexed(operation: (index: Int, acc: S, T) -> S): Sequence<S> {
    return sequence {
        val iterator = iterator()
        if (iterator.hasNext()) {
            var accumulator: S = iterator.next()
            yield(accumulator)
            var index = 1
            while (iterator.hasNext()) {
                accumulator = operation(checkIndexOverflow(index++), accumulator, iterator.next())
                yield(accumulator)
            }
        }
    }
}

Returns the sum of all values produced by [selector] function applied to each element in the

```

```

sequence.\n *\n * The operation is _terminal_.\n *\npublic inline fun <T> Sequence<T>.sumBy(selector: (T) ->
Int): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum += selector(element)\n    }\n    return
sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the
sequence.\n *\n * The operation is _terminal_.\n *\npublic inline fun <T> Sequence<T>.sumByDouble(selector:
(T) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in this) {\n        sum += selector(element)\n
    }\n    return sum\n}\n\n/**\n * Returns an original collection containing all the non-`null` elements, throwing an
[IllegalArgumentException] if there are any `null` elements.\n *\n * The operation is _intermediate_ and
_stateless_.\n *\npublic fun <T : Any> Sequence<T?>.requireNonNulls(): Sequence<T> {\n    return map { it ?:
throw IllegalArgumentException("`null element found in $this.`") }\n}\n\n/**\n * Splits this sequence into a
sequence of lists each not exceeding the given [size].\n *\n * The last list in the resulting sequence may have less
elements than the given [size].\n *\n * @param size the number of elements to take in each list, must be positive
and can be greater than the number of elements in this sequence.\n *\n * The operation is _intermediate_ and
_stateful_.\n *\n * @sample samples.collections.Collections.Transformations.chunked\n
*\n@SinceKotlin("1.2")\npublic fun <T> Sequence<T>.chunked(size: Int): Sequence<List<T>> {\n    return
windowed(size, size, partialWindows = true)\n}\n\n/**\n * Splits this sequence into several lists each not exceeding
the given [size]\n * and applies the given [transform] function to an each.\n *\n * @return sequence of results of the
[transform] applied to an each list.\n *\n * Note that the list passed to the [transform] function is ephemeral and is
valid only inside that function.\n *\n * You should not store it or allow it to escape in some way, unless you made a
snapshot of it.\n *\n * The last list may have less elements than the given [size].\n *\n * @param size the number of
elements to take in each list, must be positive and can be greater than the number of elements in this sequence.\n *\n
*\n * The operation is _intermediate_ and _stateful_.\n *\n * @sample samples.text.Strings.chunkedTransform\n
*\n@SinceKotlin("1.2")\npublic fun <T, R> Sequence<T>.chunked(size: Int, transform: (List<T>) -> R):
Sequence<R> {\n    return windowed(size, size, partialWindows = true, transform = transform)\n}\n\n/**\n *
Returns a sequence containing all elements of the original sequence without the first occurrence of the given
[element].\n *\n * The operation is _intermediate_ and _stateless_.\n *\npublic operator fun <T>
Sequence<T>.minus(element: T): Sequence<T> {\n    return object: Sequence<T> {\n        override fun iterator():
Iterator<T> {\n            var removed = false\n            return this@minus.filter { if (!removed && it == element) {\n
                removed = true; false } else true }.iterator()\n        }\n    }\n}\n\n/**\n * Returns a sequence containing all elements
of original sequence except the elements contained in the given [elements] array.\n *\n * Note that the source
sequence and the array being subtracted are iterated only when an `iterator` is requested from\n * the resulting
sequence. Changing any of them between successive calls to `iterator` may affect the result.\n *\n * The [elements]
array may be converted to a [HashSet] to speed up the operation, thus the elements are required to have\n * a correct
and stable implementation of `hashCode()` that doesn't change between successive invocations.\n *\n * The
operation is _intermediate_ and _stateful_.\n *\npublic operator fun <T> Sequence<T>.minus(elements: Array<out
T>): Sequence<T> {\n    if (elements.isEmpty()) return this\n    return object: Sequence<T> {\n        override fun
iterator(): Iterator<T> {\n            val other = elements.toHashSet()\n            return this@minus.filterNot { it in other
}\n        }.iterator()\n    }\n}\n\n/**\n * Returns a sequence containing all elements of original sequence except the
elements contained in the given [elements] collection.\n *\n * Note that the source sequence and the collection
being subtracted are iterated only when an `iterator` is requested from\n * the resulting sequence. Changing any of
them between successive calls to `iterator` may affect the result.\n *\n * The [elements] collection may be converted
to a [HashSet] to speed up the operation, thus the elements are required to have\n * a correct and stable
implementation of `hashCode()` that doesn't change between successive invocations.\n *\n * The operation is
_intermediate_ and _stateful_.\n *\npublic operator fun <T> Sequence<T>.minus(elements: Iterable<T>):
Sequence<T> {\n    return object: Sequence<T> {\n        override fun iterator(): Iterator<T> {\n            val other =
elements.convertToSetForSetOperation()\n            if (other.isEmpty())\n                return this@minus.iterator()\n
            else\n                return this@minus.filterNot { it in other }.iterator()\n        }\n    }\n}\n\n/**\n * Returns a sequence
containing all elements of original sequence except the elements contained in the given [elements] sequence.\n *\n
*\n * Note that the source sequence and the sequence being subtracted are iterated only when an `iterator` is requested

```

from the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.

The operation is `_intermediate_` for this sequence and `_terminal_` and `_stateful_` for the [elements] sequence.

The [elements] sequence may be converted to a [HashSet] to speed up the operation, thus the elements are required to have a correct and stable implementation of `hashCode()` that doesn't change between successive invocations.

```

public operator fun <T> Sequence<T>.minus(elements: Sequence<T>): Sequence<T> {
    return object: Sequence<T> {
        override fun iterator(): Iterator<T> {
            val other = elements.toHashSet()
            if (other.isEmpty()) return this@minus.iterator()
            else return this@minus.filterNot { it in other }.iterator()
        }
    }
}

```

Returns a sequence containing all elements of the original sequence without the first occurrence of the given [element].

The operation is `_intermediate_` and `_stateless_`.

```

@kotlin.internal.InlineOnly
public inline fun <T> Sequence<T>.minusElement(element: T): Sequence<T> {
    return minus(element)
}

```

Splits the original sequence into pair of lists, where `first` list contains elements for which [predicate] yielded `true`, while `second` list contains elements for which [predicate] yielded `false`.

The operation is `_terminal_`.

```

public inline fun <T> Sequence<T>.partition(predicate: (T) -> Boolean): Pair<List<T>, List<T>> {
    val first = ArrayList<T>()
    val second = ArrayList<T>()
    for (element in this) {
        if (predicate(element)) first.add(element)
        else second.add(element)
    }
    return Pair(first, second)
}

```

Returns a sequence containing all elements of the original sequence and then the given [element].

The operation is `_intermediate_` and `_stateless_`.

```

public operator fun <T> Sequence<T>.plus(element: T): Sequence<T> {
    return sequenceOf(this, sequenceOf(element)).flatten()
}

```

Returns a sequence containing all elements of original sequence and then all elements of the given [elements] array.

Note that the source sequence and the array being added are iterated only when an `iterator` is requested from the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.

The operation is `_intermediate_` and `_stateless_`.

```

public operator fun <T> Sequence<T>.plus(elements: Array<out T>): Sequence<T> {
    return this.plus(elements.asList())
}

```

Returns a sequence containing all elements of original sequence and then all elements of the given [elements] collection.

Note that the source sequence and the collection being added are iterated only when an `iterator` is requested from the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.

The operation is `_intermediate_` and `_stateless_`.

```

public operator fun <T> Sequence<T>.plus(elements: Iterable<T>): Sequence<T> {
    return sequenceOf(this, elements.asSequence()).flatten()
}

```

Returns a sequence containing all elements of original sequence and then all elements of the given [elements] sequence.

Note that the source sequence and the sequence being added are iterated only when an `iterator` is requested from the resulting sequence. Changing any of them between successive calls to `iterator` may affect the result.

The operation is `_intermediate_` and `_stateless_`.

```

public operator fun <T> Sequence<T>.plus(elements: Sequence<T>): Sequence<T> {
    return sequenceOf(this, elements).flatten()
}

```

Returns a sequence containing all elements of the original sequence and then the given [element].

The operation is `_intermediate_` and `_stateless_`.

```

@kotlin.internal.InlineOnly
public inline fun <T> Sequence<T>.plusElement(element: T): Sequence<T> {
    return plus(element)
}

```

Returns a sequence of snapshots of the window of the given [size] sliding along this sequence with the given [step], where each snapshot is a list.

Several last lists may have less elements than the given [size].

Both [size] and [step] must be positive and can be greater than the number of elements in this sequence.

@param size the number of elements to take in each window

@param step the number of elements to move the window forward by on an each step, by default 1

@param partialWindows controls whether or not to keep partial windows in the end if any, by default `false` which means partial windows won't be preserved

@sample samples.collections.Sequences.Transformations.takeWindows

```

@SinceKotlin("1.2")
public fun <T> Sequence<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): Sequence<List<T>> {
    return windowedSequence(size, step, partialWindows, reuseBuffer = false)
}

```

Returns a sequence of results of applying the given [transform] function to an each list representing a view over the window of the given [size] sliding along this sequence with the given [step].

* Note that the list passed to the [transform] function is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way, unless you made a snapshot of it.\n * Several last lists may have less elements than the given [size].\n * \n * Both [size] and [step] must be positive and can be greater than the number of elements in this sequence.\n * @param size the number of elements to take in each window\n * @param step the number of elements to move the window forward by on an each step, by default 1\n * @param partialWindows controls whether or not to keep partial windows in the end if any,\n * by default `false` which means partial windows won't be preserved\n * \n * @sample samples.collections.Sequences.Transformations.averageWindows\n * \n @SinceKotlin("1.2")\n public fun <T, R> Sequence<T>.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (List<T>) -> R): Sequence<R> {\n return windowedSequence(size, step, partialWindows, reuseBuffer = true).map(transform)\n }\n \n /**\n * Returns a sequence of values built from the elements of `this` sequence and the [other] sequence with the same index.\n * The resulting sequence ends as soon as the shortest input sequence ends.\n * \n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Sequences.Transformations.zip\n * \n @SinceKotlin("1.2")\n public infix fun <T, R> Sequence<T>.zip(other: Sequence<R>): Sequence<Pair<T, R>> {\n return MergingSequence(this, other) { t1, t2 -> t1 to t2 }\n }\n \n /**\n * Returns a sequence of values built from the elements of `this` sequence and the [other] sequence with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The resulting sequence ends as soon as the shortest input sequence ends.\n * \n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Sequences.Transformations.zipWithTransform\n * \n @SinceKotlin("1.2")\n public fun <T, R, V> Sequence<T>.zip(other: Sequence<R>, transform: (a: T, b: R) -> V): Sequence<V> {\n return MergingSequence(this, other, transform)\n }\n \n /**\n * Returns a sequence of pairs of each two adjacent elements in this sequence.\n * \n * The returned sequence is empty if this sequence contains less than two elements.\n * \n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNext\n * \n @SinceKotlin("1.2")\n public fun <T> Sequence<T>.zipWithNext(): Sequence<Pair<T, T>> {\n return zipWithNext { a, b -> a to b }\n }\n \n /**\n * Returns a sequence containing the results of applying the given [transform] function\n * to an each pair of two adjacent elements in this sequence.\n * \n * The returned sequence is empty if this sequence contains less than two elements.\n * \n * The operation is _intermediate_ and _stateless_.\n * \n * @sample samples.collections.Collections.Transformations.zipWithNextToFindDeltas\n * \n @SinceKotlin("1.2")\n public fun <T, R> Sequence<T>.zipWithNext(transform: (a: T, b: T) -> R): Sequence<R> {\n return sequence result@ {\n val iterator = iterator()\n if (!iterator.hasNext()) return@result\n var current = iterator.next()\n while (iterator.hasNext()) {\n val next = iterator.next()\n yield(transform(current, next))\n current = next\n }\n }\n }\n \n /**\n * Appends the string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to "...").\n * \n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.joinTo\n * \n @SinceKotlin("1.2")\n public fun <T, A : Appendable> Sequence<T>.joinTo(buffer: A, separator: CharSequence = ", ", prefix: CharSequence = "\\", postfix: CharSequence = "\\", limit: Int = -1, truncated: CharSequence = "...", transform: ((T) -> CharSequence)? = null): A {\n buffer.append(prefix)\n var count = 0\n for (element in this) {\n if (++count > 1)\n buffer.append(separator)\n if (limit < 0 || count <= limit) {\n buffer.appendElement(element, transform)\n } else break\n }\n if (limit >= 0 && count > limit) buffer.append(truncated)\n buffer.append(postfix)\n return buffer\n }\n \n /**\n * Creates a string from all the elements separated using [separator] and using the given [prefix] and [postfix] if supplied.\n * \n * If the collection could be huge, you can specify a non-negative value of [limit], in which case only the first [limit]\n * elements will be appended, followed by the [truncated] string (which defaults to "...").\n * \n * The operation is _terminal_.\n * \n * @sample samples.collections.Collections.Transformations.joinToString\n * \n @SinceKotlin("1.2")\n public fun <T> Sequence<T>.joinToString(separator: CharSequence = ", ", prefix: CharSequence = "\\", postfix: CharSequence =

```

"\", limit: Int = -1, truncated: CharSequence = "...", transform: ((T) -> CharSequence)? = null): String {\n    return
joinTo(StringBuilder(), separator, prefix, postfix, limit, truncated, transform).toString()\n}\n\n/**\n * Creates an
[Iterable] instance that wraps the original sequence returning its elements when being iterated.\n */\npublic fun <T>
Sequence<T>.asIterable(): Iterable<T> {\n    return Iterable { this.iterator() }\n}\n\n/**\n * Returns this sequence as
a [Sequence].\n */\n@kotlin.internal.InlineOnly\npublic inline fun <T> Sequence<T>.asSequence(): Sequence<T>
{\n    return this\n}\n\n/**\n * Returns an average value of elements in the sequence.\n */\n * The operation is
_terminal_.\n */\n@kotlin.jvm.JvmName("averageOfByte")\npublic fun Sequence<Byte>.average(): Double {\n    var sum:
Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n        checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
an average value of elements in the sequence.\n */\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName("averageOfShort")\npublic fun Sequence<Short>.average(): Double {\n    var sum:
Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n        checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
an average value of elements in the sequence.\n */\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName("averageOfInt")\npublic fun Sequence<Int>.average(): Double {\n    var sum: Double
= 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n        checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns an average value of elements in the
sequence.\n */\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName("averageOfLong")\npublic fun
Sequence<Long>.average(): Double {\n    var sum: Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n
        sum += element\n        checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum /
count\n}\n\n/**\n * Returns an average value of elements in the sequence.\n */\n * The operation is _terminal_.\n
*/\n@kotlin.jvm.JvmName("averageOfFloat")\npublic fun Sequence<Float>.average(): Double {\n    var sum:
Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n        checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
an average value of elements in the sequence.\n */\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName("averageOfDouble")\npublic fun Sequence<Double>.average(): Double {\n    var sum:
Double = 0.0\n    var count: Int = 0\n    for (element in this) {\n        sum += element\n        checkCountOverflow(++count)\n    }\n    return if (count == 0) Double.NaN else sum / count\n}\n\n/**\n * Returns
the sum of all elements in the sequence.\n */\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName("sumOfByte")\npublic fun Sequence<Byte>.sum(): Int {\n    var sum: Int = 0\n    for
(element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the
sequence.\n */\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName("sumOfShort")\npublic fun
Sequence<Short>.sum(): Int {\n    var sum: Int = 0\n    for (element in this) {\n        sum += element\n    }\n    return
sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n */\n * The operation is _terminal_.\n
*/\n@kotlin.jvm.JvmName("sumOfInt")\npublic fun Sequence<Int>.sum(): Int {\n    var sum: Int = 0\n    for
(element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the
sequence.\n */\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName("sumOfLong")\npublic fun
Sequence<Long>.sum(): Long {\n    var sum: Long = 0L\n    for (element in this) {\n        sum += element\n    }\n    return
sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n */\n * The operation is _terminal_.\n
*/\n@kotlin.jvm.JvmName("sumOfFloat")\npublic fun Sequence<Float>.sum(): Float {\n    var sum: Float = 0.0f\n    for
(element in this) {\n        sum += element\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in
the sequence.\n */\n * The operation is _terminal_.\n */\n@kotlin.jvm.JvmName("sumOfDouble")\npublic fun
Sequence<Double>.sum(): Double {\n    var sum: Double = 0.0\n    for (element in this) {\n        sum += element\n    }\n    return
sum\n}\n\n"/\n\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("SetsKt")\n\npackage
kotlin.collections\n\n/\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:

```

```

https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\nimport
kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns a set containing all elements of the original
set except the given [element].\n * \n * The returned set preserves the element iteration order of the original set.\n
*\n * \n * public operator fun <T> Set<T>.minus(element: T): Set<T> {\n    val result =
LinkedHashSet<T>(mapCapacity(size))\n    var removed = false\n    return this.filterTo(result) { if (!removed && it
== element) { removed = true; false } else true }\n}\n\n/**\n * Returns a set containing all elements of the original
set except the elements contained in the given [elements] array.\n * \n * The returned set preserves the element
iteration order of the original set.\n * \n * The [elements] array may be converted to a [HashSet] to speed up the
operation, thus the elements are required to have\n * \n * a correct and stable implementation of `hashCode()` that
doesn't change between successive invocations.\n * \n * \n * public operator fun <T> Set<T>.minus(elements: Array<out
T>): Set<T> {\n    val result = LinkedHashSet<T>(this)\n    result.removeAll(elements)\n    return result\n}\n\n/**\n *
Returns a set containing all elements of the original set except the elements contained in the given [elements]
collection.\n * \n * The returned set preserves the element iteration order of the original set.\n * \n * The [elements]
collection may be converted to a [HashSet] to speed up the operation, thus the elements are required to have\n * \n *
a correct and stable implementation of `hashCode()` that doesn't change between successive invocations.\n * \n * \n *
public operator fun <T> Set<T>.minus(elements: Iterable<T>): Set<T> {\n    val other =
elements.convertToSetForSetOperationWith(this)\n    if (other.isEmpty())\n        return this.toSet()\n    if (other is
Set)\n        return this.filterNotTo(LinkedHashSet<T>()) { it in other }\n    val result = LinkedHashSet<T>(this)\n
result.removeAll(other)\n    return result\n}\n\n/**\n * Returns a set containing all elements of the original set
except the elements contained in the given [elements] sequence.\n * \n * The returned set preserves the element
iteration order of the original set.\n * \n * The [elements] sequence may be converted to a [HashSet] to speed up the
operation, thus the elements are required to have\n * \n * a correct and stable implementation of `hashCode()` that
doesn't change between successive invocations.\n * \n * \n * public operator fun <T> Set<T>.minus(elements:
Sequence<T>): Set<T> {\n    val result = LinkedHashSet<T>(this)\n    result.removeAll(elements)\n    return
result\n}\n\n/**\n * Returns a set containing all elements of the original set except the given [element].\n * \n * The
returned set preserves the element iteration order of the original set.\n * \n * \n * @kotlin.internal.InlineOnly\n *
public inline fun <T> Set<T>.minusElement(element: T): Set<T> {\n    return minus(element)\n}\n\n/**\n * Returns a set
containing all elements of the original set and then the given [element] if it isn't already in this set.\n * \n * The
returned set preserves the element iteration order of the original set.\n * \n * \n * public operator fun <T>
Set<T>.plus(element: T): Set<T> {\n    val result = LinkedHashSet<T>(mapCapacity(size + 1))\n
result.addAll(this)\n    result.add(element)\n    return result\n}\n\n/**\n * Returns a set containing all elements of the
original set and the given [elements] array,\n * \n * which aren't already in this set.\n * \n * The returned set preserves
the element iteration order of the original set.\n * \n * \n * public operator fun <T> Set<T>.plus(elements: Array<out T>):
Set<T> {\n    val result = LinkedHashSet<T>(mapCapacity(this.size + elements.size))\n    result.addAll(this)\n
result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a set containing all elements of the original set and
the given [elements] collection,\n * \n * which aren't already in this set.\n * \n * The returned set preserves the element
iteration order of the original set.\n * \n * \n * public operator fun <T> Set<T>.plus(elements: Iterable<T>): Set<T> {\n
val result = LinkedHashSet<T>(mapCapacity(elements.collectionSizeOrNull()?.let { this.size + it } ?: this.size *
2))\n    result.addAll(this)\n    result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a set containing all
elements of the original set and the given [elements] sequence,\n * \n * which aren't already in this set.\n * \n * The
returned set preserves the element iteration order of the original set.\n * \n * \n * public operator fun <T>
Set<T>.plus(elements: Sequence<T>): Set<T> {\n    val result = LinkedHashSet<T>(mapCapacity(this.size * 2))\n
result.addAll(this)\n    result.addAll(elements)\n    return result\n}\n\n/**\n * Returns a set containing all elements of
the original set and then the given [element] if it isn't already in this set.\n * \n * The returned set preserves the
element iteration order of the original set.\n * \n * \n * @kotlin.internal.InlineOnly\n *
public inline fun <T> Set<T>.plusElement(element: T): Set<T> {\n    return plus(element)\n}\n\n", "/*\n * Copyright 2010-2019 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n

```

```

*^@file:kotlin.jvm.JvmMultifileClass^@file:kotlin.jvm.JvmName("StringsKt")^package
kotlin.text^/^/ NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt^// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib/^/^import kotlin.random.^/^ Returns a
character at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this char
sequence.^.^ @sample samples.collections.Collections.Elements.elementAt^/^public expect fun
CharSequence.elementAt(index: Int): Char^/^ Returns a character at the given [index] or the result of calling
the [defaultValue] function if the [index] is out of bounds of this char sequence.^.^ @sample
samples.collections.Collections.Elements.elementAtOrElse^/^@kotlin.internal.InlineOnly^public inline fun
CharSequence.elementAtOrElse(index: Int, defaultValue: (Int) -> Char): Char {^ return if (index >= 0 && index
<= lastIndex) get(index) else defaultValue(index)^.^/^ Returns a character at the given [index] or `null` if
the [index] is out of bounds of this char sequence.^.^ @sample
samples.collections.Collections.Elements.elementAtOrNull^/^@kotlin.internal.InlineOnly^public inline fun
CharSequence.elementAtOrNull(index: Int): Char? {^ return this.getOrNull(index)^.^/^ Returns the first
character matching the given [predicate], or `null` if no such character was found.^
*^@kotlin.internal.InlineOnly^public inline fun CharSequence.find(predicate: (Char) -> Boolean): Char? {^
return firstOrNull(predicate)^.^/^ Returns the last character matching the given [predicate], or `null` if no
such character was found.^
*^@kotlin.internal.InlineOnly^public inline fun CharSequence.findLast(predicate:
(Char) -> Boolean): Char? {^ return lastOrNull(predicate)^.^/^ Returns first character.^
* @throws
[NoSuchElementException] if the char sequence is empty.^/^public fun CharSequence.first(): Char {^ if
(isEmpty())^ throw NoSuchElementException("Char sequence is empty.")^ return this[0]^.^/^
Returns the first character matching the given [predicate].^
* @throws [NoSuchElementException] if no such
character is found.^/^public inline fun CharSequence.first(predicate: (Char) -> Boolean): Char {^ for (element
in this) if (predicate(element)) return element^ throw NoSuchElementException("Char sequence contains no
character matching the predicate.")^.^/^ Returns the first character, or `null` if the char sequence is
empty.^
*^public fun CharSequence.firstOrNull(): Char? {^ return if (isEmpty()) null else this[0]^.^/^
Returns the first character matching the given [predicate], or `null` if character was not found.^
*^public inline fun
CharSequence.firstOrNull(predicate: (Char) -> Boolean): Char? {^ for (element in this) if (predicate(element))
return element^ return null^.^/^ Returns a character at the given [index] or the result of calling the
[defaultValue] function if the [index] is out of bounds of this char sequence.^
*^@kotlin.internal.InlineOnly^public inline fun CharSequence.getOrNull(index: Int, defaultValue: (Int) -> Char):
Char {^ return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)^.^/^ Returns a
character at the given [index] or `null` if the [index] is out of bounds of this char sequence.^
*^public fun
CharSequence.getOrNull(index: Int): Char? {^ return if (index >= 0 && index <= lastIndex) get(index) else
null^.^/^ Returns index of the first character matching the given [predicate], or -1 if the char sequence does
not contain such character.^
*^public inline fun CharSequence.indexOfFirst(predicate: (Char) -> Boolean): Int {^
for (index in indices) {^ if (predicate(this[index])) {^ return index^ }^ }^ return -
1^.^/^ Returns index of the last character matching the given [predicate], or -1 if the char sequence does
not contain such character.^
*^public inline fun CharSequence.indexOfLast(predicate: (Char) -> Boolean): Int {^
for (index in indices.reversed()) {^ if (predicate(this[index])) {^ return index^ }^ }^ return -
1^.^/^ Returns the last character.^
* @throws [NoSuchElementException] if the char sequence is empty.^
*^public fun CharSequence.last(): Char {^ if (isEmpty())^ throw NoSuchElementException("Char
sequence is empty.")^ return this[lastIndex]^.^/^ Returns the last character matching the given
[predicate].^
* @throws [NoSuchElementException] if no such character is found.^
*^public inline fun
CharSequence.last(predicate: (Char) -> Boolean): Char {^ for (index in this.indices.reversed()) {^ val
element = this[index]^ if (predicate(element)) return element^ }^ }^ throw NoSuchElementException("Char
sequence contains no character matching the predicate.")^.^/^ Returns the last character, or `null` if the
char sequence is empty.^
*^public fun CharSequence.lastOrNull(): Char? {^ return if (isEmpty()) null else
this[length - 1]^.^/^ Returns the last character matching the given [predicate], or `null` if no such character

```

```

was found.\n *\npublic inline fun CharSequence.lastOrNull(predicate: (Char) -> Boolean): Char? {\n  for (index in
this.indices.reversed()) {\n    val element = this[index]\n    if (predicate(element)) return element\n  }\n
return null\n}\n\n/**\n * Returns a random character from this char sequence.\n * \n * @throws
NoSuchElementException if this char sequence is empty.\n
*\n*@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.random(): Char {\n
return random(Random)\n}\n\n/**\n * Returns a random character from this char sequence using the specified
source of randomness.\n * \n * @throws NoSuchElementException if this char sequence is empty.\n
*\n*@SinceKotlin("1.3")\npublic fun CharSequence.random(random: Random): Char {\n  if (isEmpty())\n  throw NoSuchElementException("Char sequence is empty.")\n  return get(random.nextInt(length))\n}\n\n/**\n *
Returns a random character from this char sequence, or `null` if this char sequence is empty.\n
*\n*@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
CharSequence.randomOrNull(): Char? {\n  return randomOrNull(Random)\n}\n\n/**\n * Returns a random
character from this char sequence using the specified source of randomness, or `null` if this char sequence is
empty.\n *\n*@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun CharSequence.randomOrNull(random:
Random): Char? {\n  if (isEmpty())\n    return null\n  return get(random.nextInt(length))\n}\n\n/**\n * Returns
the single character, or throws an exception if the char sequence is empty or has more than one character.\n
*\n\npublic fun CharSequence.single(): Char {\n  return when (length) {\n    0 -> throw
NoSuchElementException("Char sequence is empty.")\n    1 -> this[0]\n    else -> throw
IllegalArgumentException("Char sequence has more than one element.")\n  }\n}\n\n/**\n * Returns the single
character matching the given [predicate], or throws exception if there is no or more than one matching character.\n
*\n\npublic inline fun CharSequence.single(predicate: (Char) -> Boolean): Char {\n  var single: Char? = null\n  var
found = false\n  for (element in this) {\n    if (predicate(element)) {\n      if (found) throw
IllegalArgumentException("Char sequence contains more than one matching element.")\n      single =
element\n      found = true\n    }\n  }\n  if (!found) throw NoSuchElementException("Char sequence
contains no character matching the predicate.")\n  @Suppress("UNCHECKED_CAST")\n  return single as
Char\n}\n\n/**\n * Returns single character, or `null` if the char sequence is empty or has more than one character.\n
*\n\npublic fun CharSequence.singleOrNull(): Char? {\n  return if (length == 1) this[0] else null\n}\n\n/**\n *
Returns the single character matching the given [predicate], or `null` if character was not found or more than one
character was found.\n *\n\npublic inline fun CharSequence.singleOrNull(predicate: (Char) -> Boolean): Char? {\n
var single: Char? = null\n  var found = false\n  for (element in this) {\n    if (predicate(element)) {\n
      if (found) return null\n      single = element\n      found = true\n    }\n  }\n  if (!found) return null\n
return single\n}\n\n/**\n * Returns a subsequence of this char sequence with the first [n] characters removed.\n * \n *
@throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.drop\n *\n\npublic fun
CharSequence.drop(n: Int): CharSequence {\n  require(n >= 0) { "Requested character count $n is less than zero."
}\n  return subSequence(n.coerceAtMost(length), length)\n}\n\n/**\n * Returns a string with the first [n] characters
removed.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.text.Strings.drop\n *\n\npublic fun String.drop(n: Int): String {\n  require(n >= 0) { "Requested character
count $n is less than zero." }\n  return substring(n.coerceAtMost(length))\n}\n\n/**\n * Returns a subsequence of
this char sequence with the last [n] characters removed.\n * \n * @throws IllegalArgumentException if [n] is
negative.\n * \n * @sample samples.text.Strings.drop\n *\n\npublic fun CharSequence.dropLast(n: Int):
CharSequence {\n  require(n >= 0) { "Requested character count $n is less than zero." }\n  return take((length -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a string with the last [n] characters removed.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.drop\n *\n\npublic fun
String.dropLast(n: Int): String {\n  require(n >= 0) { "Requested character count $n is less than zero." }\n  return
take((length - n).coerceAtLeast(0))\n}\n\n/**\n * Returns a subsequence of this char sequence containing all
characters except last characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.drop\n
*\n\npublic inline fun CharSequence.dropLastWhile(predicate: (Char) -> Boolean): CharSequence {\n  for (index in
lastIndex downTo 0)\n    if (!predicate(this[index]))\n      return subSequence(0, index + 1)\n  return

```



```

\ ""\n\n\n/**\n * Returns a string containing all characters except last characters that satisfy the given [predicate].\n
 * \n * @sample samples.text.Strings.drop\n */\npublic inline fun String.dropLastWhile(predicate: (Char) ->
Boolean): String {\n    for (index in lastIndex downTo 0)\n        if (!predicate(this[index]))\n            return
substring(0, index + 1)\n    return \""\n\n\n/**\n * Returns a subsequence of this char sequence containing all
characters except first characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.drop\n
*/\npublic inline fun CharSequence.dropWhile(predicate: (Char) -> Boolean): CharSequence {\n    for (index in
this.indices)\n        if (!predicate(this[index]))\n            return subSequence(index, length)\n    return \""\n\n\n/**\n
 * Returns a string containing all characters except first characters that satisfy the given [predicate].\n * \n *
@sample samples.text.Strings.drop\n */\npublic inline fun String.dropWhile(predicate: (Char) -> Boolean): String
{\n    for (index in this.indices)\n        if (!predicate(this[index]))\n            return substring(index)\n    return
\""\n\n\n/**\n * Returns a char sequence containing only those characters from the original char sequence that
match the given [predicate].\n */\npublic inline fun CharSequence.filter(predicate: (Char) -> Boolean):
CharSequence {\n    return filterTo(StringBuilder(), predicate)\n\n\n\n/**\n * Returns a string containing only those
characters from the original string that match the given [predicate].\n */\npublic inline fun String.filter(predicate:
(Char) -> Boolean): String {\n    return filterTo(StringBuilder(), predicate).toString()\n\n\n\n/**\n * Returns a char
sequence containing only those characters from the original char sequence that match the given [predicate].\n *
@param [predicate] function that takes the index of a character and the character itself\n * and returns the result of
predicate evaluation on the character.\n */\npublic inline fun CharSequence.filterIndexed(predicate: (index: Int,
Char) -> Boolean): CharSequence {\n    return filterIndexedTo(StringBuilder(), predicate)\n\n\n\n/**\n * Returns a
string containing only those characters from the original string that match the given [predicate].\n * @param
[predicate] function that takes the index of a character and the character itself\n * and returns the result of predicate
evaluation on the character.\n */\npublic inline fun String.filterIndexed(predicate: (index: Int, Char) -> Boolean):
String {\n    return filterIndexedTo(StringBuilder(), predicate).toString()\n\n\n\n/**\n * Appends all characters
matching the given [predicate] to the given [destination].\n * @param [predicate] function that takes the index of a
character and the character itself\n * and returns the result of predicate evaluation on the character.\n */\npublic
inline fun <C : Appendable> CharSequence.filterIndexedTo(destination: C, predicate: (index: Int, Char) ->
Boolean): C {\n    forEachIndexed { index, element ->\n        if (predicate(index, element))\n            destination.append(element)\n    }\n    return destination\n\n\n\n/**\n * Returns a char sequence containing only
those characters from the original char sequence that do not match the given [predicate].\n */\npublic inline fun
CharSequence.filterNot(predicate: (Char) -> Boolean): CharSequence {\n    return filterNotTo(StringBuilder(),
predicate)\n\n\n\n/**\n * Returns a string containing only those characters from the original string that do not match
the given [predicate].\n */\npublic inline fun String.filterNot(predicate: (Char) -> Boolean): String {\n    return
filterNotTo(StringBuilder(), predicate).toString()\n\n\n\n/**\n * Appends all characters not matching the given
[predicate] to the given [destination].\n */\npublic inline fun <C : Appendable>
CharSequence.filterNotTo(destination: C, predicate: (Char) -> Boolean): C {\n    for (element in this) if
(!predicate(element)) destination.append(element)\n    return destination\n\n\n\n/**\n * Appends all characters
matching the given [predicate] to the given [destination].\n */\npublic inline fun <C : Appendable>
CharSequence.filterTo(destination: C, predicate: (Char) -> Boolean): C {\n    for (index in 0 until length) {\n        val
element = get(index)\n        if (predicate(element)) destination.append(element)\n    }\n    return
destination\n\n\n\n/**\n * Returns a char sequence containing characters of the original char sequence at the
specified range of [indices].\n */\npublic fun CharSequence.slice(indices: IntRange): CharSequence {\n    if
(indices.isEmpty()) return \""\n    return subSequence(indices)\n\n\n\n/**\n * Returns a string containing characters
of the original string at the specified range of [indices].\n */\npublic fun String.slice(indices: IntRange): String {\n
if (indices.isEmpty()) return \""\n    return substring(indices)\n\n\n\n/**\n * Returns a char sequence containing
characters of the original char sequence at specified [indices].\n */\npublic fun CharSequence.slice(indices:
Iterable<Int>): CharSequence {\n    val size = indices.collectionSizeOrDefault(10)\n    if (size == 0) return \""\n
val result = StringBuilder(size)\n    for (i in indices) {\n        result.append(get(i))\n    }\n    return result\n\n\n\n/**\n
 * Returns a string containing characters of the original string at specified [indices].\n

```

```

*\/n@kotlin.internal.InlineOnly\npublic inline fun String.slice(indices: Iterable<Int>): String {\n    return (this as
CharSequence).slice(indices).toString()\n}\n\n/**\n * Returns a subsequence of this char sequence containing the
first [n] characters from this char sequence, or the entire char sequence if this char sequence is shorter.\n * \n *
@throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.take\n */\n\npublic fun
CharSequence.take(n: Int): CharSequence {\n    require(n >= 0) { \"Requested character count $n is less than zero.\"
}\n    return subSequence(0, n.coerceAtMost(length))\n}\n\n/**\n * Returns a string containing the first [n]
characters from this string, or the entire string if this string is shorter.\n * \n * @throws IllegalArgumentException if
[n] is negative.\n * \n * @sample samples.text.Strings.take\n */\n\npublic fun String.take(n: Int): String {\n    require(n
>= 0) { \"Requested character count $n is less than zero.\" }\n    return substring(0,
n.coerceAtMost(length))\n}\n\n/**\n * Returns a subsequence of this char sequence containing the last [n]
characters from this char sequence, or the entire char sequence if this char sequence is shorter.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.take\n */\n\npublic fun
CharSequence.takeLast(n: Int): CharSequence {\n    require(n >= 0) { \"Requested character count $n is less than
zero.\" }\n    val length = length\n    return subSequence(length - n.coerceAtMost(length), length)\n}\n\n/**\n *
Returns a string containing the last [n] characters from this string, or the entire string if this string is shorter.\n * \n *
@throws IllegalArgumentException if [n] is negative.\n * \n * @sample samples.text.Strings.take\n */\n\npublic fun
String.takeLast(n: Int): String {\n    require(n >= 0) { \"Requested character count $n is less than zero.\" }\n    val
length = length\n    return substring(length - n.coerceAtMost(length))\n}\n\n/**\n * Returns a subsequence of this
char sequence containing last characters that satisfy the given [predicate].\n * \n * @sample
samples.text.Strings.take\n */\n\npublic inline fun CharSequence.takeLastWhile(predicate: (Char) -> Boolean):
CharSequence {\n    for (index in lastIndex downTo 0) {\n        if (!predicate(this[index])) {\n            return
subSequence(index + 1, length)\n        }\n    }\n    return subSequence(0, length)\n}\n\n/**\n * Returns a string
containing last characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.take\n */\n\npublic
inline fun String.takeLastWhile(predicate: (Char) -> Boolean): String {\n    for (index in lastIndex downTo 0) {\n
        if (!predicate(this[index])) {\n            return substring(index + 1)\n        }\n    }\n    return this\n}\n\n/**\n * Returns
a subsequence of this char sequence containing the first characters that satisfy the given [predicate].\n * \n *
@sample samples.text.Strings.take\n */\n\npublic inline fun CharSequence.takeWhile(predicate: (Char) -> Boolean):
CharSequence {\n    for (index in 0 until length)\n        if (!predicate(get(index))) {\n            return
subSequence(0, index)\n        }\n    return subSequence(0, length)\n}\n\n/**\n * Returns a string containing the first
characters that satisfy the given [predicate].\n * \n * @sample samples.text.Strings.take\n */\n\npublic inline fun
String.takeWhile(predicate: (Char) -> Boolean): String {\n    for (index in 0 until length)\n        if
(!predicate(get(index))) {\n            return substring(0, index)\n        }\n    return this\n}\n\n/**\n * Returns a char
sequence with characters in reversed order.\n */\n\npublic fun CharSequence.reversed(): CharSequence {\n    return
StringBuilder(this).reverse()\n}\n\n/**\n * Returns a string with characters in reversed order.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun String.reversed(): String {\n    return (this as
CharSequence).reversed().toString()\n}\n\n/**\n * Returns a [Map] containing key-value pairs provided by
[transform] function\n * applied to characters of the given char sequence.\n * \n * If any of two pairs would have the
same key the last one gets added to the map.\n * \n * The returned map preserves the entry iteration order of the
original char sequence.\n * \n * @sample samples.text.Strings.associate\n */\n\npublic inline fun <K, V>
CharSequence.associate(transform: (Char) -> Pair<K, V>): Map<K, V> {\n    val capacity =
mapCapacity(length).coerceAtLeast(16)\n    return associateTo(LinkedHashMap<K, V>(capacity),
transform)\n}\n\n/**\n * Returns a [Map] containing the characters from the given char sequence indexed by the
key\n * returned from [keySelector] function applied to each character.\n * \n * If any two characters would have the
same key returned by [keySelector] the last one gets added to the map.\n * \n * The returned map preserves the entry
iteration order of the original char sequence.\n * \n * @sample samples.text.Strings.associateBy\n */\n\npublic inline
fun <K> CharSequence.associateBy(keySelector: (Char) -> K): Map<K, Char> {\n    val capacity =
mapCapacity(length).coerceAtLeast(16)\n    return associateByTo(LinkedHashMap<K, Char>(capacity),
keySelector)\n}\n\n/**\n * Returns a [Map] containing the values provided by [valueTransform] and indexed by

```

[keySelector] functions applied to characters of the given char sequence.

* If any two characters would have the same key returned by [keySelector] the last one gets added to the map.

* The returned map preserves the entry iteration order of the original char sequence.

@sample

```
samples.text.Strings.associateByWithValueTransform
```

public inline fun <K, V>
CharSequence.associateBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, V> {
 val capacity = mapCapacity(length).coerceAtLeast(16)
 return associateByTo(LinkedHashMap<K, V>(capacity),
keySelector, valueTransform)
}

Populates and returns the [destination] mutable map with key-value pairs,
where key is provided by the [keySelector] function applied to each character of the given char sequence
and value is the character itself.

* If any two characters would have the same key returned by [keySelector] the last one gets added to the map.

@sample

```
samples.text.Strings.associateByTo
```

public inline fun <K, M : MutableMap<in K, in Char>> CharSequence.associateByTo(destination: M, keySelector: (Char) -> K): M {
 for (element in this) {
 destination.put(keySelector(element), element)
 }
 return destination
}

Populates and returns the [destination] mutable map with key-value pairs,
where key is provided by the [keySelector] function and
and value is provided by the [valueTransform] function applied to characters of the given char sequence.

* If any two characters would have the same key returned by [keySelector] the last one gets added to the map.

@sample

```
samples.text.Strings.associateByToWithValueTransform
```

public inline fun <K, V, M : MutableMap<in K, in V>> CharSequence.associateByTo(destination: M, keySelector: (Char) -> K, valueTransform: (Char) -> V): M {
 for (element in this) {
 destination.put(keySelector(element), valueTransform(element))
 }
 return destination
}

Populates and returns the [destination] mutable map with key-value pairs
provided by [transform] function applied to each character of the given char sequence.

* If any of two pairs would have the same key the last one gets added to the map.

@sample

```
samples.text.Strings.associateTo
```

public inline fun <K, V, M : MutableMap<in K, in V>> CharSequence.associateTo(destination: M, transform: (Char) -> Pair<K, V>): M {
 for (element in this) {
 destination += transform(element)
 }
 return destination
}

Returns a [Map] where keys are characters from the given char sequence and values are
produced by the [valueSelector] function applied to each character.

* If any two characters are equal, the last one gets added to the map.

* The returned map preserves the entry iteration order of the original char sequence.

@sample

```
samples.text.Strings.associateWith
```

@SinceKotlin("1.3")
public inline fun <V>
CharSequence.associateWith(valueSelector: (Char) -> V): Map<Char, V> {
 val result = LinkedHashMap<Char, V>(mapCapacity(length).coerceAtLeast(16))
 return associateWithTo(result, valueSelector)
}

Populates and returns the [destination] mutable map with key-value pairs for each character of the given char sequence,
where key is the character itself and value is provided by the [valueSelector] function applied to that key.

* If any two characters are equal, the last one overwrites the former value in the map.

@sample

```
samples.text.Strings.associateWithTo
```

@SinceKotlin("1.3")
public inline fun <V, M : MutableMap<in Char, in V>> CharSequence.associateWithTo(destination: M, valueSelector: (Char) -> V): M {
 for (element in this) {
 destination.put(element, valueSelector(element))
 }
 return destination
}

Appends all characters to the given [destination] collection.

public fun <C : MutableCollection<in Char>>
CharSequence.toCollection(destination: C): C {
 for (item in this) {
 destination.add(item)
 }
 return destination
}

Returns a [HashSet] of all characters.

public fun CharSequence.toHashSet(): HashSet<Char> {
 return toCollection(HashSet<Char>(mapCapacity(length)))
}

Returns a [List] containing all characters.

public fun CharSequence.toList(): List<Char> {
 return when (length) {
 0 -> emptyList()
 1 -> listOf(this[0])
 else -> this.toMutableList()
 }
}

Returns a [MutableList] filled with all characters of this char sequence.

public fun CharSequence.toMutableList(): MutableList<Char> {
 return toCollection(ArrayList<Char>(length))
}

Returns a [Set] of all characters.

* The returned set preserves the element iteration order of the original char sequence.

public fun CharSequence.toSet(): Set<Char> {
 return when (length) {
 0 -> emptySet()
 1 -> setOf(this[0])
 else -> toCollection(LinkedHashSet<Char>(mapCapacity(length)))
 }
}

Returns a single list of all elements yielded from results of [transform] function being invoked on each character of original char sequence.

```

\n * @sample samples.collections.Collections.Transformations.flatMap\n *^\npublic inline fun <R>
CharSequence.flatMap(transform: (Char) -> Iterable<R>): List<R> {\n  return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
character of original char sequence, to the given [destination].\n *^\npublic inline fun <R, C : MutableCollection<in
R>> CharSequence.flatMapTo(destination: C, transform: (Char) -> Iterable<R>): C {\n  for (element in this) {\n
val list = transform(element)\n    destination.addAll(list)\n  }\n  return destination\n}\n\n/**\n * Groups
characters of the original char sequence by the key returned by the given [keySelector] function\n * applied to each
character and returns a map where each group key is associated with a list of corresponding characters.\n * \n * The
returned map preserves the entry iteration order of the keys produced from the original char sequence.\n * \n *
@sample samples.collections.Collections.Transformations.groupBy\n *^\npublic inline fun <K>
CharSequence.groupBy(keySelector: (Char) -> K): Map<K, List<Char>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<Char>>(), keySelector)\n}\n\n/**\n * Groups values returned by the
[valueTransform] function applied to each character of the original char sequence\n * by the key returned by the
given [keySelector] function applied to the character\n * and returns a map where each group key is associated with
a list of corresponding values.\n * \n * The returned map preserves the entry iteration order of the keys produced
from the original char sequence.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n *^\npublic inline fun <K, V>
CharSequence.groupBy(keySelector: (Char) -> K, valueTransform: (Char) -> V): Map<K, List<V>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups
characters of the original char sequence by the key returned by the given [keySelector] function\n * applied to each
character and puts to the [destination] map each group key associated with a list of corresponding characters.\n * \n
* @return The [destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*^\npublic inline fun <K, M : MutableMap<in K, MutableList<Char>>> CharSequence.groupByTo(destination: M,
keySelector: (Char) -> K): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list =
destination.getOrPut(key) { ArrayList<Char>() }\n    list.add(element)\n  }\n  return destination\n}\n\n/**\n *
Groups values returned by the [valueTransform] function applied to each character of the original char sequence\n *
by the key returned by the given [keySelector] function applied to the character\n * and puts to the [destination] map
each group key associated with a list of corresponding values.\n * \n * @return The [destination] map.\n * \n *
@sample samples.collections.Collections.Transformations.groupByKeysAndValues\n *^\npublic inline fun <K, V,
M : MutableMap<in K, MutableList<V>>> CharSequence.groupByTo(destination: M, keySelector: (Char) -> K,
valueTransform: (Char) -> V): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list =
destination.getOrPut(key) { ArrayList<V>() }\n    list.add(valueTransform(element))\n  }\n  return
destination\n}\n\n/**\n * Creates a [Grouping] source from a char sequence to be used later with one of group-and-
fold operations\n * using the specified [keySelector] function to extract a key from each character.\n * \n * @sample
samples.collections.Grouping.groupingByEachCount\n *^\n@SinceKotlin("1.1")\npublic inline fun <K>
CharSequence.groupingBy(crossinline keySelector: (Char) -> K): Grouping<Char, K> {\n  return object :
Grouping<Char, K> {\n    override fun sourceIterator(): Iterator<Char> = this@groupingBy.iterator()\n
    override fun keyOf(element: Char): K = keySelector(element)\n  }\n}\n\n/**\n * Returns a list containing the
results of applying the given [transform] function\n * to each character in the original char sequence.\n * \n *
@sample samples.text.Strings.map\n *^\npublic inline fun <R> CharSequence.map(transform: (Char) -> R):
List<R> {\n  return mapTo(ArrayList<R>(length), transform)\n}\n\n/**\n * Returns a list containing the results of
applying the given [transform] function\n * to each character and its index in the original char sequence.\n *
@param [transform] function that takes the index of a character and the character itself\n * and returns the result of
the transform applied to the character.\n *^\npublic inline fun <R> CharSequence.mapIndexed(transform: (index:
Int, Char) -> R): List<R> {\n  return mapIndexedTo(ArrayList<R>(length), transform)\n}\n\n/**\n * Returns a list
containing only the non-null results of applying the given [transform] function\n * to each character and its index in
the original char sequence.\n * @param [transform] function that takes the index of a character and the character
itself\n * and returns the result of the transform applied to the character.\n *^\npublic inline fun <R : Any>

```

```

CharSequence.mapIndexedNotNull(transform: (index: Int, Char) -> R?): List<R> {
    return
    mapIndexedNotNullTo(ArrayList<R>(), transform)
}
/* Applies the given [transform] function to each
character and its index in the original char sequence
and appends only the non-null results to the given
[destination].
@param [transform] function that takes the index of a character and the character itself
and returns the result of the transform applied to the character.
*/
public inline fun <R : Any, C :
MutableCollection<in R>> CharSequence.mapIndexedNotNullTo(destination: C, transform: (index: Int, Char) ->
R?): C {
    for<Indexed> { index, element -> transform(index, element)? } let { destination.add(it) }
}
/* Applies the given [transform] function to each character and its index in the original char
sequence
and appends the results to the given [destination].
@param [transform] function that takes the
index of a character and the character itself
and returns the result of the transform applied to the character.
*/
public inline fun <R, C : MutableCollection<in R>> CharSequence.mapIndexedTo(destination: C, transform:
(index: Int, Char) -> R): C {
    var index = 0
    for (item in this) destination.add(transform(index++,
item))
}
/* Returns a list containing only the non-null results of applying the given
[transform] function
to each character in the original char sequence.
*/
public inline fun <R : Any>
CharSequence.mapNotNull(transform: (Char) -> R?): List<R> {
    return mapNotNullTo(ArrayList<R>(),
transform)
}
/* Applies the given [transform] function to each character in the original char sequence
and appends only the non-null results to the given [destination].
*/
public inline fun <R : Any, C :
MutableCollection<in R>> CharSequence.mapNotNullTo(destination: C, transform: (Char) -> R?): C {
    for<Indexed> { element -> transform(element)? } let { destination.add(it) }
}
/* Applies the given
[transform] function to each character of the original char sequence
and appends the results to the given
[destination].
*/
public inline fun <R, C : MutableCollection<in R>> CharSequence.mapTo(destination: C,
transform: (Char) -> R): C {
    for (item in this) destination.add(transform(item))
}
/* Returns a lazy [Iterable] that wraps each character of the original char sequence
into an
[IndexValue] containing the index of that character and the character itself.
*/
public fun
CharSequence.withIndex(): Iterable<IndexedValue<Char>> {
    return IndexingIterable { iterator() }
}
/* Returns `true` if all characters match the given [predicate].
*/
@sample
samples.collections.Collections.Aggregates.all
/* Returns `true` if char sequence has at least one character.
*/
@sample
samples.collections.Collections.Aggregates.any
/* Returns `true` if at least one character matches the given [predicate].
*/
@sample
samples.collections.Collections.Aggregates.anyWithPredicate
/* Returns the length of this char sequence.
*/
@kotlin.internal.InlineOnly
public inline fun
CharSequence.count(): Int {
    return length
}
/* Returns the number of characters matching the given
[predicate].
*/
public inline fun CharSequence.count(predicate: (Char) -> Boolean): Int {
    var count = 0
    for (element in this) if (predicate(element)) ++count
}
/* Accumulates value starting with
[initial] value and applying [operation] from left to right to current accumulator value and each character.
*/
public inline fun <R> CharSequence.fold(initial: R, operation: (acc: R, Char) -> R): R {
    var accumulator =
initial
    for (element in this) accumulator = operation(accumulator, element)
}
/* Accumulates value starting with [initial] value and applying [operation] from left to right
to current accumulator
value and each character with its index in the original char sequence.
*/
@param [operation] function that takes the
index of a character, current accumulator value
and the character itself, and calculates the next accumulator
value.
*/
public inline fun <R> CharSequence.foldIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R):
R {
    var index = 0
    var accumulator = initial
    for (element in this) accumulator = operation(index++,
accumulator, element)
}
/* Accumulates value starting with [initial] value and
applying [operation] from right to left to each character and current accumulator value.
*/
public inline fun <R>
CharSequence.foldRight(initial: R, operation: (Char, acc: R) -> R): R {
    var index = lastIndex
    var

```

```

accumulator = initial\n while (index >= 0) {\n accumulator = operation(get(index--), accumulator)\n }\n
return accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right
to left\n * to each character with its index in the original char sequence and current accumulator value.\n * @param
[operation] function that takes the index of a character, the character itself\n * and current accumulator value, and
calculates the next accumulator value.\n */\npublic inline fun <R> CharSequence.foldRightIndexed(initial: R,
operation: (index: Int, Char, acc: R) -> R): R {\n var index = lastIndex\n var accumulator = initial\n while
(index >= 0) {\n accumulator = operation(index, get(index), accumulator)\n --index\n }\n return
accumulator\n}\n\n/**\n * Performs the given [action] on each character.\n */\npublic inline fun
CharSequence.forEach(action: (Char) -> Unit): Unit {\n for (element in this) action(element)\n}\n\n/**\n *
Performs the given [action] on each character, providing sequential index with the character.\n * @param [action]
function that takes the index of a character and the character itself\n * and performs the desired action on the
character.\n */\npublic inline fun CharSequence.forEachIndexed(action: (index: Int, Char) -> Unit): Unit {\n var
index = 0\n for (item in this) action(index++, item)\n}\n\n/**\n * Returns the largest character or `null` if there are
no characters.\n */\npublic fun CharSequence.max(): Char? {\n if (isEmpty()) return null\n var max = this[0]\n
for (i in 1..lastIndex) {\n val e = this[i]\n if (max < e) max = e\n }\n return max\n}\n\n/**\n * Returns
the first character yielding the largest value of the given function or `null` if there are no characters.\n * \n *
@sample samples.collections.Collections.Aggregates.maxBy\n */\npublic inline fun <R : Comparable<R>>
CharSequence.maxBy(selector: (Char) -> R): Char? {\n if (isEmpty()) return null\n var maxElem = this[0]\n
val lastIndex = this.lastIndex\n if (lastIndex == 0) return maxElem\n var maxValue = selector(maxElem)\n for
(i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (maxValue < v) {\n maxElem = e\n
maxValue = v\n }\n }\n return maxElem\n}\n\n/**\n * Returns the first character having the largest
value according to the provided [comparator] or `null` if there are no characters.\n */\npublic fun
CharSequence.maxWith(comparator: Comparator<in Char>): Char? {\n if (isEmpty()) return null\n var max =
this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(max, e) < 0) max = e\n }\n
return max\n}\n\n/**\n * Returns the smallest character or `null` if there are no characters.\n */\npublic fun
CharSequence.min(): Char? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n
val e = this[i]\n if (min > e) min = e\n }\n return min\n}\n\n/**\n * Returns the first character yielding the
smallest value of the given function or `null` if there are no characters.\n * \n * @sample
samples.collections.Collections.Aggregates.minBy\n */\npublic inline fun <R : Comparable<R>>
CharSequence.minBy(selector: (Char) -> R): Char? {\n if (isEmpty()) return null\n var minElem = this[0]\n
val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue = selector(minElem)\n for
(i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v) {\n minElem = e\n
minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first character having the smallest value
according to the provided [comparator] or `null` if there are no characters.\n */\npublic fun
CharSequence.minWith(comparator: Comparator<in Char>): Char? {\n if (isEmpty()) return null\n var min =
this[0]\n for (i in 1..lastIndex) {\n val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n
return min\n}\n\n/**\n * Returns `true` if the char sequence has no characters.\n * \n * @sample
samples.collections.Collections.Aggregates.none\n */\npublic fun CharSequence.none(): Boolean {\n return
isEmpty()\n}\n\n/**\n * Returns `true` if no characters match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n */\npublic inline fun
CharSequence.none(predicate: (Char) -> Boolean): Boolean {\n for (element in this) if (predicate(element)) return
false\n return true\n}\n\n/**\n * Performs the given [action] on each character and returns the char sequence itself
afterwards.\n */\n@SinceKotlin("1.1")\npublic inline fun <S : CharSequence> S.onEach(action: (Char) -> Unit): S
{\n return apply { for (element in this) action(element) }\n}\n\n/**\n * Accumulates value starting with the first
character and applying [operation] from left to right to current accumulator value and each character.\n * \n *
@sample samples.collections.Collections.Aggregates.reduce\n */\npublic inline fun
CharSequence.reduce(operation: (acc: Char, Char) -> Char): Char {\n if (isEmpty())\n throw
UnsupportedOperationException("Empty char sequence can't be reduced.")\n var accumulator = this[0]\n for

```

```
(index in 1..lastIndex) {\n    accumulator = operation(accumulator, this[index])\n } return
accumulator\n}\n\n/**\n * Accumulates value starting with the first character and applying [operation] from left to
right\n * to current accumulator value and each character with its index in the original char sequence.\n * @param
[operation] function that takes the index of a character, current accumulator value\n * and the character itself and
calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n
*\npublic inline fun CharSequence.reduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): Char {\n if
(isEmpty())\n    throw UnsupportedOperationException("Empty char sequence can't be reduced.")\n    var
accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator = operation(index, accumulator,
this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with the first character and
applying [operation] from left to right to current accumulator value and each character. Returns null if the char
sequence is empty.\n * \n * @sample samples.collections.Collections.Aggregates.reduceOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun CharSequence.reduceOrNull(operation:
(acc: Char, Char) -> Char): Char? {\n    if (isEmpty())\n        return null\n    var accumulator = this[0]\n    for (index
in 1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n
* Accumulates value starting with last character and applying [operation] from right to left to each character and
current accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n
*\npublic inline fun CharSequence.reduceRight(operation: (Char, acc: Char) -> Char): Char {\n    var index = lastIndex\n    if
(index < 0) throw UnsupportedOperationException("Empty char sequence can't be reduced.")\n    var accumulator
= get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with last character and applying [operation] from right to
left\n * to each character with its index in the original char sequence and current accumulator value.\n * @param
[operation] function that takes the index of a character, the character itself\n * and current accumulator value, and
calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.reduceRight\n
*\npublic inline fun CharSequence.reduceRightIndexed(operation: (index: Int, Char, acc: Char) -> Char): Char {\n
var index = lastIndex\n    if (index < 0) throw UnsupportedOperationException("Empty char sequence can't be
reduced.")\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index,
get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with
last character and applying [operation] from right to left to each character and current accumulator value. Returns
null if the char sequence is empty.\n * \n * @sample
samples.collections.Collections.Aggregates.reduceRightOrNull\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun
CharSequence.reduceRightOrNull(operation: (Char, acc: Char) -> Char): Char? {\n    var index = lastIndex\n    if
(index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator =
operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Returns a list containing successive
accumulation values generated by applying [operation] from left to right\n * to each character and current
accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should
not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]
function that takes current accumulator value and a character, and calculates the next accumulator value.\n * \n *
@sample samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun <R> CharSequence.scan(initial: R,
operation: (acc: R, Char) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result =
ArrayList<R>(length + 1).apply { add(initial) }\n    var accumulator = initial\n    for (element in this) {\n
accumulator = operation(accumulator, element)\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n
* Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to
each character, its index in the original char sequence and current accumulator value that starts with [initial] value.\n
* \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the
previous value in resulting list.\n * \n * @param [operation] function that takes the index of a character, current
accumulator value\n * and the character itself, and calculates the next accumulator value.\n * \n * @sample
```

```

samples.collections.Collections.Aggregates.scan\n *\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic
inline fun <R> CharSequence.scanIndexed(initial: R, operation: (index: Int, acc: R, Char) -> R): List<R> {\n if
(isEmpty()) return listOf(initial)\n val result = ArrayList<R>(length + 1).apply { add(initial) }\n var accumulator
= initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n
result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each character and current accumulator value that
starts with the first character of this char sequence.\n * \n * Note that `acc` value passed to [operation] function
should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]
function that takes current accumulator value and a character, and calculates the next accumulator value.\n * \n *
@sample samples.collections.Collections.Aggregates.scanReduce\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun CharSequence.scanReduce(operation: (acc:
Char, Char) -> Char): List<Char> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result
= ArrayList<Char>(length).apply { add(accumulator) }\n for (index in 1 until length) {\n accumulator =
operation(accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns a list
containing successive accumulation values generated by applying [operation] from left to right\n * to each character,
its index in the original char sequence and current accumulator value that starts with the first character of this char
sequence.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would
affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of a character,
current accumulator value\n * and the character itself, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scanReduce\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic inline fun
CharSequence.scanReduceIndexed(operation: (index: Int, acc: Char, Char) -> Char): List<Char> {\n if
(isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<Char>(length).apply {
add(accumulator) }\n for (index in 1 until length) {\n accumulator = operation(index, accumulator,
this[index])\n result.add(accumulator)\n }\n return result\n}\n\n/**\n * Returns the sum of all values
produced by [selector] function applied to each character in the char sequence.\n *\npublic inline fun
CharSequence.sumBy(selector: (Char) -> Int): Int {\n var sum: Int = 0\n for (element in this) {\n sum +=
selector(element)\n }\n return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function
applied to each character in the char sequence.\n *\npublic inline fun CharSequence.sumByDouble(selector: (Char)
-> Double): Double {\n var sum: Double = 0.0\n for (element in this) {\n sum += selector(element)\n }\n
return sum\n}\n\n/**\n * Splits this char sequence into a list of strings each not exceeding the given [size].\n * \n *
The last string in the resulting list may have less characters than the given [size].\n * \n * @param size the number
of elements to take in each string, must be positive and can be greater than the number of elements in this char
sequence.\n * \n * @sample samples.collections.Collections.Transformations.chunked\n
*\n@SinceKotlin("1.2")\npublic fun CharSequence.chunked(size: Int): List<String> {\n return windowed(size,
size, partialWindows = true)\n}\n\n/**\n * Splits this char sequence into several char sequences each not exceeding
the given [size]\n * and applies the given [transform] function to an each.\n * \n * @return list of results of the
[transform] applied to an each char sequence.\n * \n * Note that the char sequence passed to the [transform] function
is ephemeral and is valid only inside that function.\n * You should not store it or allow it to escape in some way,
unless you made a snapshot of it.\n * The last char sequence may have less characters than the given [size].\n * \n *
@param size the number of elements to take in each char sequence, must be positive and can be greater than the
number of elements in this char sequence.\n * \n * @sample samples.text.Strings.chunkedTransform\n
*\n@SinceKotlin("1.2")\npublic fun <R> CharSequence.chunked(size: Int, transform: (CharSequence) -> R):
List<R> {\n return windowed(size, size, partialWindows = true, transform = transform)\n}\n\n/**\n * Splits this
char sequence into a sequence of strings each not exceeding the given [size].\n * \n * The last string in the resulting
sequence may have less characters than the given [size].\n * \n * @param size the number of elements to take in
each string, must be positive and can be greater than the number of elements in this char sequence.\n * \n * @sample
samples.collections.Collections.Transformations.chunked\n *\n@SinceKotlin("1.2")\npublic fun

```



```

CharSequence.chunkedSequence(size: Int): Sequence<String> {
    return chunkedSequence(size) { it.toString() }
}

/**
 * Splits this char sequence into several char sequences each not exceeding the given [size] and
 * applies the given [transform] function to an each.
 * @return sequence of results of the [transform] applied to
 * an each char sequence.
 * Note that the char sequence passed to the [transform] function is ephemeral and is
 * valid only inside that function.
 * You should not store it or allow it to escape in some way, unless you made a
 * snapshot of it.
 * The last char sequence may have less characters than the given [size].
 * @param size the number of elements to take in each char sequence, must be positive and can be greater than the number of elements
 * in this char sequence.
 * @sample samples.text.Strings.chunkedTransformToSequence
 */
@SinceKotlin("1.2")
public fun <R> CharSequence.chunkedSequence(size: Int, transform: (CharSequence) -> R): Sequence<R> {
    return windowedSequence(size, size, partialWindows = true, transform = transform)
}

/**
 * Splits the original char sequence into pair of char sequences,
 * where *first* char sequence contains characters for which [predicate] yielded `true`,
 * while *second* char sequence contains characters for which [predicate] yielded `false`.
 */
public inline fun CharSequence.partition(predicate: (Char) -> Boolean): Pair<CharSequence, CharSequence> {
    val first = StringBuilder()
    val second = StringBuilder()
    for (element in this) {
        if (predicate(element)) {
            first.append(element)
        } else {
            second.append(element)
        }
    }
    return Pair(first, second)
}

/**
 * Splits the original string into pair of strings,
 * where *first* string contains characters for which [predicate] yielded `true`,
 * while *second* string contains characters for which [predicate] yielded `false`.
 */
public inline fun String.partition(predicate: (Char) -> Boolean): Pair<String, String> {
    val first = StringBuilder()
    val second = StringBuilder()
    for (element in this) {
        if (predicate(element)) {
            first.append(element)
        } else {
            second.append(element)
        }
    }
    return Pair(first.toString(), second.toString())
}

/**
 * Returns a list of snapshots of the window of the given [size] sliding along this char sequence with the given [step],
 * where each snapshot is a string.
 * Several last strings may have less characters than the given [size].
 * Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.
 * @param size the number of elements to take in each window
 * @param step the number of elements to move the window forward by on an each step, by default 1
 * @param partialWindows controls whether or not to keep partial windows in the end if any, by default `false` which means partial windows won't be preserved
 */
@sample samples.collections.Sequences.Transformations.takeWindows
@SinceKotlin("1.2")
public fun CharSequence.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false): List<String> {
    return windowed(size, step, partialWindows) { it.toString() }
}

/**
 * Returns a list of results of applying the given [transform] function to
 * an each char sequence representing a view over the window of the given [size] sliding along this char sequence with the given [step].
 * Note that the char sequence passed to the [transform] function is ephemeral and is valid only inside that function.
 * You should not store it or allow it to escape in some way, unless you made a snapshot of it.
 * Several last char sequences may have less characters than the given [size].
 * Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.
 * @param size the number of elements to take in each window
 * @param step the number of elements to move the window forward by on an each step, by default 1
 * @param partialWindows controls whether or not to keep partial windows in the end if any, by default `false` which means partial windows won't be preserved
 */
@sample samples.collections.Sequences.Transformations.averageWindows
@SinceKotlin("1.2")
public fun <R> CharSequence.windowed(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (CharSequence) -> R): List<R> {
    checkWindowSizeStep(size, step)
    val thisSize = this.length
    val resultCapacity = thisSize / step + if (thisSize % step == 0) 0 else 1
    val result = ArrayList<R>(resultCapacity)
    var index = 0
    while (index in 0 until thisSize) {
        val end = index + size
        val coercedEnd = if (end < 0 || end > thisSize) { if (partialWindows) thisSize else break } else end
        result.add(transform(subSequence(index, coercedEnd)))
        index += step
    }
    return result
}

/**
 * Returns a sequence of snapshots of the window of the given [size] sliding along this char sequence with the
 * given [step], where each snapshot is a string.
 * Several last strings may have less characters than the given [size].
 * Both [size] and [step] must be positive and can be greater than the number of elements in this char
 */

```

sequence.
 * @param size the number of elements to take in each window
 * @param step the number of elements to move the window forward by on an each step, by default 1
 * @param partialWindows controls whether or not to keep partial windows in the end if any,
 * by default `false` which means partial windows won't be preserved
 * @sample samples.collections.Sequences.Transformations.takeWindows

```

*^@SinceKotlin("1.2")\npublic fun CharSequence.windowedSequence(size: Int, step: Int = 1, partialWindows: Boolean = false): Sequence<String> {
    return windowedSequence(size, step, partialWindows) { it.toString() }
}

```

* Returns a sequence of results of applying the given [transform] function to an each char sequence representing a view over the window of the given [size] sliding along this char sequence with the given [step].
 * Note that the char sequence passed to the [transform] function is ephemeral and is valid only inside that function.
 * You should not store it or allow it to escape in some way, unless you made a snapshot of it.
 * Several last char sequences may have less characters than the given [size].
 * Both [size] and [step] must be positive and can be greater than the number of elements in this char sequence.
 * @param size the number of elements to take in each window
 * @param step the number of elements to move the window forward by on an each step, by default 1
 * @param partialWindows controls whether or not to keep partial windows in the end if any,
 * by default `false` which means partial windows won't be preserved
 * @sample samples.collections.Sequences.Transformations.averageWindows

```

*^@SinceKotlin("1.2")\npublic fun <R> CharSequence.windowedSequence(size: Int, step: Int = 1, partialWindows: Boolean = false, transform: (CharSequence) -> R): Sequence<R> {
    checkWindowSizeStep(size, step)
    val windows = (if (partialWindows) indices else 0 until length - size + 1) step step
    return windows.asSequence().map { index ->
        val end = index + size
        val coercedEnd = if (end < 0 || end > length) length else end
        transform(subSequence(index, coercedEnd))
    }
}

```

* Returns a list of pairs built from the characters of `this` and the [other] char sequences with the same index
 * The returned list has length of the shortest char sequence.
 * @sample samples.text.Strings.zip

```

*^npublic infix fun CharSequence.zip(other: CharSequence): List<Pair<Char, Char>> {
    return zip(other) { c1, c2 -> c1 to c2 }
}

```

* Returns a list of values built from the characters of `this` and the [other] char sequences with the same index
 * using the provided [transform] function applied to each pair of characters.
 * The returned list has length of the shortest char sequence.
 * @sample samples.text.Strings.zipWithTransform

```

*^npublic inline fun <V> CharSequence.zip(other: CharSequence, transform: (a: Char, b: Char) -> V): List<V> {
    val length = minOf(this.length, other.length)
    val list = ArrayList<V>(length)
    for (i in 0 until length) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

```

* Returns a list of pairs of each two adjacent characters in this char sequence.
 * The returned list is empty if this char sequence contains less than two characters.
 * @sample samples.collections.Collections.Transformations.zipWithNext

```

*^@SinceKotlin("1.2")\npublic fun CharSequence.zipWithNext(): List<Pair<Char, Char>> {
    return zipWithNext { a, b -> a to b }
}

```

* Returns a list containing the results of applying the given [transform] function to an each pair of two adjacent characters in this char sequence.
 * The returned list is empty if this char sequence contains less than two characters.
 * @sample samples.collections.Collections.Transformations.zipWithNextToFindDeltas

```

*^@SinceKotlin("1.2")\npublic inline fun <R> CharSequence.zipWithNext(transform: (a: Char, b: Char) -> R): List<R> {
    val size = length - 1
    if (size < 1) return emptyList()
    val result = ArrayList<R>(size)
    for (index in 0 until size) {
        result.add(transform(this[index], this[index + 1]))
    }
    return result
}

```

* Creates an [Iterable] instance that wraps the original char sequence returning its characters when being iterated.

```

*^npublic fun CharSequence.asIterable(): Iterable<Char> {
    if (this is String && isEmpty()) return emptyList()
    return Iterable { this.iterator() }
}

```

* Creates a [Sequence] instance that wraps the original char sequence returning its characters when being iterated.

```

*^npublic fun CharSequence.asSequence(): Sequence<Char> {
    if (this is String && isEmpty()) return emptySequence()
    return Sequence { this.iterator() }
}

```

Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

```

*^@n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StringsKt")\n\npackage kotlin.text\n\nimport kotlin.contracts.contract\n
```

* Returns a sub sequence of this char sequence having

```

leading and trailing characters matching the [predicate] removed.\n *\npublic inline fun
CharSequence.trim(predicate: (Char) -> Boolean): CharSequence {\n  var startIndex = 0\n  var endIndex = length
- 1\n  var startFound = false\n\n  while (startIndex <= endIndex) {\n    val index = if (!startFound) startIndex
else endIndex\n    val match = predicate(this[index])\n\n    if (!startFound) {\n      if (!match)\n        startFound = true\n      else\n        startIndex += 1\n    } else {\n      if (!match)\n        break\n      else\n        endIndex -= 1\n    }\n  }\n  return subSequence(startIndex, endIndex + 1)\n}\n\nReturns a string having leading and trailing characters matching the [predicate] removed.\n *\npublic inline fun
String.trim(predicate: (Char) -> Boolean): String =\n  (this as CharSequence).trim(predicate).toString()\n\nReturns a sub sequence of this char sequence having leading characters matching the [predicate] removed.\n
*\npublic inline fun CharSequence.trimStart(predicate: (Char) -> Boolean): CharSequence {\n  for (index in
this.indices)\n    if (!predicate(this[index]))\n      return subSequence(index, length)\n  return
""\n}\n\nReturns a string having leading characters matching the [predicate] removed.\n *\npublic inline
fun String.trimStart(predicate: (Char) -> Boolean): String =\n  (this as
CharSequence).trimStart(predicate).toString()\n\nReturns a sub sequence of this char sequence having
trailing characters matching the [predicate] removed.\n *\npublic inline fun CharSequence.trimEnd(predicate:
(Char) -> Boolean): CharSequence {\n  for (index in this.indices.reversed())\n    if (!predicate(this[index]))\n
return subSequence(0, index + 1)\n  return ""\n}\n\nReturns a string having trailing characters
matching the [predicate] removed.\n *\npublic inline fun String.trimEnd(predicate: (Char) -> Boolean): String =\n
(this as CharSequence).trimEnd(predicate).toString()\n\nReturns a sub sequence of this char sequence
having leading and trailing characters from the [chars] array removed.\n *\npublic fun CharSequence.trim(vararg
chars: Char): CharSequence = trim { it in chars }\n\nReturns a string having leading and trailing characters
from the [chars] array removed.\n *\npublic fun String.trim(vararg chars: Char): String = trim { it in chars
}\n\nReturns a sub sequence of this char sequence having leading characters from the [chars] array
removed.\n *\npublic fun CharSequence.trimStart(vararg chars: Char): CharSequence = trimStart { it in chars
}\n\nReturns a string having leading characters from the [chars] array removed.\n *\npublic fun
String.trimStart(vararg chars: Char): String = trimStart { it in chars }\n\nReturns a sub sequence of this char
sequence having trailing characters from the [chars] array removed.\n *\npublic fun CharSequence.trimEnd(vararg
chars: Char): CharSequence = trimEnd { it in chars }\n\nReturns a string having trailing characters from the
[chars] array removed.\n *\npublic fun String.trimEnd(vararg chars: Char): String = trimEnd { it in chars }\n\n
Returns a sub sequence of this char sequence having leading and trailing whitespace removed.\n *\npublic fun
CharSequence.trim(): CharSequence = trim(Char::isWhitespace)\n\nReturns a string having leading and
trailing whitespace removed.\n *\n@kotlin.internal.InlineOnly\npublic inline fun String.trim(): String = (this as
CharSequence).trim().toString()\n\nReturns a sub sequence of this char sequence having leading whitespace
removed.\n *\npublic fun CharSequence.trimStart(): CharSequence = trimStart(Char::isWhitespace)\n\nReturns a
string having leading whitespace removed.\n *\n@kotlin.internal.InlineOnly\npublic inline fun
String.trimStart(): String = (this as CharSequence).trimStart().toString()\n\nReturns a sub sequence of this
char sequence having trailing whitespace removed.\n *\npublic fun CharSequence.trimEnd(): CharSequence =
trimEnd(Char::isWhitespace)\n\nReturns a string having trailing whitespace removed.\n
*\n@kotlin.internal.InlineOnly\npublic inline fun String.trimEnd(): String = (this as
CharSequence).trimEnd().toString()\n\nReturns a char sequence with content of this char sequence padded at
the beginning\n * to the specified [length] with the specified character or space.\n *\n * @param length the desired
string length.\n * @param padChar the character to pad string with, if it has length less than the [length] specified.
Space is used by default.\n * @return Returns a char sequence of length at least [length] consisting of `this` char
sequence prepended with [padChar] as many times\n * as are necessary to reach that length.\n * @sample
samples.text.Strings.padStart\n *\npublic fun CharSequence.padStart(length: Int, padChar: Char = ' '):
CharSequence {\n  if (length < 0)\n    throw IllegalArgumentException("Desired length $length is less than
zero.")\n  if (length <= this.length)\n    return this.subSequence(0, this.length)\n  val sb =
StringBuilder(length)\n  for (i in 1..(length - this.length))\n    sb.append(padChar)\n  sb.append(this)\n  return

```

```

sb\n}\n\n/**\n * Pads the string to the specified [length] at the beginning with the specified character or space.\n *\n * @param length the desired string length.\n * @param padChar the character to pad string with, if it has length less than the [length] specified. Space is used by default.\n * @return Returns a string of length at least [length] consisting of `this` string prepended with [padChar] as many times\n * as are necessary to reach that length.\n * @sample samples.text.Strings.padStart\n */\npublic fun String.padStart(length: Int, padChar: Char = ' '): String =\n(this as CharSequence).padStart(length, padChar).toString()\n\n/**\n * Returns a char sequence with content of this char sequence padded at the end\n * to the specified [length] with the specified character or space.\n *\n * @param length the desired string length.\n * @param padChar the character to pad string with, if it has length less than the [length] specified. Space is used by default.\n * @return Returns a char sequence of length at least [length] consisting of `this` char sequence appended with [padChar] as many times\n * as are necessary to reach that length.\n * @sample samples.text.Strings.padEnd\n */\npublic fun CharSequence.padEnd(length: Int, padChar: Char = ' '): CharSequence {\n if (length < 0)\n throw IllegalArgumentException("Desired length $length is less than zero.")\n if (length <= this.length)\n return this.subSequence(0, this.length)\n\n val sb =\nStringbuilder(length)\n sb.append(this)\n for (i in 1..(length - this.length))\n sb.append(padChar)\n return sb\n}\n\n/**\n * Pads the string to the specified [length] at the end with the specified character or space.\n *\n * @param length the desired string length.\n * @param padChar the character to pad string with, if it has length less than the [length] specified. Space is used by default.\n * @return Returns a string of length at least [length] consisting of `this` string appended with [padChar] as many times\n * as are necessary to reach that length.\n * @sample samples.text.Strings.padEnd\n */\npublic fun String.padEnd(length: Int, padChar: Char = ' '): String =\n(this as CharSequence).padEnd(length, padChar).toString()\n\n/**\n * Returns `true` if this nullable char sequence is either `null` or empty.\n *\n * @sample samples.text.Strings.stringOrNull\n */\n\n/**\n * @kotlin.internal.InlineOnly\n */\npublic inline fun CharSequence?.isNullOrEmpty(): Boolean {\n contract {\n returns(false) implies (this@isNullOrEmpty != null)\n }\n\n return this == null || this.length == 0\n}\n\n/**\n * Returns `true` if this char sequence is empty (contains no characters).\n *\n * @sample\n */\nsamples.text.Strings.stringIsEmpty\n\n/**\n * @kotlin.internal.InlineOnly\n */\npublic inline fun CharSequence.isEmpty(): Boolean = length == 0\n\n/**\n * Returns `true` if this char sequence is not empty.\n *\n * @sample\n */\nsamples.text.Strings.stringIsNotEmpty\n\n/**\n * @kotlin.internal.InlineOnly\n */\npublic inline fun CharSequence.isNotEmpty(): Boolean = length > 0\n\n// implemented differently in JVM and JS\n//\npublic fun String.isBlank(): Boolean = length() == 0 || all { it.isWhitespace() }\n\n/**\n * Returns `true` if this char sequence is not empty and contains some characters except of whitespace characters.\n *\n * @sample\n */\nsamples.text.Strings.stringIsNotBlank\n\n/**\n * @kotlin.internal.InlineOnly\n */\npublic inline fun CharSequence.isNotBlank(): Boolean = !isBlank()\n\n/**\n * Returns `true` if this nullable char sequence is either `null` or empty or consists solely of whitespace characters.\n *\n * @sample\n */\nsamples.text.Strings.stringOrNullOrBlank\n\n/**\n * @kotlin.internal.InlineOnly\n */\npublic inline fun CharSequence?.isNullOrBlank(): Boolean {\n contract {\n returns(false) implies (this@isNullOrBlank != null)\n }\n\n return this == null || this.isBlank()\n}\n\n/**\n * Iterator for characters of the given char sequence.\n *\n * @public operator fun CharSequence.iterator(): CharIterator = object : CharIterator() {\n private var index = 0\n\n public override fun nextChar(): Char = get(index++)\n\n public override fun hasNext(): Boolean = index < length\n}\n\n/**\n * Returns the string if it is not `null`, or the empty string otherwise.\n *\n * @kotlin.internal.InlineOnly\n */\npublic inline fun String?.orEmpty(): String = this ?: ""\n\n/**\n * Returns this char sequence if it's not empty\n * or the result of calling [defaultValue] function if the char sequence is empty.\n *\n * @sample samples.text.Strings.stringIfEmpty\n */\n\n/**\n * @SinceKotlin("1.3")\n */\npublic inline fun <C, R> C.ifEmpty(defaultValue: () -> R): R where C : CharSequence, C : R =\n if (isEmpty()) defaultValue() else this\n\n/**\n * Returns this char sequence if it is not empty and doesn't consist solely of whitespace characters,\n * or the result of calling [defaultValue] function otherwise.\n *\n * @sample samples.text.Strings.stringIfNotBlank\n */\n\n/**\n * @SinceKotlin("1.3")\n */\npublic inline fun <C, R> C.ifBlank(defaultValue: () -> R): R where C : CharSequence, C : R =\n if (isBlank()) defaultValue() else this\n\n/**\n * Returns the range of valid

```

character indices for this char sequence.

```

public val CharSequence.indices: IntRange
    get() = 0..length - 1

```

* Returns the index of the last character in the char sequence or -1 if it is empty.

```

public val CharSequence.lastIndex: Int
    get() = this.length - 1

```

* Returns `true` if this CharSequence has Unicode surrogate pair at the specified [index].

```

public fun CharSequence.hasSurrogatePairAt(index: Int): Boolean {
    return index in 0..length - 2 && this[index].isHighSurrogate() && this[index + 1].isLowSurrogate()
}

```

* Returns a substring specified by the given [range] of indices.

```

public fun String.substring(range: IntRange): String = substring(range.start, range.endInclusive + 1)

```

* Returns a subsequence of this char sequence specified by the given [range] of indices.

```

public fun CharSequence.subSequence(range: IntRange): CharSequence = subSequence(range.start, range.endInclusive + 1)

```

* Returns a subsequence of this char sequence.

```

* This extension is chosen only for invocation with old-named parameters.
* Replace parameter names with the same as those of [CharSequence.subSequence].
* @kotlin.internal.InlineOnly
* @Suppress("EXTENSION_SHADOWED_BY_MEMBER") // false
warning
@Deprecated("Use parameters named startIndex and endIndex.", ReplaceWith("subSequence(startIndex = start, endIndex = end)"))
public inline fun String.subSequence(start: Int, end: Int): CharSequence = subSequence(start, end)

```

* Returns a substring of chars from a range of this char sequence starting at the [startIndex] and ending right before the [endIndex].

```

* @param startIndex the start index (inclusive).
* @param endIndex the end index (exclusive). If not specified, the length of the char sequence is used.
* @kotlin.internal.InlineOnly
public inline fun CharSequence.substring(startIndex: Int, endIndex: Int = length): String = subSequence(startIndex, endIndex).toString()

```

* Returns a substring of chars at indices from the specified [range] of this char sequence.

```

public fun CharSequence.substring(range: IntRange): String = subSequence(range.start, range.endInclusive + 1).toString()

```

* Returns a substring before the first occurrence of [delimiter].

```

* If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.
public fun String.substringBefore(delimiter: Char, missingDelimiterValue: String = this): String {
    val index = indexOf(delimiter)
    return if (index == -1) missingDelimiterValue else substring(0, index)
}

```

* Returns a substring before the first occurrence of [delimiter].

```

* If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.
public fun String.substringBefore(delimiter: String, missingDelimiterValue: String = this): String {
    val index = indexOf(delimiter)
    return if (index == -1) missingDelimiterValue else substring(0, index)
}

```

* Returns a substring after the first occurrence of [delimiter].

```

* If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.
public fun String.substringAfter(delimiter: Char, missingDelimiterValue: String = this): String {
    val index = indexOf(delimiter)
    return if (index == -1) missingDelimiterValue else substring(index + 1, length)
}

```

* Returns a substring after the first occurrence of [delimiter].

```

* If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.
public fun String.substringAfter(delimiter: String, missingDelimiterValue: String = this): String {
    val index = indexOf(delimiter)
    return if (index == -1) missingDelimiterValue else substring(index + delimiter.length, length)
}

```

* Returns a substring before the last occurrence of [delimiter].

```

* If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.
public fun String.substringBeforeLast(delimiter: Char, missingDelimiterValue: String = this): String {
    val index = lastIndexOf(delimiter)
    return if (index == -1) missingDelimiterValue else substring(0, index)
}

```

* Returns a substring before the last occurrence of [delimiter].

```

* If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.
public fun String.substringBeforeLast(delimiter: String, missingDelimiterValue: String = this): String {
    val index = lastIndexOf(delimiter)
    return if (index == -1) missingDelimiterValue else substring(0, index)
}

```

* Returns a substring after the last occurrence of [delimiter].

```

* If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.
public fun String.substringAfterLast(delimiter: Char, missingDelimiterValue: String = this): String {
    val index = lastIndexOf(delimiter)
    return if (index == -1) missingDelimiterValue else substring(index + 1, length)
}

```

* Returns a substring after the last occurrence of [delimiter].

```

* If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.

```

```

*^public fun String.substringAfterLast(delimiter: String, missingDelimiterValue: String = this): String {
    val index = lastIndexOf(delimiter)
    return if (index == -1) missingDelimiterValue else substring(index +
    delimiter.length, length)
}

* Returns a char sequence with content of this char sequence where its part at
the given range is replaced with the [replacement] char sequence.
* @param startIndex the index of the first character to be replaced.
* @param endIndex the index of the first character after the replacement to keep in the
string.
*^@UseExperimental(ExperimentalStdlibApi::class)
public fun CharSequence.replaceRange(startIndex:
Int, endIndex: Int, replacement: CharSequence): CharSequence {
    if (endIndex < startIndex)
        throw IndexOutOfBoundsException("End index ($endIndex) is less than start index ($startIndex).")
    val sb =
    StringBuilder()
    sb.appendRange(this, 0, startIndex)
    sb.append(replacement)
    sb.appendRange(this,
    endIndex, length)
    return sb
}

* Replaces the part of the string at the given range with the
[replacement] char sequence.
* @param startIndex the index of the first character to be replaced.
* @param
endIndex the index of the first character after the replacement to keep in the string.
*^@kotlin.internal.InlineOnly
public inline fun String.replaceRange(startIndex: Int, endIndex: Int, replacement:
CharSequence): String =
    (this as CharSequence).replaceRange(startIndex, endIndex,
    replacement).toString()

* Returns a char sequence with content of this char sequence where its part at the
given [range] is replaced with the [replacement] char sequence.
* The end index of the [range] is included
in the part to be replaced.
*^public fun CharSequence.replaceRange(range: IntRange, replacement:
CharSequence): CharSequence =
    replaceRange(range.start, range.endInclusive + 1, replacement)

* Replace the part of string at the given [range] with the [replacement] string.
* The end index of the [range] is
included in the part to be replaced.
*^@kotlin.internal.InlineOnly
public inline fun String.replaceRange(range:
IntRange, replacement: CharSequence): String =
    (this as CharSequence).replaceRange(range,
    replacement).toString()

* Returns a char sequence with content of this char sequence where its part at the
given range is removed.
* @param startIndex the index of the first character to be removed.
* @param
endIndex the index of the first character after the removed part to keep in the string.
* [endIndex] is not
included in the removed part.
*^@UseExperimental(ExperimentalStdlibApi::class)
public fun
CharSequence.removeRange(startIndex: Int, endIndex: Int): CharSequence {
    if (endIndex < startIndex)
        throw IndexOutOfBoundsException("End index ($endIndex) is less than start index ($startIndex).")
    if
    (endIndex == startIndex)
        return this.subSequence(0, length)
    val sb = StringBuilder(length - (endIndex -
    startIndex))
    sb.appendRange(this, 0, startIndex)
    sb.appendRange(this, endIndex, length)
    return
    sb
}

* Removes the part of a string at a given range.
* @param startIndex the index of the first character
to be removed.
* @param endIndex the index of the first character after the removed part to keep in the string.
* [endIndex] is not included in the removed part.
*^@kotlin.internal.InlineOnly
public inline fun
String.removeRange(startIndex: Int, endIndex: Int): String =
    (this as CharSequence).removeRange(startIndex,
    endIndex).toString()

* Returns a char sequence with content of this char sequence where its part at the
given [range] is removed.
* The end index of the [range] is included in the removed part.
*^public fun
CharSequence.removeRange(range: IntRange): CharSequence =
    removeRange(range.start, range.endInclusive +
    1)

* Removes the part of a string at the given [range].
* The end index of the [range] is included in
the removed part.
*^@kotlin.internal.InlineOnly
public inline fun String.removeRange(range: IntRange): String
=
    (this as CharSequence).removeRange(range).toString()

* If this char sequence starts with the given
[prefix], returns a new char sequence
with the prefix removed. Otherwise, returns a new char sequence with the
same characters.
*^public fun CharSequence.removePrefix(prefix: CharSequence): CharSequence {
    if
    (startsWith(prefix)) {
        return subSequence(prefix.length, length)
    }
    return subSequence(0,
    length)
}

* If this string starts with the given [prefix], returns a copy of this string
with the prefix
removed. Otherwise, returns this string.
*^public fun String.removePrefix(prefix: CharSequence): String {
    if
    (startsWith(prefix)) {
        return substring(prefix.length)
    }
    return this
}

* If this char sequence
ends with the given [suffix], returns a new char sequence
with the suffix removed. Otherwise, returns a new char
sequence with the same characters.
*^public fun CharSequence.removeSuffix(suffix: CharSequence):
CharSequence {
    if (endsWith(suffix)) {
        return subSequence(0, length - suffix.length)
    }
    return
}

```

subSequence(0, length)\n\n\n * If this string ends with the given [suffix], returns a copy of this string\n * with the suffix removed. Otherwise, returns this string.\n */\npublic fun String.removeSuffix(suffix: CharSequence): String {\n if (endsWith(suffix)) {\n return substring(0, length - suffix.length)\n }\n return this\n}\n\n\n * When this char sequence starts with the given [prefix] and ends with the given [suffix],\n * returns a new char sequence having both the given [prefix] and [suffix] removed.\n * Otherwise returns a new char sequence with the same characters.\n */\npublic fun CharSequence.removeSurrounding(prefix: CharSequence, suffix: CharSequence): CharSequence {\n if ((length >= prefix.length + suffix.length) && startsWith(prefix) && endsWith(suffix)) {\n return subSequence(prefix.length, length - suffix.length)\n }\n return subSequence(0, length)\n}\n\n\n * Removes from a string both the given [prefix] and [suffix] if and only if\n * it starts with the [prefix] and ends with the [suffix].\n * Otherwise returns this string unchanged.\n */\npublic fun String.removeSurrounding(prefix: CharSequence, suffix: CharSequence): String {\n if ((length >= prefix.length + suffix.length) && startsWith(prefix) && endsWith(suffix)) {\n return substring(prefix.length, length - suffix.length)\n }\n return this\n}\n\n\n * When this char sequence starts with and ends with the given [delimiter],\n * returns a new char sequence having this [delimiter] removed both from the start and end.\n * Otherwise returns a new char sequence with the same characters.\n */\npublic fun CharSequence.removeSurrounding(delimiter: CharSequence): CharSequence = removeSurrounding(delimiter, delimiter)\n\n\n\n * Removes the given [delimiter] string from both the start and the end of this string\n * if and only if it starts with and ends with the [delimiter].\n * Otherwise returns this string unchanged.\n */\npublic fun String.removeSurrounding(delimiter: CharSequence): String = removeSurrounding(delimiter, delimiter)\n\n\n\n * Replace part of string before the first occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceBefore(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n\n\n * Replace part of string before the first occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceBefore(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n\n\n * Replace part of string after the first occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceAfter(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(index + 1, length, replacement)\n}\n\n\n\n * Replace part of string after the first occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceAfter(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {\n val index = indexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(index + delimiter.length, length, replacement)\n}\n\n\n\n * Replace part of string after the last occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceAfterLast(delimiter: String, replacement: String, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(index + delimiter.length, length, replacement)\n}\n\n\n\n * Replace part of string after the last occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceAfterLast(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {\n val index = lastIndexOf(delimiter)\n return if (index == -1) missingDelimiterValue else replaceRange(index + 1, length, replacement)\n}\n\n\n\n * Replace part of string before the last occurrence of given delimiter with the [replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults to the original string.\n */\npublic fun String.replaceBeforeLast(delimiter: Char, replacement: String, missingDelimiterValue: String = this): String {\n

```

val index = lastIndexOf(delimiter)\n    return if (index == -1) missingDelimiterValue else replaceRange(0, index,
replacement)\n}\n\n/**\n * Replace part of string before the last occurrence of given delimiter with the
[replacement] string.\n * If the string does not contain the delimiter, returns [missingDelimiterValue] which defaults
to the original string.\n */\n\npublic fun String.replaceBeforeLast(delimiter: String, replacement: String,
missingDelimiterValue: String = this): String {\n    val index = lastIndexOf(delimiter)\n    return if (index == -1)
missingDelimiterValue else replaceRange(0, index, replacement)\n}\n\n// public fun String.replace(oldChar: Char,
newChar: Char, ignoreCase: Boolean): String // JVM- and JS-specific\n// public fun String.replace(oldValue: String,
newValue: String, ignoreCase: Boolean): String // JVM- and JS-specific\n\n/**\n * Returns a new string obtained by
replacing each substring of this char sequence that matches the given regular expression\n * with the given
[replacement].\n * The [replacement] can consist of any combination of literal text and $-substitutions. To treat
the replacement string\n * literally escape it with the [kotlin.text.Regex.Companion.escapeReplacement] method.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.replace(regex: Regex, replacement: String): String
= regex.replace(this, replacement)\n\n/**\n * Returns a new string obtained by replacing each substring of this char
sequence that matches the given regular expression\n * with the result of the given function [transform] that takes
[MatchResult] and returns a string to be used as a\n * replacement for that match.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.replace(regex: Regex, noinline transform:
(MatchResult) -> CharSequence): String =\n    regex.replace(this, transform)\n\n/**\n * Replaces the first
occurrence of the given regular expression [regex] in this char sequence with specified [replacement] expression.\n */\n * @param replacement A replacement expression that can include substitutions. See [Regex.replaceFirst] for
details.\n */\n\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.replaceFirst(regex: Regex, replacement:
String): String = regex.replaceFirst(this, replacement)\n\n/**\n * Returns `true` if this char sequence matches the
given regular expression.\n */\n\n@kotlin.internal.InlineOnly\npublic inline infix fun CharSequence.matches(regex:
Regex): Boolean = regex.matches(this)\n\n/**\n * Implementation of [regionMatches] for CharSequences.\n *
Invoked when it's already known that arguments are not Strings, so that no additional type checks are performed.\n */\n\ninternal fun CharSequence.regionMatchesImpl(thisOffset: Int, other: CharSequence, otherOffset: Int, length: Int,
ignoreCase: Boolean): Boolean {\n    if ((otherOffset < 0) || (thisOffset < 0) || (thisOffset > this.length - length) ||
(otherOffset > other.length - length)) {\n        return false\n    }\n\n    for (index in 0 until length) {\n        if
(!this[thisOffset + index].equals(other[otherOffset + index], ignoreCase))\n            return false\n    }\n    return
true\n}\n\n/**\n * Returns `true` if this char sequence starts with the specified character.\n */\n\npublic fun
CharSequence.startsWith(char: Char, ignoreCase: Boolean = false): Boolean =\n    this.length > 0 &&
this[0].equals(char, ignoreCase)\n\n/**\n * Returns `true` if this char sequence ends with the specified character.\n */\n\npublic fun CharSequence.endsWith(char: Char, ignoreCase: Boolean = false): Boolean =\n    this.length > 0 &&
this[lastIndex].equals(char, ignoreCase)\n\n/**\n * Returns `true` if this char sequence starts with the specified
prefix.\n */\n\npublic fun CharSequence.startsWith(prefix: CharSequence, ignoreCase: Boolean = false): Boolean {\n    if
(!ignoreCase && this is String && prefix is String)\n        return this.startsWith(prefix)\n    else\n        return
regionMatchesImpl(0, prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n * Returns `true` if a substring of this char
sequence starting at the specified offset [startIndex] starts with the specified prefix.\n */\n\npublic fun
CharSequence.startsWith(prefix: CharSequence, startIndex: Int, ignoreCase: Boolean = false): Boolean {\n    if
(!ignoreCase && this is String && prefix is String)\n        return this.startsWith(prefix, startIndex)\n    else\n
return regionMatchesImpl(startIndex, prefix, 0, prefix.length, ignoreCase)\n}\n\n/**\n * Returns `true` if this char
sequence ends with the specified suffix.\n */\n\npublic fun CharSequence.endsWith(suffix: CharSequence,
ignoreCase: Boolean = false): Boolean {\n    if (!ignoreCase && this is String && suffix is String)\n        return
this.endsWith(suffix)\n    else\n        return regionMatchesImpl(length - suffix.length, suffix, 0, suffix.length,
ignoreCase)\n}\n}\n\n// common prefix and suffix\n\n/**\n * Returns the longest string `prefix` such that this char
sequence and [other] char sequence both start with this prefix,\n * taking care not to split surrogate pairs.\n * If this
and [other] have no common prefix, returns the empty string.\n * @param ignoreCase `true` to ignore character
case when matching a character. By default `false`.\n * @sample samples.text.Strings.commonPrefixWith\n */\n\npublic fun CharSequence.commonPrefixWith(other: CharSequence, ignoreCase: Boolean = false): String {\n

```



```

val shortestLength = minOf(this.length, other.length)\n\n var i = 0\n while (i < shortestLength &&
this[i].equals(other[i], ignoreCase = ignoreCase)) {\n i++\n }\n if (this.hasSurrogatePairAt(i - 1) ||
other.hasSurrogatePairAt(i - 1)) {\n i--\n }\n return subSequence(0, i).toString()\n}\n\n/**\n * Returns the
longest string `suffix` such that this char sequence and [other] char sequence both end with this suffix,\n * taking
care not to split surrogate pairs.\n * If this and [other] have no common suffix, returns the empty string.\n\n *
@param ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @sample
samples.text.Strings.commonSuffixWith\n */\npublic fun CharSequence.commonSuffixWith(other: CharSequence,
ignoreCase: Boolean = false): String {\n val thisLength = this.length\n val otherLength = other.length\n val
shortestLength = minOf(thisLength, otherLength)\n\n var i = 0\n while (i < shortestLength && this[thisLength -
i - 1].equals(other[otherLength - i - 1], ignoreCase = ignoreCase)) {\n i++\n }\n if
(this.hasSurrogatePairAt(thisLength - i - 1) || other.hasSurrogatePairAt(otherLength - i - 1)) {\n i--\n }\n
return subSequence(thisLength - i, thisLength).toString()\n}\n\n\n// indexOfAny()\n\n/**\n * Finds the index of the
first occurrence of any of the specified [chars] in this char sequence,\n * starting from the specified [startIndex] and
optionally ignoring the case.\n * @param ignoreCase `true` to ignore character case when matching a character.
By default `false`.\n * @return An index of the first occurrence of matched character from [chars] or -1 if none of
[chars] are found.\n * @/npublic fun CharSequence.indexOfAny(chars: CharArray, startIndex: Int = 0, ignoreCase:
Boolean = false): Int {\n if (!ignoreCase && chars.size == 1 && this is String) {\n val char = chars.single()\n
return nativeIndexOf(char, startIndex)\n }\n\n for (index in startIndex.coerceAtLeast(0)..lastIndex) {\n val
charAtIndex = get(index)\n if (chars.any { it.equals(charAtIndex, ignoreCase) })\n return index\n }\n
return -1\n}\n\n\n/**\n * Finds the index of the last occurrence of any of the specified [chars] in this char
sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n * @param startIndex The
index of character to start searching at. The search proceeds backward toward the beginning of the string.\n * @param
ignoreCase `true` to ignore character case when matching a character. By default `false`.\n * @return An index of
the last occurrence of matched character from [chars] or -1 if none of [chars] are found.\n * @/npublic fun
CharSequence.lastIndexOfAny(chars: CharArray, startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int {\n
if (!ignoreCase && chars.size == 1 && this is String) {\n val char = chars.single()\n return
nativeLastIndexOf(char, startIndex)\n }\n\n\n for (index in startIndex.coerceAtMost(lastIndex) downTo 0) {\n
val charAtIndex = get(index)\n if (chars.any { it.equals(charAtIndex, ignoreCase) })\n return index\n
}\n\n return -1\n}\n\n\nprivate fun CharSequence.indexOf(other: CharSequence, startIndex: Int, endIndex: Int,
ignoreCase: Boolean, last: Boolean = false): Int {\n val indices = if (!last)\n
startIndex.coerceAtLeast(0)..endIndex.coerceAtMost(length)\n else\n startIndex.coerceAtMost(lastIndex)
downTo endIndex.coerceAtLeast(0)\n\n if (this is String && other is String) { // smart cast\n for (index in
indices) {\n if (other.regionMatches(0, this, index, other.length, ignoreCase))\n return index\n
}\n } else {\n for (index in indices) {\n if (other.regionMatchesImpl(0, this, index, other.length,
ignoreCase))\n return index\n }\n }\n return -1\n}\n\n\nprivate fun CharSequence.findAnyOf(strings:
Collection<String>, startIndex: Int, ignoreCase: Boolean, last: Boolean): Pair<Int, String>? {\n if (!ignoreCase
&& strings.size == 1) {\n val string = strings.single()\n val index = if (!last) indexOf(string, startIndex) else
lastIndexOf(string, startIndex)\n return if (index < 0) null else index to string\n }\n\n val indices = if (!last)
startIndex.coerceAtLeast(0)..length else startIndex.coerceAtMost(lastIndex) downTo 0\n\n if (this is String) {\n
for (index in indices) {\n val matchingString = strings.firstOrNull { it.regionMatches(0, this, index, it.length,
ignoreCase) }\n if (matchingString != null)\n return index to matchingString\n }\n } else {\n
for (index in indices) {\n val matchingString = strings.firstOrNull { it.regionMatchesImpl(0, this, index,
it.length, ignoreCase) }\n if (matchingString != null)\n return index to matchingString\n }\n
}\n\n return null\n}\n\n\n/**\n * Finds the first occurrence of any of the specified [strings] in this char
sequence,\n * starting from the specified [startIndex] and optionally ignoring the case.\n * @param ignoreCase `true`
to ignore character case when matching a string. By default `false`.\n * @return A pair of an index of the first
occurrence of matched string from [strings] and the string matched\n * or `null` if none of [strings] are found.\n *
To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from\n * the

```

beginning to the end of this string, and finds at each position the first element in [strings] that matches this string at that position.

```
public fun CharSequence.findAnyOf(strings: Collection<String>, startIndex: Int = 0, ignoreCase: Boolean = false): Pair<Int, String>? = findAnyOf(strings, startIndex, ignoreCase, last = false)
```

Finds the last occurrence of any of the specified [strings] in this char sequence, starting from the specified [startIndex] and optionally ignoring the case.

- @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.
- @param ignoreCase `true` to ignore character case when matching a string. By default `false`.
- @return A pair of an index of the last occurrence of matched string from [strings] and the string matched or `null` if none of [strings] are found.

To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from the end toward the beginning of this string, and finds at each position the first element in [strings] that matches this string at that position.

```
public fun CharSequence.findLastAnyOf(strings: Collection<String>, startIndex: Int = lastIndexOfAny(strings, startIndex, ignoreCase: Boolean = false): Pair<Int, String>? = findAnyOf(strings, startIndex, ignoreCase, last = true)
```

Finds the index of the first occurrence of any of the specified [strings] in this char sequence, starting from the specified [startIndex] and optionally ignoring the case.

- @param ignoreCase `true` to ignore character case when matching a string. By default `false`.
- @return An index of the first occurrence of matched string from [strings] or -1 if none of [strings] are found.

To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from the beginning to the end of this string, and finds at each position the first element in [strings] that matches this string at that position.

```
public fun CharSequence.indexOfAny(strings: Collection<String>, startIndex: Int = 0, ignoreCase: Boolean = false): Int = findAnyOf(strings, startIndex, ignoreCase, last = false)?.first ?: -1
```

Finds the index of the last occurrence of any of the specified [strings] in this char sequence, starting from the specified [startIndex] and optionally ignoring the case.

- @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.
- @param ignoreCase `true` to ignore character case when matching a string. By default `false`.
- @return An index of the last occurrence of matched string from [strings] or -1 if none of [strings] are found.

To avoid ambiguous results when strings in [strings] have characters in common, this method proceeds from the end toward the beginning of this string, and finds at each position the first element in [strings] that matches this string at that position.

```
public fun CharSequence.lastIndexOfAny(strings: Collection<String>, startIndex: Int = lastIndexOfAny(strings, startIndex, ignoreCase: Boolean = false): Int = findAnyOf(strings, startIndex, ignoreCase, last = true)?.first ?: -1
```

Returns the index within this string of the first occurrence of the specified character, starting from the specified [startIndex].

- @param ignoreCase `true` to ignore character case when matching a character. By default `false`.
- @return An index of the first occurrence of [char] or -1 if none is found.

```
public fun CharSequence.indexOf(char: Char, startIndex: Int = 0, ignoreCase: Boolean = false): Int { return if (ignoreCase || this !is String) indexOfAny(charArrayOf(char), startIndex, ignoreCase) else nativeIndexOf(char, startIndex)
```

Returns the index within this char sequence of the first occurrence of the specified [string], starting from the specified [startIndex].

- @param ignoreCase `true` to ignore character case when matching a string. By default `false`.
- @return An index of the first occurrence of [string] or -1 if none is found.

```
public fun CharSequence.indexOf(string: String, startIndex: Int = 0, ignoreCase: Boolean = false): Int { return if (ignoreCase || this !is String) indexOfAny(charArrayOf(char), startIndex, ignoreCase) else nativeIndexOf(char, startIndex)
```

Returns the index within this char sequence of the last occurrence of the specified character, starting from the specified [startIndex].

- @param startIndex The index of character to start searching at. The search proceeds backward toward the beginning of the string.
- @param ignoreCase `true` to ignore character case when matching a character. By default `false`.
- @return An index of the last occurrence of [char] or -1 if none is found.

```
public fun CharSequence.lastIndexOf(char: Char, startIndex: Int = lastIndexOfAny(charArrayOf(char), startIndex, ignoreCase: Boolean = false): Int { return if (ignoreCase || this !is String) lastIndexOfAny(charArrayOf(char), startIndex, ignoreCase) else nativeLastIndexOf(char, startIndex)
```

Returns the index within this char sequence of the last occurrence of the specified [string], starting from the specified [startIndex].

- @param startIndex The

```

index of character to start searching at. The search proceeds backward toward the beginning of the string.\n *
@param ignoreCase `true` to ignore character case when matching a string. By default `false`.\n * @return An index
of the last occurrence of [string] or -1 if none is found.\n */\npublic fun CharSequence.lastIndexOf(string: String,
startIndex: Int = lastIndex, ignoreCase: Boolean = false): Int {\n    return if (ignoreCase || this != string)\n        indexOf(string, startIndex, ignoreCase, last = true)\n    else\n        nativeLastIndexOf(string,
startIndex)\n}\n\n/**\n * Returns `true` if this char sequence contains the specified [other] sequence of characters as
a substring.\n */\n * @param ignoreCase `true` to ignore character case when comparing strings. By default `false`.\n
*/\n\n@Suppress("INAPPLICABLE_OPERATOR_MODIFIER")\npublic operator fun
CharSequence.contains(other: CharSequence, ignoreCase: Boolean = false): Boolean =\n    if (other is String)\n        indexOf(other, ignoreCase = ignoreCase) >= 0\n    else\n        indexOf(other, 0, length, ignoreCase) >=
0\n\n\n/**\n * Returns `true` if this char sequence contains the specified character [char].\n */\n * @param
ignoreCase `true` to ignore character case when comparing characters. By default `false`.\n
*/\n\n@Suppress("INAPPLICABLE_OPERATOR_MODIFIER")\npublic operator fun CharSequence.contains(char:
Char, ignoreCase: Boolean = false): Boolean =\n    indexOf(char, ignoreCase = ignoreCase) >= 0\n\n\n/**\n * Returns
`true` if this char sequence contains at least one match of the specified regular expression [regex].\n
*/\n\n@kotlin.internal.InlineOnly\npublic inline operator fun CharSequence.contains(regex: Regex): Boolean =
regex.containsMatchIn(this)\n\n\n// rangesDelimitedBy\n\nprivate class DelimitedRangesSequence(\n    private
val input: CharSequence,\n    private val startIndex: Int,\n    private val limit: Int,\n    private val getNextMatch:
CharSequence.(currentIndex: Int) -> Pair<Int, Int>?) : Sequence<IntRange> {\n    override fun iterator():
Iterator<IntRange> = object : Iterator<IntRange> {\n        var nextState: Int = -1 // -1 for unknown, 0 for done, 1 for
continue\n        var currentStartIndex: Int = startIndex.coerceIn(0, input.length)\n        var nextSearchIndex: Int =
currentStartIndex\n        var nextItem: IntRange? = null\n        var counter: Int = 0\n        private fun calcNext() {\n
            if (nextSearchIndex < 0) {\n                nextState = 0\n                nextItem = null\n            } else {\n
                if (limit > 0 && ++counter >= limit || nextSearchIndex > input.length) {\n                    nextItem =
currentStartIndex..input.lastIndex\n                    nextSearchIndex = -1\n                } else {\n                    val match =
input.getNextMatch(nextSearchIndex)\n                    if (match == null) {\n                        nextItem =
currentStartIndex..input.lastIndex\n                        nextSearchIndex = -1\n                    } else {\n                        val
(index, length) = match\n                        nextItem = currentStartIndex until index\n                        currentStartIndex
= index + length\n                        nextSearchIndex = currentStartIndex + if (length == 0) 1 else 0\n                    }\n
                }\n                nextState = 1\n            }\n        }\n        override fun next(): IntRange {\n            if (nextState ==
-1)\n                calcNext()\n            if (nextState == 0)\n                throw NoSuchElementException()\n            val
result = nextItem as IntRange\n            // Clean next to avoid keeping reference on yielded instance\n            nextItem = null\n            nextState = -1\n            return result\n        }\n        override fun hasNext(): Boolean {\n
            if (nextState == -1)\n                calcNext()\n            return nextState == 1\n        }\n    }\n}\n\n\n/**\n * Returns a
sequence of index ranges of substrings in this char sequence around occurrences of the specified [delimiters].\n */\n *
@param delimiters One or more characters to be used as delimiters.\n * @param startIndex The index to start
searching delimiters from.\n * No range having its start value less than [startIndex] is returned.\n * [startIndex] is
coerced to be non-negative and not greater than length of this string.\n * @param ignoreCase `true` to ignore
character case when matching a delimiter. By default `false`.\n * @param limit The maximum number of substrings
to return. Zero by default means no limit is set.\n */\n\nprivate fun CharSequence.rangesDelimitedBy(delimiters:
CharArray, startIndex: Int = 0, ignoreCase: Boolean = false, limit: Int = 0): Sequence<IntRange> {\n    require(limit
>= 0, { "Limit must be non-negative, but was $limit." })\n    return DelimitedRangesSequence(this, startIndex,
limit, { currentIndex ->\n        indexOfAny(delimiters, currentIndex, ignoreCase = ignoreCase).let { if (it < 0) null
else it to 1 }\n    })\n}\n\n\n/**\n * Returns a sequence of index ranges of substrings in this char sequence around
occurrences of the specified [delimiters].\n */\n * @param delimiters One or more strings to be used as delimiters.\n
* @param startIndex The index to start searching delimiters from.\n * No range having its start value less than
[startIndex] is returned.\n * [startIndex] is coerced to be non-negative and not greater than length of this string.\n
* @param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.\n * @param limit

```

The maximum number of substrings to return. Zero by default means no limit is set.

To avoid ambiguous results when strings in [delimiters] have characters in common, this method proceeds from the beginning to the end of this string, and finds at each position the first element in [delimiters] that matches this string at that position.

```
private fun CharSequence.rangesDelimitedBy(delimiters: Array<out String>, startIndex: Int = 0, ignoreCase: Boolean = false, limit: Int = 0): Sequence<IntRange> {
    require(limit >= 0, { "Limit must be non-negative, but was $limit." })
    val delimitersList = delimiters.asList()
    return DelimitedRangesSequence(this, startIndex, limit, { currentIndex -> findAnyOf(delimitersList, currentIndex, ignoreCase = ignoreCase, last = false)?.let { it.first to it.second.length } })
}
```

Splits this char sequence to a sequence of strings around occurrences of the specified [delimiters].

@param delimiters One or more strings to be used as delimiters.

@param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.

@param limit The maximum number of substrings to return. Zero by default means no limit is set.

To avoid ambiguous results when strings in [delimiters] have characters in common, this method proceeds from the beginning to the end of this string, and finds at each position the first element in [delimiters] that matches this string at that position.

```
public fun CharSequence.splitToSequence(vararg delimiters: String, ignoreCase: Boolean = false, limit: Int = 0): Sequence<String> =
    rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).map { substring(it) }
```

Splits this char sequence to a list of strings around occurrences of the specified [delimiters].

@param delimiters One or more strings to be used as delimiters.

@param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.

@param limit The maximum number of substrings to return. Zero by default means no limit is set.

To avoid ambiguous results when strings in [delimiters] have characters in common, this method proceeds from the beginning to the end of this string, and matches at each position the first element in [delimiters] that is equal to a delimiter in this instance at that position.

```
public fun CharSequence.split(vararg delimiters: String, ignoreCase: Boolean = false, limit: Int = 0): List<String> {
    if (delimiters.size == 1) {
        val delimiter = delimiters[0]
        if (!delimiter.isEmpty()) {
            return split(delimiter, ignoreCase, limit)
        }
    }
    return rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).asIterable().map { substring(it) }
}
```

Splits this char sequence to a sequence of strings around occurrences of the specified [delimiters].

@param delimiters One or more characters to be used as delimiters.

@param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.

@param limit The maximum number of substrings to return.

```
public fun CharSequence.splitToSequence(vararg delimiters: Char, ignoreCase: Boolean = false, limit: Int = 0): Sequence<String> =
    rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).map { substring(it) }
```

Splits this char sequence to a list of strings around occurrences of the specified [delimiters].

@param delimiters One or more characters to be used as delimiters.

@param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.

@param limit The maximum number of substrings to return.

```
public fun CharSequence.split(vararg delimiters: Char, ignoreCase: Boolean = false, limit: Int = 0): List<String> {
    if (delimiters.size == 1) {
        return split(delimiters[0].toString(), ignoreCase, limit)
    }
    return rangesDelimitedBy(delimiters, ignoreCase = ignoreCase, limit = limit).asIterable().map { substring(it) }
}
```

Splits this char sequence to a list of strings around occurrences of the specified [delimiter].

This is specialized version of split which receives single non-empty delimiter and offers better performance.

@param delimiter String used as delimiter

@param ignoreCase `true` to ignore character case when matching a delimiter. By default `false`.

@param limit The maximum number of substrings to return.

```
private fun CharSequence.split(delimiter: String, ignoreCase: Boolean, limit: Int): List<String> {
    require(limit >= 0, { "Limit must be non-negative, but was $limit." })
    var currentOffset = 0
    var nextIndex = indexOf(delimiter, currentOffset, ignoreCase)
    if (nextIndex == -1 || limit == 1) {
        return listOf(this.toString())
    }
    val isLimited = limit > 0
    val result = ArrayList<String>(if (isLimited) limit.coerceAtMost(10) else 10)
    do {
        result.add(substring(currentOffset, nextIndex))
        currentOffset = nextIndex + delimiter.length
        // Do not search for next occurrence if we're reaching limit
        if (isLimited && result.size == limit - 1) break
        nextIndex = indexOf(delimiter, currentOffset, ignoreCase)
    } while
```

```

(nextIndex != -1)\n    result.add(substring(currentOffset, length))\n    return result\n}\n\n/**\n * Splits this char
sequence around matches of the given regular expression.\n * @param limit Non-negative value specifying the
maximum number of substrings to return.\n * Zero by default means no limit is set.\n
*/\n@kotlin.internal.InlineOnly\npublic inline fun CharSequence.split(regex: Regex, limit: Int = 0): List<String> =
regex.split(this, limit)\n\n/**\n * Splits this char sequence to a sequence of lines delimited by any of the following
character sequences: CRLF, LF or CR.\n * The lines returned do not include terminating line separators.\n
*/\npublic fun CharSequence.lineSequence(): Sequence<String> = splitToSequence("\\r\\n", "\\n",
"\\r")\n\n/**\n * Splits this char sequence to a list of lines delimited by any of the following character sequences:
CRLF, LF or CR.\n * The lines returned do not include terminating line separators.\n */\npublic fun
CharSequence.lines(): List<String> = lineSequence().toList()\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\nimport kotlin.js.RegExp\n\n/**\n *
Converts the characters in the specified array to a string.\n */\n@SinceKotlin("1.2")\npublic actual fun
String(chars: CharArray): String {\n    var result = ""\n    for (char in chars) {\n        result += char\n    }\n    return
result\n}\n\n/**\n * Converts the characters from a portion of the specified array to a string.\n * @throws
IndexOutOfBoundsException if either [offset] or [length] are less than zero\n * or `offset + length` is out of [chars]
array bounds.\n */\n@SinceKotlin("1.2")\npublic actual fun String(chars: CharArray, offset: Int, length: Int):
String {\n    if (offset < 0 || length < 0 || chars.size - offset < length)\n        throw
IndexOutOfBoundsException("size: ${chars.size}; offset: $offset; length: $length")\n    var result = ""\n    for
(index in offset until offset + length) {\n        result += chars[index]\n    }\n    return result\n}\n\n/**\n *
Concatenates characters in this [CharArray] into a String.\n */\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic actual fun CharArray.concatToString(): String {\n
var result = ""\n    for (char in this) {\n        result += char\n    }\n    return result\n}\n\n/**\n * Concatenates
characters in this [CharArray] or its subrange into a String.\n * @param startIndex the beginning (inclusive) of
the subrange of characters, 0 by default.\n * @param endIndex the end (exclusive) of the subrange of characters,
size of this array by default.\n * @throws IndexOutOfBoundsException if [startIndex] is less than zero or
[endIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [startIndex] is greater
than [endIndex].\n */\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n@Experi
mentalStdlibApi\npublic actual fun CharArray.concatToString(startIndex: Int = 0, endIndex: Int = this.size): String
{\n    AbstractList.checkBoundsIndexes(startIndex, endIndex, this.size)\n    var result = ""\n    for (index in
startIndex until endIndex) {\n        result += this[index]\n    }\n    return result\n}\n\n/**\n * Returns a [CharArray]
containing characters of this string.\n */\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic actual fun
String.toCharArray(): CharArray {\n    return CharArray(length) { get(it) }\n}\n\n/**\n * Returns a [CharArray]
containing characters of this string or its substring.\n * @param startIndex the beginning (inclusive) of the
substring, 0 by default.\n * @param endIndex the end (exclusive) of the substring, length of this string by default.\n
*/\n * @throws IndexOutOfBoundsException if [startIndex] is less than zero or [endIndex] is greater than the length
of this string.\n * @throws IllegalArgumentException if [startIndex] is greater than [endIndex].\n */\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n@Experi
mentalStdlibApi\npublic actual fun String.toCharArray(startIndex: Int = 0, endIndex: Int = this.length): CharArray
{\n    AbstractList.checkBoundsIndexes(startIndex, endIndex, length)\n    return CharArray(endIndex - startIndex) {
get(startIndex + it) }\n}\n\n/**\n * Decodes a string from the bytes in UTF-8 encoding in this array.\n * @n *
Malformed byte sequences are replaced by the replacement char `\\uFFFD`.\n */\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic actual fun ByteArray.decodeToString(): String {\n
return decodeUtf8(this, 0, size, false)\n}\n\n/**\n * Decodes a string from the bytes in UTF-8 encoding in this array
or its subrange.\n * @param startIndex the beginning (inclusive) of the subrange to decode, 0 by default.\n *
@param endIndex the end (exclusive) of the subrange to decode, size of this array by default.\n * @param
throwOnInvalidSequence specifies whether to throw an exception on malformed byte sequence or replace it by the

```

```

replacement char '\uFFFD'.\n *\n * @throws IndexOutOfBoundsException if [startIndex] is less than zero or
[endTime] is greater than the size of this array.\n * @throws IllegalArgumentException if [startIndex] is greater
than [endTime].\n * @throws CharacterCodingException if the byte array contains malformed UTF-8 byte
sequence and [throwOnInvalidSequence] is true.\n
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n@ExperimentalStdlibApi\npublic actual fun ByteArray.decodeToString(\n  startIndex: Int = 0,\n  endIndex: Int =
this.size,\n  throwOnInvalidSequence: Boolean = false\n): String {\n
AbstractList.checkBoundsIndexes(startIndex, endIndex, this.size)\n  return decodeUtf8(this, startIndex, endIndex,
throwOnInvalidSequence)\n}\n\n/**\n * Encodes this string to an array of bytes in UTF-8 encoding.\n *\n * Any
malformed char sequence is replaced by the replacement byte sequence.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic actual fun String.encodeToByteArray(): ByteArray
{\n  return encodeUtf8(this, 0, length, false)\n}\n\n/**\n * Encodes this string or its substring to an array of bytes in
UTF-8 encoding.\n *\n * @param startIndex the beginning (inclusive) of the substring to encode, 0 by default.\n *
@param endIndex the end (exclusive) of the substring to encode, length of this string by default.\n * @param
throwOnInvalidSequence specifies whether to throw an exception on malformed char sequence or replace.\n *\n *
@throws IndexOutOfBoundsException if [startIndex] is less than zero or [endTime] is greater than the length of
this string.\n * @throws IllegalArgumentException if [startIndex] is greater than [endTime].\n * @throws
CharacterCodingException if this string contains malformed char sequence and [throwOnInvalidSequence] is true.\n
*\n@SinceKotlin("1.3")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n@ExperimentalStdlibApi\npublic actual fun String.encodeToByteArray(\n  startIndex: Int = 0,\n  endIndex: Int =
this.length,\n  throwOnInvalidSequence: Boolean = false\n): ByteArray {\n
AbstractList.checkBoundsIndexes(startIndex, endIndex, length)\n  return encodeUtf8(this, startIndex, endIndex,
throwOnInvalidSequence)\n}\n\n/**\n * Returns a copy of this string converted to upper case using the rules of the
default locale.\n *\n * @sample samples.text.Strings.toUpperCase\n *\n@kotlin.internal.InlineOnly\npublic actual
inline fun String.toUpperCase(): String = asDynamic().toUpperCase()\n\n/**\n * Returns a copy of this string
converted to lower case using the rules of the default locale.\n *\n * @sample samples.text.Strings.toLowerCase\n
*\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toLowerCase(): String =
asDynamic().toLowerCase()\n\n@kotlin.internal.InlineOnly\ninternal actual inline fun String.nativeIndexOf(str:
String, fromIndex: Int): Int = asDynamic().indexOf(str, fromIndex)\n\n@kotlin.internal.InlineOnly\ninternal actual
inline fun String.nativeLastIndexOf(str: String, fromIndex: Int): Int = asDynamic().lastIndexOf(str,
fromIndex)\n\n@kotlin.internal.InlineOnly\ninternal inline fun String.nativeStartsWith(s: String, position: Int):
Boolean = asDynamic().startsWith(s, position)\n\n@kotlin.internal.InlineOnly\ninternal inline fun
String.nativeEndsWith(s: String): Boolean = asDynamic().endsWith(s)\n\n@kotlin.internal.InlineOnly\npublic
actual inline fun String.substring(startIndex: Int): String =
asDynamic().substring(startIndex)\n\n@kotlin.internal.InlineOnly\npublic actual inline fun
String.substring(startIndex: Int, endIndex: Int): String = asDynamic().substring(startIndex,
endIndex)\n\n@kotlin.internal.InlineOnly\npublic inline fun String.concat(str: String): String =
asDynamic().concat(str)\n\n@kotlin.internal.InlineOnly\npublic inline fun String.match(regex: String):
Array<String>? = asDynamic().match(regex)\n\n//native public fun String.trim(): String\n//TODO: String.replace
to implement effective trimLeading and trimTrailing\n\n@kotlin.internal.InlineOnly\ninternal inline fun
String.nativeReplace(pattern: RegExp, replacement: String): String = asDynamic().replace(pattern,
replacement)\n\n@SinceKotlin("1.2")\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS
")\npublic actual fun String.compareTo(other: String, ignoreCase: Boolean = false): Int {\n  if (ignoreCase) {\n
val n1 = this.length\n    val n2 = other.length\n    val min = minOf(n1, n2)\n    if (min == 0) return n1 - n2\n
    var start = 0\n    while (true) {\n        val end = minOf(start + 16, min)\n        var s1 = this.substring(start,
end)\n        var s2 = other.substring(start, end)\n        if (s1 != s2) {\n            s1 = s1.toUpperCase()\n
s2 = s2.toUpperCase()\n            if (s1 != s2) {\n                s1 = s1.toLowerCase()\n                s2 =
s2.toLowerCase()\n                if (s1 != s2) {\n                    return s1.compareTo(s2)\n                }\n
            }\n        }\n    }\n  }\n  return s1.compareTo(s2)\n}\n

```



```

*/\n public operator fun set(index: Int, value: UInt) {\n     storage[index] = value.toInt()\n } \n\n /** Returns
the number of elements in the array. */\n public override val size: Int get() = storage.size\n\n /** Creates an
iterator over the elements of the array. */\n public override operator fun iterator(): UIntIterator =
Iterator(storage)\n\n private class Iterator(private val array: IntArray) : UIntIterator() {\n     private var index =
0\n     override fun hasNext() = index < array.size\n     override fun nextUInt() = if (index < array.size)
array[index++].toInt() else throw NoSuchElementException(index.toString())\n } \n\n override fun
contains(element: UInt): Boolean {\n     // TODO: Eliminate this check after KT-30016 gets fixed.\n     //
Currently JS BE does not generate special bridge method for this method.\n     if ((element as Any?) !is UInt)
return false\n\n     return storage.contains(element.toInt())\n } \n\n override fun containsAll(elements:
Collection<UInt>): Boolean {\n     return (elements as Collection<*>).all { it is UInt &&
storage.contains(it.toInt()) }\n } \n\n override fun isEmpty(): Boolean = this.storage.size == 0\n\n /**\n *
Creates a new array of the specified [size], where each element is calculated by calling the specified\n * [init]
function.\n * \n * The function [init] is called for each array element sequentially starting from the first one.\n * It
should return the value for an array element given its index.\n
*/\n\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline fun
UIntArray(size: Int, init: (Int) -> UInt): UIntArray {\n     return UIntArray(IntArray(size) { index ->
init(index).toInt()
})\n } \n\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline fun
uintArrayOf(vararg elements: UInt): UIntArray = elements\n\n /**\n * Copyright 2010-2019 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\n // Auto-generated file. DO NOT EDIT!\n\n package
kotlin\n\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n public inline class
ULongArray\n @Suppress("NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS")\n @Published
Api\n internal constructor(@PublishedApi internal val storage: LongArray) : Collection<ULong> {\n\n     /** Creates
a new array of the specified [size], with all elements initialized to zero. */\n     public constructor(size: Int) :
this(LongArray(size))\n\n     /**\n     * Returns the array element at the given [index]. This method can be called
using the index operator.\n     * \n     * If the [index] is out of bounds of this array, throws an
[IndexOutOfBoundsException] except in Kotlin/JS\n     * where the behavior is unspecified.\n     */\n     public
operator fun get(index: Int): ULong = storage[index].toULong()\n\n     /**\n     * Sets the element at the given
[index] to the given [value]. This method can be called using the index operator.\n     * \n     * If the [index] is out of
bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n     * where the behavior is
unspecified.\n     */\n     public operator fun set(index: Int, value: ULong) {\n         storage[index] = value.toLong()\n
}\n\n     /** Returns the number of elements in the array. */\n     public override val size: Int get() = storage.size\n\n
/** Creates an iterator over the elements of the array. */\n     public override operator fun iterator(): ULongIterator =
Iterator(storage)\n\n     private class Iterator(private val array: LongArray) : ULongIterator() {\n         private var
index = 0\n         override fun hasNext() = index < array.size\n         override fun nextULong() = if (index < array.size)
array[index++].toULong() else throw NoSuchElementException(index.toString())\n     }\n\n     override fun
contains(element: ULong): Boolean {\n         // TODO: Eliminate this check after KT-30016 gets fixed.\n         //
Currently JS BE does not generate special bridge method for this method.\n         if ((element as Any?) !is ULong)
return false\n\n         return storage.contains(element.toLong())\n     }\n\n     override fun containsAll(elements:
Collection<ULong>): Boolean {\n         return (elements as Collection<*>).all { it is ULong &&
storage.contains(it.toLong()) }\n     }\n\n     override fun isEmpty(): Boolean = this.storage.size == 0\n\n /**\n *
Creates a new array of the specified [size], where each element is calculated by calling the specified\n * [init]
function.\n * \n * The function [init] is called for each array element sequentially starting from the first one.\n * It
should return the value for an array element given its index.\n
*/\n\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline fun
ULongArray(size: Int, init: (Int) -> ULong): ULongArray {\n     return ULongArray(LongArray(size) { index ->
init(index).toLong()
})\n }

```



```

})\n}\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ulongArrayOf(vararg elements: ULong): ULongArray = elements\n", "/*\n * Copyright 2010-2019 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage
kotlin\n\nimport
kotlin.experimental.*\n\n@Suppress("NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS")\n@
SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline class ULong @PublishedApi internal
constructor(@PublishedApi internal val data: Long) : Comparable<ULong> {\n\n    companion object {\n        /**\n
        * A constant holding the minimum value an instance of ULong can have.\n
        */\n        public const val
MIN_VALUE: ULong = ULong(0)\n\n        /**\n
        * A constant holding the maximum value an instance of
        ULong can have.\n
        */\n        public const val MAX_VALUE: ULong = ULong(-1)\n\n        /**\n
        * The
        number of bytes used to represent an instance of ULong in a binary form.\n
        */\n        public const val
SIZE_BYTES: Int = 8\n\n        /**\n
        * The number of bits used to represent an instance of ULong in a binary
        form.\n
        */\n        public const val SIZE_BITS: Int = 64\n    }\n\n    /**\n
    * Compares this value with the
    specified value for order.\n
    * Returns zero if this value is equal to the specified other value, a negative number if
    it's less than other,\n
    * or a positive number if it's greater than other.\n
    */\n    @kotlin.internal.InlineOnly\n
public inline operator fun compareTo(other: UByte): Int = this.compareTo(other.toULong())\n\n    /**\n
    *
    Compares this value with the specified value for order.\n
    * Returns zero if this value is equal to the specified other
    value, a negative number if it's less than other,\n
    * or a positive number if it's greater than other.\n
    */\n    @kotlin.internal.InlineOnly\n
public inline operator fun compareTo(other: UShort): Int =
this.compareTo(other.toULong())\n\n    /**\n
    * Compares this value with the specified value for order.\n
    *
    Returns zero if this value is equal to the specified other value, a negative number if it's less than other,\n
    * or a
    positive number if it's greater than other.\n
    */\n    @kotlin.internal.InlineOnly\n
public inline operator fun
compareTo(other: UInt): Int = this.compareTo(other.toULong())\n\n    /**\n
    * Compares this value with the
    specified value for order.\n
    * Returns zero if this value is equal to the specified other value, a negative number if
    it's less than other,\n
    * or a positive number if it's greater than other.\n
    */\n    @kotlin.internal.InlineOnly\n
@Suppress("OVERRIDE_BY_INLINE")\n
public override inline operator fun compareTo(other: ULong): Int =
ulongCompare(this.data, other.data)\n\n    /**\n
    * Adds the other value to this value.\n
    */\n
    @kotlin.internal.InlineOnly\n
public inline operator fun plus(other: UByte): ULong = this.plus(other.toULong())\n\n
    /**\n
    * Adds the other value to this value.\n
    */\n    @kotlin.internal.InlineOnly\n
public inline operator fun plus(other:
UShort): ULong = this.plus(other.toULong())\n\n    /**\n
    * Adds the other value to this value.\n
    */\n    @kotlin.internal.InlineOnly\n
public inline operator fun plus(other:
UInt): ULong = this.plus(other.toULong())\n\n    /**\n
    * Adds the other value to this value.\n
    */\n    @kotlin.internal.InlineOnly\n
public inline operator fun plus(other:
ULong): ULong = ULong(this.data.plus(other.data))\n\n    /**\n
    * Subtracts the other value from this value.\n
    */\n    @kotlin.internal.InlineOnly\n
public inline operator fun minus(other: UByte): ULong =
this.minus(other.toULong())\n\n    /**\n
    * Subtracts the other value from this value.\n
    */\n    @kotlin.internal.InlineOnly\n
public inline operator fun minus(other: UShort): ULong =
this.minus(other.toULong())\n\n    /**\n
    * Subtracts the other value from this value.\n
    */\n    @kotlin.internal.InlineOnly\n
public inline operator fun minus(other: UInt): ULong =
this.minus(other.toULong())\n\n    /**\n
    * Subtracts the other value from this value.\n
    */\n    @kotlin.internal.InlineOnly\n
public inline operator fun minus(other: ULong): ULong = ULong(this.data.minus(other.data))\n\n    /**\n
    * Multiplies
    this value by the other value.\n
    */\n    @kotlin.internal.InlineOnly\n
public inline operator fun times(other: UByte):
ULong = this.times(other.toULong())\n\n    /**\n
    * Multiplies this value by the other value.\n
    */\n    @kotlin.internal.InlineOnly\n
public inline operator fun times(other: UShort): ULong =
this.times(other.toULong())\n\n    /**\n
    * Multiplies this value by the other value.\n
    */\n    @kotlin.internal.InlineOnly\n
public inline operator fun times(other: UInt): ULong =
this.times(other.toULong())\n\n    /**\n
    * Multiplies this value by
    the other value.\n
    */\n    @kotlin.internal.InlineOnly\n
public inline operator fun times(other: ULong): ULong =
ULong(this.data.times(other.data))\n\n    /**\n
    * Divides this value by the other value.\n
    */\n    @kotlin.internal.InlineOnly\n
public inline operator fun div(other: UByte): ULong =
this.div(other.toULong())\n

```

```

/** Divides this value by the other value. */
@kotlin.internal.InlineOnly
public inline operator fun div(other: UShort): ULong = this.div(other.toULong())
/** Divides this value by the other value. */
@kotlin.internal.InlineOnly
public inline operator fun div(other: UInt): ULong = this.div(other.toULong())
/** Divides this value by the other value. */
@kotlin.internal.InlineOnly
public inline operator fun div(other: ULong): ULong = ulongDivide(this, other)
/** Calculates the remainder of dividing this value by the other value. */
@kotlin.internal.InlineOnly
public inline operator fun rem(other: UByte): ULong = this.rem(other.toULong())
/** Calculates the remainder of dividing this value by the other value. */
@kotlin.internal.InlineOnly
public inline operator fun rem(other: UShort): ULong = this.rem(other.toULong())
/** Calculates the remainder of dividing this value by the other value. */
@kotlin.internal.InlineOnly
public inline operator fun rem(other: UInt): ULong = this.rem(other.toULong())
/** Calculates the remainder of dividing this value by the other value. */
@kotlin.internal.InlineOnly
public inline operator fun rem(other: ULong): ULong = ulongRemainder(this, other)
/** Increments this value. */
@kotlin.internal.InlineOnly
public inline operator fun inc(): ULong = ULong(data.inc())
/** Decrements this value. */
@kotlin.internal.InlineOnly
public inline operator fun dec(): ULong = ULong(data.dec())
/** Creates a range from this value to the specified [other] value. */
@kotlin.internal.InlineOnly
public inline operator fun rangeTo(other: ULong): ULongRange = ULongRange(this, other)
/** Shifts this value left by the [bitCount] number of bits. */
@kotlin.internal.InlineOnly
public inline infix fun shl(bitCount: Int): ULong = ULong(data shl bitCount)
/** Shifts this value right by the [bitCount] number of bits, filling the leftmost bits with zeros. */
@kotlin.internal.InlineOnly
public inline infix fun shr(bitCount: Int): ULong = ULong(data ushr bitCount)
/** Performs a bitwise AND operation between the two values. */
@kotlin.internal.InlineOnly
public inline infix fun and(other: ULong): ULong = ULong(this.data and other.data)
/** Performs a bitwise OR operation between the two values. */
@kotlin.internal.InlineOnly
public inline infix fun or(other: ULong): ULong = ULong(this.data or other.data)
/** Performs a bitwise XOR operation between the two values. */
@kotlin.internal.InlineOnly
public inline infix fun xor(other: ULong): ULong = ULong(this.data xor other.data)
/** Inverts the bits in this value. */
@kotlin.internal.InlineOnly
public inline fun inv(): ULong = ULong(data.inv())
/**
 * Converts this [ULong] value to [Byte].
 *
 * If this value is less than or equals to [Byte.MAX_VALUE], the resulting `Byte` value represents the same numerical value as this `ULong`.
 *
 * The resulting `Byte` value is represented by the least significant 8 bits of this `ULong` value.
 *
 * Note that the resulting `Byte` value may be negative.
 */
@kotlin.internal.InlineOnly
public inline fun toByte(): Byte = data.toByte()
/**
 * Converts this [ULong] value to [Short].
 *
 * If this value is less than or equals to [Short.MAX_VALUE], the resulting `Short` value represents the same numerical value as this `ULong`.
 *
 * The resulting `Short` value is represented by the least significant 16 bits of this `ULong` value.
 *
 * Note that the resulting `Short` value may be negative.
 */
@kotlin.internal.InlineOnly
public inline fun toShort(): Short = data.toShort()
/**
 * Converts this [ULong] value to [Int].
 *
 * If this value is less than or equals to [Int.MAX_VALUE], the resulting `Int` value represents the same numerical value as this `ULong`.
 *
 * The resulting `Int` value is represented by the least significant 32 bits of this `ULong` value.
 *
 * Note that the resulting `Int` value may be negative.
 */
@kotlin.internal.InlineOnly
public inline fun toInt(): Int = data.toInt()
/**
 * Converts this [ULong] value to [Long].
 *
 * If this value is less than or equals to [Long.MAX_VALUE], the resulting `Long` value represents the same numerical value as this `ULong`. Otherwise the result is negative.
 *
 * The resulting `Long` value has the same binary representation as this `ULong` value.
 */
@kotlin.internal.InlineOnly
public inline fun toLong(): Long = data
/**
 * Converts this [ULong] value to [UByte].
 *
 * If this value is less than or equals to [UByte.MAX_VALUE], the resulting `UByte` value represents the same numerical value as this `ULong`.
 *
 * The resulting `UByte` value is represented by the least significant 8 bits of this `ULong` value.
 */
@kotlin.internal.InlineOnly
public inline fun toUByte(): UByte = data.toUByte()
/**
 * Converts this [ULong] value to [UShort].
 *
 * If this value is less than or equals to [UShort.MAX_VALUE], the resulting `UShort` value represents the same numerical value as this `ULong`.
 *
 * The resulting `UShort` value is represented by the least significant 16

```

```

bits of this `ULong` value.
 */
 @kotlin.internal.InlineOnly
 public inline fun toUShort(): UShort =
 data.toUShort()
 /**
 * Converts this [ULong] value to [UInt].
 *
 * If this value is less than or equals
 to [UInt.MAX_VALUE], the resulting `UInt` value represents
 * the same numerical value as this `ULong`.
 *
 * The resulting `UInt` value is represented by the least significant 32 bits of this `ULong` value.
 */
 @kotlin.internal.InlineOnly
 public inline fun toUInt(): UInt = data.toUInt()
 /** Returns this value. */
 @kotlin.internal.InlineOnly
 public inline fun toULong(): ULong = this
 /**
 * Converts this [ULong]
 value to [Float].
 *
 * The resulting value is the closest `Float` to this `ULong` value.
 * In case when this
 `ULong` value is exactly between two `Float`s,
 * the one with zero at least significant bit of mantissa is
 selected.
 */
 @kotlin.internal.InlineOnly
 public inline fun toFloat(): Float = this.toDouble().toFloat()
 /**
 * Converts this [ULong] value to [Double].
 *
 * The resulting value is the closest `Double` to this
 `ULong` value.
 * In case when this `ULong` value is exactly between two `Double`s,
 * the one with zero at
 least significant bit of mantissa is selected.
 */
 @kotlin.internal.InlineOnly
 public inline fun toDouble():
 Double = ulongToDouble(data)
 public override fun toString(): String = ulongToString(data)
 /**
 * Converts this [Byte] value to [ULong].
 *
 * If this value is positive, the resulting `ULong` value represents the
 same numerical value as this `Byte`.
 *
 * The least significant 8 bits of the resulting `ULong` value are the same
 as the bits of this `Byte` value,
 * whereas the most significant 56 bits are filled with the sign bit of this value.
 */
 @SinceKotlin("1.3")
 @ExperimentalUnsignedTypes
 @kotlin.internal.InlineOnly
 public inline fun
 Byte.toULong(): ULong = ULong(this.toLong())
 /**
 * Converts this [Short] value to [ULong].
 *
 * If this
 value is positive, the resulting `ULong` value represents the same numerical value as this `Short`.
 *
 * The least
 significant 16 bits of the resulting `ULong` value are the same as the bits of this `Short` value,
 * whereas the most
 significant 48 bits are filled with the sign bit of this value.
 */
 @SinceKotlin("1.3")
 @ExperimentalUnsignedTypes
 @kotlin.internal.InlineOnly
 public inline fun
 Short.toULong(): ULong = ULong(this.toLong())
 /**
 * Converts this [Int] value to [ULong].
 *
 * If this value
 is positive, the resulting `ULong` value represents the same numerical value as this `Int`.
 *
 * The least
 significant 32 bits of the resulting `ULong` value are the same as the bits of this `Int` value,
 * whereas the most
 significant 32 bits are filled with the sign bit of this value.
 */
 @SinceKotlin("1.3")
 @ExperimentalUnsignedTypes
 @kotlin.internal.InlineOnly
 public inline fun
 Int.toULong(): ULong = ULong(this.toLong())
 /**
 * Converts this [Long] value to [ULong].
 *
 * If this value
 is positive, the resulting `ULong` value represents the same numerical value as this `Long`.
 *
 * The resulting
 `ULong` value has the same binary representation as this `Long` value.
 */
 @SinceKotlin("1.3")
 @ExperimentalUnsignedTypes
 @kotlin.internal.InlineOnly
 public inline fun
 Long.toULong(): ULong = ULong(this)
 /**
 * Converts this [Float] value to [ULong].
 *
 * The fractional
 part, if any, is rounded down towards zero.
 * Returns zero if this `Float` value is negative or `NaN`,
 [ULong.MAX_VALUE] if it's bigger than `ULong.MAX_VALUE`.
 */
 @SinceKotlin("1.3")
 @ExperimentalUnsignedTypes
 @kotlin.internal.InlineOnly
 public inline fun
 Float.toULong(): ULong = doubleToULong(this.toDouble())
 /**
 * Converts this [Double] value to [ULong].
 *
 * The fractional
 part, if any, is rounded down towards zero.
 * Returns zero if this `Double` value is negative or
 `NaN`, [ULong.MAX_VALUE] if it's bigger than `ULong.MAX_VALUE`.
 */
 @SinceKotlin("1.3")
 @ExperimentalUnsignedTypes
 @kotlin.internal.InlineOnly
 public inline fun
 Double.toULong(): ULong = doubleToULong(this)
 "
 /**
 * Copyright 2010-2019 JetBrains s.r.o. and Kotlin
 Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be
 found in the license/LICENSE.txt file.
 */
 // Auto-generated file. DO NOT EDIT!
 }
 package
 kotlin
 @SinceKotlin("1.3")
 @ExperimentalUnsignedTypes
 public inline class
 UShortArray
 @Suppress("NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS")
 @Published
 Api
 internal constructor(@PublishedApi internal val storage: ShortArray) : Collection<UShort> {
 /**
 * Creates a new array of the specified [size], with all elements initialized to zero.
 */
 public constructor(size: Int) :
 this(ShortArray(size))
 /**
 * Returns the array element at the given [index]. This method can be called
 using the index operator.
 *
 * If the [index] is out of bounds of this array, throws an

```

```

[IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n *\n public
operator fun get(index: Int): UShort = storage[index].toUShort()\n\n /**\n * Sets the element at the given
[index] to the given [value]. This method can be called using the index operator.\n *\n * If the [index] is out of
bounds of this array, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is
unspecified.\n *\n public operator fun set(index: Int, value: UShort) {\n     storage[index] = value.toShort()\n
}\n\n /** Returns the number of elements in the array. *\n public override val size: Int get() = storage.size\n\n
/** Creates an iterator over the elements of the array. *\n public override operator fun iterator(): UShortIterator =
Iterator(storage)\n\n private class Iterator(private val array: ShortArray) : UShortIterator() {\n     private var
index = 0\n     override fun hasNext() = index < array.size\n     override fun nextUShort() = if (index <
array.size) array[index++].toUShort() else throw NoSuchElementException(index.toString())\n }\n\n override
fun contains(element: UShort): Boolean {\n     // TODO: Eliminate this check after KT-30016 gets fixed.\n     //
Currently JS BE does not generate special bridge method for this method.\n     if ((element as Any?) !is UShort)
return false\n     return storage.contains(element.toShort())\n }\n\n override fun containsAll(elements:
Collection<UShort>): Boolean {\n     return (elements as Collection<*>).all { it is UShort &&
storage.contains(it.toShort()) }\n }\n\n override fun isEmpty(): Boolean = this.storage.size == 0\n}\n\n/**\n *
Creates a new array of the specified [size], where each element is calculated by calling the specified\n * [init]
function.\n * \n * The function [init] is called for each array element sequentially starting from the first one.\n * It
should return the value for an array element given its index.\n
*\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline fun
UShortArray(size: Int, init: (Int) -> UShort): UShortArray {\n     return UShortArray(ShortArray(size) { index ->
init(index).toShort()
})\n }\n\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline fun
ushortArrayOf(vararg elements: UShort): UShortArray = elements\n", "/*\n * Copyright 2010-2019 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n
*\n @file:kotlin.jvm.JvmMultifileClass\n @file:kotlin.jvm.JvmName("UArraysKt")\n @file:kotlin.jvm.JvmPacka
geName("kotlin.collections.unsigned")\n\n package kotlin.collections\n\n\n // NOTE: THIS FILE IS AUTO-
GENERATED by the GenerateStandardLib.kt\n // See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\n\n import kotlin.random.*\n import
kotlin.ranges.contains\n import kotlin.ranges.reversed\n\n\n /**\n * Returns 1st *element* from the array.\n * \n * If the
size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior
is unspecified.\n *\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public
inline operator fun UIntArray.component1(): UInt {\n     return get(0)\n }\n\n /**\n * Returns 1st *element* from the
array.\n * \n * If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n
* where the behavior is unspecified.\n
*\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline operator fun
UIntArray.component1(): UInt {\n     return get(0)\n }\n\n /**\n * Returns 1st *element* from the array.\n * \n *
If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the
behavior is unspecified.\n
*\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline operator fun
UByteArray.component1(): UByte {\n     return get(0)\n }\n\n /**\n * Returns 1st *element* from the array.\n * \n *
If the size of this array is less than 1, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the
behavior is unspecified.\n
*\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline operator fun
UShortArray.component1(): UShort {\n     return get(0)\n }\n\n /**\n * Returns 2nd *element* from the array.\n * \n *
If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the
behavior is unspecified.\n
*\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline operator fun

```

UIntArray.component2(): UInt {\n return get(1)\n}\n\n**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
```

ULongArray.component2(): ULong {\n return get(1)\n}\n\n**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
```

UByteArray.component2(): UByte {\n return get(1)\n}\n\n**\n * Returns 2nd *element* from the array.\n * \n * If the size of this array is less than 2, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
```

UShortArray.component2(): UShort {\n return get(1)\n}\n\n**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
```

UIntArray.component3(): UInt {\n return get(2)\n}\n\n**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
```

ULongArray.component3(): ULong {\n return get(2)\n}\n\n**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
```

UByteArray.component3(): UByte {\n return get(2)\n}\n\n**\n * Returns 3rd *element* from the array.\n * \n * If the size of this array is less than 3, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
```

UShortArray.component3(): UShort {\n return get(2)\n}\n\n**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
```

UIntArray.component4(): UInt {\n return get(3)\n}\n\n**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
```

ULongArray.component4(): ULong {\n return get(3)\n}\n\n**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
```

UByteArray.component4(): UByte {\n return get(3)\n}\n\n**\n * Returns 4th *element* from the array.\n * \n * If the size of this array is less than 4, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
```

UShortArray.component4(): UShort {\n return get(3)\n}\n\n**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS\n * where the behavior is unspecified.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline operator fun
```

UIntArray.component5(): UInt {\n return get(4)\n}\n\n**\n * Returns 5th *element* from the array.\n * \n * If the

size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS where the behavior is unspecified.

```
@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline operator fun ULongArray.component5(): ULong {\n    return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS where the behavior is unspecified.\n
```

```
@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline operator fun UByteArray.component5(): UByte {\n    return get(4)\n}\n\n/**\n * Returns 5th *element* from the array.\n * \n * If the size of this array is less than 5, throws an [IndexOutOfBoundsException] except in Kotlin/JS where the behavior is unspecified.\n
```

```
@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline operator fun UShortArray.component5(): UShort {\n    return get(4)\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
```

```
@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic expect fun UIntArray.elementAt(index: Int): UInt\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
```

```
@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic expect fun ULongArray.elementAt(index: Int): ULong\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
```

```
@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic expect fun UByteArray.elementAt(index: Int): UByte\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
```

```
@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic expect fun UShortArray.elementAt(index: Int): UShort\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n
```

```
@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun UIntArray.elementAtOrElse(index: Int, defaultValue: (Int) -> UInt): UInt {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n
```

```
@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun ULongArray.elementAtOrElse(index: Int, defaultValue: (Int) -> ULong): ULong {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n
```

```
@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun UByteArray.elementAtOrElse(index: Int, defaultValue: (Int) -> UByte): UByte {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the [defaultValue] function if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrElse\n
```

```
@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun UShortArray.elementAtOrElse(index: Int, defaultValue: (Int) -> UShort): UShort {\n    return if (index >= 0 && index <= lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAtOrNull\n
```

```
@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun UIntArray.elementAtOrNull(index: Int): UInt? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an element
```

at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample
samples.collections.Collections.Elements.elementAtOrNull\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  

ULongArray.elementAtOrNull(index: Int): ULong? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an  

element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample  

samples.collections.Collections.Elements.elementAtOrNull\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  

UByteArray.elementAtOrNull(index: Int): UByte? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns an  

element at the given [index] or `null` if the [index] is out of bounds of this array.\n * \n * @sample  

samples.collections.Collections.Elements.elementAtOrNull\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  

UShortArray.elementAtOrNull(index: Int): UShort? {\n    return this.getOrNull(index)\n}\n\n/**\n * Returns the  

first element matching the given [predicate], or `null` if no such element was found.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  

UIntArray.find(predicate: (UInt) -> Boolean): UInt? {\n    return firstOrNull(predicate)\n}\n\n/**\n * Returns the  

first element matching the given [predicate], or `null` if no such element was found.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  

ULongArray.find(predicate: (ULong) -> Boolean): ULong? {\n    return firstOrNull(predicate)\n}\n\n/**\n *  

Returns the first element matching the given [predicate], or `null` if no such element was found.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  

UByteArray.find(predicate: (UByte) -> Boolean): UByte? {\n    return firstOrNull(predicate)\n}\n\n/**\n * Returns  

the first element matching the given [predicate], or `null` if no such element was found.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  

UShortArray.find(predicate: (UShort) -> Boolean): UShort? {\n    return firstOrNull(predicate)\n}\n\n/**\n *  

Returns the last element matching the given [predicate], or `null` if no such element was found.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  

UIntArray.findLast(predicate: (UInt) -> Boolean): UInt? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns the  

last element matching the given [predicate], or `null` if no such element was found.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  

ULongArray.findLast(predicate: (ULong) -> Boolean): ULong? {\n    return lastOrNull(predicate)\n}\n\n/**\n *  

Returns the last element matching the given [predicate], or `null` if no such element was found.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  

UByteArray.findLast(predicate: (UByte) -> Boolean): UByte? {\n    return lastOrNull(predicate)\n}\n\n/**\n * Returns  

the last element matching the given [predicate], or `null` if no such element was found.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  

UShortArray.findLast(predicate: (UShort) -> Boolean): UShort? {\n    return lastOrNull(predicate)\n}\n\n/**\n *  

Returns first element.\n * @throws [NoSuchElementException] if the array is empty.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  

UIntArray.first(): UInt {\n    return storage.first().toUInt()\n}\n\n/**\n * Returns first element.\n * @throws  

[NoSuchElementException] if the array is empty.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  

ULongArray.first(): ULong {\n    return storage.first().toULong()\n}\n\n/**\n * Returns first element.\n * @throws  

[NoSuchElementException] if the array is empty.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  

UByteArray.first(): UByte {\n    return storage.first().toUByte()\n}\n\n/**\n * Returns first element.\n * @throws  

[NoSuchElementException] if the array is empty.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  

UShortArray.first(): UShort {\n    return storage.first().toUShort()\n}\n\n/**\n * Returns the first element matching
```

the given [predicate].\n * @throws [NoSuchElementException] if no such element is found.\n

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.first(predicate: (UInt) -> Boolean): UInt {\n  for (element in this) if (predicate(element)) return
element\n  throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such
element is found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.first(predicate: (ULong) -> Boolean): ULong {\n  for (element in this) if (predicate(element)) return
element\n  throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such
element is found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.first(predicate: (UByte) -> Boolean): UByte {\n  for (element in this) if (predicate(element)) return
element\n  throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first element matching the given [predicate].\n * @throws [NoSuchElementException] if no such
element is found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.first(predicate: (UShort) -> Boolean): UShort {\n  for (element in this) if (predicate(element)) return
element\n  throw NoSuchElementException("Array contains no element matching the predicate.")\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.firstOrNull(): UInt? {\n  return
if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.firstOrNull(): ULong? {\n  return
if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.firstOrNull(): UByte? {\n  return
if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element, or `null` if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.firstOrNull(): UShort? {\n  return
if (isEmpty()) null else this[0]\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null`
if element was not found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.firstOrNull(predicate: (UInt) -> Boolean): UInt? {\n  for (element in this) if (predicate(element)) return
element\n  return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if element
was not found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.firstOrNull(predicate: (ULong) -> Boolean): ULong? {\n  for (element in this) if
(predicate(element)) return element\n  return null\n}\n\n/**\n * Returns the first element matching the given
[predicate], or `null` if element was not found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.firstOrNull(predicate: (UByte) -> Boolean): UByte? {\n  for (element in this) if (predicate(element))
return element\n  return null\n}\n\n/**\n * Returns the first element matching the given [predicate], or `null` if
element was not found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.firstOrNull(predicate: (UShort) -> Boolean): UShort? {\n  for (element in this) if (predicate(element))
return element\n  return null\n}\n\n/**\n * Returns an element at the given [index] or the result of calling the
[defaultValue] function if the [index] is out of bounds of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.getOrElse(index: Int, defaultValue: (Int) -> UInt): UInt {\n  return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n

```



```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.getOrElse(index: Int, defaultValue: (Int) -> ULong): ULong {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.getOrElse(index: Int, defaultValue: (Int) -> UByte): UByte {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or the result of
calling the [defaultValue] function if the [index] is out of bounds of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.getOrElse(index: Int, defaultValue: (Int) -> UShort): UShort {\n    return if (index >= 0 && index <=
lastIndex) get(index) else defaultValue(index)\n}\n\n/**\n * Returns an element at the given [index] or `null` if the
[index] is out of bounds of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UIntArray.getOrNull(index: Int): UInt? {\n    return if (index >= 0 && index <= lastIndex) get(index) else
null\n}\n\n/**\n * Returns an element at the given [index] or `null` if the [index] is out of bounds of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.getOrNull(index: Int):
ULong? {\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at
the given [index] or `null` if the [index] is out of bounds of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.getOrNull(index: Int): UByte?
{\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns an element at the
given [index] or `null` if the [index] is out of bounds of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.getOrNull(index: Int):
UShort? {\n    return if (index >= 0 && index <= lastIndex) get(index) else null\n}\n\n/**\n * Returns first index of
[element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.indexOf(element: UInt): Int {\n    return storage.indexOf(element.toInt())\n}\n\n/**\n * Returns first
index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.indexOf(element: ULong): Int {\n    return storage.indexOf(element.toLong())\n}\n\n/**\n * Returns
first index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.indexOf(element: UByte): Int {\n    return storage.indexOf(element.toByte())\n}\n\n/**\n * Returns
first index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.indexOf(element: UShort): Int {\n    return storage.indexOf(element.toShort())\n}\n\n/**\n * Returns
index of the first element matching the given [predicate], or -1 if the array does not contain such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.indexOfFirst(predicate: (UInt) -> Boolean): Int {\n    return storage.indexOfFirst { predicate(it.toUInt())
}\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the array does not contain
such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun ULongArray.indexOfFirst(predicate: (ULong) -> Boolean): Int {\n    return storage.indexOfFirst {
predicate(it.toULong()) }\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the
array does not contain such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.indexOfFirst(predicate: (UByte) -> Boolean): Int {\n    return storage.indexOfFirst {
predicate(it.toUByte()) }\n}\n\n/**\n * Returns index of the first element matching the given [predicate], or -1 if the
array does not contain such element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.indexOfFirst(predicate: (UShort) -> Boolean): Int {\n    return storage.indexOfFirst {

```



```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.lastIndexOf(element: UInt): Int {\n    return storage.lastIndexOf(element.toInt())\n}\n\n/**\n * Returns
last index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.lastIndexOf(element: ULong): Int {\n    return storage.lastIndexOf(element.toLong())\n}\n\n/**\n *
Returns last index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.lastIndexOf(element: UByte): Int {\n    return storage.lastIndexOf(element.toByte())\n}\n\n/**\n *
Returns last index of [element], or -1 if the array does not contain element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.lastIndexOf(element: UShort): Int {\n    return storage.lastIndexOf(element.toShort())\n}\n\n/**\n *
Returns the last element, or `null` if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.lastOrNull(): UInt? {\n    return
if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.lastOrNull(): ULong? {\n    return
if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.lastOrNull(): UByte? {\n    return
if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element, or `null` if the array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.lastOrNull(): UShort? {\n    return
if (isEmpty()) null else this[size - 1]\n}\n\n/**\n * Returns the last element matching the given [predicate], or
`null` if no such element was found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.lastOrNull(predicate: (UInt) -> Boolean): UInt? {\n    for (index in this.indices.reversed()) {\n        val
element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the last
element matching the given [predicate], or `null` if no such element was found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.lastOrNull(predicate: (ULong) -> Boolean): ULong? {\n    for (index in this.indices.reversed()) {\n        val
element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the
last element matching the given [predicate], or `null` if no such element was found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.lastOrNull(predicate: (UByte) -> Boolean): UByte? {\n    for (index in this.indices.reversed()) {\n        val
element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns the
last element matching the given [predicate], or `null` if no such element was found.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.lastOrNull(predicate: (UShort) -> Boolean): UShort? {\n    for (index in this.indices.reversed()) {\n        val
element = this[index]\n        if (predicate(element)) return element\n    }\n    return null\n}\n\n/**\n * Returns a
random element from this array.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.random(): UInt {\n    return random(Random)\n}\n\n/**\n * Returns a random element from this array.\n
*\n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.random(): ULong {\n    return random(Random)\n}\n\n/**\n * Returns a random element from this
array.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.random(): UByte {\n    return random(Random)\n}\n\n/**\n * Returns a random element from this
array.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.random(): UShort {\n    return random(Random)\n}\n\n/**\n * Returns a random element from this

```

```

array using the specified source of randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.random(random: Random): UInt
{\n if (isEmpty())\n throw NoSuchElementException("Array is empty.")\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.random(random: Random):
ULong {\n if (isEmpty())\n throw NoSuchElementException("Array is empty.")\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.random(random: Random):
UByte {\n if (isEmpty())\n throw NoSuchElementException("Array is empty.")\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness.\n * \n * @throws NoSuchElementException if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.random(random: Random):
UShort {\n if (isEmpty())\n throw NoSuchElementException("Array is empty.")\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array, or `null` if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun UIntArray.randomOrNull(): UInt? {\n return randomOrNull(Random)\n}\n\n/**\n * Returns a
random element from this array, or `null` if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun ULongArray.randomOrNull(): ULong? {\n return randomOrNull(Random)\n}\n\n/**\n *
Returns a random element from this array, or `null` if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun UByteArray.randomOrNull(): UByte? {\n return randomOrNull(Random)\n}\n\n/**\n *
Returns a random element from this array, or `null` if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun UShortArray.randomOrNull(): UShort? {\n return randomOrNull(Random)\n}\n\n/**\n *
Returns a random element from this array using the specified source of randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\npublic fun
UIntArray.randomOrNull(random: Random): UInt? {\n if (isEmpty())\n return null\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.randomOrNull(random: Random): ULong? {\n if (isEmpty())\n return null\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\npublic fun
UByteArray.randomOrNull(random: Random): UByte? {\n if (isEmpty())\n return null\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns a random element from this array using the specified source of
randomness, or `null` if this array is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.randomOrNull(random: Random): UShort? {\n if (isEmpty())\n return null\n return
get(random.nextInt(size))\n}\n\n/**\n * Returns the single element, or throws an exception if the array is empty or
has more than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.single(): UInt {\n return storage.single().toInt()\n}\n\n/**\n * Returns the single element, or throws an
exception if the array is empty or has more than one element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun

```

```

ULongArray.single(): ULong {\n    return storage.single().toULong()\n}\n\n/**\n * Returns the single element, or
throws an exception if the array is empty or has more than one element.\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.single(): UByte {\n    return storage.single().toUByte()\n}\n\n/**\n * Returns the single element, or
throws an exception if the array is empty or has more than one element.\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.single(): UShort {\n    return storage.single().toUShort()\n}\n\n/**\n * Returns the single element
matching the given [predicate], or throws exception if there is no or more than one matching element.\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.single(predicate: (UInt) -> Boolean): UInt {\n    var single: UInt? = null\n    var found = false\n    for
(element in this) {\n        if (predicate(element)) {\n            if (found) throw IllegalArgumentException("Array
contains more than one matching element.")\n            single = element\n            found = true\n        }\n    }\n    if
(!found) throw NoSuchElementException("Array contains no element matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as UInt\n}\n\n/**\n * Returns the single element matching
the given [predicate], or throws exception if there is no or more than one matching element.\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.single(predicate: (ULong) -> Boolean): ULong {\n    var single: ULong? = null\n    var found = false\n    for
(element in this) {\n        if (predicate(element)) {\n            if (found) throw IllegalArgumentException("Array
contains more than one matching element.")\n            single = element\n            found = true\n        }\n    }\n    if
(!found) throw NoSuchElementException("Array contains no element matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as ULong\n}\n\n/**\n * Returns the single element
matching the given [predicate], or throws exception if there is no or more than one matching element.\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.single(predicate: (UByte) -> Boolean): UByte {\n    var single: UByte? = null\n    var found = false\n    for
(element in this) {\n        if (predicate(element)) {\n            if (found) throw IllegalArgumentException("Array
contains more than one matching element.")\n            single = element\n            found = true\n        }\n    }\n    if
(!found) throw NoSuchElementException("Array contains no element matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as UByte\n}\n\n/**\n * Returns the single element
matching the given [predicate], or throws exception if there is no or more than one matching element.\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.single(predicate: (UShort) -> Boolean): UShort {\n    var single: UShort? = null\n    var found = false\n    for
(element in this) {\n        if (predicate(element)) {\n            if (found) throw IllegalArgumentException("Array
contains more than one matching element.")\n            single = element\n            found = true\n        }\n    }\n    if
(!found) throw NoSuchElementException("Array contains no element matching the predicate.")\n    @Suppress("UNCHECKED_CAST")\n    return single as UShort\n}\n\n/**\n * Returns single element, or `null` if
the array is empty or has more than one element.\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.singleOrNull(): UInt? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more
than one element.\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.singleOrNull(): ULong? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single
element, or `null` if the array is empty or has more than one element.\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UByteArray.singleOrNull(): UByte? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns single element, or `null` if the array is empty or has more
than one element.\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UShortArray.singleOrNull(): UShort? {\n    return if (size == 1) this[0] else null\n}\n\n/**\n * Returns the single
element matching the given [predicate], or `null` if element was not found or more than one element was found.\n
*\n*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.singleOrNull(predicate: (UInt) -> Boolean): UInt? {\n    var single: UInt? = null\n    var found = false\n

```

```

for (element in this) {
    if (predicate(element)) {
        if (found) return null
        single = element
        found = true
    }
}
if (!found) return null
return single
}

Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.

@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun
ULongArray.singleOrNull(predicate: (ULong) -> Boolean): ULong? {
    var single: ULong? = null
    var found = false
    for (element in this) {
        if (predicate(element)) {
            if (found) return null
            single = element
            found = true
        }
    }
    if (!found) return null
    return single
}

Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.

@SinceKotlin("1.3")@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UByteArray.singleOrNull(predicate: (UByte) -> Boolean): UByte? {
    var single: UByte? = null
    var found = false
    for (element in this) {
        if (predicate(element)) {
            if (found) return null
            single = element
            found = true
        }
    }
    if (!found) return null
    return single
}

Returns the single element matching the given [predicate], or `null` if element was not found or more than one element was found.

@SinceKotlin("1.3")@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UShortArray.singleOrNull(predicate: (UShort) -> Boolean): UShort? {
    var single: UShort? = null
    var found = false
    for (element in this) {
        if (predicate(element)) {
            if (found) return null
            single = element
            found = true
        }
    }
    if (!found) return null
    return single
}

Returns a list containing all elements except first [n] elements.
 * @throws IllegalArgumentException if [n] is negative.
 * @sample samples.collections.Collections.Transformations.drop

@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UIntArray.drop(n: Int): List<UInt> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    return takeLast((size - n).coerceAtLeast(0))
}

Returns a list containing all elements except first [n] elements.
 * @throws IllegalArgumentException if [n] is negative.
 * @sample samples.collections.Collections.Transformations.drop

@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun ULongArray.drop(n: Int): List<ULong> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    return takeLast((size - n).coerceAtLeast(0))
}

Returns a list containing all elements except first [n] elements.
 * @throws IllegalArgumentException if [n] is negative.
 * @sample samples.collections.Collections.Transformations.drop

@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UByteArray.drop(n: Int): List<UByte> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    return takeLast((size - n).coerceAtLeast(0))
}

Returns a list containing all elements except first [n] elements.
 * @throws IllegalArgumentException if [n] is negative.
 * @sample samples.collections.Collections.Transformations.drop

@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UShortArray.drop(n: Int): List<UShort> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    return takeLast((size - n).coerceAtLeast(0))
}

Returns a list containing all elements except last [n] elements.
 * @throws IllegalArgumentException if [n] is negative.
 * @sample samples.collections.Collections.Transformations.drop

@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UIntArray.dropLast(n: Int): List<UInt> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    return take((size - n).coerceAtLeast(0))
}

Returns a list containing all elements except last [n] elements.
 * @throws IllegalArgumentException if [n] is negative.
 * @sample samples.collections.Collections.Transformations.drop

@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun ULongArray.dropLast(n: Int): List<ULong> {
    require(n >= 0) { "Requested element count $n is less than zero." }
    return take((size - n).coerceAtLeast(0))
}

Returns a list containing all elements except last [n] elements.
 * @throws IllegalArgumentException if [n] is negative.
 * @sample

```

```

samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.dropLast(n: Int): List<UByte>
{\n    require(n >= 0) { \ "Requested element count $n is less than zero." }\n    return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last [n] elements.\n * \n * @throws
IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.dropLast(n: Int):
List<UShort> {\n    require(n >= 0) { \ "Requested element count $n is less than zero." }\n    return take((size -
n).coerceAtLeast(0))\n}\n\n/**\n * Returns a list containing all elements except last elements that satisfy the given
[predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.dropLastWhile(predicate: (UInt) -> Boolean): List<UInt> {\n    for (index in lastIndex downTo 0) {\n
if (!predicate(this[index])) {\n        return take(index + 1)\n    }\n    }\n    return emptyList()\n}\n\n/**\n *
Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.dropLastWhile(predicate: (ULong) -> Boolean): List<ULong> {\n    for (index in lastIndex downTo 0)
{\n    if (!predicate(this[index])) {\n        return take(index + 1)\n    }\n    }\n    return emptyList()\n}\n\n/**\n
* Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.dropLastWhile(predicate: (UByte) -> Boolean): List<UByte> {\n    for (index in lastIndex downTo 0)
{\n    if (!predicate(this[index])) {\n        return take(index + 1)\n    }\n    }\n    return emptyList()\n}\n\n/**\n
* Returns a list containing all elements except last elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.dropLastWhile(predicate: (UShort) -> Boolean): List<UShort> {\n    for (index in lastIndex downTo
0) {\n    if (!predicate(this[index])) {\n        return take(index + 1)\n    }\n    }\n    return
emptyList()\n}\n\n/**\n * Returns a list containing all elements except first elements that satisfy the given
[predicate].\n * \n * @sample samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.dropWhile(predicate: (UInt) -> Boolean): List<UInt> {\n    var yielding = false\n    val list =
ArrayList<UInt>()\n    for (item in this)\n        if (yielding)\n            list.add(item)\n        else if (!predicate(item)) {\n
list.add(item)\n            yielding = true\n        }\n    return list\n}\n\n/**\n * Returns a list containing all
elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.dropWhile(predicate: (ULong) -> Boolean): List<ULong> {\n    var yielding = false\n    val list =
ArrayList<ULong>()\n    for (item in this)\n        if (yielding)\n            list.add(item)\n        else if (!predicate(item))
{\n            list.add(item)\n            yielding = true\n        }\n    return list\n}\n\n/**\n * Returns a list containing all
elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.dropWhile(predicate: (UByte) -> Boolean): List<UByte> {\n    var yielding = false\n    val list =
ArrayList<UByte>()\n    for (item in this)\n        if (yielding)\n            list.add(item)\n        else if (!predicate(item))
{\n            list.add(item)\n            yielding = true\n        }\n    return list\n}\n\n/**\n * Returns a list containing all
elements except first elements that satisfy the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.drop\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.dropWhile(predicate: (UShort) -> Boolean): List<UShort> {\n  var yielding = false\n  val list =
ArrayList<UShort>()\n  for (item in this)\n    if (yielding)\n      list.add(item)\n    else if (!predicate(item))\n      list.add(item)\n    yielding = true\n  }\n  return list\n}\n\n/**\n * Returns a list containing only
elements matching the given [predicate].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.filter(predicate: (UInt) -> Boolean): List<UInt> {\n  return filterTo(ArrayList<UInt>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.filter(predicate: (ULong) -> Boolean): List<ULong> {\n  return filterTo(ArrayList<ULong>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.filter(predicate: (UByte) -> Boolean): List<UByte> {\n  return filterTo(ArrayList<UByte>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.filter(predicate: (UShort) -> Boolean): List<UShort> {\n  return filterTo(ArrayList<UShort>(),
predicate)\n}\n\n/**\n * Returns a list containing only elements matching the given [predicate].\n * @param
[predicate] function that takes the index of an element and the element itself\n * and returns the result of predicate
evaluation on the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.filterIndexed(predicate: (index: Int, UInt) -> Boolean): List<UInt> {\n  return
filterIndexedTo(ArrayList<UInt>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation on the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.filterIndexed(predicate: (index: Int, ULong) -> Boolean): List<ULong> {\n  return
filterIndexedTo(ArrayList<ULong>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation on the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.filterIndexed(predicate: (index: Int, UByte) -> Boolean): List<UByte> {\n  return
filterIndexedTo(ArrayList<UByte>(), predicate)\n}\n\n/**\n * Returns a list containing only elements matching the
given [predicate].\n * @param [predicate] function that takes the index of an element and the element itself\n * and
returns the result of predicate evaluation on the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.filterIndexed(predicate: (index: Int, UShort) -> Boolean): List<UShort> {\n  return
filterIndexedTo(ArrayList<UShort>(), predicate)\n}\n\n/**\n * Appends all elements matching the given [predicate]
to the given [destination].\n * @param [predicate] function that takes the index of an element and the element
itself\n * and returns the result of predicate evaluation on the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UInt>> UIntArray.filterIndexedTo(destination: C, predicate: (index: Int, UInt) -> Boolean): C {
\n  forEachIndexed { index, element ->\n    if (predicate(index, element)) destination.add(element)\n  }\n  return
destination\n}\n\n/**\n * Appends all elements matching the given [predicate] to the given [destination].\n *
@param [predicate] function that takes the index of an element and the element itself\n * and returns the result of
predicate evaluation on the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in ULong>> ULongArray.filterIndexedTo(destination: C, predicate: (index: Int, ULong) ->
Boolean): C {\n  forEachIndexed { index, element ->\n    if (predicate(index, element))

```



```

destination.add(element)\n } \n return destination\n}\n\n/**\n * Appends all elements matching the given
[predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the
element itself\n * and returns the result of predicate evaluation on the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UByte>> UByteArray.filterIndexedTo(destination: C, predicate: (index: Int, UByte) ->
Boolean): C {\n    forEachIndexed { index, element ->\n        if (predicate(index, element))
destination.add(element)\n    } \n return destination\n}\n\n/**\n * Appends all elements matching the given
[predicate] to the given [destination].\n * @param [predicate] function that takes the index of an element and the
element itself\n * and returns the result of predicate evaluation on the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UShort>> UShortArray.filterIndexedTo(destination: C, predicate: (index: Int, UShort) ->
Boolean): C {\n    forEachIndexed { index, element ->\n        if (predicate(index, element))
destination.add(element)\n    } \n return destination\n}\n\n/**\n * Returns a list containing all elements not
matching the given [predicate].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.filterNot(predicate: (UInt) -> Boolean): List<UInt> {\n    return filterNotTo(ArrayList<UInt>(),
predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.filterNot(predicate: (ULong) -> Boolean): List<ULong> {\n    return filterNotTo(ArrayList<ULong>(),
predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.filterNot(predicate: (UByte) -> Boolean): List<UByte> {\n    return filterNotTo(ArrayList<UByte>(),
predicate)\n}\n\n/**\n * Returns a list containing all elements not matching the given [predicate].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.filterNot(predicate: (UShort) -> Boolean): List<UShort> {\n    return
filterNotTo(ArrayList<UShort>(), predicate)\n}\n\n/**\n * Appends all elements not matching the given [predicate]
to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UInt>> UIntArray.filterNotTo(destination: C, predicate: (UInt) -> Boolean): C {\n    for
(element in this) if (!predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all
elements not matching the given [predicate] to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in ULong>> ULongArray.filterNotTo(destination: C, predicate: (ULong) -> Boolean): C {\n    for
(element in this) if (!predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends
all elements not matching the given [predicate] to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UByte>> UByteArray.filterNotTo(destination: C, predicate: (UByte) -> Boolean): C {\n    for
(element in this) if (!predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all
elements not matching the given [predicate] to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UShort>> UShortArray.filterNotTo(destination: C, predicate: (UShort) -> Boolean): C {\n    for
(element in this) if (!predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends
all elements matching the given [predicate] to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UInt>> UIntArray.filterTo(destination: C, predicate: (UInt) -> Boolean): C {\n    for (element
in this) if (predicate(element)) destination.add(element)\n    return destination\n}\n\n/**\n * Appends all elements
matching the given [predicate] to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :

```

```

MutableCollection<in ULong>> ULongArray.filterTo(destination: C, predicate: (ULong) -> Boolean): C {\n for
(element in this) if (predicate(element)) destination.add(element)\n return destination}\n\n/**\n * Appends all
elements matching the given [predicate] to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UByte>> UByteArray.filterTo(destination: C, predicate: (UByte) -> Boolean): C {\n for
(element in this) if (predicate(element)) destination.add(element)\n return destination}\n\n/**\n * Appends all
elements matching the given [predicate] to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <C :
MutableCollection<in UShort>> UShortArray.filterTo(destination: C, predicate: (UShort) -> Boolean): C {\n for
(element in this) if (predicate(element)) destination.add(element)\n return destination}\n\n/**\n * Returns a list
containing elements at indices in the specified [indices] range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.slice(indices: IntRange):
List<UInt> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive +
1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.slice(indices: IntRange):
List<ULong> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive
+ 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.slice(indices: IntRange):
List<UByte> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive
+ 1).asList()\n}\n\n/**\n * Returns a list containing elements at indices in the specified [indices] range.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.slice(indices: IntRange):
List<UShort> {\n if (indices.isEmpty()) return listOf()\n return copyOfRange(indices.start, indices.endInclusive
+ 1).asList()\n}\n\n/**\n * Returns a list containing elements at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.slice(indices: Iterable<Int>):
List<UInt> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list =
ArrayList<UInt>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list}\n\n/**\n *
Returns a list containing elements at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.slice(indices: Iterable<Int>):
List<ULong> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list =
ArrayList<ULong>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list}\n\n/**\n *
Returns a list containing elements at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.slice(indices: Iterable<Int>):
List<UByte> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list =
ArrayList<UByte>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list}\n\n/**\n *
Returns a list containing elements at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.slice(indices: Iterable<Int>):
List<UShort> {\n val size = indices.collectionSizeOrDefault(10)\n if (size == 0) return emptyList()\n val list =
ArrayList<UShort>(size)\n for (index in indices) {\n list.add(get(index))\n }\n return list}\n\n/**\n *
Returns an array containing elements of this array at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sliceArray(indices:
Collection<Int>): UIntArray {\n return UIntArray(storage.sliceArray(indices))}\n\n/**\n * Returns an array
containing elements of this array at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sliceArray(indices:
Collection<Int>): ULongArray {\n return ULongArray(storage.sliceArray(indices))}\n\n/**\n * Returns an array
containing elements of this array at specified [indices].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sliceArray(indices:
Collection<Int>): UByteArray {\n return UByteArray(storage.sliceArray(indices))}\n\n/**\n * Returns an array
containing elements of this array at specified [indices].\n

```

```

*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic fun UShortArray.sliceArray(indices:
Collection<Int>): UShortArray {\n    return UShortArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an
array containing elements at indices in the specified [indices] range.\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic fun UIntArray.sliceArray(indices: IntRange):
UIntArray {\n    return UIntArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements at
indices in the specified [indices] range.\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic fun
ULongArray.sliceArray(indices: IntRange): ULongArray {\n    return
ULongArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements at indices in the
specified [indices] range.\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic fun
UByteArray.sliceArray(indices: IntRange): UByteArray {\n    return
UByteArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns an array containing elements at indices in the
specified [indices] range.\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic fun
UShortArray.sliceArray(indices: IntRange): UShortArray {\n    return
UShortArray(storage.sliceArray(indices))\n}\n\n/**\n * Returns a list containing first [n] elements.\n * \n *
@throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic fun UIntArray.take(n: Int): List<UInt> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    if (n >=
size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<UInt>(n)\n    for
(item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n    return list\n}\n\n/**\n * Returns
a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic fun ULongArray.take(n: Int): List<ULong> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    if (n >=
size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<ULong>(n)\n    for
(item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n    return list\n}\n\n/**\n * Returns
a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic fun UByteArray.take(n: Int): List<UByte> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    if (n >=
size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<UByte>(n)\n    for
(item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n    return list\n}\n\n/**\n * Returns
a list containing first [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic fun UShortArray.take(n: Int): List<UShort> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    if (n >=
size) return toList()\n    if (n == 1) return listOf(this[0])\n    var count = 0\n    val list = ArrayList<UShort>(n)\n    for
(item in this) {\n        list.add(item)\n        if (++count == n)\n            break\n    }\n    return list\n}\n\n/**\n * Returns
a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic fun UIntArray.takeLast(n: Int): List<UInt> {\n
require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val size =
size\n    if (n >= size) return toList()\n    if (n == 1) return listOf(this[size - 1])\n    val list = ArrayList<UInt>(n)\n
for (index in size - n until size)\n        list.add(this[index])\n    return list\n}\n\n/**\n * Returns a list containing last
[n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes\npublic fun ULongArray.takeLast(n: Int): List<ULong>
{\n    require(n >= 0) { \"Requested element count $n is less than zero.\" }\n    if (n == 0) return emptyList()\n    val

```

```

size = size\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[size - 1])\n  val list =
ArrayList<ULong>(n)\n  for (index in size - n until size)\n    list.add(this[index])\n  return list\n}\n\n/**\n *
Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n *
@sample samples.collections.Collections.Transformations.take\n
*\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n public fun UByteArray.takeLast(n: Int): List<UByte>
{\n  require(n >= 0) { "Requested element count $n is less than zero." }\n  if (n == 0) return emptyList()\n  val
size = size\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[size - 1])\n  val list =
ArrayList<UByte>(n)\n  for (index in size - n until size)\n    list.add(this[index])\n  return list\n}\n\n/**\n *
Returns a list containing last [n] elements.\n * \n * @throws IllegalArgumentException if [n] is negative.\n * \n *
@sample samples.collections.Collections.Transformations.take\n
*\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n public fun UShortArray.takeLast(n: Int): List<UShort>
{\n  require(n >= 0) { "Requested element count $n is less than zero." }\n  if (n == 0) return emptyList()\n  val
size = size\n  if (n >= size) return toList()\n  if (n == 1) return listOf(this[size - 1])\n  val list =
ArrayList<UShort>(n)\n  for (index in size - n until size)\n    list.add(this[index])\n  return list\n}\n\n/**\n *
Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline fun
UIntArray.takeLastWhile(predicate: (UInt) -> Boolean): List<UInt> {\n  for (index in lastIndex downTo 0) {\n
if (!predicate(this[index])) {\n    return drop(index + 1)\n  }\n }\n  return toList()\n}\n\n/**\n * Returns a
list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline fun
ULongArray.takeLastWhile(predicate: (ULong) -> Boolean): List<ULong> {\n  for (index in lastIndex downTo 0)
{\n  if (!predicate(this[index])) {\n    return drop(index + 1)\n  }\n }\n  return toList()\n}\n\n/**\n *
Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline fun
UByteArray.takeLastWhile(predicate: (UByte) -> Boolean): List<UByte> {\n  for (index in lastIndex downTo 0)
{\n  if (!predicate(this[index])) {\n    return drop(index + 1)\n  }\n }\n  return toList()\n}\n\n/**\n *
Returns a list containing last elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline fun
UShortArray.takeLastWhile(predicate: (UShort) -> Boolean): List<UShort> {\n  for (index in lastIndex downTo 0)
{\n  if (!predicate(this[index])) {\n    return drop(index + 1)\n  }\n }\n  return toList()\n}\n\n/**\n *
Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline fun
UIntArray.takeWhile(predicate: (UInt) -> Boolean): List<UInt> {\n  val list = ArrayList<UInt>()\n  for (item in
this) {\n  if (!predicate(item))\n    break\n  list.add(item)\n }\n  return list\n}\n\n/**\n * Returns a list
containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline fun
ULongArray.takeWhile(predicate: (ULong) -> Boolean): List<ULong> {\n  val list = ArrayList<ULong>()\n  for
(item in this) {\n  if (!predicate(item))\n    break\n  list.add(item)\n }\n  return list\n}\n\n/**\n *
Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample
samples.collections.Collections.Transformations.take\n
*\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline fun
UByteArray.takeWhile(predicate: (UByte) -> Boolean): List<UByte> {\n  val list = ArrayList<UByte>()\n  for

```

```

(item in this) {\n    if (!predicate(item))\n        break\n        list.add(item)\n    }\n    return list\n}\n\n/**\n * Returns a list containing first elements satisfying the given [predicate].\n * \n * @sample\n samples.collections.Collections.Transformations.take\n\n *\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n @kotlin.internal.InlineOnly\n public inline fun\n UShortArray.takeWhile(predicate: (UShort) -> Boolean): List<UShort> {\n    val list = ArrayList<UShort>()\n    for\n    (item in this) {\n        if (!predicate(item))\n            break\n            list.add(item)\n        }\n        return list\n    }\n\n    /**\n     * Reverses elements in the array in-place.\n\n     *\n     @SinceKotlin("1.3")\n     @ExperimentalUnsignedTypes\n     @kotlin.internal.InlineOnly\n     public inline fun\n     UIntArray.reverse(): Unit {\n        storage.reverse()\n    }\n\n    /**\n     * Reverses elements in the array in-place.\n\n     *\n     @SinceKotlin("1.3")\n     @ExperimentalUnsignedTypes\n     @kotlin.internal.InlineOnly\n     public inline fun\n     ULongArray.reverse(): Unit {\n        storage.reverse()\n    }\n\n    /**\n     * Reverses elements in the array in-place.\n\n     *\n     @SinceKotlin("1.3")\n     @ExperimentalUnsignedTypes\n     @kotlin.internal.InlineOnly\n     public inline fun\n     UByteArray.reverse(): Unit {\n        storage.reverse()\n    }\n\n    /**\n     * Returns a list with elements in reversed order.\n\n     *\n     @SinceKotlin("1.3")\n     @ExperimentalUnsignedTypes\n     public fun\n     UIntArray.reversed(): List<UInt> {\n        if\n        (isEmpty()) return emptyList()\n        val list = toMutableList()\n        list.reverse()\n        return list\n    }\n\n    /**\n     * Returns a list with elements in reversed order.\n\n     *\n     @SinceKotlin("1.3")\n     @ExperimentalUnsignedTypes\n     public fun\n     ULongArray.reversed(): List<ULong> {\n        if (isEmpty()) return emptyList()\n        val list = toMutableList()\n        list.reverse()\n        return list\n    }\n\n    /**\n     * Returns a list with elements in reversed order.\n\n     *\n     @SinceKotlin("1.3")\n     @ExperimentalUnsignedTypes\n     public fun\n     UByteArray.reversed(): List<UByte> {\n        if\n        (isEmpty()) return emptyList()\n        val list = toMutableList()\n        list.reverse()\n        return list\n    }\n\n    /**\n     * Returns a list with elements in reversed order.\n\n     *\n     @SinceKotlin("1.3")\n     @ExperimentalUnsignedTypes\n     public fun\n     UShortArray.reversed(): List<UShort> {\n        if (isEmpty()) return emptyList()\n        val list = toMutableList()\n        list.reverse()\n        return list\n    }\n\n    /**\n     * Returns an array with elements of this array in reversed order.\n\n     *\n     @SinceKotlin("1.3")\n     @ExperimentalUnsignedTypes\n     @kotlin.internal.InlineOnly\n     public inline fun\n     UIntArray.reversedArray(): UIntArray {\n        return UIntArray(storage.reversedArray())\n    }\n\n    /**\n     * Returns an array with elements of this array in reversed order.\n\n     *\n     @SinceKotlin("1.3")\n     @ExperimentalUnsignedTypes\n     @kotlin.internal.InlineOnly\n     public inline fun\n     ULongArray.reversedArray(): ULongArray {\n        return ULongArray(storage.reversedArray())\n    }\n\n    /**\n     * Returns an array with elements of this array in reversed order.\n\n     *\n     @SinceKotlin("1.3")\n     @ExperimentalUnsignedTypes\n     @kotlin.internal.InlineOnly\n     public inline fun\n     UByteArray.reversedArray(): UByteArray {\n        return UByteArray(storage.reversedArray())\n    }\n\n    /**\n     * Returns an array with elements of this array in reversed order.\n\n     *\n     @SinceKotlin("1.3")\n     @ExperimentalUnsignedTypes\n     @kotlin.internal.InlineOnly\n     public inline fun\n     UShortArray.reversedArray(): UShortArray {\n        return UShortArray(storage.reversedArray())\n    }\n\n    /**\n     * Sorts elements in the array in-place descending according to their natural sort order.\n\n     *\n     @SinceKotlin("1.3")\n     @ExperimentalUnsignedTypes\n     public fun\n     UIntArray.sortDescending(): Unit {\n        if\n        (size > 1) {\n            sort()\n            reverse()\n        }\n    }\n\n    /**\n     * Sorts elements in the array in-place descending according to their natural sort order.\n\n     *\n     @SinceKotlin("1.3")\n     @ExperimentalUnsignedTypes\n     public fun\n     ULongArray.sortDescending(): Unit {\n        if (size > 1) {\n            sort()\n            reverse()\n        }\n    }\n\n    /**\n     * Sorts elements in the array in-place descending according to their natural sort order.\n\n     *\n     @SinceKotlin("1.3")\n     @ExperimentalUnsignedTypes\n     public fun\n     UByteArray.sortDescending(): Unit {\n        if\n        (size > 1) {\n            sort()\n            reverse()\n        }\n    }\n\n    /**\n     * Returns a list of all elements sorted according to their natural sort order.\n\n     *\n     @SinceKotlin("1.3")\n     @ExperimentalUnsignedTypes\n     public fun\n     UShortArray.sortDescending(): Unit {\n        if (size > 1) {\n            sort()\n            reverse()\n        }\n    }\n\n    /**\n     * Returns a list of all elements sorted according to their natural sort order.\n\n     *\n     @SinceKotlin("1.3")\n     @ExperimentalUnsignedTypes\n     public fun\n     UIntArray.sorted(): List<UInt> {\n        return

```

```

copyOf().apply { sort() }.asList()\n\n/**\n * Returns a list of all elements sorted according to their natural sort
order.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sorted():
List<ULong> {\n    return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all elements sorted
according to their natural sort order.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UByteArray.sorted(): List<UByte> {\n    return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns a list of all
elements sorted according to their natural sort order.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sorted(): List<UShort> {\n
return copyOf().apply { sort() }.asList()\n}\n\n/**\n * Returns an array with all elements of this array sorted
according to their natural sort order.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UIntArray.sortedArray(): UIntArray {\n    if (isEmpty()) return this\n    return this.copyOf().apply { sort()
}\n}\n\n/**\n * Returns an array with all elements of this array sorted according to their natural sort order.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortedArray(): ULongArray
{\n    if (isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all
elements of this array sorted according to their natural sort order.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortedArray(): UByteArray {\n
if (isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all elements
of this array sorted according to their natural sort order.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortedArray(): UShortArray
{\n    if (isEmpty()) return this\n    return this.copyOf().apply { sort() }\n}\n\n/**\n * Returns an array with all
elements of this array sorted descending according to their natural sort order.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sortedArrayDescending():
UIntArray {\n    if (isEmpty()) return this\n    return this.copyOf().apply { sortDescending() }\n}\n\n/**\n * Returns
an array with all elements of this array sorted descending according to their natural sort order.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.sortedArrayDescending():
ULongArray {\n    if (isEmpty()) return this\n    return this.copyOf().apply { sortDescending() }\n}\n\n/**\n *
Returns an array with all elements of this array sorted descending according to their natural sort order.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortedArrayDescending():
UByteArray {\n    if (isEmpty()) return this\n    return this.copyOf().apply { sortDescending() }\n}\n\n/**\n *
Returns an array with all elements of this array sorted descending according to their natural sort order.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.sortedArrayDescending():
UShortArray {\n    if (isEmpty()) return this\n    return this.copyOf().apply { sortDescending() }\n}\n\n/**\n *
Returns a list of all elements sorted descending according to their natural sort order.\n */\n * \n * The sort is _stable_. It
means that equal elements preserve their order relative to each other after sorting.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.sortedDescending(): List<UInt>
{\n    return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted descending
according to their natural sort order.\n */\n * \n * The sort is _stable_. It means that equal elements preserve their order
relative to each other after sorting.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
ULongArray.sortedDescending(): List<ULong> {\n    return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns
a list of all elements sorted descending according to their natural sort order.\n */\n * \n * The sort is _stable_. It
means that equal elements preserve their order relative to each other after sorting.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.sortedDescending():
List<UByte> {\n    return copyOf().apply { sort() }.reversed()\n}\n\n/**\n * Returns a list of all elements sorted
descending according to their natural sort order.\n */\n * \n * The sort is _stable_. It means that equal elements preserve
their order relative to each other after sorting.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun UShortArray.sortedDescending(): List<UShort> {\n    return copyOf().apply { sort() }.reversed()\n}\n\n/**\n *
Returns an array of type [ByteArray], which is a view of this array where each element is a signed reinterpretation\n
*/\n * of the corresponding element of this array.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun

```

```

ByteArray.asByteArray(): ByteArray { \n  return storage\n}\n\n/**\n * Returns an array of type [IntArray], which
is a view of this array where each element is a signed reinterpretation\n * of the corresponding element of this
array.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.asIntArray(): IntArray { \n  return storage\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UIntArray.asList():
List<UInt>\n\n/**\n * Returns a [List] that wraps the original array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun ULongArray.asList():
List<ULong>\n\n/**\n * Returns a [List] that wraps the original array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UByteArray.asList():
List<UByte>\n\n/**\n * Returns a [List] that wraps the original array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic expect fun UShortArray.asList():
List<UShort>\n\n/**\n * Returns an array of type [LongArray], which is a view of this array where each element is
a signed reinterpretation\n * of the corresponding element of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.asLongArray(): LongArray { \n  return storage\n}\n\n/**\n * Returns an array of type [ShortArray],
which is a view of this array where each element is a signed reinterpretation\n * of the corresponding element of this
array.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.asShortArray(): ShortArray { \n  return storage\n}\n\n/**\n * Returns an array of type [UByteArray],
which is a view of this array where each element is an unsigned reinterpretation\n * of the corresponding element of
this array.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun ByteArray.asUByteArray(): UByteArray { \n  return UByteArray(this)\n}\n\n/**\n * Returns an array of type
[UIntArray], which is a view of this array where each element is an unsigned reinterpretation\n * of the
corresponding element of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
IntArray.asUIntArray(): UIntArray { \n  return UIntArray(this)\n}\n\n/**\n * Returns an array of type
[ULongArray], which is a view of this array where each element is an unsigned reinterpretation\n * of the
corresponding element of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
LongArray.asULongArray(): ULongArray { \n  return ULongArray(this)\n}\n\n/**\n * Returns an array of type
[UShortArray], which is a view of this array where each element is an unsigned reinterpretation\n * of the
corresponding element of this array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ShortArray.asUShortArray(): UShortArray { \n  return UShortArray(this)\n}\n\n/**\n * Returns `true` if the two
specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the
same order.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun
UIntArray.contentEquals(other: UIntArray): Boolean { \n  return storage.contentEquals(other.storage)\n}\n\n/**\n *
Returns `true` if the two specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of
the same elements in the same order.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun
ULongArray.contentEquals(other: ULongArray): Boolean { \n  return
storage.contentEquals(other.storage)\n}\n\n/**\n * Returns `true` if the two specified arrays are *structurally* equal
to one another,\n * i.e. contain the same number of the same elements in the same order.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UByteArray.contentEquals(other:
UByteArray): Boolean { \n  return storage.contentEquals(other.storage)\n}\n\n/**\n * Returns `true` if the two
specified arrays are *structurally* equal to one another,\n * i.e. contain the same number of the same elements in the
same order.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun
UShortArray.contentEquals(other: UShortArray): Boolean { \n  return
storage.contentEquals(other.storage)\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is
[List].\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.contentHashCode(): Int

```

```

{\n return storage.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it
is [List].\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
UByteArray.contentHashCode(): Int {\n return storage.contentHashCode()\n}\n\n/**\n * Returns a hash code
based on the contents of this array as if it is [List].\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.contentHashCode(): Int {\n
return storage.contentHashCode()\n}\n\n/**\n * Returns a hash code based on the contents of this array as if it is
[List].\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.contentHashCode():
Int {\n return storage.contentHashCode()\n}\n\n/**\n * Returns a string representation of the contents of the
specified array as if it is [List].\n */\n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.contentToString(): String {\n
return joinToString(", ", "[", "]")\n}\n\n/**\n * Returns a string representation of the contents of the specified
array as if it is [List].\n */\n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.contentToString(): String {\n
return joinToString(", ", "[", "]")\n}\n\n/**\n * Returns a string representation of the contents of the specified
array as if it is [List].\n */\n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.contentToString(): String {\n
return joinToString(", ", "[", "]")\n}\n\n/**\n * Returns a string representation of the contents of the specified
array as if it is [List].\n */\n * @sample samples.collections.Arrays.ContentOperations.contentToString\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.contentToString(): String {\n
return joinToString(", ", "[", "]")\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and
returns that array.\n * \n * It's allowed to pass the same array in the [destination] and even specify the subrange so
that it overlaps with the destination range.\n * \n * @param destination the array to copy to.\n * @param
destinationOffset the position in the [destination] array to copy to, 0 by default.\n * @param startIndex the
beginning (inclusive) of the subrange to copy, 0 by default.\n * @param endIndex the end (exclusive) of the
subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or
[IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex
> endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array
starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices
range.\n * \n * @return the [destination] array.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.copyInto(destination: UIntArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size):
UIntArray {\n storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n return
destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n *
It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the
destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the
[destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy,
0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n *
@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of
range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the
subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index
is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.copyInto(destination: ULongArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size):
ULongArray {\n storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n return
destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n *
It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the
destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the
[destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy,
0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n *
@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of
range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the
subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index
is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n
*/

```


0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is out of the [destination] array indices range.\n * \n * @return the [destination] array.\n

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.copyInto(destination: UByteArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = size):
UByteArray {\n    storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n    return
destination\n}\n\n/**\n * Copies this array or its subrange into the [destination] array and returns that array.\n * \n *
It's allowed to pass the same array in the [destination] and even specify the subrange so that it overlaps with the
destination range.\n * \n * @param destination the array to copy to.\n * @param destinationOffset the position in the
[destination] array to copy to, 0 by default.\n * @param startIndex the beginning (inclusive) of the subrange to copy,
0 by default.\n * @param endIndex the end (exclusive) of the subrange to copy, size of this array by default.\n * \n *
@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of
range of this array indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException when the
subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],\n * or when that index is
out of the [destination] array indices range.\n * \n * @return the [destination] array.\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.copyInto(destination: UShortArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int =
size): UShortArray {\n    storage.copyInto(destination.storage, destinationOffset, startIndex, endIndex)\n    return
destination\n}\n\n/**\n * Returns new array which is a copy of the original array.\n * \n * @sample
samples.collections.Arrays.CopyOfOperations.copyOfOf\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.copyOf(): UIntArray {\n    return UIntArray(storage.copyOf())\n}\n\n/**\n * Returns new array which is
a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.copyOf(): ULongArray {\n    return ULongArray(storage.copyOf())\n}\n\n/**\n * Returns new array
which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.copyOf(): UByteArray {\n    return UByteArray(storage.copyOf())\n}\n\n/**\n * Returns new array
which is a copy of the original array.\n * \n * @sample samples.collections.Arrays.CopyOfOperations.copyOfOf\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.copyOf(): UShortArray {\n    return UShortArray(storage.copyOf())\n}\n\n/**\n * Returns new array
which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at
the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the original array, the copy array
is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the
copy array are filled with zero values.\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.copyOf(newSize: Int): UIntArray {\n    return UIntArray(storage.copyOf(newSize))\n}\n\n/**\n *
Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either
truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the
original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original
array, the extra elements in the copy array are filled with zero values.\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.copyOf(newSize: Int): ULongArray {\n    return ULongArray(storage.copyOf(newSize))\n}\n\n/**\n *
Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either
truncated or padded at the end with zero values if necessary.\n * \n * - If [newSize] is less than the size of the
original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original

```

array, the extra elements in the copy array are filled with zero values.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UByteArray.copyOf(newSize: Int): UByteArray {\n    return UByteArray(storage.copyOf(newSize))\n}\n\n/**\n * Returns new array which is a copy of the original array, resized to the given [newSize].\n * The copy is either truncated or padded at the end with zero values if necessary.\n * - If [newSize] is less than the size of the original array, the copy array is truncated to the [newSize].\n * - If [newSize] is greater than the size of the original array, the extra elements in the copy array are filled with zero values.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UShortArray.copyOf(newSize: Int): UShortArray {\n    return UShortArray(storage.copyOf(newSize))\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UIntArray.copyOfRange(fromIndex: Int, toIndex: Int): UIntArray {\n    return  
UIntArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
ULongArray.copyOfRange(fromIndex: Int, toIndex: Int): ULongArray {\n    return  
ULongArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UByteArray.copyOfRange(fromIndex: Int, toIndex: Int): UByteArray {\n    return  
UByteArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Returns a new array which is a copy of the specified range of the original array.\n * @param fromIndex the start of the range (inclusive), must be in `0..array.size`\n * @param toIndex the end of the range (exclusive), must be in `fromIndex..array.size`\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UShortArray.copyOfRange(fromIndex: Int, toIndex: Int): UShortArray {\n    return  
UShortArray(storage.copyOfRange(fromIndex, toIndex))\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * @throws  
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.fill(element: UInt, fromIndex: Int = 0, toIndex: Int = size): Unit {\n    storage.fill(element.toInt(), fromIndex, toIndex)\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * @throws  
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.fill(element: ULong, fromIndex: Int = 0, toIndex: Int = size): Unit {\n    storage.fill(element.toLong(), fromIndex, toIndex)\n}\n\n/**\n * Fills this array or its subrange with the specified [element] value.\n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * @throws  
IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.fill(element: UByte, fromIndex: Int = 0, toIndex: Int = size): Unit {\n    storage.fill(element.toByte(), fromIndex, toIndex)\n}\n\n/**\n
```

Fills this array or its subrange with the specified [element] value.\n * \n * @param fromIndex the start of the range (inclusive), 0 by default.\n * @param toIndex the end of the range (exclusive), size of this array by default.\n * \n * @throws IndexOutOfBoundsException if [fromIndex] is less than zero or [toIndex] is greater than the size of this array.\n * @throws IllegalArgumentException if [fromIndex] is greater than [toIndex].\n

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.fill(element: UShort,
fromIndex: Int = 0, toIndex: Int = size): Unit {\n    storage.fill(element.toShort(), fromIndex, toIndex)\n}\n\n/**\n *
Returns the range of valid indices for the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val UIntArray.indices: IntRange\n    get()
= storage.indices\n\n/**\n * Returns the range of valid indices for the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val ULongArray.indices: IntRange\n
get() = storage.indices\n\n/**\n * Returns the range of valid indices for the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val UByteArray.indices: IntRange\n
get() = storage.indices\n\n/**\n * Returns the range of valid indices for the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val UShortArray.indices: IntRange\n
get() = storage.indices\n\n/**\n * Returns the last valid index for the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val UIntArray.lastIndex: Int\n    get() =
storage.lastIndex\n\n/**\n * Returns the last valid index for the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val ULongArray.lastIndex: Int\n    get() =
storage.lastIndex\n\n/**\n * Returns the last valid index for the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val UByteArray.lastIndex: Int\n    get() =
storage.lastIndex\n\n/**\n * Returns the last valid index for the array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic inline val UShortArray.lastIndex: Int\n    get() =
storage.lastIndex\n\n/**\n * Returns an array containing all elements of the original array and then the given
[element].\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
operator fun UIntArray.plus(element: UInt): UIntArray {\n    return UIntArray(storage +
element.toInt())\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given
[element].\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
operator fun ULongArray.plus(element: ULong): ULongArray {\n    return ULongArray(storage +
element.toLong())\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given
[element].\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
operator fun UByteArray.plus(element: UByte): UByteArray {\n    return UByteArray(storage +
element.toByte())\n}\n\n/**\n * Returns an array containing all elements of the original array and then the given
[element].\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
operator fun UShortArray.plus(element: UShort): UShortArray {\n    return UShortArray(storage +
element.toShort())\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements
of the given [elements] collection.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator
fun UIntArray.plus(elements: Collection<UInt>): UIntArray {\n    var index = size\n    val result =
storage.copyOf(size + elements.size)\n    for (element in elements) result[index++] = element.toInt()\n    return
UIntArray(result)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements
of the given [elements] collection.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator
fun ULongArray.plus(elements: Collection<ULong>): ULongArray {\n    var index = size\n    val result =
storage.copyOf(size + elements.size)\n    for (element in elements) result[index++] = element.toLong()\n    return
ULongArray(result)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all
elements of the given [elements] collection.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
operator fun UByteArray.plus(elements: Collection<UByte>): UByteArray {\n    var index = size\n    val result =
storage.copyOf(size + elements.size)\n    for (element in elements) result[index++] = element.toByte()\n    return
UByteArray(result)\n}\n\n/**\n * Returns an array containing all elements of the original array and then all elements
of the given [elements] collection.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic operator

```

```

fun UShortArray.plus(elements: Collection<UShort>): UShortArray {
    var index = size
    val result = storage.copyOf(size + elements.size)
    for (element in elements) result[index++] = element.toShort()
    return UShortArray(result)
}

/** Returns an array containing all elements of the original array and then all elements of the given [elements] array. */
@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline operator fun UIntArray.plus(elements: UIntArray): UIntArray {
    return UIntArray(storage + elements.storage)
}

/** Returns an array containing all elements of the original array and then all elements of the given [elements] array. */
@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline operator fun ULongArray.plus(elements: ULongArray): ULongArray {
    return ULongArray(storage + elements.storage)
}

/** Returns an array containing all elements of the original array and then all elements of the given [elements] array. */
@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline operator fun UByteArray.plus(elements: UByteArray): UByteArray {
    return UByteArray(storage + elements.storage)
}

/** Returns an array containing all elements of the original array and then all elements of the given [elements] array. */
@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline operator fun UShortArray.plus(elements: UShortArray): UShortArray {
    return UShortArray(storage + elements.storage)
}

/** Sorts the array in-place. */
@sample
samples.collections.Arrays.Sorting.sortArray

/** Sorts the array in-place. */
@sample
samples.collections.Arrays.Sorting.sortArray

/** Sorts the array in-place. */
@sample
samples.collections.Arrays.Sorting.sortArray

@sample
samples.collections.Arrays.Sorting.sortArray

/** Sorts the array in-place. */
@sample
samples.collections.Arrays.Sorting.sortArray

/** Sorts the array in-place. */
@sample
samples.collections.Arrays.Sorting.sortArray

/** Returns an array of type [ByteArray], which is a copy of this array where each element is a signed reinterpretation of the corresponding element of this array. */
@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun UByteArray.toByteArray(): ByteArray {
    return storage.copyOf()
}

/** Returns an array of type [IntArray], which is a copy of this array where each element is a signed reinterpretation of the corresponding element of this array. */
@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun UIntArray.toIntArray(): IntArray {
    return storage.copyOf()
}

/** Returns an array of type [LongArray], which is a copy of this array where each element is a signed reinterpretation of the corresponding element of this array. */
@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun ULongArray.toLongArray(): LongArray {
    return storage.copyOf()
}

/** Returns an array of type [ShortArray], which is a copy of this array where each element is a signed reinterpretation of the corresponding element of this array. */
@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun UShortArray.toShortArray(): ShortArray {
    return storage.copyOf()
}

/** Returns a *typed* object array containing all of the elements of this primitive array. */
@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UIntArray.toTypedArray(): Array<UInt> {
    return Array(size) { index -> this[index] }
}

/** Returns a *typed* object array containing all of the elements of this primitive array. */
@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun ULongArray.toTypedArray(): Array<ULong> {
    return Array(size) { index -> this[index] }
}

/** Returns a *typed* object array containing all of the elements of this primitive array. */
@SinceKotlin("1.3")@ExperimentalUnsignedTypes
public fun UByteArray.toTypedArray():

```

Array<UByte> {\n return Array(size) { index -> this[index] }\n}\n\n/**\n * Returns a *typed* object array containing all of the elements of this primitive array.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.toTypedArray(): Array<UShort> {\n return Array(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of UByte containing all of the elements of this generic array.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Array<out UByte>.toUByteArray(): UByteArray {\n return UByteArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type [UByteArray], which is a copy of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ByteArray.toUByteArray(): UByteArray {\n return UByteArray(this.copyOf())\n}\n\n/**\n * Returns an array of UInt containing all of the elements of this generic array.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Array<out UInt>.toUIntArray(): UIntArray {\n return UIntArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type [UIntArray], which is a copy of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun IntArray.toUIntArray(): UIntArray {\n return UIntArray(this.copyOf())\n}\n\n/**\n * Returns an array of ULong containing all of the elements of this generic array.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Array<out ULong>.toULongArray(): ULongArray {\n return ULongArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type [ULongArray], which is a copy of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun LongArray.toULongArray(): ULongArray {\n return ULongArray(this.copyOf())\n}\n\n/**\n * Returns an array of UShort containing all of the elements of this generic array.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Array<out UShort>.toUShortArray(): UShortArray {\n return UShortArray(size) { index -> this[index] }\n}\n\n/**\n * Returns an array of type [UShortArray], which is a copy of this array where each element is an unsigned reinterpretation\n * of the corresponding element of this array.\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ShortArray.toUShortArray(): UShortArray {\n return UShortArray(this.copyOf())\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n *\n * @sample samples.collections.Collections.Transformations.flatMap\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.flatMap(transform: (UInt) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n *\n * @sample samples.collections.Collections.Transformations.flatMap\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.flatMap(transform: (ULong) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n *\n * @sample samples.collections.Collections.Transformations.flatMap\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.flatMap(transform: (UByte) -> Iterable<R>): List<R> {\n return flatMapTo(ArrayList<R>(), transform)\n}\n\n/**\n * Returns a single list of all elements yielded from results of [transform] function being invoked on each element of original array.\n *\n * @sample samples.collections.Collections.Transformations.flatMap\n

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>

```

UShortArray.flatMap(transform: (UShort) -> Iterable<R>): List<R> {\n  return flatMapTo(ArrayList<R>(),
transform)\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original array, to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UIntArray.flatMapTo(destination: C, transform: (UInt) -> Iterable<R>): C {\n  for
(element in this) {\n    val list = transform(element)\n    destination.addAll(list)\n  }\n  return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original array, to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> ULongArray.flatMapTo(destination: C, transform: (ULong) -> Iterable<R>): C {\n  for
(element in this) {\n    val list = transform(element)\n    destination.addAll(list)\n  }\n  return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original array, to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UByteArray.flatMapTo(destination: C, transform: (UByte) -> Iterable<R>): C {\n  for
(element in this) {\n    val list = transform(element)\n    destination.addAll(list)\n  }\n  return
destination\n}\n\n/**\n * Appends all elements yielded from results of [transform] function being invoked on each
element of original array, to the given [destination].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UShortArray.flatMapTo(destination: C, transform: (UShort) -> Iterable<R>): C {\n  for
(element in this) {\n    val list = transform(element)\n    destination.addAll(list)\n  }\n  return
destination\n}\n\n/**\n * Groups elements of the original array by the key returned by the given [keySelector]
function\n * applied to each element and returns a map where each group key is associated with a list of
corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced from the
original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K>
UIntArray.groupBy(keySelector: (UInt) -> K): Map<K, List<UInt>> {\n  return groupByTo(LinkedHashMap<K,
MutableList<UInt>>(), keySelector)\n}\n\n/**\n * Groups elements of the original array by the key returned by the
given [keySelector] function\n * applied to each element and returns a map where each group key is associated with
a list of corresponding elements.\n * \n * The returned map preserves the entry iteration order of the keys produced
from the original array.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K>
ULongArray.groupBy(keySelector: (ULong) -> K): Map<K, List<ULong>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<ULong>>(), keySelector)\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map
where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the
entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K>
UByteArray.groupBy(keySelector: (UByte) -> K): Map<K, List<UByte>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<UByte>>(), keySelector)\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and returns a map
where each group key is associated with a list of corresponding elements.\n * \n * The returned map preserves the
entry iteration order of the keys produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K>
UShortArray.groupBy(keySelector: (UShort) -> K): Map<K, List<UShort>> {\n  return
groupByTo(LinkedHashMap<K, MutableList<UShort>>(), keySelector)\n}\n\n/**\n * Groups values returned by

```

the [valueTransform] function applied to each element of the original array by the key returned by the given [keySelector] function applied to the element and returns a map where each group key is associated with a list of corresponding values. The returned map preserves the entry iteration order of the keys produced from the original array.

```

@sample samples.collections.Collections.Transformations.groupByKeysAndValues
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V>
UIntArray.groupBy(keySelector: (UInt) -> K, valueTransform: (UInt) -> V): Map<K, List<V>> {\n
return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array by the key returned by
the given [keySelector] function applied to the element and returns a map where each group key is associated
with a list of corresponding values. The returned map preserves the entry iteration order of the keys
produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V>
ULongArray.groupBy(keySelector: (ULong) -> K, valueTransform: (ULong) -> V): Map<K, List<V>> {\n
return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array by the key returned by
the given [keySelector] function applied to the element and returns a map where each group key is associated
with a list of corresponding values. The returned map preserves the entry iteration order of the keys
produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V>
UByteArray.groupBy(keySelector: (UByte) -> K, valueTransform: (UByte) -> V): Map<K, List<V>> {\n
return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups values
returned by the [valueTransform] function applied to each element of the original array by the key returned by
the given [keySelector] function applied to the element and returns a map where each group key is associated
with a list of corresponding values. The returned map preserves the entry iteration order of the keys
produced from the original array.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, V>
UShortArray.groupBy(keySelector: (UShort) -> K, valueTransform: (UShort) -> V): Map<K, List<V>> {\n
return
groupByTo(LinkedHashMap<K, MutableList<V>>(), keySelector, valueTransform)\n}\n\n/**\n * Groups elements
of the original array by the key returned by the given [keySelector] function applied to each element and puts to
the [destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M :
MutableMap<in K, MutableList<UInt>>> UIntArray.groupByTo(destination: M, keySelector: (UInt) -> K): M {\n
for (element in this) {\n
val key = keySelector(element)\n
val list = destination.getOrPut(key) {
ArrayList<UInt>() }\n
list.add(element)\n
}\n
return destination\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function applied to each element and puts to the
[destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <K, M :
MutableMap<in K, MutableList<ULong>>> ULongArray.groupByTo(destination: M, keySelector: (ULong) -> K):
M {\n
for (element in this) {\n
val key = keySelector(element)\n
val list = destination.getOrPut(key) {
ArrayList<ULong>() }\n
list.add(element)\n
}\n
return destination\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function applied to each element and puts to the
[destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n

```

```

*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun <K, M :
MutableMap<in K, MutableList<UByte>>> UByteArray.groupByTo(destination: M, keySelector: (UByte) -> K):
M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list = destination.getOrPut(key) {
ArrayList<UByte>() }\n    list.add(element)\n  }\n  return destination\n}\n\n/**\n * Groups elements of the
original array by the key returned by the given [keySelector] function\n * applied to each element and puts to the
[destination] map each group key associated with a list of corresponding elements.\n * \n * @return The
[destination] map.\n * \n * @sample samples.collections.Collections.Transformations.groupBy\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun <K, M :
MutableMap<in K, MutableList<UShort>>> UShortArray.groupByTo(destination: M, keySelector: (UShort) -> K):
M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list = destination.getOrPut(key) {
ArrayList<UShort>() }\n    list.add(element)\n  }\n  return destination\n}\n\n/**\n * Groups values returned by
the [valueTransform] function applied to each element of the original array\n * by the key returned by the given
[keySelector] function applied to the element\n * and puts to the [destination] map each group key associated with a
list of corresponding values.\n * \n * @return The [destination] map.\n * \n * @sample
samples.collections.Collections.Transformations.groupByKeysAndValues\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun <K, V,
M : MutableMap<in K, MutableList<V>>> UIntArray.groupByTo(destination: M, keySelector: (UInt) -> K,
valueTransform: (UInt) -> V): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list =
destination.getOrPut(key) { ArrayList<V>() }\n    list.add(valueTransform(element))\n  }\n  return
destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun <K, V,
M : MutableMap<in K, MutableList<V>>> ULongArray.groupByTo(destination: M, keySelector: (ULong) -> K,
valueTransform: (ULong) -> V): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list
= destination.getOrPut(key) { ArrayList<V>() }\n    list.add(valueTransform(element))\n  }\n  return
destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun <K, V,
M : MutableMap<in K, MutableList<V>>> UByteArray.groupByTo(destination: M, keySelector: (UByte) -> K,
valueTransform: (UByte) -> V): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list
= destination.getOrPut(key) { ArrayList<V>() }\n    list.add(valueTransform(element))\n  }\n  return
destination\n}\n\n/**\n * Groups values returned by the [valueTransform] function applied to each element of the
original array\n * by the key returned by the given [keySelector] function applied to the element\n * and puts to the
[destination] map each group key associated with a list of corresponding values.\n * \n * @return The [destination]
map.\n * \n * @sample samples.collections.Collections.Transformations.groupByKeysAndValues\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun <K, V,
M : MutableMap<in K, MutableList<V>>> UShortArray.groupByTo(destination: M, keySelector: (UShort) -> K,
valueTransform: (UShort) -> V): M {\n  for (element in this) {\n    val key = keySelector(element)\n    val list
= destination.getOrPut(key) { ArrayList<V>() }\n    list.add(valueTransform(element))\n  }\n  return
destination\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each
element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n
*^@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.map(transform: (UInt) -> R): List<R> {\n  return mapTo(ArrayList<R>(size), transform)\n}\n\n/**\n *
Returns a list containing the results of applying the given [transform] function\n * to each element in the original

```



```

array.\n * \n * @sample samples.collections.Collections.Transformations.map\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ULongArray.map(transform: (ULong) -> R): List<R> {\n    return mapTo(ArrayList<R>(size),
transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each
element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UByteArray.map(transform: (UByte) -> R): List<R> {\n    return mapTo(ArrayList<R>(size),
transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each
element in the original array.\n * \n * @sample samples.collections.Collections.Transformations.map\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.map(transform: (UShort) -> R): List<R> {\n    return mapTo(ArrayList<R>(size),
transform)\n}\n\n/**\n * Returns a list containing the results of applying the given [transform] function\n * to each
element and its index in the original array.\n * @param [transform] function that takes the index of an element and
the element itself\n * and returns the result of the transform applied to the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.mapIndexed(transform: (index: Int, UInt) -> R): List<R> {\n    return
mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the
given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function
that takes the index of an element and the element itself\n * and returns the result of the transform applied to the
element.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun <R> ULongArray.mapIndexed(transform: (index: Int, ULong) -> R): List<R> {\n    return
mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the
given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function
that takes the index of an element and the element itself\n * and returns the result of the transform applied to the
element.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun <R> UByteArray.mapIndexed(transform: (index: Int, UByte) -> R): List<R> {\n    return
mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Returns a list containing the results of applying the
given [transform] function\n * to each element and its index in the original array.\n * @param [transform] function
that takes the index of an element and the element itself\n * and returns the result of the transform applied to the
element.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun <R> UShortArray.mapIndexed(transform: (index: Int, UShort) -> R): List<R> {\n    return
mapIndexedTo(ArrayList<R>(size), transform)\n}\n\n/**\n * Applies the given [transform] function to each
element and its index in the original array\n * and appends the results to the given [destination].\n * @param
[transform] function that takes the index of an element and the element itself\n * and returns the result of the
transform applied to the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> UIntArray.mapIndexedTo(destination: C, transform: (index: Int, UInt) -> R): C {\n    var
index = 0\n    for (item in this)\n        destination.add(transform(index++, item))\n    return destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n * and appends the results
to the given [destination].\n * @param [transform] function that takes the index of an element and the element
itself\n * and returns the result of the transform applied to the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :
MutableCollection<in R>> ULongArray.mapIndexedTo(destination: C, transform: (index: Int, ULong) -> R): C {\n    var
index = 0\n    for (item in this)\n        destination.add(transform(index++, item))\n    return
destination\n}\n\n/**\n * Applies the given [transform] function to each element and its index in the original array\n
* and appends the results to the given [destination].\n * @param [transform] function that takes the index of an
element and the element itself\n * and returns the result of the transform applied to the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, C :

```



```

false\n    return true\n}\n\n/**\n * Returns `true` if all elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.all\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.all(predicate: (UShort) -> Boolean): Boolean {\n    for (element in this) if (!predicate(element)) return
false\n    return true\n}\n\n/**\n * Returns `true` if array has at least one element.\n * \n * @sample
samples.collections.Collections.Aggregates.any\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.any(): Boolean {\n    return storage.any()\n}\n\n/**\n * Returns `true` if array has at least one element.\n
*\n * @sample samples.collections.Collections.Aggregates.any\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.any(): Boolean {\n    return storage.any()\n}\n\n/**\n * Returns `true` if array has at least one
element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.any(): Boolean {\n    return storage.any()\n}\n\n/**\n * Returns `true` if array has at least one
element.\n * \n * @sample samples.collections.Collections.Aggregates.any\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.any(): Boolean {\n    return storage.any()\n}\n\n/**\n * Returns `true` if at least one element matches
the given [predicate].\n * \n * @sample samples.collections.Collections.Aggregates.anyWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.any(predicate: (UInt) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return true\n
return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.anyWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.any(predicate: (ULong) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return
true\n    return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n *
@sample samples.collections.Collections.Aggregates.anyWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.any(predicate: (UByte) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return
true\n    return false\n}\n\n/**\n * Returns `true` if at least one element matches the given [predicate].\n * \n *
@sample samples.collections.Collections.Aggregates.anyWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.any(predicate: (UShort) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return
true\n    return false\n}\n\n/**\n * Returns the number of elements matching the given [predicate].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.count(predicate: (ULong) -> Boolean): Int {\n    var count = 0\n    for (element in this) if
(predicate(element)) ++count\n    return count\n}\n\n/**\n * Returns the number of elements matching the given
[predicate].\n * \n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UByteArray.count(predicate: (UByte) -> Boolean): Int {\n    var count = 0\n    for (element in this) if
(predicate(element)) ++count\n    return count\n}\n\n/**\n * Returns the number of elements matching the given
[predicate].\n * \n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun UShortArray.count(predicate: (UShort) -> Boolean): Int {\n    var count = 0\n    for (element in this) if
(predicate(element)) ++count\n    return count\n}\n\n/**\n * Accumulates value starting with [initial] value and
applying [operation] from left to right to current accumulator value and each element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.fold(initial: R, operation: (acc: R, UInt) -> R): R {\n    var accumulator = initial\n    for (element in this)

```

```

accumulator = operation(accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value starting
with [initial] value and applying [operation] from left to right to current accumulator value and each element.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ULongArray.fold(initial: R, operation: (acc: R, ULong) -> R): R {\n    var accumulator = initial\n    for (element in
this) accumulator = operation(accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates value
starting with [initial] value and applying [operation] from left to right to current accumulator value and each
element.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun <R> UByteArray.fold(initial: R, operation: (acc: R, UByte) -> R): R {\n    var accumulator = initial\n    for
(element in this) accumulator = operation(accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates
value starting with [initial] value and applying [operation] from left to right to current accumulator value and each
element.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun <R> UShortArray.fold(initial: R, operation: (acc: R, UShort) -> R): R {\n    var accumulator = initial\n    for
(element in this) accumulator = operation(accumulator, element)\n    return accumulator\n}\n\n/**\n * Accumulates
value starting with [initial] value and applying [operation] from left to right\n * to current accumulator value and
each element with its index in the original array.\n * @param [operation] function that takes the index of an element,
current accumulator value\n * and the element itself, and calculates the next accumulator value.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.foldIndexed(initial: R, operation: (index: Int, acc: R, UInt) -> R): R {\n    var index = 0\n    var
accumulator = initial\n    for (element in this) accumulator = operation(index++, accumulator, element)\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
ULongArray.foldIndexed(initial: R, operation: (index: Int, acc: R, ULong) -> R): R {\n    var index = 0\n    var
accumulator = initial\n    for (element in this) accumulator = operation(index++, accumulator, element)\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UByteArray.foldIndexed(initial: R, operation: (index: Int, acc: R, UByte) -> R): R {\n    var index = 0\n    var
accumulator = initial\n    for (element in this) accumulator = operation(index++, accumulator, element)\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from left to
right\n * to current accumulator value and each element with its index in the original array.\n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UShortArray.foldIndexed(initial: R, operation: (index: Int, acc: R, UShort) -> R): R {\n    var index = 0\n    var
accumulator = initial\n    for (element in this) accumulator = operation(index++, accumulator, element)\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left
to each element and current accumulator value.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>
UIntArray.foldRight(initial: R, operation: (UInt, acc: R) -> R): R {\n    var index = lastIndex\n    var accumulator =
initial\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return
accumulator\n}\n\n/**\n * Accumulates value starting with [initial] value and applying [operation] from right to left
to each element and current accumulator value.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R>

```

```

ULongArray.foldRight(initial: R, operation: (ULong, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.

```

* Since Kotlin("1.3") ExperimentalUnsignedTypes @kotlin.internal.InlineOnly
public inline fun <R>
UByteArray.foldRight(initial: R, operation: (UByte, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from right to left to each element and current accumulator value.

```

* Since Kotlin("1.3") ExperimentalUnsignedTypes @kotlin.internal.InlineOnly
public inline fun <R>
UShortArray.foldRight(initial: R, operation: (UShort, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(get(index--), accumulator)
    }
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from right to left to each element with its index in the original array and current accumulator value. @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

* Since Kotlin("1.3") ExperimentalUnsignedTypes @kotlin.internal.InlineOnly
public inline fun <R>
UIntArray.foldRightIndexed(initial: R, operation: (index: Int, UInt, acc: R) -> R): R {
    var index = lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(index, get(index), accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from right to left to each element with its index in the original array and current accumulator value. @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

* Since Kotlin("1.3") ExperimentalUnsignedTypes @kotlin.internal.InlineOnly
public inline fun <R>
ULongArray.foldRightIndexed(initial: R, operation: (index: Int, ULong, acc: R) -> R): R {
    var index =
lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(index, get(index),
accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from right to left to each element with its index in the original array and current accumulator value. @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

* Since Kotlin("1.3") ExperimentalUnsignedTypes @kotlin.internal.InlineOnly
public inline fun <R>
UByteArray.foldRightIndexed(initial: R, operation: (index: Int, UByte, acc: R) -> R): R {
    var index =
lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(index, get(index),
accumulator)
        --index
    }
    return accumulator
}

```

Accumulates value starting with [initial] value and applying [operation] from right to left to each element with its index in the original array and current accumulator value. @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value.

```

* Since Kotlin("1.3") ExperimentalUnsignedTypes @kotlin.internal.InlineOnly
public inline fun <R>
UShortArray.foldRightIndexed(initial: R, operation: (index: Int, UShort, acc: R) -> R): R {
    var index =
lastIndex
    var accumulator = initial
    while (index >= 0) {
        accumulator = operation(index, get(index),
accumulator)
        --index
    }
    return accumulator
}

```

Performs the given [action] on each element.

```

* Since Kotlin("1.3") ExperimentalUnsignedTypes @kotlin.internal.InlineOnly
public inline
fun UIntArray.forEach(action: (UInt) -> Unit): Unit {
    for (element in this) action(element)
}

```

Performs the given [action] on each element.

```

* Since Kotlin("1.3") ExperimentalUnsignedTypes @kotlin.internal.InlineOnly
public inline fun
ULongArray.forEach(action: (ULong) -> Unit): Unit {
    for (element in this) action(element)
}

```

Performs the given [action] on each element.

```

* Since Kotlin("1.3") ExperimentalUnsignedTypes @kotlin.internal.InlineOnly
public inline fun

```

```

ByteArray.forEach(action: (UByte) -> Unit): Unit { \n  for (element in this) action(element)\n }\n\n/**\n *
Performs the given [action] on each element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.forEach(action: (UShort) -> Unit): Unit { \n  for (element in this) action(element)\n }\n\n/**\n *
Performs the given [action] on each element, providing sequential index with the element.\n * @param [action]
function that takes the index of an element and the element itself\n * and performs the desired action on the
element.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun UIntArray.forEachIndexed(action: (index: Int, UInt) -> Unit): Unit { \n  var index = 0\n  for (item in this)
action(index++, item)\n }\n\n/**\n * Performs the given [action] on each element, providing sequential index with
the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs
the desired action on the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.forEachIndexed(action: (index: Int, ULong) -> Unit): Unit { \n  var index = 0\n  for (item in this)
action(index++, item)\n }\n\n/**\n * Performs the given [action] on each element, providing sequential index with
the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs
the desired action on the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ByteArray.forEachIndexed(action: (index: Int, UByte) -> Unit): Unit { \n  var index = 0\n  for (item in this)
action(index++, item)\n }\n\n/**\n * Performs the given [action] on each element, providing sequential index with
the element.\n * @param [action] function that takes the index of an element and the element itself\n * and performs
the desired action on the element.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.forEachIndexed(action: (index: Int, UShort) -> Unit): Unit { \n  var index = 0\n  for (item in this)
action(index++, item)\n }\n\n/**\n * Returns the largest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.max(): UInt? { \n  if (isEmpty())
return null\n  var max = this[0]\n  for (i in 1..lastIndex) { \n    val e = this[i]\n    if (max < e) max = e\n  }\n
return max\n }\n\n/**\n * Returns the largest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.max(): ULong? { \n  if
(isEmpty()) return null\n  var max = this[0]\n  for (i in 1..lastIndex) { \n    val e = this[i]\n    if (max < e) max
= e\n  }\n  return max\n }\n\n/**\n * Returns the largest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ByteArray.max(): UByte? { \n  if
(isEmpty()) return null\n  var max = this[0]\n  for (i in 1..lastIndex) { \n    val e = this[i]\n    if (max < e) max
= e\n  }\n  return max\n }\n\n/**\n * Returns the largest element or `null` if there are no elements.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.max(): UShort? { \n  if
(isEmpty()) return null\n  var max = this[0]\n  for (i in 1..lastIndex) { \n    val e = this[i]\n    if (max < e) max
= e\n  }\n  return max\n }\n\n/**\n * Returns the first element yielding the largest value of the given function or
`null` if there are no elements.\n * \n * @sample samples.collections.Collections.Aggregates.maxBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UIntArray.maxBy(selector: (UInt) -> R): UInt? { \n  if (isEmpty()) return null\n  var maxElem
= this[0]\n  val lastIndex = this.lastIndex\n  if (lastIndex == 0) return maxElem\n  var maxValue =
selector(maxElem)\n  for (i in 1..lastIndex) { \n    val e = this[i]\n    val v = selector(e)\n    if (maxValue < v)
{ \n      maxElem = e\n      maxValue = v\n    }\n  }\n  return maxElem\n }\n\n/**\n * Returns the first
element yielding the largest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.maxBy\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> ULongArray.maxBy(selector: (ULong) -> R): ULong? { \n  if (isEmpty()) return null\n  var
maxElem = this[0]\n  val lastIndex = this.lastIndex\n  if (lastIndex == 0) return maxElem\n  var maxValue =
selector(maxElem)\n  for (i in 1..lastIndex) { \n    val e = this[i]\n    val v = selector(e)\n    if (maxValue < v)

```

```

    {
        maxElem = e
        maxValue = v
    }
    return maxElem
}
}
Returns the first
element yielding the largest value of the given function or `null` if there are no elements.
}
}
@sample
samples.collections.Collections.Aggregates.maxBy

*
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun <R :
Comparable<R>> UByteArray.maxBy(selector: (UByte) -> R): UByte? {
    if (isEmpty()) return null
    var
maxElem = this[0]
    val lastIndex = this.lastIndex
    if (lastIndex == 0) return maxElem
    var maxValue =
selector(maxElem)
    for (i in 1..lastIndex) {
        val e = this[i]
        val v = selector(e)
        if (maxValue < v)
        {
            maxElem = e
            maxValue = v
        }
    }
    return maxElem
}
}
Returns the first
element yielding the largest value of the given function or `null` if there are no elements.
}
}
@sample
samples.collections.Collections.Aggregates.maxBy

*
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun <R :
Comparable<R>> UShortArray.maxBy(selector: (UShort) -> R): UShort? {
    if (isEmpty()) return null
    var
maxElem = this[0]
    val lastIndex = this.lastIndex
    if (lastIndex == 0) return maxElem
    var maxValue =
selector(maxElem)
    for (i in 1..lastIndex) {
        val e = this[i]
        val v = selector(e)
        if (maxValue < v)
        {
            maxElem = e
            maxValue = v
        }
    }
    return maxElem
}
}
Returns the first
element having the largest value according to the provided [comparator] or `null` if there are no elements.
}
}

*
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun UIntArray.maxWith(comparator:
Comparator<in UInt>): UInt? {
    if (isEmpty()) return null
    var max = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (comparator.compare(max, e) < 0) max = e
    }
    return max
}
}
Returns the
first element having the largest value according to the provided [comparator] or `null` if there are no elements.
}

*
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun ULongArray.maxWith(comparator:
Comparator<in ULong>): ULong? {
    if (isEmpty()) return null
    var max = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (comparator.compare(max, e) < 0) max = e
    }
    return max
}
}
Returns the
first element having the largest value according to the provided [comparator] or `null` if there are no elements.
}

*
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun UByteArray.maxWith(comparator:
Comparator<in UByte>): UByte? {
    if (isEmpty()) return null
    var max = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (comparator.compare(max, e) < 0) max = e
    }
    return max
}
}
Returns the
first element having the largest value according to the provided [comparator] or `null` if there are no elements.
}

*
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun UShortArray.maxWith(comparator:
Comparator<in UShort>): UShort? {
    if (isEmpty()) return null
    var max = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (comparator.compare(max, e) < 0) max = e
    }
    return max
}
}
Returns the
smallest element or `null` if there are no elements.
}

*
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun UIntArray.min(): UInt? {
    if (isEmpty())
return null
    var min = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (min > e) min = e
    }
    return min
}
}
Returns the smallest element or `null` if there are no elements.
}

*
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun ULongArray.min(): ULong? {
    if
(isEmpty()) return null
    var min = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (min > e) min =
e
    }
    return min
}
}
Returns the smallest element or `null` if there are no elements.
}

*
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun UByteArray.min(): UByte? {
    if
(isEmpty()) return null
    var min = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (min > e) min =
e
    }
    return min
}
}
Returns the smallest element or `null` if there are no elements.
}

*
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun UShortArray.min(): UShort? {
    if
(isEmpty()) return null
    var min = this[0]
    for (i in 1..lastIndex) {
        val e = this[i]
        if (min > e) min =
e
    }
    return min
}
}
Returns the first element yielding the smallest value of the given function or
`null` if there are no elements.
}
}
@sample
samples.collections.Collections.Aggregates.minBy

*
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun <R :
Comparable<R>> UIntArray.minBy(selector: (UInt) -> R): UInt? {
    if (isEmpty()) return null
    var minElem =
this[0]
    val lastIndex = this.lastIndex
    if (lastIndex == 0) return minElem
    var minValue =

```

```

selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v)
{\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minBy\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> ULongArray.minBy(selector: (ULong) -> R): ULong? {\n if (isEmpty()) return null\n var
minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue =
selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v)
{\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minBy\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UByteArray.minBy(selector: (UByte) -> R): UByte? {\n if (isEmpty()) return null\n var
minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue =
selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v)
{\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first
element yielding the smallest value of the given function or `null` if there are no elements.\n * \n * @sample
samples.collections.Collections.Aggregates.minBy\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R :
Comparable<R>> UShortArray.minBy(selector: (UShort) -> R): UShort? {\n if (isEmpty()) return null\n var
minElem = this[0]\n val lastIndex = this.lastIndex\n if (lastIndex == 0) return minElem\n var minValue =
selector(minElem)\n for (i in 1..lastIndex) {\n val e = this[i]\n val v = selector(e)\n if (minValue > v)
{\n minElem = e\n minValue = v\n }\n }\n return minElem\n}\n\n/**\n * Returns the first
element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntArray.minWith(comparator:
Comparator<in UInt>): UInt? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n
val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the first
element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongArray.minWith(comparator:
Comparator<in ULong>): ULong? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n
val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the
first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByteArray.minWith(comparator:
Comparator<in UByte>): UByte? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n
val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns the
first element having the smallest value according to the provided [comparator] or `null` if there are no elements.\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShortArray.minWith(comparator:
Comparator<in UShort>): UShort? {\n if (isEmpty()) return null\n var min = this[0]\n for (i in 1..lastIndex) {\n
val e = this[i]\n if (comparator.compare(min, e) > 0) min = e\n }\n return min\n}\n\n/**\n * Returns
`true` if the array has no elements.\n * \n * @sample samples.collections.Collections.Aggregates.none\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n *
@sample samples.collections.Collections.Aggregates.none\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n *
@sample samples.collections.Collections.Aggregates.none\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.none(): Boolean {\n return isEmpty()\n}\n\n/**\n * Returns `true` if the array has no elements.\n * \n *

```



```

* @sample samples.collections.Collections.Aggregates.none\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.none(): Boolean {\n    return isEmpty()\n}\n\n/**\n * Returns `true` if no elements match the given
[predicate].\n * \n * @sample samples.collections.Collections.Aggregates.noneWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.none(predicate: (UInt) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return
false\n    return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.none(predicate: (ULong) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return
false\n    return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.none(predicate: (UByte) -> Boolean): Boolean {\n    for (element in this) if (predicate(element)) return
false\n    return true\n}\n\n/**\n * Returns `true` if no elements match the given [predicate].\n * \n * @sample
samples.collections.Collections.Aggregates.noneWithPredicate\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.reduce(operation: (UShort) -> Boolean): Boolean {\n    for (element in this) if (predicate(element))
return false\n    return true\n}\n\n/**\n * Accumulates value starting with the first element and applying [operation]
from left to right to current accumulator value and each element.\n * \n * @sample
samples.collections.Collections.Aggregates.reduce\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntArray.reduce(operation: (acc: UInt, UInt) -> UInt): UInt {\n    if (isEmpty())\n        throw
UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for (index in
1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n *
Accumulates value starting with the first element and applying [operation] from left to right to current accumulator
value and each element.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongArray.reduce(operation: (acc: ULong, ULong) -> ULong): ULong {\n    if (isEmpty())\n        throw
UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for (index in
1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n *
Accumulates value starting with the first element and applying [operation] from left to right to current accumulator
value and each element.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UByteArray.reduce(operation: (acc: UByte, UByte) -> UByte): UByte {\n    if (isEmpty())\n        throw
UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for (index in
1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n *
Accumulates value starting with the first element and applying [operation] from left to right to current accumulator
value and each element.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UShortArray.reduce(operation: (acc: UShort, UShort) -> UShort): UShort {\n    if (isEmpty())\n        throw
UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = this[0]\n    for (index in
1..lastIndex) {\n        accumulator = operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n *
Accumulates value starting with the first element and applying [operation] from left to right\n * to current
accumulator value and each element with its index in the original array.\n * @param [operation] function that takes
the index of an element, current accumulator value\n * and the element itself and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.reduce\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun

```

```

UIntArray.reduceIndexed(operation: (index: Int, acc: UInt, UInt) -> UInt): UInt {
    if (isEmpty()) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return accumulator
}
/** Accumulates value starting with the first element and applying [operation] from left to right
 * to current accumulator value and each element with its index in the original array.
 * @param [operation] function that takes the index of an element, current accumulator value
 * and the element itself and calculates the next accumulator value.
 * @sample samples.collections.Collections.Aggregates.reduce
 */
@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun
ULongArray.reduceIndexed(operation: (index: Int, acc: ULong, ULong) -> ULong): ULong {
    if (isEmpty()) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return accumulator
}
/** Accumulates value starting with the first element and applying [operation] from left to right
 * to current accumulator value and each element with its index in the original array.
 * @param [operation] function that takes the index of an element, current accumulator value
 * and the element itself and calculates the next accumulator value.
 * @sample samples.collections.Collections.Aggregates.reduce
 */
@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun
UByteArray.reduceIndexed(operation: (index: Int, acc: UByte, UByte) -> UByte): UByte {
    if (isEmpty()) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return accumulator
}
/** Accumulates value starting with the first element and applying [operation] from left to right
 * to current accumulator value and each element with its index in the original array.
 * @param [operation] function that takes the index of an element, current accumulator value
 * and the element itself and calculates the next accumulator value.
 * @sample samples.collections.Collections.Aggregates.reduce
 */
@SinceKotlin("1.3")@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun
UShortArray.reduceIndexed(operation: (index: Int, acc: UShort, UShort) -> UShort): UShort {
    if (isEmpty()) throw UnsupportedOperationException("Empty array can't be reduced.")
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(index, accumulator, this[index])
    }
    return accumulator
}
/** Accumulates value starting with the first element and applying [operation] from left to right
 * to current accumulator value and each element. Returns null if the array is empty.
 * @sample samples.collections.Collections.Aggregates.reduceOrNull
 */
@SinceKotlin("1.3")@ExperimentalStdlibApi@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun UIntArray.reduceOrNull(operation: (acc: UInt, UInt) -> UInt): UInt? {
    if (isEmpty()) return null
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}
/** Accumulates value starting with the first element and applying [operation] from left to right
 * to current accumulator value and each element. Returns null if the array is empty.
 * @sample samples.collections.Collections.Aggregates.reduceOrNull
 */
@SinceKotlin("1.3")@ExperimentalStdlibApi@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun ULongArray.reduceOrNull(operation: (acc: ULong, ULong) -> ULong): ULong? {
    if (isEmpty()) return null
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}
/** Accumulates value starting with the first element and applying [operation] from left to right
 * to current accumulator value and each element. Returns null if the array is empty.
 * @sample samples.collections.Collections.Aggregates.reduceOrNull
 */
@SinceKotlin("1.3")@ExperimentalStdlibApi@ExperimentalUnsignedTypes@kotlin.internal.InlineOnly
public inline fun UByteArray.reduceOrNull(operation: (acc: UByte, UByte) -> UByte): UByte? {
    if (isEmpty()) return null
    var accumulator = this[0]
    for (index in 1..lastIndex) {
        accumulator = operation(accumulator, this[index])
    }
    return accumulator
}
/** Accumulates value starting with the first element and applying [operation] from left to right
 * to current accumulator value and each element. Returns null if the array is empty.
 * @sample samples.collections.Collections.Aggregates.reduceOrNull
 */

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\n\npublic inline fun UShortArray.reduceOrNull(operation: (acc: UShort, UShort) -> UShort): UShort? {\n    if\n    (isEmpty())\n        return null\n    var accumulator = this[0]\n    for (index in 1..lastIndex) {\n        accumulator =\n        operation(accumulator, this[index])\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with last\n    element and applying [operation] from right to left to each element and current accumulator value.\n * \n * @sample\n    samples.collections.Collections.Aggregates.reduceRight\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\n\npublic inline fun\n    UIntArray.reduceRight(operation: (UInt, acc: UInt) -> UInt): UInt {\n    var index = lastIndex\n    if (index < 0)\n        throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return\n    accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n    to each element and current accumulator value.\n * \n * @sample\n    samples.collections.Collections.Aggregates.reduceRight\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\n\npublic inline fun\n    ULongArray.reduceRight(operation: (ULong, acc: ULong) -> ULong): ULong {\n    var index = lastIndex\n    if\n    (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator =\n    get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return\n    accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n    to each element and current accumulator value.\n * \n * @sample\n    samples.collections.Collections.Aggregates.reduceRight\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\n\npublic inline fun\n    UByteArray.reduceRight(operation: (UByte, acc: UByte) -> UByte): UByte {\n    var index = lastIndex\n    if (index\n    < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return\n    accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n    to each element and current accumulator value.\n * \n * @sample\n    samples.collections.Collections.Aggregates.reduceRight\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\n\npublic inline fun\n    UShortArray.reduceRight(operation: (UShort, acc: UShort) -> UShort): UShort {\n    var index = lastIndex\n    if\n    (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator =\n    get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return\n    accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from right to left\n    * to each element with its index in the original array and current accumulator value.\n * @param [operation]\n    function that takes the index of an element, the element itself\n * and current accumulator value, and calculates the\n    next accumulator value.\n * \n * @sample\n    samples.collections.Collections.Aggregates.reduceRight\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\n\npublic inline fun\n    UIntArray.reduceRightIndexed(operation: (index: Int, UInt, acc: UInt) -> UInt): UInt {\n    var index = lastIndex\n    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var accumulator =\n    get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index), accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with last element and applying [operation] from\n    right to left\n * to each element with its index in the original array and current accumulator value.\n * @param\n    [operation] function that takes the index of an element, the element itself\n * and current accumulator value, and\n    calculates the next accumulator value.\n * \n * @sample\n    samples.collections.Collections.Aggregates.reduceRight\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\n\npublic inline fun\n    ULongArray.reduceRightIndexed(operation: (index: Int, ULong, acc: ULong) -> ULong): ULong {\n    var index =\n    lastIndex\n    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var\n    accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index),\n        accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with last element

```

and applying [operation] from right to left to each element with its index in the original array and current accumulator value. @param [operation] function that takes the index of an element, the element itself and current accumulator value, and calculates the next accumulator value. @sample

`samples.collections.Collections.Aggregates.reduceRight`

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UByteArray.reduceRightIndexed(operation: (index: Int, UByte, acc: UByte) -> UByte): UByte {\n    var index =  
lastIndex\n    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var  
accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index),  
accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with last element  
and applying [operation] from right to left to each element with its index in the original array and current  
accumulator value. @param [operation] function that takes the index of an element, the element itself and  
current accumulator value, and calculates the next accumulator value. @sample
```

`samples.collections.Collections.Aggregates.reduceRight`

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun  
UShortArray.reduceRightIndexed(operation: (index: Int, UShort, acc: UShort) -> UShort): UShort {\n    var index =  
lastIndex\n    if (index < 0) throw UnsupportedOperationException("Empty array can't be reduced.")\n    var  
accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(index, get(index),  
accumulator)\n        --index\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value starting with last element  
and applying [operation] from right to left to each element and current accumulator value. Returns null if the array is  
empty. @sample
```

`samples.collections.Collections.Aggregates.reduceRightOrNull`

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl  
y\npublic inline fun  
UIntArray.reduceRightOrNull(operation: (UInt, acc: UInt) -> UInt): UInt? {\n    var index =  
lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value  
starting with last element and applying [operation] from right to left to each element and current accumulator value.  
Returns null if the array is empty. @sample
```

`samples.collections.Collections.Aggregates.reduceRightOrNull`

`samples.collections.Collections.Aggregates.reduceRightOrNull`

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl  
y\npublic inline fun  
ULongArray.reduceRightOrNull(operation: (ULong, acc: ULong) -> ULong): ULong? {\n    var  
index = lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value  
starting with last element and applying [operation] from right to left to each element and current accumulator value.  
Returns null if the array is empty. @sample
```

`samples.collections.Collections.Aggregates.reduceRightOrNull`

`samples.collections.Collections.Aggregates.reduceRightOrNull`

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl  
y\npublic inline fun  
UByteArray.reduceRightOrNull(operation: (UByte, acc: UByte) -> UByte): UByte? {\n    var  
index = lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Accumulates value  
starting with last element and applying [operation] from right to left to each element and current accumulator value.  
Returns null if the array is empty. @sample
```

`samples.collections.Collections.Aggregates.reduceRightOrNull`

`samples.collections.Collections.Aggregates.reduceRightOrNull`

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl  
y\npublic inline fun  
UShortArray.reduceRightOrNull(operation: (UShort, acc: UShort) -> UShort): UShort? {\n    var  
index = lastIndex\n    if (index < 0) return null\n    var accumulator = get(index--)\n    while (index >= 0) {\n        accumulator = operation(get(index--), accumulator)\n    }\n    return accumulator\n}\n\n/**\n * Returns a list  
containing successive accumulation values generated by applying [operation] from left to right to each element  
and current accumulator value that starts with [initial] value. @param Note that `acc` value passed to [operation]  
function should not be mutated; otherwise it would affect the previous value in resulting list. @param
```

`samples.collections.Collections.Aggregates.reduceRightOrNull`

```

[operation] function that takes current accumulator value and an element, and calculates the next accumulator
value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UIntArray.scan(initial: R, operation: (acc: R, UInt) -> R): List<R> {\n if (isEmpty())
return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator = initial\n
for (element in this) {\n accumulator = operation(accumulator, element)\n result.add(accumulator)\n }\n
return result\n}\n\n**\n * Returns a list containing successive accumulation values generated by applying
[operation] from left to right\n * to each element and current accumulator value that starts with [initial] value.\n * \n
* Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the
previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an
element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\n
public inline fun <R> ULongArray.scan(initial: R, operation: (acc: R, ULong) -> R): List<R> {\n if
(isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator =
initial\n for (element in this) {\n accumulator = operation(accumulator, element)\n
result.add(accumulator)\n }\n return result\n}\n\n**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element and current accumulator value that
starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n *
otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current
accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\n
public inline fun <R> UByteArray.scan(initial: R, operation: (acc: R, UByte) -> R): List<R> {\n if
(isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator =
initial\n for (element in this) {\n accumulator = operation(accumulator, element)\n
result.add(accumulator)\n }\n return result\n}\n\n**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element and current accumulator value that
starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n *
otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current
accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample
samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\n
public inline fun <R> UShortArray.scan(initial: R, operation: (acc: R, UShort) -> R): List<R> {\n if
(isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator =
initial\n for (element in this) {\n accumulator = operation(accumulator, element)\n
result.add(accumulator)\n }\n return result\n}\n\n**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and
current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function
should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation]
function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the
next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\n
public inline fun <R> UIntArray.scanIndexed(initial: R, operation: (index: Int, acc: R, UInt) -> R): List<R> {\n
if (isEmpty()) return listOf(initial)\n val result = ArrayList<R>(size + 1).apply { add(initial) }\n var accumulator
= initial\n for (index in indices) {\n accumulator = operation(index, accumulator, this[index])\n
result.add(accumulator)\n }\n return result\n}\n\n**\n * Returns a list containing successive accumulation
values generated by applying [operation] from left to right\n * to each element, its index in the original array and

```

current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> ULongArray.scanIndexed(initial: R, operation: (index: Int, acc: R, ULong) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (index in indices) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UByteArray.scanIndexed(initial: R, operation: (index: Int, acc: R, UByte) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (index in indices) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with [initial] value.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scan\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R> UShortArray.scanIndexed(initial: R, operation: (index: Int, acc: R, UShort) -> R): List<R> {\n    if (isEmpty()) return listOf(initial)\n    val result = ArrayList<R>(size + 1).apply { add(initial) }\n    var accumulator = initial\n    for (index in indices) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.scanReduce(operation: (acc: UInt, UInt) -> UInt): List<UInt> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<UInt>(size).apply { add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.scanReduce(operation: (acc: ULong, ULong) -> ULong): List<ULong> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<ULong>(size).apply { add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(accumulator, this[index])\n
```

result.add(accumulator)\n } \n return result\n}\n\n**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByteArray.scanReduce(operation: (acc: UByte, UByte) -> UByte): List<UByte> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<UByte>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element and current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes current accumulator value and an element, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShortArray.scanReduce(operation: (acc: UShort, UShort) -> UShort): List<UShort> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<UShort>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UIntArray.scanReduceIndexed(operation: (index: Int, acc: UInt, UInt) -> UInt): List<UInt> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<UInt>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample samples.collections.Collections.Aggregates.scanReduce\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun ULongArray.scanReduceIndexed(operation: (index: Int, acc: ULong, ULong) -> ULong): List<ULong> {\n if (isEmpty()) return emptyList()\n var accumulator = this[0]\n val result = ArrayList<ULong>(size).apply { add(accumulator) }\n for (index in 1 until size) {\n accumulator = operation(index, accumulator, this[index])\n result.add(accumulator)\n }\n return result\n}\n\n**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * \n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * \n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * \n * @sample
```

samples.collections.Collections.Aggregates.scanReduce

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\n\npublic inline fun UByteArray.scanReduceIndexed(operation: (index: Int, acc: UByte, UByte) -> UByte): List<UByte> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<UByte>(size).apply { add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns a list containing successive accumulation values generated by applying [operation] from left to right\n * to each element, its index in the original array and current accumulator value that starts with the first element of this array.\n * Note that `acc` value passed to [operation] function should not be mutated;\n * otherwise it would affect the previous value in resulting list.\n * @param [operation] function that takes the index of an element, current accumulator value\n * and the element itself, and calculates the next accumulator value.\n * @sample samples.collections.Collections.Aggregates.scanReduce
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\n\npublic inline fun UShortArray.scanReduceIndexed(operation: (index: Int, acc: UShort, UShort) -> UShort): List<UShort> {\n    if (isEmpty()) return emptyList()\n    var accumulator = this[0]\n    val result = ArrayList<UShort>(size).apply { add(accumulator) }\n    for (index in 1 until size) {\n        accumulator = operation(index, accumulator, this[index])\n        result.add(accumulator)\n    }\n    return result\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\n\npublic inline fun UIntArray.sumBy(selector: (UInt) -> UInt): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\n\npublic inline fun ULongArray.sumBy(selector: (ULong) -> UInt): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\n\npublic inline fun UByteArray.sumBy(selector: (UByte) -> UInt): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\n\npublic inline fun UShortArray.sumBy(selector: (UShort) -> UInt): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\n\npublic inline fun UIntArray.sumByDouble(selector: (UInt) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\n\npublic inline fun ULongArray.sumByDouble(selector: (ULong) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\n\npublic inline fun UByteArray.sumByDouble(selector: (UByte) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in this) {\n        sum += selector(element)\n    }\n    return sum\n}\n\n/**\n * Returns the sum of all values produced by [selector] function applied to each element in the array.
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\n\npublic inline fun UShortArray.sumByDouble(selector: (UShort) -> Double): Double {\n    var sum: Double = 0.0\n    for (element in
```



```

this) {
    sum += selector(element)
}
return sum
}

/**
 * Returns a list of pairs built from the
 * elements of `this` array and the [other] array with the same index.
 * The returned list has length of the shortest
 * collection.
 * @sample samples.collections.Iterables.Operations.zipIterable
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public infix fun <R> UIntArray.zip(other: Array<out
R>): List<Pair<UInt, R>> {
    return zip(other) { t1, t2 -> t1 to t2 }
}

/**
 * Returns a list of pairs built from the
 * elements of `this` array and the [other] array with the same index.
 * The returned list has length of the shortest
 * collection.
 * @sample samples.collections.Iterables.Operations.zipIterable
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public infix fun <R> ULongArray.zip(other:
Array<out R>): List<Pair<ULong, R>> {
    return zip(other) { t1, t2 -> t1 to t2 }
}

/**
 * Returns a list of
 * pairs built from the elements of `this` array and the [other] array with the same index.
 * The returned list has
 * length of the shortest collection.
 * @sample samples.collections.Iterables.Operations.zipIterable
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public infix fun <R> UByteArray.zip(other: Array<out
R>): List<Pair<UByte, R>> {
    return zip(other) { t1, t2 -> t1 to t2 }
}

/**
 * Returns a list of pairs built
 * from the elements of `this` array and the [other] array with the same index.
 * The returned list has length of the
 * shortest collection.
 * @sample samples.collections.Iterables.Operations.zipIterable
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public infix fun <R> UShortArray.zip(other:
Array<out R>): List<Pair<UShort, R>> {
    return zip(other) { t1, t2 -> t1 to t2 }
}

/**
 * Returns a list of
 * values built from the elements of `this` array and the [other] array with the same index
 * using the provided
 * [transform] function applied to each pair of elements.
 * The returned list has length of the shortest collection.
 * @sample samples.collections.Iterables.Operations.zipIterableWithTransform
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun <R, V>
UIntArray.zip(other: Array<out R>, transform: (a: UInt, b: R) -> V): List<V> {
    val size = minOf(size,
other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

/**
 * Returns a list of values built from the elements of `this` array and the [other] array
 * with the same index
 * using the provided [transform] function applied to each pair of elements.
 * The returned
 * list has length of the shortest collection.
 * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun <R, V>
ULongArray.zip(other: Array<out R>, transform: (a: ULong, b: R) -> V): List<V> {
    val size = minOf(size,
other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

/**
 * Returns a list of values built from the elements of `this` array and the [other] array
 * with the same index
 * using the provided [transform] function applied to each pair of elements.
 * The returned
 * list has length of the shortest collection.
 * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun <R, V>
UByteArray.zip(other: Array<out R>, transform: (a: UByte, b: R) -> V): List<V> {
    val size = minOf(size,
other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

/**
 * Returns a list of values built from the elements of `this` array and the [other] array
 * with the same index
 * using the provided [transform] function applied to each pair of elements.
 * The returned
 * list has length of the shortest collection.
 * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun <R, V>
UShortArray.zip(other: Array<out R>, transform: (a: UShort, b: R) -> V): List<V> {
    val size = minOf(size,
other.size)
    val list = ArrayList<V>(size)
    for (i in 0 until size) {
        list.add(transform(this[i], other[i]))
    }
    return list
}

/**
 * Returns a list of pairs built from the elements of `this` collection and [other] array with
 * the same index.
 * The returned list has length of the shortest collection.
 * @sample
samples.collections.Iterables.Operations.zipIterable
 */
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public infix fun <R> UIntArray.zip(other:

```

```

Iterable<R>): List<Pair<UInt, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs
built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of
the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> ULongArray.zip(other:
Iterable<R>): List<Pair<ULong, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs
built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of
the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UByteArray.zip(other:
Iterable<R>): List<Pair<UByte, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs
built from the elements of `this` collection and [other] array with the same index.\n * The returned list has length of
the shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun <R> UShortArray.zip(other:
Iterable<R>): List<Pair<UShort, R>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of
values built from the elements of `this` array and the [other] collection with the same index\n * using the provided
[transform] function applied to each pair of elements.\n * The returned list has length of the shortest collection.\n *
\n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
UIntArray.zip(other: Iterable<R>, transform: (a: UInt, b: R) -> V): List<V> {\n    val arraySize = size\n    val list =
ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other) {\n
if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n * Returns a
list of values built from the elements of `this` array and the [other] collection with the same index\n * using the
provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
ULongArray.zip(other: Iterable<R>, transform: (a: ULong, b: R) -> V): List<V> {\n    val arraySize = size\n    val
list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other)
{\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n *
Returns a list of values built from the elements of `this` array and the [other] collection with the same index\n *
using the provided [transform] function applied to each pair of elements.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
UByteArray.zip(other: Iterable<R>, transform: (a: UByte, b: R) -> V): List<V> {\n    val arraySize = size\n    val list
= ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other) {\n
if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n * Returns a
list of values built from the elements of `this` array and the [other] collection with the same index\n * using the
provided [transform] function applied to each pair of elements.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <R, V>
UShortArray.zip(other: Iterable<R>, transform: (a: UShort, b: R) -> V): List<V> {\n    val arraySize = size\n    val
list = ArrayList<V>(minOf(other.collectionSizeOrDefault(10), arraySize))\n    var i = 0\n    for (element in other)
{\n        if (i >= arraySize) break\n        list.add(transform(this[i++], element))\n    }\n    return list\n}\n\n/**\n *
Returns a list of pairs built from the elements of `this` array and the [other] array with the same index.\n * The
returned list has length of the shortest collection.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterable\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UIntArray.zip(other: UIntArray):
List<Pair<UInt, UInt>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built from
the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the shortest
collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun ULongArray.zip(other: ULongArray):
List<Pair<ULong, ULong>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built
from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UByteArray.zip(other: UByteArray):
List<Pair<UByte, UByte>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of pairs built
from the elements of `this` array and the [other] array with the same index.\n * The returned list has length of the
shortest collection.\n * \n * @sample samples.collections.Iterables.Operations.zipIterable\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic infix fun UShortArray.zip(other: UShortArray):
List<Pair<UShort, UShort>> {\n    return zip(other) { t1, t2 -> t1 to t2 }\n}\n\n/**\n * Returns a list of values built
from the elements of `this` array and the [other] array with the same index\n * using the provided [transform]
function applied to each pair of elements.\n * The returned list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>
UIntArray.zip(other: UIntArray, transform: (a: UInt, b: UInt) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n
    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>
ULongArray.zip(other: ULongArray, transform: (a: ULong, b: ULong) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n
    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>
UByteArray.zip(other: UByteArray, transform: (a: UByte, b: UByte) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n
    }\n    return list\n}\n\n/**\n * Returns a list of values built from the elements of `this` array and the [other] array
with the same index\n * using the provided [transform] function applied to each pair of elements.\n * The returned
list has length of the shortest array.\n * \n * @sample
samples.collections.Iterables.Operations.zipIterableWithTransform\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun <V>
UShortArray.zip(other: UShortArray, transform: (a: UShort, b: UShort) -> V): List<V> {\n    val size = minOf(size,
other.size)\n    val list = ArrayList<V>(size)\n    for (i in 0 until size) {\n        list.add(transform(this[i], other[i]))\n
    }\n    return list\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*\n@kotlin.jvm.JvmName("sumOfUInt")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Array<out UInt>.sum(): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum += element\n    }\n
return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*\n@kotlin.jvm.JvmName("sumOfULong")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Array<out ULong>.sum(): ULong {\n    var sum: ULong = 0uL\n    for (element in this) {\n        sum += element\n
    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*\n@kotlin.jvm.JvmName("sumOfUByte")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Array<out UByte>.sum(): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum += element\n
    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the array.\n
*\n@kotlin.jvm.JvmName("sumOfUShort")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun

```

```

Array<out UShort>.sum(): UInt {
    var sum: UInt = 0
    for (element in this) {
        sum += element
    }
    return sum
}

```

* Returns the sum of all elements in the array.

```

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UIntArray.sum(): UInt {
    return storage.sum().toUInt()
}

```

* Returns the sum of all elements in the array.

```

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
ULongArray.sum(): ULong {
    return storage.sum().toULong()
}

```

* Returns the sum of all elements in the array.

```

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UByteArray.sum(): UInt {
    return sumBy { it.toUInt() }
}

```

* Returns the sum of all elements in the array.

```

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
@kotlin.internal.InlineOnly
public inline fun
UShortArray.sum(): UInt {
    return sumBy { it.toUInt() }
}

```

* Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.
* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

```

@file:kotlin.jvm.JvmMultifileClass
@file:kotlin.jvm.JvmName("UCollectionsKt")
package
kotlin.collections
// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt
See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib
import kotlin.random.*
import
kotlin.ranges.contains
import kotlin.ranges.reversed

```

* Returns an array of UByte containing all of the elements of this collection.

```

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun
Collection<UByte>.toUByteArray(): UByteArray {
    val result = UByteArray(size)
    var index = 0
    for (element in this)
        result[index++] = element
    return result
}

```

* Returns an array of UInt containing all of the elements of this collection.

```

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun
Collection<UInt>.toUIntArray(): UIntArray {
    val result = UIntArray(size)
    var index = 0
    for (element in this)
        result[index++] = element
    return result
}

```

* Returns an array of ULong containing all of the elements of this collection.

```

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun
Collection<ULong>.toULongArray(): ULongArray {
    val result = ULongArray(size)
    var index = 0
    for (element in this)
        result[index++] = element
    return result
}

```

* Returns an array of UShort containing all of the elements of this collection.

```

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun Collection<UShort>.toUShortArray():
UShortArray {
    val result = UShortArray(size)
    var index = 0
    for (element in this)
        result[index++] =
element
    return result
}

```

* Returns the sum of all elements in the collection.

```

@kotlin.jvm.JvmName("sumOfUInt")
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun
Iterable<UInt>.sum(): UInt {
    var sum: UInt = 0
    for (element in this) {
        sum += element
    }
    return sum
}

```

* Returns the sum of all elements in the collection.

```

@kotlin.jvm.JvmName("sumOfULong")
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun
Iterable<ULong>.sum(): ULong {
    var sum: ULong = 0
    for (element in this) {
        sum += element
    }
    return sum
}

```

* Returns the sum of all elements in the collection.

```

@kotlin.jvm.JvmName("sumOfUByte")
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun
Iterable<UByte>.sum(): UInt {
    var sum: UInt = 0
    for (element in this) {
        sum += element
    }
    return sum
}

```

* Returns the sum of all elements in the collection.

```

@kotlin.jvm.JvmName("sumOfUShort")
@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun
Iterable<UShort>.sum(): UInt {
    var sum: UInt = 0
    for (element in this) {
        sum += element
    }
    return sum
}

```

* Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.
* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

```

@file:kotlin.jvm.JvmMultifileClass
@file:kotlin.jvm.JvmName("UComparisonsKt")
package
kotlin.comparisons
// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt
See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib
import kotlin.random.*

```

* Returns the greater of two values.

```

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun maxOf(a: UInt, b:
UInt): UInt {
    return if (a >= b) a else b
}

```

* Returns the greater of two values.

```

@SinceKotlin("1.3")
@ExperimentalUnsignedTypes
public fun maxOf(a: ULong, b: ULong): ULong {

```

```

return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun maxOf(a: UByte, b: UByte): UByte {\n
return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of two values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun maxOf(a: UShort, b: UShort): UShort {\n
return if (a >= b) a else b\n}\n\n/**\n * Returns the greater of three values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
maxOf(a: UInt, b: UInt, c: UInt): UInt {\n    return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater of three
values.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun maxOf(a: ULong, b: ULong, c: ULong): ULong {\n    return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the
greater of three values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
maxOf(a: UByte, b: UByte, c: UByte): UByte {\n    return maxOf(a, maxOf(b, c))\n}\n\n/**\n * Returns the greater
of three values.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun maxOf(a: UShort, b: UShort, c: UShort): UShort {\n    return maxOf(a, maxOf(b, c))\n}\n\n/**\n *
Returns the smaller of two values.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
minOf(a: UInt, b: UInt): UInt {\n    return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: ULong, b: ULong): ULong {\n
return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: UByte, b: UByte): UByte {\n
return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of two values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun minOf(a: UShort, b: UShort): UShort {\n
return if (a <= b) a else b\n}\n\n/**\n * Returns the smaller of three values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
minOf(a: UInt, b: UInt, c: UInt): UInt {\n    return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller of three
values.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline
fun minOf(a: ULong, b: ULong, c: ULong): ULong {\n    return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the
smaller of three values.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
minOf(a: UByte, b: UByte, c: UByte): UByte {\n    return minOf(a, minOf(b, c))\n}\n\n/**\n * Returns the smaller
of three values.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic
inline fun minOf(a: UShort, b: UShort, c: UShort): UShort {\n    return minOf(a, minOf(b, c))\n}\n\n"/*\n *
Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("URangesKt")\n\npackage
kotlin.ranges\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\n\n/**\n * Returns a
random element from this range.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
UIntRange.random(): UInt {\n    return random(Random)\n}\n\n/**\n * Returns a random element from this range.\n
*\n * @throws IllegalArgumentException if this range is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun
ULongRange.random(): ULong {\n    return random(Random)\n}\n\n/**\n * Returns a random element from this
range using the specified source of randomness.\n * \n * @throws IllegalArgumentException if this range is
empty.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UIntRange.random(random:
Random): UInt {\n    try {\n        return random.nextUInt(this)\n    } catch(e: IllegalArgumentException) {\n
throw NoSuchElementException(e.message)\n    }\n}\n\n/**\n * Returns a random element from this range using
the specified source of randomness.\n * \n * @throws IllegalArgumentException if this range is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULongRange.random(random: Random):

```



```

[minimumValue] or the [minimumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtLeastUnsigned\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShort.coerceAtLeast(minimumValue:
UShort): UShort {\n    return if (this < minimumValue) minimumValue else this\n}\n\n/**\n * Ensures that this
value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the
[maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMostUnsigned\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UInt.coerceAtMost(maximumValue: UInt):
UInt {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this value is not
greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the
[maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMostUnsigned\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULong.coerceAtMost(maximumValue:
ULong): ULong {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this
value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the
[maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMostUnsigned\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByte.coerceAtMost(maximumValue:
UByte): UByte {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this
value is not greater than the specified [maximumValue].\n * \n * @return this value if it's less than or equal to the
[maximumValue] or the [maximumValue] otherwise.\n * \n * @sample
samples.comparisons.ComparableOps.coerceAtMostUnsigned\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShort.coerceAtMost(maximumValue:
UShort): UShort {\n    return if (this > maximumValue) maximumValue else this\n}\n\n/**\n * Ensures that this
value lies in the specified range [minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range,
or [minimumValue] if this value is less than [minimumValue], or [maximumValue] if this value is greater than
[maximumValue].\n * \n * @sample samples.comparisons.ComparableOps.coerceInUnsigned\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UInt.coerceIn(minimumValue: UInt,
maximumValue: UInt): UInt {\n    if (minimumValue > maximumValue) throw IllegalArgumentException("Cannot
coerce value to an empty range: maximum $maximumValue is less than minimum $minimumValue.")\n    if (this <
minimumValue) return minimumValue\n    if (this > maximumValue) return maximumValue\n    return
this\n}\n\n/**\n * Ensures that this value lies in the specified range [minimumValue]..[maximumValue].\n * \n *
@return this value if it's in the range, or [minimumValue] if this value is less than [minimumValue], or
[maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceInUnsigned\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULong.coerceIn(minimumValue: ULong,
maximumValue: ULong): ULong {\n    if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue)
return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified range
[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceInUnsigned\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UByte.coerceIn(minimumValue: UByte,
maximumValue: UByte): UByte {\n    if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue)
return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified range

```



```

[minimumValue]..[maximumValue].\n * \n * @return this value if it's in the range, or [minimumValue] if this value
is less than [minimumValue], or [maximumValue] if this value is greater than [maximumValue].\n * \n * @sample
samples.comparisons.ComparableOps.coerceInUnsigned\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UShort.coerceIn(minimumValue: UShort,
maximumValue: UShort): UShort {\n    if (minimumValue > maximumValue) throw
IllegalArgumentException("Cannot coerce value to an empty range: maximum $maximumValue is less than
minimum $minimumValue.")\n    if (this < minimumValue) return minimumValue\n    if (this > maximumValue)
return maximumValue\n    return this\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n *
@return this value if it's in the [range], or `range.start` if this value is less than `range.start`, or `range.endInclusive`
if this value is greater than `range.endInclusive`.\n * \n * @sample
samples.comparisons.ComparableOps.coerceInUnsigned\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun UInt.coerceIn(range: ClosedRange<UInt>):
UInt {\n    if (range is ClosedFloatingPointRange) {\n        return this.coerceIn<UInt>(range)\n    }\n    if
(range.isEmpty()) throw IllegalArgumentException("Cannot coerce value to an empty range: $range.")\n    return
when {\n        this < range.start -> range.start\n        this > range.endInclusive -> range.endInclusive\n        else ->
this\n    }\n}\n\n/**\n * Ensures that this value lies in the specified [range].\n * \n * @return this value if it's in the
[range], or `range.start` if this value is less than `range.start`, or `range.endInclusive` if this value is greater than
`range.endInclusive`.\n * \n * @sample samples.comparisons.ComparableOps.coerceInUnsigned\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun ULong.coerceIn(range:
ClosedRange<ULong>): ULong {\n    if (range is ClosedFloatingPointRange) {\n        return
this.coerceIn<ULong>(range)\n    }\n    if (range.isEmpty()) throw IllegalArgumentException("Cannot coerce value
to an empty range: $range.")\n    return when {\n        this < range.start -> range.start\n        this >
range.endInclusive -> range.endInclusive\n        else -> this\n    }\n}\n\n"/\n * Copyright 2010-2019 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("USequencesKt")\n\npackage
kotlin.sequences\n\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.random.*\n\n/**\n * Returns the
sum of all elements in the sequence.\n * \n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("sumOfUInt")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Sequence<UInt>.sum(): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum += element\n    }\n
return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n * \n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("sumOfULong")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Sequence<ULong>.sum(): ULong {\n    var sum: ULong = 0uL\n    for (element in this) {\n        sum += element\n
    }\n    return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n * \n * The operation is
_terminal_.\n
*\n@kotlin.jvm.JvmName("sumOfUByte")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Sequence<UByte>.sum(): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum += element\n    }\n
return sum\n}\n\n/**\n * Returns the sum of all elements in the sequence.\n * \n * The operation is _terminal_.\n
*\n@kotlin.jvm.JvmName("sumOfUShort")\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Sequence<UShort>.sum(): UInt {\n    var sum: UInt = 0u\n    for (element in this) {\n        sum += element\n    }\n
return sum\n}\n\n"/\n * Copyright 2010-2015 JetBrains s.r.o.\n * \n * Licensed under the Apache License,
Version 2.0 (the "License");\n * you may not use this file except in compliance with the License.\n * You may
obtain a copy of the License at\n * \n * http://www.apache.org/licenses/LICENSE-2.0\n * \n * Unless required by
applicable law or agreed to in writing, software\n * distributed under the License is distributed on an "AS IS"
BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.\n * See the
License for the specific language governing permissions and\n * limitations under the License.\n *\n\npackage
kotlin.collections\n\nimport kotlin.internal.PlatformDependent\n\n/**\n * Classes that inherit from this interface can

```

be represented as a sequence of elements that can be iterated over. @param T the type of element being iterated over. The iterator is covariant on its element type.

```

public interface Iterable<out T> {
    /**
     * Returns an iterator over the elements of this object.
     */
    public operator fun iterator(): Iterator<T>
}

```

Classes that inherit from this interface can be represented as a sequence of elements that can be iterated over and that supports removing elements during iteration. @param T the type of element being iterated over. The mutable iterator is invariant on its element type.

```

public interface MutableIterable<out T> : Iterable<T> {
    /**
     * Returns an iterator over the elements of this sequence that supports removing elements during iteration.
     */
    override fun iterator(): MutableIterator<T>
}

```

A generic collection of elements. Methods in this interface support only read-only access to the collection; read/write access is supported through the [MutableCollection] interface. @param E the type of elements contained in the collection. The collection is covariant on its element type.

```

public interface Collection<out E> : Iterable<E> {
    // Query Operations
    /**
     * Returns the size of the collection.
     */
    public val size: Int

    /**
     * Returns `true` if the collection is empty (contains no elements), `false` otherwise.
     */
    public fun isEmpty(): Boolean

    /**
     * Checks if the specified element is contained in this collection.
     */
    public operator fun contains(element: @UnsafeVariance E): Boolean

    override fun iterator(): Iterator<E>

    // Bulk Operations
    /**
     * Checks if all elements in the specified collection are contained in this collection.
     */
    public fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean

    // Modification Operations
    /**
     * Adds the specified element to the collection.
     * @return `true` if the element has been added, `false` if the collection does not support duplicates and the element is already contained in the collection.
     */
    public fun add(element: E): Boolean

    /**
     * Removes a single instance of the specified element from this collection, if it is present.
     * @return `true` if the element has been successfully removed; `false` if it was not present in the collection.
     */
    public fun remove(element: E): Boolean

    // Bulk Modification Operations
    /**
     * Adds all of the elements of the specified collection to this collection.
     * @return `true` if any of the specified elements was added to the collection, `false` if the collection was not modified.
     */
    public fun addAll(elements: Collection<E>): Boolean

    /**
     * Removes all of this collection's elements that are also contained in the specified collection.
     * @return `true` if any of the specified elements was removed from the collection, `false` if the collection was not modified.
     */
    public fun removeAll(elements: Collection<E>): Boolean

    /**
     * Retains only the elements in this collection that are contained in the specified collection.
     * @return `true` if any element was removed from the collection, `false` if the collection was not modified.
     */
    public fun retainAll(elements: Collection<E>): Boolean

    /**
     * Removes all elements from this collection.
     */
    public fun clear(): Unit
}

```

A generic ordered collection of elements. Methods in this interface support only read-only access to the list; read/write access is supported through the [MutableList] interface. @param E the type of elements contained in the list. The list is covariant on its element type.

```

public interface List<out E> : Collection<E> {
    // Query Operations
    override val size: Int
    override fun isEmpty(): Boolean
    override fun contains(element: @UnsafeVariance E): Boolean
    override fun iterator(): Iterator<E>

    // Bulk Operations
    override fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean

    // Positional Access Operations
    /**
     * Returns the element at the specified index in the list.
     */
    public operator fun get(index: Int): E

    // Search Operations
    /**
     * Returns the index of the first occurrence of the specified element in the list, or -1 if the specified element is not contained in the list.
     */
    public fun indexOf(element: @UnsafeVariance E): Int

    /**
     * Returns the index of the last occurrence of the specified element in the list, or -1 if the specified element is not contained in the list.
     */
    public fun lastIndexOf(element: @UnsafeVariance E): Int

    // List Iterators
    /**
     * Returns a list iterator over the elements in this list (in proper sequence).
     */
    public fun listIterator(): ListIterator<E>

    /**
     * Returns a list iterator over the elements in this list (in proper sequence), starting at the specified [index].
     */
    public

```

```

fun listIterator(index: Int): ListIterator<E> {
    // View
    /**
     * Returns a view of the portion of this list
     * between the specified [fromIndex] (inclusive) and [toIndex] (exclusive).
     * The returned list is backed by this
     * list, so non-structural changes in the returned list are reflected in this list, and vice-versa.
     * Structural
     * changes in the base list make the behavior of the view undefined.
     */
    public fun subList(fromIndex: Int,
toIndex: Int): List<E> {
    }
}
/**
 * A generic ordered collection of elements that supports adding and removing
 * elements.
 * @param E the type of elements contained in the list. The mutable list is invariant on its element
 * type.
 */
public interface MutableList<E> : List<E>, MutableCollection<E> {
    // Modification Operations
    /**
     * Adds the specified element to the end of this list.
     */
    @return `true` because the list is always
    modified as the result of this operation.
    override fun add(element: E): Boolean

    override fun
    remove(element: E): Boolean

    // Bulk Modification Operations
    /**
     * Adds all of the elements of the
     * specified collection to the end of this list.
     */
    @return `true` if the list was changed as the result of the operation.
    override fun
    addAll(elements: Collection<E>): Boolean

    /**
     * Inserts all of the elements of the specified
     * collection [elements] into this list at the specified [index].
     */
    @return `true` if the list was changed as the
    result of the operation.
    public fun addAll(index: Int, elements: Collection<E>): Boolean

    override
    fun removeAll(elements: Collection<E>): Boolean

    override fun retainAll(elements: Collection<E>): Boolean

    override fun clear(): Unit

    // Positional Access Operations
    /**
     * Replaces the element at the specified
     * position in this list with the specified element.
     */
    @return the element previously at the specified
    position.
    public operator fun set(index: Int, element: E): E

    /**
     * Inserts an element into the list
     * at the specified [index].
     */
    public fun add(index: Int, element: E): Unit

    /**
     * Removes an element
     * at the specified [index] from the list.
     */
    @return the element that has been removed.
    public fun
    removeAt(index: Int): E

    // List Iterators
    override fun listIterator(): MutableListIterator<E>

    override
    fun listIterator(index: Int): MutableListIterator<E>

    // View
    override fun subList(fromIndex: Int, toIndex:
Int): MutableList<E>
}
/**
 * A generic unordered collection of elements that does not support duplicate
 * elements.
 * Methods in this interface support only read-only access to the set;
 * read/write access is supported
 * through the [MutableSet] interface.
 * @param E the type of elements contained in the set. The set is covariant on
 * its element type.
 */
public interface Set<out E> : Collection<E> {
    // Query Operations
    override val size:
Int

    override fun isEmpty(): Boolean

    override fun contains(element: @UnsafeVariance E): Boolean

    override fun iterator(): Iterator<E>

    // Bulk Operations
    override fun containsAll(elements:
Collection<@UnsafeVariance E>): Boolean
}
/**
 * A generic unordered collection of elements that does not
 * support duplicate elements, and supports
 * adding and removing elements.
 * @param E the type of elements
 * contained in the set. The mutable set is invariant on its element type.
 */
public interface MutableSet<E> :
Set<E>, MutableCollection<E> {
    // Query Operations
    override fun iterator(): MutableIterator<E>

    //
    // Modification Operations
    /**
     * Adds the specified element to the set.
     */
    @return `true` if the
    element has been added, `false` if the element is already contained in the set.
    override fun add(element:
E): Boolean

    override fun remove(element: E): Boolean

    // Bulk Modification Operations
    override
    fun addAll(elements: Collection<E>): Boolean

    override fun removeAll(elements: Collection<E>): Boolean

    override fun retainAll(elements: Collection<E>): Boolean

    override fun clear(): Unit
}
/**
 * A collection
 * that holds pairs of objects (keys and values) and supports efficiently retrieving
 * the value corresponding to each
 * key. Map keys are unique; the map holds only one value for each key.
 * Methods in this interface support only
 * read-only access to the map; read-write access is supported through
 * the [MutableMap] interface.
 * @param K the type of map keys. The map is invariant on its key type, as it
 * can accept key as a parameter (of
 * [containsKey] for example) and return it in [keys] set.
 * @param V the type of map values. The map is covariant
 * on its value type.
 */
public interface Map<K, out V> {
    // Query Operations
    /**
     * Returns the number
     * of key/value pairs in the map.
     */
    public val size: Int

    /**
     * Returns `true` if the map is empty
     * (contains no elements), `false` otherwise.
     */
    public fun isEmpty(): Boolean

    /**
     * Returns `true` if
     * the map contains the specified [key].
     */
    public fun containsKey(key: K): Boolean

    /**
     * Returns
     * `true` if the map maps one or more keys to the specified [value].
     */
    public fun containsValue(value:

```

```

@UnsafeVariance V): Boolean\n\n /**\n * Returns the value corresponding to the given [key], or `null` if such
a key is not present in the map.\n */\n public operator fun get(key: K): V?\n\n /**\n * Returns the value
corresponding to the given [key], or [defaultValue] if such a key is not present in the map.\n */\n * @since JDK
1.8\n */\n @SinceKotlin("1.1")\n @PlatformDependent\n public fun getOrDefault(key: K, defaultValue:
@UnsafeVariance V): V {\n // See default implementation in JDK sources\n return null as V\n }\n\n //
Views\n /**\n * Returns a read-only [Set] of all keys in this map.\n */\n public val keys: Set<K>\n\n /**\n
* Returns a read-only [Collection] of all values in this map. Note that this collection may contain duplicate
values.\n */\n public val values: Collection<V>\n\n /**\n * Returns a read-only [Set] of all key/value pairs
in this map.\n */\n public val entries: Set<Map.Entry<K, V>>\n\n /**\n * Represents a key/value pair held
by a [Map].\n */\n public interface Entry<out K, out V> {\n /**\n * Returns the key of this key/value
pair.\n */\n public val key: K\n\n /**\n * Returns the value of this key/value pair.\n */\n
public val value: V\n }\n\n /**\n * A modifiable collection that holds pairs of objects (keys and values) and
supports efficiently retrieving\n * the value corresponding to each key. Map keys are unique; the map holds only one
value for each key.\n * @param K the type of map keys. The map is invariant on its key type.\n * @param V the
type of map values. The mutable map is invariant on its value type.\n */\n public interface MutableMap<K, V> :
Map<K, V> {\n // Modification Operations\n /**\n * Associates the specified [value] with the specified [key]
in the map.\n */\n * @return the previous value associated with the key, or `null` if the key was not present in
the map.\n */\n public fun put(key: K, value: V): V?\n\n /**\n * Removes the specified key and its
corresponding value from this map.\n */\n * @return the previous value associated with the key, or `null` if the
key was not present in the map.\n */\n public fun remove(key: K): V?\n\n /**\n * Removes the entry for the
specified key only if it is mapped to the specified value.\n */\n * @return true if entry was removed\n */\n
@SinceKotlin("1.1")\n @PlatformDependent\n public fun remove(key: K, value: V): Boolean {\n // See
default implementation in JDK sources\n return true\n }\n\n // Bulk Modification Operations\n /**\n *
Updates this map with key/value pairs from the specified map [from].\n */\n public fun putAll(from: Map<out
K, V>): Unit\n\n /**\n * Removes all elements from this map.\n */\n public fun clear(): Unit\n\n //
Views\n /**\n * Returns a [MutableSet] of all keys in this map.\n */\n override val keys:
MutableSet<K>\n\n /**\n * Returns a [MutableCollection] of all values in this map. Note that this collection
may contain duplicate values.\n */\n override val values: MutableCollection<V>\n\n /**\n * Returns a
[MutableSet] of all key/value pairs in this map.\n */\n override val entries:
MutableSet<MutableMap.MutableEntry<K, V>>\n\n /**\n * Represents a key/value pair held by a
[MutableMap].\n */\n public interface MutableEntry<K, V> : Map.Entry<K, V> {\n /**\n * Changes
the value associated with the key of this entry.\n */\n * @return the previous value corresponding to the
key.\n */\n public fun setValue(newValue: V): V\n }\n\n /**\n * Copyright 2010-2019 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n */\n\n // Auto-generated file. DO NOT EDIT!\n\n package
kotlin.collections\n\n /**\n * An iterator over a sequence of values of type `Byte`. \n */\n public abstract class ByteIterator :
Iterator<Byte> {\n override final fun next() = nextByte()\n\n /**\n * Returns the next value in the sequence without
boxing. \n */\n public abstract fun nextByte(): Byte\n }\n\n /**\n * An iterator over a sequence of values of type `Char`. \n
*/\n public abstract class CharIterator : Iterator<Char> {\n override final fun next() = nextChar()\n\n /**\n * Returns
the next value in the sequence without boxing. \n */\n public abstract fun nextChar(): Char\n }\n\n /**\n * An iterator over
a sequence of values of type `Short`. \n */\n public abstract class ShortIterator : Iterator<Short> {\n override final fun
next() = nextShort()\n\n /**\n * Returns the next value in the sequence without boxing. \n */\n public abstract fun
nextShort(): Short\n }\n\n /**\n * An iterator over a sequence of values of type `Int`. \n */\n public abstract class IntIterator :
Iterator<Int> {\n override final fun next() = nextInt()\n\n /**\n * Returns the next value in the sequence without
boxing. \n */\n public abstract fun nextInt(): Int\n }\n\n /**\n * An iterator over a sequence of values of type `Long`. \n
*/\n public abstract class LongIterator : Iterator<Long> {\n override final fun next() = nextLong()\n\n /**\n * Returns
the next value in the sequence without boxing. \n */\n public abstract fun nextLong(): Long\n }\n\n /**\n * An iterator
over a sequence of values of type `Float`. \n */\n public abstract class FloatIterator : Iterator<Float> {\n override final

```

```

fun next() = nextFloat()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun
nextFloat(): Float\n\n/** An iterator over a sequence of values of type `Double`. */\npublic abstract class
DoubleIterator : Iterator<Double> {\n override final fun next() = nextDouble()\n\n /** Returns the next value in
the sequence without boxing. */\n public abstract fun nextDouble(): Double\n\n/** An iterator over a sequence
of values of type `Boolean`. */\npublic abstract class BooleanIterator : Iterator<Boolean> {\n override final fun
next() = nextBoolean()\n\n /** Returns the next value in the sequence without boxing. */\n public abstract fun
nextBoolean(): Boolean\n\n", "/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\n/**\n * An
iterator over a progression of values of type `Char`. */\n * @property step the number by which the value is
incremented on each step.\n */\ninternal class CharProgressionIterator(first: Char, last: Char, val step: Int) :
CharIterator() {\n private val finalElement = last.toInt()\n private var hasNext: Boolean = if (step > 0) first <=
last else first >= last\n private var next = if (hasNext) first.toInt() else finalElement\n\n override fun hasNext():
Boolean = hasNext\n\n override fun nextChar(): Char {\n val value = next\n if (value == finalElement) {\n
if (!hasNext) throw kotlin.NoSuchElementException()\n hasNext = false\n }\n else {\n
next += step\n }\n return value.toChar()\n }\n}\n\n/**\n * An iterator over a progression of values of
type `Int`. */\n * @property step the number by which the value is incremented on each step.\n */\ninternal class
IntProgressionIterator(first: Int, last: Int, val step: Int) : IntIterator() {\n private val finalElement = last\n private
var hasNext: Boolean = if (step > 0) first <= last else first >= last\n private var next = if (hasNext) first else
finalElement\n\n override fun hasNext(): Boolean = hasNext\n\n override fun nextInt(): Int {\n val value =
next\n if (value == finalElement) {\n if (!hasNext) throw kotlin.NoSuchElementException()\n
hasNext = false\n }\n else {\n next += step\n }\n return value\n }\n}\n\n/**\n * An iterator
over a progression of values of type `Long`. */\n * @property step the number by which the value is incremented on
each step.\n */\ninternal class LongProgressionIterator(first: Long, last: Long, val step: Long) : LongIterator() {\n
private val finalElement = last\n private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n
private var next = if (hasNext) first else finalElement\n\n override fun hasNext(): Boolean = hasNext\n\n
override fun nextLong(): Long {\n val value = next\n if (value == finalElement) {\n if (!hasNext)
throw kotlin.NoSuchElementException()\n hasNext = false\n }\n else {\n next += step\n }\n
return value\n }\n}\n\n", "/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\nimport
kotlin.internal.getProgressionLastElement\n\n/**\n * A progression of values of type `Char`. */\n */\npublic open class
CharProgression\n internal constructor\n (\n start: Char,\n endInclusive: Char,\n step: Int\n
): Iterable<Char> {\n init {\n if (step == 0) throw kotlin.IllegalArgumentException("\u0027Step must be non-
zero.\u0027")\n if (step == Int.MIN_VALUE) throw kotlin.IllegalArgumentException("\u0027Step must be greater than
Int.MIN_VALUE to avoid overflow on negation.\u0027")\n }\n\n /**\n * The first element in the progression.\n
*/\n public val first: Char = start\n\n /**\n * The last element in the progression.\n */\n public val last:
Char = getProgressionLastElement(start.toInt(), endInclusive.toInt(), step).toChar()\n\n /**\n * The step of the
progression.\n */\n public val step: Int = step\n\n override fun iterator(): CharIterator =
CharProgressionIterator(first, last, step)\n\n /**\n * Checks if the progression is empty. */\n public open fun
isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n override fun equals(other: Any?): Boolean =\n
other is CharProgression && (isEmpty() && other.isEmpty()) ||\n first == other.first && last == other.last &&
step == other.step)\n\n override fun hashCode(): Int =\n if (isEmpty()) -1 else (31 * (31 * first.toInt() +
last.toInt()) + step)\n\n override fun toString(): String = if (step > 0) "\u0024first..\u0024last step \u0024step" else "\u0024first downTo
\u0024last step \u0024{-step}"\n\n companion object {\n /**\n * Creates CharProgression within the specified
bounds of a closed range.\n * The progression starts with the [rangeStart] value and goes toward the
[rangeEnd] value not excluding it, with the specified [step].\n * In order to go backwards the [step] must be
negative.\n * [step] must be greater than `Int.MIN_VALUE` and not equal to zero.\n */\n }
}

```

```

public fun fromClosedRange(rangeStart: Char, rangeEnd: Char, step: Int): CharProgression =
CharProgression(rangeStart, rangeEnd, step)\n }\n}\n\n/**\n * A progression of values of type `Int`.\n */\n\npublic
open class IntProgression\n internal constructor\n (\n start: Int,\n endInclusive: Int,\n step:
Int\n ): Iterable<Int> {\n init {\n if (step == 0) throw kotlin.IllegalArgumentException("Step must be non-
zero.")\n if (step == Int.MIN_VALUE) throw kotlin.IllegalArgumentException("Step must be greater than
Int.MIN_VALUE to avoid overflow on negation.")\n }\n\n /**\n * The first element in the progression.\n
*/\n\n public val first: Int = start\n\n /**\n * The last element in the progression.\n */\n\n public val last: Int =
getProgressionLastElement(start.toInt(), endInclusive.toInt(), step).toInt()\n\n /**\n * The step of the
progression.\n */\n\n public val step: Int = step\n\n override fun iterator(): IntIterator =
IntProgressionIterator(first, last, step)\n\n /** Checks if the progression is empty. */\n\n public open fun
isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n override fun equals(other: Any?): Boolean =\n
other is IntProgression && (isEmpty() && other.isEmpty()) ||\n first == other.first && last == other.last &&
step == other.step)\n\n override fun hashCode(): Int =\n if (isEmpty()) -1 else (31 * (31 * first + last) +
step)\n\n override fun toString(): String = if (step > 0) "$first..$last step $step" else "$first downTo $last step ${-
step}"\n\n companion object {\n /**\n * Creates IntProgression within the specified bounds of a closed
range.\n\n * The progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not
excluding it, with the specified [step].\n\n * In order to go backwards the [step] must be negative.\n\n * [step] must be greater than `Int.MIN_VALUE` and not equal to zero.\n\n */\n\n public fun
fromClosedRange(rangeStart: Int, rangeEnd: Int, step: Int): IntProgression = IntProgression(rangeStart, rangeEnd,
step)\n }\n}\n\n/**\n * A progression of values of type `Long`.\n */\n\npublic open class LongProgression\n
internal constructor\n (\n start: Long,\n endInclusive: Long,\n step: Long\n ):
Iterable<Long> {\n init {\n if (step == 0L) throw kotlin.IllegalArgumentException("Step must be non-
zero.")\n if (step == Long.MIN_VALUE) throw kotlin.IllegalArgumentException("Step must be greater than
Long.MIN_VALUE to avoid overflow on negation.")\n }\n\n /**\n * The first element in the progression.\n
*/\n\n public val first: Long = start\n\n /**\n * The last element in the progression.\n */\n\n public val last:
Long = getProgressionLastElement(start.toLong(), endInclusive.toLong(), step).toLong()\n\n /**\n * The step
of the progression.\n */\n\n public val step: Long = step\n\n override fun iterator(): LongIterator =
LongProgressionIterator(first, last, step)\n\n /** Checks if the progression is empty. */\n\n public open fun
isEmpty(): Boolean = if (step > 0) first > last else first < last\n\n override fun equals(other: Any?): Boolean =\n
other is LongProgression && (isEmpty() && other.isEmpty()) ||\n first == other.first && last == other.last &&
step == other.step)\n\n override fun hashCode(): Int =\n if (isEmpty()) -1 else (31 * (31 * (first xor (first ushr
32)) + (last xor (last ushr 32))) + (step xor (step ushr 32))).toInt()\n\n override fun toString(): String = if (step > 0)
"$first..$last step $step" else "$first downTo $last step ${-step}"\n\n companion object {\n /**\n *
Creates LongProgression within the specified bounds of a closed range.\n\n * The progression starts with the
[rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the specified [step].\n\n * In order
to go backwards the [step] must be negative.\n\n * [step] must be greater than `Long.MIN_VALUE` and
not equal to zero.\n\n */\n\n public fun fromClosedRange(rangeStart: Long, rangeEnd: Long, step: Long):
LongProgression = LongProgression(rangeStart, rangeEnd, step)\n }\n}\n\n"/*\n * Copyright 2010-2019
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.ranges\n\n/**\n *
Represents a range of values (for example, numbers or characters).\n * See the [Kotlin language
documentation](https://kotlinlang.org/docs/reference/ranges.html) for more information.\n */\n\npublic interface
ClosedRange<T: Comparable<T>> {\n /**\n * The minimum value in the range.\n */\n\n public val start:
T\n\n /**\n * The maximum value in the range (inclusive).\n */\n\n public val endInclusive: T\n\n /**\n *
Checks whether the specified [value] belongs to the range.\n */\n\n public operator fun contains(value: T):
Boolean = value >= start && value <= endInclusive\n\n /**\n * Checks whether the range is empty.\n */\n\n
public fun isEmpty(): Boolean = start > endInclusive\n}\n}\n\n"/*\n * Copyright 2010-2015 JetBrains s.r.o.\n */\n\n
Licensed under the Apache License, Version 2.0 (the "License");\n * you may not use this file except in

```

compliance with the License.\n * You may obtain a copy of the License at\n *
<http://www.apache.org/licenses/LICENSE-2.0>\n * Unless required by applicable law or agreed to in writing,
software\n * distributed under the License is distributed on an \"AS IS\" BASIS,\n * WITHOUT WARRANTIES
OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language
governing permissions and\n * limitations under the License.\n */\npackage kotlin\n\n/**\n * The type with only
one value: the `Unit` object. This type corresponds to the `void` type in Java.\n */\npublic object Unit {\n override
fun toString() = \"kotlin.Unit\"\n}\n\n/*\n * Copyright 2010-2015 JetBrains s.r.o.\n * Licensed under the
Apache License, Version 2.0 (the \"License\");\n * you may not use this file except in compliance with the
License.\n * You may obtain a copy of the License at\n * <http://www.apache.org/licenses/LICENSE-2.0>\n * Unless required by applicable law or agreed to in writing, software\n * distributed under the License is distributed
on an \"AS IS\" BASIS,\n * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied.\n * See the License for the specific language governing permissions and\n * limitations under the
License.\n */\npackage kotlin.annotation\n\nimport kotlin.annotation.AnnotationTarget.*\n\n/**\n * Contains the
list of code elements which are the possible annotation targets\n */\npublic enum class AnnotationTarget {\n /**
Class, interface or object, annotation class is also included\n */\n CLASS,\n /** Annotation class only\n */\n ANNOTATION_CLASS,\n /** Generic type parameter (unsupported yet)\n */\n TYPE_PARAMETER,\n /**
Property\n */\n PROPERTY,\n /** Field, including property's backing field\n */\n FIELD,\n /** Local variable\n */\n LOCAL_VARIABLE,\n /** Value parameter of a function or a constructor\n */\n VALUE_PARAMETER,\n /** Constructor only (primary or secondary)\n */\n CONSTRUCTOR,\n /**
Function (constructors are not included)\n */\n FUNCTION,\n /** Property getter only\n */\n PROPERTY_GETTER,\n /** Property setter only\n */\n PROPERTY_SETTER,\n /** Type usage\n */\n TYPE,\n /** Any expression\n */\n EXPRESSION,\n /** File\n */\n FILE,\n /** Type alias\n */\n TYPEALIAS\n}\n\n/**\n * Contains the list of possible annotation's retentions.\n *
Determines how an annotation is stored in binary output.\n */\npublic enum class AnnotationRetention {\n /**
Annotation isn't stored in binary output\n */\n SOURCE,\n /** Annotation is stored in binary output, but invisible
for reflection\n */\n BINARY,\n /** Annotation is stored in binary output and visible for reflection (default
retention)\n */\n RUNTIME\n}\n\n/**\n * This meta-annotation indicates the kinds of code elements which are
possible targets of an annotation.\n *
If the target meta-annotation is not present on an annotation declaration,
the annotation is applicable to the following elements: [CLASS], [PROPERTY], [FIELD],
[LOCAL_VARIABLE], [VALUE_PARAMETER], [CONSTRUCTOR], [FUNCTION], [PROPERTY_GETTER],
[PROPERTY_SETTER].\n *
@property allowedTargets list of allowed annotation targets\n */\n\n@Target(AnnotationTarget.ANNOTATION_CLASS)\n@MustBeDocumented\npublic annotation class
Target(vararg val allowedTargets: AnnotationTarget)\n\n/**\n * This meta-annotation determines whether an
annotation is stored in binary output and visible for reflection. By default, both are true.\n *
@property value
necessary annotation retention (RUNTIME, BINARY or SOURCE)\n */\n\n@Target(AnnotationTarget.ANNOTATION_CLASS)\npublic annotation class Retention(val value:
AnnotationRetention = AnnotationRetention.RUNTIME)\n\n/**\n * This meta-annotation determines that an
annotation is applicable twice or more on a single code element\n */\n\n@Target(AnnotationTarget.ANNOTATION_CLASS)\npublic annotation class Repeatable\n\n/**\n * This
meta-annotation determines that an annotation is a part of public API and therefore should be included in the
generated\n * documentation for the element to which the annotation is applied.\n */\n\n@Target(AnnotationTarget.ANNOTATION_CLASS)\npublic annotation class MustBeDocumented\n\n\n/*\n * Copyright 2010-2016 JetBrains s.r.o.\n * Licensed under the Apache License, Version 2.0 (the \"License\");\n * you may not use this file except in compliance with the License.\n * You may obtain a copy of the License at\n * <http://www.apache.org/licenses/LICENSE-2.0>\n * Unless required by applicable law or agreed to in writing,
software\n * distributed under the License is distributed on an \"AS IS\" BASIS,\n * WITHOUT WARRANTIES
OR CONDITIONS OF ANY KIND, either express or implied.\n * See the License for the specific language
governing permissions and\n * limitations under the License.\n */\npackage kotlin.internal\n\n/**\n * Specifies

that the corresponding type parameter is not used for unsafe operations such as casts or 'is' checks. That means it's completely safe to use generic types as argument for such parameter.

`@Target(AnnotationTarget.TYPE_PARAMETER)`
`@Retention(AnnotationRetention.BINARY)`
internal annotation class `PureReifiable`. Specifies that the corresponding built-in method exists depending on platform. Current implementation for JVM looks whether method with same JVM descriptor exists in the module JDK. For example `MutableMap.remove(K, V)` available only if corresponding method

`'java.util.Map.remove(Ljava/lang/Object;Ljava/lang/Object;)Z'` is defined in JDK (i.e. for major versions ≥ 8).

`@Target(AnnotationTarget.FUNCTION)`
`@Retention(AnnotationRetention.BINARY)`
internal annotation class `PlatformDependent`.
Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. Use of this source code is governed by the Apache 2.0 license that can be found in the

```
license/LICENSE.txt file.  
package kotlin.internal  
// a mod b (in arithmetical sense)  
private fun mod(a: Int, b: Int): Int {  
    val mod = a % b  
    return if (mod >= 0) mod else mod + b  
}  
private fun mod(a: Long, b: Long): Long {  
    val mod = a % b  
    return if (mod >= 0) mod else mod + b  
}  
// (a - b) mod c  
private fun differenceModulo(a: Int, b: Int, c: Int): Int {  
    return mod(mod(a, c) - mod(b, c), c)  
}  
private fun differenceModulo(a: Long, b: Long, c: Long): Long {  
    return mod(mod(a, c) - mod(b, c), c)  
}
```

Calculates the final element of a bounded arithmetic progression, i.e. the last element of the progression which is in the range from `[start]` to `[end]` in case of a positive `[step]`, or from `[end]` to `[start]` in case of a negative `[step]`. No validation on passed parameters is performed. The given parameters should satisfy the condition: either `step > 0` and `start <= end`, or `step < 0` and `start >= end`.
`@param start` first element of the progression
`@param end` ending bound for the progression
`@param step` increment, or difference of successive elements in the progression
`@return` the final element of the progression

```
@suppress  
@PublishedApi  
internal fun getProgressionLastElement(start: Int, end: Int, step: Int): Int = when {  
    step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step)  
    step < 0 -> if (start <= end) end else end + differenceModulo(start, end, -step)  
    else -> throw kotlin.IllegalArgumentException("Step is zero.")  
}  
Calculates the final element of a bounded arithmetic progression, i.e. the last element of the progression which is in the range from [start] to [end] in case of a positive [step], or from [end] to [start] in case of a negative [step]. No validation on passed parameters is performed. The given parameters should satisfy the condition: either step > 0 and start <= end, or step < 0 and start >= end.  
@param start first element of the progression  
@param end ending bound for the progression  
@param step increment, or difference of successive elements in the progression  
@return the final element of the progression
```

```
@suppress  
@PublishedApi  
internal fun getProgressionLastElement(start: Long, end: Long, step: Long): Long = when {  
    step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step)  
    step < 0 -> if (start <= end) end else end + differenceModulo(start, end, -step)  
    else -> throw
```

```
kotlin.IllegalArgumentException("Step is zero.")  
} * Copyright 2010-2015 JetBrains s.r.o.
```

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0> Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
package kotlin.reflect  
/**  
 * Represents a parameter passed to a function or a property getter/setter, including `this` and extension receiver parameters.  
 */  
@public interface KParameter : KAnnotatedElement {  
    /**  
     * 0-based index of this parameter in the parameter list of its containing callable.  
     */  
    public val index: Int  
    /**  
     * Name of this parameter as it was declared in the source code, or `null` if the parameter has no name or its name is not available at runtime.  
     * Examples of nameless parameters include `this` instance for member functions, extension receiver for extension functions or properties, parameters of Java methods compiled without the debug information, and others.  
     */  
    public val name: String?  
    /**  
     * Type of this parameter. For a `vararg` parameter, this is the type of the corresponding array, not the individual element.  
     */  
    public val type:
```


`KType`

`Kind` Kind of this parameter.

`public val kind: Kind` Kind represents a particular position of the parameter declaration in the source code, such as an instance, an extension receiver parameter or a value parameter.

`public enum class Kind` Instance required to make a call to the member, or an outer class instance for an inner class constructor.

`INSTANCE` Extension receiver of an extension function or property.

`EXTENSION_RECEIVER` Ordinary named value parameter.

`VALUE` `true` if this parameter is optional and can be omitted when making a call via `[KCallable.callBy]`, or `false` otherwise.

A parameter is optional in any of the two cases:

- The default value is provided at the declaration of this parameter.
- The parameter is declared in a member function and one of the corresponding parameters in the super functions is optional.

`public val isOptional: Boolean` `true` if this parameter is `vararg`.

See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/functions.html#variable-number-of-arguments-varargs) for more information.

`@SinceKotlin("1.1")` `public val isVararg: Boolean`

Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

`package kotlin.reflect`

Represents a type. Type is usually either a class with optional type arguments, or a type parameter of some declaration, plus nullability.

`public interface KType : KAnnotatedElement`

The declaration of the classifier used in this type.

For example, in the type `List<String>` the classifier would be the `[KClass]` instance for `[List]`.

Returns `null` if this type is not denotable in Kotlin, for example if it is an intersection type.

`@SinceKotlin("1.1")` `public val classifier: KClassifier?` Type arguments passed for the parameters of the classifier in this type.

For example, in the type `Array<out Number>` the only type argument is `out Number`.

In case this type is based on an inner class, the returned list contains the type arguments provided for the innermost class first, then its outer class, and so on.

For example, in the type `Outer<A, B>.Inner<C, D>` the returned list is `[C, D, A, B]`.

`@SinceKotlin("1.1")` `public val arguments: List<KTypeProjection>` `true` if this type was marked nullable in the source code.

For Kotlin types, it means that `null` value is allowed to be represented by this type.

In practice it means that the type was declared with a question mark at the end.

For non-Kotlin types, it means the type or the symbol which was declared with this type is annotated with a runtime-retained nullability annotation such as `[javax.annotation.Nullable]`.

Note that even if `[isMarkedNullable]` is false, values of the type can still be `null`.

This may happen if it is a type of the type parameter with a nullable upper bound:

```
fun <T> foo(t: T) { // isMarkedNullable == false for t's type, but t can be null here when T = "Any?" }
```

`public val isMarkedNullable: Boolean`

Represents a type projection. Type projection is usually the argument to another type in a type usage.

For example, in the type `Array<out Number>`, `out Number` is the covariant projection of the type represented by the class `Number`.

Type projection is either the star projection, or an entity consisting of a specific type plus optional variance.

See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/generics.html#type-projections) for more information.

`@SinceKotlin("1.1")` `public data class KTypeProjection constructor` The use-site variance specified in the projection, or `null` if this is a star projection.

`public val variance: KVariance?` The type specified in the projection, or `null` if this is a star projection.

`public val type: KType?` Star projection, denoted by the `*` character.

For example, in the type `KClass<*>`, `*` is the star projection.

See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/generics.html#star-projections) for more information.

`public val STAR: KTypeProjection = KTypeProjection(null, null)` Creates an invariant projection of a given type. Invariant projection is just the type itself, without any use-site variance modifiers applied to it.

For example, in the type `Set<String>`, `String` is an invariant projection of the type represented by the class `String`.

`public fun invariant(type: KType): KTypeProjection = KTypeProjection(KVariance.INVARIANT, type)` Creates a contravariant projection of a given type, denoted by the `in` modifier applied to a type.

For example, in the

```

type `MutableList<in Number>`, `in Number` is a contravariant projection of the type of class `Number`.
    public fun contravariant(type: KType): KTypeProjection = KTypeProjection(KVariance.IN, type)
    /**
     * Creates a covariant projection of a given type, denoted by the `out` modifier applied to a type.
     * For example, in the type `Array<out Number>`, `out Number` is a covariant projection of the type of class
     * `Number`.
     * public fun covariant(type: KType): KTypeProjection =
     * KTypeProjection(KVariance.OUT, type)
     */
}

/* Copyright 2010-2016 JetBrains s.r.o. Licensed
under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the
License. You may obtain a copy of the License at
http://www.apache.org/licenses/LICENSE-2.0
Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed
on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,
either express or implied. See the License for the specific language
governing permissions and limitations under the
License.
*/
package kotlin.reflect
/**
 * Represents variance applied to a type parameter on the declaration
 * site (*declaration-site variance*), or to a type in a projection (*use-site variance*).
 * See the [Kotlin language documentation](https://kotlinlang.org/docs/reference/generics.html#variance)
 * for more information.
 * @see [KTypeParameter.variance]
 * @see [KTypeProjection]
 */
@SinceKotlin("1.1")
enum class KVariance {
    /**
     * The affected type parameter or type is *invariant*, which means it has no variance
     * applied to it.
     * INVARIANT,
     */
    /**
     * The affected type parameter or type is *contravariant*.
     * Denoted by the `in` modifier in the source code.
     * IN,
     */
    /**
     * The affected type parameter or type
     * is *covariant*. Denoted by the `out` modifier in the source code.
     * OUT,
     */
}

/* Copyright 2010-
2016 JetBrains s.r.o. Licensed under the Apache License, Version 2.0 (the "License");
you may not use
this file except in compliance with the License. You may obtain a copy of the License at
http://www.apache.org/licenses/LICENSE-2.0
Unless required by applicable law or agreed to in writing,
software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES
OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language
governing permissions and
limitations under the License.
*/
package kotlin.reflect
/**
 * Visibility is
an aspect of a Kotlin declaration regulating where that declaration is accessible in the source code.
 * Visibility can
be changed with one of the following modifiers: `public`, `protected`, `internal`, `private`.
 * Note that some
Java visibilities such as package-private and protected (which also gives access to items from the same package)
 * cannot be represented in Kotlin, so there's no [KVisibility] value corresponding to them.
 * See the [Kotlin
language documentation](https://kotlinlang.org/docs/reference/visibility-modifiers.html)
 * for more information.
 */
@SinceKotlin("1.1")
enum class KVisibility {
    /**
     * Visibility of declarations marked with the
`public` modifier, or with no modifier at all.
     * PUBLIC,
     */
    /**
     * Visibility of declarations marked
with the `protected` modifier.
     * PROTECTED,
     */
    /**
     * Visibility of declarations marked with the
`internal` modifier.
     * INTERNAL,
     */
    /**
     * Visibility of declarations marked with the `private`
modifier.
     * PRIVATE,
     */
}

/* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.
 */
@JsName("arrayIterator")
internal fun arrayIterator(array: dynamic, type:
String?) = when (type) {
    null -> {
        val arr: Array<dynamic> = array
        object : Iterator<dynamic> {
            var index = 0
            override fun hasNext() = index < arr.size
            override fun next() = if (index <
arr.size) arr[index++] else throw NoSuchElementException("$index")
        }
    }
    "BooleanArray" ->
booleanArrayIterator(array)
    "ByteArray" -> byteArrayIterator(array)
    "ShortArray" ->
shortArrayIterator(array)
    "CharArray" -> charArrayIterator(array)
    "IntArray" -> intArrayIterator(array)
    "LongArray" -> longArrayIterator(array)
    "FloatArray" -> floatArrayIterator(array)
    "DoubleArray" ->
doubleArrayIterator(array)
    else -> throw IllegalStateException("Unsupported type argument for arrayIterator:
$type")
}
@JsName("booleanArrayIterator")
internal fun booleanArrayIterator(array: BooleanArray) =
object : BooleanIterator() {
    var index = 0
    override fun hasNext() = index < array.size
    override fun
nextBoolean() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")
}
@JsName("byteArrayIterator")
internal fun byteArrayIterator(array:

```

```

ByteArray) = object : ByteIterator() {\n  var index = 0\n  override fun hasNext() = index < array.size\n  override
fun nextByte() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}\n\n@JsName("shortArrayIterator")\ninternal fun
shortArrayIterator(array: ShortArray) = object : ShortIterator() {\n  var index = 0\n  override fun hasNext() =
index < array.size\n  override fun nextShort() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}\n\n@JsName("charArrayIterator")\ninternal fun charArrayIterator(array:
CharArray) = object : CharIterator() {\n  var index = 0\n  override fun hasNext() = index < array.size\n  override
fun nextChar() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}\n\n@JsName("intArrayIterator")\ninternal fun intArrayIterator(array:
IntArray) = object : IntIterator() {\n  var index = 0\n  override fun hasNext() = index < array.size\n  override fun
nextInt() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}\n\n@JsName("floatArrayIterator")\ninternal fun
floatArrayIterator(array: FloatArray) = object : FloatIterator() {\n  var index = 0\n  override fun hasNext() = index
< array.size\n  override fun nextFloat() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}\n\n@JsName("doubleArrayIterator")\ninternal fun
doubleArrayIterator(array: DoubleArray) = object : DoubleIterator() {\n  var index = 0\n  override fun hasNext()
= index < array.size\n  override fun nextDouble() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}\n\n@JsName("longArrayIterator")\ninternal fun longArrayIterator(array:
LongArray) = object : LongIterator() {\n  var index = 0\n  override fun hasNext() = index < array.size\n
override fun nextLong() = if (index < array.size) array[index++] else throw
NoSuchElementException("$index")\n}\n\n@JsName("PropertyMetadata")\ninternal class
PropertyMetadata(@JsName("callableName") val name:
String)\n\n@JsName("noWhenBranchMatched")\ninternal fun noWhenBranchMatched(): Nothing = throw
NoWhenBranchMatchedException()\n\n@JsName("subSequence")\ninternal fun subSequence(c: CharSequence,
startIndex: Int, endIndex: Int): CharSequence {\n  if (c is String) {\n    return c.substring(startIndex, endIndex)\n
} else {\n    return c.asDynamic().`subSequence_vux9f0$`(startIndex, endIndex)\n
}\n}\n\n@JsName("captureStack")\ninternal fun captureStack(baseClass: JsClass<in Throwable>, instance:
Throwable) {\n  if (js("Error").captureStackTrace) {\n    js("Error").captureStackTrace(instance,
instance::class.js);\n  } else {\n    instance.asDynamic().stack = js("new Error()").stack;\n
}\n}\n\n@JsName("newThrowable")\ninternal fun newThrowable(message: String?, cause: Throwable?):
Throwable {\n  val throwable = js("new Error()")\n  throwable.message = if (jsTypeOf(message) ==
"undefined") {\n    if (cause != null) cause.toString() else null\n  } else {\n    message\n  }\n
throwable.cause = cause\n  throwable.name = "Throwable"\n  return
throwable\n}\n\n@JsName("BoxedChar")\ninternal class BoxedChar(val c: Int) : Comparable<Int> {\n  override
fun equals(other: Any?): Boolean {\n    return other is BoxedChar && c == other.c\n  }\n\n  override fun
hashCode(): Int {\n    return c\n  }\n\n  override fun toString(): String {\n    return
js("this.c").unsafeCast<Char>().toString()\n  }\n\n  override fun compareTo(other: Int): Int {\n    return
js("this.c - other").unsafeCast<Int>()\n  }\n\n  @JsName("valueOf")\n  public fun valueOf(): Int {\n
return c\n  }\n}\n\n@kotlin.internal.InlineOnly\ninternal inline fun <T> concat(args: Array<T>): T {\n  val typed
= js("Array")(args.size)\n  for (i in args.indices) {\n    val arr = args[i]\n    if (arr != Array<*>) {\n
typed[i] = js("[i]").slice.call(arr)\n    } else {\n    typed[i] = arr\n    }\n  }\n  return
js("[i]").concat.apply(js("[i]"), typed);\n}\n\n/** Concat regular Array's and TypedArray's into an Array.\n
*\n@PublishedApi\n@JsName("arrayConcat")\n@Suppress("UNUSED_PARAMETER")\ninternal fun <T>
arrayConcat(a: T, b: T): T {\n  return concat(js("arguments"))\n}\n\n/** Concat primitive arrays. Main use:
prepare vararg arguments.\n * For compatibility with 1.1.0 the arguments may be a mixture of Array's and
TypedArray's.\n * If the first argument is TypedArray (Byte-, Short-, Char-, Int-, Float-, and DoubleArray)
returns a TypedArray, otherwise an Array.\n * If the first argument has the $type$ property (Boolean-, Char-, and
LongArray) copy its value to result.$type$.\n * If the first argument is a regular Array without the $type$ property

```

default to arrayConcat.\n

```
*\n@PublishedApi\n@jsName("primitiveArrayConcat")\n@Suppress("UNUSED_PARAMETER")\ninternal fun <T> primitiveArrayConcat(a: T, b: T): T {\n    val args: Array<T> = js("arguments")\n    if (a is Array<*> && a.asDynamic().`$type$` === undefined) {\n        return concat(args)\n    } else {\n        var size = 0\n        for (i in args.indices) {\n            size += args[i].asDynamic().length as Int\n        }\n        val result = js("new a.constructor(size)")\n        kotlin.copyArrayType(a, result)\n        size = 0\n        for (i in args.indices) {\n            val arr = args[i].asDynamic()\n            for (j in 0 until arr.length) {\n                result[size++] = arr[j]\n            }\n        }\n        return result\n    }\n}\n\n@jsName("booleanArrayOf")\ninternal fun booleanArrayOf() = withType("BooleanArray", js("[].slice.call(arguments)"))\n\n@jsName("charArrayOf") // The arguments have to be slice'd here because of Rhino (see KT-16974)\ninternal fun charArrayOf() = withType("CharArray", js("new Uint16Array([].slice.call(arguments))"))\n\n@jsName("longArrayOf")\ninternal fun longArrayOf() = withType("LongArray", js("[].slice.call(arguments)"))\n\n@jsName("withType")\n@kotlin.internal.InlineOnly\ninternal inline fun withType(type: String, array: dynamic): dynamic {\n    array.`$type$` = type\n    return array\n}\n\n/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * Function corresponding to JavaScript's `typeof` operator\n */\n\n@kotlin.internal.InlineOnly\n@Suppress("UNUSED_PARAMETER")\npublic inline fun jsTypeOf(a: Any?): String = js("typeof a")\n\n/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n@file:Suppress("UNUSED_PARAMETER", "NOTHING_TO_INLINE")\npackage kotlin\n\n/**\n * Returns an empty array of the specified type [T].\n */\n\npublic inline fun <T> emptyArray(): Array<T> = js("[]")\n\n@library\npublic fun <T> arrayOf(vararg elements: T): Array<T> = definedExternally\n\n@library\npublic fun doubleArrayOf(vararg elements: Double): DoubleArray = definedExternally\n\n@library\npublic fun floatArrayOf(vararg elements: Float): FloatArray = definedExternally\n\n@library\npublic fun longArrayOf(vararg elements: Long): LongArray = definedExternally\n\n@library\npublic fun intArrayOf(vararg elements: Int): IntArray = definedExternally\n\n@library\npublic fun charArrayOf(vararg elements: Char): CharArray = definedExternally\n\n@library\npublic fun shortArrayOf(vararg elements: Short): ShortArray = definedExternally\n\n@library\npublic fun byteArrayOf(vararg elements: Byte): ByteArray = definedExternally\n\n@library\npublic fun booleanArrayOf(vararg elements: Boolean): BooleanArray = definedExternally\n\n/**\n * Creates a new instance of the [Lazy] that uses the specified initialization function [initializer].\n */\n\npublic actual fun <T> lazy(initializer: () -> T): Lazy<T> = UnsafeLazyImpl(initializer)\n\n/**\n * Creates a new instance of the [Lazy] that uses the specified initialization function [initializer].\n * The [mode] parameter is ignored.\n */\n\npublic actual fun <T> lazy(mode: LazyThreadSafetyMode, initializer: () -> T): Lazy<T> = UnsafeLazyImpl(initializer)\n\n/**\n * Creates a new instance of the [Lazy] that uses the specified initialization function [initializer].\n * The [lock] parameter is ignored.\n */\n\npublic actual fun <T> lazy(lock: Any?, initializer: () -> T): Lazy<T> = UnsafeLazyImpl(initializer)\n\ninternal fun fillFrom(src: dynamic, dst: dynamic): dynamic {\n    val srcLen: Int = src.length\n    val dstLen: Int = dst.length\n    var index: Int = 0\n    while (index < srcLen && index < dstLen) dst[index] = src[index++]\n    return dst\n}\n\ninternal fun arrayCopyResize(source: dynamic, newSize: Int, defaultValue: Any?): dynamic {\n    val result = source.slice(0, newSize)\n    copyArrayType(source, result)\n    var index: Int = source.length\n    if (newSize > index) {\n        result.length = newSize\n        while (index < newSize) result[index++] = defaultValue\n    }\n    return result\n}\n\ninternal fun <T> arrayPlusCollection(array: dynamic, collection: Collection<T>): dynamic {\n    val result = array.slice()\n    result.length += collection.size\n    copyArrayType(array, result)\n    var index: Int = array.length\n    for (element in collection) result[index++] = element\n    return result\n}\n\ninternal fun <T> fillFromCollection(dst: dynamic, startIndex: Int, collection: Collection<T>): dynamic {\n    var index = startIndex\n    for (element in collection) dst[index++] = element\n    return dst\n}\n\ninternal inline fun copyArrayType(from: dynamic, to: dynamic) {\n    if
```

```

(from.`$type$` != undefined) {\n    to.`$type$` = from.`$type$`\n    }\n}\n\ninternal inline fun jsIsType(obj:
dynamic, jsClass: dynamic) = js("Kotlin").isType(obj, jsClass)", /*\n * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\n\nimport
kotlin.coroutines.intrinsics.COROUTINE_SUSPENDED\n\n@SinceKotlin("1.3")\n\n@JsName("CoroutineImpl")\n\ninternal abstract class CoroutineImpl(private val resultContinuation: Continuation<Any?>) : Continuation<Any?>
{\n    protected var state = 0\n    protected var exceptionState = 0\n    protected var result: Any? = null\n    protected
var exception: Throwable? = null\n    protected var finallyPath: Array<Int>? = null\n\n    public override val context:
CoroutineContext = resultContinuation.context\n\n    private var intercepted_: Continuation<Any?>? = null\n\n    public fun intercepted(): Continuation<Any?> =\n        intercepted_\n        ?:\n\n    (context[ContinuationInterceptor]?.interceptContinuation(this) ?: this)\n        .also { intercepted_ = it }\n\n    override fun resumeWith(result: Result<Any?>) {\n        var current = this\n        var currentResult: Any? =
result.getOrNull()\n        var currentException: Throwable? = result.exceptionOrNull()\n        // This loop unrolls
recursion in current.resumeWith(param) to make saner and shorter stack traces on resume\n        while (true) {\n
            with(current) {\n                val completion = resultContinuation\n                // Set result and exception fields in
the current continuation\n                if (currentException == null) {\n                    this.result = currentResult\n
                } else {\n                    state = exceptionState\n                    exception = currentException\n                }\n
            }\n            try {\n                val outcome = doResume()\n                if (outcome === COROUTINE_SUSPENDED)\n                    return\n                currentResult = outcome\n                currentException = null\n            } catch (exception:
dynamic) {\n                // Catch all exceptions\n                currentResult = null\n                currentException =
exception.unsafeCast<Throwable>()\n            }\n            releaseIntercepted() // this state machine instance is
terminating\n            if (completion is CoroutineImpl) {\n                // unrolling recursion via loop\n                current = completion\n            } else {\n                // top-level completion reached -- invoke and return\n                currentException?.let {\n                    completion.resumeWithException(it)\n                } ?:\n                completion.resume(currentResult)\n                return\n            }\n        }\n    }\n\n    private fun
releaseIntercepted() {\n        val intercepted = intercepted_\n        if (intercepted != null && intercepted !== this) {\n
            context[ContinuationInterceptor]!!.releaseInterceptedContinuation(intercepted)\n        }\n        this.intercepted_
= CompletedContinuation // just in case\n    }\n\n    protected abstract fun doResume(): Any?\n}\n\ninternal object
CompletedContinuation : Continuation<Any?> {\n    override val context: CoroutineContext\n        get() =
error("This continuation is already complete")\n\n    override fun resumeWith(result: Result<Any?>) {\n
        error("This continuation is already complete")\n    }\n\n    override fun toString(): String = "This continuation is
already complete"\n}\n\n/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n@file:Suppress("UNCHECKED_CAST",
"RedundantVisibilityModifier")\n\npackage kotlin\n\nimport kotlin.contracts.*\n\nimport
kotlin.internal.InlineOnly\n\nimport kotlin.jvm.JvmField\n\n/**\n * A discriminated union that encapsulates a
successful outcome with a value of type [T]\n * or a failure with an arbitrary [Throwable] exception.\n
*\n * @Suppress("NON_PUBLIC_PRIMARY_CONSTRUCTOR_OF_INLINE_CLASS")\n * @SinceKotlin("1.3")\n
*\n * public inline class Result<out T> @PublishedApi internal constructor(\n    @PublishedApi\n    internal val value:
Any?)\n    : Serializable {\n    // discovery\n    /**\n     * Returns `true` if this instance represents a successful
outcome.\n     * In this case [isFailure] returns `false`.\n     */\n    public val isSuccess: Boolean\n        get() = value !is
Failure\n    /**\n     * Returns `true` if this instance represents a failed outcome.\n     * In this case [isSuccess]
returns `false`.\n     */\n    public val isFailure: Boolean\n        get() = value is Failure\n    // value & exception
retrieval\n    /**\n     * Returns the encapsulated value if this instance represents [success][Result.isSuccess] or
`null`\n     * if it is [failure][Result.isFailure].\n     */\n    * This function is a shorthand for `getOrNull { null }` (see
[getOrNull]) or\n     * `fold(onSuccess = { it }, onFailure = { null })` (see [fold]).\n     */\n    @InlineOnly\n    public
inline fun getOrNull(): T? =\n        when {\n            isFailure -> null\n            else -> value as T\n        }\n    /**\n     * Returns the encapsulated [Throwable] exception if this instance represents [failure][isFailure] or `null`\n     * if it

```

```

is [success][isSuccess].\n    *\n    * This function is a shorthand for `fold(onSuccess = { null }, onFailure = { it })`
(see [fold]).\n    */\n    public fun exceptionOrNull(): Throwable? =\n        when (value) {\n            is Failure ->
value.exception\n            else -> null\n        }\n        /**\n        * Returns a string `Success(v)` if this instance represents
[success][Result.isSuccess]\n        * where `v` is a string representation of the value or a string `Failure(x)` if\n        * it
is [failure][isFailure] where `x` is a string representation of the exception.\n        */\n        public override fun toString():
String =\n            when (value) {\n                is Failure -> value.toString() // `Failure($exception)`\n                else ->
`Success($value)`\n            }\n            // companion with constructors\n            /**\n            * Companion object for [Result]
class that contains its constructor functions\n            * [success] and [failure].\n            */\n            public companion object {\n
/**\n            * Returns an instance that encapsulates the given [value] as successful value.\n            */\n
@InlineOnly\n            public inline fun <T> success(value: T): Result<T> =\n                Result(value)\n            /**\n
* Returns an instance that encapsulates the given [Throwable] [exception] as failure.\n            */\n            @InlineOnly\n
            public inline fun <T> failure(exception: Throwable): Result<T> =\n                Result(createFailure(exception))\n
}\n\n            internal class Failure(\n                @JvmField\n                val exception: Throwable\n            ): Serializable {\n                override
fun equals(other: Any?): Boolean = other is Failure && exception == other.exception\n                override fun
hashCode(): Int = exception.hashCode()\n                override fun toString(): String = `Failure($exception)`\n
}\n\n            /**\n            * Creates an instance of internal marker [Result.Failure] class to\n            * make sure that this class is not
exposed in ABI.\n            */\n            @PublishedApi\n            @SinceKotlin("1.3")\n            internal fun createFailure(exception: Throwable):
Any =\n                Result.Failure(exception)\n            /**\n            * Throws exception if the result is failure. This internal function
minimizes\n            * inlined bytecode for [getOrThrow] and makes sure that in the future we can\n            * add some exception-
augmenting logic here (if needed).\n            */\n            @PublishedApi\n            @SinceKotlin("1.3")\n            internal fun
Result<*>.throwOnFailure() {\n                if (value is Result.Failure) throw value.exception\n            }\n            /**\n            * Calls the
specified function [block] and returns its encapsulated result if invocation was successful,\n            * catching any
[Throwable] exception that was thrown from the [block] function execution and encapsulating it as a failure.\n            */\n            @InlineOnly\n            @SinceKotlin("1.3")\n            public inline fun <R> runCatching(block: () -> R): Result<R> {\n
                return try {\n                    Result.success(block())\n                } catch (e: Throwable) {\n                    Result.failure(e)\n                }\n            }\n            /**\n            * Calls the specified function [block] with `this` value as its receiver and returns its encapsulated result if invocation
was successful,\n            * catching any [Throwable] exception that was thrown from the [block] function execution and
encapsulating it as a failure.\n            */\n            @InlineOnly\n            @SinceKotlin("1.3")\n            public inline fun <T, R>
T.runCatching(block: T.() -> R): Result<R> {\n                return try {\n                    Result.success(block())\n                } catch (e:
Throwable) {\n                    Result.failure(e)\n                }\n            }\n            // -- extensions --\n            /**\n            * Returns the encapsulated value if this
instance represents [success][Result.isSuccess] or throws the encapsulated [Throwable] exception\n            * if it is
[failure][Result.isFailure].\n            */\n            *\n            * This function is a shorthand for `getOrElse { throw it }` (see [getOrElse]).\n            */\n            @InlineOnly\n            @SinceKotlin("1.3")\n            public inline fun <T> Result<T>.getOrThrow(): T {\n
                throwOnFailure()\n                return value as T\n            }\n            /**\n            * Returns the encapsulated value if this instance represents
[success][Result.isSuccess] or the\n            * result of [onFailure] function for the encapsulated [Throwable] exception if it
is [failure][Result.isFailure].\n            */\n            *\n            * Note, that this function rethrows any [Throwable] exception thrown by
[onFailure] function.\n            */\n            *\n            * This function is a shorthand for `fold(onSuccess = { it }, onFailure = onFailure)` (see
[fold]).\n            */\n            @InlineOnly\n            @SinceKotlin("1.3")\n            public inline fun <R, T : R> Result<T>.getOrElse(onFailure:
(exception: Throwable) -> R): R {\n                contract {\n                    callsInPlace(onFailure,
InvocationKind.AT_MOST_ONCE)\n                }\n                return when (val exception = exceptionOrNull()) {\n                    null ->
value as T\n                    else -> onFailure(exception)\n                }\n            }\n            /**\n            * Returns the encapsulated value if this instance
represents [success][Result.isSuccess] or the\n            * [defaultValue] if it is [failure][Result.isFailure].\n            */\n            *\n            * This
function is a shorthand for `getOrElse { defaultValue }` (see [getOrElse]).\n            */\n            @InlineOnly\n            @SinceKotlin("1.3")\n            public inline fun <R, T : R> Result<T>.getOrElseDefault(defaultValue: R):
R {\n                if (isFailure) return defaultValue\n                return value as T\n            }\n            /**\n            * Returns the result of [onSuccess] for the
encapsulated value if this instance represents [success][Result.isSuccess]\n            * or the result of [onFailure] function for
the encapsulated [Throwable] exception if it is [failure][Result.isFailure].\n            */\n            *\n            * Note, that this function rethrows
any [Throwable] exception thrown by [onSuccess] or by [onFailure] function.\n            */

```

```

*  

@InlineOnly  

@SinceKotlin("1.3")  

public inline fun <R, T> Result<T>.fold(
    onSuccess: (value: T) -> R,
    onFailure: (exception: Throwable) -> R): R {
    contract {
        callsInPlace(onSuccess,
            InvocationKind.AT_MOST_ONCE)
        callsInPlace(onFailure, InvocationKind.AT_MOST_ONCE)
    }
    return when (val exception = exceptionOrNull()) {
        null -> onSuccess(value as T)
        else ->
            onFailure(exception)
    }
}

// transformation
* Returns the encapsulated result of the given
[transform] function applied to the encapsulated value
* if this instance represents [success][Result.isSuccess] or
the
* original encapsulated [Throwable] exception if it is [failure][Result.isFailure].
* Note, that this function
rethrows any [Throwable] exception thrown by [transform] function.
* See [mapCatching] for an alternative that
encapsulates exceptions.
*  

@InlineOnly  

@SinceKotlin("1.3")  

public inline fun <R, T>
Result<T>.map(transform: (value: T) -> R): Result<R> {
    contract {
        callsInPlace(transform,
            InvocationKind.AT_MOST_ONCE)
    }
    return when {
        isSuccess -> Result.success(transform(value as T))
        else -> Result(value)
    }
}

// transformation
* Returns the encapsulated result of the given [transform] function
applied to the encapsulated value
* if this instance represents [success][Result.isSuccess] or the
* original
encapsulated [Throwable] exception if it is [failure][Result.isFailure].
* This function catches any [Throwable]
exception thrown by [transform] function and encapsulates it as a failure.
* See [map] for an alternative that
rethrows exceptions from `transform` function.
*  

@InlineOnly  

@SinceKotlin("1.3")  

public inline fun <R,
T> Result<T>.mapCatching(transform: (value: T) -> R): Result<R> {
    return when {
        isSuccess ->
            runCatching { transform(value as T) }
        else -> Result(value)
    }
}

// transformation
* Returns the encapsulated
result of the given [transform] function applied to the encapsulated [Throwable] exception
* if this instance
represents [failure][Result.isFailure] or the
* original encapsulated value if it is [success][Result.isSuccess].
* Note, that this function rethrows any [Throwable] exception thrown by [transform] function.
* See
[recoverCatching] for an alternative that encapsulates exceptions.
*  

@InlineOnly  

@SinceKotlin("1.3")  

public inline fun <R, T : R> Result<T>.recover(transform: (exception:
Throwable) -> R): Result<R> {
    contract {
        callsInPlace(transform, InvocationKind.AT_MOST_ONCE)
    }
    return when (val exception = exceptionOrNull()) {
        null -> this
        else ->
            Result.success(transform(exception))
    }
}

// transformation
* Returns the encapsulated result of the given [transform]
function applied to the encapsulated [Throwable] exception
* if this instance represents [failure][Result.isFailure]
or the
* original encapsulated value if it is [success][Result.isSuccess].
* This function catches any
[Throwable] exception thrown by [transform] function and encapsulates it as a failure.
* See [recover] for an
alternative that rethrows exceptions.
*  

@InlineOnly  

@SinceKotlin("1.3")  

public inline fun <R, T : R>
Result<T>.recoverCatching(transform: (exception: Throwable) -> R): Result<R> {
    val value = value //
workaround for inline classes BE bug
    return when (val exception = exceptionOrNull()) {
        null -> this
        else -> runCatching { transform(exception) }
    }
}

// "peek" onto value/exception and pipe
*
Performs the given [action] on the encapsulated [Throwable] exception if this instance represents
[failure][Result.isFailure].
* Returns the original `Result` unchanged.
*  

@InlineOnly  

@SinceKotlin("1.3")  

public inline fun <T> Result<T>.onFailure(action: (exception:
Throwable) -> Unit): Result<T> {
    contract {
        callsInPlace(action, InvocationKind.AT_MOST_ONCE)
    }
    exceptionOrNull()?.let { action(it) }
    return this
}

// transformation
* Performs the given [action] on the
encapsulated value if this instance represents [success][Result.isSuccess].
* Returns the original `Result`
unchanged.
*  

@InlineOnly  

@SinceKotlin("1.3")  

public inline fun <T> Result<T>.onSuccess(action: (value:
T) -> Unit): Result<T> {
    contract {
        callsInPlace(action, InvocationKind.AT_MOST_ONCE)
    }
    if
(isSuccess) action(value as T)
    return this
}

// -----
"","/*
* Copyright 2010-2018 JetBrains
s.r.o. and Kotlin Programming Language contributors.
* Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.
*  

package kotlin.coroutines
import
kotlin.coroutines.intrinsics.*
import kotlin.internal.InlineOnly
* Interface representing a continuation after
a suspension point that returns a value of type `T`.
*  

@SinceKotlin("1.3")  

public interface Continuation<in
T> {
    /**
     * The context of the coroutine that corresponds to this continuation.
     */
    public val context: CoroutineContext
    /**
     * Resumes the execution of the corresponding coroutine passing a successful or

```

failed [result] as the\n * return value of the last suspension point.\n *
`public fun resumeWith(result: Result<T>)\n\n/**\n * Classes and interfaces marked with this annotation are restricted when used as receivers for extension\n * `suspend` functions. These `suspend` extensions can only invoke other member or extension `suspend` functions on this particular\n * receiver and are restricted from calling arbitrary suspension functions.\n */\n@SinceKotlin("1.3")\n@Target(AnnotationTarget.CLASS)\n@Retention(AnnotationRetention.BINARY)\npublic annotation class RestrictsSuspension\n\n/**\n * Resumes the execution of the corresponding coroutine passing [value] as the return value of the last suspension point.\n */\n@SinceKotlin("1.3")\n@InlineOnly\npublic inline fun <T> Continuation<T>.resume(value: T): Unit =\n resumeWith(Result.success(value))\n\n/**\n * Resumes the execution of the corresponding coroutine so that the [exception] is re-thrown right after the\n * last suspension point.\n */\n@SinceKotlin("1.3")\n@InlineOnly\npublic inline fun <T> Continuation<T>.resumeWithException(exception: Throwable): Unit =\n resumeWith(Result.failure(exception))\n\n/**\n * Creates a [Continuation] instance with the given [context] and implementation of [resumeWith] method.\n */\n@SinceKotlin("1.3")\n@InlineOnly\npublic inline fun <T> Continuation(\n context: CoroutineContext,\n crossinline resumeWith: (Result<T>) -> Unit\n): Continuation<T> =\n object : Continuation<T> {\n override val context: CoroutineContext\n get() = context\n\n override fun resumeWith(result: Result<T>) =\n resumeWith(result)\n }\n\n/**\n * Creates a coroutine without a receiver and with result type [T].\n * This function creates a new, fresh instance of suspendable computation every time it is invoked.\n * To start executing the created coroutine, invoke `resume(Unit)` on the returned [Continuation] instance.\n * The [completion] continuation is invoked when the coroutine completes with a result or an exception.\n * Subsequent invocation of any resume function on the resulting continuation will produce an [IllegalStateException].\n */\n@SinceKotlin("1.3")\n@Suppress("UNCHECKED_CAST")\npublic fun <T> (suspend () -> T).createCoroutine(\n completion: Continuation<T>): Continuation<Unit> =\n SafeContinuation(createCoroutineUnintercepted(completion).intercepted(), COROUTINE_SUSPENDED)\n\n/**\n * Creates a coroutine with receiver type [R] and result type [T].\n * This function creates a new, fresh instance of suspendable computation every time it is invoked.\n * To start executing the created coroutine, invoke `resume(Unit)` on the returned [Continuation] instance.\n * The [completion] continuation is invoked when the coroutine completes with a result or an exception.\n * Subsequent invocation of any resume function on the resulting continuation will produce an [IllegalStateException].\n */\n@SinceKotlin("1.3")\n@Suppress("UNCHECKED_CAST")\npublic fun <R, T> (suspend R.() -> T).createCoroutine(\n receiver: R,\n completion: Continuation<T>): Continuation<Unit> =\n SafeContinuation(createCoroutineUnintercepted(receiver, completion).intercepted(), COROUTINE_SUSPENDED)\n\n/**\n * Starts a coroutine without a receiver and with result type [T].\n * This function creates and starts a new, fresh instance of suspendable computation every time it is invoked.\n * The [completion] continuation is invoked when the coroutine completes with a result or an exception.\n */\n@SinceKotlin("1.3")\n@Suppress("UNCHECKED_CAST")\npublic fun <T> (suspend () -> T).startCoroutine(\n completion: Continuation<T>)\n {\n createCoroutineUnintercepted(completion).intercepted().resume(Unit)\n }\n\n/**\n * Starts a coroutine with receiver type [R] and result type [T].\n * This function creates and starts a new, fresh instance of suspendable computation every time it is invoked.\n * The [completion] continuation is invoked when the coroutine completes with a result or an exception.\n */\n@SinceKotlin("1.3")\n@Suppress("UNCHECKED_CAST")\npublic fun <R, T> (suspend R.() -> T).startCoroutine(\n receiver: R,\n completion: Continuation<T>)\n {\n createCoroutineUnintercepted(receiver, completion).intercepted().resume(Unit)\n }\n\n/**\n * Obtains the current continuation instance inside suspend functions and suspends\n * the currently running coroutine.\n * In this function both [Continuation.resume] and [Continuation.resumeWithException] can be used either synchronously in\n * the same stack-frame where the suspension function is run or asynchronously later in the same thread or\n * from a different thread of execution. Subsequent invocation of any resume function will produce an [IllegalStateException].\n */\n@SinceKotlin("1.3")\n@InlineOnly\npublic suspend inline fun <T> suspendCoroutine(crossinline block: (Continuation<T>) -> Unit): T =\n suspendCoroutineUninterceptedOrReturn`


```

{ c: Continuation<T> ->\n    val safe = SafeContinuation(c.intercepted())\n    block(safe)\n    safe.getOrThrow()\n } \n\n * Returns the context of the current coroutine.\n\n * \n\n @SinceKotlin("1.3")\n @Suppress("WRONG_MODIFIER_TARGET")\n @InlineOnly\n public suspend inline\n val coroutineContext: CoroutineContext\n    get() {\n        throw NotImplementedError("Implemented as\n        intrinsic")\n    } \n\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n\n * \n\n package kotlin.coroutines.intrinsics\n import kotlin.coroutines.*\n import kotlin.internal.InlineOnly\n\n * Starts an unintercepted coroutine without a receiver and with result type [T] and executes it until its first\n * suspension.\n * Returns the result of the coroutine or throws its exception if it does not suspend or\n [COROUTINE_SUSPENDED] if it suspends.\n * In the latter case, the [completion] continuation is invoked when\n the coroutine completes with a result or an exception.\n * \n * The coroutine is started directly in the invoker's thread\n without going through the [ContinuationInterceptor] that might\n * be present in the completion's\n [CoroutineContext]. It is the invoker's responsibility to ensure that a proper invocation\n * context is established.\n * \n * This function is designed to be used from inside of [suspendCoroutineUninterceptedOrReturn] to resume the\n execution of the suspended\n * coroutine using a reference to the suspending function.\n\n * \n\n @SinceKotlin("1.3")\n @InlineOnly\n public actual inline fun <T> (suspend () ->\n T).startCoroutineUninterceptedOrReturn(\n    completion: Continuation<T>)\n): Any? =\n    this.asDynamic()(completion, false)\n\n * Starts an unintercepted coroutine with receiver type [R] and result\n * type [T] and executes it until its first suspension.\n * Returns the result of the coroutine or throws its exception if it\n * does not suspend or [COROUTINE_SUSPENDED] if it suspends.\n * In the latter case, the [completion]\n * continuation is invoked when the coroutine completes with a result or an exception.\n * \n * The coroutine is started\n * directly in the invoker's thread without going through the [ContinuationInterceptor] that might\n * be present in the\n * completion's [CoroutineContext]. It is the invoker's responsibility to ensure that a proper invocation\n * context is\n * established.\n * \n * This function is designed to be used from inside of [suspendCoroutineUninterceptedOrReturn]\n to resume the execution of the suspended\n * coroutine using a reference to the suspending function.\n\n * \n\n @SinceKotlin("1.3")\n @InlineOnly\n public actual inline fun <R, T> (suspend R.() ->\n T).startCoroutineUninterceptedOrReturn(\n    receiver: R,\n    completion: Continuation<T>)\n): Any? =\n    this.asDynamic()(receiver, completion, false)\n\n * Creates unintercepted coroutine without receiver and with\n * result type [T].\n * This function creates a new, fresh instance of suspendable computation every time it is\n * invoked.\n * To start executing the created coroutine, invoke `resume(Unit)` on the returned [Continuation]\n * instance.\n * The [completion] continuation is invoked when coroutine completes with result or exception.\n * \n * This function returns unintercepted continuation.\n * Invocation of `resume(Unit)` starts coroutine immediately in\n * the invoker's call stack without going through the\n * [ContinuationInterceptor] that might be present in the\n * completion's [CoroutineContext].\n * It is the invoker's responsibility to ensure that a proper invocation context is\n * established.\n * Note that [completion] of this function may get invoked in an arbitrary context.\n * \n * [Continuation.intercepted] can be used to acquire the intercepted continuation.\n * Invocation of `resume(Unit)` on\n * intercepted continuation guarantees that execution of\n * both the coroutine and [completion] happens in the\n * invocation context established by\n * [ContinuationInterceptor].\n * \n * Repeated invocation of any resume function\n * on the resulting continuation corrupts the\n * state machine of the coroutine and may result in arbitrary behaviour or\n * exception.\n\n * \n\n @SinceKotlin("1.3")\n public actual fun <T> (suspend () -> T).createCoroutineUnintercepted(\n    completion: Continuation<T>)\n): Continuation<Unit> =\n    // Kotlin/JS suspend lambdas have an extra parameter\n    `suspended`\n    if (this.asDynamic().length == 2) {\n        // When `suspended` is true the continuation is created,\n        but not executed\n        this.asDynamic()(completion, true)\n    } else {\n        createCoroutineFromSuspendFunction(completion) {\n            this.asDynamic()(completion)\n        }\n    }\n\n * Creates unintercepted coroutine with receiver type [R] and result type [T].\n * This function creates a new, fresh\n * instance of suspendable computation every time it is invoked.\n * To start executing the created coroutine,\n * invoke `resume(Unit)` on the returned [Continuation] instance.\n * The [completion] continuation is invoked when\n * coroutine completes with result or exception.\n * \n * This function returns unintercepted continuation.\n\n *

```

Invocation of `resume(Unit)` starts coroutine immediately in the invoker's call stack without going through the `[ContinuationInterceptor]` that might be present in the completion's `[CoroutineContext]`. It is the invoker's responsibility to ensure that a proper invocation context is established. Note that [completion] of this function may get invoked in an arbitrary context. `[Continuation.intercepted]` can be used to acquire the intercepted continuation. Invocation of `resume(Unit)` on intercepted continuation guarantees that execution of both the coroutine and [completion] happens in the invocation context established by `[ContinuationInterceptor]`. Repeated invocation of any resume function on the resulting continuation corrupts the state machine of the coroutine and may result in arbitrary behaviour or exception.

```

@SinceKotlin("1.3")
public actual fun <R, T>
(suspend R.() -> T).createCoroutineUnintercepted(
    receiver: R, completion: Continuation<T>):
Continuation<Unit> =
    // Kotlin/JS suspend lambdas have an extra parameter `suspended` if
    (this.asDynamic().length == 3) {
        // When `suspended` is true the continuation is created, but not executed
        this.asDynamic()(receiver, completion, true)
    } else {
        createCoroutineFromSuspendFunction(completion)
        {
            this.asDynamic()(receiver, completion)
        }
    }
}

```

Intercepts this continuation with `[ContinuationInterceptor]`. This function shall be used on the immediate result of `[createCoroutineUnintercepted]` or `[suspendCoroutineUninterceptedOrReturn]`, in which case it checks for `[ContinuationInterceptor]` in the continuation's `[context][Continuation.context]`, invokes `[ContinuationInterceptor.interceptContinuation]`, caches and returns the result. If this function is invoked on other `[Continuation]` instances it returns `this` continuation unchanged.

```

@SinceKotlin("1.3")
public actual
fun <T> Continuation<T>.intercepted(): Continuation<T> =
    (this as? CoroutineImpl)?.intercepted() ?:
    this

```

private inline fun <T> createCoroutineFromSuspendFunction(
 completion: Continuation<T>,
 crossinline block: () -> Any?): Continuation<Unit> {
 @Suppress("UNCHECKED_CAST")
 return object
 : CoroutineImpl(completion as Continuation<Any?>) {
 override fun doResume(): Any? {
 exception?.let { throw it }
 return block()
 }
 }
}

Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

```

package kotlin.js
// Mirrors signature from JS IR
// Used for js.translator/testData/box/number/mulInt32.kt
@library
@JsName("imulEmulated")
internal
fun imul(x: Int, y: Int): Int = definedExternally
internal inline fun isArrayish(o: dynamic) =
    js("Kotlin").isArrayish(o)

```

Copyright 2010-2019 JetBrains s.r.o. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

```

@file:Suppress("UNUSED_PARAMETER")
package kotlin.js
@kotlin.internal.InlineOnly
internal
inline fun jsDeleteProperty(obj: Any, property: Any) {
    js("delete
    obj[property]")
}
@kotlin.internal.InlineOnly
internal inline fun jsBitwiseOr(lhs: Any?, rhs: Any?): Int =
    js("lhs | rhs").unsafeCast<Int>()

```

Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

```

package kotlin.math
/**
 * Returns this value with the sign bit same as of the
 * [sign] value.
 * If [sign] is `NaN` the sign of the result is undefined.
 */
@SinceKotlin("1.2")
public actual
fun Double.withSign(sign: Double): Double {
    val thisSignBit =
    js("Kotlin").doubleSignBit(this).unsafeCast<Int>()
    val newSignBit =
    js("Kotlin").doubleSignBit(sign).unsafeCast<Int>()
    return if (thisSignBit == newSignBit) this else -
    this
}

```

Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

```

package kotlin
/**
 * Returns a bit representation of the specified floating-point value as [Long]
 * according to the IEEE 754 floating-point "double format" bit layout.
 */
@SinceKotlin("1.2")
@library("doubleToBits")
public actual
fun Double.toBits(): Long =
    definedExternally
/**
 * Returns a bit representation of the specified floating-point value as [Long]
 * according to the IEEE 754 floating-point "double format" bit layout,
 * preserving `NaN` values exact layout.
 */
@SinceKotlin("1.2")
@library("doubleToRawBits")
public actual
fun Double.toRawBits(): Long =
    definedExternally

```

Returns the `[Double]` value corresponding to a given bit representation.

```

*^@SinceKotlin("1.2")^@kotlin.internal.InlineOnly^public actual inline fun Double.Companion.fromBits(bits:
Long): Double = js("Kotlin").doubleFromBits(bits).unsafeCast<Double>()\n\n/**\n * Returns a bit representation
of the specified floating-point value as [Int]\n * according to the IEEE 754 floating-point "single format" bit
layout.\n *\n * Note that in Kotlin/JS [Float] range is wider than "single format" bit layout can represent,\n * so
some [Float] values may overflow, underflow or lose their accuracy after conversion to bits and back.\n
*^@SinceKotlin("1.2")^@library("floatToBits")^public actual fun Float.toBits(): Int =
definedExternally\n\n/**\n * Returns a bit representation of the specified floating-point value as [Int]\n * according
to the IEEE 754 floating-point "single format" bit layout,\n * preserving `NaN` values exact layout.\n *\n * Note
that in Kotlin/JS [Float] range is wider than "single format" bit layout can represent,\n * so some [Float] values
may overflow, underflow or lose their accuracy after conversion to bits and back.\n
*^@SinceKotlin("1.2")^@library("floatToRawBits")^public actual fun Float.toRawBits(): Int =
definedExternally\n\n/**\n * Returns the [Float] value corresponding to a given bit representation.\n
*^@SinceKotlin("1.2")^@kotlin.internal.InlineOnly^public actual inline fun Float.Companion.fromBits(bits:
Int): Float = js("Kotlin").floatFromBits(bits).unsafeCast<Float>()\n\ninternal inline fun Long(low: Int, high: Int)
= js("Kotlin").Long.fromBits(low, high).unsafeCast<Long>()\ninternal inline val Long.low: Int get() =
this.asDynamic().getLowBits().unsafeCast<Int>()\ninternal inline val Long.high: Int get() =
this.asDynamic().getHighBits().unsafeCast<Int>()", "/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/**\n * Returns a string representation of this
[Long] value in the specified [radix].\n *\n * @throws IllegalArgumentException when [radix] is not a valid radix
for number to string conversion.\n */\n\n@SinceKotlin("1.2")^public actual fun Long.toString(radix: Int): String =
asDynamic().toString(checkRadix(radix)), "/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED
by the GenerateStandardLib.kt\n// See: https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport
kotlin.js.*\nimport kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Reverses elements in the list in-
place.\n */\n\npublic actual fun <T> MutableList<T>.reverse(): Unit {\n    val midPoint = (size / 2) - 1\n    if
(midPoint < 0) return\n    var reverseIndex = lastIndex\n    for (index in 0..midPoint) {\n        val tmp = this[index]\n
        this[index] = this[reverseIndex]\n        this[reverseIndex] = tmp\n        reverseIndex--\n    }\n}\n\n", "/*\n *
Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.text\n\n/\n// NOTE: THIS FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.js.*\n\n/**\n * Returns a
character at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is out of bounds of this char
sequence.\n *\n * @sample samples.collections.Collections.Elements.elementAt\n */\n\npublic actual fun
CharSequence.elementAt(index: Int): Char {\n    return elementAtOrElse(index) { throw
IndexOutOfBoundsException("index: $index, length: $length")} }\n}\n\n", "/*\n * Copyright 2010-2019 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/\n// NOTE: THIS
FILE IS AUTO-GENERATED by the GenerateStandardLib.kt\n// See:
https://github.com/JetBrains/kotlin/tree/master/libraries/stdlib\n\nimport kotlin.js.*\nimport
kotlin.ranges.contains\nimport kotlin.ranges.reversed\n\n/**\n * Returns an element at the given [index] or throws
an [IndexOutOfBoundsException] if the [index] is out of bounds of this array.\n *\n * @sample
samples.collections.Collections.Elements.elementAt\n */\n\n@SinceKotlin("1.3")^@ExperimentalUnsignedTypes^public actual fun UIntArray.elementAt(index: Int):
UInt {\n    return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size")} }\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.\n *\n * @sample samples.collections.Collections.Elements.elementAt\n

```

```

*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun ULongArray.elementAt(index: Int):
ULong {\n    return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size")}
}\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun UByteArray.elementAt(index: Int):
UByte {\n    return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size")}
}\n}\n\n/**\n * Returns an element at the given [index] or throws an [IndexOutOfBoundsException] if the [index] is
out of bounds of this array.\n * \n * @sample samples.collections.Collections.Elements.elementAt\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun UShortArray.elementAt(index: Int):
UShort {\n    return elementAtOrElse(index) { throw IndexOutOfBoundsException("index: $index, size: $size")}
}\n}\n\n/**\n * Returns a [List] that wraps the original array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun UIntArray.asList(): List<UInt> {\n
return object : AbstractList<UInt>(), RandomAccess {\n    override val size: Int get() = this@asList.size\n
override fun isEmpty(): Boolean = this@asList.isEmpty()\n    override fun contains(element: UInt): Boolean =
this@asList.contains(element)\n    override fun get(index: Int): UInt {\n
AbstractList.checkElementIndex(index, size)\n        return this@asList[index]\n    }\n    override fun
indexOf(element: UInt): Int {\n        if ((element as Any?) !is UInt) return -1\n        return
this@asList.indexOf(element)\n    }\n    override fun lastIndexOf(element: UInt): Int {\n        if ((element as
Any?) !is UInt) return -1\n        return this@asList.lastIndexOf(element)\n    }\n}\n}\n\n/**\n * Returns a
[List] that wraps the original array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual fun
ULongArray.asList(): List<ULong> {\n    return object : AbstractList<ULong>(), RandomAccess {\n    override
val size: Int get() = this@asList.size\n    override fun isEmpty(): Boolean = this@asList.isEmpty()\n    override
fun contains(element: ULong): Boolean = this@asList.contains(element)\n    override fun get(index: Int): ULong
{\n        AbstractList.checkElementIndex(index, size)\n        return this@asList[index]\n    }\n    override
fun indexOf(element: ULong): Int {\n        if ((element as Any?) !is ULong) return -1\n        return
this@asList.indexOf(element)\n    }\n    override fun lastIndexOf(element: ULong): Int {\n        if ((element
as Any?) !is ULong) return -1\n        return this@asList.lastIndexOf(element)\n    }\n}\n}\n\n/**\n * Returns
a [List] that wraps the original array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual
fun UByteArray.asList(): List<UByte> {\n    return object : AbstractList<UByte>(), RandomAccess {\n
override val size: Int get() = this@asList.size\n    override fun isEmpty(): Boolean = this@asList.isEmpty()\n
override fun contains(element: UByte): Boolean = this@asList.contains(element)\n    override fun get(index: Int):
UByte {\n        AbstractList.checkElementIndex(index, size)\n        return this@asList[index]\n    }\n
override fun indexOf(element: UByte): Int {\n        if ((element as Any?) !is UByte) return -1\n        return
this@asList.indexOf(element)\n    }\n    override fun lastIndexOf(element: UByte): Int {\n        if ((element
as Any?) !is UByte) return -1\n        return this@asList.lastIndexOf(element)\n    }\n}\n}\n\n/**\n * Returns
a [List] that wraps the original array.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic actual
fun UShortArray.asList(): List<UShort> {\n    return object : AbstractList<UShort>(), RandomAccess {\n
override val size: Int get() = this@asList.size\n    override fun isEmpty(): Boolean = this@asList.isEmpty()\n
override fun contains(element: UShort): Boolean = this@asList.contains(element)\n    override fun get(index:
Int): UShort {\n        AbstractList.checkElementIndex(index, size)\n        return this@asList[index]\n    }\n
override fun indexOf(element: UShort): Int {\n        if ((element as Any?) !is UShort) return -1\n        return
this@asList.indexOf(element)\n    }\n    override fun lastIndexOf(element: UShort): Int {\n        if ((element
as Any?) !is UShort) return -1\n        return this@asList.lastIndexOf(element)\n    }\n}\n}\n\n", "file:
Suppress("DEPRECATION")\npackage jquery.ui\n\n\n/jquery UI\nimport jquery.JQuery\nimport
kotlin.js.Json\n\n@Deprecated("Use declarations from 'https://bintray.com/kotlin/js-externals/kotlin-js-jquery'
package instead.")\npublic inline fun JQuery.buttonset(): JQuery = asDynamic().buttonset()\n\n@Deprecated("Use
declarations from 'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.")\npublic inline fun
JQuery.dialog(): JQuery = asDynamic().dialog()\n\n@Deprecated("Use declarations from

```

```
'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.')
```

```
public inline fun JQuery.dialog(params:
Json): JQuery = asDynamic().dialog(params)\n\n@Deprecated("Use declarations from
'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.')
```

```
public inline fun JQuery.dialog(mode:
String, param: String): Any? = asDynamic().dialog(mode, param)\n\n@Deprecated("Use declarations from
'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.')
```

```
public inline fun JQuery.dialog(mode:
String): JQuery = asDynamic().dialog(mode)\n\n@Deprecated("Use declarations from
'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.')
```

```
public inline fun JQuery.dialog(mode:
String, param: String, value: Any?): JQuery = asDynamic().dialog(mode, param, value)\n\n@Deprecated("Use
declarations from 'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.')
```

```
public inline fun
JQuery.button(): JQuery = asDynamic().button()\n\n@Deprecated("Use declarations from
'https://bintray.com/kotlin/js-externals/kotlin-js-jquery' package instead.')
```

```
public inline fun JQuery.accordion():
JQuery = asDynamic().accordion()\n\n@Deprecated("Use declarations from 'https://bintray.com/kotlin/js-
externals/kotlin-js-jquery' package instead.')
```

```
public inline fun JQuery.draggable(params: Json): JQuery =
asDynamic().draggable(params)\n\n@Deprecated("Use declarations from 'https://bintray.com/kotlin/js-
externals/kotlin-js-jquery' package instead.')
```

```
public inline fun JQuery.selectable(): JQuery =
asDynamic().selectable()\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\nimport
kotlin.annotation.AnnotationTarget.*\n\n@Target(CLASS, FUNCTION, PROPERTY, CONSTRUCTOR,
VALUE_PARAMETER, PROPERTY_GETTER, PROPERTY_SETTER)\n@Deprecated("Use `external` modifier
instead", level = DeprecationLevel.ERROR)\npublic annotation class native(public val name: String =
"")\n\n@Target(FUNCTION)\n@Deprecated("Use inline extension function with body using dynamic()")\npublic
annotation class nativeGetter\n\n@Target(FUNCTION)\n@Deprecated("Use inline extension function with body
using dynamic()")\npublic annotation class nativeSetter\n\n@Target(FUNCTION)\n@Deprecated("Use inline
extension function with body using dynamic()")\npublic annotation class nativeInvoke\n\n@Target(CLASS,
FUNCTION, PROPERTY)\ninternal annotation class library(public val name: String =
"")\n\n@Target(CLASS)\ninternal annotation class marker\n\n/**\n * Gives a declaration (a function, a property or
a class) specific name in JavaScript.\n * This may be useful in the following cases:\n * * There are two
functions for which the compiler gives same name in JavaScript, you can\n * mark one with `@JsName(...)` to
prevent the compiler from reporting error.\n * * You are writing a JavaScript library in Kotlin. The compiler
produces mangled names\n * for functions with parameters, which is unnatural for usual JavaScript developer.\n *
You can put `@JsName(...)` on functions you want to be available from JavaScript.\n * * For some reason you
want to rename declaration, e.g. there's common term in JavaScript\n * for a concept provided by the declaration,
which is uncommon in Kotlin.\n * Example:\n * ```\n * kotlin\n * class Person(val name: String) {\n * fun
hello() {\n * println("Hello $name!")\n * }\n * @JsName("helloWithGreeting")\n * fun
hello(greeting: String) {\n * println("$greeting $name!")\n * }\n * }\n * ```\n * @property name the
name which compiler uses both for declaration itself and for all references to the declaration.\n * It's required
to denote a valid JavaScript identifier.\n * \n\n@Retention(AnnotationRetention.BINARY)\n@Target(CLASS,
FUNCTION, PROPERTY, CONSTRUCTOR, PROPERTY_GETTER, PROPERTY_SETTER)\npublic actual
annotation class JsName(actual val name: String)\n\n/**\n * Denotes an `external` declaration that must be imported
from native JavaScript library.\n * The compiler produces the code relevant for the target module system, for
example, in case of CommonJS,\n * it will import the declaration via the `require(...)` function.\n * The
annotation can be used on top-level external declarations (classes, properties, functions) and files.\n * In case of file
(which can't be `external`) the following rule applies: all the declarations in\n * the file must be `external`. By
applying `@JsModule(...)` on a file you tell the compiler to import a JavaScript object\n * that contain all the
declarations from the file.\n * Example:\n * ```\n * kotlin\n * @JsModule("jquery")\n * external abstract class
JQuery() {\n * // some declarations here\n * }\n * @JsModule("jquery")\n * external fun JQuery(element:
Element): JQuery\n * ```\n * @property import name of a module to import declaration from.\n * It is not
```

interpreted by the Kotlin compiler, it's passed as is directly to the target module system.

```

@see JsNonModule
@Retention(AnnotationRetention.BINARY)
@Target(CLASS, PROPERTY, FUNCTION, FILE)
public annotation class JsModule(val import: String)
// Denotes an `external` declaration that can be used without module system.
// By default, an `external` declaration is available regardless your target module system.
// However, by applying [JsModule] annotation you can make a declaration unavailable to `plain` module system.
// Some JavaScript libraries are distributed both as a standalone downloadable piece of JavaScript and as a module available as an npm package.
// To tell the Kotlin compiler to accept both cases, you can augment [JsModule] with the `@JsNonModule` annotation.
// For example:
kotlin
@JsModule("jquery")
@JsNonModule
@JsName("$")
external abstract class JQuery() {
    // some declarations here
}
@JsModule("jquery")
@JsNonModule
@JsName("$")
external fun JQuery(element: Element): JQuery
@see JsModule
@Retention(AnnotationRetention.BINARY)
@Target(CLASS, PROPERTY, FUNCTION, FILE)
public annotation class JsNonModule
// Adds prefix to `external` declarations in a source file.
// JavaScript does not have concept of packages (namespaces). They are usually emulated by nested objects.
// The compiler turns references to `external` declarations either to plain unprefixed names (in case of `plain` modules) or to plain imports.
// However, if a JavaScript library provides its declarations in packages, you won't be satisfied with this.
// You can tell the compiler to generate additional prefix before references to `external` declarations using the `@JsQualifier(...)` annotation.
// Note that a file marked with the `@JsQualifier(...)` annotation can't contain non-`external` declarations.
// Example:
@file:JsQualifier("my.jsPackageName")
package some.kotlinPackage
external fun foo(x: Int)
external fun bar(): String
@property value the qualifier to add to the declarations in the generated code. It must be a sequence of valid JavaScript identifiers separated by the `.` character.
Examples of valid qualifiers are: `foo`, `bar.Baz`, `_.$.f`
@see JsModule
@Retention(AnnotationRetention.BINARY)
@Target(AnnotationTarget.FILE)
public annotation class JsQualifier(val value: String)
// Marks experimental JS export annotations.
// Note that behaviour of these annotations will likely be changed in the future.
// Usages of such annotations will be reported as warnings unless an explicit opt-in with the [OptIn] annotation, e.g. `@OptIn(ExperimentalJsExport::class)` or with the `-Xopt-in=kotlin.js.ExperimentalJsExport` compiler option is given.
@Suppress("DEPRECATION")
@Experimental(level = Experimental.Level.WARNING)
@RequiresOptIn(level = RequiresOptIn.Level.WARNING)
@SinceKotlin("1.3")
public annotation class ExperimentalJsExport
// Exports top-level declaration.
// Used in future IR-based backend.
// Has no effect in current JS backend.
@ExperimentalJsExport
@SinceKotlin("1.3")
@Retention(AnnotationRetention.BINARY)
@Target(CLASS, PROPERTY, FUNCTION, FILE)
public annotation class JsExport
// Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
// Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
@package kotlin.jvm
// these are used in common generated code in stdlib
// TODO: find how to deprecate these
@Target(AnnotationTarget.FIELD)
@Retention(AnnotationRetention.SOURCE)
public actual annotation class Volatile
@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY_GETTER, AnnotationTarget.PROPERTY_SETTER)
@Retention(AnnotationRetention.SOURCE)
public actual annotation class Synchronized
// Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
// Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
@package kotlin.collections
// Provides a skeletal implementation of the [MutableCollection] interface.
@param E the type of elements contained in the collection. The collection is invariant on its element type.
public actual abstract class AbstractMutableCollection<E> protected actual constructor() : AbstractCollection<E>, MutableCollection<E> {
    actual abstract override fun add(element: E): Boolean
    actual override fun remove(element: E): Boolean {
        val iterator = iterator()
        while (iterator.hasNext()) {
            if (iterator.next() == element) {
                iterator.remove()
                return true
            }
        }
    }
}

```

```

    }
    }
    return false
}

actual override fun addAll(elements: Collection<E>): Boolean {
    var modified = false
    for (element in elements) {
        if (add(element)) modified = true
    }
    return modified
}

actual override fun removeAll(elements: Collection<E>): Boolean = (this as
MutableIterable<E>).removeAll { it in elements }
actual override fun retainAll(elements: Collection<E>):
Boolean = (this as MutableIterable<E>).removeAll { it !in elements }

actual override fun clear(): Unit {
    val iterator = this.iterator()
    while (iterator.hasNext()) {
        iterator.next()
        iterator.remove()
    }
}

@JsName("toJSON")
open fun toJSON(): Any = this.toArray()

/**
 * Copyright 2010-
2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
Based on GWT AbstractList
 * Copyright 2007 Google Inc.
 */
package kotlin.collections

/**
 * Provides a skeletal implementation of
the [MutableList] interface.
 * @param E the type of elements contained in the list. The list is invariant on its
element type.
 */
public actual abstract class AbstractMutableList<E> protected actual constructor() :
AbstractMutableCollection<E>(), MutableList<E> {
    protected var modCount: Int = 0

    abstract override fun
add(index: Int, element: E): Unit
abstract override fun
removeAt(index: Int): E
abstract override fun
set(index: Int, element: E): E

    /**
     * Adds the specified element to the end of this list.
     * @return
`true` because the list is always modified as the result of this operation.
     */
    actual override fun add(element:
E): Boolean {
        add(size, element)
        return true
    }

    actual override fun addAll(index: Int, elements:
Collection<E>): Boolean {
        var _index = index
        var changed = false
        for (e in elements) {
            add(_index++, e)
            changed = true
        }
        return changed
    }

    actual override fun clear() {
        removeRange(0, size)
    }

    actual override fun removeAll(elements: Collection<E>): Boolean = removeAll {
it in elements }
    actual override fun retainAll(elements: Collection<E>): Boolean = removeAll { it !in elements
}

    actual override fun iterator(): MutableIterator<E> = IteratorImpl()

    actual override fun
contains(element: E): Boolean = indexOf(element) >= 0
    actual override fun indexOf(element: E): Int {
        for (index in 0..lastIndex) {
            if (get(index) == element) {
                return index
            }
        }
        return -1
    }

    actual override fun lastIndexOf(element: E): Int {
        for (index in lastIndex downTo 0) {
            if (get(index) == element) {
                return index
            }
        }
        return -1
    }

    actual
override fun listIterator(): MutableListIterator<E> = listIterator(0)
    actual override fun listIterator(index: Int):
MutableListIterator<E> = ListIteratorImpl(index)

    actual override fun subList(fromIndex: Int, toIndex: Int):
MutableList<E> = SubList(this, fromIndex, toIndex)

    /**
     * Removes the range of elements from this list
starting from [fromIndex] and ending with but not including [toIndex].
     */
    protected open fun
removeRange(fromIndex: Int, toIndex: Int) {
        val iterator = listIterator(fromIndex)
        repeat(toIndex -
fromIndex) {
            iterator.next()
            iterator.remove()
        }
    }

    /**
     * Compares this list with
another list instance with the ordered structural equality.
     * @return true, if [other] instance is a [List] of
the same size, which contains the same elements in the same order.
     */
    override fun equals(other: Any?):
Boolean {
        if (other === this) return true
        if (other !is List<*>) return false
        return
AbstractList.orderedEquals(this, other)
    }

    /**
     * Returns the hash code value for this list.
     */
    override fun hashCode(): Int = AbstractList.orderedHashCode(this)

    private open inner class IteratorImpl :
MutableIterator<E> {
        /** the index of the item that will be returned on the next call to [next]() */
        protected var index = 0
        /** the index of the item that was returned on the previous call to [next]() * or
[ListIterator.previous]() (for `ListIterator`),
        * -1 if no such item exists
        */
        protected var last = -
1

        override fun hasNext(): Boolean = index < size

        override fun next(): E {
            if (!hasNext())
throw NoSuchElementException()
            last = index++
            return get(last)
        }

        override fun
remove() {
            check(last != -1) { "Call next() or previous() before removing element from the iterator." }
            removeAt(last)
            index = last
            last = -1
        }
    }

    /**
     * Implementation of
`MutableListIterator` for abstract lists.
     */
    private inner class ListIteratorImpl(index: Int) : IteratorImpl(),
MutableListIterator<E> {
        init {
            AbstractList.checkPositionIndex(index,
this@AbstractMutableList.size)
            this.index = index
        }

        override fun hasPrevious(): Boolean =
index > 0

        override fun nextIndex(): Int = index

        override fun previous(): E {
            if

```

```

(!hasPrevious()) throw NoSuchElementException()\n\n        last = --index\n        return get(last)\n    }\n\n    override fun previousIndex(): Int = index - 1\n\n    override fun add(element: E) {\n        add(index, element)\n        index++\n        last = -1\n    }\n\n    override fun set(element: E) {\n        check(last != -1) { \"Call\n        next() or previous() before updating element value with the iterator.\" }\n        this@AbstractMutableList[last] =\n        element\n    }\n\n    private class SubList<E>(private val list: AbstractMutableList<E>, private val\n    fromIndex: Int, toIndex: Int) : AbstractMutableList<E>(), RandomAccess {\n        private var _size: Int = 0\n\n        init {\n            AbstractList.checkRangeIndexes(fromIndex, toIndex, list.size)\n            this._size = toIndex -\n            fromIndex\n        }\n\n        override fun add(index: Int, element: E) {\n            AbstractList.checkPositionIndex(index, _size)\n            list.add(fromIndex + index, element)\n            _size++\n        }\n\n        override fun get(index: Int): E {\n            AbstractList.checkElementIndex(index, _size)\n            return\n            list[fromIndex + index]\n        }\n\n        override fun removeAt(index: Int): E {\n            AbstractList.checkElementIndex(index, _size)\n            val result = list.removeAt(fromIndex + index)\n            _size--\n            return result\n        }\n\n        override fun set(index: Int, element: E): E {\n            AbstractList.checkElementIndex(index, _size)\n            return list.set(fromIndex + index, element)\n        }\n\n        override val size: Int get() = _size\n    }\n\n    \"\"/>\n    /*\n    * Copyright 2010-2018 JetBrains s.r.o. and Kotlin\n    Programming Language contributors.\n    * Use of this source code is governed by the Apache 2.0 license that can be\n    found in the license/LICENSE.txt file.\n    */\n    * Based on GWT AbstractMap\n    * Copyright 2007 Google Inc.\n    */\n    * package kotlin.collections\n    * Provides a skeletal implementation of the [MutableMap] interface.\n    * The implementor is required to implement [entries] property, which should return mutable set of map entries, and\n    [put] function.\n    * @param K the type of map keys. The map is invariant on its key type.\n    * @param V the type\n    of map values. The map is invariant on its value type.\n    */\n    public actual abstract class AbstractMutableMap<K, V>\n    protected actual constructor() : AbstractMap<K, V>(), MutableMap<K, V> {\n        /**\n        * A mutable\n        [Map.Entry] shared by several [Map] implementations.\n        */\n        internal open class SimpleEntry<K, V>(override\n        val key: K, value: V) : MutableMap.MutableEntry<K, V> {\n            constructor(entry: Map.Entry<K, V>) :\n            this(entry.key, entry.value)\n            private var _value = value\n            override val value: V get() = _value\n            override fun setValue(newValue: V): V {\n                val oldValue = this._value\n                this._value = newValue\n                return oldValue\n            }\n            override fun hashCode(): Int = entryHashCode(this)\n            override fun toString():\n            String = entryToString(this)\n            override fun equals(other: Any?): Boolean = entryEquals(this, other)\n        }\n\n        actual override fun clear() {\n            entries.clear()\n        }\n\n        private var _keys: MutableSet<K>? = null\n        actual\n        override val keys: MutableSet<K> get() {\n            if (_keys == null) {\n                _keys = object :\n                AbstractMutableSet<K>() {\n                    override fun add(element: K): Boolean = throw\n                    UnsupportedOperationException(\"Add is not supported on keys\")\n                }\n                override fun clear() {\n                    this@AbstractMutableMap.clear()\n                }\n                override operator fun contains(element: K):\n                Boolean = containsKey(element)\n                override operator fun iterator(): MutableIterator<K> {\n                    val entryIterator = entries.iterator()\n                    return object : MutableIterator<K> {\n                        override fun hasNext(): Boolean = entryIterator.hasNext()\n                        override fun next(): K =\n                        entryIterator.next().key\n                    }\n                }\n                override fun remove(element: K): Boolean {\n                    if (containsKey(element)) {\n                        this@AbstractMutableMap.remove(element)\n                        return true\n                    }\n                    return false\n                }\n                override val size: Int get() = this@AbstractMutableMap.size\n            }\n        }\n\n        actual abstract override fun put(key: K, value: V): V?\n        actual\n        override fun putAll(from: Map<out K, V>) {\n            for ((key, value) in from) {\n                put(key, value)\n            }\n        }\n\n        private var _values: MutableCollection<V>? = null\n        actual\n        override val values:\n        MutableCollection<V> get() {\n            if (_values == null) {\n                _values = object :\n                AbstractMutableCollection<V>() {\n                    override fun add(element: V): Boolean = throw\n                    UnsupportedOperationException(\"Add is not supported on values\")\n                }\n                override fun clear() =\n                this@AbstractMutableMap.clear()\n                override operator fun contains(element: V): Boolean =\n                containsValue(element)\n                override operator fun iterator(): MutableIterator<V> {\n                    val

```



```

size))\n    }\n    modCount++\n    return true\n    }\n    actual override fun removeAt(index: Int): E {\n
rangeCheck(index)\n    modCount++\n    return if (index == lastIndex)\n        array.asDynamic().pop()\n
else\n    array.asDynamic().splice(index, 1)[0]\n    }\n    actual override fun remove(element: E): Boolean {\n
    for (index in array.indices) {\n        if (array[index] == element) {\n            array.asDynamic().splice(index,
1)\n            modCount++\n            return true\n        }\n    }\n    return false\n    }\n    override fun
removeRange(fromIndex: Int, toIndex: Int) {\n    modCount++\n    array.asDynamic().splice(fromIndex,
toIndex - fromIndex)\n    }\n    actual override fun clear() {\n    array = emptyArray()\n    modCount++\n
}\n\n    actual override fun indexOf(element: E): Int = array.indexOf(element)\n\n    actual override fun
lastIndexOf(element: E): Int = array.lastIndexOf(element)\n\n    override fun toString() = arrayToString(array)\n
override fun toArray(): Array<Any?> = js("{}").slice.call(array)\n\n    private fun rangeCheck(index: Int) =
index.apply {\n    AbstractList.checkElementIndex(index, size)\n    }\n\n    private fun
insertionRangeCheck(index: Int) = index.apply {\n    AbstractList.checkPositionIndex(index, size)\n    }\n}", "/*\n
* Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.collections\n\ninternal fun <T> sortArrayWith(array: Array<out T>, comparison: (T, T) -> Int) {\n    if
(getStableSortingIsSupported()) {\n    array.asDynamic().sort(comparison)\n    } else {\n
mergeSort(array.unsafeCast<Array<T>>(), 0, array.lastIndex, Comparator(comparison))\n    }\n}\n\ninternal fun
<T> sortArrayWith(array: Array<out T>, comparator: Comparator<in T>) {\n    if (getStableSortingIsSupported())
{\n    val comparison = { a: T, b: T -> comparator.compare(a, b) }\n    array.asDynamic().sort(comparison)\n
} else {\n    mergeSort(array.unsafeCast<Array<T>>(), 0, array.lastIndex, comparator)\n    }\n}\n\ninternal fun
<T : Comparable<T>> sortArray(array: Array<out T>) {\n    if (getStableSortingIsSupported()) {\n    val
comparison = { a: T, b: T -> a.compareTo(b) }\n    array.asDynamic().sort(comparison)\n    } else {\n
mergeSort(array.unsafeCast<Array<T>>(), 0, array.lastIndex, naturalOrder())\n    }\n}\n\nprivate var
_stableSortingIsSupported: Boolean? = null\nprivate fun getStableSortingIsSupported(): Boolean {\n
_stableSortingIsSupported?.let { return it }\n    _stableSortingIsSupported = false\n\n    val array =
js("{}").unsafeCast<Array<Int>>()\n    // known implementations may use stable sort for arrays of up to 512
elements\n    // so we create slightly more elements to test stability\n    for (index in 0 until 600)\n
array.asDynamic().push(index)\n    val comparison = { a: Int, b: Int -> (a and 3) - (b and 3) }\n
array.asDynamic().sort(comparison)\n    for (index in 1 until array.size) {\n    val a = array[index - 1]\n    val b
= array[index]\n    if ((a and 3) == (b and 3) && a >= b) return false\n    }\n    _stableSortingIsSupported = true\n
return true\n    }\n}\n\nprivate fun <T> mergeSort(array: Array<T>, start: Int, endInclusive: Int, comparator:
Comparator<in T>) {\n    val buffer = arrayOfNulls<Any?>(array.size).unsafeCast<Array<T>>()\n    val result =
mergeSort(array, buffer, start, endInclusive, comparator)\n    if (result !== array) {\n    result.forEachIndexed { i,
v -> array[i] = v }\n    }\n}\n\n// Both start and end are inclusive indices.\nprivate fun <T> mergeSort(array:
Array<T>, buffer: Array<T>, start: Int, end: Int, comparator: Comparator<in T>): Array<T> {\n    if (start == end)\n
{\n    return array\n    }\n\n    val median = (start + end) / 2\n    val left = mergeSort(array, buffer, start, median,
comparator)\n    val right = mergeSort(array, buffer, median + 1, end, comparator)\n\n    val target = if (left ===
buffer) array else buffer\n\n    // Merge.\n    var leftIndex = start\n    var rightIndex = median + 1\n    for (i in
start..end) {\n    when {\n        leftIndex <= median && rightIndex <= end -> {\n            val leftValue =
left[leftIndex]\n            val rightValue = right[rightIndex]\n            if (comparator.compare(leftValue,
rightValue) <= 0) {\n                target[i] = leftValue\n                leftIndex++\n            } else {\n
target[i] = rightValue\n                rightIndex++\n            }\n        }\n        leftIndex <= median -> {\n
target[i] = left[leftIndex]\n                leftIndex++\n            }\n        else /* rightIndex <= end */ -> {\n
target[i] = right[rightIndex]\n                rightIndex++\n            }\n        Unit // TODO: Fix KT-31506\n    }\n    }\n
}\n\n    return target\n    }\n}", "/*\n
* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage
kotlin.collections\n\n@UseExperimental(ExperimentalUnsignedTypes::class)\n@SinceKotlin("1.3")\n@kotlin.js

```

```

.jsName("contentDeepHashCodeImpl")\ninternal fun <T> Array<out T>.contentDeepHashCodeImpl(): Int {\n
var result = 1\n for (element in this) {\n val elementHash = when {\n element == null -> 0\n
isArrayish(element) -> (element.unsafeCast<Array<*>>()).contentDeepHashCodeImpl()\n element is
UByteArray -> element.contentHashCode()\n element is UShortArray -> element.contentHashCode()\n
element is UIntArray -> element.contentHashCode()\n element is ULongArray ->
element.contentHashCode()\n else -> element.hashCode()\n }\n result = 31 * result +
elementHash\n }\n return result\n }"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\ninternal interface EqualityComparator {\n /**\n
* Subclasses must override to return a value indicating\n * whether or not two keys or values are equal.\n */\n
abstract fun equals(value1: Any?, value2: Any?): Boolean\n\n /**\n
* Subclasses must override to return the
hash code of a given key.\n */\n abstract fun getHashCode(value: Any?): Int\n\n object hashCode :
EqualityComparator {\n override fun equals(value1: Any?, value2: Any?): Boolean = value1 == value2\n\n
override fun getHashCode(value: Any?): Int = value?.hashCode() ?: 0\n }\n }"/*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n/*\n * Based on GWT
AbstractHashMap\n * Copyright 2008 Google Inc.\n */\n\npackage kotlin.collections\n\nimport
kotlin.collections.MutableMap.MutableEntry\n\n/**\n
* Hash table based implementation of the [MutableMap]
interface.\n * This implementation makes no guarantees regarding the order of enumeration of [keys], [values]
and [entries] collections.\n */\n\npublic actual open class HashMap<K, V> : AbstractMutableMap<K, V>,
MutableMap<K, V> {\n\n private inner class EntrySet : AbstractMutableSet<MutableEntry<K, V>>() {\n\n
override fun add(element: MutableEntry<K, V>): Boolean = throw UnsupportedOperationException("Add is not
supported on entries")\n override fun clear() {\n this@HashMap.clear()\n }\n\n override
operator fun contains(element: MutableEntry<K, V>): Boolean = containsEntry(element)\n\n override operator
fun iterator(): MutableIterator<MutableEntry<K, V>> = internalMap.iterator()\n\n override fun
remove(element: MutableEntry<K, V>): Boolean {\n if (contains(element)) {\n
this@HashMap.remove(element.key)\n return true\n }\n return false\n }\n\n override
val size: Int get() = this@HashMap.size\n }\n\n\n /**\n
* Internal implementation of the map: either string-
based or hashcode-based.\n */\n private val internalMap: InternalMap<K, V>\n\n private val equality:
EqualityComparator\n\n internal constructor(internalMap: InternalMap<K, V>) : super() {\n this.internalMap
= internalMap\n this.equality = internalMap.equality\n }\n\n /**\n
* Constructs an empty [HashMap]
instance.\n */\n\n actual constructor() : this(InternalHashCodeMap(EqualityComparator.HashCode))\n\n /**\n
* Constructs an empty [HashMap] instance.\n * @param initialCapacity the initial capacity (ignored)\n
* @param loadFactor the load factor (ignored)\n * @throws IllegalArgumentException if the initial
capacity or load factor are negative\n */\n
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n actual constructor(initialCapacity:
Int, loadFactor: Float = 0.0f) : this() {\n // This implementation of HashMap has no need of load factors or
capacities.\n require(initialCapacity >= 0) { "Negative initial capacity: $initialCapacity" }\n
require(loadFactor >= 0) { "Non-positive load factor: $loadFactor" }\n }\n\n actual constructor(initialCapacity:
Int) : this(initialCapacity, 0.0f)\n\n\n /**\n
* Constructs an instance of [HashMap] filled with the contents of the
specified [original] map.\n */\n\n actual constructor(original: Map<out K, V>) : this() {\n
this.putAll(original)\n }\n\n actual override fun clear() {\n internalMap.clear()\n//
structureChanged(this)\n }\n\n actual override fun containsKey(key: K): Boolean =
internalMap.containsKey()\n\n actual override fun containsValue(value: V): Boolean = internalMap.any {
equality.equals(it.value, value) }\n\n private var _entries: MutableSet<MutableMap.MutableEntry<K, V>>? =
null\n\n actual override val entries: MutableSet<MutableMap.MutableEntry<K, V>>\n get() {\n if
(_entries == null) {\n _entries = createEntrySet()\n }\n return _entries!!\n }\n\n\n protected open fun createEntrySet(): MutableSet<MutableMap.MutableEntry<K, V>> = EntrySet()\n\n actual

```

```

override operator fun get(key: K): V? = internalMap.get(key)\n\n actual override fun put(key: K, value: V): V? =
internalMap.put(key, value)\n\n actual override fun remove(key: K): V? = internalMap.remove(key)\n\n actual
override val size: Int get() = internalMap.size\n\n}\n\n/**\n * Constructs the specialized implementation of
[HashMap] with [String] keys, which stores the keys as properties of\n * JS object without hashing them.\n
*\npublic fun <V> stringMapOf(vararg pairs: Pair<String, V>): HashMap<String, V> {\n return
HashMap<String, V>(InternalStringMap(EqualityComparator.HashCode)).apply { putAll(pairs) }\n}", "/*\n *
Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n * Based on GWT
HashSet\n * Copyright 2008 Google Inc.\n */\n\npackage kotlin.collections\n\n/**\n * The implementation of the
[MutableSet] interface, backed by a [HashMap] instance.\n */\npublic actual open class HashSet<E> :
AbstractMutableSet<E>, MutableSet<E> {\n\n private val map: HashMap<E, Any>\n\n /**\n * Constructs a
new empty [HashSet].\n */\n actual constructor()\n map = HashMap<E, Any>()\n }\n\n /**\n *
Constructs a new [HashSet] filled with the elements of the specified collection.\n */\n actual
constructor(elements: Collection<E>) {\n map = HashMap<E, Any>(elements.size)\n addAll(elements)\n
}\n\n /**\n * Constructs a new empty [HashSet].\n */\n * @param initialCapacity the initial capacity
(ignored)\n * @param loadFactor the load factor (ignored)\n */\n * @throws IllegalArgumentException if
the initial capacity or load factor are negative\n */\n
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n actual constructor(initialCapacity:
Int, loadFactor: Float = 0.0f) {\n map = HashMap<E, Any>(initialCapacity, loadFactor)\n }\n\n actual
constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n\n /**\n * Protected constructor to specify the
underlying map. This is used by\n * LinkedHashSet.\n */\n * @param map underlying map to use.\n */\n
internal constructor(map: HashMap<E, Any>) {\n this.map = map\n }\n\n actual override fun add(element:
E): Boolean {\n val old = map.put(element, this)\n return old == null\n }\n\n actual override fun clear()
{\n map.clear()\n }\n\n// public override fun clone(): Any {\n// return HashSet<E>(this)\n// }\n\n
actual override operator fun contains(element: E): Boolean = map.containsKey(element)\n\n actual override fun
isEmpty(): Boolean = map.isEmpty()\n\n actual override fun iterator(): MutableIterator<E> =
map.keys.iterator()\n\n actual override fun remove(element: E): Boolean = map.remove(element) != null\n\n
actual override val size: Int get() = map.size\n\n}\n\n/**\n * Creates a new instance of the specialized
implementation of [HashSet] with the specified [String] elements,\n * which elements the keys as properties of JS
object without hashing them.\n */\npublic fun stringSetOf(vararg elements: String): HashSet<String> {\n return
HashSet(stringMapOf<Any>()).apply { addAll(elements) }\n}\n}", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n * Based on GWT InternalHashMap\n * Copyright
2008 Google Inc.\n */\n\npackage kotlin.collections\n\nimport
kotlin.collections.MutableMap.MutableEntry\nimport kotlin.collections.AbstractMutableMap.SimpleEntry\n\n/**\n
* A simple wrapper around JavaScriptObject to provide [java.util.Map]-like semantics for any\n * key type.\n */\n
*\n * Implementation notes:\n */\n * A key's hashCode is the index in backingMap which should contain that
key. Since several keys may\n * have the same hash, each value in hashCodeMap is actually an array containing all
entries whose\n * keys share the same hash.\n */\ninternal class InternalHashMap<K, V>(override val equality:
EqualityComparator) : InternalMap<K, V> {\n\n private var backingMap: dynamic = createJsMap()\n override
var size: Int = 0\n private set\n\n override fun put(key: K, value: V): V? {\n val hashCode =
equality.getHashCode(key)\n val chainOrEntry = getChainOrEntryOrNull(hashCode)\n if (chainOrEntry
== null) {\n // This is a new chain, put it to the map.\n backingMap[hashCode] = SimpleEntry(key,
value)\n } else {\n if (chainOrEntry !is Array<*>) {\n // It is an entry\n val entry:
SimpleEntry<K, V> = chainOrEntry\n if (equality.equals(entry.key, key)) {\n return
entry.setValue(value)\n } else {\n backingMap[hashCode] = arrayOf(entry, SimpleEntry(key,
value))\n size++\n return null\n }\n } else {\n // Chain already
exists, perhaps key also exists.\n val chain: Array<MutableEntry<K, V>> = chainOrEntry\n val

```

```

entry = chain.findEntryInChain(key)\n        if (entry != null) {\n            return entry.setValue(value)\n        }\n        chain.asDynamic().push(SimpleEntry(key, value))\n    }\n    size++\n//
structureChanged(host)\n    return null\n }\n\n override fun remove(key: K): V? {\n    val hashCode =
equality.getHashCode(key)\n    val chainOrEntry = getChainOrEntryOrNull(hashCode)?: return null\n    if
(chainOrEntry !is Array<*>) {\n        val entry: MutableEntry<K, V> = chainOrEntry\n        if
(equality.equals(entry.key, key)) {\n            jsDeleteProperty(backingMap, hashCode)\n            size--\n
return entry.value\n        } else {\n            return null\n        }\n    } else {\n        val chain:
Array<MutableEntry<K, V>> = chainOrEntry\n        for (index in chain.indices) {\n            val entry =
chain[index]\n            if (equality.equals(key, entry.key)) {\n                if (chain.size == 1) {\n
chain.asDynamic().length = 0\n                // remove the whole array\n
jsDeleteProperty(backingMap, hashCode)\n                } else {\n                    // splice out the entry we're
removing\n                    chain.asDynamic().splice(index, 1)\n                }\n                size--\n
structureChanged(host)\n                return entry.value\n            }\n        }\n        return null\n    }\n\n
override fun clear() {\n    backingMap = createJsMap()\n    size = 0\n }\n\n override fun contains(key: K):
Boolean = getEntry(key) != null\n\n override fun get(key: K): V? = getEntry(key)?.value\n\n private fun
getEntry(key: K): MutableEntry<K, V>? {\n    val chainOrEntry =
getChainOrEntryOrNull(equality.getHashCode(key))?: return null\n    if (chainOrEntry !is Array<*>) {\n
val entry: MutableEntry<K, V> = chainOrEntry\n        if (equality.equals(entry.key, key)) {\n            return
entry\n        } else {\n            return null\n        }\n    } else {\n        val chain: Array<MutableEntry<K,
V>> = chainOrEntry\n        return chain.findEntryInChain(key)\n    }\n }\n\n private fun
Array<MutableEntry<K, V>>.findEntryInChain(key: K): MutableEntry<K, V>? =\n    firstOrNull { entry ->
equality.equals(entry.key, key) }\n\n override fun iterator(): MutableIterator<MutableEntry<K, V>> {\n\n
return object : MutableIterator<MutableEntry<K, V>> {\n        var state = -1 // -1 not ready, 0 - ready, 1 -
done\n        val keys: Array<String> = js("Object").keys(backingMap)\n        var keyIndex = -1\n\n
var chainOrEntry: dynamic = null\n        var isChain = false\n        var itemIndex = -1\n        var lastEntry:
MutableEntry<K, V>? = null\n\n        private fun computeNext(): Int {\n            if (chainOrEntry != null &&
isChain) {\n                val chainSize: Int = chainOrEntry.unsafeCast<Array<MutableEntry<K, V>>>().size\n
                if (++itemIndex < chainSize)\n                    return 0\n            }\n            if (++keyIndex < keys.size)\n
{\n                chainOrEntry = backingMap[keys[keyIndex]]\n                isChain = chainOrEntry is Array<*>\n
                itemIndex = 0\n                return 0\n            } else {\n                chainOrEntry = null\n
return 1\n            }\n        }\n\n        override fun hasNext(): Boolean {\n            if (state == -1)\n                state = computeNext()\n            return state == 0\n        }\n\n        override fun next(): MutableEntry<K, V>
{\n            if (!hasNext()) throw NoSuchElementException()\n            val lastEntry = if (isChain) {\n
chainOrEntry.unsafeCast<Array<MutableEntry<K, V>>>()[itemIndex]\n            } else {\n
chainOrEntry.unsafeCast<MutableEntry<K, V>>()\n            }\n            this.lastEntry = lastEntry\n
state = -1\n            return lastEntry\n        }\n\n        override fun remove() {\n            checkNotNull(lastEntry)\n            this@InternalHashMap.remove(lastEntry!!.key)\n            lastEntry =
null\n            // the chain being iterated just got modified by InternalHashMap.remove\n            itemIndex--\n        }\n\n        private fun getChainOrEntryOrNull(hashCode: Int): dynamic {\n            val
chainOrEntry = backingMap[hashCode]\n            return if (chainOrEntry === undefined) null else chainOrEntry\n
}\n\n}\n\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n */\npackage kotlin.collections\n\n/**\n * The common interface of [InternalStringMap] and
[InternalHashMap].\n */\ninternal interface InternalMap<K, V> :
MutableIterable<MutableMap.MutableEntry<K, V>> {\n    val equality: EqualityComparator\n    val size: Int\n
operator fun contains(key: K): Boolean\n    operator fun get(key: K): V?\n\n    fun put(key: K, value: V): V?\n
fun remove(key: K): V?\n    fun clear(): Unit\n\n    fun createJsMap(): dynamic {\n        val result =
js("Object.create(null)")\n        // force to switch object representation to dictionary mode\n        result["foo"] =

```

```

1\n    jsDeleteProperty(result, \"foo\")\n    return result\n    }\n}\n\", \"/*\n * Copyright 2010-2018 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n */\n\n * Based on GWT InternalStringMap\n * Copyright
2008 Google Inc.\n */\npackage kotlin.collections\n\nimport kotlin.collections.MutableMap.MutableEntry\n\n/**\n * A simple wrapper around JavaScript Map for key type is string.\n * Though this map is instantiated only with
K=String, the K type is not fixed to String statically,\n * because we want to have it erased to Any? in order not to
generate type-safe override bridges for\n * [get], [contains], [remove] etc, if they ever are generated.\n */\ninternal
class InternalStringMap<K, V>(override val equality: EqualityComparator) : InternalMap<K, V> {\n\n    private var
backingMap: dynamic = createJsMap()\n    override var size: Int = 0\n    private set\n\n    /**\n     * A mod
count to track 'value' replacements in map to ensure that the 'value' that we have in the\n     * iterator entry is
guaranteed to be still correct.\n     * This is to optimize for the common scenario where the values are not modified
during\n     * iterations where the entries are never stale.\n     */\n    private var valueMod: Int = 0\n\n    override
operator fun contains(key: K): Boolean {\n        if (key !is String) return false\n        return backingMap[key] !==
undefined\n    }\n\n    override operator fun get(key: K): V? {\n        if (key !is String) return null\n        val value =
backingMap[key]\n        return if (value !== undefined) value.unsafeCast<V>() else null\n    }\n\n    override fun
put(key: K, value: V): V? {\n        require(key is String)\n        val oldValue = backingMap[key]\n        backingMap[key] = value\n        if (oldValue === undefined) {\n            size++\n\n            structureChanged(host)\n            return null\n        } else {\n            valueMod++\n            return
oldValue.unsafeCast<V>()\n        }\n    }\n\n    override fun remove(key: K): V? {\n        if (key !is String) return
null\n        val value = backingMap[key]\n        if (value !== undefined) {\n            jsDeleteProperty(backingMap,
key)\n            size--\n            structureChanged(host)\n            return value.unsafeCast<V>()\n        } else {\n            valueMod++\n            return null\n        }\n    }\n\n    override fun clear() {\n        backingMap = createJsMap()\n        size = 0\n    }\n\n    override fun iterator(): MutableIterator<MutableEntry<K, V>> {\n        return object :
MutableIterator<MutableEntry<K, V>> {\n            private val keys: Array<String> =
js(\"Object\").keys(backingMap)\n            private val iterator = keys.iterator()\n            private var lastKey: String? =
null\n\n            override fun hasNext(): Boolean = iterator.hasNext()\n            override fun next():
MutableEntry<K, V> {\n                val key = iterator.next()\n                lastKey = key\n                @Suppress(\"UNCHECKED_CAST\")\n                return newMapEntry(key as K)\n            }\n\n            override
fun remove() {\n                @Suppress(\"UNCHECKED_CAST\")\n                this@InternalStringMap.remove(checkNotNull(lastKey) as K)\n            }\n        }\n\n        private fun
newMapEntry(key: K): MutableEntry<K, V> = object : MutableEntry<K, V> {\n            override val key: K get() =
key\n            override val value: V get() = this@InternalStringMap[key].unsafeCast<V>()\n\n            override fun
setValue(newValue: V): V = this@InternalStringMap.put(key, newValue).unsafeCast<V>()\n\n            override fun
hashCode(): Int = AbstractMap.entryHashCode(this)\n            override fun toString(): String =
AbstractMap.entryToString(this)\n            override fun equals(other: Any?): Boolean = AbstractMap.entryEquals(this,
other)\n        }\n    }\n}\n\", \"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n *
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n *
Based on GWT LinkedHashMap\n * Copyright 2008 Google Inc.\n */\npackage
kotlin.collections\n\nimport kotlin.collections.MutableMap.MutableEntry\n\n/**\n * Hash table based
implementation of the [MutableMap] interface, which additionally preserves the insertion order\n * of entries during
the iteration.\n * The insertion order is preserved by maintaining a doubly-linked list of all of its entries.\n */\n\n *
public actual open class LinkedHashMap<K, V> : HashMap<K, V>, MutableMap<K, V> {\n\n    /**\n     * The
entry we use includes next/prev pointers for a doubly-linked circular\n     * list with a head node. This reduces the
special cases we have to deal with\n     * in the list operations.\n     * Note that we duplicate the key from the
underlying hash map so we can find\n     * the eldest entry. The alternative would have been to modify HashMap so
more\n     * of the code was directly usable here, but this would have added some\n     * overhead to HashMap, or to
reimplement most of the HashMap code here with\n     * small modifications. Paying a small storage cost only if
you use\n     * LinkedHashMap and minimizing code size seemed like a better tradeoff\n     */\n    private class

```

```

ChainEntry<K, V>(key: K, value: V) : AbstractMutableMap.SimpleEntry<K, V>(key, value) {\n    internal var
next: ChainEntry<K, V>? = null\n    internal var prev: ChainEntry<K, V>? = null\n } \n    private inner class
EntrySet : AbstractMutableSet<MutableEntry<K, V>>() {\n\n    private inner class EntryIterator :
MutableIterator<MutableEntry<K, V>> {\n        // The last entry that was returned from this iterator.\nprivate var last: ChainEntry<K, V>? = null\n        // The next entry to return from this iterator.\n        private
var next: ChainEntry<K, V>? = null\n        init {\n            next = head\n//
recordLastKnownStructure(map, this)\n        } \n        override fun hasNext(): Boolean {\n            return
next != null\n        } \n        override fun next(): MutableEntry<K, V> {\n//
checkStructuralChange(map, this)\n            if (!hasNext()) throw NoSuchElementException()\n            val
current = next!!\n            last = current\n            next = current.next.takeIf { it != head } \n            return
current\n        } \n        override fun remove() {\n            check(last != null)\n//
checkStructuralChange(map, this)\n            last!!.remove()\n            map.remove(last!!.key)\n//
recordLastKnownStructure(map, this)\n            last = null\n        } \n        } \n        override fun add(element:
MutableEntry<K, V>): Boolean = throw UnsupportedOperationException("Add is not supported on entries")\n        override fun clear() {\n            this@LinkedHashMap.clear()\n        } \n        override operator fun
contains(element: MutableEntry<K, V>): Boolean = containsEntry(element)\n        override operator fun iterator():
MutableIterator<MutableEntry<K, V>> = EntryIterator()\n        override fun remove(element: MutableEntry<K,
V>): Boolean {\n            if (contains(element)) {\n                this@LinkedHashMap.remove(element.key)\n            }
return true\n        } \n        return false\n    } \n        override val size: Int get() = this@LinkedHashMap.size\n    }
\n    } \n    /*\n    * The head of the insert order chain, which is a doubly-linked circular\n    * list.\n    * The most
recently inserted node is at the end of the chain, ie.\n    * chain.prev.\n    */ \n    private var head: ChainEntry<K, V>?
= null\n    /**\n    * Add this node to the end of the chain.\n    */ \n    private fun ChainEntry<K, V>.addToEnd()
{\n        // This entry is not in the list.\n        check(next == null && prev == null)\n        val _head = head\n        if
(_head == null) {\n            head = this\n            next = this\n            prev = this\n        } else {\n            // Chain is
valid.\n            val _tail = checkNotNull(_head.prev)\n            // Update me.\n            prev = _tail\n            next =
_head\n            // Update my new siblings: current head and old tail\n            _head.prev = this\n            _tail.next =
this\n        } \n    } \n    /**\n    * Remove this node from the chain it is a part of.\n    */ \n    private fun
ChainEntry<K, V>.remove() {\n        if (this.next === this) {\n            // if this is single element, remove head\n            head = null\n        } else {\n            if (head === this) {\n                // if this is first element, move head to next\n                head = next\n            } \n            next!!.prev = prev\n            prev!!.next = next\n        } \n        next = null\n    } \n    /**\n    * The hashmap that keeps track of our entries and the chain. Note that we\n    *
duplicate the key here to eliminate changes to HashMap and minimize the\n    * code here, at the expense of
additional space.\n    */ \n    private val map: HashMap<K, ChainEntry<K, V>>\n    /**\n    * Constructs an empty
[LinkedHashMap] instance.\n    */ \n    actual constructor() : super() {\n        map = HashMap<K, ChainEntry<K,
V>>()\n    } \n    internal constructor(backingMap: HashMap<K, Any>) : super() {\n        @Suppress("UNCHECKED_CAST") // expected to work due to erasure\n        map = backingMap as
HashMap<K, ChainEntry<K, V>>\n    } \n    /**\n    * Constructs an empty [LinkedHashMap] instance.\n    * \n
* @param initialCapacity the initial capacity (ignored)\n    * @param loadFactor the load factor (ignored)\n
* \n    * @throws IllegalArgumentException if the initial capacity or load factor are negative\n    * \n
* @Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n    actual constructor(initialCapacity:
Int, loadFactor: Float = 0.0f) : super(initialCapacity, loadFactor) {\n        map = HashMap<K, ChainEntry<K,
V>>()\n    } \n    actual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)\n    /**\n    * Constructs an
instance of [LinkedHashMap] filled with the contents of the specified [original] map.\n    */ \n    actual
constructor(original: Map<out K, V>) {\n        map = HashMap<K, ChainEntry<K, V>>()\n        this.putAll(original)\n    } \n    actual override fun clear() {\n        map.clear()\n        head = null\n    } \n    //
override fun clone(): Any {\n        return LinkedHashMap(this)\n    } \n    // \n    actual override fun containsKey(key:
K): Boolean = map.containsKey(key)\n    actual override fun containsValue(value: V): Boolean {\n        var node:
ChainEntry<K, V> = head ?: return false\n        do {\n            if (node.value == value) {\n                return true\n            }

```

```

    }
    node = node.next!!
  } while (node !== head)
  return false
}

override fun
createEntrySet(): MutableSet<MutableMap.MutableEntry<K, V>> = EntrySet()

actual override operator fun
get(key: K): V? = map.get(key)?.value

actual override fun put(key: K, value: V): V? {
    val old =
    map.get(key)
    if (old == null) {
        val newEntry = ChainEntry(key, value)
        map.put(key,
        newEntry)
        newEntry.addToEnd()
        return null
    } else {
        return old.setValue(value)
    }
}

actual override fun remove(key: K): V? {
    val entry = map.remove(key)
    if (entry != null)
    entry.remove()
    return entry.value
}

return null
}

actual override val size:
Int get() = map.size
}

/**
 * Constructs the specialized implementation of [LinkedHashMap] with [String]
 * keys, which stores the keys as properties of
 * JS object without hashing them.
 */
public fun <V>
linkedStringMapOf(vararg pairs: Pair<String, V>): LinkedHashMap<String, V> {
    return
    LinkedHashMap<String, V>(stringMapOf<Any>()).apply { putAll(pairs) }
}

/* Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.
Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.
Based on GWT LinkedHashMap
Copyright 2008 Google Inc.
package kotlin.collections
The implementation of the [MutableSet]
interface, backed by a [LinkedHashMap] instance.
This implementation preserves the insertion order of
elements during the iteration.
public actual open class LinkedHashMap<E> : HashSet<E>, MutableSet<E>
{
    internal constructor(map: LinkedHashMap<E, Any>) : super(map)
    /**
     * Constructs a new empty
     [LinkedHashSet].
     */
    actual constructor() : super(LinkedHashMap<E, Any>())
    /**
     * Constructs a
     new [LinkedHashSet] filled with the elements of the specified collection.
     */
    actual constructor(elements:
    Collection<E>) : super(LinkedHashMap<E, Any>()) {
        addAll(elements)
    }
    /**
     * Constructs a
     new empty [LinkedHashSet].
     */
    * @param initialCapacity the initial capacity (ignored)
    * @param
    loadFactor the load factor (ignored)
    * @throws IllegalArgumentException if the initial capacity or
    load factor are negative
    * @Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")
    actual constructor(initialCapacity: Int, loadFactor: Float = 0.0f) : super(LinkedHashMap<E, Any>(initialCapacity,
    loadFactor))
    actual constructor(initialCapacity: Int) : this(initialCapacity, 0.0f)

    // public override fun
    clone(): Any {
        // return LinkedHashMap(this)
    }

    /**
     * Creates a new instance of the specialized
     implementation of [LinkedHashSet] with the specified [String] elements,
     which elements the keys as properties
     of JS object without hashing them.
     */
    public fun linkedStringSetOf(vararg elements: String):
    LinkedHashMap<String> {
        return LinkedHashMap(linkedStringMapOf<Any>()).apply { addAll(elements)
        }
    }

    /* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
    Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
    package kotlin
    import kotlin.contracts.*
    @Deprecated("Do not use Synchronized annotation in pure
    Kotlin/JS code", level = DeprecationLevel.ERROR)
    public typealias Synchronized =
    kotlin.jvm.Synchronized
    @Deprecated("Do not use Volatile annotation in pure Kotlin/JS code", level =
    DeprecationLevel.ERROR)
    public typealias Volatile = kotlin.jvm.Volatile
    @kotlin.internal.InlineOnly
    public
    actual inline fun <R> synchronized(lock: Any, block: () -> R): R {
        contract {
            callsInPlace(block,
            InvocationKind.EXACTLY_ONCE)
        }
        return block()
    }

    /* Copyright 2010-2018 JetBrains s.r.o. and
    Kotlin Programming Language contributors.
    Use of this source code is governed by the Apache 2.0 license that
    can be found in the license/LICENSE.txt file.
    package kotlin.io
    internal abstract class BaseOutput {
        open fun println() {
            print("\n")
        }

        open fun println(message: Any?) {
            print(message)
            println()
        }

        abstract fun print(message: Any?)

        open fun flush() {}
    }

    /** JsName used to make the
    declaration available outside of module to test it
    */
    @JsName("NodeJsOutput")
    internal class NodeJsOutput(val
    outputStream: dynamic) : BaseOutput() {
        override fun print(message: Any?) {
            // TODO: Using local
            variable because of bug in block decomposition lowering in IR backend
            val messageString =
            String(message)
            outputStream.write(messageString)
        }
    }

    /** JsName used to make the declaration
    available outside of module to test it
    */
    @JsName("OutputToConsoleLog")
    internal class OutputToConsoleLog
    : BaseOutput() {
        override fun print(message: Any?) {
            console.log(message)
        }

        override fun
        println(message: Any?) {
            console.log(message)
        }

        override fun println() {
            console.log("")
        }
    }
}

```



```

}\n}\n\n/** JsName used to make the declaration available outside of module to test it and use at try.kotl.in
*\n@JsName("BufferedOutput")\ninternal open class BufferedOutput : BaseOutput() {\n    var buffer = ""\n\n    override fun print(message: Any?) {\n        buffer += String(message)\n    }\n\n    override fun flush() {\n        buffer = ""\n    }\n}\n\n/** JsName used to make the declaration available outside of module to test it
*\n@JsName("BufferedOutputToConsoleLog")\ninternal class BufferedOutputToConsoleLog : BufferedOutput()\n{\n    override fun print(message: Any?) {\n        var s = String(message)\n        val i = s.nativeLastIndexOf("\n",\n0)\n        if (i >= 0) {\n            buffer += s.substring(0, i)\n            flush()\n            s = s.substring(i + 1)\n        }\n        buffer += s\n    }\n\n    override fun flush() {\n        console.log(buffer)\n        buffer = ""\n    }\n}\n\n/** JsName used to make the declaration available outside of module to test it and use at try.kotl.in
*\n@JsName("output")\ninternal var output = run {\n    val isNode: Boolean = js("typeof process !== 'undefined' && process.versions && !process.versions.node")\n    if (isNode) NodeJsOutput(js("process.stdout")) else BufferedOutputToConsoleLog()\n}\n\n@kotlin.internal.InlineOnly\nprivate inline fun String(value: Any?): String = js("String")(value)\n\n/** Prints the line separator to the standard output stream. *\npublic actual fun println() {\n    output.println()\n}\n\n/** Prints the given [message] and the line separator to the standard output stream. *\npublic actual fun println(message: Any?) {\n    output.println(message)\n}\n\n/** Prints the given [message] to the standard output stream. *\npublic actual fun print(message: Any?) {\n    output.print(message)\n}\n\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.coroutines\n\nimport kotlin.coroutines.intrinsics.CoroutineSingletons.*\nimport kotlin.coroutines.intrinsics.COROUTINE_SUSPENDED\n\n@PublishedApi\n@SinceKotlin("1.3")\ninternal actual class SafeContinuation<in T>\ninternal actual constructor(\n    private val delegate: Continuation<T>,\n    initialResult: Any?)\n: Continuation<T> {\n    @PublishedApi\n    internal actual constructor(delegate: Continuation<T>)\n: this(delegate, UNDECIDED)\n\n    public actual override val context: CoroutineContext\n    get() = delegate.context\n\n    private var result: Any? = initialResult\n\n    public actual override fun resumeWith(result: Result<T>) {\n        val cur = this.result\n        when {\n            cur === UNDECIDED -> {\n                this.result = result.value\n            }\n            cur === COROUTINE_SUSPENDED -> {\n                this.result = RESUMED\n                delegate.resumeWith(result)\n            }\n            else -> throw IllegalStateException("Already resumed")\n        }\n    }\n\n    @PublishedApi\n    internal actual fun getOrThrow(): Any? {\n        if (result === UNDECIDED) {\n            result = COROUTINE_SUSPENDED\n            return COROUTINE_SUSPENDED\n        }\n        val result = this.result\n        return when {\n            result === RESUMED -> COROUTINE_SUSPENDED // already called continuation, indicate COROUTINE_SUSPENDED upstream\n            result is Result.Failure -> throw result.exception\n            else -> result // either COROUTINE_SUSPENDED or data\n        }\n    }\n}\n\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.coroutines.js.internal\n\nimport kotlin.coroutines.Continuation\nimport kotlin.coroutines.EmptyCoroutineContext\n\n@PublishedApi\n@SinceKotlin("1.3")\ninternal val EmptyContinuation = Continuation<Any?>(EmptyCoroutineContext) { result -> result.getOrThrow() }\n\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.js\n\n/**\n * Exposes the [Date API](https://developer.mozilla.org/en-US/docs/Web/JavaScript/Reference/Global_Objects/Date) to Kotlin.\n *\n */\n@Suppress("NOT_DOCUMENTED")\npublic external class Date() {\n    public constructor(milliseconds: Number)\n\n    public constructor(dateString: String)\n\n    public constructor(year: Int, month: Int)\n\n    public constructor(year: Int, month: Int, day: Int)\n\n    public constructor(year: Int, month: Int, day: Int, hour: Int)\n\n    public constructor(year: Int, month: Int, day: Int, hour: Int, minute: Int)\n\n    public constructor(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int)\n\n    public constructor(year: Int, month: Int, day: Int, hour: Int, minute: Int, second: Int, millisecond: Number)\n\n    public fun getDate(): Int\n\n    public fun getDay(): Int\n}

```



```

if the specified [string] does not occur in this string builder.\n *^n @SinceKotlin("1.3")\n
@ExperimentalStdlibApi\n fun indexOf(string: String): Int\n\n /**\n * Returns the index within this string
builder of the first occurrence of the specified [string],\n * starting at the specified [startIndex].\n *^n *
Returns -1 if the specified [string] does not occur in this string builder starting at the specified [startIndex].\n
*^n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n fun indexOf(string: String, startIndex: Int): Int\n\n
/**\n * Returns the index within this string builder of the last occurrence of the specified [string].\n * The last
occurrence of empty string "" is considered to be at the index equal to `this.length`.\n *^n * Returns -1 if
the specified [string] does not occur in this string builder.\n *^n @SinceKotlin("1.3")\n
@ExperimentalStdlibApi\n fun lastIndexOf(string: String): Int\n\n /**\n * Returns the index within this string
builder of the last occurrence of the specified [string],\n * starting from the specified [startIndex] toward the
beginning.\n *^n * Returns -1 if the specified [string] does not occur in this string builder starting at the
specified [startIndex].\n *^n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n fun lastIndexOf(string:
String, startIndex: Int): Int\n\n /**\n * Inserts the string representation of the specified boolean [value] into this
string builder at the specified [index] and returns this instance.\n *^n * The overall effect is exactly as if the
[value] were converted to a string by the `value.toString()` method,\n * and then that string was inserted into this
string builder at the specified [index].\n *^n * @throws IndexOutOfBoundsException if [index] is less than
zero or greater than the length of this string builder.\n *^n @SinceKotlin("1.3")\n
@ExperimentalStdlibApi\n fun insert(index: Int, value: Boolean): String\n\n /**\n * Inserts the
specified character [value] into this string builder at the specified [index] and returns this instance.\n *^n *
@throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n
*^n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n fun insert(index: Int, value: Char): String\n\n
/**\n * Inserts characters in the specified character array [value] into this string builder at the specified [index]
and returns this instance.\n *^n * The inserted characters go in same order as in the [value] character array,
starting at [index].\n *^n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the
length of this string builder.\n *^n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n fun insert(index: Int,
value: CharArray): String\n\n /**\n * Inserts characters in the specified character sequence [value] into
this string builder at the specified [index] and returns this instance.\n *^n * The inserted characters go in the
same order as in the [value] character sequence, starting at [index].\n *^n * @param index the position in this
string builder to insert at.\n * @param value the character sequence from which characters are inserted. If [value]
is `null`, then the four characters "\\null" are inserted.\n *^n * @throws IndexOutOfBoundsException if
[index] is less than zero or greater than the length of this string builder.\n *^n @SinceKotlin("1.3")\n
@ExperimentalStdlibApi\n fun insert(index: Int, value: CharSequence?): String\n\n /**\n * Inserts the
string representation of the specified object [value] into this string builder at the specified [index] and returns this
instance.\n *^n * The overall effect is exactly as if the [value] were converted to a string by the
`value.toString()` method,\n * and then that string was inserted into this string builder at the specified [index].\n
*^n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string
builder.\n *^n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n fun insert(index: Int, value: Any?):
String\n\n /**\n * Inserts the string [value] into this string builder at the specified [index] and returns this
instance.\n *^n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of
this string builder.\n *^n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n fun insert(index: Int, value:
String): String\n\n /**\n * Sets the length of this string builder to the specified [newLength].\n *^n *
If the [newLength] is less than the current length, it is changed to the specified [newLength].\n * Otherwise,
null characters "\u0000" are appended to this string builder until its length is less than the [newLength].\n *^n *
Note that in Kotlin/JS [set] operator function has non-constant execution time complexity.\n * Therefore,
increasing length of this string builder and then updating each character by index may slow down your program.\n
*^n * @throws IndexOutOfBoundsException or [IllegalArgumentException] if [newLength] is less than zero.\n
*^n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n fun setLength(newLength: Int)\n\n /**\n *
Returns a new [String] that contains characters in this string builder at [startIndex] (inclusive) and up to the [length]

```

(exclusive).
`* @throws IndexOutOfBoundsException` if [startIndex] is less than zero or greater than the length of this string builder.
`* @SinceKotlin("1.3") @ExperimentalStdlibApi`
`fun substring(startIndex: Int): String`
`/** Returns a new [String] that contains characters in this string builder at [startIndex] (inclusive) and up to the [endIndex] (exclusive).`
`* @throws IndexOutOfBoundsException or [IllegalArgumentException]` when [startIndex] or [endIndex] is out of range of this string builder indices or when ``startIndex > endIndex``.
`* @SinceKotlin("1.3") @ExperimentalStdlibApi`
`fun substring(startIndex: Int, endIndex: Int): String`
`/** Attempts to reduce storage used for this string builder.`
`* If the backing storage of this string builder is larger than necessary to hold its current contents,`
`* then it may be resized to become more space efficient. Calling this method may, but is not required to, affect the value of the [capacity] property.
* @SinceKotlin("1.3") @ExperimentalStdlibApi
fun trimToSize(): String
/** Clears the content of this string builder making it empty and returns this instance.
* @sample samples.text.Strings.clearStringBuilder
* @SinceKotlin("1.3")
public expect fun StringBuilder.clear(): StringBuilder
/** Sets the character at the specified [index] to the specified [value].
* @throws IndexOutOfBoundsException if [index] is out of bounds of this string builder.
* @SinceKotlin("1.3") @ExperimentalStdlibApi
public expect operator fun StringBuilder.set(index: Int, value: Char)
/** Replaces characters in the specified range of this string builder with characters in the specified string [value] and returns this instance.
* @param startIndex the beginning (inclusive) of the range to replace.
* @param endIndex the end (exclusive) of the range to replace.
* @param value the string to replace with.
* @throws IndexOutOfBoundsException or [IllegalArgumentException] if [startIndex] is less than zero, greater than the length of this string builder, or `startIndex > endIndex`.
* @SinceKotlin("1.3") @ExperimentalStdlibApi
public expect fun StringBuilder.setRange(startIndex: Int, endIndex: Int, value: String): StringBuilder
/** Removes the character at the specified [index] from this string builder and returns this instance.
* If the `Char` at the specified [index] is part of a supplementary code point, this method does not remove the entire supplementary character.
* @param index the index of `Char` to remove.
* @throws IndexOutOfBoundsException if [index] is out of bounds of this string builder.
* @SinceKotlin("1.3") @ExperimentalStdlibApi
public expect fun StringBuilder.deleteAt(index: Int): StringBuilder
/** Removes characters in the specified range from this string builder and returns this instance.
* @param startIndex the beginning (inclusive) of the range to remove.
* @param endIndex the end (exclusive) of the range to remove.
* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] is out of range of this string builder indices or when `startIndex > endIndex`.
* @SinceKotlin("1.3") @ExperimentalStdlibApi
public expect fun StringBuilder.deleteRange(startIndex: Int, endIndex: Int): StringBuilder
/** Copies characters from this string builder into the [destination] character array.
* @param destination the array to copy to.
* @param destinationOffset the position in the array to copy to, 0 by default.
* @param startIndex the beginning (inclusive) of the range to copy, 0 by default.
* @param endIndex the end (exclusive) of the range to copy, length of this string builder by default.
* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this string builder indices or when `startIndex > endIndex`.
* @throws IndexOutOfBoundsException when the subrange doesn't fit into the [destination] array starting at the specified [destinationOffset],
* or when that index is out of the [destination] array indices range.
* @SinceKotlin("1.3") @ExperimentalStdlibApi
public expect fun StringBuilder.toCharArray(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = this.length)
/** Appends characters in a subarray of the specified character array [value] to this string builder and returns this instance.
* Characters are appended in order, starting at specified [startIndex].
* @param value the array from which characters are appended.
* @param startIndex the beginning (inclusive) of the subarray to append.
* @param endIndex the end (exclusive) of the subarray to append.
* @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.
* @SinceKotlin("1.3") @ExperimentalStdlibApi
public expect fun StringBuilder.appendRange(value: CharArray, startIndex: Int, endIndex: Int): StringBuilder
/** Appends a subsequence of the specified`

character sequence [value] to this string builder and returns this instance.\n * \n * @param value the character sequence from which a subsequence is appended. If [value] is `null`,\n * then characters are appended as if [value] contained the four characters `"\null"`. \n * @param startIndex the beginning (inclusive) of the subsequence to append.\n * @param endIndex the end (exclusive) of the subsequence to append.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence indices or when `startIndex > endIndex`.\n

```

*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic expect fun StringBuilder.appendRange(value:
CharSequence?, startIndex: Int, endIndex: Int): StringBuilder\n\n/**\n * Inserts characters in a subarray of the
specified character array [value] into this string builder at the specified [index] and returns this instance.\n * \n * The
inserted characters go in same order as in the [value] array, starting at [index].\n * \n * @param index the position in
this string builder to insert at.\n * @param value the array from which characters are inserted.\n * @param
startIndex the beginning (inclusive) of the subarray to insert.\n * @param endIndex the end (exclusive) of the
subarray to insert.\n * \n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex]
or [endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.\n * @throws
IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic expect fun StringBuilder.insertRange(index: Int,
value: CharArray, startIndex: Int, endIndex: Int): StringBuilder\n\n/**\n * Inserts characters in a subsequence of the
specified character sequence [value] into this string builder at the specified [index] and returns this instance.\n * \n *
The inserted characters go in the same order as in the [value] character sequence, starting at [index].\n * \n * @param
index the position in this string builder to insert at.\n * @param value the character sequence from which a
subsequence is inserted. If [value] is `null`,\n * then characters will be inserted as if [value] contained the four
characters `"\null"`. \n * @param startIndex the beginning (inclusive) of the subsequence to insert.\n * @param
endIndex the end (exclusive) of the subsequence to insert.\n * \n * @throws IndexOutOfBoundsException or
[IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence
indices or when `startIndex > endIndex`.\n * @throws IndexOutOfBoundsException if [index] is less than zero or
greater than the length of this string builder.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic expect fun StringBuilder.insertRange(index: Int, value: CharSequence?, startIndex: Int, endIndex: Int):
StringBuilder\n\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER")\n@Deprecated("Use
append(value: Any?) instead", ReplaceWith("append(value = obj)"),
DeprecationLevel.WARNING)\n@kotlin.internal.InlineOnly\npublic inline fun StringBuilder.append(obj: Any?):
StringBuilder = this.append(obj)\n\n/**\n * Builds new string by populating newly created [StringBuilder] using
provided [builderAction]\n * and then converting it to [String].\n * \n * @kotlin.internal.InlineOnly\npublic inline fun
buildString(builderAction: StringBuilder.() -> Unit): String =\n
StringBuilder().apply(builderAction).toString()\n\n/**\n * Builds new string by populating newly created
[StringBuilder] initialized with the given [capacity]\n * using provided [builderAction] and then converting it to
[String].\n * \n * @SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun buildString(capacity: Int,
builderAction: StringBuilder.() -> Unit): String =\n
StringBuilder(capacity).apply(builderAction).toString()\n\n/**\n * Appends all arguments to the given
StringBuilder.\n * \n * @public fun StringBuilder.append(vararg value: String?): StringBuilder {\n for (item in
value)\n append(item)\n return this\n}\n\n/**\n * Appends all arguments to the given StringBuilder.\n
*\n * @public fun StringBuilder.append(vararg value: Any?): StringBuilder {\n for (item in value)\n
append(item)\n return this\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n * \n * @package kotlin.dom\n * @import org.w3c.dom.*\n\n/**\n * Gets a value indicating
whether this node is a TEXT_NODE or a CDATA_SECTION_NODE.\n * \n * @public val Node.isText: Boolean\n
get() = nodeType == Node.TEXT_NODE || nodeType == Node.CDATA_SECTION_NODE\n\n/**\n * Gets a value
indicating whether this node is an [Element].\n * \n * @public val Node.isElement: Boolean\n
get() = nodeType ==
Node.ELEMENT_NODE\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language

```

```

contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage org.w3c.dom.events\n\npublic fun EventListener(handler: (Event) ->
Unit): EventListener = EventListenerHandler(handler)\n\nprivate class EventListenerHandler(private val handler:
(Event) -> Unit) : EventListener {\n    public override fun handleEvent(event: Event) {\n        handler(event)\n    }\n    public override fun toString(): String = \"EventListenerHandler($handler)\"}\n\n\", /*\n * Copyright 2010-
2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage org.w3c.dom\n\npublic
external interface ItemArrayLike<out T> {\n    val length: Int\n    fun item(index: Int): T?\n}\n\n/**\n * Returns the
view of this `ItemArrayLike<T>` collection as `List<T>`\n */\n\npublic fun <T> ItemArrayLike<T>.asList(): List<T>
= object : AbstractList<T>() {\n    override val size: Int get() = this@asList.length\n\n    override fun get(index: Int):
T = when (index) {\n        in 0..lastIndex -> this@asList.item(index).unsafeCast<T>()\n        else -> throw
IndexOutOfBoundsException(\"index $index is not in range [0..$lastIndex]\")\n    }\n}\n\n\", /*\n * Copyright 2010-
2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.dom\n\nimport
org.w3c.dom.*\n\n/**\n * Removes all the children from this node. */\n\npublic fun Node.clear() {\n    while
(hasChildNodes()) {\n        removeChild(firstChild!!)\n    }\n}\n\n/**\n * Creates text node and append it to the
element.\n */\n\n * @return this element\n */\n\nfun Element.appendText(text: String): Element {\n    appendChild(ownerDocument!!.createTextNode(text))\n    return this\n}\n\n\", /*\n * Copyright 2010-2018 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.js\n\n/**\n * Reinterprets this value
as a value of the [dynamic type](/docs/reference/dynamic-type.html).\n */\n\n@kotlin.internal.InlineOnly\n\npublic
inline fun Any?.asDynamic(): dynamic = this\n\n/**\n * Reinterprets this value as a value of the specified type [T]
without any actual type checking.\n */\n\n@kotlin.internal.InlineOnly\n\npublic inline fun <T> Any?.unsafeCast():
@kotlin.internal.NoInfer T = this.asDynamic()\n\n/**\n * Reinterprets this `dynamic` value as a value of the
specified type [T] without any actual type checking.\n
*/\n\n@kotlin.internal.DynamicExtension\n\n@JsName(\"unsafeCastDynamic\")\n\n@kotlin.internal.InlineOnly\n\npublic
inline fun <T> dynamic.unsafeCast(): @kotlin.internal.NoInfer T = this\n\n/**\n * Allows to iterate this `dynamic`
object in the following cases:\n * - when it has an `iterator` function,\n * - when it is an array\n * - when it is an
instance of [kotlin.collections.Iterable]\n */\n\n@kotlin.internal.DynamicExtension\n\npublic operator fun
dynamic.iterator(): Iterator<dynamic> {\n    val r: Any? = this\n\n    return when {\n        this[\"iterator\"] != null -
>\n            this[\"iterator\"]()\n            isArrayish(r) ->\n                r.unsafeCast<Array<*>>().iterator()\n\n        else ->\n            (r as Iterable<*>).iterator()\n    }\n}\n\n\", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n// a package is omitted to get declarations directly under the
module\n\n@JsName(\"throwNPE\")\n\ninternal fun throwNPE(message: String) {\n    throw
NullPointerException(message)\n}\n\n@JsName(\"throwCCE\")\n\ninternal fun throwCCE() {\n    throw
ClassCastException(\"Illegal cast\")\n}\n\n@JsName(\"throwISE\")\n\ninternal fun throwISE(message: String) {\n    throw
IllegalStateException(message)\n}\n\n@JsName(\"throwUPAE\")\n\ninternal fun throwUPAE(propertyName:
String) {\n    throw UninitializedPropertyAccessException(\"lateinit property ${propertyName} has not been
initialized\")\n}\n\n\", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n
*/\n\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\npackage kotlin\n\n// NOTE: Do not author your exceptions as they are written in this file, instead use this
template:\n\n/**\n * public open class MyException : Exception {\n *     constructor() : super()\n *     constructor(message:
String?) : super(message)\n *     constructor(message: String?, cause: Throwable?) : super(message, cause)\n *     constructor(cause: Throwable?) : super(cause)\n * }\n */\n\n// TODO: remove workarounds for KT-22053 from
direct Throwable inheritors\n\n// TODO: remove primary constructors, make all secondary KT-
22055\n\n@Suppress(\"USELESS_ELVIS_RIGHT_IS_NULL\")\n\npublic actual open class Error actual
constructor(message: String?, cause: Throwable?) : Throwable(message, cause ?: null) {\n    actual constructor() :

```

```

this(null, null) {\n    Error::class.js.asDynamic().call(this, null, null)\n } \n\n actual constructor(message:
String?) : this(message, null) {\n    Error::class.js.asDynamic().call(this, message, null)\n } \n\n actual
constructor(cause: Throwable?) : this(undefined, cause) {\n    Error::class.js.asDynamic().call(this, undefined,
cause)\n } \n\n\n@Suppress("\USELESS_ELVIS_RIGHT_IS_NULL")\npublic actual open class Exception
actual constructor(message: String?, cause: Throwable?) : Throwable(message, cause ? : null) {\n actual
constructor() : this(null, null) {\n    Exception::class.js.asDynamic().call(this, null, null)\n } \n\n actual
constructor(message: String?) : this(message, null) {\n    Exception::class.js.asDynamic().call(this, message,
null)\n } \n\n actual constructor(cause: Throwable?) : this(undefined, cause) {\n
Exception::class.js.asDynamic().call(this, undefined, cause)\n } \n\n\npublic actual open class RuntimeException
actual constructor(message: String?, cause: Throwable?) : Exception(message, cause) {\n actual constructor() :
this(null, null)\n actual constructor(message: String?) : this(message, null)\n actual constructor(cause:
Throwable?) : this(undefined, cause)\n } \n\n\npublic actual open class IllegalArgumentException actual
constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n actual constructor() :
this(null, null)\n actual constructor(message: String?) : this(message, null)\n actual constructor(cause:
Throwable?) : this(undefined, cause)\n } \n\n\npublic actual open class IllegalStateException actual
constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n actual constructor() :
this(null, null)\n actual constructor(message: String?) : this(message, null)\n actual constructor(cause:
Throwable?) : this(undefined, cause)\n } \n\n\npublic actual open class IndexOutOfBoundsException actual
constructor(message: String?, cause: Throwable?) : RuntimeException(message, cause) {\n actual constructor() :
this(null, null)\n actual constructor(message: String?) : this(message, null)\n actual constructor(cause:
Throwable?) : this(undefined, cause)\n } \n\n\npublic actual open class ConcurrentModificationException actual
constructor(message: String?, cause: Throwable?) :
RuntimeException(message, cause) {\n actual constructor() : this(null, null)\n actual constructor(message:
String?) : this(message, null)\n actual constructor(cause: Throwable?) : this(undefined, cause)\n } \n\n\npublic
actual open class UnsupportedOperationException actual constructor(message: String?, cause: Throwable?) :
RuntimeException(message, cause) {\n actual constructor() : this(null, null)\n actual constructor(message:
String?) : this(message, null)\n actual constructor(cause: Throwable?) : this(undefined, cause)\n } \n\n\npublic
actual open class NumberFormatException actual constructor(message: String?) :
IllegalArgumentException(message) {\n actual constructor() : this(null)\n } \n\n\npublic actual open class
NullPointerException actual constructor(message: String?) : RuntimeException(message) {\n actual constructor() :
this(null)\n } \n\n\npublic actual open class ClassCastException actual constructor(message: String?) :
RuntimeException(message) {\n actual constructor() : this(null)\n } \n\n\npublic actual open class AssertionError
private constructor(message: String?, cause: Throwable?) : Error(message, cause) {\n actual constructor() :
this(null)\n constructor(message: String?) : this(message, null)\n actual constructor(message: Any?) :
this(message.toString(), message as? Throwable)\n } \n\n\npublic actual open class NoSuchElementException actual
constructor(message: String?) : RuntimeException(message) {\n actual constructor() :
this(null)\n } \n\n\n@SinceKotlin("\1.3")\npublic actual open class ArithmeticException actual constructor(message:
String?) : RuntimeException(message) {\n actual constructor() : this(null)\n } \n\n\npublic actual open class
NoWhenBranchMatchedException actual constructor(message: String?, cause: Throwable?) :
RuntimeException(message, cause) {\n actual constructor() : this(null, null)\n actual constructor(message:
String?) : this(message, null)\n actual constructor(cause: Throwable?) : this(undefined, cause)\n } \n\n\npublic
actual open class UninitializedPropertyAccessException actual constructor(message: String?, cause: Throwable?) :
RuntimeException(message, cause) {\n actual constructor() : this(null, null)\n actual constructor(message:
String?) : this(message, null)\n actual constructor(cause: Throwable?) : this(undefined, cause)\n } \n\n\n *
Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n *
kotlin.collections\n\n**\n * Groups elements from the [Grouping] source by key and counts elements in each
group.\n\n *\n * @return a [Map] associating the key of each group with the count of element in the group.\n
*\n\n@SinceKotlin("\1.1")\npublic actual fun <T, K> Grouping<T, K>.eachCount(): Map<K, Int> =\n fold(0) {
acc, _ -> acc + 1 } \n\n*/\n**\n * Groups elements from the [Grouping] source by key and sums values provided by

```



```

the [valueSelector] function for elements in each group.\n * \n * @return a [Map] associating the key of each group
with the count of element in the group.\n * \n @SinceKotlin("1.1")\npublic inline fun <T, K> Grouping<T,
K>.eachSumOf(valueSelector: (T) -> Int): Map<K, Int> =\n    fold(0) { acc, e -> acc + valueSelector(e)
}\n * \n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this
source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n @file:kotlin.jvm.JvmName("GroupingKt")\n @file:kotlin.jvm.JvmMultifileClass\n \n package
kotlin.collections\n \n /**\n * Represents a source of elements with a [keyOf] function, which can be applied to each
element to get its key.\n * \n * A [Grouping] structure serves as an intermediate step in group-and-fold operations:\n
* they group elements by their keys and then fold each group with some aggregating operation.\n * \n * It is created
by attaching `keySelector: (T) -> K` function to a source of elements.\n * To get an instance of [Grouping] use one
of `groupingBy` extension functions:\n * - [Iterable.groupingBy]\n * - [Sequence.groupingBy]\n * -
[Array.groupingBy]\n * - [CharSequence.groupingBy]\n * \n * For the list of group-and-fold operations available,
see the [extension functions](#extension-functions) for `Grouping`.\n * \n @SinceKotlin("1.1")\npublic interface
Grouping<T, out K> {\n    /** Returns an [Iterator] over the elements of the source of this grouping. *\n    fun
sourceIterator(): Iterator<T>\n    /** Extracts the key of an [element]. *\n    fun keyOf(element: T): K\n}\n \n /**\n * Groups elements from the [Grouping] source by key and applies [operation] to the elements of each group
sequentially,\n * passing the previously accumulated value and the current element as arguments, and stores the
results in a new map.\n * \n * The key for each element is provided by the [Grouping.keyOf] function.\n * \n *
@param operation function is invoked on each element with the following parameters:\n * - `key`: the key of the
group this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group, can be `null`
if it's the first `element` encountered in the group;\n * - `element`: the element from the source being aggregated;\n
* - `first`: indicates whether it's the first `element` encountered in the group.\n * \n * @return a [Map] associating
the key of each group with the result of aggregation of the group elements.\n * \n * @sample
samples.collections.Grouping.aggregateByRadix\n * \n @SinceKotlin("1.1")\npublic inline fun <T, K, R>
Grouping<T, K>.aggregate(\n    operation: (key: K, accumulator: R?, element: T, first: Boolean) -> R\n): Map<K,
R> {\n    return aggregateTo(mutableMapOf<K, R>(), operation)\n}\n \n /**\n * Groups elements from the
[Grouping] source by key and applies [operation] to the elements of each group sequentially,\n * passing the
previously accumulated value and the current element as arguments,\n * and stores the results in the given
[destination] map.\n * \n * The key for each element is provided by the [Grouping.keyOf] function.\n * \n *
@param operation a function that is invoked on each element with the following parameters:\n * - `key`: the key of the group
this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group, can be `null` if it's
the first `element` encountered in the group;\n * - `element`: the element from the source being aggregated;\n * -
`first`: indicates whether it's the first `element` encountered in the group.\n * \n * If the [destination] map already has
a value corresponding to some key,\n * then the elements being aggregated for that key are never considered as
`first`.\n * \n * @return the [destination] map associating the key of each group with the result of aggregation of the
group elements.\n * \n * @sample samples.collections.Grouping.aggregateByRadixTo\n
*\n @SinceKotlin("1.1")\npublic inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T,
K>.aggregateTo(\n    destination: M,\n    operation: (key: K, accumulator: R?, element: T, first: Boolean) -> R\n): M
{\n    for (e in this.sourceIterator()) {\n        val key = keyOf(e)\n        val accumulator = destination[key]\n
destination[key] = operation(key, accumulator, e, accumulator == null && !destination.containsKey(key))\n    }\n
return destination\n}\n \n /**\n * Groups elements from the [Grouping] source by key and applies [operation] to the
elements of each group sequentially,\n * passing the previously accumulated value and the current element as
arguments, and stores the results in a new map.\n * \n * An initial value of accumulator is provided by
[initialValueSelector] function.\n * \n * @param initialValueSelector a function that provides an initial value of
accumulator for each group.\n * \n * It's invoked with parameters:\n * - `key`: the key of the group;\n * - `element`: the
first element being encountered in that group.\n * \n * @param operation a function that is invoked on each element
with the following parameters:\n * - `key`: the key of the group this element belongs to;\n * - `accumulator`: the
current value of the accumulator of the group;\n * - `element`: the element from the source being accumulated.\n

```

```

*\n * @return a [Map] associating the key of each group with the result of accumulating the group elements.\n *
 * @sample samples.collections.Grouping.foldByEvenLengthWithComputedInitialValue
 */
*\n * @SinceKotlin("1.1")\n public inline fun <T, K, R> Grouping<T, K>.fold(\n     initialValueSelector: (key: K,
 * element: T) -> R,\n     operation: (key: K, accumulator: R, element: T) -> R\n ): Map<K, R> =\n
 * @Suppress("UNCHECKED_CAST")\n     aggregate { key, acc, e, first -> operation(key, if (first)
 * initialValueSelector(key, e) else acc as R, e) }\n\n\n * Groups elements from the [Grouping] source by key and
 * applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the
 * current element as arguments,\n * and stores the results in the given [destination] map.\n * An initial value of
 * accumulator is provided by [initialValueSelector] function.\n * @param initialValueSelector a function that
 * provides an initial value of accumulator for each group.\n * It's invoked with parameters:\n * - `key`: the key of the
 * group;\n * - `element`: the first element being encountered in that group.\n * @param operation a function that is invoked on
 * each element with the following parameters:\n * - `key`: the key of the group this element belongs to;\n * -
 * `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element from the source being
 * accumulated.\n * @return the [destination] map associating the key of each group with the result of
 * accumulating the group elements.\n * @sample
 * samples.collections.Grouping.foldByEvenLengthWithComputedInitialValueTo
 */
*\n * @SinceKotlin("1.1")\n public
 * inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.foldTo(\n     destination: M,\n
 * initialValueSelector: (key: K, element: T) -> R,\n     operation: (key: K, accumulator: R, element: T) -> R\n ): M =\n
 * @Suppress("UNCHECKED_CAST")\n     aggregateTo(destination) { key, acc, e, first -> operation(key, if (first)
 * initialValueSelector(key, e) else acc as R, e) }\n\n\n * Groups elements from the [Grouping] source by key and
 * applies [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the
 * current element as arguments, and stores the results in a new map.\n * An initial value of accumulator is the same
 * [initialValue] for each group.\n * @param operation a function that is invoked on each element with the
 * following parameters:\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the
 * element from the source being accumulated.\n * @return a [Map] associating the key of each group with the
 * result of accumulating the group elements.\n * @sample
 * samples.collections.Grouping.foldByEvenLengthWithConstantInitialValue
 */
*\n * @SinceKotlin("1.1")\n public
 * inline fun <T, K, R> Grouping<T, K>.fold(\n     initialValue: R,\n     operation: (accumulator: R, element: T) -> R\n ):
 * Map<K, R> =\n     @Suppress("UNCHECKED_CAST")\n     aggregate { _, acc, e, first -> operation(if (first)
 * initialValue else acc as R, e) }\n\n\n * Groups elements from the [Grouping] source by key and applies
 * [operation] to the elements of each group sequentially,\n * passing the previously accumulated value and the current
 * element as arguments,\n * and stores the results in the given [destination] map.\n * An initial value of accumulator
 * is the same [initialValue] for each group.\n * If the [destination] map already has a value corresponding to the key
 * of some group,\n * that value is used as an initial value of the accumulator for that group.\n * @param operation
 * a function that is invoked on each element with the following parameters:\n * - `accumulator`: the current value of
 * the accumulator of the group;\n * - `element`: the element from the source being accumulated.\n * @return the
 * [destination] map associating the key of each group with the result of accumulating the group elements.\n *
 * @sample samples.collections.Grouping.foldByEvenLengthWithConstantInitialValueTo
 */
*\n * @SinceKotlin("1.1")\n public
 * inline fun <T, K, R, M : MutableMap<in K, R>> Grouping<T, K>.foldTo(\n
 * destination: M,\n     initialValue: R,\n     operation: (accumulator: R, element: T) -> R\n ): M =\n
 * @Suppress("UNCHECKED_CAST")\n     aggregateTo(destination) { _, acc, e, first -> operation(if (first)
 * initialValue else acc as R, e) }\n\n\n * Groups elements from the [Grouping] source by key and applies the
 * reducing [operation] to the elements of each group\n * sequentially starting from the second element of the group,\n
 * passing the previously accumulated value and the current element as arguments,\n * and stores the results in a new
 * map.\n * An initial value of accumulator is the first element of the group.\n * @param operation a function that
 * is invoked on each subsequent element of the group with the following parameters:\n * - `key`: the key of the group

```

this element belongs to;\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element from the source being accumulated.\n * @return a [Map] associating the key of each group with the result of accumulating the group elements.\n * @sample samples.collections.Grouping.reduceByMaxVowels\n * ^\n@SinceKotlin("1.1")\npublic inline fun <S, T : S, K> Grouping<T, K>.reduce(\n operation: (key: K, accumulator: S, element: T) -> S)\n): Map<K, S> =\n aggregate { key, acc, e, first ->\n @Suppress("UNCHECKED_CAST")\n if (first) e else operation(key, acc as S, e)\n }\n\n/**\n * Groups elements from the [Grouping] source by key and applies the reducing [operation] to the elements of each group\n * sequentially starting from the second element of the group,\n * passing the previously accumulated value and the current element as arguments,\n * and stores the results in the given [destination] map.\n * An initial value of accumulator is the first element of the group.\n * If the [destination] map already has a value corresponding to the key of some group,\n * that value is used as an initial value of the accumulator for that group and the first element of that group is also\n * subjected to the [operation].\n * @param operation a function that is invoked on each subsequent element of the group with the following parameters:\n * - `accumulator`: the current value of the accumulator of the group;\n * - `element`: the element from the source being folded;\n * - @return the [destination] map associating the key of each group with the result of accumulating the group elements.\n * @sample samples.collections.Grouping.reduceByMaxVowelsTo\n * ^\n@SinceKotlin("1.1")\npublic inline fun <S, T : S, K, M : MutableMap<in K, S>> Grouping<T, K>.reduceTo(\n destination: M,\n operation: (key: K, accumulator: S, element: T) -> S)\n): M =\n aggregateTo(destination) { key, acc, e, first ->\n @Suppress("UNCHECKED_CAST")\n if (first) e else operation(key, acc as S, e)\n }\n\n/**\n * Groups elements from the [Grouping] source by key and counts elements in each group to the given [destination] map.\n * If the [destination] map already has a value corresponding to the key of some group,\n * that value is used as an initial value of the counter for that group.\n * @return the [destination] map associating the key of each group with the count of elements in the group.\n * @sample samples.collections.Grouping.groupingByEachCount\n * ^\n@SinceKotlin("1.1")\npublic fun <T, K, M : MutableMap<in K, Int>> Grouping<T, K>.eachCountTo(destination: M): M =\n foldTo(destination, 0) { acc, _ -> acc + 1 }\n\n/**\n * Groups elements from the [Grouping] source by key and sums values provided by the [valueSelector] function for elements in each group\n * to the given [destination] map.\n * If the [destination] map already has a value corresponding to the key of some group,\n * that value is used as an initial value of the sum for that group.\n * @return the [destination] map associating the key of each group with the sum of elements in the group.\n * ^\n@SinceKotlin("1.1")\npublic inline fun <T, K, M : MutableMap<in K, Int>> Grouping<T, K>.eachSumOfTo(destination: M, valueSelector: (T) -> Int): M =\n foldTo(destination, 0) { acc, e -> acc + valueSelector(e) }\n\n/**\n * TODO: sum by long and by double overloads\n\npublic inline fun <T, K, M : MutableMap<in K, Long>> Grouping<T, K>.sumEachByLongTo(destination: M, valueSelector: (T) -> Long): M =\n foldTo(destination, 0L) { acc, e -> acc + valueSelector(e) }\n\npublic inline fun <T, K> Grouping<T, K>.sumEachByLong(valueSelector: (T) -> Long): Map<K, Long> =\n fold(0L) { acc, e -> acc + valueSelector(e) }\n\npublic inline fun <T, K, M : MutableMap<in K, Double>> Grouping<T, K>.sumEachByDoubleTo(destination: M, valueSelector: (T) -> Double): M =\n foldTo(destination, 0.0) { acc, e -> acc + valueSelector(e) }\n\npublic inline fun <T, K> Grouping<T, K>.sumEachByDouble(valueSelector: (T) -> Double): Map<K, Double> =\n fold(0.0) { acc, e -> acc + valueSelector(e) }\n\n*/\n\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n * ^\n\npackage kotlin.js\n\n/**\n * Exposes the JavaScript [Math object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/Math) to Kotlin.\n * ^\n@Deprecated("Use top-level functions from kotlin.math package instead.", level = DeprecationLevel.WARNING)\npublic external object Math {\n @Deprecated("Use kotlin.math.PI instead.", ReplaceWith("PI", "kotlin.math.PI"), level = DeprecationLevel.ERROR)\n public val PI: Double\n @Deprecated("Use Random.nextDouble instead", ReplaceWith("kotlin.random.Random.nextDouble()", "kotlin.random.Random"), level = DeprecationLevel.WARNING)\n public fun random(): Double\n @Deprecated("Use kotlin.math.abs instead.", ReplaceWith("abs(value)", "kotlin.math.abs"), level =

```

DeprecationLevel.ERROR)\n public fun abs(value: Double): Double\n @Deprecated(\n"Use kotlin.math.acos
instead.\n", ReplaceWith(\n"acos(value)", \n"kotlin.math.acos\n"), level = DeprecationLevel.ERROR)\n public fun
acos(value: Double): Double\n @Deprecated(\n"Use kotlin.math.asin instead.\n", ReplaceWith(\n"asin(value)",
\n"kotlin.math.asin\n"), level = DeprecationLevel.ERROR)\n public fun asin(value: Double): Double\n
@Deprecated(\n"Use kotlin.math.atan instead.\n", ReplaceWith(\n"atan(value)", \n"kotlin.math.atan\n"), level =
DeprecationLevel.ERROR)\n public fun atan(value: Double): Double\n @Deprecated(\n"Use kotlin.math.atan2
instead.\n", ReplaceWith(\n"atan2(y, x)", \n"kotlin.math.atan2\n"), level = DeprecationLevel.ERROR)\n public fun
atan2(y: Double, x: Double): Double\n @Deprecated(\n"Use kotlin.math.cos instead.\n",
ReplaceWith(\n"cos(value)", \n"kotlin.math.cos\n"), level = DeprecationLevel.ERROR)\n public fun cos(value:
Double): Double\n @Deprecated(\n"Use kotlin.math.sin instead.\n", ReplaceWith(\n"sin(value)", \n"kotlin.math.sin\n"),
level = DeprecationLevel.ERROR)\n public fun sin(value: Double): Double\n @Deprecated(\n"Use
kotlin.math.exp instead.\n", ReplaceWith(\n"exp(value)", \n"kotlin.math.exp\n"), level = DeprecationLevel.ERROR)\n
public fun exp(value: Double): Double\n @Deprecated(\n"Use maxOf or kotlin.math.max instead\n", level =
DeprecationLevel.ERROR)\n public fun max(vararg values: Int): Int\n @Deprecated(\n"Use maxOf or
kotlin.math.max instead\n", level = DeprecationLevel.ERROR)\n public fun max(vararg values: Float): Float\n
@Deprecated(\n"Use maxOf or kotlin.math.max instead\n", level = DeprecationLevel.ERROR)\n public fun
max(vararg values: Double): Double\n @Deprecated(\n"Use minOf or kotlin.math.min instead\n", level =
DeprecationLevel.ERROR)\n public fun min(vararg values: Int): Int\n @Deprecated(\n"Use minOf or
kotlin.math.min instead\n", level = DeprecationLevel.ERROR)\n public fun min(vararg values: Float): Float\n
@Deprecated(\n"Use minOf or kotlin.math.min instead\n", level = DeprecationLevel.ERROR)\n public fun
min(vararg values: Double): Double\n @Deprecated(\n"Use kotlin.math.sqrt instead.\n",
ReplaceWith(\n"sqrt(value)", \n"kotlin.math.sqrt\n"), level = DeprecationLevel.ERROR)\n public fun sqrt(value:
Double): Double\n @Deprecated(\n"Use kotlin.math.tan instead.\n", ReplaceWith(\n"tan(value)",
\n"kotlin.math.tan\n"), level = DeprecationLevel.ERROR)\n public fun tan(value: Double): Double\n
@Deprecated(\n"Use kotlin.math.ln instead.\n", ReplaceWith(\n"ln(value)", \n"kotlin.math.ln\n"), level =
DeprecationLevel.ERROR)\n public fun log(value: Double): Double\n @Deprecated(\n"Use kotlin.math.pow
instead.\n", ReplaceWith(\n"base.pow(exp)", \n"kotlin.math.pow\n"), level = DeprecationLevel.ERROR)\n public fun
pow(base: Double, exp: Double): Double\n @Deprecated(\n"Use kotlin.math.round instead.\n",
ReplaceWith(\n"round(value)", \n"kotlin.math.round\n"), level = DeprecationLevel.ERROR)\n public fun
round(value: Number): Int\n @Deprecated(\n"Use kotlin.math.floor instead.\n", ReplaceWith(\n"floor(value)",
\n"kotlin.math.floor\n"), level = DeprecationLevel.ERROR)\n public fun floor(value: Number): Int\n
@Deprecated(\n"Use kotlin.math.ceil instead.\n", ReplaceWith(\n"ceil(value)", \n"kotlin.math.ceil\n"), level =
DeprecationLevel.ERROR)\n public fun ceil(value: Number): Int\n\n @PublishedApi\n internal fun
trunc(value: Number): Double\n @PublishedApi\n internal fun sign(value: Number): Double\n\n
@PublishedApi\n internal fun sinh(value: Double): Double\n @PublishedApi\n internal fun cosh(value:
Double): Double\n @PublishedApi\n internal fun tanh(value: Double): Double\n @PublishedApi\n internal
fun asinh(value: Double): Double\n @PublishedApi\n internal fun acosh(value: Double): Double\n
@PublishedApi\n internal fun atanh(value: Double): Double\n\n @PublishedApi\n internal fun hypot(x:
Double, y: Double): Double\n\n @PublishedApi\n internal fun expm1(value: Double): Double\n\n
@PublishedApi\n internal fun log10(value: Double): Double\n @PublishedApi\n internal fun log2(value:
Double): Double\n @PublishedApi\n internal fun log1p(value: Double): Double\n\n @PublishedApi\n
internal fun clz32(value: Int): Int\n\n\n * Returns the smaller of two values.\n
*\n\n @Suppress(\n"DEPRECATION\n")\n @Deprecated(\n"Use minOf or kotlin.math.min instead\n",
ReplaceWith(\n"minOf(a, b)", level = DeprecationLevel.ERROR)\n public fun Math.min(a: Long, b: Long): Long =
if (a <= b) a else b\n\n\n * Returns the greater of two values.\n
*\n\n @Suppress(\n"DEPRECATION\n")\n @Deprecated(\n"Use maxOf or kotlin.math.max instead\n",
ReplaceWith(\n"maxOf(a, b)", level = DeprecationLevel.ERROR)\n public fun Math.max(a: Long, b: Long): Long =
if (a >= b) a else b\n\n\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language

```


in the range from $-\pi$ to π radians.

Special cases:

- $\text{atan2}(0.0, 0.0)$ is 0.0
- $\text{atan2}(0.0, x)$ is 0.0 for $x > 0$ and π for $x < 0$
- $\text{atan2}(-0.0, x)$ is -0.0 for $x > 0$ and $-\pi$ for $x < 0$
- $\text{atan2}(y, +\text{Inf})$ is 0.0 for $0 < y < +\text{Inf}$ and -0.0 for $-\text{Inf} < y < 0$
- $\text{atan2}(y, -\text{Inf})$ is π for $0 < y < +\text{Inf}$ and $-\pi$ for $-\text{Inf} < y < 0$
- $\text{atan2}(y, 0.0)$ is $\pi/2$ for $y > 0$ and $-\pi/2$ for $y < 0$
- $\text{atan2}(+\text{Inf}, x)$ is $\pi/2$ for finite x
- $\text{atan2}(-\text{Inf}, x)$ is $-\pi/2$ for finite x
- $\text{atan2}(\text{NaN}, x)$ and $\text{atan2}(y, \text{NaN})$ is NaN

```

*\/n@SinceKotlin("1.2")n@InlineOnlynpublic actual inline fun atan2(y: Double, x: Double): Double =
nativeMath.atan2(y, x)n/n/**n * Computes the hyperbolic sine of the value [x].n *n * Special cases:n * -
`sinh(NaN)` is `NaN`n * - `sinh(+Inf)` is `+Inf`n * - `sinh(-Inf)` is `-Inf`n
*\/n@SinceKotlin("1.2")n@InlineOnlynpublic actual inline fun sinh(x: Double): Double =
nativeMath.sinh(x)n/n/**n * Computes the hyperbolic cosine of the value [x].n *n * Special cases:n * -
`cosh(NaN)` is `NaN`n * - `cosh(+Inf|-Inf)` is `+Inf`n *\/n@SinceKotlin("1.2")n@InlineOnlynpublic actual
inline fun cosh(x: Double): Double = nativeMath.cosh(x)n/n/**n * Computes the hyperbolic tangent of the value
[x].n *n * Special cases:n * - `tanh(NaN)` is `NaN`n * - `tanh(+Inf)` is `1.0`n * - `tanh(-Inf)` is `-1.0`n
*\/n@SinceKotlin("1.2")n@InlineOnlynpublic actual inline fun tanh(x: Double): Double =
nativeMath.tanh(x)n/n/**n * Computes the inverse hyperbolic sine of the value [x].n *n * The returned value is
`y` such that `sinh(y) == x`.n *n * Special cases:n * - `asinh(NaN)` is `NaN`n * - `asinh(+Inf)` is `+Inf`n * -
`asinh(-Inf)` is `-Inf`n *\/n@SinceKotlin("1.2")n@InlineOnlynpublic actual inline fun asinh(x: Double): Double
= nativeMath.asinh(x)n/n/**n * Computes the inverse hyperbolic cosine of the value [x].n *n * The returned
value is positive `y` such that `cosh(y) == x`.n *n * Special cases:n * - `acosh(NaN)` is `NaN`n * - `acosh(x)`
is `NaN` when `x < 1`n * - `acosh(+Inf)` is `+Inf`n *\/n@SinceKotlin("1.2")n@InlineOnlynpublic actual inline
fun acosh(x: Double): Double = nativeMath.acosh(x)n/n/**n * Computes the inverse hyperbolic tangent of the
value [x].n *n * The returned value is `y` such that `tanh(y) == x`.n *n * Special cases:n * - `tanh(NaN)` is
`NaN`n * - `tanh(x)` is `NaN` when `x > 1` or `x < -1`n * - `tanh(1.0)` is `+Inf`n * - `tanh(-1.0)` is `-Inf`n
*\/n@SinceKotlin("1.2")n@InlineOnlynpublic actual inline fun atanh(x: Double): Double =
nativeMath.atanh(x)n/n/**n * Computes `sqrt(x^2 + y^2)` without intermediate overflow or underflow.n *n *
Special cases:n * - returns `+Inf` if any of arguments is infiniten * - returns `NaN` if any of arguments is `NaN`
and the other is not infiniten *\/n@SinceKotlin("1.2")n@InlineOnlynpublic actual inline fun hypot(x: Double, y:
Double): Double = nativeMath.hypot(x, y)n/n/**n * Computes the positive square root of the value [x].n *n *
Special cases:n * - `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`n
*\/n@SinceKotlin("1.2")n@InlineOnlynpublic actual inline fun sqrt(x: Double): Double =
nativeMath.sqrt(x)n/n/**n * Computes Euler's number `e` raised to the power of the value [x].n *n * Special
cases:n * - `exp(NaN)` is `NaN`n * - `exp(+Inf)` is `+Inf`n * - `exp(-Inf)` is `0.0`n
*\/n@SinceKotlin("1.2")n@InlineOnlynpublic actual inline fun exp(x: Double): Double =
nativeMath.exp(x)n/n/**n * Computes `exp(x) - 1`.n *n * This function can be implemented to produce more
precise result for [x] near zero.n *n * Special cases:n * - `expm1(NaN)` is `NaN`n * - `expm1(+Inf)` is `+Inf`n
* - `expm1(-Inf)` is `-1.0`n *n * @see [exp] function.n *\/n@SinceKotlin("1.2")n@InlineOnlynpublic actual
inline fun expm1(x: Double): Double = nativeMath.expm1(x)n/n/**n * Computes the logarithm of the value [x] to
the given [base].n *n * Special cases:n * - `log(x, b)` is `NaN` if either `x` or `b` are `NaN`n * - `log(x, b)` is
`NaN` when `x < 0` or `b <= 0` or `b == 1.0`n * - `log(+Inf, +Inf)` is `NaN`n * - `log(+Inf, b)` is `+Inf` for `b >
1` and `-Inf` for `b < 1`n * - `log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b > 1`n *n * See also logarithm
functions for common fixed bases: [ln], [log10] and [log2].n *\/n@SinceKotlin("1.2")n@InlineOnlynpublic actual fun log(x:
Double, base: Double): Double {n if (base <= 0.0 || base == 1.0) return Double.NaNn return nativeMath.log(x)
/ nativeMath.log(base)n/n/**n * Computes the natural logarithm (base `E`) of the value [x].n *n * Special
cases:n * - `ln(NaN)` is `NaN`n * - `ln(x)` is `NaN` when `x < 0.0`n * - `ln(+Inf)` is `+Inf`n * - `ln(0.0)` is
`-Inf`n *\/n@SinceKotlin("1.2")n@InlineOnlynpublic actual inline fun ln(x: Double): Double =
nativeMath.log(x)n/n/**n * Computes the common logarithm (base 10) of the value [x].n *n * @see [ln] function
for special cases.n *\/n@SinceKotlin("1.2")n@InlineOnlynpublic actual inline fun log10(x: Double): Double =
nativeMath.log10(x)n/n/**n * Computes the binary logarithm (base 2) of the value [x].n *n * @see [ln] function

```

for special cases.

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun log2(x: Double): Double =
    nativeMath.log2(x)

```

Computes $\ln(x + 1)$. This function can be implemented to produce more precise result for $[x]$ near zero.

Special cases:

- $\ln(\text{NaN})$ is NaN
- $\ln(x)$ is NaN where $x < -1.0$
- $\ln(-1.0)$ is $-\text{Inf}$
- $\ln(+\text{Inf})$ is $+\text{Inf}$

@see [ln] function @see [expm1] function

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun ln1p(x: Double): Double =
    nativeMath.log1p(x)

```

Rounds the given value $[x]$ to an integer towards positive infinity. @return the smallest double value that is greater than or equal to the given value $[x]$ and is a mathematical integer.

Special cases:

- $\text{ceil}(x)$ is x where x is NaN or $+\text{Inf}$ or $-\text{Inf}$ or already a mathematical integer.

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun ceil(x: Double): Double =
    nativeMath.ceil(x).unsafeCast<Double>() // TODO: Remove unsafe cast after removing public js.math

```

Rounds the given value $[x]$ to an integer towards negative infinity. @return the largest double value that is smaller than or equal to the given value $[x]$ and is a mathematical integer.

Special cases:

- $\text{floor}(x)$ is x where x is NaN or $+\text{Inf}$ or $-\text{Inf}$ or already a mathematical integer.

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun floor(x: Double): Double =
    nativeMath.floor(x).unsafeCast<Double>()

```

Rounds the given value $[x]$ to an integer towards zero. @return the value $[x]$ having its fractional part truncated.

Special cases:

- $\text{truncate}(x)$ is x where x is NaN or $+\text{Inf}$ or $-\text{Inf}$ or already a mathematical integer.

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun truncate(x: Double): Double = nativeMath.trunc(x)

```

Rounds the given value $[x]$ towards the closest integer with ties rounded towards even integer.

Special cases:

- $\text{round}(x)$ is x where x is NaN or $+\text{Inf}$ or $-\text{Inf}$ or already a mathematical integer.

```

@SinceKotlin("1.2")
public actual fun round(x: Double): Double {
    if (x % 0.5 != 0.0) {
        return nativeMath.round(x).unsafeCast<Double>()
    }
    val floor = floor(x)
    return if (floor % 2 == 0) floor else ceil(x)
}

```

Returns the absolute value of the given value $[x]$.

Special cases:

- $\text{abs}(\text{NaN})$ is NaN

@see absoluteValue extension property for [Double]

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun abs(x: Double): Double =
    nativeMath.abs(x)

```

Returns the sign of the given value $[x]$:

- -1.0 if the value is negative,
- zero if the value is zero,
- 1.0 if the value is positive

Special case:

- $\text{sign}(\text{NaN})$ is NaN

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun sign(x: Double): Double =
    nativeMath.sign(x)

```

Returns the smaller of two values. If either value is NaN , then the result is NaN .

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun min(a: Double, b: Double): Double =
    nativeMath.min(a, b)

```

Returns the greater of two values. If either value is NaN , then the result is NaN .

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun max(a: Double, b: Double): Double =
    nativeMath.max(a, b)

```

// extensions

Raises this value to the power $[x]$.

Special cases:

- $b.\text{pow}(0.0)$ is 1.0
- $b.\text{pow}(1.0) == b$
- $b.\text{pow}(\text{NaN})$ is NaN
- $\text{NaN}.\text{pow}(x)$ is NaN for $x != 0.0$
- $b.\text{pow}(\text{Inf})$ is NaN for $\text{abs}(b) == 1.0$
- $b.\text{pow}(x)$ is NaN for $b < 0$ and x is finite and not an integer

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun Double.pow(x: Double): Double =
    nativeMath.pow(this, x)

```

Raises this value to the integer power $[n]$. See the other overload of [pow] for details.

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun Double.pow(n: Int): Double =
    nativeMath.pow(this, n.toDouble())

```

Returns the absolute value of this value.

Special cases:

- $\text{NaN}.\text{absoluteValue}$ is NaN

@see abs function

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline val Double.absoluteValue: Double get() = nativeMath.abs(this)

```

Returns the sign of this value:

- -1.0 if the value is negative,
- zero if the value is zero,
- 1.0 if the value is positive

Special case:

- $\text{NaN}.\text{sign}$ is NaN

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline val Double.sign: Double get() = nativeMath.sign(this)

```

Returns this value with the sign bit same as of the [sign] value.

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun Double.withSign(sign: Int): Double = this.withSign(sign.toDouble())

```

Returns the ulp (unit in the last place) of this value. An ulp is a positive distance between this value and the next nearest [Double] value larger in magnitude.

Special Cases:

- $\text{NaN}.\text{ulp}$ is NaN
- $x.\text{ulp}$ is $+\text{Inf}$ when x is $+\text{Inf}$ or $-\text{Inf}$
- $0.0.\text{ulp}$ is $\text{Double}.\text{MIN_VALUE}$

```

@SinceKotlin("1.2")
public actual val Double.ulp: Double get() = when {
    this

```

```

< 0 -> (-this).ulp\n    this.isNaN() || this == Double.POSITIVE_INFINITY -> this\n    this ==
Double.MAX_VALUE -> this - this.nextDown()\n    else -> this.nextUp() - this\n}\n\n/**\n * Returns the [Double]
value nearest to this value in direction of positive infinity.\n */\n@SinceKotlin("1.2")\npublic actual fun
Double.nextUp(): Double = when {\n    this.isNaN() || this == Double.POSITIVE_INFINITY -> this\n    this == 0.0
-> Double.MIN_VALUE\n    else -> Double.fromBits(this.toRawBits() + if (this > 0) 1 else -1)\n}\n\n/**\n *
Returns the [Double] value nearest to this value in direction of negative infinity.\n */\n@SinceKotlin("1.2")\npublic actual fun Double.nextDown(): Double = when {\n    this.isNaN() || this ==
Double.NEGATIVE_INFINITY -> this\n    this == 0.0 -> -Double.MIN_VALUE\n    else ->
Double.fromBits(this.toRawBits() + if (this > 0) -1 else 1)\n}\n\n/**\n * Returns the [Double] value nearest to this
value in direction from this value towards the value [to].\n */\n * Special cases:\n * - `x.nextTowards(y)` is `NaN` if
either `x` or `y` are `NaN`\n * - `x.nextTowards(x) == x`\n */\n@SinceKotlin("1.2")\npublic actual fun
Double.nextTowards(to: Double): Double = when {\n    this.isNaN() || to.isNaN() -> Double.NaN\n    to == this ->
to\n    to > this -> this.nextUp()\n    else /* to < this */ -> this.nextDown()\n}\n\n/**\n * Rounds this [Double]
value to the nearest integer and converts the result to [Int].\n */\n * Ties are rounded towards positive infinity.\n */\n *
Special cases:\n * - `x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`\n * - `x.roundToInt()
== Int.MIN_VALUE` when `x < Int.MIN_VALUE`\n */\n * @throws IllegalArgumentException when this value is
`NaN`\n */\n@SinceKotlin("1.2")\npublic actual fun Double.roundToInt(): Int = when {\n    isNaN() -> throw
IllegalArgumentException("Cannot round NaN value.")\n    this > Int.MAX_VALUE -> Int.MAX_VALUE\n    this < Int.MIN_VALUE -> Int.MIN_VALUE\n    else ->
nativeMath.round(this).unsafeCast<Double>().toInt()\n}\n\n/**\n * Rounds this [Double] value to the nearest
integer and converts the result to [Long].\n */\n * Ties are rounded towards positive infinity.\n */\n * Special cases:\n * -
`x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE`\n * - `x.roundToLong() ==
Long.MIN_VALUE` when `x < Long.MIN_VALUE`\n */\n * @throws IllegalArgumentException when this value
is `NaN`\n */\n@SinceKotlin("1.2")\npublic actual fun Double.roundToLong(): Long = when {\n    isNaN() ->
throw IllegalArgumentException("Cannot round NaN value.")\n    this > Long.MAX_VALUE ->
Long.MAX_VALUE\n    this < Long.MIN_VALUE -> Long.MIN_VALUE\n    else ->
nativeMath.round(this).unsafeCast<Double>().toLong()\n}\n\n// endregion\n\n\n// region =====
Float Math =====\n\n\n/**\n * Computes the sine of the angle [x] given
in radians.\n */\n * Special cases:\n * - `sin(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun sin(x: Float): Float =
nativeMath.sin(x.toDouble()).toFloat()\n\n/**\n * Computes the cosine of the angle [x] given in radians.\n */\n * Special
cases:\n * - `cos(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun
cos(x: Float): Float = nativeMath.cos(x.toDouble()).toFloat()\n\n/**\n * Computes the tangent of the angle [x] given in
radians.\n */\n * Special cases:\n * - `tan(NaN|+Inf|-Inf)` is `NaN`\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun tan(x: Float): Float =
nativeMath.tan(x.toDouble()).toFloat()\n\n/**\n * Computes the arc sine of the value [x];\n */\n * the returned value is
an angle in the range from `-PI/2` to `PI/2` radians.\n */\n * Special cases:\n * - `asin(x)` is `NaN`, when `abs(x) >
1` or x is `NaN`\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun asin(x: Float): Float =
nativeMath.asin(x.toDouble()).toFloat()\n\n/**\n * Computes the arc cosine of the value [x];\n */\n * the returned value
is an angle in the range from `0.0` to `PI` radians.\n */\n * Special cases:\n * - `acos(x)` is `NaN`, when `abs(x) >
1` or x is `NaN`\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun acos(x: Float): Float =
nativeMath.acos(x.toDouble()).toFloat()\n\n/**\n * Computes the arc tangent of the value [x];\n */\n * the returned value
is an angle in the range from `-PI/2` to `PI/2` radians.\n */\n * Special cases:\n * - `atan(NaN)` is `NaN`\n */\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun atan(x: Float): Float =
nativeMath.atan(x.toDouble()).toFloat()\n\n/**\n * Returns the angle `theta` of the polar coordinates `(r, theta)` that
correspond\n */\n * to the rectangular coordinates `(x, y)` by computing the arc tangent of the value [y] / [x];\n */\n * the
returned value is an angle in the range from `-PI` to `PI` radians.\n */\n * Special cases:\n * - `atan2(0.0, 0.0)` is
`0.0`\n * - `atan2(0.0, x)` is `0.0` for `x > 0` and `PI` for `x < 0`\n * - `atan2(-0.0, x)` is `-0.0` for `x > 0` and `-PI`
for `x < 0`

```


for $x < 0$ $\text{atan2}(y, +\text{Inf})$ is 0.0 for $0 < y < +\text{Inf}$ and -0.0 for $-\text{Inf} < y < 0$ $\text{atan2}(y, -\text{Inf})$ is PI for $0 < y < +\text{Inf}$ and $-\text{PI}$ for $-\text{Inf} < y < 0$ $\text{atan2}(y, 0.0)$ is $\text{PI}/2$ for $y > 0$ and $-\text{PI}/2$ for $y < 0$ $\text{atan2}(+\text{Inf}, x)$ is $\text{PI}/2$ for finite x $\text{atan2}(-\text{Inf}, x)$ is $-\text{PI}/2$ for finite x $\text{atan2}(\text{NaN}, x)$ and $\text{atan2}(y, \text{NaN})$ is NaN

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun atan2(y: Float, x: Float): Float = nativeMath.atan2(y.toDouble(), x.toDouble()).toFloat()

```

Computes the hyperbolic sine of the value [x].

Special cases:

- $\sinh(\text{NaN})$ is NaN
- $\sinh(+\text{Inf})$ is $+\text{Inf}$
- $\sinh(-\text{Inf})$ is $-\text{Inf}$

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun sinh(x: Float): Float = nativeMath.sinh(x.toDouble()).toFloat()

```

Computes the hyperbolic cosine of the value [x].

Special cases:

- $\cosh(\text{NaN})$ is NaN
- $\cosh(+\text{Inf})$ is $+\text{Inf}$
- $\cosh(-\text{Inf})$ is $+\text{Inf}$

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun cosh(x: Float): Float = nativeMath.cosh(x.toDouble()).toFloat()

```

Computes the hyperbolic tangent of the value [x].

Special cases:

- $\tanh(\text{NaN})$ is NaN
- $\tanh(+\text{Inf})$ is 1.0
- $\tanh(-\text{Inf})$ is -1.0

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun tanh(x: Float): Float = nativeMath.tanh(x.toDouble()).toFloat()

```

Computes the inverse hyperbolic sine of the value [x].

The returned value is y such that $\sinh(y) == x$.

Special cases:

- $\text{asinh}(\text{NaN})$ is NaN
- $\text{asinh}(+\text{Inf})$ is $+\text{Inf}$
- $\text{asinh}(-\text{Inf})$ is $-\text{Inf}$

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun asinh(x: Float): Float = nativeMath.asinh(x.toDouble()).toFloat()

```

Computes the inverse hyperbolic cosine of the value [x].

The returned value is positive y such that $\cosh(y) == x$.

Special cases:

- $\text{acosh}(\text{NaN})$ is NaN
- $\text{acosh}(x)$ is NaN when $x < 1$
- $\text{acosh}(+\text{Inf})$ is $+\text{Inf}$

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun acosh(x: Float): Float = nativeMath.acosh(x.toDouble()).toFloat()

```

Computes the inverse hyperbolic tangent of the value [x].

The returned value is y such that $\tanh(y) == x$.

Special cases:

- $\text{atanh}(\text{NaN})$ is NaN
- $\text{atanh}(x)$ is NaN when $x > 1$ or $x < -1$
- $\text{atanh}(1.0)$ is $+\text{Inf}$
- $\text{atanh}(-1.0)$ is $-\text{Inf}$

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun atanh(x: Float): Float = nativeMath.atanh(x.toDouble()).toFloat()

```

Computes $\sqrt{x^2 + y^2}$ without intermediate overflow or underflow.

Special cases:

- returns $+\text{Inf}$ if any of arguments is infinite
- returns NaN if any of arguments is NaN and the other is not infinite

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun hypot(x: Float, y: Float): Float = nativeMath.hypot(x.toDouble(), y.toDouble()).toFloat()

```

Computes the positive square root of the value [x].

Special cases:

- \sqrt{x} is NaN when $x < 0$ or x is NaN

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun sqrt(x: Float): Float = nativeMath.sqrt(x.toDouble()).toFloat()

```

Computes Euler's number e raised to the power of the value [x].

Special cases:

- $\exp(\text{NaN})$ is NaN
- $\exp(+\text{Inf})$ is $+\text{Inf}$
- $\exp(-\text{Inf})$ is 0.0

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun exp(x: Float): Float = nativeMath.exp(x.toDouble()).toFloat()

```

Computes $\exp(x) - 1$.

This function can be implemented to produce more precise result for [x] near zero.

Special cases:

- $\text{expm1}(\text{NaN})$ is NaN
- $\text{expm1}(+\text{Inf})$ is $+\text{Inf}$
- $\text{expm1}(-\text{Inf})$ is -1.0

@see [exp] function.

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun expm1(x: Float): Float = nativeMath.expm1(x.toDouble()).toFloat()

```

Computes the logarithm of the value [x] to the given [base].

Special cases:

- $\log(x, b)$ is NaN if either x or b are NaN
- $\log(x, b)$ is NaN when $x < 0$ or $b \leq 0$ or $b == 1.0$
- $\log(+\text{Inf}, +\text{Inf})$ is NaN
- $\log(+\text{Inf}, b)$ is $+\text{Inf}$ for $b > 1$ and $-\text{Inf}$ for $b < 1$
- $\log(0.0, b)$ is $-\text{Inf}$ for $b > 1$ and $+\text{Inf}$ for $b > 1$

See also logarithm functions for common fixed bases: [ln], [log10] and [log2].

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun log(x: Float, base: Float): Float = log(x.toDouble(), base.toDouble()).toFloat()

```

Computes the natural logarithm (base E) of the value [x].

Special cases:

- $\ln(\text{NaN})$ is NaN
- $\ln(x)$ is NaN when $x < 0$
- $\ln(+\text{Inf})$ is $+\text{Inf}$
- $\ln(0.0)$ is $-\text{Inf}$

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun ln(x: Float): Float = nativeMath.log(x.toDouble()).toFloat()

```

Computes the common logarithm (base 10) of the value [x].

@see [ln] function for special cases.

```

@SinceKotlin("1.2")
@InlineOnly
public actual inline fun log10(x: Float): Float = nativeMath.log10(x.toDouble()).toFloat()

```

Computes the binary

logarithm (base 2) of the value [x].
`@see [ln] function for special cases.`

```

*^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun log2(x: Float): Float =
nativeMath.log2(x.toDouble()).toFloat()

```

Computes $\ln(a + 1)$.
This function can be implemented to produce more precise result for [x] near zero.
Special cases:
 $\ln(\text{NaN})$ is NaN
 $\ln(x)$ is NaN where $x < -1.0$
 $\ln(-1.0)$ is $-\text{Inf}$
 $\ln(+\text{Inf})$ is $+\text{Inf}$
@see [ln] function
@see [expm1] function

```

*^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun ln1p(x: Float): Float =
nativeMath.log1p(x.toDouble()).toFloat()

```

Rounds the given value [x] to an integer towards positive infinity.
@return the smallest Float value that is greater than or equal to the given value [x] and is a mathematical integer.
Special cases:
 $\text{ceil}(x)$ is x where x is NaN or $+\text{Inf}$ or $-\text{Inf}$ or already a mathematical integer.

```

*^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun ceil(x: Float): Float =
nativeMath.ceil(x.toDouble()).toFloat()

```

Rounds the given value [x] to an integer towards negative infinity.
@return the largest Float value that is smaller than or equal to the given value [x] and is a mathematical integer.
Special cases:
 $\text{floor}(x)$ is x where x is NaN or $+\text{Inf}$ or $-\text{Inf}$ or already a mathematical integer.

```

*^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun floor(x: Float): Float =
nativeMath.floor(x.toDouble()).toFloat()

```

Rounds the given value [x] to an integer towards zero.
@return the value [x] having its fractional part truncated.
Special cases:
 $\text{truncate}(x)$ is x where x is NaN or $+\text{Inf}$ or $-\text{Inf}$ or already a mathematical integer.

```

*^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun truncate(x: Float): Float =
truncate(x.toDouble()).toFloat()

```

Rounds the given value [x] towards the closest integer with ties rounded towards even integer.
Special cases:
 $\text{round}(x)$ is x where x is NaN or $+\text{Inf}$ or $-\text{Inf}$ or already a mathematical integer.

```

*^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun round(x: Float): Float =
round(x.toDouble()).toFloat()

```

Returns the absolute value of the given value [x].
Special cases:
 $\text{abs}(\text{NaN})$ is NaN
@see absoluteValue extension property for [Float]

```

*^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun abs(x: Float): Float =
nativeMath.abs(x.toDouble()).toFloat()

```

Returns the sign of the given value [x]:
 -1.0 if the value is negative,
zero if the value is zero,
 1.0 if the value is positive
Special case:
 $\text{sign}(\text{NaN})$ is NaN

```

*^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun sign(x: Float): Float =
nativeMath.sign(x.toDouble()).toFloat()

```

Returns the smaller of two values.
If either value is NaN , then the result is NaN .

```

*^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun min(a: Float, b: Float): Float =
nativeMath.min(a, b)

```

Returns the greater of two values.
If either value is NaN , then the result is NaN .

```

*^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun max(a: Float, b: Float): Float =
nativeMath.max(a, b)

```

extensions

```

*^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun Float.pow(x: Float): Float =
nativeMath.pow(this.toDouble(), x.toDouble()).toFloat()

```

Raises this value to the power [x].
Special cases:
 $\text{b.pow}(0.0)$ is 1.0
 $\text{b.pow}(1.0) == b$
 $\text{b.pow}(\text{NaN})$ is NaN
 $\text{NaN.pow}(x)$ is NaN for $x \neq 0.0$
 $\text{b.pow}(\text{Inf})$ is NaN for $\text{abs}(b) == 1.0$
 $\text{b.pow}(x)$ is NaN for $b < 0$ and x is finite and not an integer

```

*^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun Float.pow(n: Int): Float =
nativeMath.pow(this.toDouble(), n.toDouble()).toFloat()

```

Raises this value to the integer power [n].
See the other overload of [pow] for details.

```

*^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun Float.absoluteValue: Float get() =
nativeMath.abs(this.toDouble()).toFloat()

```

Returns the sign of this value:
 -1.0 if the value is negative,
zero if the value is zero,
 1.0 if the value is positive
Special case:
 NaN.sign is NaN

```

*^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun Float.sign: Float get() =
nativeMath.sign(this.toDouble()).toFloat()

```

Returns this value with the sign bit same as of the [sign] value.
If [sign] is NaN the sign of the result is undefined.

```

*^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun Float.withSign(sign: Float): Float =
this.toDouble().withSign(sign.toDouble()).toFloat()

```

Returns this value with the sign bit same as of the [sign] value.

```

*^@SinceKotlin("1.2")@InlineOnly\npublic actual inline fun Float.withSign(sign: Int): Float =

```

```

this.toDouble().withSign(sign.toDouble()).toFloat()\n\n/**\n * Rounds this [Float] value to the nearest integer and
converts the result to [Int].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n * -
`x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`\n * - `x.roundToInt() == Int.MIN_VALUE`
when `x < Int.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n
*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun Float.roundToInt(): Int =
toDouble().roundToInt()\n\n/**\n * Rounds this [Float] value to the nearest integer and converts the result to
[Long].\n * Ties are rounded towards positive infinity.\n *\n * Special cases:\n * - `x.roundToLong() ==
Long.MAX_VALUE` when `x > Long.MAX_VALUE`\n * - `x.roundToLong() == Long.MIN_VALUE` when `x
< Long.MIN_VALUE`\n *\n * @throws IllegalArgumentException when this value is `NaN`\n
*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun Float.roundToLong(): Long =
toDouble().roundToLong()\n\n// endregion\n\n// region ===== Integer Math
=====
\n\n/**\n * Returns the absolute value of the given value
[n].\n *\n * Special cases:\n * - `abs(Int.MIN_VALUE)` is `Int.MIN_VALUE` due to an overflow\n *\n * @see
absoluteValue extension property for [Int]\n *\n// TODO: remove manual 'or' when KT-19290 is
fixed\n@SinceKotlin("1.2")\npublic actual fun abs(n: Int): Int = if (n < 0) (-n or 0) else n\n\n/**\n * Returns the
smaller of two values.\n *\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun min(a: Int, b: Int): Int =
nativeMath.min(a, b)\n\n/**\n * Returns the greater of two values.\n
*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline fun max(a: Int, b: Int): Int = nativeMath.max(a,
b)\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * -
`Int.MIN_VALUE.absoluteValue` is `Int.MIN_VALUE` due to an overflow\n *\n * @see abs function\n
*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline val Int.absoluteValue: Int get() = abs(this)\n\n/**\n *
Returns the sign of this value:\n * - `-1` if the value is negative,\n * - `0` if the value is zero,\n * - `1` if the value
is positive\n *\n@SinceKotlin("1.2")\npublic actual val Int.sign: Int get() = when { \n    this < 0 -> -1\n    this > 0 -
> 1\n    else -> 0\n}\n\n\n/**\n * Returns the absolute value of the given value [n].\n *\n * Special cases:\n * -
`abs(Long.MIN_VALUE)` is `Long.MIN_VALUE` due to an overflow\n *\n * @see absoluteValue extension
property for [Long]\n *\n@SinceKotlin("1.2")\npublic actual fun abs(n: Long): Long = if (n < 0) -n else
n\n\n/**\n * Returns the smaller of two values.\n
*/\n@SinceKotlin("1.2")\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun min(a: Long, b:
Long): Long = if (a <= b) a else b\n\n/**\n * Returns the greater of two values.\n
*/\n@SinceKotlin("1.2")\n@Suppress("NOTHING_TO_INLINE")\npublic actual inline fun max(a: Long, b:
Long): Long = if (a >= b) a else b\n\n/**\n * Returns the absolute value of this value.\n *\n * Special cases:\n * -
`Long.MIN_VALUE.absoluteValue` is `Long.MIN_VALUE` due to an overflow\n *\n * @see abs function\n
*/\n@SinceKotlin("1.2")\n@InlineOnly\npublic actual inline val Long.absoluteValue: Long get() =
abs(this)\n\n/**\n * Returns the sign of this value:\n * - `-1` if the value is negative,\n * - `0` if the value is zero,\n
* - `1` if the value is positive\n *\n@SinceKotlin("1.2")\npublic actual val Long.sign: Int get() = when { \n    this
< 0 -> -1\n    this > 0 -> 1\n    else -> 0\n}\n\n\n// endregion\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin\n\n/**\n * Returns `true` if the specified
number is a\n * Not-a-Number (NaN) value, `false` otherwise.\n *\n@public actual fun Double.isNaN(): Boolean =
this != this\n\n/**\n * Returns `true` if the specified number is a\n * Not-a-Number (NaN) value, `false` otherwise.\n
*/\n@public actual fun Float.isNaN(): Boolean = this != this\n\n/**\n * Returns `true` if this value is infinitely large in
magnitude.\n *\n@public actual fun Double.isInfinite(): Boolean = this == Double.POSITIVE_INFINITY || this ==
Double.NEGATIVE_INFINITY\n\n/**\n * Returns `true` if this value is infinitely large in magnitude.\n *\n@public
actual fun Float.isInfinite(): Boolean = this == Float.POSITIVE_INFINITY || this ==
Float.NEGATIVE_INFINITY\n\n/**\n * Returns `true` if the argument is a finite floating-point value; returns
`false` otherwise (for `NaN` and infinity arguments).\n *\n@public actual fun Double.isFinite(): Boolean =
!isInfinite() && !isNaN()\n\n/**\n * Returns `true` if the argument is a finite floating-point value; returns `false`
otherwise (for `NaN` and infinity arguments).\n *\n@public actual fun Float.isFinite(): Boolean = !isInfinite() &&

```

```

!isNaN()\n\n\n\n * Counts the number of set bits in the binary representation of this [Int] number.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic actual fun Int.countOneBits(): Int {\n // Hacker's
Delight 5-1 algorithm\n var v = this\n v = (v and 0x55555555) + (v.ushr(1) and 0x55555555)\n v = (v and
0x33333333) + (v.ushr(2) and 0x33333333)\n v = (v and 0x0F0F0F0F) + (v.ushr(4) and 0x0F0F0F0F)\n v = (v
and 0x00FF00FF) + (v.ushr(8) and 0x00FF00FF)\n v = (v and 0x0000FFFF) + (v.ushr(16))\n return
v}\n\n\n * Counts the number of consecutive most significant bits that are zero in the binary representation of
this [Int] number.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@Suppress("DEPRECATION")\n@kotlin.internal.InlineO
nly\npublic actual inline fun Int.countLeadingZeroBits(): Int = kotlin.js.Math.clz32(this)\n\n\n * Counts the
number of consecutive least significant bits that are zero in the binary representation of this [Int] number.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic actual fun Int.countTrailingZeroBits(): Int =\n //
Hacker's Delight 5-4 algorithm for expressing countTrailingZeroBits with countLeadingZeroBits\n Int.SIZE_BITS
- (this or -this).inv().countLeadingZeroBits()\n\n\n * Returns a number having a single bit set in the position of
the most significant set bit of this [Int] number,\n * or zero, if this number is zero.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic actual fun Int.takeHighestOneBit(): Int =\n if (this
== 0) 0 else 1.shl(Int.SIZE_BITS - 1 - countLeadingZeroBits())\n\n\n * Returns a number having a single bit set
in the position of the least significant set bit of this [Int] number,\n * or zero, if this number is zero.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic actual fun Int.takeLowestOneBit(): Int =\n //
Hacker's Delight 2-1 algorithm for isolating rightmost 1-bit\n this and -this\n\n\n * Rotates the binary
representation of this [Int] number left by the specified [bitCount] number of bits.\n * The most significant bits
pushed out from the left side reenter the number as the least significant bits on the right side.\n * Rotating the
number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-
n) == number.rotateRight(n)`\n * Rotating by a multiple of [Int.SIZE_BITS] (32) returns the same number, or
more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 32)`\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic actual fun Int.rotateLeft(bitCount: Int): Int =\n
shl(bitCount) or ushr(Int.SIZE_BITS - bitCount)\n\n\n * Rotates the binary representation of this [Int] number
right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side
reenter the number as the most significant bits on the left side.\n * Rotating the number right by a negative bit
count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *
Rotating by a multiple of [Int.SIZE_BITS] (32) returns the same number, or more generally\n *
`number.rotateRight(n) == number.rotateRight(n % 32)`\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic actual fun Int.rotateRight(bitCount: Int): Int =\n
shl(Int.SIZE_BITS - bitCount) or ushr(bitCount)\n\n\n * Counts the number of set bits in the binary
representation of this [Long] number.\n *\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic actual fun
Long.countOneBits(): Int =\n high.countOneBits() + low.countOneBits()\n\n\n * Counts the number of
consecutive most significant bits that are zero in the binary representation of this [Long] number.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic actual fun Long.countLeadingZeroBits(): Int =\n
when (val high = this.high) {\n 0 -> Int.SIZE_BITS + low.countLeadingZeroBits()\n else ->
high.countLeadingZeroBits()\n }\n\n\n * Counts the number of consecutive least significant bits that are zero in
the binary representation of this [Long] number.\n *\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic
actual fun Long.countTrailingZeroBits(): Int =\n when (val low = this.low) {\n 0 -> Int.SIZE_BITS +
high.countTrailingZeroBits()\n else -> low.countTrailingZeroBits()\n }\n\n\n * Returns a number having a
single bit set in the position of the most significant set bit of this [Long] number,\n * or zero, if this number is
zero.\n *\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic actual fun Long.takeHighestOneBit(): Long
=\n when (val high = this.high) {\n 0 -> Long(low.takeHighestOneBit(), 0)\n else -> Long(0,
high.takeHighestOneBit())\n }\n\n\n * Returns a number having a single bit set in the position of the least
significant set bit of this [Long] number,\n * or zero, if this number is zero.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic actual fun Long.takeLowestOneBit(): Long =\n

```

```

when (val low = this.low) {
    0 -> Long(0, high.takeLowestOneBit())
    else ->
        Long(low.takeLowestOneBit(), 0)
}

/**
 * Rotates the binary representation of this [Long] number left by
 * the specified [bitCount] number of bits.
 * The most significant bits pushed out from the left side reenter the
 * number as the least significant bits on the right side.
 * Rotating the number left by a negative bit count is the
 * same as rotating it right by the negated bit count:
 * `number.rotateLeft(-n) == number.rotateRight(n)`
 * Rotating by a multiple of [Long.SIZE_BITS] (64) returns the same number, or more generally
 * `number.rotateLeft(n) == number.rotateLeft(n % 64)`
 */
@SinceKotlin("1.3")
@ExperimentalStdlibApi
public actual fun Long.rotateLeft(bitCount: Int): Long {
    if ((bitCount and 31) != 0) {
        val low = this.low
        val high = this.high
        val newLow =
            low.shl(bitCount) or high.ushr(-bitCount)
        val newHigh = high.shl(bitCount) or low.ushr(-bitCount)
        return if ((bitCount and 32) == 0) Long(newLow, newHigh) else Long(newHigh, newLow)
    } else {
        return
        if ((bitCount and 32) == 0) this else Long(high, low)
    }
}

/**
 * Rotates the binary representation of this
 * [Long] number right by the specified [bitCount] number of bits.
 * The least significant bits pushed out from the
 * right side reenter the number as the most significant bits on the left side.
 * Rotating the number right by a
 * negative bit count is the same as rotating it left by the negated bit count:
 * `number.rotateRight(-n) ==
 * number.rotateLeft(n)`
 * Rotating by a multiple of [Long.SIZE_BITS] (64) returns the same number, or more
 * generally
 * `number.rotateRight(n) == number.rotateRight(n % 64)`
 */
@SinceKotlin("1.3")
@ExperimentalStdlibApi
@kotlin.internal.InlineOnly
public actual inline fun
Long.rotateRight(bitCount: Int): Long = rotateLeft(-bitCount)

/*
 * Copyright 2010-2018 JetBrains s.r.o. and
 * Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that
 * can be found in the license/LICENSE.txt file.
 */
package kotlin.js
import
kotlin.internal.LowPriorityInOverloadResolution

/**
 * Exposes the JavaScript [Promise
 * object](https://developer.mozilla.org/en/docs/Web/JavaScript/Reference/Global_Objects/Promise) to Kotlin.
 */
@Suppress("NOT_DOCUMENTED")
public open external class Promise<out T>(executor: (resolve: (T) ->
Unit, reject: (Throwable) -> Unit) -> Unit) {
    @LowPriorityInOverloadResolution
    public open fun <S>
then(onFulfilled: ((T) -> S)?): Promise<S>
    @LowPriorityInOverloadResolution
    public open fun <S>
then(onFulfilled: ((T) -> S)?, onRejected: ((Throwable) -> S)?): Promise<S>
    public open fun <S>
catch(onRejected: (Throwable) -> S): Promise<S>
    companion object {
        public fun <S> all(promise:
Array<out Promise<S>>): Promise<Array<out S>>
        public fun <S> race(promise: Array<out
Promise<S>>): Promise<S>
        public fun reject(e: Throwable): Promise<Nothing>
        public fun <S>
resolve(e: S): Promise<S>
        public fun <S> resolve(e: Promise<S>): Promise<S>
    }
}

// It's workaround
for KT-19672 since we can fix it properly until KT-11265 isn't fixed.
inline fun <T, S>
Promise<Promise<T>>.then(
    noinline onFulfilled: ((T) -> S)?): Promise<S> {
    return
    this.unsafeCast<Promise<T>>().then(onFulfilled)
}

inline fun <T, S> Promise<Promise<T>>.then(
    noinline
onFulfilled: ((T) -> S)?,
    noinline onRejected: ((Throwable) -> S)?): Promise<S> {
    return
    this.unsafeCast<Promise<T>>().then(onFulfilled, onRejected)
}

/*
 * Copyright 2010-2018 JetBrains s.r.o.
 * and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license
 * that can be found in the license/LICENSE.txt file.
 */
package kotlin.random
import
kotlin.math.pow
internal actual fun defaultPlatformRandom(): Random =
Random(js("Math.random() *
Math.pow(2, 32)) | 0").unsafeCast<Int>())

private val INV_2_26: Double = 2.0.pow(-26)
private val
INV_2_53: Double = 2.0.pow(-53)
internal actual fun doubleFromParts(hi26: Int, low27: Int): Double =
hi26 *
INV_2_26 + low27 * INV_2_53

/*
 * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
 * contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the
 * license/LICENSE.txt file.
 */
package kotlin.js
import
getKClass
import
kotlin.reflect.KClass
import
kotlin.reflect.js.internal.KClassImpl

/**
 * Represents the constructor of a class. Instances of `JsClass` can be
 * passed to JavaScript APIs that expect a constructor reference.
 */
external interface JsClass<T : Any> {
    /**
     * Returns the unqualified name of the class represented by this instance.
     */
    val name:
String
}

@Deprecated("Use class literal and extension property `js` instead.", replaceWith =

```

```

ReplaceWith("\n::class.js"), level = DeprecationLevel.ERROR)\nexternal fun <T : Any> jsClass():
JsClass<T>\n\n@Deprecated("\nUse class literal and extension property `js` instead.\n", replaceWith =
ReplaceWith("\nthis::class.js"), level = DeprecationLevel.ERROR)\nval <T : Any> T.jsClass: JsClass<T>\n get()
= when (jsTypeOf(this)) {\n    "string" -> js("String")\n    "number" -> js("Number")\n    "boolean" ->
js("Boolean")\n    else -> js("Object").getPrototypeOf(this).constructor\n }*\n * Obtains a constructor
reference for the given `KClass`. \n *\nval <T : Any> KClass<T>.js: JsClass<T>\n get() = (this as
KClassImpl<T>).jClass*\n *\n * Obtains a `KClass` instance for the given constructor reference. \n *\nval <T :
Any> JsClass<T>.kotlin: KClass<T>\n get() = getKClass(this)\n", /*\n * Copyright 2010-2018 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport
kotlin.reflect.*\n\ninternal abstract class KClassImpl<T : Any>(\n    internal open val jClass: JsClass<T>)\n :
KClass<T> {\n    override val annotations: List<Annotation>\n        get() = TODO()\n    override val constructors:
Collection<KFunction<T>>\n        get() = TODO()\n    override val isAbstract: Boolean\n        get() = TODO()\n
    override val isCompanion: Boolean\n        get() = TODO()\n    override val isData: Boolean\n        get() = TODO()\n
    override val isFinal: Boolean\n        get() = TODO()\n    override val isInner: Boolean\n        get() = TODO()\n
    override val isOpen: Boolean\n        get() = TODO()\n    override val isSealed: Boolean\n        get() = TODO()\n
    override val members: Collection<KCallable<*>>\n        get() = TODO()\n    override val nestedClasses:
Collection<KClass<*>>\n        get() = TODO()\n    override val objectInstance: T?\n        get() = TODO()\n
    override val qualifiedName: String?\n        get() = TODO()\n    override val supertypes: List<KType>\n        get() =
TODO()\n    override val typeParameters: List<KTypeParameter>\n        get() = TODO()\n    override val
sealedSubclasses: List<KClass<out T>>\n        get() = TODO()\n    override val visibility: KVisibility?\n        get() =
TODO()\n    override fun equals(other: Any?): Boolean {\n        return other is KClassImpl<*> && jClass ==
other.jClass\n    }\n    // TODO: use FQN\n    override fun hashCode(): Int = simpleName?.hashCode() ?: 0\n    override
fun toString(): String {\n        // TODO: use FQN\n        return "class $simpleName"\n    }\n}\n\ninternal
class SimpleKClassImpl<T : Any>(jClass: JsClass<T>) : KClassImpl<T>(jClass) {\n    override val simpleName:
String? = jClass.asDynamic().`$metadata$`.simpleName.unsafeCast<String?>()\n    override fun
isInstance(value: Any?): Boolean {\n        return jsIsType(value, jClass)\n    }\n}\n\ninternal class
PrimitiveKClassImpl<T : Any>(\n    jClass: JsClass<T>,\n    private val givenSimpleName: String,\n    private val
isInstanceFunction: (Any?) -> Boolean)\n : KClassImpl<T>(jClass) {\n    override fun equals(other: Any?): Boolean
{\n        if (other !is PrimitiveKClassImpl<*>) return false\n        return super.equals(other) && givenSimpleName
== other.givenSimpleName\n    }\n    override val simpleName: String? get() = givenSimpleName\n    override
fun isInstance(value: Any?): Boolean {\n        return isInstanceFunction(value)\n    }\n}\n\ninternal object
NothingKClassImpl : KClassImpl<Nothing>(js("Object")) {\n    override val simpleName: String =
"Nothing"\n    override fun isInstance(value: Any?): Boolean = false\n    override val jClass:
JsClass<Nothing>\n        get() = throw UnsupportedOperationException("\nThere's no native JS class for Nothing
type")\n    override fun equals(other: Any?): Boolean = other === this\n    override fun hashCode(): Int =
0\n}, /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this
source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// a
package is omitted to get declarations directly under the module\n\n// TODO: Remove once
JsReflectionAPICallChecker supports more reflection types\n\n@file:Suppress("\nUnsupported")\n\nimport
kotlin.reflect.*\n\nimport kotlin.reflect.js.internal.*\n\n@JsName("\ncreateKType")\n\ninternal fun createKType(\n
classifier: KClassifier,\n    arguments: Array<KTypeProjection>,\n    isMarkedNullable: Boolean)\n =\n    KTypeImpl(classifier, arguments.asList(), isMarkedNullable)\n\n@JsName("\ncreateDynamicKType")\n\ninternal fun
createDynamicKType(): KType = DynamicKType*\n *\n\n@JsName("\nmarkKTypeNullable")\n\ninternal fun
markKTypeNullable(kType: KType) = KTypeImpl(kType.classifier!!, kType.arguments,
true)\n\n@JsName("\ncreateKTypeParameter")\n\ninternal fun createKTypeParameter(\n    name: String,\n
upperBounds: Array<KType>,\n    variance: String)\n : KTypeParameter {\n    val kVariance = when (variance) {\n
        "in" -> KVariance.IN\n        "out" -> KVariance.OUT\n        else -> KVariance.INVARIANT\n    }\n    return

```

```

KTypeParameterImpl(name, upperBounds.asList(), kVariance,
false)\n}\n\n@JsName("\ngetStarKTypeProjection()\n")\ninternal fun getStarKTypeProjection(): KTypeProjection =\nKTypeProjection.STAR\n\n@JsName("\ncreateCovariantKTypeProjection()\n")\ninternal fun
createCovariantKTypeProjection(type: KType): KTypeProjection =\n
KTypeProjection.covariant(type)\n\n@JsName("\ncreateInvariantKTypeProjection()\n")\ninternal fun
createInvariantKTypeProjection(type: KType): KTypeProjection =\n
KTypeProjection.invariant(type)\n\n@JsName("\ncreateContravariantKTypeProjection()\n")\ninternal fun
createContravariantKTypeProjection(type: KType): KTypeProjection =\n
KTypeProjection.contravariant(type)\n", "/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport kotlin.reflect.*\n\ninternal class
KTypeImpl(\n    override val classifier: KClassifier,\n    override val arguments: List<KTypeProjection>,\n    override val isMarkedNullable: Boolean\n) : KType {\n    override val annotations: List<Annotation>\n        get() =
emptyList()\n    override fun equals(other: Any?): Boolean =\n        other is KTypeImpl &&\n            classifier
== other.classifier && arguments == other.arguments && isMarkedNullable == other.isMarkedNullable\n    override fun hashCode(): Int =\n        (classifier.hashCode() * 31 + arguments.hashCode()) * 31 +
isMarkedNullable.hashCode()\n    override fun toString(): String {\n        val kClass = (classifier as? KClass<*>)\n
        val classifierName = when {\n            kClass == null -> classifier.toString()\n            kClass.simpleName != null
-> kClass.simpleName\n            else -> "(non-denotable type)"\n        }\n        val args =\n            if
(arguments.isEmpty()) ""\n            else arguments.joinToString(", ", "<", ">") { it.asString() }\n        val
nullable = if (isMarkedNullable) "?"\n            else ""\n        return classifierName + args + nullable\n    }\n    // TODO:
this should be the implementation of KTypeProjection.toString, see KT-30071\n    private fun
KTypeProjection.asString(): String {\n        if (variance == null) return "*" \n        return variance.prefixString() +
type.toString()\n    }\n}\n\ninternal object DynamicKType : KType {\n    override val classifier: KClassifier? =
null\n    override val arguments: List<KTypeProjection> = emptyList()\n    override val isMarkedNullable: Boolean =
false\n    override val annotations: List<Annotation> = emptyList()\n    override fun toString(): String =
"dynamic"\n}\n\ninternal fun KVariance.prefixString() =\n    when (this) {\n        KVariance.INVARIANT ->
""\n        KVariance.IN -> "in "\n        KVariance.OUT -> "out "\n    }\n", "/*\n * Copyright 2010-2019 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport
kotlin.reflect.*\n\ninternal data class KTypeParameterImpl(\n    override val name: String,\n    override val
upperBounds: List<KType>,\n    override val variance: KVariance,\n    override val isReified: Boolean\n) :
KTypeParameter {\n    override fun toString(): String = name\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.reflect.js.internal\n\nimport
kotlin.js.JsClass\n\n@JsName("\nPrimitiveClasses()\n")\ninternal object PrimitiveClasses {\n
@JsName("\nanyClass()\n")\n    val anyClass = PrimitiveKClassImpl(js("Object").unsafeCast<JsClass<Any>>(),
"\nAny", { it is Any })\n    @JsName("\nnumberClass()\n")\n    val numberClass =
PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Number>>(), "\nNumber", { it is Number })\n    @JsName("\nnothingClass()\n")\n    val nothingClass = NothingKClassImpl\n    @JsName("\nbooleanClass()\n")\n    val
booleanClass = PrimitiveKClassImpl(js("Boolean").unsafeCast<JsClass<Boolean>>(), "\nBoolean", { it is Boolean
})\n    @JsName("\nbyteClass()\n")\n    val byteClass =
PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Byte>>(), "\nByte", { it is Byte })\n    @JsName("\nshortClass()\n")\n    val shortClass = PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Short>>(),
"\nShort", { it is Short })\n    @JsName("\nintClass()\n")\n    val intClass =
PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Int>>(), "\nInt", { it is Int })\n    @JsName("\nfloatClass()\n")\n    val floatClass = PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Float>>(),
"\nFloat", { it is Float })\n    @JsName("\ndoubleClass()\n")\n    val doubleClass =

```

```

PrimitiveKClassImpl(js("Number").unsafeCast<JsClass<Double>>(), "Double", { it is Double })\n\n
@JsName("arrayClass")\n val arrayClass =
PrimitiveKClassImpl(js("Array").unsafeCast<JsClass<Array<*>>(), "Array", { it is Array<*> })\n\n
@JsName("stringClass")\n val stringClass = PrimitiveKClassImpl(js("String").unsafeCast<JsClass<String>>(),
"String", { it is String })\n\n @JsName("throwableClass")\n val throwableClass =
PrimitiveKClassImpl(js("Error").unsafeCast<JsClass<Throwable>>(), "Throwable", { it is Throwable })\n\n
@JsName("booleanArrayClass")\n val booleanArrayClass =
PrimitiveKClassImpl(js("Array").unsafeCast<JsClass<BooleanArray>>(), "BooleanArray", { it is BooleanArray
})\n\n @JsName("charArrayClass")\n val charArrayClass =
PrimitiveKClassImpl(js("Uint16Array").unsafeCast<JsClass<CharArray>>(), "CharArray", { it is CharArray
})\n\n @JsName("byteArrayClass")\n val byteArrayClass =
PrimitiveKClassImpl(js("Int8Array").unsafeCast<JsClass<ByteArray>>(), "ByteArray", { it is ByteArray })\n\n
@JsName("shortArrayClass")\n val shortArrayClass =
PrimitiveKClassImpl(js("Int16Array").unsafeCast<JsClass<ShortArray>>(), "ShortArray", { it is ShortArray
})\n\n @JsName("intArrayClass")\n val intArrayClass =
PrimitiveKClassImpl(js("Int32Array").unsafeCast<JsClass<IntArray>>(), "IntArray", { it is IntArray })\n\n
@JsName("longArrayClass")\n val longArrayClass =
PrimitiveKClassImpl(js("Array").unsafeCast<JsClass<LongArray>>(), "LongArray", { it is LongArray })\n\n
@JsName("floatArrayClass")\n val floatArrayClass =
PrimitiveKClassImpl(js("Float32Array").unsafeCast<JsClass<FloatArray>>(), "FloatArray", { it is FloatArray
})\n\n @JsName("doubleArrayClass")\n val doubleArrayClass =
PrimitiveKClassImpl(js("Float64Array").unsafeCast<JsClass<DoubleArray>>(), "DoubleArray", { it is
DoubleArray })\n\n @JsName("functionClass")\n fun functionClass(arity: Int): KClassImpl<Any> {\n
return functionClasses.get(arity) ?: run {\n val result =
PrimitiveKClassImpl(js("Function").unsafeCast<JsClass<Any>>(), "Function$arity",\n
{ jsTypeOf(it) === "function" && it.asDynamic().length === arity })\n functionClasses.asDynamic()[arity]
= result\n result\n }\n }\n\nprivate val functionClasses =
arrayOfNulls<KClassImpl<Any>>(0), "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n a package is omitted to get declarations directly under the module\n\nimport
kotlin.reflect.*\nimport kotlin.reflect.js.internal.*\n\n@JsName("getKClass")\n\ninternal fun <T : Any>
getKClass(jClass: JsClass<T>): KClass<T> =
getOrCreateKClass(jClass)\n\n@JsName("getKClassFromExpression")\n\ninternal fun <T : Any>
getKClassFromExpression(e: T): KClass<T> =\n when (jsTypeOf(e)) {\n "string" ->
PrimitiveClasses.stringClass\n "number" -> if (jsBitwiseOr(e, 0).asDynamic() === e)
PrimitiveClasses.intClass else PrimitiveClasses.doubleClass\n "boolean" -> PrimitiveClasses.booleanClass\n
"function" -> PrimitiveClasses.functionClass(e.asDynamic().length)\n else -> {\n when {\n e
is BooleanArray -> PrimitiveClasses.booleanArrayClass\n e is CharArray ->
PrimitiveClasses.charArrayClass\n e is ByteArray -> PrimitiveClasses.byteArrayClass\n e is
ShortArray -> PrimitiveClasses.shortArrayClass\n e is IntArray -> PrimitiveClasses.intArrayClass\n
e is LongArray -> PrimitiveClasses.longArrayClass\n e is FloatArray ->
PrimitiveClasses.floatArrayClass\n e is DoubleArray -> PrimitiveClasses.doubleArrayClass\n e is
KClass<*> -> KClass::class\n e is Array<*> -> PrimitiveClasses.arrayClass\n else -> {\n
val constructor = js("Object").getPrototypeOf(e).constructor\n when {\n constructor
=== js("Object") -> PrimitiveClasses.anyClass\n constructor === js("Error") ->
PrimitiveClasses.throwableClass\n else -> {\n val jsClass: JsClass<T> =
constructor\n getOrCreateKClass(jsClass)\n }\n }\n }\n }\n }
}.unsafeCast<KClass<T>>()\n\nprivate fun <T : Any> getOrCreateKClass(jClass: JsClass<T>):

```



```

fun append(value: CharSequence?): StringBuilder {\n    string += value.toString()\n    return this\n }\n\n@UseExperimental(ExperimentalStdlibApi::class)\n actual override fun append(value: CharSequence?,\n startIndex: Int, endIndex: Int): StringBuilder = this.appendRange(value, startIndex, endIndex)\n\n /**\n * Reverses the contents of this string builder and returns this instance.\n *\n * Surrogate pairs included in this\n string builder are treated as single characters.\n * Therefore, the order of the high-low surrogates is never\n reversed.\n *\n * Note that the reverse operation may produce new surrogate pairs that were unpaired low-\n surrogates and high-surrogates before the operation.\n * For example, reversing `"\uDC00\uD800"` produces\n `"\uD800\uDC00"` which is a valid surrogate pair.\n */\n actual fun reverse(): StringBuilder {\n    var\n reversed = ""\n    var index = string.length - 1\n    while (index >= 0) {\n        val low = string[index--]\n        if (low.isLowSurrogate() && index >= 0) {\n            val high = string[index--]\n            if\n (high.isHighSurrogate()) {\n                reversed = reversed + high + low\n            } else {\n                reversed\n = reversed + low + high\n            }\n        } else {\n            reversed += low\n        }\n    }\n    string =\n reversed\n    return this\n }\n\n /**\n * Appends the string representation of the specified object [value] to\n this string builder and returns this instance.\n *\n * The overall effect is exactly as if the [value] were converted\n to a string by the `value.toString()` method,\n * and then that string was appended to this string builder.\n */\n actual fun append(value: Any?): StringBuilder {\n    string += value.toString()\n    return this\n }\n\n /**\n * Appends the string representation of the specified boolean [value] to this string builder and returns this instance.\n *\n * The overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method,\n * and then that string was appended to this string builder.\n */\n @SinceKotlin("1.3")\n//\n@ExperimentalStdlibApi\n actual fun append(value: Boolean): StringBuilder {\n    string += value\n    return\n this\n }\n\n /**\n * Appends characters in the specified character array [value] to this string builder and\n returns this instance.\n *\n * Characters are appended in order, starting at the index 0.\n */\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n actual fun append(value: CharArray): StringBuilder {\n    string += value.concatToString()\n    return this\n }\n\n /**\n * Appends the specified string [value] to this\n string builder and returns this instance.\n */\n @SinceKotlin("1.3")\n// @ExperimentalStdlibApi\n actual\n fun append(value: String): StringBuilder {\n    this.string += value\n    return this\n }\n\n /**\n * Returns\n the current capacity of this string builder.\n *\n * The capacity is the maximum length this string builder can\n have before an allocation occurs.\n *\n * In Kotlin/JS implementation of StringBuilder the value returned from\n this method may not indicate the actual size of the backing storage.\n */\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n actual fun capacity(): Int = if (this.asDynamic()._capacity !== undefined)\n maxOf(this.asDynamic()._capacity, length) else length\n\n /**\n * Ensures that the capacity of this string\n builder is at least equal to the specified [minimumCapacity].\n *\n * If the current capacity is less than the\n [minimumCapacity], a new backing storage is allocated with greater capacity.\n * Otherwise, this method takes\n no action and simply returns.\n *\n * In Kotlin/JS implementation of StringBuilder the size of the backing\n storage is not extended to comply the given [minimumCapacity],\n * thus calling this method has no effect on the\n further performance of operations.\n */\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n actual fun\n ensureCapacity(minimumCapacity: Int) {\n    if (minimumCapacity > capacity()) {\n        this.asDynamic()._capacity = minimumCapacity\n    }\n }\n\n /**\n * Returns the index within this string\n builder of the first occurrence of the specified [string].\n *\n * Returns -1 if the specified [string] does not\n occur in this string builder.\n */\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n actual fun\n indexOf(string: String): Int = this.string.asDynamic().indexOf(string)\n\n /**\n * Returns the index within this\n string builder of the first occurrence of the specified [string],\n * starting at the specified [startIndex].\n *\n * Returns -1 if the specified [string] does not occur in this string builder starting at the specified [startIndex].\n */\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n actual fun\n indexOf(string: String, startIndex: Int): Int = this.string.asDynamic().indexOf(string, startIndex)\n\n /**\n * Returns the index within this string builder of\n the last occurrence of the specified [string].\n * The last occurrence of empty string `""` is considered to be at the\n index equal to `this.length`.\n *\n * Returns -1 if the specified [string] does not occur in this string builder.\n */\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n actual fun\n lastIndexOf(string: String): Int =

```

```

this.string.asDynamic().lastIndexOf(string)\n\n /**\n * Returns the index within this string builder of the last
occurrence of the specified [string],\n * starting from the specified [startIndex] toward the beginning.\n *\n * Returns -1 if the specified [string] does not occur in this string builder starting at the specified [startIndex].\n
*/\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n actual fun lastIndexOf(string: String, startIndex: Int):
Int {\n if (string.isEmpty() && startIndex < 0) return -1\n return this.string.asDynamic().lastIndexOf(string,
startIndex)\n }\n\n /**\n * Inserts the string representation of the specified boolean [value] into this string
builder at the specified [index] and returns this instance.\n *\n * The overall effect is exactly as if the [value]
were converted to a string by the `value.toString()` method,\n * and then that string was inserted into this string
builder at the specified [index].\n *\n * @throws IndexOutOfBoundsException if [index] is less than zero or
greater than the length of this string builder.\n */\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n actual fun insert(index: Int, value: Boolean): StringBui
lder {\n AbstractList.checkPositionIndex(index,
length)\n\n string = string.substring(0, index) + value + string.substring(index)\n return this\n }\n\n /**\n * Inserts the specified character [value] into this string builder at the specified [index] and returns this
instance.\n *\n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of
this string builder.\n */\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n actual fun insert(index: Int,
value: Char): StringBui
lder {\n AbstractList.checkPositionIndex(index, length)\n\n string =
string.substring(0, index) + value + string.substring(index)\n return this\n }\n\n /**\n * Inserts characters
in the specified character array [value] into this string builder at the specified [index] and returns this instance.\n
*\n * The inserted characters go in same order as in the [value] character array, starting at [index].\n *\n *
@throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n
*/\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n actual fun insert(index: Int, value: CharArray):
StringBui
lder {\n AbstractList.checkPositionIndex(index, length)\n\n string = string.substring(0, index) +
value.concatToString() + string.substring(index)\n return this\n }\n\n /**\n * Inserts characters in the
specified character sequence [value] into this string builder at the specified [index] and returns this instance.\n
*\n * The inserted characters go in the same order as in the [value] character sequence, starting at [index].\n
*\n * @param index the position in this string builder to insert at.\n * @param value the character sequence from which
characters are inserted. If [value] is `null`, then the four characters `\\null\\` are inserted.\n *\n * @throws
IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n */\n
@SinceKotlin("1.3")\n @ExperimentalStdlibApi\n actual fun insert(index: Int, value: CharSequence?):
StringBui
lder {\n AbstractList.checkPositionIndex(index, length)\n\n string = string.substring(0, index) +
value.toString() + string.substring(index)\n return this\n }\n\n /**\n * Inserts the string representation of
the specified object [value] into this string builder at the specified [index] and returns this instance.\n *\n * The
overall effect is exactly as if the [value] were converted to a string by the `value.toString()` method,\n * and then
that string was inserted into this string builder at the specified [index].\n *\n * @throws
IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.\n */\n
@SinceKotlin("1.3")\n @ExperimentalStdlibApi\n actual fun insert(index: Int, value: Any?): StringBui
lder {\n
AbstractList.checkPositionIndex(index, length)\n\n string = string.substring(0, index) + value.toString() +
string.substring(index)\n return this\n }\n\n /**\n * Inserts the string [value] into this string builder at the
specified [index] and returns this instance.\n *\n * @throws IndexOutOfBoundsException if [index] is less than
zero or greater than the length of this string builder.\n */\n @SinceKotlin("1.3")\n
@ExperimentalStdlibApi\n actual fun insert(index: Int, value: String): StringBui
lder {\n
AbstractList.checkPositionIndex(index, length)\n\n this.string = this.string.substring(0, index) + value +
this.string.substring(index)\n return this\n }\n\n /**\n * Sets the length of this string builder to the
specified [newLength].\n *\n * If the [newLength] is less than the current length, it is changed to the specified
[newLength].\n * Otherwise, null characters `\\u0000` are appended to this string builder until its length is less
than the [newLength].\n *\n * Note that in Kotlin/JS [set] operator function has non-constant execution time
complexity.\n * Therefore, increasing length of this string builder and then updating each character by index may
slow down your program.\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] if

```

```

[newLength] is less than zero.\n *^n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n actual fun
setLength(newLength: Int) {\n if (newLength < 0) {\n throw IllegalArgumentException("Negative new
length: $newLength.")\n }\n if (newLength <= length) {\n string = string.substring(0,
newLength)\n } else {\n for (i in length until newLength) {\n string += "\u0000"\n }\n
}\n }\n /**\n * Returns a new [String] that contains characters in this string builder at [startIndex]
(inclusive) and up to the [length] (exclusive).\n *\n * @throws IndexOutOfBoundsException if [startIndex] is
less than zero or greater than the length of this string builder.\n *^n @SinceKotlin("1.3")\n
@ExperimentalStdlibApi\n actual fun substring(startIndex: Int): String {\n
AbstractList.checkPositionIndex(startIndex, length)\n return string.substring(startIndex)\n }\n /**\n *
Returns a new [String] that contains characters in this string builder at [startIndex] (inclusive) and up to the
[endIndex] (exclusive).\n *\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when
[startIndex] or [endIndex] is out of range of this string builder indices or when `startIndex > endIndex`.\n *^n
@SinceKotlin("1.3")\n @ExperimentalStdlibApi\n actual fun substring(startIndex: Int, endIndex: Int): String
{\n AbstractList.checkBoundsIndexes(startIndex, endIndex, length)\n return string.substring(startIndex,
endIndex)\n }\n /**\n * Attempts to reduce storage used for this string builder.\n *\n * If the backing
storage of this string builder is larger than necessary to hold its current contents,\n * then it may be resized to
become more space efficient.\n * Calling this method may, but is not required to, affect the value of the [capacity]
property.\n *\n * In Kotlin/JS implementation of StringBuilder the size of the backing storage is always equal
to the length of the string builder.\n *^n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n actual fun
trimToSize() {\n if (this.asDynamic()._capacity != undefined) {\n this.asDynamic()._capacity =
length\n }\n }\n override fun toString(): String = string\n /**\n * Clears the content of this string
builder making it empty and returns this instance.\n *\n * @sample samples.text.Strings.clearStringBuilder\n
*^n @SinceKotlin("1.3")\n public fun clear(): StringBuilder {\n string = ""\n return this\n }\n
/**\n * Sets the character at the specified [index] to the specified [value].\n *\n * @throws
IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n *^n @SinceKotlin("1.3")\n
@ExperimentalStdlibApi\n public operator fun set(index: Int, value: Char) {\n
AbstractList.checkElementIndex(index, length)\n string = string.substring(0, index) + value +
string.substring(index + 1)\n }\n /**\n * Replaces characters in the specified range of this string builder with
characters in the specified string [value] and returns this instance.\n *\n * @param startIndex the beginning
(inclusive) of the range to replace.\n * @param endIndex the end (exclusive) of the range to replace.\n *
@param value the string to replace with.\n *\n * @throws IndexOutOfBoundsException or
[IllegalArgumentException] if [startIndex] is less than zero, greater than the length of this string builder, or
`startIndex > endIndex`.\n *^n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n public fun
setRange(startIndex: Int, endIndex: Int, value: String): StringBuilder {\n checkReplaceRange(startIndex,
endIndex, length)\n this.string = this.string.substring(0, startIndex) + value + this.string.substring(endIndex)\n
return this\n }\n private fun checkReplaceRange(startIndex: Int, endIndex: Int, length: Int) {\n if
(startIndex < 0 || startIndex > length) {\n throw IndexOutOfBoundsException("startIndex: $startIndex,
length: $length")\n }\n if (startIndex > endIndex) {\n throw
IllegalArgumentException("startIndex($startIndex) > endIndex($endIndex)")\n }\n }\n /**\n *
Removes the character at the specified [index] from this string builder and returns this instance.\n *\n * If the
`Char` at the specified [index] is part of a supplementary code point, this method does not remove the entire
supplementary character.\n *\n * @param index the index of `Char` to remove.\n *\n * @throws
IndexOutOfBoundsException if [index] is out of bounds of this string builder.\n *^n @SinceKotlin("1.3")\n
@ExperimentalStdlibApi\n public fun deleteAt(index: Int): StringBuilder {\n
AbstractList.checkElementIndex(index, length)\n string = string.substring(0, index) + string.substring(index +
1)\n return this\n }\n /**\n * Removes characters in the specified range from this string builder and
returns this instance.\n *\n * @param startIndex the beginning (inclusive) of the range to remove.\n *
@param endIndex the end (exclusive) of the range to remove.\n *\n * @throws IndexOutOfBoundsException

```

```

or [IllegalArgumentException] when [startIndex] is out of range of this string builder indices or when `startIndex >
endIndex`.
    @SinceKotlin("1.3")
    @ExperimentalStdlibApi
    public fun deleteRange(startIndex:
Int, endIndex: Int): StringBuilder {
        checkReplaceRange(startIndex, endIndex, length)
        string =
string.substring(0, startIndex) + string.substring(endIndex)
        return this
    }
    /**
     * Copies characters
from this string builder into the [destination] character array.
     * @param destination the array to copy to.
     * @param destinationOffset the position in the array to copy to, 0 by default.
     * @param startIndex the
beginning (inclusive) of the range to copy, 0 by default.
     * @param endIndex the end (exclusive) of the range to
copy, length of this string builder by default.
     * @throws IndexOutOfBoundsException or
[IllegalArgumentException] when [startIndex] or [endIndex] is out of range of this string builder indices or when
`startIndex > endIndex`.
     * @throws IndexOutOfBoundsException when the subrange doesn't fit into the
[destination] array starting at the specified [destinationOffset],
     * or when that index is out of the [destination]
array indices range.
    @SinceKotlin("1.3")
    @ExperimentalStdlibApi
    public fun
toCharArray(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0, endIndex: Int = this.length) {
        AbstractList.checkBoundsIndexes(startIndex, endIndex, length)
        AbstractList.checkBoundsIndexes(destinationOffset, destinationOffset + endIndex - startIndex, destination.size)
        var dstIndex = destinationOffset
        for (index in startIndex until endIndex) {
            destination[dstIndex++]
= string[index]
        }
    }
    /**
     * Appends characters in a subarray of the specified character array
[value] to this string builder and returns this instance.
     * Characters are appended in order, starting at
specified [startIndex].
     * @param value the array from which characters are appended.
     * @param
startIndex the beginning (inclusive) of the subarray to append.
     * @param endIndex the end (exclusive) of the
subarray to append.
     * @throws IndexOutOfBoundsException or [IllegalArgumentException] when
[startIndex] or [endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.
    @SinceKotlin("1.3")
    @ExperimentalStdlibApi
    public fun appendRange(value: CharArray, startIndex: Int,
endIndex: Int): StringBuilder {
        string += value.concatToString(startIndex, endIndex)
        return this
    }
    /**
     * Appends a subsequence of the specified character sequence [value] to this string builder and
returns this instance.
     * @param value the character sequence from which a subsequence is appended. If
[value] is `null`,
     * then characters are appended as if [value] contained the four characters `"\null"`.
     * @param startIndex the beginning (inclusive) of the subsequence to append.
     * @param endIndex the end
(exclusive) of the subsequence to append.
     * @throws IndexOutOfBoundsException or
[IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] character sequence
indices or when `startIndex > endIndex`.
    @SinceKotlin("1.3")
    @ExperimentalStdlibApi
    public fun appendRange(value: CharSequence?, startIndex: Int, endIndex: Int): StringBuilder {
        val stringCsq =
value.toString()
        AbstractList.checkBoundsIndexes(startIndex, endIndex, stringCsq.length)
        string +=
stringCsq.substring(startIndex, endIndex)
        return this
    }
    /**
     * Inserts characters in a subarray of
the specified character array [value] into this string builder at the specified [index] and returns this instance.
     * The inserted characters go in same order as in the [value] array, starting at [index].
     * @param index
the position in this string builder to insert at.
     * @param value the array from which characters are inserted.
     * @param startIndex the beginning (inclusive) of the subarray to insert.
     * @param endIndex the end (exclusive)
of the subarray to insert.
     * @throws IndexOutOfBoundsException or [IllegalArgumentException] when
[startIndex] or [endIndex] is out of range of the [value] array indices or when `startIndex > endIndex`.
     * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the length of this string builder.
    @SinceKotlin("1.3")
    @ExperimentalStdlibApi
    public fun insertRange(index: Int, value: CharArray,
startIndex: Int, endIndex: Int): StringBuilder {
        AbstractList.checkPositionIndex(index, this.length)
        string =
string.substring(0, index) + value.concatToString(startIndex, endIndex) + string.substring(index)
        return this
    }
    /**
     * Inserts characters in a subsequence of the specified character sequence [value] into
this string builder at the specified [index] and returns this instance.
     * The inserted characters go in the
same order as in the [value] character sequence, starting at [index].
     * @param index the position in this
string builder to insert at.
     * @param value the character sequence from which a subsequence is inserted. If

```



```

inline fun StringBuilder.toCharArray(destination: CharArray, destinationOffset: Int = 0, startIndex: Int = 0,
endIndex: Int = this.length) =\n    this.toCharArray(destination, destinationOffset, startIndex, endIndex)\n\n/**\n *
Appends characters in a subarray of the specified character array [value] to this string builder and returns this
instance.\n\n * Characters are appended in order, starting at specified [startIndex].\n\n * @param value the array
from which characters are appended.\n\n * @param startIndex the beginning (inclusive) of the subarray to append.\n\n *
@param endIndex the end (exclusive) of the subarray to append.\n\n * @throws IndexOutOfBoundsException or
[IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] array indices or when
`startIndex > endIndex`.\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER", "NOTHING_TO_INLINE")\npublic actual inline fun StringBuilder.appendRange(value: CharArray, startIndex:
Int, endIndex: Int): StringBuilder =\n    this.appendRange(value, startIndex, endIndex)\n\n/**\n * Appends a
subsequence of the specified character sequence [value] to this string builder and returns this instance.\n\n *
@param value the character sequence from which a subsequence is appended. If [value] is `null`,\n\n * then
characters are appended as if [value] contained the four characters `\"null\"`.\n\n * @param startIndex the beginning
(inclusive) of the subsequence to append.\n\n * @param endIndex the end (exclusive) of the subsequence to append.\n
*\n\n * @throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out
of range of the [value] character sequence indices or when `startIndex > endIndex`.\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER", "NOTHING_TO_INLINE")\npublic actual inline fun StringBuilder.appendRange(value: CharSequence?,
startIndex: Int, endIndex: Int): StringBuilder =\n    this.appendRange(value, startIndex, endIndex)\n\n/**\n * Inserts
characters in a subarray of the specified character array [value] into this string builder at the specified [index] and
returns this instance.\n\n * The inserted characters go in same order as in the [value] array, starting at [index].\n
*\n\n * @param index the position in this string builder to insert at.\n\n * @param value the array from which characters
are inserted.\n\n * @param startIndex the beginning (inclusive) of the subarray to insert.\n\n * @param endIndex the
end (exclusive) of the subarray to insert.\n\n * @throws IndexOutOfBoundsException or
[IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the [value] array indices or when
`startIndex > endIndex`.\n\n * @throws IndexOutOfBoundsException if [index] is less than zero or greater than the
length of this string builder.\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER", "NOTHING_TO_INLINE")\npublic actual inline fun StringBuilder.insertRange(index: Int, value: CharArray,
startIndex: Int, endIndex: Int): StringBuilder =\n    this.insertRange(index, value, startIndex, endIndex)\n\n/**\n *
Inserts characters in a subsequence of the specified character sequence [value] into this string builder at the specified
[index] and returns this instance.\n\n * The inserted characters go in the same order as in the [value] character
sequence, starting at [index].\n\n * @param index the position in this string builder to insert at.\n\n * @param value
the character sequence from which a subsequence is inserted. If [value] is `null`,\n\n * then characters will be inserted
as if [value] contained the four characters `\"null\"`.\n\n * @param startIndex the beginning (inclusive) of the
subsequence to insert.\n\n * @param endIndex the end (exclusive) of the subsequence to insert.\n\n * @throws
IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the
[value] character sequence indices or when `startIndex > endIndex`.\n\n * @throws IndexOutOfBoundsException if
[index] is less than zero or greater than the length of this string builder.\n
*\n\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@Suppress("EXTENSION_SHADOWED_BY_MEMBER", "NOTHING_TO_INLINE")\npublic actual inline fun StringBuilder.insertRange(index: Int, value:
CharSequence?, startIndex: Int, endIndex: Int): StringBuilder =\n    this.insertRange(index, value, startIndex,
endIndex)\n\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n\n * Use
of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\n@package kotlin.text\n\n// actually \\s is enough to match all whitespace, but \\xA0 added because of different
regex behavior of Rhino used in Selenium tests\n\npublic actual fun Char.isWhitespace(): Boolean =
toString().matches("[\\s\\xA0]")\n\n@kotlin.internal\n\npublic actual inline fun Char.toLowerCase():

```

```

Char =
js("String.fromCharCode")(toInt()).toLowerCase().charCodeAt(0).unsafeCast<Int>().toChar()\n\n@kotlin.internal
InlineOnly\npublic actual inline fun Char.toUpperCase(): Char =
js("String.fromCharCode")(toInt()).toUpperCase().charCodeAt(0).unsafeCast<Int>().toChar()\n\n/**\n * Returns
`true` if this character is a Unicode high-surrogate code unit (also known as leading-surrogate code unit).\n
*/\npublic actual fun Char.isHighSurrogate(): Boolean = this in
Char.MIN_HIGH_SURROGATE..Char.MAX_HIGH_SURROGATE\n\n/**\n * Returns `true` if this character is a
Unicode low-surrogate code unit (also known as trailing-surrogate code unit).\n */\npublic actual fun
Char.isLowSurrogate(): Boolean = this in
Char.MIN_LOW_SURROGATE..Char.MAX_LOW_SURROGATE\n\n"/*\n * Copyright 2010-2018 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n */\npackage kotlin.text\n\n/**\n * Returns `true` if
the contents of this string is equal to the word `true`, ignoring case, and `false` otherwise.\n */\npublic actual fun
String.toBoolean(): Boolean = toLowerCase() == "true"\n\n/**\n * Parses the string as a signed [Byte] number and
returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n
*/\npublic actual fun String.toByte(): Byte = toByteOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string
as a signed [Byte] number and returns the result.\n * @throws NumberFormatException if the string is not a valid
representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to
number conversion.\n */\npublic actual fun String.toByte(radix: Int): Byte = toByteOrNull(radix) ?:
numberFormatError(this)\n\n/**\n * Parses the string as a [Short] number and returns the result.\n * @throws
NumberFormatException if the string is not a valid representation of a number.\n */\npublic actual fun
String.toShort(): Short = toShortOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a [Short]
number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a
number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*/\npublic actual fun String.toShort(radix: Int): Short = toShortOrNull(radix) ?: numberFormatError(this)\n\n/**\n
 * Parses the string as an [Int] number and returns the result.\n * @throws NumberFormatException if the string is not
a valid representation of a number.\n */\npublic actual fun String.toInt(): Int = toIntOrNull() ?:
numberFormatError(this)\n\n/**\n * Parses the string as an [Int] number and returns the result.\n * @throws
NumberFormatException if the string is not a valid representation of a number.\n * @throws
IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n */\npublic actual fun
String.toInt(radix: Int): Int = toIntOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string as a [Long]
number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a
number.\n */\npublic actual fun String.toLong(): Long = toLongOrNull() ?: numberFormatError(this)\n\n/**\n *
Parses the string as a [Long] number and returns the result.\n * @throws NumberFormatException if the string is not
a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for
string to number conversion.\n */\npublic actual fun String.toLong(radix: Int): Long = toLongOrNull(radix) ?:
numberFormatError(this)\n\n/**\n * Parses the string as a [Double] number and returns the result.\n * @throws
NumberFormatException if the string is not a valid representation of a number.\n */\npublic actual fun
String.toDouble(): Double = +(this.asDynamic()).unsafeCast<Double>().also { \n    if (it.isNaN() && !this.isNaN()
|| it == 0.0 && this.isBlank())\n        numberFormatError(this)\n}\n\n/**\n * Parses the string as a [Float] number
and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a
number.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun String.toFloat(): Float =
toDouble().unsafeCast<Float>()\n\n/**\n * Parses the string as a [Double] number and returns the result\n * or `null`
if the string is not a valid representation of a number.\n */\npublic actual fun String.toDoubleOrNull(): Double? =
+(this.asDynamic()).unsafeCast<Double>().takeIf { \n    !(it.isNaN() && !this.isNaN() || it == 0.0 &&
this.isBlank())\n}\n\n/**\n * Parses the string as a [Float] number and returns the result\n * or `null` if the string is
not a valid representation of a number.\n */\n@kotlin.internal.InlineOnly\npublic actual inline fun
String.toFloatOrNull(): Float? = toDoubleOrNull().unsafeCast<Float?>()\n\n/**\n * Returns a string representation

```



```

[startIndex].\n * \n * @sample samples.text.Regexps.findAll\n * \n
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n public actual fun findAll(input:
CharSequence, startIndex: Int = 0): Sequence<MatchResult> =\n generateSequence({ find(input, startIndex) },
{ match -> match.next() })\n\n /**\n * Attempts to match the entire [input] CharSequence against the pattern.\n
*\n * @return An instance of [MatchResult] if the entire input matches or `null` otherwise.\n * \n public
actual fun matchEntire(input: CharSequence): MatchResult? {\n if (pattern.startsWith('^') &&
pattern.endsWith('$'))\n return find(input)\n else\n return
Regex("\\^${pattern.trimStart('^').trimEnd('$')}\\$", options).find(input)\n }\n\n /**\n * Replaces all
occurrences of this regular expression in the specified [input] string with specified [replacement] expression.\n * \n
* @param replacement A replacement expression that can include substitutions. See
[String.prototype.replace](https://developer.mozilla.org/en-
US/docs/Web/JavaScript/Reference/Global_Objects/String/replace) function docs for details.\n * \n public
actual fun replace(input: CharSequence, replacement: String): String = input.toString().nativeReplace(nativePattern,
replacement)\n\n /**\n * Replaces all occurrences of this regular expression in the specified [input] string with
the result of\n * the given function [transform] that takes [MatchResult] and returns a string to be used as a\n *
replacement for that match.\n * \n public actual inline fun replace(input: CharSequence, transform:
(MatchResult) -> CharSequence): String {\n var match = find(input)\n if (match == null) return
input.toString()\n var lastStart = 0\n val length = input.length\n val sb = StringBuilder(length)\n
do {\n val foundMatch = match!!\n sb.append(input, lastStart, foundMatch.range.start)\n
sb.append(transform(foundMatch))\n lastStart = foundMatch.range.endInclusive + 1\n match =
foundMatch.next()\n } while (lastStart < length && match != null)\n if (lastStart < length) {\n
sb.append(input, lastStart, length)\n }\n return sb.toString()\n }\n\n /**\n * Replaces the first
occurrence of this regular expression in the specified [input] string with specified [replacement] expression.\n * \n
* @param replacement A replacement expression that can include substitutions. See
[String.prototype.replace](https://developer.mozilla.org/en-
US/docs/Web/JavaScript/Reference/Global_Objects/String/replace) function docs for details.\n * \n public
actual fun replaceFirst(input: CharSequence, replacement: String): String {\n val nonGlobalOptions =
options.map { it.value }.joinToString(separator = "\\")\n return input.toString().nativeReplace(RegExp(pattern,
nonGlobalOptions), replacement)\n }\n\n /**\n * Splits the [input] CharSequence around matches of this
regular expression.\n * \n * @param limit Non-negative value specifying the maximum number of substrings
the string can be split to.\n * Zero by default means no limit is set.\n * \n
@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\n public actual fun split(input:
CharSequence, limit: Int = 0): List<String> {\n require(limit >= 0) { "Limit must be non-negative, but was
$limit" }\n val matches = findAll(input).let { if (limit == 0) it else it.take(limit - 1) }\n val result =
mutableListOf<String>()\n var lastStart = 0\n for (match in matches) {\n
result.add(input.subSequence(lastStart, match.range.start).toString())\n lastStart = match.range.endInclusive +
1\n }\n result.add(input.subSequence(lastStart, input.length).toString())\n return result\n }\n\n\n
/**\n * Returns the string representation of this regular expression, namely the [pattern] of this regular
expression.\n * \n * Note that another regular expression constructed from the same pattern string may have
different [options]\n * and may match strings differently.\n * \n public override fun toString(): String =
nativePattern.toString()\n\n actual companion object {\n /**\n * Returns a regular expression that
matches the specified [literal] string literally.\n * No characters of that string will have special meaning when
searching for an occurrence of the regular expression.\n * \n public actual fun fromLiteral(literal: String):
Regex = Regex(escape(literal))\n\n /**\n * Returns a regular expression pattern string that matches the
specified [literal] string literally.\n * No characters of that string will have special meaning when searching for
an occurrence of the regular expression.\n * \n public actual fun escape(literal: String): String =
literal.nativeReplace(patternEscape, "\\|\\|\\|\\$&")\n\n /**\n * Returns a literal replacement expression for the
specified [literal] string.\n * No characters of that string will have special meaning when it is used as a

```



```

ignoreCase)\n\n/**\n * Returns a copy of this string having its first letter uppercased, or the original string,\n * if it's empty or already starts with an upper case letter.\n *\n * @sample samples.text.Strings.capitalize\n */\npublic actual fun String.capitalize(): String {\n    return if (isEmpty()) substring(0, 1).toUpperCase() + substring(1) else this\n}\n\n/**\n * Returns a copy of this string having its first letter lowercased, or the original string,\n * if it's empty or already starts with a lower case letter.\n *\n * @sample samples.text.Strings.decapiatalize\n */\npublic actual fun String.decapiatalize(): String {\n    return if (isEmpty()) substring(0, 1).toLowerCase() + substring(1) else this\n}\n\n/**\n * Returns a string containing this char sequence repeated [n] times.\n * @throws [IllegalArgumentException] when n < 0.\n */\npublic actual fun CharSequence.repeat(n: Int): String {\n    require(n >= 0) {\n        "Count 'n' must be non-negative, but was $n."
    }\n    return when (n) {\n        0 -> ""\n        1 -> this.toString()\n        else -> {\n            var result = ""\n            if (!isEmpty()) {\n                var s = this.toString()\n                var count = n\n                while (true) {\n                    if ((count and 1) == 1) {\n                        result += s\n                    }\n                    count = count ushr 1\n                    if (count == 0) {\n                        break\n                    }\n                    s += s\n                }\n            }\n            return result\n        }\n    }\n}\n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual fun String.replace(oldValue: String, newValue: String, ignoreCase: Boolean = false): String =\n    nativeReplace(RegExp(Regex.escape(oldValue), if (ignoreCase) "gi" else "g"),\n        Regex.escapeReplacement(newValue))\n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual fun String.replace(oldChar: Char, newChar: Char, ignoreCase: Boolean = false): String =\n    nativeReplace(RegExp(Regex.escape(oldChar.toString()), if (ignoreCase) "gi" else "g"),\n        newChar.toString())\n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual fun String.replaceFirst(oldValue: String, newValue: String, ignoreCase: Boolean = false): String =\n    nativeReplace(RegExp(Regex.escape(oldValue), if (ignoreCase) "i" else ""),\n        Regex.escapeReplacement(newValue))\n\n@Suppress("ACTUAL_FUNCTION_WITH_DEFAULT_ARGUMENTS")\npublic actual fun String.replaceFirst(oldChar: Char, newChar: Char, ignoreCase: Boolean = false): String =\n    nativeReplace(RegExp(Regex.escape(oldChar.toString()), if (ignoreCase) "i" else ""),\n        newChar.toString())\n"}\n\n/**\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.text\n\n/**\n * Returns the negative [size] if [throwOnMalformed] is false, throws [CharacterCodingException] otherwise.\n *\n * @UseExperimental(ExperimentalStdlibApi::class)\n */\nprivate fun malformed(size: Int, index: Int, throwOnMalformed: Boolean): Int {\n    if (throwOnMalformed) throw CharacterCodingException("Malformed sequence starting at ${index - 1}")\n    return -size\n}\n\n/**\n * Returns code point corresponding to UTF-16 surrogate pair,\n * where the first of the pair is the [high] and the second is in the [string] at the [index].\n * Returns zero if the pair is malformed and [throwOnMalformed] is false.\n * @throws CharacterCodingException if the pair is malformed and [throwOnMalformed] is true.\n */\nprivate fun codePointFromSurrogate(string: String, high: Int, index: Int, endIndex: Int, throwOnMalformed: Boolean): Int {\n    if (high !in 0xD800..0xDBFF || index >= endIndex) {\n        return malformed(0, index, throwOnMalformed)\n    }\n    val low = string[index].toInt()\n    if (low !in 0xDC00..0xDFFF) {\n        return malformed(0, index, throwOnMalformed)\n    }\n    return 0x10000 + ((high and 0x3FF) shl 10) or (low and 0x3FF)\n}\n\n/**\n * Returns code point corresponding to UTF-8 sequence of two bytes,\n * where the first byte of the sequence is the [byte1] and the second byte is in the [bytes] array at the [index].\n * Returns zero if the sequence is malformed and [throwOnMalformed] is false.\n * @throws CharacterCodingException if the sequence of two bytes is malformed and [throwOnMalformed] is true.\n */\nprivate fun codePointFrom2(bytes: ByteArray, byte1: Int, index: Int, endIndex: Int, throwOnMalformed: Boolean): Int {\n    if (byte1 and 0x1E == 0 || index >= endIndex) {\n        return malformed(0, index, throwOnMalformed)\n    }\n    val byte2 = bytes[index].toInt()\n    if (byte2 and 0xC0 != 0x80) {\n        return malformed(0, index, throwOnMalformed)\n    }\n    return (byte1 shl 6) xor byte2 xor 0xF8\n}\n\n/**\n * Returns code point corresponding to UTF-8 sequence of three bytes,\n * where the first byte of the sequence is the [byte1] and the others are in the [bytes] array starting from the [index].\n * Returns a non-positive value indicating number

```

```

of bytes from [bytes] included in malformed sequence\n * if the sequence is malformed and [throwOnMalformed] is
false.\n *\n * @throws CharacterCodingException if the sequence of three bytes is malformed and
[throwOnMalformed] is true.\n *\nprivate fun codePointFrom3(bytes: ByteArray, byte1: Int, index: Int, endIndex:
Int, throwOnMalformed: Boolean): Int {\n    if (index >= endIndex) {\n        return malformed(0, index,
throwOnMalformed)\n    }\n    val byte2 = bytes[index].toInt()\n    if (byte1 and 0xF == 0) {\n        if (byte2 and
0xE0 != 0xA0) {\n            // Non-shortest form\n            return malformed(0, index, throwOnMalformed)\n        }\n    } else if (byte1 and 0xF == 0xD) {\n        if (byte2 and 0xE0 != 0x80) {\n            // Surrogate code point\n
return malformed(0, index, throwOnMalformed)\n        }\n    } else if (byte2 and 0xC0 != 0x80) {\n        return
malformed(0, index, throwOnMalformed)\n    }\n    if (index + 1 == endIndex) {\n        return malformed(1, index,
throwOnMalformed)\n    }\n    val byte3 = bytes[index + 1].toInt()\n    if (byte3 and 0xC0 != 0x80) {\n        return
malformed(1, index, throwOnMalformed)\n    }\n    return (byte1 shl 12) xor (byte2 shl 6) xor byte3 xor -
0x1E080)\n}\n\n**\n * Returns code point corresponding to UTF-8 sequence of four bytes,\n * where the first byte
of the sequence is the [byte1] and the others are in the [bytes] array starting from the [index].\n * Returns a non-
positive value indicating number of bytes from [bytes] included in malformed sequence\n * if the sequence is
malformed and [throwOnMalformed] is false.\n *\n * @throws CharacterCodingException if the sequence of four
bytes is malformed and [throwOnMalformed] is true.\n *\nprivate fun codePointFrom4(bytes: ByteArray, byte1:
Int, index: Int, endIndex: Int, throwOnMalformed: Boolean): Int {\n    if (index >= endIndex) {\n        malformed(0,
index, throwOnMalformed)\n    }\n    val byte2 = bytes[index].toInt()\n    if (byte1 and 0xF == 0x0) {\n        if
(byte2 and 0xF0 <= 0x80) {\n            // Non-shortest form\n            return malformed(0, index,
throwOnMalformed)\n        }\n    } else if (byte1 and 0xF == 0x4) {\n        if (byte2 and 0xF0 != 0x80) {\n            //
Out of Unicode code points domain (larger than U+10FFFF)\n            return malformed(0, index,
throwOnMalformed)\n        }\n    } else if (byte1 and 0xF > 0x4) {\n        return malformed(0, index,
throwOnMalformed)\n    } else if (byte2 and 0xC0 != 0x80) {\n        return malformed(0, index,
throwOnMalformed)\n    }\n    if (index + 1 == endIndex) {\n        return malformed(1, index,
throwOnMalformed)\n    }\n    val byte3 = bytes[index + 1].toInt()\n    if (byte3 and 0xC0 != 0x80) {\n        return
malformed(1, index, throwOnMalformed)\n    }\n    if (index + 2 == endIndex) {\n        return malformed(2, index,
throwOnMalformed)\n    }\n    val byte4 = bytes[index + 2].toInt()\n    if (byte4 and 0xC0 != 0x80) {\n        return
malformed(2, index, throwOnMalformed)\n    }\n    return (byte1 shl 18) xor (byte2 shl 12) xor (byte3 shl 6) xor
byte4 xor 0x381F80)\n}\n\n**\n * Maximum number of bytes needed to encode a single char.\n *\n * Code points in
`0..0x7F` are encoded in a single byte.\n * Code points in `0x80..0x7FF` are encoded in two bytes.\n * Code points
in `0x800..0xD7FF` or in `0xE000..0xFFFF` are encoded in three bytes.\n * Surrogate code points in
`0xD800..0xDFFF` are not Unicode scalar values, therefore aren't encoded.\n * Code points in
`0x10000..0x10FFFF` are represented by a pair of surrogate `Char`s and are encoded in four bytes.\n *\nprivate
const val MAX_BYTES_PER_CHAR = 3\n\n**\n * The byte sequence a malformed UTF-16 char sequence is
replaced by.\n *\nprivate val REPLACEMENT_BYTE_SEQUENCE: ByteArray = byteArrayOf(0xEF.toByte(),
0xBF.toByte(), 0xBD.toByte())\n\n**\n * Encodes the [string] using UTF-8 and returns the resulting [ByteArray].\n
*\n * @param string the string to encode.\n * @param startIndex the start offset (inclusive) of the substring to
encode.\n * @param endIndex the end offset (exclusive) of the substring to encode.\n * @param
throwOnMalformed whether to throw on malformed char sequence or replace by the
[REPLACEMENT_BYTE_SEQUENCE].\n *\n * @throws CharacterCodingException if the char sequence is
malformed and [throwOnMalformed] is true.\n *\ninternal fun encodeUtf8(string: String, startIndex: Int, endIndex:
Int, throwOnMalformed: Boolean): ByteArray {\n    require(startIndex >= 0 && endIndex <= string.length &&
startIndex <= endIndex)\n    val bytes = ByteArray((endIndex - startIndex) * MAX_BYTES_PER_CHAR)\n    var
byteIndex = 0\n    var charIndex = startIndex\n    while (charIndex < endIndex) {\n        val code =
string[charIndex++].toInt()\n        when {\n            code < 0x80 ->\n                bytes[byteIndex++] = code.toByte()\n
            code < 0x800 -> {\n                bytes[byteIndex++] = ((code shr 6) or 0xC0).toByte()\n
                bytes[byteIndex++] = ((code and 0x3F) or 0x80).toByte()\n            }\n            code < 0xD800 || code >= 0xE000 ->
{\n                bytes[byteIndex++] = ((code shr 12) or 0xE0).toByte()\n                bytes[byteIndex++] = (((code shr 6)

```



```

that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.time\n\nimport
org.w3c.performance.GlobalPerformance\n\nimport
org.w3c.performance.Performance\n\n@SinceKotlin("1.3")\n@ExperimentalTime\n\ninternal actual object
MonotonicTimeSource : TimeSource {\n\n    private val actualSource: TimeSource = run {\n        val isNode:
Boolean = js("typeof process !== 'undefined' && process.versions && !process.versions.node")\n\n        if
(isNode)\n            HrTimeSource(js("process").unsafeCast<Process>())\n        else\n
js("self").unsafeCast<GlobalPerformance?>()??.performance?.let(::PerformanceTimeSource)\n        ?:
DateNowTimeSource\n\n    }\n\n    override fun markNow(): TimeMark = actualSource.markNow()\n}\n\ninternal
external interface Process {\n    fun hrtime(time: Array<Double> = definedExternally):
Array<Double>\n}\n\n@SinceKotlin("1.3")\n@ExperimentalTime\n\ninternal class HrTimeSource(val process:
Process) : TimeSource {\n\n    override fun markNow(): TimeMark = object : TimeMark() {\n        val startedAt =
process.hrtime()\n        override fun elapsedNow(): Duration =\n            process.hrtime(startedAt).let { (seconds,
nanos) -> seconds.seconds + nanos.nanoseconds }\n    }\n\n    override fun toString(): String =
"\n\nTimeSource(process.hrtime())\n\n}\n\n\n@SinceKotlin("1.3")\n@ExperimentalTime\n\ninternal class
PerformanceTimeSource(val performance: Performance) : AbstractDoubleTimeSource(unit =
DurationUnit.MILLISECONDS) {\n\n    override fun read(): Double = performance.now()\n    override fun toString():
String = "\n\nTimeSource(self.performance.now())\n\n}\n\n\n@SinceKotlin("1.3")\n@ExperimentalTime\n\ninternal
object DateNowTimeSource : AbstractDoubleTimeSource(unit = DurationUnit.MILLISECONDS) {\n\n    override
fun read(): Double = kotlin.js.Date.now()\n    override fun toString(): String = "\n\nTimeSource(Date.now())\n\n}", /*\n
* Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.time\n\nimport kotlin.js.json\n\nimport kotlin.math.*\n\n\ninternal actual fun formatToExactDecimals(value:
Double, decimals: Int): String {\n\n    val rounded = if (decimals == 0) {\n        value\n    } else {\n        val pow =
10.0.pow(decimals)\n        @Suppress("DEPRECATION", "DEPRECATION_ERROR")\n
kotlin.js.Math.round(abs(value) * pow) / pow * sign(value)\n    }\n\n    return
rounded.asDynamic().toFixed(decimals).unsafeCast<String>()\n}\n\n\ninternal actual fun
formatUpToDecimals(value: Double, decimals: Int): String {\n\n    return value.asDynamic().toLocaleString("en-us",
json("maximumFractionDigits" to decimals)).unsafeCast<String>()\n}\n\n\ninternal actual fun
formatScientific(value: Double): String {\n\n    return
value.asDynamic().toExponential(2).unsafeCast<String>()\n}", /*\n
* Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage org.w3c.dom\n\n@Deprecated("Use
UnionMessagePortOrWindowProxy instead.", ReplaceWith("UnionMessagePortOrWindowProxy"))\n\ninterface
UnionMessagePortOrWindow\n = UnionMessagePortOrWindowProxy\n\n\n@Deprecated("Use `as` instead.",
ReplaceWith("`as`"))\n\nvar HTMLLinkElement.as_ get() = `as`\n set(value) {\n    `as` = value\n
}\n\n\n@Deprecated("Use `is` instead.", ReplaceWith("`is`"))\n\nvar ElementCreationOptions.is_ get() = `is`\n
set(value) {\n    `is` = value\n    }", /*\n
* Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n\n// See
github.com/kotlin/dukat for details\n\npackage org.khronos.webgl\n\nimport kotlin.js.*\n\nimport
org.w3c.css.masking.*\n\nimport org.w3c.dom.*\n\nimport org.w3c.dom.clipboard.*\n\nimport
org.w3c.dom.css.*\n\nimport org.w3c.dom.events.*\n\nimport org.w3c.dom.mediacapture.*\n\nimport
org.w3c.dom.parsing.*\n\nimport org.w3c.dom.pointerevents.*\n\nimport org.w3c.dom.svg.*\n\nimport
org.w3c.dom.url.*\n\nimport org.w3c.fetch.*\n\nimport org.w3c.files.*\n\nimport org.w3c.notifications.*\n\nimport
org.w3c.performance.*\n\nimport org.w3c.workers.*\n\nimport org.w3c.xhr.*\n\n\npublic external interface
WebGLContextAttributes {\n\n    var alpha: Boolean? /* = true */\n        get() = definedExternally\n        set(value) =
definedExternally\n\n    var depth: Boolean? /* = true */\n        get() = definedExternally\n        set(value) =
definedExternally\n\n    var stencil: Boolean? /* = false */\n        get() = definedExternally\n        set(value) =

```

```

definedExternally\n    var antialias: Boolean? /* = true */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var premultipliedAlpha: Boolean? /* = true */\n        get() = definedExternally\n
set(value) = definedExternally\n    var preserveDrawingBuffer: Boolean? /* = false */\n        get() =
definedExternally\n        set(value) = definedExternally\n    var preferLowPowerToHighPerformance: Boolean? /* =
false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var failIfMajorPerformanceCaveat:
Boolean? /* = false */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun WebGLContextAttributes(alpha: Boolean? =
true, depth: Boolean? = true, stencil: Boolean? = false, antialias: Boolean? = true, premultipliedAlpha: Boolean? =
true, preserveDrawingBuffer: Boolean? = false, preferLowPowerToHighPerformance: Boolean? = false,
failIfMajorPerformanceCaveat: Boolean? = false): WebGLContextAttributes {\n    val o = js("{}")\n
o["alpha"] = alpha\n    o["depth"] = depth\n    o["stencil"] = stencil\n    o["antialias"] = antialias\n
o["premultipliedAlpha"] = premultipliedAlpha\n    o["preserveDrawingBuffer"] = preserveDrawingBuffer\n
o["preferLowPowerToHighPerformance"] = preferLowPowerToHighPerformance\n
o["failIfMajorPerformanceCaveat"] = failIfMajorPerformanceCaveat\n    return o\n}\n\npublic external abstract
class WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLBuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLBuffer) to Kotlin\n */\npublic external
abstract class WebGLBuffer : WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLFramebuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLFramebuffer) to Kotlin\n */\npublic
external abstract class WebGLFramebuffer : WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLProgram](https://developer.mozilla.org/en/docs/Web/API/WebGLProgram) to Kotlin\n */\npublic external
abstract class WebGLProgram : WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLRenderbuffer](https://developer.mozilla.org/en/docs/Web/API/WebGLRenderbuffer) to Kotlin\n */\npublic
external abstract class WebGLRenderbuffer : WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLShader](https://developer.mozilla.org/en/docs/Web/API/WebGLShader) to Kotlin\n */\npublic external
abstract class WebGLShader : WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLTexture](https://developer.mozilla.org/en/docs/Web/API/WebGLTexture) to Kotlin\n */\npublic external
abstract class WebGLTexture : WebGLObject\n\n/**\n * Exposes the JavaScript
[WebGLUniformLocation](https://developer.mozilla.org/en/docs/Web/API/WebGLUniformLocation) to Kotlin\n
*/\npublic external abstract class WebGLUniformLocation\n\n/**\n * Exposes the JavaScript
[WebGLActiveInfo](https://developer.mozilla.org/en/docs/Web/API/WebGLActiveInfo) to Kotlin\n */\npublic
external abstract class WebGLActiveInfo {\n    open val size: Int\n    open val type: Int\n    open val name:
String\n}\n\n/**\n * Exposes the JavaScript
[WebGLShaderPrecisionFormat](https://developer.mozilla.org/en/docs/Web/API/WebGLShaderPrecisionFormat) to
Kotlin\n */\npublic external abstract class WebGLShaderPrecisionFormat {\n    open val rangeMin: Int\n    open val
rangeMax: Int\n    open val precision:
Int\n}\n\n\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external interface
WebGLRenderingContextBase {\n    val canvas: HTMLCanvasElement\n    val drawingBufferWidth: Int\n    val
drawingBufferHeight: Int\n    fun getContextAttributes(): WebGLContextAttributes?\n    fun isContextLost():
Boolean\n    fun getSupportedExtensions(): Array<String>?\n    fun getExtension(name: String): dynamic\n    fun
activeTexture(texture: Int)\n    fun attachShader(program: WebGLProgram?, shader: WebGLShader?)\n    fun
bindAttribLocation(program: WebGLProgram?, index: Int, name: String)\n    fun bindBuffer(target: Int, buffer:
WebGLBuffer?)\n    fun bindFramebuffer(target: Int, framebuffer: WebGLFramebuffer?)\n    fun
bindRenderbuffer(target: Int, renderbuffer: WebGLRenderbuffer?)\n    fun bindTexture(target: Int, texture:
WebGLTexture?)\n    fun blendColor(red: Float, green: Float, blue: Float, alpha: Float)\n    fun
blendEquation(mode: Int)\n    fun blendEquationSeparate(modeRGB: Int, modeAlpha: Int)\n    fun
blendFunc(sfactor: Int, dfactor: Int)\n    fun blendFuncSeparate(srcRGB: Int, dstRGB: Int, srcAlpha: Int, dstAlpha:
Int)\n    fun bufferData(target: Int, size: Int, usage: Int)\n    fun bufferData(target: Int, data: BufferDataSource?,
usage: Int)\n    fun bufferSubData(target: Int, offset: Int, data: BufferDataSource?)\n    fun

```


checkFramebufferStatus(target: Int): Int\n
 fun clear(mask: Int)\n
 fun clearColor(red: Float, green: Float, blue: Float, alpha: Float)\n
 fun clearDepth(depth: Float)\n
 fun clearStencil(s: Int)\n
 fun colorMask(red: Boolean, green: Boolean, blue: Boolean, alpha: Boolean)\n
 fun compileShader(shader: WebGLShader?)\n
 fun compressedTexImage2D(target: Int, level: Int, internalformat: Int, width: Int, height: Int, border: Int, data: ArrayBufferView)\n
 fun compressedTexSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, width: Int, height: Int, format: Int, data: ArrayBufferView)\n
 fun copyTexImage2D(target: Int, level: Int, internalformat: Int, x: Int, y: Int, width: Int, height: Int, border: Int)\n
 fun copyTexSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, x: Int, y: Int, width: Int, height: Int)\n
 fun createBuffer(): WebGLBuffer?\n
 fun createFramebuffer(): WebGLFramebuffer?\n
 fun createProgram(): WebGLProgram?\n
 fun createRenderbuffer(): WebGLRenderbuffer?\n
 fun createShader(type: Int): WebGLShader?\n
 fun createTexture(): WebGLTexture?\n
 fun cullFace(mode: Int)\n
 fun deleteBuffer(buffer: WebGLBuffer?)\n
 fun deleteFramebuffer(framebuffer: WebGLFramebuffer?)\n
 fun deleteProgram(program: WebGLProgram?)\n
 fun deleteRenderbuffer(renderbuffer: WebGLRenderbuffer?)\n
 fun deleteShader(shader: WebGLShader?)\n
 fun deleteTexture(texture: WebGLTexture?)\n
 fun depthFunc(func: Int)\n
 fun depthMask(flag: Boolean)\n
 fun depthRange(zNear: Float, zFar: Float)\n
 fun detachShader(program: WebGLProgram?, shader: WebGLShader?)\n
 fun disable(cap: Int)\n
 fun disableVertexArray(index: Int)\n
 fun drawArrays(mode: Int, first: Int, count: Int)\n
 fun drawElements(mode: Int, count: Int, type: Int, offset: Int)\n
 fun enable(cap: Int)\n
 fun enableVertexArray(index: Int)\n
 fun finish()\n
 fun flush()\n
 fun framebufferRenderbuffer(target: Int, attachment: Int, renderbuffertarget: Int, renderbuffer: WebGLRenderbuffer?)\n
 fun framebufferTexture2D(target: Int, attachment: Int, textarget: Int, texture: WebGLTexture?, level: Int)\n
 fun frontFace(mode: Int)\n
 fun generateMipmap(target: Int)\n
 fun getActiveAttrib(program: WebGLProgram?, index: Int): WebGLActiveInfo?\n
 fun getActiveUniform(program: WebGLProgram?, index: Int): WebGLActiveInfo?\n
 fun getAttachedShaders(program: WebGLProgram?): Array<WebGLShader?>\n
 fun getAttribLocation(program: WebGLProgram?, name: String): Int\n
 fun getBufferParameter(target: Int, pname: Int): Any?\n
 fun getParameter(pname: Int): Any?\n
 fun getError(): Int\n
 fun getFramebufferAttachmentParameter(target: Int, attachment: Int, pname: Int): Any?\n
 fun getProgramParameter(program: WebGLProgram?, pname: Int): Any?\n
 fun getProgramInfoLog(program: WebGLProgram?): String?\n
 fun getRenderbufferParameter(target: Int, pname: Int): Any?\n
 fun getShaderParameter(shader: WebGLShader?, pname: Int): Any?\n
 fun getShaderPrecisionFormat(shadertype: Int, precisiontype: Int): WebGLShaderPrecisionFormat?\n
 fun getShaderInfoLog(shader: WebGLShader?): String?\n
 fun getShaderSource(shader: WebGLShader?): String?\n
 fun getTexParameter(target: Int, pname: Int): Any?\n
 fun getUniform(program: WebGLProgram?, location: WebGLUniformLocation?): Any?\n
 fun getUniformLocation(program: WebGLProgram?, name: String): WebGLUniformLocation?\n
 fun getVertexAttrib(index: Int, pname: Int): Any?\n
 fun getVertexAttribOffset(index: Int, pname: Int): Int\n
 fun hint(target: Int, mode: Int)\n
 fun isBuffer(buffer: WebGLBuffer?): Boolean\n
 fun isEnabled(cap: Int): Boolean\n
 fun isFramebuffer(framebuffer: WebGLFramebuffer?): Boolean\n
 fun isProgram(program: WebGLProgram?): Boolean\n
 fun isRenderbuffer(renderbuffer: WebGLRenderbuffer?): Boolean\n
 fun isShader(shader: WebGLShader?): Boolean\n
 fun isTexture(texture: WebGLTexture?): Boolean\n
 fun lineWidth(width: Float)\n
 fun linkProgram(program: WebGLProgram?)\n
 fun pixelStorei(pname: Int, param: Int)\n
 fun polygonOffset(factor: Float, units: Float)\n
 fun readPixels(x: Int, y: Int, width: Int, height: Int, format: Int, type: Int, pixels: ArrayBufferView?)\n
 fun renderbufferStorage(target: Int, internalformat: Int, width: Int, height: Int)\n
 fun sampleCoverage(value: Float, invert: Boolean)\n
 fun scissor(x: Int, y: Int, width: Int, height: Int)\n
 fun shaderSource(shader: WebGLShader?, source: String)\n
 fun stencilFunc(func: Int, ref: Int, mask: Int)\n
 fun stencilFuncSeparate(face: Int, func: Int, ref: Int, mask: Int)\n
 fun stencilMask(mask: Int)\n
 fun stencilMaskSeparate(face: Int, mask: Int)\n
 fun stencilOp(fail: Int, zfail: Int, zpass: Int)\n
 fun stencilOpSeparate(face: Int, fail: Int, zfail: Int, zpass: Int)\n
 fun texImage2D(target: Int, level: Int, internalformat: Int, format: Int, type: Int, pixels: ArrayBufferView?)\n
 fun texImage2D(target: Int, level: Int, internalformat: Int, format: Int, type: Int, source: TextureImageSource?)\n
 fun texParameterf(target: Int, pname: Int, param: Float)\n
 fun texParameteri(target: Int,

```

pname: Int, param: Int)\n fun texSubImage2D(target: Int, level: Int, xoffset: Int, yoffset: Int, width: Int, height: Int,
format: Int, type: Int, pixels: ArrayBufferView?)\n fun texSubImage2D(target: Int, level: Int, xoffset: Int, yoffset:
Int, format: Int, type: Int, source: TexImageSource?)\n fun uniform1f(location: WebGLUniformLocation?, x:
Float)\n fun uniform1fv(location: WebGLUniformLocation?, v: Float32Array)\n fun uniform1fv(location:
WebGLUniformLocation?, v: Array<Float>)\n fun uniform1i(location: WebGLUniformLocation?, x: Int)\n fun
uniform1iv(location: WebGLUniformLocation?, v: Int32Array)\n fun uniform1iv(location:
WebGLUniformLocation?, v: Array<Int>)\n fun uniform2f(location: WebGLUniformLocation?, x: Float, y:
Float)\n fun uniform2fv(location: WebGLUniformLocation?, v: Float32Array)\n fun uniform2fv(location:
WebGLUniformLocation?, v: Array<Float>)\n fun uniform2i(location: WebGLUniformLocation?, x: Int, y: Int)\n
fun uniform2iv(location: WebGLUniformLocation?, v: Int32Array)\n fun uniform2iv(location:
WebGLUniformLocation?, v: Array<Int>)\n fun uniform3f(location: WebGLUniformLocation?, x: Float, y: Float,
z: Float)\n fun uniform3fv(location: WebGLUniformLocation?, v: Float32Array)\n fun uniform3fv(location:
WebGLUniformLocation?, v: Array<Float>)\n fun uniform3i(location: WebGLUniformLocation?, x: Int, y: Int, z:
Int)\n fun uniform3iv(location: WebGLUniformLocation?, v: Int32Array)\n fun uniform3iv(location:
WebGLUniformLocation?, v: Array<Int>)\n fun uniform4f(location: WebGLUniformLocation?, x: Float, y: Float,
z: Float, w: Float)\n fun uniform4fv(location: WebGLUniformLocation?, v: Float32Array)\n fun
uniform4fv(location: WebGLUniformLocation?, v: Array<Float>)\n fun uniform4i(location:
WebGLUniformLocation?, x: Int, y: Int, z: Int, w: Int)\n fun uniform4iv(location: WebGLUniformLocation?, v:
Int32Array)\n fun uniform4iv(location: WebGLUniformLocation?, v: Array<Int>)\n fun
uniformMatrix2fv(location: WebGLUniformLocation?, transpose: Boolean, value: Float32Array)\n fun
uniformMatrix2fv(location: WebGLUniformLocation?, transpose: Boolean, value: Array<Float>)\n fun
uniformMatrix3fv(location: WebGLUniformLocation?, transpose: Boolean, value: Float32Array)\n fun
uniformMatrix3fv(location: WebGLUniformLocation?, transpose: Boolean, value: Array<Float>)\n fun
uniformMatrix4fv(location: WebGLUniformLocation?, transpose: Boolean, value: Float32Array)\n fun
uniformMatrix4fv(location: WebGLUniformLocation?, transpose: Boolean, value: Array<Float>)\n fun
useProgram(program: WebGLProgram?)\n fun validateProgram(program: WebGLProgram?)\n fun
vertexAttrib1f(index: Int, x: Float)\n fun vertexAttrib1fv(index: Int, values: dynamic)\n fun
vertexAttrib2f(index: Int, x: Float, y: Float)\n fun vertexAttrib2fv(index: Int, values: dynamic)\n fun
vertexAttrib3f(index: Int, x: Float, y: Float, z: Float)\n fun vertexAttrib3fv(index: Int, values: dynamic)\n fun
vertexAttrib4f(index: Int, x: Float, y: Float, z: Float, w: Float)\n fun vertexAttrib4fv(index: Int, values: dynamic)\n
fun vertexAttribPointer(index: Int, size: Int, type: Int, normalized: Boolean, stride: Int, offset: Int)\n fun
viewport(x: Int, y: Int, width: Int, height: Int)\n\n companion object {\n val DEPTH_BUFFER_BIT: Int\n
val STENCIL_BUFFER_BIT: Int\n val COLOR_BUFFER_BIT: Int\n val POINTS: Int\n val LINES:
Int\n val LINE_LOOP: Int\n val LINE_STRIP: Int\n val TRIANGLES: Int\n val
TRIANGLE_STRIP: Int\n val TRIANGLE_FAN: Int\n val ZERO: Int\n val ONE: Int\n val
SRC_COLOR: Int\n val ONE_MINUS_SRC_COLOR: Int\n val SRC_ALPHA: Int\n val
ONE_MINUS_SRC_ALPHA: Int\n val DST_ALPHA: Int\n val ONE_MINUS_DST_ALPHA: Int\n
val DST_COLOR: Int\n val ONE_MINUS_DST_COLOR: Int\n val SRC_ALPHA_SATURATE: Int\n
val FUNC_ADD: Int\n val BLEND_EQUATION: Int\n val BLEND_EQUATION_RGB: Int\n val
BLEND_EQUATION_ALPHA: Int\n val FUNC_SUBTRACT: Int\n val FUNC_REVERSE_SUBTRACT:
Int\n val BLEND_DST_RGB: Int\n val BLEND_SRC_RGB: Int\n val BLEND_DST_ALPHA: Int\n
val BLEND_SRC_ALPHA: Int\n val CONSTANT_COLOR: Int\n val
ONE_MINUS_CONSTANT_COLOR: Int\n val CONSTANT_ALPHA: Int\n val
ONE_MINUS_CONSTANT_ALPHA: Int\n val BLEND_COLOR: Int\n val ARRAY_BUFFER: Int\n
val ELEMENT_ARRAY_BUFFER: Int\n val ARRAY_BUFFER_BINDING: Int\n val
ELEMENT_ARRAY_BUFFER_BINDING: Int\n val STREAM_DRAW: Int\n val STATIC_DRAW: Int\n
val DYNAMIC_DRAW: Int\n val BUFFER_SIZE: Int\n val BUFFER_USAGE: Int\n val
CURRENT_VERTEX_ATTRIB: Int\n val FRONT: Int\n val BACK: Int\n val FRONT_AND_BACK:

```

Int\n val CULL_FACE: Int\n val BLEND: Int\n val DITHER: Int\n val STENCIL_TEST: Int\n
 val DEPTH_TEST: Int\n val SCISSOR_TEST: Int\n val POLYGON_OFFSET_FILL: Int\n val
 SAMPLE_ALPHA_TO_COVERAGE: Int\n val SAMPLE_COVERAGE: Int\n val NO_ERROR: Int\n
 val INVALID_ENUM: Int\n val INVALID_VALUE: Int\n val INVALID_OPERATION: Int\n val
 OUT_OF_MEMORY: Int\n val CW: Int\n val CCW: Int\n val LINE_WIDTH: Int\n val
 ALIASED_POINT_SIZE_RANGE: Int\n val ALIASED_LINE_WIDTH_RANGE: Int\n val
 CULL_FACE_MODE: Int\n val FRONT_FACE: Int\n val DEPTH_RANGE: Int\n val
 DEPTH_WRITEMASK: Int\n val DEPTH_CLEAR_VALUE: Int\n val DEPTH_FUNC: Int\n val
 STENCIL_CLEAR_VALUE: Int\n val STENCIL_FUNC: Int\n val STENCIL_FAIL: Int\n val
 STENCIL_PASS_DEPTH_FAIL: Int\n val STENCIL_PASS_DEPTH_PASS: Int\n val STENCIL_REF:
 Int\n val STENCIL_VALUE_MASK: Int\n val STENCIL_WRITEMASK: Int\n val
 STENCIL_BACK_FUNC: Int\n val STENCIL_BACK_FAIL: Int\n val
 STENCIL_BACK_PASS_DEPTH_FAIL: Int\n val STENCIL_BACK_PASS_DEPTH_PASS: Int\n val
 STENCIL_BACK_REF: Int\n val STENCIL_BACK_VALUE_MASK: Int\n val
 STENCIL_BACK_WRITEMASK: Int\n val VIEWPORT: Int\n val SCISSOR_BOX: Int\n val
 COLOR_CLEAR_VALUE: Int\n val COLOR_WRITEMASK: Int\n val UNPACK_ALIGNMENT: Int\n
 val PACK_ALIGNMENT: Int\n val MAX_TEXTURE_SIZE: Int\n val MAX_VIEWPORT_DIMS: Int\n
 val SUBPIXEL_BITS: Int\n val RED_BITS: Int\n val GREEN_BITS: Int\n val BLUE_BITS: Int\n
 val ALPHA_BITS: Int\n val DEPTH_BITS: Int\n val STENCIL_BITS: Int\n val
 POLYGON_OFFSET_UNITS: Int\n val POLYGON_OFFSET_FACTOR: Int\n val
 TEXTURE_BINDING_2D: Int\n val SAMPLE_BUFFERS: Int\n val SAMPLES: Int\n val
 SAMPLE_COVERAGE_VALUE: Int\n val SAMPLE_COVERAGE_INVERT: Int\n val
 COMPRESSED_TEXTURE_FORMATS: Int\n val DONT_CARE: Int\n val FASTEST: Int\n val
 NICEST: Int\n val GENERATE_MIPMAP_HINT: Int\n val BYTE: Int\n val UNSIGNED_BYTE:
 Int\n val SHORT: Int\n val UNSIGNED_SHORT: Int\n val INT: Int\n val UNSIGNED_INT: Int\n
 val FLOAT: Int\n val DEPTH_COMPONENT: Int\n val ALPHA: Int\n val RGB: Int\n val
 RGBA: Int\n val LUMINANCE: Int\n val LUMINANCE_ALPHA: Int\n val
 UNSIGNED_SHORT_4_4_4_4: Int\n val UNSIGNED_SHORT_5_5_5_1: Int\n val
 UNSIGNED_SHORT_5_6_5: Int\n val FRAGMENT_SHADER: Int\n val VERTEX_SHADER: Int\n
 val MAX_VERTEX_ATTRIBS: Int\n val MAX_VERTEX_UNIFORM_VECTORS: Int\n val
 MAX_VARYING_VECTORS: Int\n val MAX_COMBINED_TEXTURE_IMAGE_UNITS: Int\n val
 MAX_VERTEX_TEXTURE_IMAGE_UNITS: Int\n val MAX_TEXTURE_IMAGE_UNITS: Int\n val
 MAX_FRAGMENT_UNIFORM_VECTORS: Int\n val SHADER_TYPE: Int\n val DELETE_STATUS:
 Int\n val LINK_STATUS: Int\n val VALIDATE_STATUS: Int\n val ATTACHED_SHADERS: Int\n
 val ACTIVE_UNIFORMS: Int\n val ACTIVE_ATTRIBUTES: Int\n val
 SHADING_LANGUAGE_VERSION: Int\n val CURRENT_PROGRAM: Int\n val NEVER: Int\n val
 LESS: Int\n val EQUAL: Int\n val LEQUAL: Int\n val GREATER: Int\n val NOTEQUAL: Int\n
 val GEQUAL: Int\n val ALWAYS: Int\n val KEEP: Int\n val REPLACE: Int\n val INCR: Int\n
 val DECR: Int\n val INVERT: Int\n val INCR_WRAP: Int\n val DECR_WRAP: Int\n val
 VENDOR: Int\n val RENDERER: Int\n val VERSION: Int\n val NEAREST: Int\n val LINEAR:
 Int\n val NEAREST_MIPMAP_NEAREST: Int\n val LINEAR_MIPMAP_NEAREST: Int\n val
 NEAREST_MIPMAP_LINEAR: Int\n val LINEAR_MIPMAP_LINEAR: Int\n val
 TEXTURE_MAG_FILTER: Int\n val TEXTURE_MIN_FILTER: Int\n val TEXTURE_WRAP_S: Int\n
 val TEXTURE_WRAP_T: Int\n val TEXTURE_2D: Int\n val TEXTURE: Int\n val
 TEXTURE_CUBE_MAP: Int\n val TEXTURE_BINDING_CUBE_MAP: Int\n val
 TEXTURE_CUBE_MAP_POSITIVE_X: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_X: Int\n val
 TEXTURE_CUBE_MAP_POSITIVE_Y: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_Y: Int\n val
 TEXTURE_CUBE_MAP_POSITIVE_Z: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_Z: Int\n val

```

MAX_CUBE_MAP_TEXTURE_SIZE: Int\n    val TEXTURE0: Int\n    val TEXTURE1: Int\n    val
TEXTURE2: Int\n    val TEXTURE3: Int\n    val TEXTURE4: Int\n    val TEXTURE5: Int\n    val
TEXTURE6: Int\n    val TEXTURE7: Int\n    val TEXTURE8: Int\n    val TEXTURE9: Int\n    val
TEXTURE10: Int\n    val TEXTURE11: Int\n    val TEXTURE12: Int\n    val TEXTURE13: Int\n    val
TEXTURE14: Int\n    val TEXTURE15: Int\n    val TEXTURE16: Int\n    val TEXTURE17: Int\n    val
TEXTURE18: Int\n    val TEXTURE19: Int\n    val TEXTURE20: Int\n    val TEXTURE21: Int\n    val
TEXTURE22: Int\n    val TEXTURE23: Int\n    val TEXTURE24: Int\n    val TEXTURE25: Int\n    val
TEXTURE26: Int\n    val TEXTURE27: Int\n    val TEXTURE28: Int\n    val TEXTURE29: Int\n    val
TEXTURE30: Int\n    val TEXTURE31: Int\n    val ACTIVE_TEXTURE: Int\n    val REPEAT: Int\n
val CLAMP_TO_EDGE: Int\n    val MIRRORED_REPEAT: Int\n    val FLOAT_VEC2: Int\n    val
FLOAT_VEC3: Int\n    val FLOAT_VEC4: Int\n    val INT_VEC2: Int\n    val INT_VEC3: Int\n    val
INT_VEC4: Int\n    val BOOL: Int\n    val BOOL_VEC2: Int\n    val BOOL_VEC3: Int\n    val
BOOL_VEC4: Int\n    val FLOAT_MAT2: Int\n    val FLOAT_MAT3: Int\n    val FLOAT_MAT4: Int\n
val SAMPLER_2D: Int\n    val SAMPLER_CUBE: Int\n    val VERTEX_ATTRIB_ARRAY_ENABLED:
Int\n    val VERTEX_ATTRIB_ARRAY_SIZE: Int\n    val VERTEX_ATTRIB_ARRAY_STRIDE: Int\n
val VERTEX_ATTRIB_ARRAY_TYPE: Int\n    val VERTEX_ATTRIB_ARRAY_NORMALIZED: Int\n
val VERTEX_ATTRIB_ARRAY_POINTER: Int\n    val VERTEX_ATTRIB_ARRAY_BUFFER_BINDING:
Int\n    val IMPLEMENTATION_COLOR_READ_TYPE: Int\n    val
IMPLEMENTATION_COLOR_READ_FORMAT: Int\n    val COMPILE_STATUS: Int\n    val
LOW_FLOAT: Int\n    val MEDIUM_FLOAT: Int\n    val HIGH_FLOAT: Int\n    val LOW_INT: Int\n
val MEDIUM_INT: Int\n    val HIGH_INT: Int\n    val FRAMEBUFFER: Int\n    val RENDERBUFFER:
Int\n    val RGBA4: Int\n    val RGB5_A1: Int\n    val RGB565: Int\n    val DEPTH_COMPONENT16:
Int\n    val STENCIL_INDEX: Int\n    val STENCIL_INDEX8: Int\n    val DEPTH_STENCIL: Int\n    val
RENDERBUFFER_WIDTH: Int\n    val RENDERBUFFER_HEIGHT: Int\n    val
RENDERBUFFER_INTERNAL_FORMAT: Int\n    val RENDERBUFFER_RED_SIZE: Int\n    val
RENDERBUFFER_GREEN_SIZE: Int\n    val RENDERBUFFER_BLUE_SIZE: Int\n    val
RENDERBUFFER_ALPHA_SIZE: Int\n    val RENDERBUFFER_DEPTH_SIZE: Int\n    val
RENDERBUFFER_STENCIL_SIZE: Int\n    val FRAMEBUFFER_ATTACHMENT_OBJECT_TYPE: Int\n
val FRAMEBUFFER_ATTACHMENT_OBJECT_NAME: Int\n    val
FRAMEBUFFER_ATTACHMENT_TEXTURE_LEVEL: Int\n    val
FRAMEBUFFER_ATTACHMENT_TEXTURE_CUBE_MAP_FACE: Int\n    val COLOR_ATTACHMENT0:
Int\n    val DEPTH_ATTACHMENT: Int\n    val STENCIL_ATTACHMENT: Int\n    val
DEPTH_STENCIL_ATTACHMENT: Int\n    val NONE: Int\n    val FRAMEBUFFER_COMPLETE: Int\n
val FRAMEBUFFER_INCOMPLETE_ATTACHMENT: Int\n    val
FRAMEBUFFER_INCOMPLETE_MISSING_ATTACHMENT: Int\n    val
FRAMEBUFFER_INCOMPLETE_DIMENSIONS: Int\n    val FRAMEBUFFER_UNSUPPORTED: Int\n
val FRAMEBUFFER_BINDING: Int\n    val RENDERBUFFER_BINDING: Int\n    val
MAX_RENDERBUFFER_SIZE: Int\n    val INVALID_FRAMEBUFFER_OPERATION: Int\n    val
UNPACK_FLIP_Y_WEBGL: Int\n    val UNPACK_PREMULTIPLY_ALPHA_WEBGL: Int\n    val
CONTEXT_LOST_WEBGL: Int\n    val UNPACK_COLORSPACE_CONVERSION_WEBGL: Int\n    val
BROWSER_DEFAULT_WEBGL: Int\n    }\n}\n\n/**\n * Exposes the JavaScript
[WebGLRenderingContext](https://developer.mozilla.org/en/docs/Web/API/WebGLRenderingContext) to Kotlin\n
*\npublic external abstract class WebGLRenderingContext : WebGLRenderingContextBase, RenderingContext {\n
companion object {\n    val DEPTH_BUFFER_BIT: Int\n    val STENCIL_BUFFER_BIT: Int\n    val
COLOR_BUFFER_BIT: Int\n    val POINTS: Int\n    val LINES: Int\n    val LINE_LOOP: Int\n    val
LINE_STRIP: Int\n    val TRIANGLES: Int\n    val TRIANGLE_STRIP: Int\n    val TRIANGLE_FAN:
Int\n    val ZERO: Int\n    val ONE: Int\n    val SRC_COLOR: Int\n    val ONE_MINUS_SRC_COLOR:
Int\n    val SRC_ALPHA: Int\n    val ONE_MINUS_SRC_ALPHA: Int\n    val DST_ALPHA: Int\n    val

```

ONE_MINUS_DST_ALPHA: Int\n val DST_COLOR: Int\n val ONE_MINUS_DST_COLOR: Int\n
 val SRC_ALPHA_SATURATE: Int\n val FUNC_ADD: Int\n val BLEND_EQUATION: Int\n val
 BLEND_EQUATION_RGB: Int\n val BLEND_EQUATION_ALPHA: Int\n val FUNC_SUBTRACT:
 Int\n val FUNC_REVERSE_SUBTRACT: Int\n val BLEND_DST_RGB: Int\n val
 BLEND_SRC_RGB: Int\n val BLEND_DST_ALPHA: Int\n val BLEND_SRC_ALPHA: Int\n val
 CONSTANT_COLOR: Int\n val ONE_MINUS_CONSTANT_COLOR: Int\n val CONSTANT_ALPHA:
 Int\n val ONE_MINUS_CONSTANT_ALPHA: Int\n val BLEND_COLOR: Int\n val
 ARRAY_BUFFER: Int\n val ELEMENT_ARRAY_BUFFER: Int\n val ARRAY_BUFFER_BINDING:
 Int\n val ELEMENT_ARRAY_BUFFER_BINDING: Int\n val STREAM_DRAW: Int\n val
 STATIC_DRAW: Int\n val DYNAMIC_DRAW: Int\n val BUFFER_SIZE: Int\n val
 BUFFER_USAGE: Int\n val CURRENT_VERTEX_ATTRIB: Int\n val FRONT: Int\n val BACK:
 Int\n val FRONT_AND_BACK: Int\n val CULL_FACE: Int\n val BLEND: Int\n val DITHER:
 Int\n val STENCIL_TEST: Int\n val DEPTH_TEST: Int\n val SCISSOR_TEST: Int\n val
 POLYGON_OFFSET_FILL: Int\n val SAMPLE_ALPHA_TO_COVERAGE: Int\n val
 SAMPLE_COVERAGE: Int\n val NO_ERROR: Int\n val INVALID_ENUM: Int\n val
 INVALID_VALUE: Int\n val INVALID_OPERATION: Int\n val OUT_OF_MEMORY: Int\n val CW:
 Int\n val CCW: Int\n val LINE_WIDTH: Int\n val ALIASED_POINT_SIZE_RANGE: Int\n val
 ALIASED_LINE_WIDTH_RANGE: Int\n val CULL_FACE_MODE: Int\n val FRONT_FACE: Int\n
 val DEPTH_RANGE: Int\n val DEPTH_WRITEMASK: Int\n val DEPTH_CLEAR_VALUE: Int\n val
 DEPTH_FUNC: Int\n val STENCIL_CLEAR_VALUE: Int\n val STENCIL_FUNC: Int\n val
 STENCIL_FAIL: Int\n val STENCIL_PASS_DEPTH_FAIL: Int\n val STENCIL_PASS_DEPTH_PASS:
 Int\n val STENCIL_REF: Int\n val STENCIL_VALUE_MASK: Int\n val STENCIL_WRITEMASK:
 Int\n val STENCIL_BACK_FUNC: Int\n val STENCIL_BACK_FAIL: Int\n val
 STENCIL_BACK_PASS_DEPTH_FAIL: Int\n val STENCIL_BACK_PASS_DEPTH_PASS: Int\n val
 STENCIL_BACK_REF: Int\n val STENCIL_BACK_VALUE_MASK: Int\n val
 STENCIL_BACK_WRITEMASK: Int\n val VIEWPORT: Int\n val SCISSOR_BOX: Int\n val
 COLOR_CLEAR_VALUE: Int\n val COLOR_WRITEMASK: Int\n val UNPACK_ALIGNMENT: Int\n
 val PACK_ALIGNMENT: Int\n val MAX_TEXTURE_SIZE: Int\n val MAX_VIEWPORT_DIMS: Int\n
 val SUBPIXEL_BITS: Int\n val RED_BITS: Int\n val GREEN_BITS: Int\n val BLUE_BITS: Int\n
 val ALPHA_BITS: Int\n val DEPTH_BITS: Int\n val STENCIL_BITS: Int\n val
 POLYGON_OFFSET_UNITS: Int\n val POLYGON_OFFSET_FACTOR: Int\n val
 TEXTURE_BINDING_2D: Int\n val SAMPLE_BUFFERS: Int\n val SAMPLES: Int\n val
 SAMPLE_COVERAGE_VALUE: Int\n val SAMPLE_COVERAGE_INVERT: Int\n val
 COMPRESSED_TEXTURE_FORMATS: Int\n val DONT_CARE: Int\n val FASTEST: Int\n val
 NICEST: Int\n val GENERATE_MIPMAP_HINT: Int\n val BYTE: Int\n val UNSIGNED_BYTE:
 Int\n val SHORT: Int\n val UNSIGNED_SHORT: Int\n val INT: Int\n val UNSIGNED_INT: Int\n
 val FLOAT: Int\n val DEPTH_COMPONENT: Int\n val ALPHA: Int\n val RGB: Int\n val
 RGBA: Int\n val LUMINANCE: Int\n val LUMINANCE_ALPHA: Int\n val
 UNSIGNED_SHORT_4_4_4_4: Int\n val UNSIGNED_SHORT_5_5_5_1: Int\n val
 UNSIGNED_SHORT_5_6_5: Int\n val FRAGMENT_SHADER: Int\n val VERTEX_SHADER: Int\n
 val MAX_VERTEX_ATTRIBS: Int\n val MAX_VERTEX_UNIFORM_VECTORS: Int\n val
 MAX_VARYING_VECTORS: Int\n val MAX_COMBINED_TEXTURE_IMAGE_UNITS: Int\n val
 MAX_VERTEX_TEXTURE_IMAGE_UNITS: Int\n val MAX_TEXTURE_IMAGE_UNITS: Int\n val
 MAX_FRAGMENT_UNIFORM_VECTORS: Int\n val SHADER_TYPE: Int\n val DELETE_STATUS:
 Int\n val LINK_STATUS: Int\n val VALIDATE_STATUS: Int\n val ATTACHED_SHADERS: Int\n
 val ACTIVE_UNIFORMS: Int\n val ACTIVE_ATTRIBUTES: Int\n val
 SHADING_LANGUAGE_VERSION: Int\n val CURRENT_PROGRAM: Int\n val NEVER: Int\n val
 LESS: Int\n val EQUAL: Int\n val LEQUAL: Int\n val GREATER: Int\n val NOTEQUAL: Int\n

val GEQUAL: Int\n val ALWAYS: Int\n val KEEP: Int\n val REPLACE: Int\n val INCR: Int\n
 val DECR: Int\n val INVERT: Int\n val INCR_WRAP: Int\n val DECR_WRAP: Int\n val
 VENDOR: Int\n val RENDERER: Int\n val VERSION: Int\n val NEAREST: Int\n val LINEAR:
 Int\n val NEAREST_MIPMAP_NEAREST: Int\n val LINEAR_MIPMAP_NEAREST: Int\n val
 NEAREST_MIPMAP_LINEAR: Int\n val LINEAR_MIPMAP_LINEAR: Int\n val
 TEXTURE_MAG_FILTER: Int\n val TEXTURE_MIN_FILTER: Int\n val TEXTURE_WRAP_S: Int\n
 val TEXTURE_WRAP_T: Int\n val TEXTURE_2D: Int\n val TEXTURE: Int\n val
 TEXTURE_CUBE_MAP: Int\n val TEXTURE_BINDING_CUBE_MAP: Int\n val
 TEXTURE_CUBE_MAP_POSITIVE_X: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_X: Int\n val
 TEXTURE_CUBE_MAP_POSITIVE_Y: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_Y: Int\n val
 TEXTURE_CUBE_MAP_POSITIVE_Z: Int\n val TEXTURE_CUBE_MAP_NEGATIVE_Z: Int\n val
 MAX_CUBE_MAP_TEXTURE_SIZE: Int\n val TEXTURE0: Int\n val TEXTURE1: Int\n val
 TEXTURE2: Int\n val TEXTURE3: Int\n val TEXTURE4: Int\n val TEXTURE5: Int\n val
 TEXTURE6: Int\n val TEXTURE7: Int\n val TEXTURE8: Int\n val TEXTURE9: Int\n val
 TEXTURE10: Int\n val TEXTURE11: Int\n val TEXTURE12: Int\n val TEXTURE13: Int\n val
 TEXTURE14: Int\n val TEXTURE15: Int\n val TEXTURE16: Int\n val TEXTURE17: Int\n val
 TEXTURE18: Int\n val TEXTURE19: Int\n val TEXTURE20: Int\n val TEXTURE21: Int\n val
 TEXTURE22: Int\n val TEXTURE23: Int\n val TEXTURE24: Int\n val TEXTURE25: Int\n val
 TEXTURE26: Int\n val TEXTURE27: Int\n val TEXTURE28: Int\n val TEXTURE29: Int\n val
 TEXTURE30: Int\n val TEXTURE31: Int\n val ACTIVE_TEXTURE: Int\n val REPEAT: Int\n
 val CLAMP_TO_EDGE: Int\n val MIRRORED_REPEAT: Int\n val FLOAT_VEC2: Int\n val
 FLOAT_VEC3: Int\n val FLOAT_VEC4: Int\n val INT_VEC2: Int\n val INT_VEC3: Int\n val
 INT_VEC4: Int\n val BOOL: Int\n val BOOL_VEC2: Int\n val BOOL_VEC3: Int\n val
 BOOL_VEC4: Int\n val FLOAT_MAT2: Int\n val FLOAT_MAT3: Int\n val FLOAT_MAT4: Int\n
 val SAMPLER_2D: Int\n val SAMPLER_CUBE: Int\n val VERTEX_ATTRIB_ARRAY_ENABLED:
 Int\n val VERTEX_ATTRIB_ARRAY_SIZE: Int\n val VERTEX_ATTRIB_ARRAY_STRIDE: Int\n
 val VERTEX_ATTRIB_ARRAY_TYPE: Int\n val VERTEX_ATTRIB_ARRAY_NORMALIZED: Int\n
 val VERTEX_ATTRIB_ARRAY_POINTER: Int\n val VERTEX_ATTRIB_ARRAY_BUFFER_BINDING:
 Int\n val IMPLEMENTATION_COLOR_READ_TYPE: Int\n val
 IMPLEMENTATION_COLOR_READ_FORMAT: Int\n val COMPILE_STATUS: Int\n val
 LOW_FLOAT: Int\n val MEDIUM_FLOAT: Int\n val HIGH_FLOAT: Int\n val LOW_INT: Int\n
 val MEDIUM_INT: Int\n val HIGH_INT: Int\n val FRAMEBUFFER: Int\n val RENDERBUFFER:
 Int\n val RGBA4: Int\n val RGB5_A1: Int\n val RGB565: Int\n val DEPTH_COMPONENT16:
 Int\n val STENCIL_INDEX: Int\n val STENCIL_INDEX8: Int\n val DEPTH_STENCIL: Int\n val
 RENDERBUFFER_WIDTH: Int\n val RENDERBUFFER_HEIGHT: Int\n val
 RENDERBUFFER_INTERNAL_FORMAT: Int\n val RENDERBUFFER_RED_SIZE: Int\n val
 RENDERBUFFER_GREEN_SIZE: Int\n val RENDERBUFFER_BLUE_SIZE: Int\n val
 RENDERBUFFER_ALPHA_SIZE: Int\n val RENDERBUFFER_DEPTH_SIZE: Int\n val
 RENDERBUFFER_STENCIL_SIZE: Int\n val FRAMEBUFFER_ATTACHMENT_OBJECT_TYPE: Int\n
 val FRAMEBUFFER_ATTACHMENT_OBJECT_NAME: Int\n val
 FRAMEBUFFER_ATTACHMENT_TEXTURE_LEVEL: Int\n val
 FRAMEBUFFER_ATTACHMENT_TEXTURE_CUBE_MAP_FACE: Int\n val COLOR_ATTACHMENT0:
 Int\n val DEPTH_ATTACHMENT: Int\n val STENCIL_ATTACHMENT: Int\n val
 DEPTH_STENCIL_ATTACHMENT: Int\n val NONE: Int\n val FRAMEBUFFER_COMPLETE: Int\n
 val FRAMEBUFFER_INCOMPLETE_ATTACHMENT: Int\n val
 FRAMEBUFFER_INCOMPLETE_MISSING_ATTACHMENT: Int\n val
 FRAMEBUFFER_INCOMPLETE_DIMENSIONS: Int\n val FRAMEBUFFER_UNSUPPORTED: Int\n
 val FRAMEBUFFER_BINDING: Int\n val RENDERBUFFER_BINDING: Int\n val

```

MAX_RENDERBUFFER_SIZE: Int\n    val INVALID_FRAMEBUFFER_OPERATION: Int\n    val
UNPACK_FLIP_Y_WEBGL: Int\n    val UNPACK_PREMULTIPLY_ALPHA_WEBGL: Int\n    val
CONTEXT_LOST_WEBGL: Int\n    val UNPACK_COLORSPACE_CONVERSION_WEBGL: Int\n    val
BROWSER_DEFAULT_WEBGL: Int\n    }\n}\n\n/**\n * Exposes the JavaScript
[WebGLContextEvent](https://developer.mozilla.org/en/docs/Web/API/WebGLContextEvent) to Kotlin\n
*\npublic external open class WebGLContextEvent(type: String, eventInit: WebGLContextEventInit =
definedExternally) : Event {\n    open val statusMessage: String\n\n    companion object {\n        val NONE: Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE: Short\n    }\n}\n\npublic external interface WebGLContextEventInit : EventInit {\n    var statusMessage: String? /* = \"\" */\n    get() = definedExternally\n    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline
fun WebGLContextEventInit(statusMessage: String? = \"\", bubbles: Boolean? = false, cancelable: Boolean? = false,
composed: Boolean? = false): WebGLContextEventInit {\n    val o = js(\"({})\")\n    o[\"statusMessage\"] =
statusMessage\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n    o[\"composed\"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[ArrayBuffer](https://developer.mozilla.org/en/docs/Web/API/ArrayBuffer) to Kotlin\n
*\npublic external open
class ArrayBuffer(length: Int) : BufferDataSource {\n    open val byteLength: Int\n    fun slice(begin: Int, end: Int =
definedExternally): ArrayBuffer\n\n    companion object {\n        fun isView(value: Any?): Boolean\n    }\n}\n\n/**\n * Exposes the JavaScript
[ArrayBufferView](https://developer.mozilla.org/en/docs/Web/API/ArrayBufferView) to Kotlin\n
*\npublic
external interface ArrayBufferView : BufferDataSource {\n    val buffer: ArrayBuffer\n    val byteOffset: Int\n    val
byteLength: Int\n}\n\n/**\n * Exposes the JavaScript
[Int8Array](https://developer.mozilla.org/en/docs/Web/API/Int8Array) to Kotlin\n
*\npublic external open class
Int8Array : ArrayBufferView {\n    constructor(length: Int)\n    constructor(array: Int8Array)\n    constructor(array:
Array<Byte>)\n    constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int =
definedExternally)\n    open val length: Int\n    override val buffer: ArrayBuffer\n    override val byteOffset: Int\n    override val byteLength: Int\n    fun set(array: Int8Array, offset: Int = definedExternally)\n    fun set(array:
Array<Byte>, offset: Int = definedExternally)\n    fun subarray(start: Int, end: Int): Int8Array\n\n    companion
object {\n        val BYTES_PER_ELEMENT: Int\n    }\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator
fun Int8Array.get(index: Int): Byte = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun
Int8Array.set(index: Int, value: Byte) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[Uint8Array](https://developer.mozilla.org/en/docs/Web/API/Uint8Array) to Kotlin\n
*\npublic external open class
Uint8Array : ArrayBufferView {\n    constructor(length: Int)\n    constructor(array: Uint8Array)\n    constructor(array: Array<Byte>)\n    constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:
Int = definedExternally)\n    open val length: Int\n    override val buffer: ArrayBuffer\n    override val byteOffset:
Int\n    override val byteLength: Int\n    fun set(array: Uint8Array, offset: Int = definedExternally)\n    fun set(array:
Array<Byte>, offset: Int = definedExternally)\n    fun subarray(start: Int, end: Int): Uint8Array\n\n    companion
object {\n        val BYTES_PER_ELEMENT: Int\n    }\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator
fun Uint8Array.get(index: Int): Byte = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator
fun Uint8Array.set(index: Int, value: Byte) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[Uint8ClampedArray](https://developer.mozilla.org/en/docs/Web/API/Uint8ClampedArray) to Kotlin\n
*\npublic
external open class Uint8ClampedArray : ArrayBufferView {\n    constructor(length: Int)\n    constructor(array:
Uint8ClampedArray)\n    constructor(array: Array<Byte>)\n    constructor(buffer: ArrayBuffer, byteOffset: Int =
definedExternally, length: Int = definedExternally)\n    open val length: Int\n    override val buffer: ArrayBuffer\n    override val byteOffset: Int\n    override val byteLength: Int\n    fun set(array: Uint8ClampedArray, offset: Int =
definedExternally)\n    fun set(array: Array<Byte>, offset: Int = definedExternally)\n    fun subarray(start: Int, end:
Int): Uint8ClampedArray\n\n    companion object {\n        val BYTES_PER_ELEMENT: Int\n    }\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint8ClampedArray.get(index: Int): Byte =
asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Uint8ClampedArray.set(index: Int,

```

```

value: Byte) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[Int16Array](https://developer.mozilla.org/en/docs/Web/API/Int16Array) to Kotlin\n *\npublic external open class
Int16Array : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array: Int16Array)\n
constructor(array: Array<Short>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:
Int = definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset:
Int\n  override val byteLength: Int\n  fun set(array: Int16Array, offset: Int = definedExternally)\n  fun set(array:
Array<Short>, offset: Int = definedExternally)\n  fun subarray(start: Int, end: Int): Int16Array\n\n  companion
object {\n    val BYTES_PER_ELEMENT: Int\n  }\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator
fun Int16Array.get(index: Int): Short = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator
fun Int16Array.set(index: Int, value: Short) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[Uint16Array](https://developer.mozilla.org/en/docs/Web/API/Uint16Array) to Kotlin\n *\npublic external open
class Uint16Array : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array: Uint16Array)\n
constructor(array: Array<Short>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:
Int = definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset:
Int\n  override val byteLength: Int\n  fun set(array: Uint16Array, offset: Int = definedExternally)\n  fun set(array:
Array<Short>, offset: Int = definedExternally)\n  fun subarray(start: Int, end: Int): Uint16Array\n\n  companion
object {\n    val BYTES_PER_ELEMENT: Int\n  }\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator
fun Uint16Array.get(index: Int): Short = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator
fun Uint16Array.set(index: Int, value: Short) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[Int32Array](https://developer.mozilla.org/en/docs/Web/API/Int32Array) to Kotlin\n *\npublic external open class
Int32Array : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array: Int32Array)\n
constructor(array: Array<Int>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int
= definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset: Int\n
override val byteLength: Int\n  fun set(array: Int32Array, offset: Int = definedExternally)\n  fun set(array:
Array<Int>, offset: Int = definedExternally)\n  fun subarray(start: Int, end: Int): Int32Array\n\n  companion object
{\n    val BYTES_PER_ELEMENT: Int\n  }\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun
Int32Array.get(index: Int): Int = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun
Int32Array.set(index: Int, value: Int) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[Uint32Array](https://developer.mozilla.org/en/docs/Web/API/Uint32Array) to Kotlin\n *\npublic external open
class Uint32Array : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array: Uint32Array)\n
constructor(array: Array<Int>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length: Int
= definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset: Int\n
override val byteLength: Int\n  fun set(array: Uint32Array, offset: Int = definedExternally)\n  fun set(array:
Array<Int>, offset: Int = definedExternally)\n  fun subarray(start: Int, end: Int): Uint32Array\n\n  companion
object {\n    val BYTES_PER_ELEMENT: Int\n  }\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator
fun Uint32Array.get(index: Int): Int = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator
fun Uint32Array.set(index: Int, value: Int) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[Float32Array](https://developer.mozilla.org/en/docs/Web/API/Float32Array) to Kotlin\n *\npublic external open
class Float32Array : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array: Float32Array)\n
constructor(array: Array<Float>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int = definedExternally, length:
Int = definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n  override val byteOffset:
Int\n  override val byteLength: Int\n  fun set(array: Float32Array, offset: Int = definedExternally)\n  fun
set(array: Array<Float>, offset: Int = definedExternally)\n  fun subarray(start: Int, end: Int): Float32Array\n\n
companion object {\n    val BYTES_PER_ELEMENT: Int\n  }\n}\n\n@kotlin.internal.InlineOnly\npublic inline
operator fun Float32Array.get(index: Int): Float = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline
operator fun Float32Array.set(index: Int, value: Float) { asDynamic()[index] = value }\n\n/**\n * Exposes the
JavaScript [Float64Array](https://developer.mozilla.org/en/docs/Web/API/Float64Array) to Kotlin\n *\npublic
external open class Float64Array : ArrayBufferView {\n  constructor(length: Int)\n  constructor(array:

```



```

Float64Array)\n  constructor(array: Array<Double>)\n  constructor(buffer: ArrayBuffer, byteOffset: Int =
definedExternally, length: Int = definedExternally)\n  open val length: Int\n  override val buffer: ArrayBuffer\n
override val byteOffset: Int\n  override val byteLength: Int\n  fun set(array: Float64Array, offset: Int =
definedExternally)\n  fun set(array: Array<Double>, offset: Int = definedExternally)\n  fun subarray(start: Int,
end: Int): Float64Array\n\n  companion object {\n    val BYTES_PER_ELEMENT: Int\n  }\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Float64Array.get(index: Int): Double =
asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Float64Array.set(index: Int, value:
Double) { asDynamic()[index] = value }\n\n/**\n * Exposes the JavaScript
[DataView](https://developer.mozilla.org/en/docs/Web/API/DataView) to Kotlin\n */\npublic external open class
DataView(buffer: ArrayBuffer, byteOffset: Int = definedExternally, byteLength: Int = definedExternally) :
ArrayBufferView {\n  override val buffer: ArrayBuffer\n  override val byteOffset: Int\n  override val
byteLength: Int\n  fun getInt8(byteOffset: Int): Byte\n  fun getUint8(byteOffset: Int): Byte\n  fun
getInt16(byteOffset: Int, littleEndian: Boolean = definedExternally): Short\n  fun getUint16(byteOffset: Int,
littleEndian: Boolean = definedExternally): Short\n  fun getInt32(byteOffset: Int, littleEndian: Boolean =
definedExternally): Int\n  fun getUint32(byteOffset: Int, littleEndian: Boolean = definedExternally): Int\n  fun
getFloat32(byteOffset: Int, littleEndian: Boolean = definedExternally): Float\n  fun getFloat64(byteOffset: Int,
littleEndian: Boolean = definedExternally): Double\n  fun setInt8(byteOffset: Int, value: Byte)\n  fun
setUint8(byteOffset: Int, value: Byte)\n  fun setInt16(byteOffset: Int, value: Short, littleEndian: Boolean =
definedExternally)\n  fun setUint16(byteOffset: Int, value: Short, littleEndian: Boolean = definedExternally)\n
fun setInt32(byteOffset: Int, value: Int, littleEndian: Boolean = definedExternally)\n  fun setUint32(byteOffset: Int,
value: Int, littleEndian: Boolean = definedExternally)\n  fun setFloat32(byteOffset: Int, value: Float, littleEndian:
Boolean = definedExternally)\n  fun setFloat64(byteOffset: Int, value: Double, littleEndian: Boolean =
definedExternally)\n}\n\npublic external interface BufferDataSource\n\npublic external interface
TexImageSource", "/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n *
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for
details\n\npackage org.w3c.dom.clipboard\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport
org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport
org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport
org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport
org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\npublic
external interface ClipboardEventInit : EventInit {\n  var clipboardData: DataTransfer? /* = null */\n  get() =
definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ClipboardEventInit(clipboardData: DataTransfer? = null, bubbles: Boolean? = false, cancelable: Boolean? = false,
composed: Boolean? = false): ClipboardEventInit {\n  val o = js("{ }")\n  o["clipboardData"] =
clipboardData\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] = composed\n
return o\n}\n\n/**\n * Exposes the JavaScript
[ClipboardEvent](https://developer.mozilla.org/en/docs/Web/API/ClipboardEvent) to Kotlin\n */\npublic external
open class ClipboardEvent(type: String, eventInitDict: ClipboardEventInit = definedExternally) : Event {\n  open
val clipboardData: DataTransfer?\n\n  companion object {\n    val NONE: Short\n    val
CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n  }\n}\n\n/**\n * Exposes the JavaScript [Clipboard](https://developer.mozilla.org/en/docs/Web/API/Clipboard) to
Kotlin\n */\npublic external abstract class Clipboard : EventTarget {\n  fun read(): Promise<DataTransfer>\n  fun
readText(): Promise<String>\n  fun write(data: DataTransfer): Promise<Unit>\n  fun writeText(data: String):
Promise<Unit>\n}\n\npublic external interface ClipboardPermissionDescriptor {\n  var allowWithoutGesture:
Boolean? /* = false */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ClipboardPermissionDescriptor(allowWithoutGesture: Boolean? = false): ClipboardPermissionDescriptor {\n  val

```

```

o = js("{}")\n  o["allowWithoutGesture"] = allowWithoutGesture\n  return o\n}"/*\n * Copyright 2010-
2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-
GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.css\n\nimport
kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport
org.w3c.dom.clipboard.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport
org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport
org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport
org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\npublic external abstract class
MediaList : ItemArrayLike<String> {\n  open var mediaText: String\n  fun appendMedium(medium: String)\n
fun deleteMedium(medium: String)\n  override fun item(index: Int):
String?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun MediaList.get(index: Int): String? =
asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[StyleSheet](https://developer.mozilla.org/en/docs/Web/API/StyleSheet) to Kotlin\n */\n\npublic external abstract
class StyleSheet {\n  open val type: String\n  open val href: String?\n  open val ownerNode:
UnionElementOrProcessingInstruction?\n  open val parentStyleSheet: StyleSheet?\n  open val title: String?\n
open val media: MediaList\n  open var disabled: Boolean\n}\n\n/**\n * Exposes the JavaScript
[CSSStyleSheet](https://developer.mozilla.org/en/docs/Web/API/CSSStyleSheet) to Kotlin\n */\n\npublic external
abstract class CSSStyleSheet : StyleSheet {\n  open val ownerRule: CSSRule?\n  open val cssRules:
CSSRuleList\n  fun insertRule(rule: String, index: Int): Int\n  fun deleteRule(index: Int)\n}\n\n/**\n * Exposes the
JavaScript [StyleSheetList](https://developer.mozilla.org/en/docs/Web/API/StyleSheetList) to Kotlin\n */\n\npublic
external abstract class StyleSheetList : ItemArrayLike<StyleSheet> {\n  override fun item(index: Int):
StyleSheet?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun StyleSheetList.get(index: Int):
StyleSheet? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[LinkStyle](https://developer.mozilla.org/en/docs/Web/API/LinkStyle) to Kotlin\n */\n\npublic external interface
LinkStyle {\n  val sheet: StyleSheet?\n  get() = definedExternally\n}\n\n/**\n * Exposes the JavaScript
[CSSRuleList](https://developer.mozilla.org/en/docs/Web/API/CSSRuleList) to Kotlin\n */\n\npublic external abstract
class CSSRuleList : ItemArrayLike<CSSRule> {\n  override fun item(index: Int):
CSSRule?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun CSSRuleList.get(index: Int): CSSRule? =
asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[CSSRule](https://developer.mozilla.org/en/docs/Web/API/CSSRule) to Kotlin\n */\n\npublic external abstract class
CSSRule {\n  open val type: Short\n  open var cssText: String\n  open val parentRule: CSSRule?\n  open val
parentStyleSheet: CSSStyleSheet?\n\n  companion object {\n    val STYLE_RULE: Short\n    val
CHARSET_RULE: Short\n    val IMPORT_RULE: Short\n    val MEDIA_RULE: Short\n    val
FONT_FACE_RULE: Short\n    val PAGE_RULE: Short\n    val MARGIN_RULE: Short\n    val
NAMESPACE_RULE: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[CSSStyleRule](https://developer.mozilla.org/en/docs/Web/API/CSSStyleRule) to Kotlin\n */\n\npublic external
abstract class CSSStyleRule : CSSRule {\n  open var selectorText: String\n  open val style:
CSSStyleDeclaration\n\n  companion object {\n    val STYLE_RULE: Short\n    val CHARSET_RULE:
Short\n    val IMPORT_RULE: Short\n    val MEDIA_RULE: Short\n    val FONT_FACE_RULE: Short\n
    val PAGE_RULE: Short\n    val MARGIN_RULE: Short\n    val NAMESPACE_RULE: Short\n  }\n}\n\npublic external abstract class CSSImportRule : CSSRule {\n  open val href: String\n  open val media:
MediaList\n  open val styleSheet: CSSStyleSheet\n\n  companion object {\n    val STYLE_RULE: Short\n
    val CHARSET_RULE: Short\n    val IMPORT_RULE: Short\n    val MEDIA_RULE: Short\n    val
FONT_FACE_RULE: Short\n    val PAGE_RULE: Short\n    val MARGIN_RULE: Short\n    val
NAMESPACE_RULE: Short\n  }\n}\n\n/**\n * Exposes the JavaScript
[CSSGroupingRule](https://developer.mozilla.org/en/docs/Web/API/CSSGroupingRule) to Kotlin\n */\n\npublic
external abstract class CSSGroupingRule : CSSRule {\n  open val cssRules: CSSRuleList\n  fun insertRule(rule:

```

```

String, index: Int): Int\n fun deleteRule(index: Int)\n\n companion object {\n    val STYLE_RULE: Short\n    val CHARSET_RULE: Short\n    val IMPORT_RULE: Short\n    val MEDIA_RULE: Short\n    val FONT_FACE_RULE: Short\n    val PAGE_RULE: Short\n    val MARGIN_RULE: Short\n    val NAMESPACE_RULE: Short\n }
}\n\n/**\n * Exposes the JavaScript
[CSSMediaRule](https://developer.mozilla.org/en/docs/Web/API/CSSMediaRule) to Kotlin\n */\npublic external
abstract class CSSMediaRule : CSSGroupingRule {\n    open val media: MediaList\n\n    companion object {\n
val STYLE_RULE: Short\n    val CHARSET_RULE: Short\n    val IMPORT_RULE: Short\n    val
MEDIA_RULE: Short\n    val FONT_FACE_RULE: Short\n    val PAGE_RULE: Short\n    val
MARGIN_RULE: Short\n    val NAMESPACE_RULE: Short\n }
}\n\n/**\n * Exposes the JavaScript
[CSSPageRule](https://developer.mozilla.org/en/docs/Web/API/CSSPageRule) to Kotlin\n */\npublic external
abstract class CSSPageRule : CSSGroupingRule {\n    open var selectorText: String\n    open val style:
CSSStyleDeclaration\n\n    companion object {\n    val STYLE_RULE: Short\n    val CHARSET_RULE:
Short\n    val IMPORT_RULE: Short\n    val MEDIA_RULE: Short\n    val FONT_FACE_RULE: Short\n
val PAGE_RULE: Short\n    val MARGIN_RULE: Short\n    val NAMESPACE_RULE: Short\n
}\n}\n\npublic external abstract class CSSMarginRule : CSSRule {\n    open val name: String\n    open val style:
CSSStyleDeclaration\n\n    companion object {\n    val STYLE_RULE: Short\n    val CHARSET_RULE:
Short\n    val IMPORT_RULE: Short\n    val MEDIA_RULE: Short\n    val FONT_FACE_RULE: Short\n
val PAGE_RULE: Short\n    val MARGIN_RULE: Short\n    val NAMESPACE_RULE: Short\n
}\n}\n\n/**\n * Exposes the JavaScript
[CSSNamespaceRule](https://developer.mozilla.org/en/docs/Web/API/CSSNamespaceRule) to Kotlin\n */\npublic
external abstract class CSSNamespaceRule : CSSRule {\n    open val namespaceURI: String\n    open val prefix:
String\n\n    companion object {\n    val STYLE_RULE: Short\n    val CHARSET_RULE: Short\n    val
IMPORT_RULE: Short\n    val MEDIA_RULE: Short\n    val FONT_FACE_RULE: Short\n    val
PAGE_RULE: Short\n    val MARGIN_RULE: Short\n    val NAMESPACE_RULE: Short\n }
}\n\n/**\n * Exposes the JavaScript
[CSSStyleDeclaration](https://developer.mozilla.org/en/docs/Web/API/CSSStyleDeclaration) to Kotlin\n */\npublic
external abstract class CSSStyleDeclaration : ItemArrayLike<String> {\n    open var cssText: String\n    open val
parentRule: CSSRule?\n    open var cssFloat: String\n    open var alignContent: String\n    open var alignItems:
String\n    open var alignSelf: String\n    open var animation: String\n    open var animationDelay: String\n    open
var animationDirection: String\n    open var animationDuration: String\n    open var animationFillMode: String\n
open var animationIterationCount: String\n    open var animationName: String\n    open var animationPlayState:
String\n    open var animationTimingFunction: String\n    open var backfaceVisibility: String\n    open var
background: String\n    open var backgroundAttachment: String\n    open var backgroundClip: String\n    open var
backgroundColor: String\n    open var backgroundImage: String\n    open var backgroundOrigin: String\n    open var
backgroundPosition: String\n    open var backgroundRepeat: String\n    open var backgroundSize: String\n    open
var border: String\n    open var borderBottom: String\n    open var borderBottomColor: String\n    open var
borderBottomLeftRadius: String\n    open var borderBottomRightRadius: String\n    open var borderBottomStyle:
String\n    open var borderBottomWidth: String\n    open var borderCollapse: String\n    open var borderColor:
String\n    open var borderImage: String\n    open var borderImageOutset: String\n    open var borderImageRepeat:
String\n    open var borderImageSlice: String\n    open var borderImageSource: String\n    open var
borderImageWidth: String\n    open var borderLeft: String\n    open var borderLeftColor: String\n    open var
borderLeftStyle: String\n    open var borderLeftWidth: String\n    open var borderRadius: String\n    open var
borderRight: String\n    open var borderRightColor: String\n    open var borderRightStyle: String\n    open var
borderRightWidth: String\n    open var borderSpacing: String\n    open var borderStyle: String\n    open var
borderTop: String\n    open var borderTopColor: String\n    open var borderTopLeftRadius: String\n    open var
borderTopRightRadius: String\n    open var borderTopStyle: String\n    open var borderTopWidth: String\n    open
var borderWidth: String\n    open var bottom: String\n    open var boxDecorationBreak: String\n    open var
boxShadow: String\n    open var boxSizing: String\n    open var breakAfter: String\n    open var breakBefore:

```

String\n open var breakInside: String\n open var captionSide: String\n open var clear: String\n open var clip:
String\n open var color: String\n open var columnCount: String\n open var columnFill: String\n open var
columnGap: String\n open var columnRule: String\n open var columnRuleColor: String\n open var
columnRuleStyle: String\n open var columnRuleWidth: String\n open var columnSpan: String\n open var
columnWidth: String\n open var columns: String\n open var content: String\n open var counterIncrement:
String\n open var counterReset: String\n open var cursor: String\n open var direction: String\n open var
display: String\n open var emptyCells: String\n open var filter: String\n open var flex: String\n open var
flexBasis: String\n open var flexDirection: String\n open var flexFlow: String\n open var flexGrow: String\n
open var flexShrink: String\n open var flexWrap: String\n open var font: String\n open var fontFamily:
String\n open var fontFeatureSettings: String\n open var fontKerning: String\n open var
fontLanguageOverride: String\n open var fontSize: String\n open var fontSizeAdjust: String\n open var
fontStretch: String\n open var fontStyle: String\n open var fontSynthesis: String\n open var fontVariant:
String\n open var fontVariantAlternates: String\n open var fontVariantCaps: String\n open var
fontVariantEastAsian: String\n open var fontVariantLigatures: String\n open var fontVariantNumeric: String\n
open var fontVariantPosition: String\n open var fontWeight: String\n open var hangingPunctuation: String\n
open var height: String\n open var hyphens: String\n open var imageOrientation: String\n open var
imageRendering: String\n open var imageResolution: String\n open var imeMode: String\n open var
justifyContent: String\n open var left: String\n open var letterSpacing: String\n open var lineBreak: String\n
open var lineHeight: String\n open var listStyle: String\n open var listStyleImage: String\n open var
listStylePosition: String\n open var listStyleType: String\n open var margin: String\n open var marginBottom:
String\n open var marginLeft: String\n open var marginRight: String\n open var marginTop: String\n open
var mark: String\n open var markAfter: String\n open var markBefore: String\n open var marks: String\n
open var marqueeDirection: String\n open var marqueePlayCount: String\n open var marqueeSpeed: String\n
open var marqueeStyle: String\n open var mask: String\n open var maskType: String\n open var maxHeight:
String\n open var maxWidth: String\n open var minHeight: String\n open var minWidth: String\n open var
navDown: String\n open var navIndex: String\n open var navLeft: String\n open var navRight: String\n open
var navUp: String\n open var objectFit: String\n open var objectPosition: String\n open var opacity: String\n
open var order: String\n open var orphans: String\n open var outline: String\n open var outlineColor: String\n
open var outlineOffset: String\n open var outlineStyle: String\n open var outlineWidth: String\n open var
overflowWrap: String\n open var overflowX: String\n open var overflowY: String\n open var padding:
String\n open var paddingBottom: String\n open var paddingLeft: String\n open var paddingRight: String\n
open var paddingTop: String\n open var pageBreakAfter: String\n open var pageBreakBefore: String\n open
var pageBreakInside: String\n open var perspective: String\n open var perspectiveOrigin: String\n open var
phonemes: String\n open var position: String\n open var quotes: String\n open var resize: String\n open var
rest: String\n open var restAfter: String\n open var restBefore: String\n open var right: String\n open var
tabSize: String\n open var tableLayout: String\n open var textAlign: String\n open var textAlignLast: String\n
open var textCombineUpright: String\n open var textDecoration: String\n open var textDecorationColor:
String\n open var textDecorationLine: String\n open var textDecorationStyle: String\n open var textIndent:
String\n open var textJustify: String\n open var textOrientation: String\n open var textOverflow: String\n
open var textShadow: String\n open var textTransform: String\n open var textUnderlinePosition: String\n open
var top: String\n open var transform: String\n open var transformOrigin: String\n open var transformStyle:
String\n open var transition: String\n open var transitionDelay: String\n open var transitionDuration: String\n
open var transitionProperty: String\n open var transitionTimingFunction: String\n open var unicodeBidi:
String\n open var verticalAlign: String\n open var visibility: String\n open var voiceBalance: String\n open
var voiceDuration: String\n open var voicePitch: String\n open var voicePitchRange: String\n open var
voiceRate: String\n open var voiceStress: String\n open var voiceVolume: String\n open var whiteSpace:
String\n open var widows: String\n open var width: String\n open var wordBreak: String\n open var
wordSpacing: String\n open var wordWrap: String\n open var writingMode: String\n open var zIndex: String\n

```

open var _dashed_attribute: String\n open var _camel_cased_attribute: String\n open var
_webkit_cased_attribute: String\n fun getPropertyValue(property: String): String\n fun
getPropertyPriority(property: String): String\n fun setProperty(property: String, value: String, priority: String =
definedExternally)\n fun setPropertyValue(property: String, value: String)\n fun setPropertyPriority(property:
String, priority: String)\n fun removeProperty(property: String): String\n override fun item(index: Int):
String\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun CSSStyleDeclaration.get(index: Int): String? =
asDynamic()[index]\n\npublic external interface ElementCSSInlineStyle {\n val style:
CSSStyleDeclaration\n}\n\n/**\n * Exposes the JavaScript
[CSS](https://developer.mozilla.org/en/docs/Web/API/CSS) to Kotlin\n */\npublic external abstract class CSS {\n
companion object {\n fun escape(ident: String): String\n }\n}\n\npublic external interface
UnionElementOrProcessingInstruction", "/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n\n// See
github.com/kotlin/dukat for details\n\npackage org.w3c.dom.events\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport
org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.mediacapture.*\nimport
org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport
org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport
org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript
[UIEvent](https://developer.mozilla.org/en/docs/Web/API/UIEvent) to Kotlin\n */\npublic external open class
UIEvent(type: String, eventInitDict: UIEventInit = definedExternally) : Event {\n open val view: Window?\n
open val detail: Int\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n
val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface UIEventInit :
EventInit {\n var view: Window? /* = null */\n get() = definedExternally\n set(value) =
definedExternally\n var detail: Int? /* = 0 */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun UIEventInit(view: Window? = null, detail:
Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): UIEventInit {\n
val o = js("{}")\n o["view"] = view\n o["detail"] = detail\n o["bubbles"] = bubbles\n o["cancelable"]
= cancelable\n o["composed"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript
[FocusEvent](https://developer.mozilla.org/en/docs/Web/API/FocusEvent) to Kotlin\n */\npublic external open class
FocusEvent(type: String, eventInitDict: FocusEventInit = definedExternally) : UIEvent {\n open val relatedTarget:
EventTarget?\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val
AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface FocusEventInit :
UIEventInit {\n var relatedTarget: EventTarget? /* = null */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun FocusEventInit(relatedTarget: EventTarget?
= null, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed:
Boolean? = false): FocusEventInit {\n val o = js("{}")\n o["relatedTarget"] = relatedTarget\n o["view"] =
view\n o["detail"] = detail\n o["bubbles"] = bubbles\n o["cancelable"] = cancelable\n o["composed"] =
composed\n return o\n}\n\n/**\n * Exposes the JavaScript
[MouseEvent](https://developer.mozilla.org/en/docs/Web/API/MouseEvent) to Kotlin\n */\npublic external open
class MouseEvent(type: String, eventInitDict: MouseEventInit = definedExternally) : UIEvent,
UnionElementOrMouseEvent {\n open val screenX: Int\n open val screenY: Int\n open val clientX: Int\n
open val clientY: Int\n open val ctrlKey: Boolean\n open val shiftKey: Boolean\n open val altKey: Boolean\n
open val metaKey: Boolean\n open val button: Short\n open val buttons: Short\n open val relatedTarget:
EventTarget?\n open val region: String?\n open val pageX: Double\n open val pageY: Double\n open val x:
Double\n open val y: Double\n open val offsetX: Double\n open val offsetY: Double\n fun
getModifierState(keyArg: String): Boolean\n\n companion object {\n val NONE: Short\n val
CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n

```

```

}\n}\n\npublic external interface MouseEventInit : EventModifierInit {\n    var screenX: Int? /* = 0 */\n        get() =
definedExternally\n        set(value) = definedExternally\n    var screenY: Int? /* = 0 */\n        get() =
definedExternally\n        set(value) = definedExternally\n    var clientX: Int? /* = 0 */\n        get() =
definedExternally\n        set(value) = definedExternally\n    var clientY: Int? /* = 0 */\n        get() =
definedExternally\n        set(value) = definedExternally\n    var button: Short? /* = 0 */\n        get() =
definedExternally\n        set(value) = definedExternally\n    var buttons: Short? /* = 0 */\n        get() =
definedExternally\n        set(value) = definedExternally\n    var relatedTarget: EventTarget? /* = null */\n        get()
= definedExternally\n        set(value) = definedExternally\n    var region: String? /* = null */\n        get() =
definedExternally\n        set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\n\npublic inline fun
MouseEventInit(screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons:
Short? = 0, relatedTarget: EventTarget? = null, region: String? = null, ctrlKey: Boolean? = false, shiftKey: Boolean?
= false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false,
modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false,
modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false,
modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view:
Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): MouseEventInit {\n    val o = js("{}")\n    o["screenX"] = screenX\n    o["screenY"] = screenY\n
o["clientX"] = clientX\n    o["clientY"] = clientY\n    o["button"] = button\n    o["buttons"] = buttons\n
o["relatedTarget"] = relatedTarget\n    o["region"] = region\n    o["ctrlKey"] = ctrlKey\n    o["shiftKey"] =
shiftKey\n    o["altKey"] = altKey\n    o["metaKey"] = metaKey\n    o["modifierAltGraph"] =
modifierAltGraph\n    o["modifierCapsLock"] = modifierCapsLock\n    o["modifierFn"] = modifierFn\n
o["modifierFnLock"] = modifierFnLock\n    o["modifierHyper"] = modifierHyper\n    o["modifierNumLock"] =
modifierNumLock\n    o["modifierScrollLock"] = modifierScrollLock\n    o["modifierSuper"] = modifierSuper\n
o["modifierSymbol"] = modifierSymbol\n    o["modifierSymbolLock"] = modifierSymbolLock\n    o["view"] =
view\n    o["detail"] = detail\n    o["bubbles"] = bubbles\n    o["cancelable"] = cancelable\n    o["composed"] =
composed\n    return o\n}\n\npublic external interface EventModifierInit : UIEventInit {\n    var ctrlKey: Boolean?
/* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var shiftKey: Boolean? /* =
false */\n        get() = definedExternally\n        set(value) = definedExternally\n    var altKey: Boolean? /* = false
*/\n        get() = definedExternally\n        set(value) = definedExternally\n    var metaKey: Boolean? /* = false */\n
get() = definedExternally\n        set(value) = definedExternally\n    var modifierAltGraph: Boolean? /* = false */\n
get() = definedExternally\n        set(value) = definedExternally\n    var modifierCapsLock: Boolean? /* = false
*/\n        get() = definedExternally\n        set(value) = definedExternally\n    var modifierFn: Boolean? /* = false */\n
get() = definedExternally\n        set(value) = definedExternally\n    var modifierFnLock: Boolean? /* = false */\n
get() = definedExternally\n        set(value) = definedExternally\n    var modifierHyper: Boolean? /* = false */\n
get() = definedExternally\n        set(value) = definedExternally\n    var modifierNumLock: Boolean? /* = false */\n
get() = definedExternally\n        set(value) = definedExternally\n    var modifierScrollLock: Boolean? /* = false
*/\n        get() = definedExternally\n        set(value) = definedExternally\n    var modifierSuper: Boolean? /* = false
*/\n        get() = definedExternally\n        set(value) = definedExternally\n    var modifierSymbol: Boolean? /* = false
*/\n        get() = definedExternally\n        set(value) = definedExternally\n    var modifierSymbolLock: Boolean? /* =
false */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\n\npublic inline fun EventModifierInit(ctrlKey: Boolean? =
false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph:
Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? =
false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false,
modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view:
Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): EventModifierInit {\n    val o = js("{}")\n    o["ctrlKey"] = ctrlKey\n    o["shiftKey"] = shiftKey\n
o["altKey"] = altKey\n    o["metaKey"] = metaKey\n    o["modifierAltGraph"] = modifierAltGraph\n

```

```

o["modifierCapsLock"] = modifierCapsLock\n o["modifierFn"] = modifierFn\n o["modifierFnLock"] =
modifierFnLock\n o["modifierHyper"] = modifierHyper\n o["modifierNumLock"] = modifierNumLock\n
o["modifierScrollLock"] = modifierScrollLock\n o["modifierSuper"] = modifierSuper\n
o["modifierSymbol"] = modifierSymbol\n o["modifierSymbolLock"] = modifierSymbolLock\n o["view"] =
view\n o["detail"] = detail\n o["bubbles"] = bubbles\n o["cancelable"] = cancelable\n o["composed"] =
composed\n return o\n}\n\n/**\n * Exposes the JavaScript

```

```

[WheelEvent](https://developer.mozilla.org/en/docs/Web/API/WheelEvent) to Kotlin\n */\npublic external open
class WheelEvent(type: String, eventInitDict: WheelEventInit = definedExternally) : MouseEvent {\n open val
deltaX: Double\n open val deltaY: Double\n open val deltaZ: Double\n open val deltaMode: Int\n\n companion object {\n val DOM_DELTA_PIXEL: Int\n val DOM_DELTA_LINE: Int\n val
DOM_DELTA_PAGE: Int\n val NONE: Short\n val CAPTURING_PHASE: Short\n val
AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface WheelEventInit :
MouseEventInit {\n var deltaX: Double? /* = 0.0 */\n get() = definedExternally\n set(value) =
definedExternally\n var deltaY: Double? /* = 0.0 */\n get() = definedExternally\n set(value) =
definedExternally\n var deltaZ: Double? /* = 0.0 */\n get() = definedExternally\n set(value) =
definedExternally\n var deltaMode: Int? /* = 0 */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun WheelEventInit(deltaX: Double? = 0.0,
deltaY: Double? = 0.0, deltaZ: Double? = 0.0, deltaMode: Int? = 0, screenX: Int? = 0, screenY: Int? = 0, clientX:
Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget: EventTarget? = null, region:
String? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean?
= false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false,
modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false,
modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false,
modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): WheelEventInit {\n val o = js("{}")\n
o["deltaX"] = deltaX\n o["deltaY"] = deltaY\n o["deltaZ"] = deltaZ\n o["deltaMode"] = deltaMode\n
o["screenX"] = screenX\n o["screenY"] = screenY\n o["clientX"] = clientX\n o["clientY"] = clientY\n
o["button"] = button\n o["buttons"] = buttons\n o["relatedTarget"] = relatedTarget\n o["region"] =
region\n o["ctrlKey"] = ctrlKey\n o["shiftKey"] = shiftKey\n o["altKey"] = altKey\n o["metaKey"] =
metaKey\n o["modifierAltGraph"] = modifierAltGraph\n o["modifierCapsLock"] = modifierCapsLock\n
o["modifierFn"] = modifierFn\n o["modifierFnLock"] = modifierFnLock\n o["modifierHyper"] =
modifierHyper\n o["modifierNumLock"] = modifierNumLock\n o["modifierScrollLock"] =
modifierScrollLock\n o["modifierSuper"] = modifierSuper\n o["modifierSymbol"] = modifierSymbol\n
o["modifierSymbolLock"] = modifierSymbolLock\n o["view"] = view\n o["detail"] = detail\n
o["bubbles"] = bubbles\n o["cancelable"] = cancelable\n o["composed"] = composed\n return
o\n}\n\n/**\n * Exposes the JavaScript

```

```

[InputEvent](https://developer.mozilla.org/en/docs/Web/API/InputEvent) to
Kotlin\n */\npublic external open class InputEvent(type: String, eventInitDict: InputEventInit = definedExternally) :
UIEvent {\n open val data: String\n open val isComposing: Boolean\n\n companion object {\n val NONE:
Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE:
Short\n }\n}\n\npublic external interface InputEventInit : UIEventInit {\n var data: String? /* = "" */\n
get() = definedExternally\n set(value) = definedExternally\n var isComposing: Boolean? /* = false */\n
get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
InputEventInit(data: String? = "", isComposing: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles:
Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): InputEventInit {\n val o =
js("{}")\n o["data"] = data\n o["isComposing"] = isComposing\n o["view"] = view\n o["detail"] =
detail\n o["bubbles"] = bubbles\n o["cancelable"] = cancelable\n o["composed"] = composed\n return
o\n}\n\n/**\n * Exposes the JavaScript

```

```

[KeyboardEvent](https://developer.mozilla.org/en/docs/Web/API/KeyboardEvent) to Kotlin\n */\npublic external

```

```

open class KeyboardEvent(type: String, eventInitDict: KeyboardEventInit = definedExternally) : UIEvent {
    open val key: String
    open val code: String
    open val location: Int
    open val ctrlKey: Boolean
    open val shiftKey: Boolean
    open val altKey: Boolean
    open val metaKey: Boolean
    open val repeat: Boolean
    open val isComposing: Boolean
    open val charCode: Int
    open val keyCode: Int
    open val which: Int
    fun getModifierState(keyArg: String): Boolean
    companion object {
        val DOM_KEY_LOCATION_STANDARD: Int
        val DOM_KEY_LOCATION_LEFT: Int
        val DOM_KEY_LOCATION_RIGHT: Int
        val DOM_KEY_LOCATION_NUMPAD: Int
        val NONE: Short
        val CAPTURING_PHASE: Short
        val AT_TARGET: Short
        val BUBBLING_PHASE: Short
    }
}

public external interface KeyboardEventInit : EventModifierInit {
    var key: String? /* = "" */
    get() = definedExternally
    set(value) = definedExternally
    var code: String? /* = "" */
    get() = definedExternally
    set(value) = definedExternally
    var location: Int? /* = 0 */
    get() = definedExternally
    set(value) = definedExternally
    var repeat: Boolean? /* = false */
    get() = definedExternally
    set(value) = definedExternally
    var isComposing: Boolean? /* = false */
    get() = definedExternally
    set(value) = definedExternally
}

@kotlin.internal.InlineOnly
public inline fun KeyboardEventInit(key: String? = "", code: String? = "", location: Int? = 0, repeat: Boolean? = false, isComposing: Boolean? = false, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): KeyboardEventInit {
    val o = js("{}")
    o["key"] = key
    o["code"] = code
    o["location"] = location
    o["repeat"] = repeat
    o["isComposing"] = isComposing
    o["ctrlKey"] = ctrlKey
    o["shiftKey"] = shiftKey
    o["altKey"] = altKey
    o["metaKey"] = metaKey
    o["modifierAltGraph"] = modifierAltGraph
    o["modifierCapsLock"] = modifierCapsLock
    o["modifierFn"] = modifierFn
    o["modifierFnLock"] = modifierFnLock
    o["modifierHyper"] = modifierHyper
    o["modifierNumLock"] = modifierNumLock
    o["modifierScrollLock"] = modifierScrollLock
    o["modifierSuper"] = modifierSuper
    o["modifierSymbol"] = modifierSymbol
    o["modifierSymbolLock"] = modifierSymbolLock
    o["view"] = view
    o["detail"] = detail
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
    return o
}

/** Exposes the JavaScript [CompositionEvent](https://developer.mozilla.org/en/docs/Web/API/CompositionEvent) to Kotlin */
public external open class CompositionEvent(type: String, eventInitDict: CompositionEventInit = definedExternally) : UIEvent {
    open val data: String
    companion object {
        val NONE: Short
        val CAPTURING_PHASE: Short
        val AT_TARGET: Short
        val BUBBLING_PHASE: Short
    }
}

public external interface CompositionEventInit : UIEventInit {
    var data: String? /* = "" */
    get() = definedExternally
    set(value) = definedExternally
}

@kotlin.internal.InlineOnly
public inline fun CompositionEventInit(data: String? = "", view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): CompositionEventInit {
    val o = js("{}")
    o["data"] = data
    o["view"] = view
    o["detail"] = detail
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
    return o
}

/** Exposes the JavaScript [Event](https://developer.mozilla.org/en/docs/Web/API/Event) to Kotlin */
public external open class Event(type: String, eventInitDict: EventInit = definedExternally) {
    open val type: String
    open val target: EventTarget?
    open val currentTarget: EventTarget?
    open val eventPhase: Short
    open val bubbles: Boolean
    open val cancelable: Boolean
    open val defaultPrevented: Boolean
    open val composed: Boolean
    open val isTrusted: Boolean
    open val timeStamp: Number
    fun composedPath(): Array<EventTarget>
    fun stopPropagation()
    fun stopImmediatePropagation()
    fun preventDefault()
    fun initEvent(type: String, bubbles: Boolean, cancelable: Boolean)
    companion object {
        val NONE: Short
        val CAPTURING_PHASE: Short
        val AT_TARGET: Short
        val BUBBLING_PHASE: Short
    }
}

```



```

Short\n } \n\n/**\n * Exposes the JavaScript
[EventTarget](https://developer.mozilla.org/en/docs/Web/API/EventTarget) to Kotlin\n *^ \npublic external abstract
class EventTarget {\n fun addEventListener(type: String, callback: EventListener?, options: dynamic =
definedExternally)\n fun addEventListener(type: String, callback: ((Event) -> Unit)?, options: dynamic =
definedExternally)\n fun removeEventListener(type: String, callback: EventListener?, options: dynamic =
definedExternally)\n fun removeEventListener(type: String, callback: ((Event) -> Unit)?, options: dynamic =
definedExternally)\n fun dispatchEvent(event: Event): Boolean\n}\n\n/**\n * Exposes the JavaScript
[EventListener](https://developer.mozilla.org/en/docs/Web/API/EventListener) to Kotlin\n *^ \npublic external
interface EventListener {\n fun handleEvent(event: Event)\n},"/*\n * Copyright 2010-2019 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n *^ \n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT
EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.clipboard.*\nimport
org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport
org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport
org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport
org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\npublic external abstract class
HTMLAllCollection {\n open val length: Int\n fun item(nameOrIndex: String = definedExternally):
UnionElementOrHTMLCollection?\n fun namedItem(name: String):
UnionElementOrHTMLCollection?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun
HTMLAllCollection.get(index: Int): Element? = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline
operator fun HTMLAllCollection.get(name: String): UnionElementOrHTMLCollection? =
asDynamic()[name]\n\n/**\n * Exposes the JavaScript
[HTMLFormControlsCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLFormControlsCollection)
to Kotlin\n *^ \npublic external abstract class HTMLFormControlsCollection : HTMLCollection\n\n/**\n * Exposes
the JavaScript [RadioNodeList](https://developer.mozilla.org/en/docs/Web/API/RadioNodeList) to Kotlin\n
*^ \npublic external abstract class RadioNodeList : NodeList, UnionElementOrRadioNodeList {\n open var value:
String\n}\n\n/**\n * Exposes the JavaScript
[HTMLOptionsCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLOptionsCollection) to Kotlin\n
*^ \npublic external abstract class HTMLOptionsCollection : HTMLCollection {\n override var length: Int\n open
var selectedIndex: Int\n fun add(element: UnionHTMLOptGroupElementOrHTMLOptionElement, before:
dynamic = definedExternally)\n fun remove(index: Int)\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator
fun HTMLOptionsCollection.set(index: Int, option: HTMLOptionElement?) { asDynamic()[index] = option
}\n\n/**\n * Exposes the JavaScript
[HTMLInputElement](https://developer.mozilla.org/en/docs/Web/API/HTMLInputElement) to Kotlin\n *^ \npublic external
abstract class HTMLInputElement : Element, GlobalEventHandlers, DocumentAndElementEventHandlers,
ElementContentEditable, ElementCSSInlineStyle {\n open var title: String\n open var lang: String\n open var
translate: Boolean\n open var dir: String\n open val dataset: DOMStringMap\n open var hidden: Boolean\n
open var tabIndex: Int\n open var accessKey: String\n open val accessKeyLabel: String\n open var draggable:
Boolean\n open val dropzone: DOMTokenList\n open var contextMenu: HTMLMenuElement?\n open var
spellcheck: Boolean\n open var innerText: String\n open val offsetParent: Element?\n open val offsetTop: Int\n
open val offsetLeft: Int\n open val offsetWidth: Int\n open val offsetHeight: Int\n fun click()\n fun focus()\n
fun blur()\n fun forceSpellCheck()\n\n companion object {\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val

```

DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n} \n \n /** \n * Exposes the JavaScript [HTMLUnknownElement](https://developer.mozilla.org/en/docs/Web/API/HTMLUnknownElement) to Kotlin\n * \n \n public external abstract class HTMLUnknownElement : HTMLElement { \n companion object { \n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val

DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n} \n \n /** \n * Exposes the JavaScript [DOMStringMap](https://developer.mozilla.org/en/docs/Web/API/DOMStringMap) to Kotlin\n * \n \n public external abstract class DOMStringMap\n \n @kotlin.internal.InlineOnly\n \n public inline operator fun DOMStringMap.get(name: String): String? = asDynamic()[name]\n \n @kotlin.internal.InlineOnly\n \n public inline operator fun DOMStringMap.set(name: String, value: String) { asDynamic()[name] = value } \n \n /** \n * Exposes the JavaScript [HTMLHtmlElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHtmlElement) to Kotlin\n * \n \n public external abstract class HTMLHtmlElement : HTMLElement { \n open var version: String\n \n companion object { \n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val

DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n} \n \n /** \n * Exposes the JavaScript [HTMLHeadElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHeadElement) to Kotlin\n * \n \n public external abstract class HTMLHeadElement : HTMLElement { \n companion object { \n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val

DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n} \n \n /** \n * Exposes the JavaScript [HTMLTitleElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTitleElement) to Kotlin\n * \n \n public external abstract class HTMLTitleElement : HTMLElement { \n open var text: String\n \n companion object { \n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val

```

DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLBaseElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBaseElement) to Kotlin \n * \n public
external abstract class HTMLBaseElement : HTMLElement { \n    open var href: String \n    open var target:
String \n \n    companion object { \n        val ELEMENT_NODE: Short \n        val ATTRIBUTE_NODE: Short \n
        val TEXT_NODE: Short \n        val CDATA_SECTION_NODE: Short \n        val ENTITY_REFERENCE_NODE:
Short \n        val ENTITY_NODE: Short \n        val PROCESSING_INSTRUCTION_NODE: Short \n        val
COMMENT_NODE: Short \n        val DOCUMENT_NODE: Short \n        val DOCUMENT_TYPE_NODE: Short \n
        val DOCUMENT_FRAGMENT_NODE: Short \n        val NOTATION_NODE: Short \n        val
DOCUMENT_POSITION_DISCONNECTED: Short \n        val DOCUMENT_POSITION_PRECEDING: Short \n
        val DOCUMENT_POSITION_FOLLOWING: Short \n        val DOCUMENT_POSITION_CONTAINS: Short \n
        val DOCUMENT_POSITION_CONTAINED_BY: Short \n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short \n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLLinkElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLinkElement) to Kotlin \n * \n public
external abstract class HTMLLinkElement : HTMLElement, LinkStyle { \n    open var href: String \n    open var
crossOrigin: String? \n    open var rel: String \n    open var `as`: RequestDestination \n    open val relList:
DOMTokenList \n    open var media: String \n    open var nonce: String \n    open var hreflang: String \n    open var
type: String \n    open val sizes: DOMTokenList \n    open var referrerPolicy: String \n    open var charset: String \n
    open var rev: String \n    open var target: String \n    open var scope: String \n    open var workerType:
WorkerType \n \n    companion object { \n        val ELEMENT_NODE: Short \n        val ATTRIBUTE_NODE:
Short \n        val TEXT_NODE: Short \n        val CDATA_SECTION_NODE: Short \n        val
ENTITY_REFERENCE_NODE: Short \n        val ENTITY_NODE: Short \n        val
PROCESSING_INSTRUCTION_NODE: Short \n        val COMMENT_NODE: Short \n        val
DOCUMENT_NODE: Short \n        val DOCUMENT_TYPE_NODE: Short \n        val
DOCUMENT_FRAGMENT_NODE: Short \n        val NOTATION_NODE: Short \n        val
DOCUMENT_POSITION_DISCONNECTED: Short \n        val DOCUMENT_POSITION_PRECEDING: Short \n
        val DOCUMENT_POSITION_FOLLOWING: Short \n        val DOCUMENT_POSITION_CONTAINS: Short \n
        val DOCUMENT_POSITION_CONTAINED_BY: Short \n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short \n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLMetaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMetaElement) to Kotlin \n * \n public
external abstract class HTMLMetaElement : HTMLElement { \n    open var name: String \n    open var httpEquiv:
String \n    open var content: String \n    open var scheme: String \n \n    companion object { \n        val
ELEMENT_NODE: Short \n        val ATTRIBUTE_NODE: Short \n        val TEXT_NODE: Short \n        val
CDATA_SECTION_NODE: Short \n        val ENTITY_REFERENCE_NODE: Short \n        val ENTITY_NODE:
Short \n        val PROCESSING_INSTRUCTION_NODE: Short \n        val COMMENT_NODE: Short \n        val
DOCUMENT_NODE: Short \n        val DOCUMENT_TYPE_NODE: Short \n        val
DOCUMENT_FRAGMENT_NODE: Short \n        val NOTATION_NODE: Short \n        val
DOCUMENT_POSITION_DISCONNECTED: Short \n        val DOCUMENT_POSITION_PRECEDING: Short \n
        val DOCUMENT_POSITION_FOLLOWING: Short \n        val DOCUMENT_POSITION_CONTAINS: Short \n
        val DOCUMENT_POSITION_CONTAINED_BY: Short \n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short \n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLStyleElement](https://developer.mozilla.org/en/docs/Web/API/HTMLStyleElement) to Kotlin \n * \n public
external abstract class HTMLStyleElement : HTMLElement, LinkStyle { \n    open var media: String \n    open var
nonce: String \n    open var type: String \n \n    companion object { \n        val ELEMENT_NODE: Short \n        val
ATTRIBUTE_NODE: Short \n        val TEXT_NODE: Short \n        val CDATA_SECTION_NODE: Short \n        val
ENTITY_REFERENCE_NODE: Short \n        val ENTITY_NODE: Short \n        val

```

PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
 DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
 DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
 DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n} \n \n /** \n * Exposes the JavaScript
 [HTMLBodyElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBodyElement) to Kotlin \n * \n public
 external abstract class HTMLBodyElement : HTMLElement, WindowEventHandlers { \n open var text: String \n
 open var link: String \n open var vLink: String \n open var aLink: String \n open var bgColor: String \n open
 var background: String \n \n companion object { \n val ELEMENT_NODE: Short\n val
 ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
 ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
 PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
 DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
 DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
 DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n} \n \n /** \n * Exposes the JavaScript
 [HTMLHeadingElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHeadingElement) to Kotlin \n
 * \n public external abstract class HTMLHeadingElement : HTMLElement { \n open var align: String \n \n
 companion object { \n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val
 TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE:
 Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val
 COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n
 val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
 DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n} \n \n /** \n * Exposes the JavaScript
 [HTMLParagraphElement](https://developer.mozilla.org/en/docs/Web/API/HTMLParagraphElement) to Kotlin \n
 * \n public external abstract class HTMLParagraphElement : HTMLElement { \n open var align: String \n \n
 companion object { \n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val
 TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE:
 Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val
 COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n
 val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
 DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
 val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
 val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
 DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n} \n \n /** \n * Exposes the JavaScript
 [HTMLHRElement](https://developer.mozilla.org/en/docs/Web/API/HTMLHRElement) to Kotlin \n * \n public
 external abstract class HTMLHRElement : HTMLElement { \n open var align: String \n open var color: String \n
 open var noShade: Boolean \n open var size: String \n open var width: String \n \n companion object { \n val
 ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
 CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
 Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val

DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n } \n \n /** \n * Exposes the JavaScript
[HTMLPreElement](https://developer.mozilla.org/en/docs/Web/API/HTMLPreElement) to Kotlin \n * \n public
external abstract class HTMLPreElement : HTMLElement { \n open var width: Int \n \n companion object { \n
val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n } \n \n /** \n * Exposes the JavaScript
[HTMLQuoteElement](https://developer.mozilla.org/en/docs/Web/API/HTMLQuoteElement) to Kotlin \n * \n public
external abstract class HTMLQuoteElement : HTMLElement { \n open var cite: String \n \n companion object { \n
val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n } \n \n /** \n * Exposes the JavaScript
[HTMLLOListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLOListElement) to Kotlin \n * \n public
external abstract class HTMLLOListElement : HTMLElement { \n open var reversed: Boolean \n open var start:
Int \n open var type: String \n open var compact: Boolean \n \n companion object { \n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n } \n \n /** \n * Exposes the JavaScript
[HTMLULListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLULListElement) to Kotlin \n * \n public
external abstract class HTMLULListElement : HTMLElement { \n open var compact: Boolean \n open var type:
String \n \n companion object { \n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n
val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE:
Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val
COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n
val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n

```

    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLLIElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLIElement) to Kotlin\n *\npublic
external abstract class HTMLLIElement : HTMLIElement {\n    open var value: Int\n    open var type: String\n\n
companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val
TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLDListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDListElement) to Kotlin\n *\npublic
external abstract class HTMLDListElement : HTMLIElement {\n    open var compact: Boolean\n\n
companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE:
Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val
ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE:
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLDivElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDivElement) to Kotlin\n *\npublic
external abstract class HTMLDivElement : HTMLIElement {\n    open var align: String\n\n
companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLAnchorElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAnchorElement) to Kotlin\n
*\npublic external abstract class HTMLAnchorElement : HTMLIElement, HTMLHyperlinkElementUtils {\n    open
var target: String\n    open var download: String\n    open var ping: String\n    open var rel: String\n    open val
relList: DOMTokenList\n    open var hreflang: String\n    open var type: String\n    open var text: String\n    open
var referrerPolicy: String\n    open var coords: String\n    open var charset: String\n    open var name: String\n
    open var rev: String\n    open var shape: String\n\n
companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n
        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n

```

```

    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLDataElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDataElement) to Kotlin\n */\npublic
external abstract class HTMLDataElement : HTMLElement {\n    open var value: String\n\n    companion object {\n
        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLTimeElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTimeElement) to Kotlin\n */\npublic
external abstract class HTMLTimeElement : HTMLElement {\n    open var dateTime: String\n\n    companion
object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE:
Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val
ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE:
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLSpanElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSpanElement) to Kotlin\n */\npublic
external abstract class HTMLSpanElement : HTMLElement {\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLBRElement](https://developer.mozilla.org/en/docs/Web/API/HTMLBRElement) to Kotlin\n */\npublic
external abstract class HTMLBRElement : HTMLElement {\n    open var clear: String\n\n    companion object {\n
        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLHyperlinkElementUtils](https://developer.mozilla.org/en/docs/Web/API/HTMLHyperlinkElementUtils) to

```



```

Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLIFrameElement](https://developer.mozilla.org/en/docs/Web/API/HTMLIFrameElement) to Kotlin \n
*/ \n public external abstract class HTMLIFrameElement : HTMLInputElement { \n    open var src: String \n
    open var srcdoc: String \n    open var name: String \n    open val sandbox: DOMTokenList \n    open var allowFullscreen:
Boolean \n    open var allowUserMedia: Boolean \n    open var width: String \n    open var height: String \n    open var
referrerPolicy: String \n    open val contentDocument: Document? \n    open val contentWindow: Window? \n    open
var align: String \n    open var scrolling: String \n    open var frameBorder: String \n    open var longDesc: String \n
    open var marginHeight: String \n    open var marginWidth: String \n    fun getSVGDocument(): Document? \n \n
companion object { \n    val ELEMENT_NODE: Short \n    val ATTRIBUTE_NODE: Short \n    val
TEXT_NODE: Short \n    val CDATA_SECTION_NODE: Short \n    val ENTITY_REFERENCE_NODE:
Short \n    val ENTITY_NODE: Short \n    val PROCESSING_INSTRUCTION_NODE: Short \n    val
COMMENT_NODE: Short \n    val DOCUMENT_NODE: Short \n    val DOCUMENT_TYPE_NODE: Short \n
    val DOCUMENT_FRAGMENT_NODE: Short \n    val NOTATION_NODE: Short \n    val
DOCUMENT_POSITION_DISCONNECTED: Short \n    val DOCUMENT_POSITION_PRECEDING: Short \n
    val DOCUMENT_POSITION_FOLLOWING: Short \n    val DOCUMENT_POSITION_CONTAINS: Short \n
    val DOCUMENT_POSITION_CONTAINED_BY: Short \n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short \n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLEmbedElement](https://developer.mozilla.org/en/docs/Web/API/HTMLEmbedElement) to Kotlin \n
*/ \n public external abstract class HTMLEmbedElement : HTMLInputElement { \n    open var src: String \n    open var
type: String \n    open var width: String \n    open var height: String \n    open var align: String \n    open var name:
String \n    fun getSVGDocument(): Document? \n \n    companion object { \n    val ELEMENT_NODE: Short \n
    val ATTRIBUTE_NODE: Short \n    val TEXT_NODE: Short \n    val CDATA_SECTION_NODE: Short \n
    val ENTITY_REFERENCE_NODE: Short \n    val ENTITY_NODE: Short \n    val
PROCESSING_INSTRUCTION_NODE: Short \n    val COMMENT_NODE: Short \n    val
DOCUMENT_NODE: Short \n    val DOCUMENT_TYPE_NODE: Short \n    val
DOCUMENT_FRAGMENT_NODE: Short \n    val NOTATION_NODE: Short \n    val
DOCUMENT_POSITION_DISCONNECTED: Short \n    val DOCUMENT_POSITION_PRECEDING: Short \n
    val DOCUMENT_POSITION_FOLLOWING: Short \n    val DOCUMENT_POSITION_CONTAINS: Short \n
    val DOCUMENT_POSITION_CONTAINED_BY: Short \n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short \n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLObjectElement](https://developer.mozilla.org/en/docs/Web/API/HTMLObjectElement) to Kotlin \n
*/ \n public external abstract class HTMLObjectElement : HTMLInputElement { \n    open var data: String \n    open var
type: String \n    open var typeMustMatch: Boolean \n    open var name: String \n    open var useMap: String \n    open
val form: HTMLFormElement? \n    open var width: String \n    open var height: String \n    open val
contentDocument: Document? \n    open val contentWindow: Window? \n    open val willValidate: Boolean \n    open
val validity: ValidityState \n    open val validationMessage: String \n    open var align: String \n    open var archive:
String \n    open var code: String \n    open var declare: Boolean \n    open var hspace: Int \n    open var standby:
String \n    open var vspace: Int \n    open var codeBase: String \n    open var codeType: String \n    open var border:
String \n    fun getSVGDocument(): Document? \n    fun checkValidity(): Boolean \n    fun reportValidity():
Boolean \n    fun setCustomValidity(error: String) \n \n    companion object { \n    val ELEMENT_NODE: Short \n
    val ATTRIBUTE_NODE: Short \n    val TEXT_NODE: Short \n    val CDATA_SECTION_NODE: Short \n
    val ENTITY_REFERENCE_NODE: Short \n    val ENTITY_NODE: Short \n    val

```

```

PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLParamElement](https://developer.mozilla.org/en/docs/Web/API/HTMLParamElement) to Kotlin\n
*/\npublic external abstract class HTMLParamElement : HTMLInputElement {\n    open var name: String\n    open var
value: String\n    open var type: String\n    open var valueType: String\n\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n        }\n}\n\n/**\n * Exposes the JavaScript
[HTMLVideoElement](https://developer.mozilla.org/en/docs/Web/API/HTMLVideoElement) to Kotlin\n
*/\npublic external abstract class HTMLVideoElement : HTMLMediaElement, CanvasImageSource, TexImageSource {\n
    open var width: Int\n    open var height: Int\n    open val videoWidth: Int\n    open val videoHeight: Int\n    open var
poster: String\n    open var playsInline: Boolean\n\n    companion object {\n        val NETWORK_EMPTY: Short\n
        val NETWORK_IDLE: Short\n        val NETWORK_LOADING: Short\n        val NETWORK_NO_SOURCE:
Short\n        val HAVE_NOTHING: Short\n        val HAVE_METADATA: Short\n        val
HAVE_CURRENT_DATA: Short\n        val HAVE_FUTURE_DATA: Short\n        val HAVE_ENOUGH_DATA:
Short\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n
        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val
ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE:
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n        }\n}\n\n/**\n * Exposes the JavaScript
[HTMLAudioElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAudioElement) to Kotlin\n
*/\npublic external abstract class HTMLAudioElement : HTMLMediaElement {\n    companion object {\n        val
NETWORK_EMPTY: Short\n        val NETWORK_IDLE: Short\n        val NETWORK_LOADING: Short\n
        val NETWORK_NO_SOURCE: Short\n        val HAVE_NOTHING: Short\n        val HAVE_METADATA:
Short\n        val HAVE_CURRENT_DATA: Short\n        val HAVE_FUTURE_DATA: Short\n        val
HAVE_ENOUGH_DATA: Short\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n
        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val

```

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLTrackElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTrackElement) to Kotlin\n */\n\npublic external abstract class HTMLTrackElement : HTMLMElement {\n open var kind: String\n open var src: String\n open var srclang: String\n open var label: String\n open var default: Boolean\n open val readyState: Short\n open val track: TextTrack\n\n companion object {\n val NONE: Short\n val LOADING: Short\n val LOADED: Short\n val ERROR: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [HTMLMediaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMediaElement) to Kotlin\n */\n\npublic external abstract class HTMLMediaElement : HTMLMElement {\n open val error: MediaError?\n open var src: String\n open var srcObject: dynamic\n open val currentSrc: String\n open var crossOrigin: String?\n open val networkState: Short\n open var preload: String\n open val buffered: TimeRanges\n open val readyState: Short\n open val seeking: Boolean\n open var currentTime: Double\n open val duration: Double\n open val paused: Boolean\n open var defaultPlaybackRate: Double\n open var playbackRate: Double\n open val played: TimeRanges\n open val seekable: TimeRanges\n open val ended: Boolean\n open var autoplay: Boolean\n open var loop: Boolean\n open var controls: Boolean\n open var volume: Double\n open var muted: Boolean\n open var defaultMuted: Boolean\n open val audioTracks: AudioTrackList\n open val videoTracks: VideoTrackList\n open val textTracks: TextTrackList\n fun load()\n fun canPlayType(type: String): CanPlayTypeResult\n fun fastSeek(time: Double)\n fun getStartDate(): dynamic\n fun play(): Promise<Unit>\n fun pause()\n fun addTextTrack(kind: TextTrackKind, label: String = definedExternally, language: String = definedExternally): TextTrack\n\n companion object {\n val NETWORK_EMPTY: Short\n val NETWORK_IDLE: Short\n val NETWORK_LOADING: Short\n val NETWORK_NO_SOURCE: Short\n val HAVE_NOTHING: Short\n val HAVE_METADATA: Short\n val HAVE_CURRENT_DATA: Short\n val HAVE_FUTURE_DATA: Short\n val HAVE_ENOUGH_DATA: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val

DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript [MediaError](https://developer.mozilla.org/en/docs/Web/API/MediaError) to Kotlin\n */\n\npublic external abstract class MediaError {\n open val code: Short\n\n companion object {\n val MEDIA_ERR_ABORTED: Short\n val MEDIA_ERR_NETWORK: Short\n val MEDIA_ERR_DECODE: Short\n val MEDIA_ERR_SRC_NOT_SUPPORTED: Short\n }\n}\n\n/**\n * Exposes the JavaScript [AudioTrackList](https://developer.mozilla.org/en/docs/Web/API/AudioTrackList) to Kotlin\n */\n\npublic external abstract class AudioTrackList : EventTarget {\n open val length: Int\n open var onchange: ((Event) -> dynamic)?\n open var onaddtrack: ((TrackEvent) -> dynamic)?\n open var onremovetrack: ((TrackEvent) -> dynamic)?\n fun getTrackById(id: String): AudioTrack?\n }\n}\n\n@kotlin.internal.InlineOnly\n\npublic inline operator

```

fun AudioTrackList.get(index: Int): AudioTrack? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[AudioTrack](https://developer.mozilla.org/en/docs/Web/API/AudioTrack) to Kotlin\n *\n\npublic external abstract
class AudioTrack : UnionAudioTrackOrTextTrackOrVideoTrack {\n  open val id: String\n  open val kind:
String\n  open val label: String\n  open val language: String\n  open var enabled: Boolean\n}\n\n\n/**\n * Exposes
the JavaScript [VideoTrackList](https://developer.mozilla.org/en/docs/Web/API/VideoTrackList) to Kotlin\n
*\n\npublic external abstract class VideoTrackList : EventTarget {\n  open val length: Int\n  open val
selectedIndex: Int\n  open var onchange: ((Event) -> dynamic)?\n  open var onaddtrack: ((TrackEvent) ->
dynamic)?\n  open var onremovetrack: ((TrackEvent) -> dynamic)?\n  fun getTrackById(id: String):
VideoTrack?\n}\n\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun VideoTrackList.get(index: Int):
VideoTrack? = asDynamic()[index]\n\n\n/**\n * Exposes the JavaScript
[VideoTrack](https://developer.mozilla.org/en/docs/Web/API/VideoTrack) to Kotlin\n *\n\npublic external abstract
class VideoTrack : UnionAudioTrackOrTextTrackOrVideoTrack {\n  open val id: String\n  open val kind:
String\n  open val label: String\n  open val language: String\n  open var selected: Boolean\n}\n\n\npublic external
abstract class TextTrackList : EventTarget {\n  open val length: Int\n  open var onchange: ((Event) ->
dynamic)?\n  open var onaddtrack: ((TrackEvent) -> dynamic)?\n  open var onremovetrack: ((TrackEvent) ->
dynamic)?\n  fun getTrackById(id: String): TextTrack?\n}\n\n\n@kotlin.internal.InlineOnly\n\npublic inline operator
fun TextTrackList.get(index: Int): TextTrack? = asDynamic()[index]\n\n\n/**\n * Exposes the JavaScript
[TextTrack](https://developer.mozilla.org/en/docs/Web/API/TextTrack) to Kotlin\n *\n\npublic external abstract
class TextTrack : EventTarget, UnionAudioTrackOrTextTrackOrVideoTrack {\n  open val kind: TextTrackKind\n  open
val label: String\n  open val language: String\n  open val id: String\n  open val
inBandMetadataTrackDispatchType: String\n  open var mode: TextTrackMode\n  open val cues:
TextTrackCueList?\n  open val activeCues: TextTrackCueList?\n  open var oncuechange: ((Event) ->
dynamic)?\n  fun addCue(cue: TextTrackCue)\n  fun removeCue(cue: TextTrackCue)\n}\n\n\npublic external
abstract class TextTrackCueList {\n  open val length: Int\n  fun getCueById(id: String):
TextTrackCue?\n}\n\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun TextTrackCueList.get(index: Int):
TextTrackCue? = asDynamic()[index]\n\n\n/**\n * Exposes the JavaScript
[TextTrackCue](https://developer.mozilla.org/en/docs/Web/API/TextTrackCue) to Kotlin\n *\n\npublic external
abstract class TextTrackCue : EventTarget {\n  open val track: TextTrack?\n  open var id: String\n  open var
startTime: Double\n  open var endTime: Double\n  open var pauseOnExit: Boolean\n  open var onenter: ((Event)
-> dynamic)?\n  open var onexit: ((Event) -> dynamic)?\n}\n\n\n\n/**\n * Exposes the JavaScript
[TimeRanges](https://developer.mozilla.org/en/docs/Web/API/TimeRanges) to Kotlin\n *\n\npublic external abstract
class TimeRanges {\n  open val length: Int\n  fun start(index: Int): Double\n  fun end(index: Int):
Double\n}\n\n\n\n/**\n * Exposes the JavaScript
[TrackEvent](https://developer.mozilla.org/en/docs/Web/API/TrackEvent) to Kotlin\n *\n\npublic external open class
TrackEvent(type: String, eventInitDict: TrackEventInit = definedExternally) : Event {\n  open val track:
UnionAudioTrackOrTextTrackOrVideoTrack?\n\n  companion object {\n    val NONE: Short\n    val
CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n  }\n}\n\n\npublic external
interface TrackEventInit : EventInit {\n  var track:
UnionAudioTrackOrTextTrackOrVideoTrack? /* = null */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n\n@kotlin.internal.InlineOnly\n\npublic inline fun TrackEventInit(track:
UnionAudioTrackOrTextTrackOrVideoTrack? = null, bubbles: Boolean? = false, cancelable: Boolean? = false,
composed: Boolean? = false): TrackEventInit {\n  val o = js("{}")\n  o["track"] = track\n  o["bubbles"] =
bubbles\n  o["cancelable"] = cancelable\n  o["composed"] = composed\n  return o\n}\n\n\n\n/**\n * Exposes the
JavaScript [HTMLElement](https://developer.mozilla.org/en/docs/Web/API/HTMLElement) to Kotlin\n *\n\npublic
external abstract class HTMLElement : HTMLElement {\n  open var name: String\n  open val
areas: HTMLCollection\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val

```

```

PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLAreaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLAreaElement) to Kotlin\n */\npublic
external abstract class HTMLAreaElement : HTMLInputElement, HTMLHyperlinkElementUtils {\n    open var alt:
String\n    open var coords: String\n    open var shape: String\n    open var target: String\n    open var download:
String\n    open var ping: String\n    open var rel: String\n    open val relList: DOMTokenList\n    open var
referrerPolicy: String\n    open var noHref: Boolean\n\n    companion object {\n        val ELEMENT_NODE:
Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE:
Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLTableElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableElement) to Kotlin\n */\npublic
external abstract class HTMLTableElement : HTMLInputElement {\n    open var caption:
HTMLTableCaptionElement?\n    open var tHead: HTMLTableSectionElement?\n    open var tFoot:
HTMLTableSectionElement?\n    open val tBodies: HTMLCollection\n    open val rows: HTMLCollection\n    open
var align: String\n    open var border: String\n    open var frame: String\n    open var rules: String\n    open var
summary: String\n    open var width: String\n    open var bgColor: String\n    open var cellPadding: String\n    open
var cellSpacing: String\n    fun createCaption(): HTMLTableCaptionElement\n    fun deleteCaption()\n    fun
createTHead(): HTMLTableSectionElement\n    fun deleteTHead()\n    fun createTFoot():
HTMLTableSectionElement\n    fun deleteTFoot()\n    fun createTBody(): HTMLTableSectionElement\n    fun
insertRow(index: Int = definedExternally): HTMLTableRowElement\n    fun deleteRow(index: Int)\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val
TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLTableCaptionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableCaptionElement) to
Kotlin\n */\npublic external abstract class HTMLTableCaptionElement : HTMLInputElement {\n    open var align:
String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n
        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n

```

```

    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLTableColElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableColElement) to Kotlin\n
*\npublic external abstract class HTMLTableColElement : HTMLElement {\n    open var span: Int\n    open var
align: String\n    open var ch: String\n    open var chOff: String\n    open var vAlign: String\n    open var width:
String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n
val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLTableSectionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableSectionElement) to
Kotlin\n
*\npublic external abstract class HTMLTableSectionElement : HTMLElement {\n    open val rows:
HTMLCollection\n    open var align: String\n    open var ch: String\n    open var chOff: String\n    open var vAlign:
String\n    fun insertRow(index: Int = definedExternally): HTMLElement\n    fun deleteRow(index: Int)\n\n
companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val
TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLTableRowElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableRowElement) to Kotlin\n
*\npublic external abstract class HTMLTableRowElement : HTMLElement {\n    open val rowIndex: Int\n    open
val sectionRowIndex: Int\n    open val cells: HTMLCollection\n    open var align: String\n    open var ch: String\n
open var chOff: String\n    open var vAlign: String\n    open var bgColor: String\n    fun insertCell(index: Int =
definedExternally): HTMLElement\n    fun deleteCell(index: Int)\n\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLTableCellElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTableCellElement) to Kotlin\n
*\npublic external abstract class HTMLTableCellElement : HTMLElement {\n    open var colSpan: Int\n    open var
rowSpan: Int\n    open var headers: String\n    open val cellIndex: Int\n    open var scope: String\n    open var abbr:
String\n    open var align: String\n    open var axis: String\n    open var height: String\n    open var width: String\n
open var ch: String\n    open var chOff: String\n    open var noWrap: Boolean\n    open var vAlign: String\n    open
var bgColor: String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE:

```

```

Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLFormElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFormElement) to Kotlin \n * \n public
external abstract class HTMLFormElement : HTMLElement { \n    open var acceptCharset: String \n    open var
action: String \n    open var autocomplete: String \n    open var enctype: String \n    open var encoding: String \n    open
var method: String \n    open var name: String \n    open var noValidate: Boolean \n    open var target: String \n    open
val elements: HTMLFormControlsCollection \n    open val length: Int \n    fun submit() \n    fun reset() \n    fun
checkValidity(): Boolean \n    fun reportValidity(): Boolean \n \n    companion object { \n        val ELEMENT_NODE:
Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE:
Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n
    } \n} \n \n @kotlin.internal.InlineOnly \n public inline operator fun HTMLFormElement.get(index: Int): Element? =
asDynamic()[index] \n \n @kotlin.internal.InlineOnly \n public inline operator fun HTMLFormElement.get(name:
String): UnionElementOrRadioNodeList? = asDynamic()[name] \n \n /** \n * Exposes the JavaScript
[HTMLLabelElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLabelElement) to Kotlin \n * \n public
external abstract class HTMLLabelElement : HTMLElement { \n    open val form: HTMLFormElement? \n    open
var htmlFor: String \n    open val control: HTMLElement? \n \n    companion object { \n        val ELEMENT_NODE:
Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE:
Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[HTMLInputElement](https://developer.mozilla.org/en/docs/Web/API/HTMLInputElement) to Kotlin \n * \n public
external abstract class HTMLInputElement : HTMLElement { \n    open var accept: String \n    open var alt: String \n
    open var autocomplete: String \n    open var autofocus: Boolean \n    open var defaultChecked: Boolean \n    open var
checked: Boolean \n    open var dirName: String \n    open var disabled: Boolean \n    open val form:
HTMLFormElement? \n    open val files: FileList? \n    open var formAction: String \n    open var formEnctype:
String \n    open var formMethod: String \n    open var formNoValidate: Boolean \n    open var formTarget: String \n
    open var height: Int \n    open var indeterminate: Boolean \n    open var inputMode: String \n    open val list:
HTMLElement? \n    open var max: String \n    open var maxLength: Int \n    open var min: String \n    open var
minLength: Int \n    open var multiple: Boolean \n    open var name: String \n    open var pattern: String \n    open var

```

```

placeholder: String\n open var readOnly: Boolean\n open var required: Boolean\n open var size: Int\n open
var src: String\n open var step: String\n open var type: String\n open var defaultValue: String\n open var
value: String\n open var valueAsDate: dynamic\n open var valueAsNumber: Double\n open var width: Int\n
open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open
val labels: NodeList\n open var selectionStart: Int?\n open var selectionEnd: Int?\n open var
selectionDirection: String?\n open var align: String\n open var useMap: String\n fun stepUp(n: Int =
definedExternally)\n fun stepDown(n: Int = definedExternally)\n fun checkValidity(): Boolean\n fun
reportValidity(): Boolean\n fun setCustomValidity(error: String)\n fun select()\n fun
setRangeText(replacement: String)\n fun setRangeText(replacement: String, start: Int, end: Int, selectionMode:
SelectionMode = definedExternally)\n fun setSelectionRange(start: Int, end: Int, direction: String =
definedExternally)\n\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE:
Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLButtonElement](https://developer.mozilla.org/en/docs/Web/API/HTMLButtonElement) to Kotlin\n
*\n\npublic external abstract class HTMLButtonElement : HTMLElement {\n open var autofocus: Boolean\n
open var disabled: Boolean\n open val form: HTMLFormElement?\n open var formAction: String\n open var
formEnctype: String\n open var formMethod: String\n open var formNoValidate: Boolean\n open var
formTarget: String\n open var name: String\n open var type: String\n open var value: String\n open var
menu: HTMLMenuElement?\n open val willValidate: Boolean\n open val validity: ValidityState\n open val
validationMessage: String\n open val labels: NodeList\n fun checkValidity(): Boolean\n fun reportValidity():
Boolean\n fun setCustomValidity(error: String)\n\n companion object {\n val ELEMENT_NODE: Short\n
val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n
val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLSelectElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSelectElement) to Kotlin\n
*\n\npublic external abstract class HTMLSelectElement : HTMLElement, ItemArrayLike<Element> {\n open var
autocomplete: String\n open var autofocus: Boolean\n open var disabled: Boolean\n open val form:
HTMLFormElement?\n open var multiple: Boolean\n open var name: String\n open var required: Boolean\n
open var size: Int\n open val type: String\n open val options: HTMLOptionsCollection\n override var length:
Int\n open val selectedOptions: HTMLCollection\n open var selectedIndex: Int\n open var value: String\n
open val willValidate: Boolean\n open val validity: ValidityState\n open val validationMessage: String\n open
val labels: NodeList\n fun namedItem(name: String): HTMLOptionElement?\n fun add(element:
UnionHTMLOptGroupElementOrHTMLOptionElement, before: dynamic = definedExternally)\n fun
remove(index: Int)\n fun checkValidity(): Boolean\n fun reportValidity(): Boolean\n fun
setCustomValidity(error: String)\n override fun item(index: Int): Element?\n\n companion object {\n val

```



```

ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n
}\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun HTMLSelectElement.get(index: Int): Element? =
asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun HTMLSelectElement.set(index: Int,
option: HTMLOptionElement?) { asDynamic()[index] = option }\n\n/**\n * Exposes the JavaScript
[HTMLDataListElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDataListElement) to Kotlin\n
*/\npublic external abstract class HTMLDataListElement : HTMLInputElement {\n    open val options:
HTMLCollection\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE:
Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLOptGroupElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOptGroupElement) to Kotlin\n
*/\npublic external abstract class HTMLOptGroupElement : HTMLInputElement,
UnionHTMLOptGroupElementOrHTMLOptionElement {\n    open var disabled: Boolean\n    open var label:
String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n
        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLOptionElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOptionElement) to Kotlin\n
*/\npublic external abstract class HTMLOptionElement : HTMLInputElement,
UnionHTMLOptGroupElementOrHTMLOptionElement {\n    open var disabled: Boolean\n    open val form:
HTMLFormElement?\n    open var label: String\n    open var defaultSelected: Boolean\n    open var selected:
Boolean\n    open var value: String\n    open var text: String\n    open val index: Int\n\n    companion object {\n
        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n

```

```

val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLTextAreaElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTextAreaElement) to Kotlin\n
*\n\npublic external abstract class HTMLTextAreaElement : HTMLElement {\n    open var autocomplete: String\n
open var autofocus: Boolean\n    open var cols: Int\n    open var dirName: String\n    open var disabled: Boolean\n
open val form: HTMLFormElement?\n    open var inputMode: String\n    open var maxLength: Int\n    open var
minLength: Int\n    open var name: String\n    open var placeholder: String\n    open var readOnly: Boolean\n    open
var required: Boolean\n    open var rows: Int\n    open var wrap: String\n    open val type: String\n    open var
defaultValue: String\n    open var value: String\n    open val textLength: Int\n    open val willValidate: Boolean\n
open val validity: ValidityState\n    open val validationMessage: String\n    open val labels: NodeList\n    open var
selectionStart: Int?\n    open var selectionEnd: Int?\n    open var selectionDirection: String?\n    fun checkValidity():
Boolean\n    fun reportValidity(): Boolean\n    fun setCustomValidity(error: String)\n    fun select()\n    fun
setRangeText(replacement: String)\n    fun setRangeText(replacement: String, start: Int, end: Int, selectionMode:
SelectionMode = definedExternally)\n    fun setSelectionRange(start: Int, end: Int, direction: String =
definedExternally)\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE:
Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLKeygenElement](https://developer.mozilla.org/en/docs/Web/API/HTMLKeygenElement) to Kotlin\n
*\n\npublic external abstract class HTMLKeygenElement : HTMLElement {\n    open var autofocus: Boolean\n
open var challenge: String\n    open var disabled: Boolean\n    open val form: HTMLFormElement?\n    open var
keytype: String\n    open var name: String\n    open val type: String\n    open val willValidate: Boolean\n    open val
validity: ValidityState\n    open val validationMessage: String\n    open val labels: NodeList\n    fun checkValidity():
Boolean\n    fun reportValidity(): Boolean\n    fun setCustomValidity(error: String)\n\n    companion object {\n
        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLOutputElement](https://developer.mozilla.org/en/docs/Web/API/HTMLOutputElement) to Kotlin\n
*\n\npublic external abstract class HTMLOutputElement : HTMLElement {\n    open val htmlFor: DOMTokenList\n
open val form: HTMLFormElement?\n    open var name: String\n    open val type: String\n    open var
defaultValue: String\n    open var value: String\n    open val willValidate: Boolean\n    open val validity:
ValidityState\n    open val validationMessage: String\n    open val labels: NodeList\n    fun checkValidity():
Boolean\n    fun reportValidity(): Boolean\n    fun setCustomValidity(error: String)\n\n    companion object {\n
        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val

```

```

DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLProgressElement](https://developer.mozilla.org/en/docs/Web/API/HTMLProgressElement) to Kotlin\n
*/\npublic external abstract class HTMLProgressElement : HTMLElement {\n    open var value: Double\n    open
var max: Double\n    open val position: Double\n    open val labels: NodeList\n\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLMeterElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMeterElement) to Kotlin\n
*/\npublic external abstract class HTMLMeterElement : HTMLElement {\n    open var value: Double\n    open var min:
Double\n    open var max: Double\n    open var low: Double\n    open var high: Double\n    open var optimum:
Double\n    open val labels: NodeList\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLFieldSetElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFieldSetElement) to Kotlin\n
*/\npublic external abstract class HTMLFieldSetElement : HTMLElement {\n    open var disabled: Boolean\n
open val form: HTMLFormElement?\n    open var name: String\n    open val type: String\n    open val elements:
HTMLCollection\n    open val willValidate: Boolean\n    open val validity: ValidityState\n    open val
validationMessage: String\n    fun checkValidity(): Boolean\n    fun reportValidity(): Boolean\n    fun
setCustomValidity(error: String)\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLLegendElement](https://developer.mozilla.org/en/docs/Web/API/HTMLLegendElement) to Kotlin\n
*/\npublic external abstract class HTMLLegendElement : HTMLElement {\n    open val form:

```



```

RelatedEvent(type: String, eventInitDict: RelatedEventInit = definedExternally) : Event {
    open val relatedTarget: EventTarget?
    companion object {
        val NONE: Short
        val CAPTURING_PHASE: Short
        val AT_TARGET: Short
        val BUBBLING_PHASE: Short
    }
}
public external interface RelatedEventInit : EventInit {
    var relatedTarget: EventTarget? /* = null */
    get() = definedExternally
    set(value) = definedExternally
}
@kotlin.internal.InlineOnly
public inline fun RelatedEventInit(relatedTarget: EventTarget? = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): RelatedEventInit {
    val o = js("{}")
    o["relatedTarget"] = relatedTarget
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
    return o
}
/** Exposes the JavaScript [HTMLDialogElement](https://developer.mozilla.org/en/docs/Web/API/HTMLDialogElement) to Kotlin
 */
public external abstract class HTMLDialogElement : HTMLElement {
    open var open: Boolean
    open var returnValue: String
    fun show(anchor: UnionElementOrMouseEvent = definedExternally)
    fun showModal(anchor: UnionElementOrMouseEvent = definedExternally)
    fun close(returnValue: String = definedExternally)
    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
    }
}
/** Exposes the JavaScript [HTMLScriptElement](https://developer.mozilla.org/en/docs/Web/API/HTMLScriptElement) to Kotlin
 */
public external abstract class HTMLScriptElement : HTMLElement, HTMLOrSVGScriptElement {
    open var src: String
    open var type: String
    open var charset: String
    open var async: Boolean
    open var defer: Boolean
    open var crossOrigin: String?
    open var text: String
    open var nonce: String
    open var event: String
    open var htmlFor: String
    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
    }
}
/** Exposes the JavaScript [HTMLTemplateElement](https://developer.mozilla.org/en/docs/Web/API/HTMLTemplateElement) to Kotlin
 */
public external abstract class HTMLTemplateElement : HTMLElement {
    open val content: DocumentFragment
    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
    }
}

```

```

[HTMLSlotElement](https://developer.mozilla.org/en/docs/Web/API/HTMLSlotElement) to Kotlin\n */\npublic
external abstract class HTMLSlotElement : HTMLElement {\n    open var name: String\n    fun
assignedNodes(options: AssignedNodesOptions = definedExternally): Array<Node>\n\n    companion object {\n
val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external interface
AssignedNodesOptions {\n    var flatten: Boolean? /* = false */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun AssignedNodesOptions(flatten: Boolean? =
false): AssignedNodesOptions {\n    val o = js("{}")\n    o["flatten"] = flatten\n    return o\n}\n\n/**\n * Exposes
the JavaScript [HTMLCanvasElement](https://developer.mozilla.org/en/docs/Web/API/HTMLCanvasElement) to
Kotlin\n */\npublic external abstract class HTMLCanvasElement : HTMLElement, CanvasImageSource,
TexImageSource {\n    open var width: Int\n    open var height: Int\n    fun getContext(contextId: String, vararg
arguments: Any?): RenderingContext?\n    fun toDataURL(type: String = definedExternally, quality: Any? =
definedExternally): String\n    fun toBlob(_callback: (Blob?) -> Unit, type: String = definedExternally, quality:
Any? = definedExternally)\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n        }\n}\n\npublic external interface
CanvasRenderingContext2DSettings {\n    var alpha: Boolean? /* = true */\n    get() = definedExternally\n
set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
CanvasRenderingContext2DSettings(alpha: Boolean? = true): CanvasRenderingContext2DSettings {\n    val o =
js("{}")\n    o["alpha"] = alpha\n    return o\n}\n\n/**\n * Exposes the JavaScript
[CanvasRenderingContext2D](https://developer.mozilla.org/en/docs/Web/API/CanvasRenderingContext2D) to
Kotlin\n */\npublic external abstract class CanvasRenderingContext2D : CanvasState, CanvasTransform,
CanvasCompositing, CanvasImageSmoothing, CanvasFillStrokeStyles, CanvasShadowStyles, CanvasFilters,
CanvasRect, CanvasDrawPath, CanvasUserInterface, CanvasText, CanvasDrawImage, CanvasHitRegion,
CanvasImageData, CanvasPathDrawingStyles, CanvasTextDrawingStyles, CanvasPath, RenderingContext {\n
    open val canvas: HTMLCanvasElement\n}\n\npublic external interface CanvasState {\n    fun save()\n    fun
restore()\n}\n\npublic external interface CanvasTransform {\n    fun scale(x: Double, y: Double)\n    fun
rotate(angle: Double)\n    fun translate(x: Double, y: Double)\n    fun transform(a: Double, b: Double, c: Double, d:
Double, e: Double, f: Double)\n    fun getTransform(): DOMMatrix\n    fun setTransform(a: Double, b: Double, c:
Double, d: Double, e: Double, f: Double)\n    fun setTransform(transform: dynamic = definedExternally)\n    fun
resetTransform()\n}\n\npublic external interface CanvasCompositing {\n    var globalAlpha: Double\n    var
globalCompositeOperation: String\n}\n\npublic external interface CanvasImageSmoothing {\n    var
imageSmoothingEnabled: Boolean\n    var imageSmoothingQuality: ImageSmoothingQuality\n}\n\npublic external
interface CanvasFillStrokeStyles {\n    var strokeStyle: dynamic\n    get() = definedExternally\n    set(value) =

```

```

definedExternally\n  var fillStyle: dynamic\n    get() = definedExternally\n    set(value) = definedExternally\n
fun createLinearGradient(x0: Double, y0: Double, x1: Double, y1: Double): CanvasGradient\n  fun
createRadialGradient(x0: Double, y0: Double, r0: Double, x1: Double, y1: Double, r1: Double): CanvasGradient\n
fun createPattern(image: CanvasImageSource, repetition: String): CanvasPattern?\n}\n\npublic external interface
CanvasShadowStyles {\n  var shadowOffsetX: Double\n  var shadowOffsetY: Double\n  var shadowBlur:
Double\n  var shadowColor: String\n}\n\npublic external interface CanvasFilters {\n  var filter:
String\n}\n\npublic external interface CanvasRect {\n  fun clearRect(x: Double, y: Double, w: Double, h:
Double)\n  fun fillRect(x: Double, y: Double, w: Double, h: Double)\n  fun strokeRect(x: Double, y: Double, w:
Double, h: Double)\n}\n\npublic external interface CanvasDrawPath {\n  fun beginPath()\n  fun fill(fillRule:
CanvasFillRule = definedExternally)\n  fun fill(path: Path2D, fillRule: CanvasFillRule = definedExternally)\n
fun stroke()\n  fun stroke(path: Path2D)\n  fun clip(fillRule: CanvasFillRule = definedExternally)\n  fun
clip(path: Path2D, fillRule: CanvasFillRule = definedExternally)\n  fun resetClip()\n  fun isPointInPath(x:
Double, y: Double, fillRule: CanvasFillRule = definedExternally): Boolean\n  fun isPointInPath(path: Path2D, x:
Double, y: Double, fillRule: CanvasFillRule = definedExternally): Boolean\n  fun isPointInStroke(x: Double, y:
Double): Boolean\n  fun isPointInStroke(path: Path2D, x: Double, y: Double): Boolean\n}\n\npublic external
interface CanvasUserInterface {\n  fun drawFocusIfNeeded(element: Element)\n  fun drawFocusIfNeeded(path:
Path2D, element: Element)\n  fun scrollPathIntoView()\n  fun scrollPathIntoView(path: Path2D)\n}\n\npublic
external interface CanvasText {\n  fun fillText(text: String, x: Double, y: Double, maxWidth: Double =
definedExternally)\n  fun strokeText(text: String, x: Double, y: Double, maxWidth: Double = definedExternally)\n
  fun measureText(text: String): TextMetrics\n}\n\npublic external interface CanvasDrawImage {\n  fun
drawImage(image: CanvasImageSource, dx: Double, dy: Double)\n  fun drawImage(image: CanvasImageSource,
dx: Double, dy: Double, dw: Double, dh: Double)\n  fun drawImage(image: CanvasImageSource, sx: Double, sy:
Double, sw: Double, sh: Double, dx: Double, dy: Double, dw: Double, dh: Double)\n}\n\npublic external interface
CanvasHitRegion {\n  fun addHitRegion(options: HitRegionOptions = definedExternally)\n  fun
removeHitRegion(id: String)\n  fun clearHitRegions()\n}\n\npublic external interface CanvasImageData {\n  fun
createImageData(sw: Double, sh: Double): ImageData\n  fun createImageData(imagedata: ImageData):
ImageData\n  fun getImageData(sx: Double, sy: Double, sw: Double, sh: Double): ImageData\n  fun
putImageData(imagedata: ImageData, dx: Double, dy: Double)\n  fun putImageData(imagedata: ImageData, dx:
Double, dy: Double, dirtyX: Double, dirtyY: Double, dirtyWidth: Double, dirtyHeight: Double)\n}\n\npublic
external interface CanvasPathDrawingStyles {\n  var lineWidth: Double\n  var lineCap: CanvasLineCap\n  var
lineJoin: CanvasLineJoin\n  var miterLimit: Double\n  var lineDashOffset: Double\n  fun setLineDash(segments:
Array<Double>)\n  fun getLineDash(): Array<Double>\n}\n\npublic external interface CanvasTextDrawingStyles
{\n  var font: String\n  var textAlign: CanvasTextAlign\n  var textBaseline: CanvasTextBaseline\n  var
direction: CanvasDirection\n}\n\npublic external interface CanvasPath {\n  fun closePath()\n  fun moveTo(x:
Double, y: Double)\n  fun lineTo(x: Double, y: Double)\n  fun quadraticCurveTo(cpx: Double, cpy: Double, x:
Double, y: Double)\n  fun bezierCurveTo(cp1x: Double, cp1y: Double, cp2x: Double, cp2y: Double, x: Double, y:
Double)\n  fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radius: Double)\n  fun arcTo(x1: Double,
y1: Double, x2: Double, y2: Double, radiusX: Double, radiusY: Double, rotation: Double)\n  fun rect(x: Double, y:
Double, w: Double, h: Double)\n  fun arc(x: Double, y: Double, radius: Double, startAngle: Double, endAngle:
Double, anticlockwise: Boolean = definedExternally)\n  fun ellipse(x: Double, y: Double, radiusX: Double,
radiusY: Double, rotation: Double, startAngle: Double, endAngle: Double, anticlockwise: Boolean =
definedExternally)\n}\n\n/*\n * Exposes the JavaScript
[CanvasGradient](https://developer.mozilla.org/en/docs/Web/API/CanvasGradient) to Kotlin\n */\n\npublic external
abstract class CanvasGradient {\n  fun addColorStop(offset: Double, color: String)\n}\n\n/*\n * Exposes the
JavaScript [CanvasPattern](https://developer.mozilla.org/en/docs/Web/API/CanvasPattern) to Kotlin\n */\n\npublic
external abstract class CanvasPattern {\n  fun setTransform(transform: dynamic = definedExternally)\n}\n\n/*\n *
Exposes the JavaScript [TextMetrics](https://developer.mozilla.org/en/docs/Web/API/TextMetrics) to Kotlin\n */\n\npublic external abstract class TextMetrics {\n  open val width: Double\n  open val actualBoundingBoxLeft:

```

```

Double\n    open val actualBoundingBoxRight: Double\n    open val fontBoundingBoxAscent: Double\n    open val
fontBoundingBoxDescent: Double\n    open val actualBoundingBoxAscent: Double\n    open val
actualBoundingBoxDescent: Double\n    open val emHeightAscent: Double\n    open val emHeightDescent:
Double\n    open val hangingBaseline: Double\n    open val alphabeticBaseline: Double\n    open val
ideographicBaseline: Double\n}\n\npublic external interface HitRegionOptions {\n    var path: Path2D? /* = null
*/\n    get() = definedExternally\n    set(value) = definedExternally\n    var fillRule: CanvasFillRule? /* =
CanvasFillRule.NONZERO */\n    get() = definedExternally\n    set(value) = definedExternally\n    var id:
String? /* = \"\" */\n    get() = definedExternally\n    set(value) = definedExternally\n    var parentID: String? /*
= null */\n    get() = definedExternally\n    set(value) = definedExternally\n    var cursor: String? /* = \"inherit\"
*/\n    get() = definedExternally\n    set(value) = definedExternally\n    var control: Element? /* = null */\n
get() = definedExternally\n    set(value) = definedExternally\n    var label: String? /* = null */\n    get() =
definedExternally\n    set(value) = definedExternally\n    var role: String? /* = null */\n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
HitRegionOptions(path: Path2D? = null, fillRule: CanvasFillRule? = CanvasFillRule.NONZERO, id: String? = \"\",
parentID: String? = null, cursor: String? = \"inherit\", control: Element? = null, label: String? = null, role: String? =
null): HitRegionOptions {\n    val o = js(\"({})\")\n    o[\"path\"] = path\n    o[\"fillRule\"] = fillRule\n    o[\"id\"] =
id\n    o[\"parentID\"] = parentID\n    o[\"cursor\"] = cursor\n    o[\"control\"] = control\n    o[\"label\"] = label\n
o[\"role\"] = role\n    return o\n}\n\n/**\n * Exposes the JavaScript
[ImageData](https://developer.mozilla.org/en/docs/Web/API/ImageData) to Kotlin\n */\npublic external open class
ImageData : ImageBitmapSource, TexImageSource {\n    constructor(sw: Int, sh: Int)\n    constructor(data:
Uint8ClampedArray, sw: Int, sh: Int = definedExternally)\n    open val width: Int\n    open val height: Int\n    open
val data: Uint8ClampedArray\n}\n\n/**\n * Exposes the JavaScript
[Path2D](https://developer.mozilla.org/en/docs/Web/API/Path2D) to Kotlin\n */\npublic external open class
Path2D() : CanvasPath {\n    constructor(path: Path2D)\n    constructor(paths: Array<Path2D>, fillRule:
CanvasFillRule = definedExternally)\n    constructor(d: String)\n    fun addPath(path: Path2D, transform: dynamic =
definedExternally)\n    override fun closePath()\n    override fun moveTo(x: Double, y: Double)\n    override fun
lineTo(x: Double, y: Double)\n    override fun quadraticCurveTo(cpx: Double, cpy: Double, x: Double, y: Double)\n
    override fun bezierCurveTo(cp1x: Double, cp1y: Double, cp2x: Double, cp2y: Double, x: Double, y: Double)\n
    override fun arcTo(x1: Double, y1: Double, x2: Double, y2: Double, radius: Double)\n    override fun arcTo(x1:
Double, y1: Double, x2: Double, y2: Double, radiusX: Double, radiusY: Double, rotation: Double)\n    override fun
rect(x: Double, y: Double, w: Double, h: Double)\n    override fun arc(x: Double, y: Double, radius: Double,
startAngle: Double, endAngle: Double, anticlockwise: Boolean /* = definedExternally */) \n    override fun ellipse(x:
Double, y: Double, radiusX: Double, radiusY: Double, rotation: Double, startAngle: Double, endAngle: Double,
anticlockwise: Boolean /* = definedExternally */) \n}\n\n/**\n * Exposes the JavaScript
[ImageBitmapRenderingContext](https://developer.mozilla.org/en/docs/Web/API/ImageBitmapRenderingContext)
to Kotlin\n */\npublic external abstract class ImageBitmapRenderingContext {\n    open val canvas:
HTMLCanvasElement\n    fun transferFromImageBitmap(bitmap: ImageBitmap?)\n}\n\npublic external interface
ImageBitmapRenderingContextSettings {\n    var alpha: Boolean? /* = true */\n    get() = definedExternally\n
set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ImageBitmapRenderingContextSettings(alpha: Boolean? = true): ImageBitmapRenderingContextSettings {\n    val o
= js(\"({})\")\n    o[\"alpha\"] = alpha\n    return o\n}\n\n/**\n * Exposes the JavaScript
[CustomElementRegistry](https://developer.mozilla.org/en/docs/Web/API/CustomElementRegistry) to Kotlin\n
*/\npublic external abstract class CustomElementRegistry {\n    fun define(name: String, constructor: () -> dynamic,
options: ElementDefinitionOptions = definedExternally)\n    fun get(name: String): Any?\n    fun
whenDefined(name: String): Promise<Unit>\n}\n\npublic external interface ElementDefinitionOptions {\n    var
extends: String?\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ElementDefinitionOptions(extends: String?
= undefined): ElementDefinitionOptions {\n    val o = js(\"({})\")\n    o[\"extends\"] = extends\n    return

```



```

o\n}\n\npublic external interface ElementContentEditable {\n  var contentEditable: String\n  val isContentEditable: Boolean\n}\n\n/**\n * Exposes the JavaScript [DataTransfer](https://developer.mozilla.org/en/docs/Web/API/DataTransfer) to Kotlin\n */\n\npublic external abstract class DataTransfer {\n  open var dropEffect: String\n  open var effectAllowed: String\n  open val items: DataTransferItemList\n  open val types: Array<out String>\n  open val files: FileList\n  fun setDragImage(image: Element, x: Int, y: Int)\n  fun getData(format: String): String\n  fun setData(format: String, data: String)\n  fun clearData(format: String = definedExternally)\n}\n\n/**\n * Exposes the JavaScript [DataTransferItemList](https://developer.mozilla.org/en/docs/Web/API/DataTransferItemList) to Kotlin\n */\n\npublic external abstract class DataTransferItemList {\n  open val length: Int\n  fun add(data: String, type: String): DataTransferItem?\n  fun add(data: File): DataTransferItem?\n  fun remove(index: Int)\n  fun clear()\n}\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun DataTransferItemList.get(index: Int): DataTransferItem? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript [DataTransferItem](https://developer.mozilla.org/en/docs/Web/API/DataTransferItem) to Kotlin\n */\n\npublic external abstract class DataTransferItem {\n  open val kind: String\n  open val type: String\n  fun getAsString(_callback: ((String) -> Unit)?)\n  fun getFile(): File?\n}\n\n/**\n * Exposes the JavaScript [DragEvent](https://developer.mozilla.org/en/docs/Web/API/TouchEvent) to Kotlin\n */\n\npublic external open class DragEvent(type: String, eventInitDict: DragEventInit = definedExternally) : MouseEvent {\n  open val dataTransfer: DataTransfer?\n\n  companion object {\n    val NONE: Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n  }\n}\n\npublic external interface DragEventInit : MouseEventInit {\n  var dataTransfer: DataTransfer? /* = null */\n  get() = definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\n\npublic inline fun DragEventInit(dataTransfer: DataTransfer? = null, screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0, buttons: Short? = 0, relatedTarget: EventTarget? = null, region: String? = null, ctrlKey: Boolean? = false, shiftKey: Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false, modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false, modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false, modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view: Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): DragEventInit {\n  val o = js("{}")\n  o["dataTransfer"] = dataTransfer\n  o["screenX"] = screenX\n  o["screenY"] = screenY\n  o["clientX"] = clientX\n  o["clientY"] = clientY\n  o["button"] = button\n  o["buttons"] = buttons\n  o["relatedTarget"] = relatedTarget\n  o["region"] = region\n  o["ctrlKey"] = ctrlKey\n  o["shiftKey"] = shiftKey\n  o["altKey"] = altKey\n  o["metaKey"] = metaKey\n  o["modifierAltGraph"] = modifierAltGraph\n  o["modifierCapsLock"] = modifierCapsLock\n  o["modifierFn"] = modifierFn\n  o["modifierFnLock"] = modifierFnLock\n  o["modifierHyper"] = modifierHyper\n  o["modifierNumLock"] = modifierNumLock\n  o["modifierScrollLock"] = modifierScrollLock\n  o["modifierSuper"] = modifierSuper\n  o["modifierSymbol"] = modifierSymbol\n  o["modifierSymbolLock"] = modifierSymbolLock\n  o["view"] = view\n  o["detail"] = detail\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] = composed\n  return o\n}\n\n/**\n * Exposes the JavaScript [Window](https://developer.mozilla.org/en/docs/Web/API/Window) to Kotlin\n */\n\npublic external abstract class Window : EventTarget, GlobalEventHandlers, WindowEventHandlers, WindowOrWorkerGlobalScope, WindowSessionStorage, WindowLocalStorage, GlobalPerformance, UnionMessagePortOrWindowProxy {\n  open val window: Window\n  open val self: Window\n  open val document: Document\n  open var name: String\n  open val location: Location\n  open val history: History\n  open val customElements: CustomElementRegistry\n  open val locationbar: BarProp\n  open val menubar: BarProp\n  open val personalbar: BarProp\n  open val scrollbars: BarProp\n  open val statusbar: BarProp\n  open val toolbar: BarProp\n  open var status: String\n  open val closed: Boolean\n  open val frames: Window\n  open val length: Int\n  open val top: Window\n  open var opener: Any?\n  open val parent: Window\n  open val frameElement: Element?\n  open val navigator: Navigator\n  open val applicationCache: ApplicationCache\n}

```

```

open val external: External\n open val screen: Screen\n open val innerWidth: Int\n open val innerHeight: Int\n
open val scrollX: Double\n open val pageXOffset: Double\n open val scrollY: Double\n open val
pageYOffset: Double\n open val screenX: Int\n open val screenY: Int\n open val outerWidth: Int\n open val
outerHeight: Int\n open val devicePixelRatio: Double\n fun close()\n fun stop()\n fun focus()\n fun blur()\n
fun open(url: String = definedExternally, target: String = definedExternally, features: String = definedExternally):
Window?\n fun alert()\n fun alert(message: String)\n fun confirm(message: String = definedExternally):
Boolean\n fun prompt(message: String = definedExternally, default: String = definedExternally): String?\n fun
print()\n fun requestAnimationFrame(callback: (Double) -> Unit): Int\n fun cancelAnimationFrame(handle:
Int)\n fun postMessage(message: Any?, targetOrigin: String, transfer: Array<dynamic> = definedExternally)\n
fun captureEvents()\n fun releaseEvents()\n fun matchMedia(query: String): MediaQueryList\n fun moveTo(x:
Int, y: Int)\n fun moveBy(x: Int, y: Int)\n fun resizeTo(x: Int, y: Int)\n fun resizeBy(x: Int, y: Int)\n fun
scroll(options: ScrollToOptions = definedExternally)\n fun scroll(x: Double, y: Double)\n fun scrollTo(options:
ScrollToOptions = definedExternally)\n fun scrollTo(x: Double, y: Double)\n fun scrollBy(options:
ScrollToOptions = definedExternally)\n fun scrollBy(x: Double, y: Double)\n fun getComputedStyle(elt:
Element, pseudoElt: String? = definedExternally): CSSStyleDeclaration\n}\n\n@kotlin.internal.InlineOnly\npublic
inline operator fun Window.get(name: String): dynamic = asDynamic()[name]\n\npublic external abstract class
BarProp {\n open val visible: Boolean\n}\n\n/**\n * Exposes the JavaScript
[History](https://developer.mozilla.org/en/docs/Web/API/History) to Kotlin\n */\n\npublic external abstract class
History {\n open val length: Int\n open var scrollRestoration: ScrollRestoration\n open val state: Any?\n fun
go(delta: Int = definedExternally)\n fun back()\n fun forward()\n fun pushState(data: Any?, title: String, url:
String? = definedExternally)\n fun replaceState(data: Any?, title: String, url: String? =
definedExternally)\n}\n\n/**\n * Exposes the JavaScript
[Location](https://developer.mozilla.org/en/docs/Web/API/Location) to Kotlin\n */\n\npublic external abstract class
Location {\n open var href: String\n open val origin: String\n open var protocol: String\n open var host:
String\n open var hostname: String\n open var port: String\n open var pathname: String\n open var search:
String\n open var hash: String\n open val ancestorOrigins: Array<out String>\n fun assign(url: String)\n fun
replace(url: String)\n fun reload()\n}\n\n/**\n * Exposes the JavaScript
[PopStateEvent](https://developer.mozilla.org/en/docs/Web/API/PopStateEvent) to Kotlin\n */\n\npublic external
open class PopStateEvent(type: String, eventInitDict: PopStateEventInit = definedExternally) : Event {\n open val
state: Any?\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val
AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface PopStateEventInit
: EventInit {\n var state: Any? /* = null */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun PopStateEventInit(state: Any? = null,
bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): PopStateEventInit {\n val o
= js("{}")\n o["state"] = state\n o["bubbles"] = bubbles\n o["cancelable"] = cancelable\n
o["composed"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript
[HashChangeEvent](https://developer.mozilla.org/en/docs/Web/API/HashChangeEvent) to Kotlin\n */\n\npublic
external open class HashChangeEvent(type: String, eventInitDict: HashChangeEventInit = definedExternally) :
Event {\n open val oldURL: String\n open val newURL: String\n\n companion object {\n val NONE:
Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE:
Short\n }\n}\n\npublic external interface HashChangeEventInit : EventInit {\n var oldURL: String? /* = "" */\n
get() = definedExternally\n set(value) = definedExternally\n var newURL: String? /* = "" */\n get() =
definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
HashChangeEventInit(oldURL: String? = "", newURL: String? = "", bubbles: Boolean? = false, cancelable:
Boolean? = false, composed: Boolean? = false): HashChangeEventInit {\n val o = js("{}")\n o["oldURL"] =
oldURL\n o["newURL"] = newURL\n o["bubbles"] = bubbles\n o["cancelable"] = cancelable\n
o["composed"] = composed\n return o\n}\n\n/**\n * Exposes the JavaScript
[PageTransitionEvent](https://developer.mozilla.org/en/docs/Web/API/PageTransitionEvent) to Kotlin\n */\n\npublic

```

```

external open class PageTransitionEvent(type: String, eventInitDict: PageTransitionEventInit = definedExternally) :
Event {
    open val persisted: Boolean
    companion object {
        val NONE: Short
        val CAPTURING_PHASE: Short
        val AT_TARGET: Short
        val BUBBLING_PHASE: Short
    }
}
public external interface PageTransitionEventInit : EventInit {
    var persisted: Boolean? /* = false */
    get() = definedExternally
    set(value) = definedExternally
}
@kotlin.internal.InlineOnly
public inline fun PageTransitionEventInit(persisted: Boolean? = false, bubbles: Boolean? = false, cancelable: Boolean? = false,
composed: Boolean? = false): PageTransitionEventInit {
    val o = js("{}")
    o["persisted"] = persisted
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
    return o
}
/**
 * Exposes the JavaScript
 [BeforeUnloadEvent](https://developer.mozilla.org/en/docs/Web/API/BeforeUnloadEvent) to Kotlin
 */
public external open class BeforeUnloadEvent : Event {
    var returnValue: String
    companion object {
        val NONE: Short
        val CAPTURING_PHASE: Short
        val AT_TARGET: Short
        val BUBBLING_PHASE: Short
    }
}
public external abstract class ApplicationCache : EventTarget {
    open val status: Short
    open var onchecking: ((Event) -> dynamic)?
    open var onerror: ((Event) -> dynamic)?
    open var onnoupdate: ((Event) -> dynamic)?
    open var ondownloading: ((Event) -> dynamic)?
    open var onprogress: ((ProgressEvent) -> dynamic)?
    open var onunupdateready: ((Event) -> dynamic)?
    open var oncached: ((Event) -> dynamic)?
    open var onobsolete: ((Event) -> dynamic)?
    fun update()
    fun abort()
    fun swapCache()
    companion object {
        val UNCACHED: Short
        val IDLE: Short
        val CHECKING: Short
        val DOWNLOADING: Short
        val UPDATEREADY: Short
        val OBSOLETE: Short
    }
}
/**
 * Exposes the JavaScript
 [NavigatorOnLine](https://developer.mozilla.org/en/docs/Web/API/NavigatorOnLine) to Kotlin
 */
public external interface NavigatorOnLine {
    val onLine: Boolean
}
/**
 * Exposes the JavaScript
 [ErrorEvent](https://developer.mozilla.org/en/docs/Web/API/ErrorEvent) to Kotlin
 */
public external open class ErrorEvent(type: String, eventInitDict: ErrorEventInit = definedExternally) : Event {
    open val message: String
    open val filename: String
    open val lineno: Int
    open val colno: Int
    open val error: Any?
    companion object {
        val NONE: Short
        val CAPTURING_PHASE: Short
        val AT_TARGET: Short
        val BUBBLING_PHASE: Short
    }
}
public external interface ErrorEventInit : EventInit {
    var message: String? /* = "" */
    get() = definedExternally
    set(value) = definedExternally
    var filename: String? /* = "" */
    get() = definedExternally
    set(value) = definedExternally
    var lineno: Int? /* = 0 */
    get() = definedExternally
    set(value) = definedExternally
    var colno: Int? /* = 0 */
    get() = definedExternally
    set(value) = definedExternally
    var error: Any? /* = null */
    get() = definedExternally
    set(value) = definedExternally
}
@kotlin.internal.InlineOnly
public inline fun ErrorEventInit(message: String? = "", filename: String? = "", lineno: Int? = 0, colno: Int? = 0, error: Any? = null,
bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ErrorEventInit {
    val o = js("{}")
    o["message"] = message
    o["filename"] = filename
    o["lineno"] = lineno
    o["colno"] = colno
    o["error"] = error
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
    return o
}
/**
 * Exposes the JavaScript
 [PromiseRejectionEvent](https://developer.mozilla.org/en/docs/Web/API/PromiseRejectionEvent) to Kotlin
 */
public external open class PromiseRejectionEvent(type: String, eventInitDict: PromiseRejectionEventInit) :
Event {
    open val promise: Promise<Any?>
    open val reason: Any?
    companion object {
        val NONE: Short
        val CAPTURING_PHASE: Short
        val AT_TARGET: Short
        val BUBBLING_PHASE: Short
    }
}
public external interface PromiseRejectionEventInit : EventInit {
    var promise: Promise<Any?>
    get() = definedExternally
    set(value) = definedExternally
    var reason: Any?
    get() = definedExternally
    set(value) = definedExternally
}
@kotlin.internal.InlineOnly
public inline fun PromiseRejectionEventInit(promise: Promise<Any?>, reason: Any? = undefined, bubbles: Boolean? = false, cancelable: Boolean? = false, composed:
Boolean? = false): PromiseRejectionEventInit {
    val o = js("{}")
    o["promise"] = promise
    o["reason"] = reason
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] =

```

```

composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[GlobalEventHandlers](https://developer.mozilla.org/en/docs/Web/API/GlobalEventHandlers) to Kotlin\n
*\npublic external interface GlobalEventHandlers {\n    var onabort: ((Event) -> dynamic)?\n        get() =
definedExternally\n        set(value) = definedExternally\n    var onblur: ((FocusEvent) -> dynamic)?\n        get() =
definedExternally\n        set(value) = definedExternally\n    var oncancel: ((Event) -> dynamic)?\n        get() =
definedExternally\n        set(value) = definedExternally\n    var oncanplay: ((Event) -> dynamic)?\n        get() =
definedExternally\n        set(value) = definedExternally\n    var oncanplaythrough: ((Event) -> dynamic)?\n        get()
= definedExternally\n        set(value) = definedExternally\n    var onchange: ((Event) -> dynamic)?\n        get() =
definedExternally\n        set(value) = definedExternally\n    var onclick: ((MouseEvent) -> dynamic)?\n        get() =
definedExternally\n        set(value) = definedExternally\n    var onclose: ((Event) -> dynamic)?\n        get() =
definedExternally\n        set(value) = definedExternally\n    var oncontextmenu: ((MouseEvent) -> dynamic)?\n
get() = definedExternally\n        set(value) = definedExternally\n    var oncuechange: ((Event) -> dynamic)?\n
get() = definedExternally\n        set(value) = definedExternally\n    var ondblclick: ((MouseEvent) -> dynamic)?\n
get() = definedExternally\n        set(value) = definedExternally\n    var ondrag: ((DragEvent) -> dynamic)?\n
get() = definedExternally\n        set(value) = definedExternally\n    var ondragend: ((DragEvent) -> dynamic)?\n
get() = definedExternally\n        set(value) = definedExternally\n    var ondragenter: ((DragEvent) -> dynamic)?\n
get() = definedExternally\n        set(value) = definedExternally\n    var ondragexit: ((DragEvent) -> dynamic)?\n
get() = definedExternally\n        set(value) = definedExternally\n    var ondragleave: ((DragEvent) -> dynamic)?\n
get() = definedExternally\n        set(value) = definedExternally\n    var ondragover: ((DragEvent) -> dynamic)?\n
get() = definedExternally\n        set(value) = definedExternally\n    var ondragstart: ((DragEvent) -> dynamic)?\n
get() = definedExternally\n        set(value) = definedExternally\n    var ondrop: ((DragEvent) -> dynamic)?\n
get() = definedExternally\n        set(value) = definedExternally\n    var ondurationchange: ((Event) -> dynamic)?\n
get() = definedExternally\n        set(value) = definedExternally\n    var onemptied: ((Event) -> dynamic)?\n
get() = definedExternally\n        set(value) = definedExternally\n    var onended: ((Event) -> dynamic)?\n        get() =
definedExternally\n        set(value) = definedExternally\n    var onerror: ((dynamic, String, Int, Int, Any?) ->
dynamic)?\n        get() = definedExternally\n        set(value) = definedExternally\n    var onfocus: ((FocusEvent) ->
dynamic)?\n        get() = definedExternally\n        set(value) = definedExternally\n    var oninput: ((InputEvent) ->
dynamic)?\n        get() = definedExternally\n        set(value) = definedExternally\n    var oninvalid: ((Event) ->
dynamic)?\n        get() = definedExternally\n        set(value) = definedExternally\n    var onkeydown:
((KeyboardEvent) -> dynamic)?\n        get() = definedExternally\n        set(value) = definedExternally\n    var
onkeypress: ((KeyboardEvent) -> dynamic)?\n        get() = definedExternally\n        set(value) = definedExternally\n
    var onkeyup: ((KeyboardEvent) -> dynamic)?\n        get() = definedExternally\n        set(value) =
definedExternally\n    var onload: ((Event) -> dynamic)?\n        get() = definedExternally\n        set(value) =
definedExternally\n    var onloadeddata: ((Event) -> dynamic)?\n        get() = definedExternally\n        set(value) =
definedExternally\n    var onloadedmetadata: ((Event) -> dynamic)?\n        get() = definedExternally\n        set(value) =
definedExternally\n    var onloadend: ((Event) -> dynamic)?\n        get() = definedExternally\n        set(value) =
definedExternally\n    var onloadstart: ((ProgressEvent) -> dynamic)?\n        get() = definedExternally\n        set(value) =
definedExternally\n    var onmousedown: ((MouseEvent) -> dynamic)?\n        get() =
definedExternally\n        set(value) = definedExternally\n    var onmouseenter: ((MouseEvent) -> dynamic)?\n
get() = definedExternally\n        set(value) = definedExternally\n    var onmouseleave: ((MouseEvent) ->
dynamic)?\n        get() = definedExternally\n        set(value) = definedExternally\n    var onmousemove:
((MouseEvent) -> dynamic)?\n        get() = definedExternally\n        set(value) = definedExternally\n    var
onmouseout: ((MouseEvent) -> dynamic)?\n        get() = definedExternally\n        set(value) = definedExternally\n
    var onmouseover: ((MouseEvent) -> dynamic)?\n        get() = definedExternally\n        set(value) =
definedExternally\n    var onmouseup: ((MouseEvent) -> dynamic)?\n        get() = definedExternally\n        set(value) =
definedExternally\n    var onwheel: ((WheelEvent) -> dynamic)?\n        get() = definedExternally\n        set(value) =
definedExternally\n    var onpause: ((Event) -> dynamic)?\n        get() = definedExternally\n        set(value) =
definedExternally\n    var onplay: ((Event) -> dynamic)?\n        get() = definedExternally\n

```

```

set(value) = definedExternally\n    var onplaying: ((Event) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onprogress: ((ProgressEvent) -> dynamic)?\n    get() = definedExternally\n
    set(value) = definedExternally\n    var onratechange: ((Event) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onreset: ((Event) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onresize: ((Event) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onscroll: ((Event) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onseeked: ((Event) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onseeking: ((Event) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onselect: ((Event) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onshow: ((Event) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onstalled: ((Event) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onsubmit: ((Event) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onsuspend: ((Event) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var ontimeupdate: ((Event) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var ontoggle: ((Event) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onvolumechange: ((Event) -> dynamic)?\n    get() = definedExternally\n
    set(value) = definedExternally\n    var onwaiting: ((Event) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var ongotpointercapture: ((PointerEvent) -> dynamic)?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var onlostpointercapture: ((PointerEvent) -> dynamic)?\n
    get() = definedExternally\n    set(value) = definedExternally\n    var onpointerdown: ((PointerEvent) ->
dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var onpointermove:
((PointerEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var
onpointerup: ((PointerEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n
var onpointercancel: ((PointerEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var onpointerover: ((PointerEvent) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onpointerout: ((PointerEvent) -> dynamic)?\n    get() = definedExternally\n
    set(value) = definedExternally\n    var onpointerenter: ((PointerEvent) -> dynamic)?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var onpointerleave: ((PointerEvent) -> dynamic)?\n
get() = definedExternally\n    set(value) = definedExternally\n}\n\n**\n * Exposes the JavaScript
[WindowEventHandlers](https://developer.mozilla.org/en/docs/Web/API/WindowEventHandlers) to Kotlin\n
*\npublic external interface WindowEventHandlers {\n    var onafterprint: ((Event) -> dynamic)?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var onbeforeprint: ((Event) -> dynamic)?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var onbeforeunload: ((BeforeUnloadEvent) ->
String)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var onhashchange:
((HashChangeEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var
onlanguagechange: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n
var onmessage: ((MessageEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var onoffline: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var ononline: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var onpagehide: ((PageTransitionEvent) -> dynamic)?\n    get() = definedExternally\n
set(value) = definedExternally\n    var onpageshow: ((PageTransitionEvent) -> dynamic)?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var onpopstate: ((PopStateEvent) -> dynamic)?\n
get() = definedExternally\n    set(value) = definedExternally\n    var onrejectionhandled: ((Event) -> dynamic)?\n
    get() = definedExternally\n    set(value) = definedExternally\n    var onstorage: ((StorageEvent) -> dynamic)?\n
    get() = definedExternally\n    set(value) = definedExternally\n    var onunhandledrejection:
((PromiseRejectionEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n
var onunload: ((Event) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\npublic external interface DocumentAndElementEventHandlers {\n    var oncopy:

```

```

((ClipboardEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var oncut:
((ClipboardEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) = definedExternally\n    var
onpaste: ((ClipboardEvent) -> dynamic)?\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n/**\n * Exposes the JavaScript
[WindowOrWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/WindowOrWorkerGlobalScope)
to Kotlin\n */\n\npublic external interface WindowOrWorkerGlobalScope {\n    val origin: String\n    val caches:
CacheStorage\n    fun btoa(data: String): String\n    fun atob(data: String): String\n    fun setTimeout(handler:
dynamic, timeout: Int = definedExternally, vararg arguments: Any?): Int\n    fun clearTimeout(handle: Int =
definedExternally)\n    fun setInterval(handler: dynamic, timeout: Int = definedExternally, vararg arguments: Any?):
Int\n    fun clearInterval(handle: Int = definedExternally)\n    fun createImageBitmap(image: ImageBitmapSource,
options: ImageBitmapOptions = definedExternally): Promise<ImageBitmap>\n    fun createImageBitmap(image:
ImageBitmapSource, sx: Int, sy: Int, sw: Int, sh: Int, options: ImageBitmapOptions = definedExternally):
Promise<ImageBitmap>\n    fun fetch(input: dynamic, init: RequestInit = definedExternally):
Promise<Response>\n}\n\n/**\n * Exposes the JavaScript
[Navigator](https://developer.mozilla.org/en/docs/Web/API/Navigator) to Kotlin\n */\n\npublic external abstract class
Navigator : NavigatorID, NavigatorLanguage, NavigatorOnLine, NavigatorContentUtils, NavigatorCookies,
NavigatorPlugins, NavigatorConcurrentHardware {\n    open val clipboard: Clipboard\n    open val mediaDevices:
MediaDevices\n    open val maxTouchPoints: Int\n    open val serviceWorker: ServiceWorkerContainer\n    fun
getUserMedia(constraints: MediaStreamConstraints, successCallback: (MediaStream) -> Unit, errorCallback:
(dynamic) -> Unit)\n    fun vibrate(pattern: dynamic): Boolean\n}\n\n/**\n * Exposes the JavaScript
[NavigatorID](https://developer.mozilla.org/en/docs/Web/API/NavigatorID) to Kotlin\n */\n\npublic external interface
NavigatorID {\n    val appCodeName: String\n    val appName: String\n    val appVersion: String\n    val platform:
String\n    val product: String\n    val productSub: String\n    val userAgent: String\n    val vendor: String\n    val
vendorSub: String\n    val oscpu: String\n    fun taintEnabled(): Boolean\n}\n\n/**\n * Exposes the JavaScript
[NavigatorLanguage](https://developer.mozilla.org/en/docs/Web/API/NavigatorLanguage) to Kotlin\n */\n\npublic
external interface NavigatorLanguage {\n    val language: String\n    val languages: Array<out String>\n}\n\npublic
external interface NavigatorContentUtils {\n    fun registerProtocolHandler(scheme: String, url: String, title:
String)\n    fun registerContentHandler(mimeType: String, url: String, title: String)\n    fun
isProtocolHandlerRegistered(scheme: String, url: String): String\n    fun isContentHandlerRegistered(mimeType:
String, url: String): String\n    fun unregisterProtocolHandler(scheme: String, url: String)\n    fun
unregisterContentHandler(mimeType: String, url: String)\n}\n\npublic external interface NavigatorCookies {\n    val
cookieEnabled: Boolean\n}\n\n/**\n * Exposes the JavaScript
[NavigatorPlugins](https://developer.mozilla.org/en/docs/Web/API/NavigatorPlugins) to Kotlin\n */\n\npublic
external interface NavigatorPlugins {\n    val plugins: PluginArray\n    val mimeTypes: MimeTypeError\n    fun
javaEnabled(): Boolean\n}\n\n/**\n * Exposes the JavaScript
[PluginArray](https://developer.mozilla.org/en/docs/Web/API/PluginArray) to Kotlin\n */\n\npublic external abstract
class PluginArray : ItemArrayLike<Plugin> {\n    fun refresh(reload: Boolean = definedExternally)\n    override fun
item(index: Int): Plugin?\n    fun namedItem(name: String): Plugin?\n}\n\n@kotlin.internal.InlineOnly\n\npublic
inline operator fun PluginArray.get(index: Int): Plugin? =
asDynamic()[index]\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun PluginArray.get(name: String):
Plugin? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript
[MimeTypeArray](https://developer.mozilla.org/en/docs/Web/API/MimeTypeArray) to Kotlin\n */\n\npublic external
abstract class MimeTypeArray : ItemArrayLike<MimeType> {\n    override fun item(index: Int): MimeType?\n    fun
namedItem(name: String): MimeType?\n}\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun
MimeTypeArray.get(index: Int): MimeType? = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\n\npublic inline
operator fun MimeTypeArray.get(name: String): MimeType? = asDynamic()[name]\n\n/**\n * Exposes the
JavaScript [Plugin](https://developer.mozilla.org/en/docs/Web/API/Plugin) to Kotlin\n */\n\npublic external abstract
class Plugin : ItemArrayLike<MimeType> {\n    open val name: String\n    open val description: String\n    open val

```

```

filename: String\n    override fun item(index: Int): MimeTypes?\n    fun namedItem(name: String):
MimeTypes?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Plugin.get(index: Int): MimeTypes? =
asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Plugin.get(name: String):
MimeTypes? = asDynamic()[name]\n\n/**\n * Exposes the JavaScript
[MimeType](https://developer.mozilla.org/en/docs/Web/API/MimeType) to Kotlin\n *\npublic external abstract
class MimeType {\n    open val type: String\n    open val description: String\n    open val suffixes: String\n    open
val enabledPlugin: Plugin\n}\n\n/**\n * Exposes the JavaScript
[ImageBitmap](https://developer.mozilla.org/en/docs/Web/API/ImageBitmap) to Kotlin\n *\npublic external
abstract class ImageBitmap : CanvasImageSource, TexImageSource {\n    open val width: Int\n    open val height:
Int\n    fun close()\n}\n\npublic external interface ImageBitmapOptions {\n    var imageOrientation:
ImageOrientation? /* = ImageOrientation.NONE */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var premultiplyAlpha: PremultiplyAlpha? /* = PremultiplyAlpha.DEFAULT */\n        get() =
definedExternally\n        set(value) = definedExternally\n    var colorSpaceConversion: ColorSpaceConversion? /* =
ColorSpaceConversion.DEFAULT */\n        get() = definedExternally\n        set(value) = definedExternally\n    var
resizeWidth: Int?\n        get() = definedExternally\n        set(value) = definedExternally\n    var resizeHeight: Int?\n
        get() = definedExternally\n        set(value) = definedExternally\n    var resizeQuality: ResizeQuality? /* =
ResizeQuality.LOW */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ImageBitmapOptions(imageOrientation:
ImageOrientation? = ImageOrientation.NONE, premultiplyAlpha: PremultiplyAlpha? =
PremultiplyAlpha.DEFAULT, colorSpaceConversion: ColorSpaceConversion? =
ColorSpaceConversion.DEFAULT, resizeWidth: Int? = undefined, resizeHeight: Int? = undefined, resizeQuality:
ResizeQuality? = ResizeQuality.LOW): ImageBitmapOptions {\n    val o = js("{}")\n    o["imageOrientation"]
= imageOrientation\n    o["premultiplyAlpha"] = premultiplyAlpha\n    o["colorSpaceConversion"] =
colorSpaceConversion\n    o["resizeWidth"] = resizeWidth\n    o["resizeHeight"] = resizeHeight\n    o["resizeQuality"]
= resizeQuality\n    return o\n}\n\n/**\n * Exposes the JavaScript
[MessageEvent](https://developer.mozilla.org/en/docs/Web/API/MessageEvent) to Kotlin\n *\npublic external open
class MessageEvent(type: String, eventInitDict: MessageEventInit = definedExternally) : Event {\n    open val data:
Any?\n    open val origin: String\n    open val lastEventId: String\n    open val source:
UnionMessagePortOrWindowProxy?\n    open val ports: Array<out MessagePort>\n    fun initMessageEvent(type:
String, bubbles: Boolean, cancelable: Boolean, data: Any?, origin: String, lastEventId: String, source:
UnionMessagePortOrWindowProxy?, ports: Array<MessagePort>)\n\n    companion object {\n        val NONE:
Short\n        val CAPTURING_PHASE: Short\n        val AT_TARGET: Short\n        val BUBBLING_PHASE:
Short\n    }\n}\n\npublic external interface MessageEventInit : EventInit {\n    var data: Any? /* = null */\n        get()
= definedExternally\n        set(value) = definedExternally\n    var origin: String? /* = "" */\n        get() =
definedExternally\n        set(value) = definedExternally\n    var lastEventId: String? /* = "" */\n        get() =
definedExternally\n        set(value) = definedExternally\n    var source: UnionMessagePortOrWindowProxy? /* =
null */\n        get() = definedExternally\n        set(value) = definedExternally\n    var ports: Array<MessagePort>? /*
= arrayOf() */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MessageEventInit(data: Any? = null, origin:
String? = "", lastEventId: String? = "", source: UnionMessagePortOrWindowProxy? = null, ports:
Array<MessagePort>? = arrayOf(), bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): MessageEventInit {\n    val o = js("{}")\n    o["data"] = data\n    o["origin"] = origin\n    o["lastEventId"]
= lastEventId\n    o["source"] = source\n    o["ports"] = ports\n    o["bubbles"] = bubbles\n    o["cancelable"]
= cancelable\n    o["composed"] = composed\n    return o\n}\n\n/**\n * Exposes the JavaScript
[EventSource](https://developer.mozilla.org/en/docs/Web/API/EventSource) to Kotlin\n *\npublic external open
class EventSource(url: String, eventSourceInitDict: EventSourceInit = definedExternally) : EventTarget {\n    open
val url: String\n    open val withCredentials: Boolean\n    open val readyState: Short\n    var onopen: ((Event) ->
dynamic)?\n    var onmessage: ((MessageEvent) -> dynamic)?\n    var onerror: ((Event) -> dynamic)?\n    fun

```

```

close()\n\n companion object {\n    val CONNECTING: Short\n    val OPEN: Short\n    val CLOSED: Short\n } }\n\npublic external interface EventSourceInit {\n    var withCredentials: Boolean? /* = false */\n    get() = definedExternally\n    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun EventSourceInit(withCredentials: Boolean? = false): EventSourceInit {\n    val o = js("{}")\n    o["withCredentials"] = withCredentials\n    return o\n}\n\n/**\n * Exposes the JavaScript [WebSocket](https://developer.mozilla.org/en/docs/Web/API/WebSocket) to Kotlin\n */\npublic external open class WebSocket(url: String, protocols: dynamic = definedExternally) : EventTarget {\n    open val url: String\n    open val readyState: Short\n    open val bufferedAmount: Number\n    var onopen: ((Event) -> dynamic)?\n    var onerror: ((Event) -> dynamic)?\n    var onclose: ((Event) -> dynamic)?\n    open val extensions: String\n    open val protocol: String\n    var onmessage: ((MessageEvent) -> dynamic)?\n    var binaryType: BinaryType\n    fun close(code: Short = definedExternally, reason: String = definedExternally)\n    fun send(data: String)\n    fun send(data: Blob)\n    fun send(data: ArrayBuffer)\n    fun send(data: ArrayBufferView)\n\n    companion object {\n        val CONNECTING: Short\n        val OPEN: Short\n        val CLOSING: Short\n        val CLOSED: Short\n    }\n\n    /**\n     * Exposes the JavaScript [CloseEvent](https://developer.mozilla.org/en/docs/Web/API/CloseEvent) to Kotlin\n     */\n    public external open class CloseEvent(type: String, eventInitDict: CloseEventInit = definedExternally) : Event {\n        open val wasClean: Boolean\n        open val code: Short\n        open val reason: String\n\n        companion object {\n            val NONE: Short\n            val CAPTURING_PHASE: Short\n            val AT_TARGET: Short\n            val BUBBLING_PHASE: Short\n        }\n    }\n\n    public external interface CloseEventInit : EventInit {\n        var wasClean: Boolean? /* = false */\n        get() = definedExternally\n        set(value) = definedExternally\n        var code: Short? /* = 0 */\n        get() = definedExternally\n        set(value) = definedExternally\n        var reason: String? /* = "" */\n        get() = definedExternally\n        set(value) = definedExternally\n    }\n\n    @kotlin.internal.InlineOnly\n    public inline fun CloseEventInit(wasClean: Boolean? = false, code: Short? = 0, reason: String? = "", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): CloseEventInit {\n        val o = js("{}")\n        o["wasClean"] = wasClean\n        o["code"] = code\n        o["reason"] = reason\n        o["bubbles"] = bubbles\n        o["cancelable"] = cancelable\n        o["composed"] = composed\n        return o\n    }\n\n    /**\n     * Exposes the JavaScript [MessageChannel](https://developer.mozilla.org/en/docs/Web/API/MessageChannel) to Kotlin\n     */\n    public external open class MessageChannel {\n        open val port1: MessagePort\n        open val port2: MessagePort\n    }\n\n    /**\n     * Exposes the JavaScript [MessagePort](https://developer.mozilla.org/en/docs/Web/API/MessagePort) to Kotlin\n     */\n    public external abstract class MessagePort : EventTarget, UnionMessagePortOrWindowProxy, UnionMessagePortOrServiceWorker, UnionClientOrMessagePortOrServiceWorker {\n        open var onmessage: ((MessageEvent) -> dynamic)?\n        fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally)\n        fun start()\n        fun close()\n    }\n\n    /**\n     * Exposes the JavaScript [BroadcastChannel](https://developer.mozilla.org/en/docs/Web/API/BroadcastChannel) to Kotlin\n     */\n    public external open class BroadcastChannel(name: String) : EventTarget {\n        open val name: String\n        var onmessage: ((MessageEvent) -> dynamic)?\n        fun postMessage(message: Any?)\n        fun close()\n    }\n\n    /**\n     * Exposes the JavaScript [WorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/WorkerGlobalScope) to Kotlin\n     */\n    public external abstract class WorkerGlobalScope : EventTarget, WindowOrWorkerGlobalScope, GlobalPerformance {\n        open val self: WorkerGlobalScope\n        open val location: WorkerLocation\n        open val navigator: WorkerNavigator\n        open var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n        open var onlanguagechange: ((Event) -> dynamic)?\n        open var onoffline: ((Event) -> dynamic)?\n        open var online: ((Event) -> dynamic)?\n        open var onrejectionhandled: ((Event) -> dynamic)?\n        open var onunhandledrejection: ((PromiseRejectionEvent) -> dynamic)?\n        fun importScripts(vararg urls: String)\n    }\n\n    /**\n     * Exposes the JavaScript [DedicatedWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/DedicatedWorkerGlobalScope) to Kotlin\n     */\n    public external abstract class DedicatedWorkerGlobalScope : WorkerGlobalScope {\n        open var onmessage: ((MessageEvent) -> dynamic)?\n        fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally)\n        fun close()\n    }\n\n    /**\n     * Exposes the JavaScript [SharedWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/SharedWorkerGlobalScope) to

```


Kotlin\n *^\\npublic external abstract class SharedWorkerGlobalScope : WorkerGlobalScope {\n open val name: String\n open val applicationCache: ApplicationCache\n open var onconnect: ((Event) -> dynamic)?\n fun close()\n}\n\n/**\n * Exposes the JavaScript

[AbstractWorker](https://developer.mozilla.org/en/docs/Web/API/AbstractWorker) to Kotlin\n *^\\npublic external interface AbstractWorker {\n var onerror: ((Event) -> dynamic)?\n get() = definedExternally\n set(value) = definedExternally\n}\n\n/**\n * Exposes the JavaScript

[Worker](https://developer.mozilla.org/en/docs/Web/API/Worker) to Kotlin\n *^\\npublic external open class Worker(scriptURL: String, options: WorkerOptions = definedExternally) : EventTarget, AbstractWorker {\n var onmessage: ((MessageEvent) -> dynamic)?\n override var onerror: ((Event) -> dynamic)?\n fun terminate()\n fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally)\n}\n\npublic external interface WorkerOptions {\n var type: WorkerType? /* = WorkerType.CLASSIC */\n get() = definedExternally\n set(value) = definedExternally\n var credentials: RequestCredentials? /* = RequestCredentials.OMIT */\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun WorkerOptions(type: WorkerType? = WorkerType.CLASSIC, credentials: RequestCredentials? = RequestCredentials.OMIT): WorkerOptions {\n val o = js("{}")\n o["type"] = type\n o["credentials"] = credentials\n return o\n}\n\n/**\n * Exposes the JavaScript

[SharedWorker](https://developer.mozilla.org/en/docs/Web/API/SharedWorker) to Kotlin\n *^\\npublic external open class SharedWorker(scriptURL: String, name: String = definedExternally, options: WorkerOptions = definedExternally) : EventTarget, AbstractWorker {\n open val port: MessagePort\n override var onerror: ((Event) -> dynamic)?\n}\n\n/**\n * Exposes the JavaScript

[NavigatorConcurrentHardware](https://developer.mozilla.org/en/docs/Web/API/NavigatorConcurrentHardware) to Kotlin\n *^\\npublic external interface NavigatorConcurrentHardware {\n val hardwareConcurrency: Number\n}\n\n/**\n * Exposes the JavaScript

[WorkerNavigator](https://developer.mozilla.org/en/docs/Web/API/WorkerNavigator) to Kotlin\n *^\\npublic external abstract class WorkerNavigator : NavigatorID, NavigatorLanguage, NavigatorOnLine, NavigatorConcurrentHardware {\n open val serviceWorker: ServiceWorkerContainer\n}\n\n/**\n * Exposes the JavaScript

[WorkerLocation](https://developer.mozilla.org/en/docs/Web/API/WorkerLocation) to Kotlin\n *^\\npublic external abstract class WorkerLocation {\n open val href: String\n open val origin: String\n open val protocol: String\n open val host: String\n open val hostname: String\n open val port: String\n open val pathname: String\n open val search: String\n open val hash: String\n}\n\n/**\n * Exposes the JavaScript

[Storage](https://developer.mozilla.org/en/docs/Web/API/Storage) to Kotlin\n *^\\npublic external abstract class Storage {\n open val length: Int\n fun key(index: Int): String?\n fun removeItem(key: String)\n fun clear()\n fun getItem(key: String): String?\n fun setItem(key: String, value: String)\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Storage.get(key: String): String? = asDynamic()[key]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Storage.set(key: String, value: String) { asDynamic()[key] = value }\n\n/**\n * Exposes the JavaScript

[WindowSessionStorage](https://developer.mozilla.org/en/docs/Web/API/WindowSessionStorage) to Kotlin\n *^\\npublic external interface WindowSessionStorage {\n val sessionStorage: Storage\n}\n\n/**\n * Exposes the JavaScript

[WindowLocalStorage](https://developer.mozilla.org/en/docs/Web/API/WindowLocalStorage) to Kotlin\n *^\\npublic external interface WindowLocalStorage {\n val localStorage: Storage\n}\n\n/**\n * Exposes the JavaScript

[StorageEvent](https://developer.mozilla.org/en/docs/Web/API/StorageEvent) to Kotlin\n *^\\npublic external open class StorageEvent(type: String, eventInitDict: StorageEventInit = definedExternally) : Event {\n open val key: String?\n open val oldValue: String?\n open val newValue: String?\n open val url: String\n open val storageArea: Storage?\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface StorageEventInit : EventInit {\n var key: String? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n var oldValue: String? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n var newValue: String? /* = null */\n get() = definedExternally\n set(value) = definedExternally\n}

```

definedExternally\n    var url: String? /* = \"\" */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var storageArea: Storage? /* = null */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun StorageEventInit(key: String? = null,
oldValue: String? = null, newValue: String? = null, url: String? = \"\", storageArea: Storage? = null, bubbles:
Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): StorageEventInit {\n    val o =
js(\"({})\")\n    o[\"key\"] = key\n    o[\"oldValue\"] = oldValue\n    o[\"newValue\"] = newValue\n    o[\"url\"] =
url\n    o[\"storageArea\"] = storageArea\n    o[\"bubbles\"] = bubbles\n    o[\"cancelable\"] = cancelable\n
o[\"composed\"] = composed\n    return o\n}\n\npublic external abstract class HTMLAppletElement :
HTMLElement {\n    open var align: String\n    open var alt: String\n    open var archive: String\n    open var code:
String\n    open var codeBase: String\n    open var height: String\n    open var hspace: Int\n    open var name:
String\n    open var _object: String\n    open var vspace: Int\n    open var width: String\n\n    companion object {\n
        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLMarqueeElement](https://developer.mozilla.org/en/docs/Web/API/HTMLMarqueeElement) to Kotlin\n
*/\n\npublic external abstract class HTMLMarqueeElement : HTMLElement {\n    open var behavior: String\n    open
var bgColor: String\n    open var direction: String\n    open var height: String\n    open var hspace: Int\n    open var
loop: Int\n    open var scrollAmount: Int\n    open var scrollDelay: Int\n    open var trueSpeed: Boolean\n    open var
vspace: Int\n    open var width: String\n    open var onbounce: ((Event) -> dynamic)?\n    open var onfinish: ((Event)
-> dynamic)?\n    open var onstart: ((Event) -> dynamic)?\n    fun start()\n    fun stop()\n\n    companion object {\n
        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[HTMLFrameSetElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFrameSetElement) to Kotlin\n
*/\n\npublic external abstract class HTMLFrameSetElement : HTMLElement, WindowEventHandlers {\n    open var
cols: String\n    open var rows: String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external abstract class
HTMLFrameElement : HTMLElement {\n    open var name: String\n    open var scrolling: String\n    open var src:

```

```

String\n open var frameBorder: String\n open var longDesc: String\n open var noResize: Boolean\n open val
contentDocument: Document?\n open val contentWindow: Window?\n open var marginHeight: String\n open
var marginWidth: String\n\n companion object {\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external abstract class
HTMLDirectoryElement : HTMLElement {\n open var compact: Boolean\n\n companion object {\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[HTMLFontElement](https://developer.mozilla.org/en/docs/Web/API/HTMLFontElement) to Kotlin\n *\npublic
external abstract class HTMLFontElement : HTMLElement {\n open var color: String\n open var face: String\n
open var size: String\n\n companion object {\n val ELEMENT_NODE: Short\n val
ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val
ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val
PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\npublic external interface External
{\n fun AddSearchProvider()\n fun IsSearchProviderInstalled()\n}\n\npublic external interface EventInit {\n
var bubbles: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var
cancelable: Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var
composed: Boolean? /* = false */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun EventInit(bubbles: Boolean? = false,
cancelable: Boolean? = false, composed: Boolean? = false): EventInit {\n val o = js("{}")\n o["bubbles"] =
bubbles\n o["cancelable"] = cancelable\n o["composed"] = composed\n return o\n}\n\n/**\n * Exposes the
JavaScript [CustomEvent](https://developer.mozilla.org/en/docs/Web/API/CustomEvent) to Kotlin\n *\npublic
external open class CustomEvent(type: String, eventInitDict: CustomEventInit = definedExternally) : Event {\n
open val detail: Any?\n fun initCustomEvent(type: String, bubbles: Boolean, cancelable: Boolean, detail:
Any?)\n\n companion object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val
AT_TARGET: Short\n val BUBBLING_PHASE: Short\n }\n}\n\npublic external interface CustomEventInit :
EventInit {\n var detail: Any? /* = null */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun CustomEventInit(detail: Any? = null,

```

```

bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): CustomEventInit {
    val o = js("{}")
    o["detail"] = detail
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
    return o
}

public external interface EventListenerOptions {
    var capture: Boolean? /* = false */
    get() = definedExternally
    set(value) = definedExternally
}

@kotlin.internal.InlineOnly
public inline fun EventListenerOptions(capture: Boolean? = false): EventListenerOptions {
    val o = js("{}")
    o["capture"] = capture
    return o
}

public external interface AddEventListenerOptions : EventListenerOptions {
    var passive: Boolean? /* = false */
    get() = definedExternally
    set(value) = definedExternally
    var once: Boolean? /* = false */
    get() = definedExternally
    set(value) = definedExternally
}

@kotlin.internal.InlineOnly
public inline fun AddEventListenerOptions(passive: Boolean? = false, once: Boolean? = false, capture: Boolean? = false): AddEventListenerOptions {
    val o = js("{}")
    o["passive"] = passive
    o["once"] = once
    o["capture"] = capture
    return o
}

public external interface NonElementParentNode {
    fun getElementById(elementId: String): Element?
}

/* Exposes the JavaScript [DocumentOrShadowRoot](https://developer.mozilla.org/en/docs/Web/API/DocumentOrShadowRoot) to Kotlin */
public external interface DocumentOrShadowRoot {
    val fullscreenElement: Element?
    get() = definedExternally
}

/* Exposes the JavaScript [ParentNode](https://developer.mozilla.org/en/docs/Web/API/ParentNode) to Kotlin */
public external interface ParentNode {
    val children: HTMLCollection
    val firstElementChild: Element?
    get() = definedExternally
    val lastElementChild: Element?
    get() = definedExternally
    val childElementCount: Int
    fun prepend(vararg nodes: dynamic)
    fun append(vararg nodes: dynamic)
    fun querySelector(selectors: String): Element?
    fun querySelectorAll(selectors: String): NodeList
}

/* Exposes the JavaScript [NonDocumentTypeChildNode](https://developer.mozilla.org/en/docs/Web/API/NonDocumentTypeChildNode) to Kotlin */
public external interface NonDocumentTypeChildNode {
    val previousElementSibling: Element?
    get() = definedExternally
    val nextElementSibling: Element?
    get() = definedExternally
}

/* Exposes the JavaScript [ChildNode](https://developer.mozilla.org/en/docs/Web/API/ChildNode) to Kotlin */
public external interface ChildNode {
    fun before(vararg nodes: dynamic)
    fun after(vararg nodes: dynamic)
    fun replaceWith(vararg nodes: dynamic)
    fun remove()
}

/* Exposes the JavaScript [Slotable](https://developer.mozilla.org/en/docs/Web/API/Slotable) to Kotlin */
public external interface Slotable {
    val assignedSlot: HTMLSlotElement?
    get() = definedExternally
}

/* Exposes the JavaScript [NodeList](https://developer.mozilla.org/en/docs/Web/API/NodeList) to Kotlin */
public external abstract class NodeList : ItemArrayLike<Node> {
    override fun item(index: Int): Node?
}

@kotlin.internal.InlineOnly
public inline operator fun NodeList.get(index: Int): Node? = asDynamic()[index]

/* Exposes the JavaScript [HTMLCollection](https://developer.mozilla.org/en/docs/Web/API/HTMLCollection) to Kotlin */
public external abstract class HTMLCollection : ItemArrayLike<Element>, UnionElementOrHTMLCollection {
    override fun item(index: Int): Element?
    fun namedItem(name: String): Element?
}

@kotlin.internal.InlineOnly
public inline operator fun HTMLCollection.get(index: Int): Element? = asDynamic()[index]

@kotlin.internal.InlineOnly
public inline operator fun HTMLCollection.get(name: String): Element? = asDynamic()[name]

/* Exposes the JavaScript [MutationObserver](https://developer.mozilla.org/en/docs/Web/API/MutationObserver) to Kotlin */
public external open class MutationObserver(callback: (Array<MutationRecord>, MutationObserver) -> Unit) {
    fun observe(target: Node, options: MutationObserverInit = definedExternally)
    fun disconnect()
    fun takeRecords(): Array<MutationRecord>
}

/* Exposes the JavaScript [MutationObserverInit](https://developer.mozilla.org/en/docs/Web/API/MutationObserverInit) to Kotlin */
public external interface MutationObserverInit {
    var childList: Boolean? /* = false */
    get() = definedExternally
    set(value) = definedExternally
    var attributes: Boolean?
    get() = definedExternally
    set(value) = definedExternally
    var characterData: Boolean?
    get() = definedExternally
    set(value) = definedExternally
    var subtree: Boolean? /* = false */
    get() =

```

```

definedExternally\n    set(value) = definedExternally\n    var attributeOldValue: Boolean?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var characterDataOldValue: Boolean?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var attributeFilter: Array<String>?\n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
MutationObserverInit(childList: Boolean? = false, attributes: Boolean? = undefined, characterData: Boolean? =
undefined, subtree: Boolean? = false, attributeOldValue: Boolean? = undefined, characterDataOldValue: Boolean? =
undefined, attributeFilter: Array<String>? = undefined): MutationObserverInit {\n    val o = js("{}")\n
o["childList"] = childList\n    o["attributes"] = attributes\n    o["characterData"] = characterData\n
o["subtree"] = subtree\n    o["attributeOldValue"] = attributeOldValue\n    o["characterDataOldValue"] =
characterDataOldValue\n    o["attributeFilter"] = attributeFilter\n    return o\n}\n\n/**\n * Exposes the JavaScript
[MutationRecord](https://developer.mozilla.org/en/docs/Web/API/MutationRecord) to Kotlin\n */\npublic external
abstract class MutationRecord {\n    open val type: String\n    open val target: Node\n    open val addedNodes:
NodeList\n    open val removedNodes: NodeList\n    open val previousSibling: Node?\n    open val nextSibling:
Node?\n    open val attributeName: String?\n    open val attributeNamespace: String?\n    open val oldValue:
String?\n}\n\n/**\n * Exposes the JavaScript [Node](https://developer.mozilla.org/en/docs/Web/API/Node) to
Kotlin\n */\npublic external abstract class Node : EventTarget {\n    open val nodeType: Short\n    open val
nodeName: String\n    open val baseURI: String\n    open val isConnected: Boolean\n    open val ownerDocument:
Document?\n    open val parentNode: Node?\n    open val parentElement: Element?\n    open val childNodes:
NodeList\n    open val firstChild: Node?\n    open val lastChild: Node?\n    open val previousSibling: Node?\n
open val nextSibling: Node?\n    open var nodeValue: String?\n    open var textContent: String?\n    fun
getRootNode(options: GetRootNodeOptions = definedExternally): Node\n    fun hasChildNodes(): Boolean\n    fun
normalize()\n    fun cloneNode(deep: Boolean = definedExternally): Node\n    fun isEqualNode(otherNode: Node?):
Boolean\n    fun isSameNode(otherNode: Node?): Boolean\n    fun compareDocumentPosition(other: Node): Short\n
    fun contains(other: Node?): Boolean\n    fun lookupPrefix(namespace: String?): String?\n    fun
lookupNamespaceURI(prefix: String?): String?\n    fun isDefaultNamespace(namespace: String?): Boolean\n    fun
insertBefore(node: Node, child: Node?): Node\n    fun appendChild(node: Node): Node\n    fun replaceChild(node:
Node, child: Node): Node\n    fun removeChild(child: Node): Node\n\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external interface
GetRootNodeOptions {\n    var composed: Boolean? /* = false */\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun GetRootNodeOptions(composed: Boolean?
= false): GetRootNodeOptions {\n    val o = js("{}")\n    o["composed"] = composed\n    return o\n}\n\n/**\n *
Exposes the JavaScript [Document](https://developer.mozilla.org/en/docs/Web/API/Document) to Kotlin\n */\n
public external open class Document : Node, GlobalEventHandlers, DocumentAndElementEventHandlers,
NonElementParentNode, DocumentOrShadowRoot, ParentNode, GeometryUtils {\n    open val implementation:
DOMImplementation\n    open val URL: String\n    open val documentURI: String\n    open val origin: String\n
open val compatMode: String\n    open val characterSet: String\n    open val charset: String\n    open val
inputEncoding: String\n    open val contentType: String\n    open val doctype: DocumentType?\n    open val
documentElement: Element?\n    open val location: Location?\n    var domain: String\n    open val referrer: String\n
var cookie: String\n    open val lastModified: String\n    open val readyState: DocumentReadyState\n    var title:
String\n    var dir: String\n    var body: HTMLElement?\n    open val head: HTMLHeadElement?\n    open val

```

images: HTMLCollection\n open val embeds: HTMLCollection\n open val plugins: HTMLCollection\n open
 val links: HTMLCollection\n open val forms: HTMLCollection\n open val scripts: HTMLCollection\n open
 val currentScript: HTMLOrSVGScriptElement?\n open val defaultView: Window?\n open val activeElement:
 Element?\n var designMode: String\n var onreadystatechange: ((Event) -> dynamic)?\n var fgColor: String\n
 var linkColor: String\n var vlinkColor: String\n var alinkColor: String\n var bgColor: String\n open val
 anchors: HTMLCollection\n open val applets: HTMLCollection\n open val all: HTMLAllCollection\n open
 val scrollingElement: Element?\n open val styleSheets: StyleSheetList\n open val rootElement:
 SVGSVGElement?\n open val fullscreenEnabled: Boolean\n open val fullscreen: Boolean\n var
 onfullscreenchange: ((Event) -> dynamic)?\n var onfullscreenerror: ((Event) -> dynamic)?\n override var
 onabort: ((Event) -> dynamic)?\n override var onblur: ((FocusEvent) -> dynamic)?\n override var onCancel:
 ((Event) -> dynamic)?\n override var oncanplay: ((Event) -> dynamic)?\n override var oncanplaythrough:
 ((Event) -> dynamic)?\n override var onchange: ((Event) -> dynamic)?\n override var onclick: ((MouseEvent) ->
 dynamic)?\n override var onclose: ((Event) -> dynamic)?\n override var oncontextmenu: ((MouseEvent) ->
 dynamic)?\n override var oncuechange: ((Event) -> dynamic)?\n override var ondblclick: ((MouseEvent) ->
 dynamic)?\n override var ondrag: ((DragEvent) -> dynamic)?\n override var ondragend: ((DragEvent) ->
 dynamic)?\n override var ondragenter: ((DragEvent) -> dynamic)?\n override var ondragexit: ((DragEvent) ->
 dynamic)?\n override var ondragleave: ((DragEvent) -> dynamic)?\n override var ondragover: ((DragEvent) ->
 dynamic)?\n override var ondragstart: ((DragEvent) -> dynamic)?\n override var ondrop: ((DragEvent) ->
 dynamic)?\n override var ondurationchange: ((Event) -> dynamic)?\n override var onemptied: ((Event) ->
 dynamic)?\n override var onended: ((Event) -> dynamic)?\n override var onerror: ((dynamic, String, Int, Int,
 Any?) -> dynamic)?\n override var onfocus: ((FocusEvent) -> dynamic)?\n override var oninput: ((InputEvent) -
 > dynamic)?\n override var oninvalid: ((Event) -> dynamic)?\n override var onkeydown: ((KeyboardEvent) ->
 dynamic)?\n override var onkeypress: ((KeyboardEvent) -> dynamic)?\n override var onkeyup:
 ((KeyboardEvent) -> dynamic)?\n override var onload: ((Event) -> dynamic)?\n override var onloadeddata:
 ((Event) -> dynamic)?\n override var onloadedmetadata: ((Event) -> dynamic)?\n override var onloadend:
 ((Event) -> dynamic)?\n override var onloadstart: ((ProgressEvent) -> dynamic)?\n override var onmousedown:
 ((MouseEvent) -> dynamic)?\n override var onmouseenter: ((MouseEvent) -> dynamic)?\n override var
 onmouseleave: ((MouseEvent) -> dynamic)?\n override var onmousemove: ((MouseEvent) -> dynamic)?\n
 override var onmouseout: ((MouseEvent) -> dynamic)?\n override var onmouseover: ((MouseEvent) ->
 dynamic)?\n override var onmouseup: ((MouseEvent) -> dynamic)?\n override var onwheel: ((WheelEvent) ->
 dynamic)?\n override var onpause: ((Event) -> dynamic)?\n override var onplay: ((Event) -> dynamic)?\n
 override var onplaying: ((Event) -> dynamic)?\n override var onprogress: ((ProgressEvent) -> dynamic)?\n
 override var onratechange: ((Event) -> dynamic)?\n override var onreset: ((Event) -> dynamic)?\n override var
 onresize: ((Event) -> dynamic)?\n override var onscroll: ((Event) -> dynamic)?\n override var onseeked:
 ((Event) -> dynamic)?\n override var onseeking: ((Event) -> dynamic)?\n override var onselect: ((Event) ->
 dynamic)?\n override var onshow: ((Event) -> dynamic)?\n override var onstalled: ((Event) -> dynamic)?\n
 override var onsubmit: ((Event) -> dynamic)?\n override var onsuspend: ((Event) -> dynamic)?\n override var
 ontimeupdate: ((Event) -> dynamic)?\n override var ontoggle: ((Event) -> dynamic)?\n override var
 onvolumechange: ((Event) -> dynamic)?\n override var onwaiting: ((Event) -> dynamic)?\n override var
 ongotpointercapture: ((PointerEvent) -> dynamic)?\n override var onlostpointercapture: ((PointerEvent) ->
 dynamic)?\n override var onpointerdown: ((PointerEvent) -> dynamic)?\n override var onpointermove:
 ((PointerEvent) -> dynamic)?\n override var onpointerup: ((PointerEvent) -> dynamic)?\n override var
 onpointercancel: ((PointerEvent) -> dynamic)?\n override var onpointerover: ((PointerEvent) -> dynamic)?\n
 override var onpointerout: ((PointerEvent) -> dynamic)?\n override var onpointerenter: ((PointerEvent) ->
 dynamic)?\n override var onpointerleave: ((PointerEvent) -> dynamic)?\n override var oncopy:
 ((ClipboardEvent) -> dynamic)?\n override var oncut: ((ClipboardEvent) -> dynamic)?\n override var onpaste:
 ((ClipboardEvent) -> dynamic)?\n override val fullscreenElement: Element?\n override val children:
 HTMLCollection\n override val firstElementChild: Element?\n override val lastElementChild: Element?\n

```

override val childElementCount: Int\n fun getElementsByTagName(qualifiedName: String): HTMLCollection\n
fun getElementsByTagNameNS(namespace: String?, localName: String): HTMLCollection\n fun
getElementsByTagName(className: String): HTMLCollection\n fun createElement(localName: String,
options: ElementCreationOptions = definedExternally): Element\n fun createElementNS(namespace: String?,
qualifiedName: String, options: ElementCreationOptions = definedExternally): Element\n fun
createDocumentFragment(): DocumentFragment\n fun createTextNode(data: String): Text\n fun
createCDATASection(data: String): CDATASection\n fun createComment(data: String): Comment\n fun
createProcessingInstruction(target: String, data: String): ProcessingInstruction\n fun importNode(node: Node,
deep: Boolean = definedExternally): Node\n fun adoptNode(node: Node): Node\n fun
createAttribute(localName: String): Attr\n fun createAttributeNS(namespace: String?, qualifiedName: String):
Attr\n fun createEvent(`interface`: String): Event\n fun createRange(): Range\n fun createNodeIterator(root:
Node, whatToShow: Int = definedExternally, filter: NodeFilter? = definedExternally): NodeIterator\n fun
createNodeIterator(root: Node, whatToShow: Int = definedExternally, filter: ((Node) -> Short)? =
definedExternally): NodeIterator\n fun createTreeWalker(root: Node, whatToShow: Int = definedExternally, filter:
NodeFilter? = definedExternally): TreeWalker\n fun createTreeWalker(root: Node, whatToShow: Int =
definedExternally, filter: ((Node) -> Short)? = definedExternally): TreeWalker\n fun
getElementsByTagName(elementName: String): NodeList\n fun open(type: String = definedExternally, replace:
String = definedExternally): Document\n fun open(url: String, name: String, features: String): Window\n fun
close()\n fun write(vararg text: String)\n fun writeln(vararg text: String)\n fun hasFocus(): Boolean\n fun
execCommand(commandId: String, showUI: Boolean = definedExternally, value: String = definedExternally):
Boolean\n fun queryCommandEnabled(commandId: String): Boolean\n fun
queryCommandIndeterm(commandId: String): Boolean\n fun queryCommandState(commandId: String):
Boolean\n fun queryCommandSupported(commandId: String): Boolean\n fun
queryCommandValue(commandId: String): String\n fun clear()\n fun captureEvents()\n fun releaseEvents()\n
fun elementFromPoint(x: Double, y: Double): Element?\n fun elementsFromPoint(x: Double, y: Double):
Array<Element>\n fun caretPositionFromPoint(x: Double, y: Double): CaretPosition?\n fun createTouch(view:
Window, target: EventTarget, identifier: Int, pageX: Int, pageY: Int, screenX: Int, screenY: Int): Touch\n fun
createTouchList(vararg touches: Touch): TouchList\n fun exitFullscreen(): Promise<Unit>\n override fun
getElementById(elementId: String): Element?\n override fun prepend(vararg nodes: dynamic)\n override fun
append(vararg nodes: dynamic)\n override fun querySelector(selectors: String): Element?\n override fun
querySelectorAll(selectors: String): NodeList\n override fun getBoxQuads(options: BoxQuadOptions /* =
definedExternally */): Array<DOMQuad>\n override fun convertQuadFromNode(quad: dynamic, from: dynamic,
options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n override fun
convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMQuad\n override fun convertPointFromNode(point: DOMPointInit, from: dynamic,
options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n\n companion object {\n val
ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n
}\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Document.get(name: String): dynamic =
asDynamic()[name]\n\n/**\n * Exposes the JavaScript
[XMLDocument](https://developer.mozilla.org/en/docs/Web/API/XMLDocument) to Kotlin\n */\npublic external

```

```

open class XMLDocument : Document {
    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
    }
}

public external interface
ElementCreationOptions {
    var `is`: String?
    get() = definedExternally
    set(value) =
definedExternally
}

@kotlin.internal.InlineOnly
public inline fun ElementCreationOptions(`is`: String? =
undefined): ElementCreationOptions {
    val o = js("{}")
    o["is"] = `is`
    return o
}

/**
 * Exposes the JavaScript [DOMImplementation](https://developer.mozilla.org/en/docs/Web/API/DOMImplementation) to
Kotlin
 */
public external abstract class DOMImplementation {
    fun createDocumentType(qualifiedName:
String, publicId: String, systemId: String): DocumentType
    fun createDocument(namespace: String?,
qualifiedName: String, doctype: DocumentType? = definedExternally): XMLDocument
    fun
createHTMLDocument(title: String = definedExternally): Document
    fun hasFeature(): Boolean
}

/**
 * Exposes the JavaScript [DocumentType](https://developer.mozilla.org/en/docs/Web/API/DocumentType) to
Kotlin
 */
public external abstract class DocumentType : Node, ChildNode {
    open val name: String
    open
val publicId: String
    open val systemId: String

    companion object {
        val ELEMENT_NODE: Short
        val ATTRIBUTE_NODE: Short
        val TEXT_NODE: Short
        val CDATA_SECTION_NODE: Short
        val ENTITY_REFERENCE_NODE: Short
        val ENTITY_NODE: Short
        val PROCESSING_INSTRUCTION_NODE: Short
        val COMMENT_NODE: Short
        val DOCUMENT_NODE: Short
        val DOCUMENT_TYPE_NODE: Short
        val DOCUMENT_FRAGMENT_NODE: Short
        val NOTATION_NODE: Short
        val DOCUMENT_POSITION_DISCONNECTED: Short
        val DOCUMENT_POSITION_PRECEDING: Short
        val DOCUMENT_POSITION_FOLLOWING: Short
        val DOCUMENT_POSITION_CONTAINS: Short
        val DOCUMENT_POSITION_CONTAINED_BY: Short
        val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
    }
}

/**
 * Exposes the JavaScript
[DocumentFragment](https://developer.mozilla.org/en/docs/Web/API/DocumentFragment) to Kotlin
 */
public external open class DocumentFragment : Node, NonElementParentNode, ParentNode {
    override val children:
HTMLCollection
    override val firstElementChild: Element?
    override val lastElementChild: Element?
    override val
childElementCount: Int
    override fun getElementById(elementId: String): Element?
    override fun
prepend(vararg nodes: dynamic)
    override fun append(vararg nodes: dynamic)
    override fun
querySelector(selectors: String): Element?
    override fun querySelectorAll(selectors: String): NodeList
}

companion object {
    val ELEMENT_NODE: Short
    val ATTRIBUTE_NODE: Short
    val TEXT_NODE: Short
    val CDATA_SECTION_NODE: Short
    val ENTITY_REFERENCE_NODE:
Short
    val ENTITY_NODE: Short
    val PROCESSING_INSTRUCTION_NODE: Short
    val COMMENT_NODE: Short
    val DOCUMENT_NODE: Short
    val DOCUMENT_TYPE_NODE: Short
    val DOCUMENT_FRAGMENT_NODE: Short
    val NOTATION_NODE: Short
    val DOCUMENT_POSITION_DISCONNECTED: Short
    val DOCUMENT_POSITION_PRECEDING: Short
    val DOCUMENT_POSITION_FOLLOWING: Short
    val DOCUMENT_POSITION_CONTAINS: Short
    val DOCUMENT_POSITION_CONTAINED_BY: Short
    val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short
}

/**
 * Exposes the JavaScript
[ShadowRoot](https://developer.mozilla.org/en/docs/Web/API/ShadowRoot) to Kotlin
 */
public external open
class ShadowRoot : DocumentFragment, DocumentOrShadowRoot {
    open val mode: ShadowRootMode
    open
val host: Element
    override val fullscreenElement: Element?
}

companion object {
    val

```



```

ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}n\n/**\n * Exposes the JavaScript
[Element](https://developer.mozilla.org/en/docs/Web/API/Element) to Kotlin\n *\npublic external abstract class
Element : Node, ParentNode, NonDocumentTypeChildNode, ChildNode, Slotable, GeometryUtils,
UnionElementOrHTMLCollection, UnionElementOrRadioNodeList, UnionElementOrMouseEvent,
UnionElementOrProcessingInstruction {\n    open val namespaceURI: String?\n    open val prefix: String?\n    open
val localName: String\n    open val tagName: String\n    open var id: String\n    open var className: String\n    open
val classList: DOMTokenList\n    open var slot: String\n    open val attributes: NamedNodeMap\n    open val
shadowRoot: ShadowRoot?\n    open var scrollTop: Double\n    open var scrollLeft: Double\n    open val
scrollWidth: Int\n    open val scrollHeight: Int\n    open val clientTop: Int\n    open val clientLeft: Int\n    open val
clientWidth: Int\n    open val clientHeight: Int\n    open var innerHTML: String\n    open var outerHTML: String\n
fun hasAttributes(): Boolean\n    fun getAttributeNames(): Array<String>\n    fun getAttribute(qualifiedName:
String): String?\n    fun getAttributeNS(namespace: String?, localName: String): String?\n    fun
setAttribute(qualifiedName: String, value: String)\n    fun setAttributeNS(namespace: String?, qualifiedName:
String, value: String)\n    fun removeAttribute(qualifiedName: String)\n    fun removeAttributeNS(namespace:
String?, localName: String)\n    fun hasAttribute(qualifiedName: String): Boolean\n    fun
hasAttributeNS(namespace: String?, localName: String): Boolean\n    fun getAttributeNode(qualifiedName: String):
Attr?\n    fun getAttributeNodeNS(namespace: String?, localName: String): Attr?\n    fun setAttributeNode(attr:
Attr): Attr?\n    fun setAttributeNodeNS(attr: Attr): Attr?\n    fun removeAttributeNode(attr: Attr): Attr\n    fun
attachShadow(init: ShadowRootInit): ShadowRoot\n    fun closest(selectors: String): Element?\n    fun
matches(selectors: String): Boolean\n    fun webkitMatchesSelector(selectors: String): Boolean\n    fun
getElementsByTagName(qualifiedName: String): HTMLCollection\n    fun
getElementsByTagNameNS(namespace: String?, localName: String): HTMLCollection\n    fun
getElementsByClassName(classNames: String): HTMLCollection\n    fun insertAdjacentElement(where: String,
element: Element): Element?\n    fun insertAdjacentText(where: String, data: String)\n    fun getClientRects():
Array<DOMRect>\n    fun getBoundingClientRect(): DOMRect\n    fun scrollIntoView()\n    fun
scrollIntoView(arg: dynamic)\n    fun scroll(options: ScrollToOptions = definedExternally)\n    fun scroll(x: Double,
y: Double)\n    fun scrollTo(options: ScrollToOptions = definedExternally)\n    fun scrollTo(x: Double, y: Double)\n
    fun scrollBy(options: ScrollToOptions = definedExternally)\n    fun scrollBy(x: Double, y: Double)\n    fun
insertAdjacentHTML(position: String, text: String)\n    fun setPointerCapture(pointerId: Int)\n    fun
releasePointerCapture(pointerId: Int)\n    fun hasPointerCapture(pointerId: Int): Boolean\n    fun requestFullscreen():
Promise<Unit>\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE:
Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}n\npublic external interface

```

```

ShadowRootInit {\n  var mode: ShadowRootMode?\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ShadowRootInit(mode:
ShadowRootMode?): ShadowRootInit {\n  val o = js("{}")\n  o["mode"] = mode\n  return o\n}\n\n/*\n * Exposes the JavaScript [NamedNodeMap](https://developer.mozilla.org/en/docs/Web/API/NamedNodeMap) to
Kotlin\n *\npublic external abstract class NamedNodeMap : ItemArrayLike<Attr> {\n  fun
getNamedItemNS(namespace: String?, localName: String): Attr?\n  fun setNamedItem(attr: Attr): Attr?\n  fun
setNamedItemNS(attr: Attr): Attr?\n  fun removeNamedItem(qualifiedName: String): Attr\n  fun
removeNamedItemNS(namespace: String?, localName: String): Attr\n  override fun item(index: Int): Attr?\n  fun
getNamedItem(qualifiedName: String): Attr?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun
NamedNodeMap.get(index: Int): Attr? = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator
fun NamedNodeMap.get(qualifiedName: String): Attr? = asDynamic()[qualifiedName]\n\n/*\n * Exposes the
JavaScript [Attr](https://developer.mozilla.org/en/docs/Web/API/Attr) to Kotlin\n *\npublic external abstract class
Attr : Node {\n  open val namespaceURI: String?\n  open val prefix: String?\n  open val localName: String\n
open val name: String\n  open var value: String\n  open val ownerElement: Element?\n  open val specified:
Boolean\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n
val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE:
Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val
COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n
val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\n/*\n * Exposes the JavaScript
[CharacterData](https://developer.mozilla.org/en/docs/Web/API/CharacterData) to Kotlin\n *\npublic external
abstract class CharacterData : Node, NonDocumentTypeChildNode, ChildNode {\n  open var data: String\n  open
val length: Int\n  fun substringData(offset: Int, count: Int): String\n  fun appendData(data: String)\n  fun
insertData(offset: Int, data: String)\n  fun deleteData(offset: Int, count: Int)\n  fun replaceData(offset: Int, count:
Int, data: String)\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE:
Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\n/*\n * Exposes the JavaScript
[Text](https://developer.mozilla.org/en/docs/Web/API/Text) to Kotlin\n *\npublic external open class Text(data:
String = definedExternally) : CharacterData, Slotable, GeometryUtils {\n  open val wholeText: String\n  override
val assignedSlot: HTMLSlotElement?\n  override val previousElementSibling: Element?\n  override val
nextElementSibling: Element?\n  fun splitText(offset: Int): Text\n  override fun getBoxQuads(options:
BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n  override fun convertQuadFromNode(quad:
dynamic, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n  override
fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMQuad\n  override fun convertPointFromNode(point: DOMPointInit, from: dynamic,
options: ConvertCoordinateOptions /* = definedExternally */): DOMPoint\n  override fun before(vararg nodes:
dynamic)\n  override fun after(vararg nodes: dynamic)\n  override fun replaceWith(vararg nodes: dynamic)\n
override fun remove()\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val

```

```

ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[CDATASection](https://developer.mozilla.org/en/docs/Web/API/CDATASection) to Kotlin \n * \n public external
open class CDATASection : Text { \n    companion object { \n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n        } \n} \n \n /** \n * Exposes the JavaScript
[ProcessingInstruction](https://developer.mozilla.org/en/docs/Web/API/ProcessingInstruction) to Kotlin \n
* \n public external abstract class ProcessingInstruction : CharacterData, LinkStyle,
UnionElementOrProcessingInstruction { \n    open val target: String \n \n    companion object { \n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n        } \n} \n \n /** \n * Exposes the JavaScript
[Comment](https://developer.mozilla.org/en/docs/Web/API/Comment) to Kotlin \n * \n public external open class
Comment(data: String = definedExternally) : CharacterData { \n    override val previousElementSibling: Element? \n
    override val nextElementSibling: Element? \n    override fun before(vararg nodes: dynamic) \n    override fun
after(vararg nodes: dynamic) \n    override fun replaceWith(vararg nodes: dynamic) \n    override fun remove() \n \n
companion object { \n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val
TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE:
Short\n        val ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val
COMMENT_NODE: Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n
        val DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n        } \n} \n \n /** \n * Exposes the JavaScript
[Range](https://developer.mozilla.org/en/docs/Web/API/Range) to Kotlin \n * \n public external open class Range { \n
    open val startContainer: Node \n    open val startOffset: Int \n    open val endContainer: Node \n    open val
endOffset: Int \n    open val collapsed: Boolean \n    open val commonAncestorContainer: Node \n    fun setStart(node:

```

```

Node, offset: Int)\n fun setEnd(node: Node, offset: Int)\n fun setStartBefore(node: Node)\n fun
setStartAfter(node: Node)\n fun setEndBefore(node: Node)\n fun setEndAfter(node: Node)\n fun
collapse(toStart: Boolean = definedExternally)\n fun selectNode(node: Node)\n fun selectNodeContents(node:
Node)\n fun compareBoundaryPoints(how: Short, sourceRange: Range): Short\n fun deleteContents()\n fun
extractContents(): DocumentFragment\n fun cloneContents(): DocumentFragment\n fun insertNode(node:
Node)\n fun surroundContents(newParent: Node)\n fun cloneRange(): Range\n fun detach()\n fun
isPointInRange(node: Node, offset: Int): Boolean\n fun comparePoint(node: Node, offset: Int): Short\n fun
intersectsNode(node: Node): Boolean\n fun getClientRects(): Array<DOMRect>\n fun
getBoundingClientRect(): DOMRect\n fun createContextualFragment(fragment: String): DocumentFragment\n\n
companion object {\n val START_TO_START: Short\n val START_TO_END: Short\n val
END_TO_END: Short\n val END_TO_START: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[NodeIterator](https://developer.mozilla.org/en/docs/Web/API/NodeIterator) to Kotlin\n *\n\npublic external abstract
class NodeIterator {\n open val root: Node\n open val referenceNode: Node\n open val
pointerBeforeReferenceNode: Boolean\n open val whatToShow: Int\n open val filter: NodeFilter?\n fun
nextNode(): Node?\n fun previousNode(): Node?\n fun detach()\n }\n}\n\n/**\n * Exposes the JavaScript
[TreeWalker](https://developer.mozilla.org/en/docs/Web/API/TreeWalker) to Kotlin\n *\n\npublic external abstract
class TreeWalker {\n open val root: Node\n open val whatToShow: Int\n open val filter: NodeFilter?\n open
var currentNode: Node\n fun parentNode(): Node?\n fun firstChild(): Node?\n fun lastChild(): Node?\n fun
previousSibling(): Node?\n fun nextSibling(): Node?\n fun previousNode(): Node?\n fun nextNode():
Node?\n }\n}\n\n/**\n * Exposes the JavaScript
[NodeFilter](https://developer.mozilla.org/en/docs/Web/API/NodeFilter) to Kotlin\n
*\n\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic external interface NodeFilter {\n
fun acceptNode(node: Node): Short\n\n companion object {\n val FILTER_ACCEPT: Short\n val
FILTER_REJECT: Short\n val FILTER_SKIP: Short\n val SHOW_ALL: Int\n val
SHOW_ELEMENT: Int\n val SHOW_ATTRIBUTE: Int\n val SHOW_TEXT: Int\n val
SHOW_CDATA_SECTION: Int\n val SHOW_ENTITY_REFERENCE: Int\n val SHOW_ENTITY: Int\n
val SHOW_PROCESSING_INSTRUCTION: Int\n val SHOW_COMMENT: Int\n val
SHOW_DOCUMENT: Int\n val SHOW_DOCUMENT_TYPE: Int\n val
SHOW_DOCUMENT_FRAGMENT: Int\n val SHOW_NOTATION: Int\n }\n}\n\n/**\n * Exposes the
JavaScript [DOMTokenList](https://developer.mozilla.org/en/docs/Web/API/DOMTokenList) to Kotlin\n *\n\npublic
external abstract class DOMTokenList : ItemArrayLike<String> {\n open var value: String\n fun contains(token:
String): Boolean\n fun add(vararg tokens: String)\n fun remove(vararg tokens: String)\n fun toggle(token:
String, force: Boolean = definedExternally): Boolean\n fun replace(token: String, newToken: String)\n fun
supports(token: String): Boolean\n override fun item(index: Int):
String?\n }\n}\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun DOMTokenList.get(index: Int): String? =
asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[DOMPointReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMPointReadOnly) to Kotlin\n *\n\npublic
external open class DOMPointReadOnly(x: Double, y: Double, z: Double, w: Double) {\n open val x: Double\n
open val y: Double\n open val z: Double\n open val w: Double\n fun matrixTransform(matrix:
DOMMatrixReadOnly): DOMPoint\n }\n}\n\n/**\n * Exposes the JavaScript
[DOMPoint](https://developer.mozilla.org/en/docs/Web/API/DOMPoint) to Kotlin\n *\n\npublic external open class
DOMPoint : DOMPointReadOnly {\n constructor(point: DOMPointInit)\n constructor(x: Double =
definedExternally, y: Double = definedExternally, z: Double = definedExternally, w: Double = definedExternally)\n
override var x: Double\n override var y: Double\n override var z: Double\n override var w:
Double\n }\n}\n\n/**\n * Exposes the JavaScript
[DOMPointInit](https://developer.mozilla.org/en/docs/Web/API/DOMPointInit) to Kotlin\n *\n\npublic external
interface DOMPointInit {\n var x: Double? /* = 0.0 */\n get() = definedExternally\n set(value) =
definedExternally\n var y: Double? /* = 0.0 */\n get() = definedExternally\n set(value) =

```

```

definedExternally\n    var z: Double? /* = 0.0 */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var w: Double? /* = 1.0 */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun DOMPointInit(x: Double? = 0.0, y: Double?
= 0.0, z: Double? = 0.0, w: Double? = 1.0): DOMPointInit {\n    val o = js("{}")\n    o["x"] = x\n    o["y"] = y\n    o["z"] = z\n    o["w"] = w\n    return o\n}\n\n/**\n * Exposes the JavaScript
[DOMRect](https://developer.mozilla.org/en/docs/Web/API/DOMRect) to Kotlin\n */\npublic external open class
DOMRect(x: Double = definedExternally, y: Double = definedExternally, width: Double = definedExternally,
height: Double = definedExternally) : DOMRectReadOnly {\n    override var x: Double\n    override var y: Double\n
    override var width: Double\n    override var height: Double\n}\n\n/**\n * Exposes the JavaScript
[DOMRectReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMRectReadOnly) to Kotlin\n */\npublic
external open class DOMRectReadOnly(x: Double, y: Double, width: Double, height: Double) {\n    open val x:
Double\n    open val y: Double\n    open val width: Double\n    open val height: Double\n    open val top: Double\n
    open val right: Double\n    open val bottom: Double\n    open val left: Double\n}\n\npublic external interface
DOMRectInit {\n    var x: Double? /* = 0.0 */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var y: Double? /* = 0.0 */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var width: Double? /* = 0.0 */\n        get() = definedExternally\n        set(value) =
definedExternally\n    var height: Double? /* = 0.0 */\n        get() = definedExternally\n        set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun DOMRectInit(x: Double? = 0.0, y: Double?
= 0.0, width: Double? = 0.0, height: Double? = 0.0): DOMRectInit {\n    val o = js("{}")\n    o["x"] = x\n
    o["y"] = y\n    o["width"] = width\n    o["height"] = height\n    return o\n}\n\npublic external interface
DOMRectList : ItemArrayLike<DOMRect> {\n    override fun item(index: Int):
DOMRect?\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun DOMRectList.get(index: Int): DOMRect?
= asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[DOMQuad](https://developer.mozilla.org/en/docs/Web/API/DOMQuad) to Kotlin\n */\npublic external open class
DOMQuad {\n    constructor(p1: DOMPointInit = definedExternally, p2: DOMPointInit = definedExternally, p3:
DOMPointInit = definedExternally, p4: DOMPointInit = definedExternally)\n    constructor(rect: DOMRectInit)\n
    open val p1: DOMPoint\n    open val p2: DOMPoint\n    open val p3: DOMPoint\n    open val p4: DOMPoint\n
    open val bounds: DOMRectReadOnly\n}\n\n/**\n * Exposes the JavaScript
[DOMMatrixReadOnly](https://developer.mozilla.org/en/docs/Web/API/DOMMatrixReadOnly) to Kotlin\n */\n
public external open class DOMMatrixReadOnly(numberSequence: Array<Double>) {\n    open val a: Double\n
    open val b: Double\n    open val c: Double\n    open val d: Double\n    open val e: Double\n    open val f: Double\n
    open val m11: Double\n    open val m12: Double\n    open val m13: Double\n    open val m14: Double\n    open val
m21: Double\n    open val m22: Double\n    open val m23: Double\n    open val m24: Double\n    open val m31:
Double\n    open val m32: Double\n    open val m33: Double\n    open val m34: Double\n    open val m41: Double\n
    open val m42: Double\n    open val m43: Double\n    open val m44: Double\n    open val is2D: Boolean\n    open
val isIdentity: Boolean\n    fun translate(tx: Double, ty: Double, tz: Double = definedExternally): DOMMatrix\n
    fun scale(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n
    fun scale3d(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally, originZ:
Double = definedExternally): DOMMatrix\n    fun scaleNonUniform(scaleX: Double, scaleY: Double =
definedExternally, scaleZ: Double = definedExternally, originX: Double = definedExternally, originY: Double =
definedExternally, originZ: Double = definedExternally): DOMMatrix\n    fun rotate(angle: Double, originX:
Double = definedExternally, originY: Double = definedExternally): DOMMatrix\n    fun rotateFromVector(x:
Double, y: Double): DOMMatrix\n    fun rotateAxisAngle(x: Double, y: Double, z: Double, angle: Double):
DOMMatrix\n    fun skewX(sx: Double): DOMMatrix\n    fun skewY(sy: Double): DOMMatrix\n    fun
multiply(other: DOMMatrix): DOMMatrix\n    fun flipX(): DOMMatrix\n    fun flipY(): DOMMatrix\n    fun
inverse(): DOMMatrix\n    fun transformPoint(point: DOMPointInit = definedExternally): DOMPoint\n    fun
toFloat32Array(): Float32Array\n    fun toFloat64Array(): Float64Array\n}\n\n/**\n * Exposes the JavaScript
[DOMMatrix](https://developer.mozilla.org/en/docs/Web/API/DOMMatrix) to Kotlin\n */\npublic external open

```

```

class DOMMatrix() : DOMMatrixReadOnly {
    constructor(transformList: String)
    constructor(other: DOMMatrixReadOnly)
    constructor(array32: Float32Array)
    constructor(array64: Float64Array)
    constructor(numberSequence: Array<Double>)
    override var a: Double
    override var b: Double
    override var c: Double
    override var d: Double
    override var e: Double
    override var f: Double
    override var m11: Double
    override var m12: Double
    override var m13: Double
    override var m14: Double
    override var m21: Double
    override var m22: Double
    override var m23: Double
    override var m24: Double
    override var m31: Double
    override var m32: Double
    override var m33: Double
    override var m34: Double
    override var m41: Double
    override var m42: Double
    override var m43: Double
    override var m44: Double
    fun multiplySelf(other: DOMMatrix): DOMMatrix
    fun preMultiplySelf(other: DOMMatrix): DOMMatrix
    fun translateSelf(tx: Double, ty: Double, tz: Double = definedExternally): DOMMatrix
    fun scaleSelf(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix
    fun scale3dSelf(scale: Double, originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double = definedExternally): DOMMatrix
    fun scaleNonUniformSelf(scaleX: Double, scaleY: Double = definedExternally, scaleZ: Double = definedExternally, originX: Double = definedExternally, originY: Double = definedExternally, originZ: Double = definedExternally): DOMMatrix
    fun rotateSelf(angle: Double, originX: Double = definedExternally, originY: Double = definedExternally): DOMMatrix
    fun rotateFromVectorSelf(x: Double, y: Double): DOMMatrix
    fun rotateAxisAngleSelf(x: Double, y: Double, z: Double, angle: Double): DOMMatrix
    fun skewXSelf(sx: Double): DOMMatrix
    fun skewYSelf(sy: Double): DOMMatrix
    fun invertSelf(): DOMMatrix
    fun setMatrixValue(transformList: String): DOMMatrix
}

@kotlin.internal.InlineOnly
public inline fun ScrollOptions(behavior: ScrollBehavior? = ScrollBehavior.AUTO): ScrollOptions {
    val o = js("{}")
    o["behavior"] = behavior
    return o
}

/** Exposes the JavaScript [ScrollToOptions](https://developer.mozilla.org/en/docs/Web/API/ScrollToOptions) to Kotlin */
public external interface ScrollToOptions : ScrollOptions {
    var left: Double?
    get() = definedExternally
    set(value) = definedExternally
    var top: Double?
    get() = definedExternally
    set(value) = definedExternally
}

@kotlin.internal.InlineOnly
public inline fun ScrollToOptions(left: Double? = undefined, top: Double? = undefined, behavior: ScrollBehavior? = ScrollBehavior.AUTO): ScrollToOptions {
    val o = js("{}")
    o["left"] = left
    o["top"] = top
    o["behavior"] = behavior
    return o
}

/** Exposes the JavaScript [MediaQueryList](https://developer.mozilla.org/en/docs/Web/API/MediaQueryList) to Kotlin */
public external abstract class MediaQueryList : EventTarget {
    open val media: String
    open val matches: Boolean
    open var onchange: ((Event) -> dynamic)?
    fun addListener(listener: EventListener?)
    fun addListener(listener: ((Event) -> Unit)?)
    fun removeListener(listener: EventListener?)
    fun removeListener(listener: ((Event) -> Unit)?)
}

/** Exposes the JavaScript [MediaQueryListEvent](https://developer.mozilla.org/en/docs/Web/API/MediaQueryListEvent) to Kotlin */
public external open class MediaQueryListEvent(type: String, eventInitDict: MediaQueryListEventInit = definedExternally) : Event {
    open val media: String
    open val matches: Boolean
    companion object {
        val NONE: Short
        val CAPTURING_PHASE: Short
        val AT_TARGET: Short
        val BUBBLING_PHASE: Short
    }
}

public external interface MediaQueryListEventInit : EventInit {
    var media: String? /* = "" */
    get() = definedExternally
    set(value) = definedExternally
    var matches: Boolean? /* = false */
    get() = definedExternally
    set(value) = definedExternally
}

@kotlin.internal.InlineOnly
public inline fun MediaQueryListEventInit(media: String? = "", matches: Boolean? = false, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): MediaQueryListEventInit {
    val o = js("{}")
    o["media"] = media
    o["matches"] = matches
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
    return o
}

/** Exposes the JavaScript [Screen](https://developer.mozilla.org/en/docs/Web/API/Screen) to Kotlin */
public external abstract class Screen {
    open val availWidth: Int
    open val availHeight: Int
    open val width: Int
    open val height: Int
    open val colorDepth: Int
    open val pixelDepth: Int
}

/** Exposes

```

the JavaScript [CaretPosition](https://developer.mozilla.org/en/docs/Web/API/CaretPosition) to Kotlin

```

*\npublic external abstract class CaretPosition {
    open val offsetNode: Node
    open val offset: Int
    fun getClientRect(): DOMRect?
}
\n\npublic external interface ScrollIntoViewOptions : ScrollOptions {
    var block: ScrollLogicalPosition? /* = ScrollLogicalPosition.CENTER */
    get() = definedExternally
    set(value) = definedExternally
    var inline: ScrollLogicalPosition? /* = ScrollLogicalPosition.CENTER */
    get() = definedExternally
    set(value) = definedExternally
}
\n\n@kotlin.internal.InlineOnly\npublic inline fun ScrollIntoViewOptions(block: ScrollLogicalPosition? = ScrollLogicalPosition.CENTER, inline: ScrollLogicalPosition? = ScrollLogicalPosition.CENTER, behavior: ScrollBehavior? = ScrollBehavior.AUTO): ScrollIntoViewOptions {
    val o = js("{}")
    o["block"] = block
    o["inline"] = inline
    o["behavior"] = behavior
    return o
}
\n\npublic external interface BoxQuadOptions {
    var box: CSSBoxType? /* = CSSBoxType.BORDER */
    get() = definedExternally
    set(value) = definedExternally
    var relativeTo: dynamic
    get() = definedExternally
    set(value) = definedExternally
}
\n\n@kotlin.internal.InlineOnly\npublic inline fun BoxQuadOptions(box: CSSBoxType? = CSSBoxType.BORDER, relativeTo: dynamic = undefined): BoxQuadOptions {
    val o = js("{}")
    o["box"] = box
    o["relativeTo"] = relativeTo
    return o
}
\n\npublic external interface ConvertCoordinateOptions {
    var fromBox: CSSBoxType? /* = CSSBoxType.BORDER */
    get() = definedExternally
    set(value) = definedExternally
    var toBox: CSSBoxType? /* = CSSBoxType.BORDER */
    get() = definedExternally
    set(value) = definedExternally
}
\n\n@kotlin.internal.InlineOnly\npublic inline fun ConvertCoordinateOptions(fromBox: CSSBoxType? = CSSBoxType.BORDER, toBox: CSSBoxType? = CSSBoxType.BORDER): ConvertCoordinateOptions {
    val o = js("{}")
    o["fromBox"] = fromBox
    o["toBox"] = toBox
    return o
}
\n\n**
\n * Exposes the JavaScript [GeometryUtils](https://developer.mozilla.org/en/docs/Web/API/GeometryUtils) to Kotlin
\n\npublic external interface GeometryUtils {
    fun getBoxQuads(options: BoxQuadOptions = definedExternally): Array<DOMQuad>
    fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions = definedExternally): DOMQuad
    fun convertRectFromNode(rect: DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions = definedExternally): DOMQuad
    fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions = definedExternally): DOMPoint
}
\n\n**
\n * Exposes the JavaScript [Touch](https://developer.mozilla.org/en/docs/Web/API/Touch) to Kotlin
\n\npublic external abstract class Touch {
    open val identifier: Int
    open val target: EventTarget
    open val screenX: Int
    open val screenY: Int
    open val clientX: Int
    open val clientY: Int
    open val pageX: Int
    open val pageY: Int
    open val region: String?
}
\n\npublic external abstract class TouchList : ItemArrayLike<Touch> {
    override fun item(index: Int): Touch?
}
\n\n@kotlin.internal.InlineOnly\npublic inline operator fun TouchList.get(index: Int): Touch? = asDynamic()[index]
\n\npublic external open class TouchEvent : UIEvent {
    open val touches: TouchList
    open val targetTouches: TouchList
    open val changedTouches: TouchList
    open val altKey: Boolean
    open val metaKey: Boolean
    open val ctrlKey: Boolean
    open val shiftKey: Boolean
}
\n\ncompanion object {
    val NONE: Short
    val CAPTURING_PHASE: Short
    val AT_TARGET: Short
    val BUBBLING_PHASE: Short
}
\n\n**
\n * Exposes the JavaScript [Image](https://developer.mozilla.org/en/docs/Web/API/Image) to Kotlin
\n\npublic external open class Image(width: Int = definedExternally, height: Int = definedExternally) : HTMLImageElement {
    override var onabort: ((Event) -> dynamic)?
    override var onblur: ((FocusEvent) -> dynamic)?
    override var oncancel: ((Event) -> dynamic)?
    override var oncanplay: ((Event) -> dynamic)?
    override var oncanplaythrough: ((Event) -> dynamic)?
    override var onchange: ((Event) -> dynamic)?
    override var onclick: ((MouseEvent) -> dynamic)?
    override var onclose: ((Event) -> dynamic)?
    override var oncontextmenu: ((MouseEvent) -> dynamic)?
    override var oncuechange: ((Event) -> dynamic)?
    override var ondblclick: ((MouseEvent) -> dynamic)?
    override var ondrag: ((DragEvent) -> dynamic)?
    override var ondragend: ((DragEvent) -> dynamic)?
    override var ondragenter: ((DragEvent) -> dynamic)?
    override var ondragexit: ((DragEvent) -> dynamic)?
    override var ondragleave: ((DragEvent) -> dynamic)?
    override var ondragover: ((DragEvent) ->

```

```

dynamic)?\n  override var ondragstart: ((DragEvent) -> dynamic)?\n  override var ondrop: ((DragEvent) ->
dynamic)?\n  override var ondurationchange: ((Event) -> dynamic)?\n  override var onemptied: ((Event) ->
dynamic)?\n  override var onended: ((Event) -> dynamic)?\n  override var onerror: ((dynamic, String, Int, Int,
Any?) -> dynamic)?\n  override var onfocus: ((FocusEvent) -> dynamic)?\n  override var oninput: ((InputEvent) -
> dynamic)?\n  override var oninvalid: ((Event) -> dynamic)?\n  override var onkeydown: ((KeyboardEvent) ->
dynamic)?\n  override var onkeypress: ((KeyboardEvent) -> dynamic)?\n  override var onkeyup:
((KeyboardEvent) -> dynamic)?\n  override var onload: ((Event) -> dynamic)?\n  override var onloadeddata:
((Event) -> dynamic)?\n  override var onloadedmetadata: ((Event) -> dynamic)?\n  override var onloadend:
((Event) -> dynamic)?\n  override var onloadstart: ((ProgressEvent) -> dynamic)?\n  override var onmousedown:
((MouseEvent) -> dynamic)?\n  override var onmouseenter: ((MouseEvent) -> dynamic)?\n  override var
onmouseleave: ((MouseEvent) -> dynamic)?\n  override var onmousemove: ((MouseEvent) -> dynamic)?\n
override var onmouseout: ((MouseEvent) -> dynamic)?\n  override var onmouseover: ((MouseEvent) ->
dynamic)?\n  override var onmouseup: ((MouseEvent) -> dynamic)?\n  override var onwheel: ((WheelEvent) ->
dynamic)?\n  override var onpause: ((Event) -> dynamic)?\n  override var onplay: ((Event) -> dynamic)?\n
override var onplaying: ((Event) -> dynamic)?\n  override var onprogress: ((ProgressEvent) -> dynamic)?\n
override var onratechange: ((Event) -> dynamic)?\n  override var onreset: ((Event) -> dynamic)?\n  override var
onresize: ((Event) -> dynamic)?\n  override var onscroll: ((Event) -> dynamic)?\n  override var onseeked:
((Event) -> dynamic)?\n  override var onseeking: ((Event) -> dynamic)?\n  override var onselect: ((Event) ->
dynamic)?\n  override var onshow: ((Event) -> dynamic)?\n  override var onstalled: ((Event) -> dynamic)?\n
override var onsubmit: ((Event) -> dynamic)?\n  override var onsuspend: ((Event) -> dynamic)?\n  override var
ontimeupdate: ((Event) -> dynamic)?\n  override var ontoggle: ((Event) -> dynamic)?\n  override var
onvolumechange: ((Event) -> dynamic)?\n  override var onwaiting: ((Event) -> dynamic)?\n  override var
ongotpointercapture: ((PointerEvent) -> dynamic)?\n  override var onlostpointercapture: ((PointerEvent) ->
dynamic)?\n  override var onpointerdown: ((PointerEvent) -> dynamic)?\n  override var onpointermove:
((PointerEvent) -> dynamic)?\n  override var onpointerup: ((PointerEvent) -> dynamic)?\n  override var
onpointercancel: ((PointerEvent) -> dynamic)?\n  override var onpointerover: ((PointerEvent) -> dynamic)?\n
override var onpointerout: ((PointerEvent) -> dynamic)?\n  override var onpointerenter: ((PointerEvent) ->
dynamic)?\n  override var onpointerleave: ((PointerEvent) -> dynamic)?\n  override var oncopy:
((ClipboardEvent) -> dynamic)?\n  override var oncut: ((ClipboardEvent) -> dynamic)?\n  override var onpaste:
((ClipboardEvent) -> dynamic)?\n  override var contentEditable: String\n  override val isContentEditable:
Boolean\n  override val style: CSSStyleDeclaration\n  override val children: HTMLCollection\n  override val
firstElementChild: Element?\n  override val lastElementChild: Element?\n  override val childElementCount: Int\n
  override val previousElementSibling: Element?\n  override val nextElementSibling: Element?\n  override val
assignedSlot: HTMLSlotElement?\n  override fun prepend(vararg nodes: dynamic)\n  override fun append(vararg
nodes: dynamic)\n  override fun querySelector(selectors: String): Element?\n  override fun
querySelectorAll(selectors: String): NodeList\n  override fun before(vararg nodes: dynamic)\n  override fun
after(vararg nodes: dynamic)\n  override fun replaceWith(vararg nodes: dynamic)\n  override fun remove()\n
override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n  override
fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMQuad\n  override fun convertRectFromNode(rect: DOMRectReadOnly, from:
dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n  override fun
convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMPoint\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val

```



```

DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }|n}|n\n\npublic external open class
Audio(src: String = definedExternally) : HTMLAudioElement {
    override var onabort: ((Event) -> dynamic)?\n
    override var onblur: ((FocusEvent) -> dynamic)?\n    override var onCancel: ((Event) -> dynamic)?\n    override var
    oncanplay: ((Event) -> dynamic)?\n    override var oncanplaythrough: ((Event) -> dynamic)?\n    override var
    onchange: ((Event) -> dynamic)?\n    override var onclick: ((MouseEvent) -> dynamic)?\n    override var onclose:
    ((Event) -> dynamic)?\n    override var oncontextmenu: ((MouseEvent) -> dynamic)?\n    override var oncuechange:
    ((Event) -> dynamic)?\n    override var ondblclick: ((MouseEvent) -> dynamic)?\n    override var ondrag:
    ((DragEvent) -> dynamic)?\n    override var ondragend: ((DragEvent) -> dynamic)?\n    override var ondragenter:
    ((DragEvent) -> dynamic)?\n    override var ondragexit: ((DragEvent) -> dynamic)?\n    override var ondragleave:
    ((DragEvent) -> dynamic)?\n    override var ondragover: ((DragEvent) -> dynamic)?\n    override var ondragstart:
    ((DragEvent) -> dynamic)?\n    override var ondrop: ((DragEvent) -> dynamic)?\n    override var ondurationchange:
    ((Event) -> dynamic)?\n    override var onemptied: ((Event) -> dynamic)?\n    override var onended: ((Event) ->
    dynamic)?\n    override var onerror: ((dynamic, String, Int, Int, Any?) -> dynamic)?\n    override var onfocus:
    ((FocusEvent) -> dynamic)?\n    override var oninput: ((InputEvent) -> dynamic)?\n    override var oninvalid:
    ((Event) -> dynamic)?\n    override var onkeydown: ((KeyboardEvent) -> dynamic)?\n    override var onkeypress:
    ((KeyboardEvent) -> dynamic)?\n    override var onkeyup: ((KeyboardEvent) -> dynamic)?\n    override var onload:
    ((Event) -> dynamic)?\n    override var onloadeddata: ((Event) -> dynamic)?\n    override var onloadedmetadata:
    ((Event) -> dynamic)?\n    override var onloadend: ((Event) -> dynamic)?\n    override var onloadstart:
    ((ProgressEvent) -> dynamic)?\n    override var onmousedown: ((MouseEvent) -> dynamic)?\n    override var
    onmouseenter: ((MouseEvent) -> dynamic)?\n    override var onmouseleave: ((MouseEvent) -> dynamic)?\n
    override var onmousemove: ((MouseEvent) -> dynamic)?\n    override var onmouseout: ((MouseEvent) ->
    dynamic)?\n    override var onmouseover: ((MouseEvent) -> dynamic)?\n    override var onmouseup: ((MouseEvent)
    -> dynamic)?\n    override var onwheel: ((WheelEvent) -> dynamic)?\n    override var onpause: ((Event) ->
    dynamic)?\n    override var onplay: ((Event) -> dynamic)?\n    override var onplaying: ((Event) -> dynamic)?\n
    override var onprogress: ((ProgressEvent) -> dynamic)?\n    override var onratechange: ((Event) -> dynamic)?\n
    override var onreset: ((Event) -> dynamic)?\n    override var onresize: ((Event) -> dynamic)?\n    override var
    onscroll: ((Event) -> dynamic)?\n    override var onseeked: ((Event) -> dynamic)?\n    override var onseeking:
    ((Event) -> dynamic)?\n    override var onselect: ((Event) -> dynamic)?\n    override var onshow: ((Event) ->
    dynamic)?\n    override var onstalled: ((Event) -> dynamic)?\n    override var onsubmit: ((Event) -> dynamic)?\n
    override var onsuspend: ((Event) -> dynamic)?\n    override var ontimeupdate: ((Event) -> dynamic)?\n    override
    var ontoggle: ((Event) -> dynamic)?\n    override var onvolumechange: ((Event) -> dynamic)?\n    override var
    onwaiting: ((Event) -> dynamic)?\n    override var ongotpointercapture: ((PointerEvent) -> dynamic)?\n    override
    var onlostpointercapture: ((PointerEvent) -> dynamic)?\n    override var onpointerdown: ((PointerEvent) ->
    dynamic)?\n    override var onpointermove: ((PointerEvent) -> dynamic)?\n    override var onpointerup:
    ((PointerEvent) -> dynamic)?\n    override var onpointercancel: ((PointerEvent) -> dynamic)?\n    override var
    onpointerover: ((PointerEvent) -> dynamic)?\n    override var onpointerout: ((PointerEvent) -> dynamic)?\n
    override var onpointerenter: ((PointerEvent) -> dynamic)?\n    override var onpointerleave: ((PointerEvent) ->
    dynamic)?\n    override var oncopy: ((ClipboardEvent) -> dynamic)?\n    override var oncut: ((ClipboardEvent) ->
    dynamic)?\n    override var onpaste: ((ClipboardEvent) -> dynamic)?\n    override var contentEditable: String\n
    override val isContentEditable: Boolean\n    override val style: CSSStyleDeclaration\n    override val children:
    HTMLCollection\n    override val firstElementChild: Element?\n    override val lastElementChild: Element?\n
    override val childElementCount: Int\n    override val previousElementSibling: Element?\n    override val
    nextElementSibling: Element?\n    override val assignedSlot: HTMLSlotElement?\n    override fun prepend(vararg
    nodes: dynamic)\n    override fun append(vararg nodes: dynamic)\n    override fun querySelector(selectors: String):
    Element?\n    override fun querySelectorAll(selectors: String): NodeList\n    override fun before(vararg nodes:

```

```

dynamic)\n  override fun after(vararg nodes: dynamic)\n  override fun replaceWith(vararg nodes: dynamic)\n  override fun remove()\n  override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */):
Array<DOMQuad>\n  override fun convertQuadFromNode(quad: dynamic, from: dynamic, options:
ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n  override fun convertRectFromNode(rect:
DOMRectReadOnly, from: dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n
  override fun convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMPoint\n\n  companion object {\n    val NETWORK_EMPTY: Short\n    val
NETWORK_IDLE: Short\n    val NETWORK_LOADING: Short\n    val NETWORK_NO_SOURCE: Short\n
    val HAVE_NOTHING: Short\n    val HAVE_METADATA: Short\n    val HAVE_CURRENT_DATA:
Short\n    val HAVE_FUTURE_DATA: Short\n    val HAVE_ENOUGH_DATA: Short\n    val
ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n\n  /**\n   * Exposes the JavaScript
[Option](https://developer.mozilla.org/en/docs/Web/API/Option) to Kotlin\n   *^public external open class
Option(text: String = definedExternally, value: String = definedExternally, defaultSelected: Boolean =
definedExternally, selected: Boolean = definedExternally) : HTMLOptionElement {\n  override var onabort:
((Event) -> dynamic)?\n  override var onblur: ((FocusEvent) -> dynamic)?\n  override var oncancel: ((Event) ->
dynamic)?\n  override var oncanplay: ((Event) -> dynamic)?\n  override var oncanplaythrough: ((Event) ->
dynamic)?\n  override var onchange: ((Event) -> dynamic)?\n  override var onclick: ((MouseEvent) ->
dynamic)?\n  override var onclose: ((Event) -> dynamic)?\n  override var oncontextmenu: ((MouseEvent) ->
dynamic)?\n  override var oncuechange: ((Event) -> dynamic)?\n  override var ondblclick: ((MouseEvent) ->
dynamic)?\n  override var ondrag: ((DragEvent) -> dynamic)?\n  override var ondragend: ((DragEvent) ->
dynamic)?\n  override var ondragenter: ((DragEvent) -> dynamic)?\n  override var ondragexit: ((DragEvent) ->
dynamic)?\n  override var ondragleave: ((DragEvent) -> dynamic)?\n  override var ondragover: ((DragEvent) ->
dynamic)?\n  override var ondragstart: ((DragEvent) -> dynamic)?\n  override var ondrop: ((DragEvent) ->
dynamic)?\n  override var ondurationchange: ((Event) -> dynamic)?\n  override var onemptied: ((Event) ->
dynamic)?\n  override var onended: ((Event) -> dynamic)?\n  override var onerror: ((dynamic, String, Int, Int,
Any?) -> dynamic)?\n  override var onfocus: ((FocusEvent) -> dynamic)?\n  override var oninput: ((InputEvent) ->
dynamic)?\n  override var oninvalid: ((Event) -> dynamic)?\n  override var onkeydown: ((KeyboardEvent) ->
dynamic)?\n  override var onkeypress: ((KeyboardEvent) -> dynamic)?\n  override var onkeyup:
((KeyboardEvent) -> dynamic)?\n  override var onload: ((Event) -> dynamic)?\n  override var onloadeddata:
((Event) -> dynamic)?\n  override var onloadedmetadata: ((Event) -> dynamic)?\n  override var onloadend:
((Event) -> dynamic)?\n  override var onloadstart: ((ProgressEvent) -> dynamic)?\n  override var onmousedown:
((MouseEvent) -> dynamic)?\n  override var onmouseenter: ((MouseEvent) -> dynamic)?\n  override var
onmouseleave: ((MouseEvent) -> dynamic)?\n  override var onmousemove: ((MouseEvent) -> dynamic)?\n
  override var onmouseout: ((MouseEvent) -> dynamic)?\n  override var onmouseover: ((MouseEvent) ->
dynamic)?\n  override var onmouseup: ((MouseEvent) -> dynamic)?\n  override var onwheel: ((WheelEvent) ->
dynamic)?\n  override var onpause: ((Event) -> dynamic)?\n  override var onplay: ((Event) -> dynamic)?\n
  override var onplaying: ((Event) -> dynamic)?\n  override var onprogress: ((ProgressEvent) -> dynamic)?\n
  override var onratechange: ((Event) -> dynamic)?\n  override var onreset: ((Event) -> dynamic)?\n
  override var onresize: ((Event) -> dynamic)?\n  override var onscroll: ((Event) -> dynamic)?\n
  override var onseeked: ((Event) -> dynamic)?\n  override var onseeking: ((Event) -> dynamic)?\n
  override var onselect: ((Event) ->

```

```

dynamic)?\n  override var onshow: ((Event) -> dynamic)?\n  override var onstalled: ((Event) -> dynamic)?\n
override var onsubmit: ((Event) -> dynamic)?\n  override var onsuspend: ((Event) -> dynamic)?\n  override var
ontimeupdate: ((Event) -> dynamic)?\n  override var ontoggle: ((Event) -> dynamic)?\n  override var
onvolumechange: ((Event) -> dynamic)?\n  override var onwaiting: ((Event) -> dynamic)?\n  override var
ongotpointercapture: ((PointerEvent) -> dynamic)?\n  override var onlostpointercapture: ((PointerEvent) ->
dynamic)?\n  override var onpointerdown: ((PointerEvent) -> dynamic)?\n  override var onpointermove:
((PointerEvent) -> dynamic)?\n  override var onpointerup: ((PointerEvent) -> dynamic)?\n  override var
onpointercancel: ((PointerEvent) -> dynamic)?\n  override var onpointerover: ((PointerEvent) -> dynamic)?\n
override var onpointerout: ((PointerEvent) -> dynamic)?\n  override var onpointerenter: ((PointerEvent) ->
dynamic)?\n  override var onpointerleave: ((PointerEvent) -> dynamic)?\n  override var oncopy:
((ClipboardEvent) -> dynamic)?\n  override var oncut: ((ClipboardEvent) -> dynamic)?\n  override var onpaste:
((ClipboardEvent) -> dynamic)?\n  override var contentEditable: String\n  override val isContentEditable:
Boolean\n  override val style: CSSStyleDeclaration\n  override val children: HTMLCollection\n  override val
firstElementChild: Element?\n  override val lastElementChild: Element?\n  override val childElementCount: Int\n
  override val previousElementSibling: Element?\n  override val nextElementSibling: Element?\n  override val
assignedSlot: HTMLSlotElement?\n  override fun prepend(vararg nodes: dynamic)\n  override fun append(vararg
nodes: dynamic)\n  override fun querySelector(selectors: String): Element?\n  override fun
querySelectorAll(selectors: String): NodeList\n  override fun before(vararg nodes: dynamic)\n  override fun
after(vararg nodes: dynamic)\n  override fun replaceWith(vararg nodes: dynamic)\n  override fun remove()\n
override fun getBoxQuads(options: BoxQuadOptions /* = definedExternally */): Array<DOMQuad>\n  override
fun convertQuadFromNode(quad: dynamic, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMQuad\n  override fun convertRectFromNode(rect: DOMRectReadOnly, from:
dynamic, options: ConvertCoordinateOptions /* = definedExternally */): DOMQuad\n  override fun
convertPointFromNode(point: DOMPointInit, from: dynamic, options: ConvertCoordinateOptions /* =
definedExternally */): DOMPoint\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n\n  public external interface
UnionElementOrHTMLCollection\n  public external interface UnionElementOrRadioNodeList\n  public external
interface UnionHTMLOptGroupElementOrHTMLOptionElement\n  public external interface
UnionAudioTrackOrTextTrackOrVideoTrack\n  public external interface UnionElementOrMouseEvent\n  public
external interface RenderingContext\n  public external interface HTMLOrSVGImageElement :
CanvasImageSource\n  public external interface CanvasImageSource : ImageBitmapSource\n  public external
interface ImageBitmapSource\n  public external interface UnionMessagePortOrWindowProxy\n  public external
interface HTMLOrSVGScriptElement\n\n  /* please, don't implement this interface!
*\n  @Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n  public external interface
DocumentReadyState {\n    companion object\n\n    public inline val DocumentReadyState.Companion.LOADING:
DocumentReadyState get() = "loading".asDynamic().unsafeCast<DocumentReadyState>()\n    public inline val
DocumentReadyState.Companion.INTERACTIVE: DocumentReadyState get() =
"interactive".asDynamic().unsafeCast<DocumentReadyState>()\n    public inline val
DocumentReadyState.Companion.COMPLETE: DocumentReadyState get() =
"complete".asDynamic().unsafeCast<DocumentReadyState>()\n\n  /* please, don't implement this interface!

```

```

*\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external interface
CanPlayTypeResult {\n  companion object\n}\n\npublic inline val CanPlayTypeResult.Companion.EMPTY:
CanPlayTypeResult get() = ""\n\n.asDynamic().unsafeCast<CanPlayTypeResult>()\n\npublic inline val
CanPlayTypeResult.Companion.MAYBE: CanPlayTypeResult get() =
"maybe"\n\n.asDynamic().unsafeCast<CanPlayTypeResult>()\n\npublic inline val
CanPlayTypeResult.Companion.PROBABLY: CanPlayTypeResult get() =
"probably"\n\n.asDynamic().unsafeCast<CanPlayTypeResult>()\n\n/* please, don't implement this interface!
*\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external interface TextTrackMode
{\n  companion object\n}\n\npublic inline val TextTrackMode.Companion.DISABLED: TextTrackMode get() =
"disabled"\n\n.asDynamic().unsafeCast<TextTrackMode>()\n\npublic inline val
TextTrackMode.Companion.HIDDEN: TextTrackMode get() =
"hidden"\n\n.asDynamic().unsafeCast<TextTrackMode>()\n\npublic inline val
TextTrackMode.Companion.SHOWING: TextTrackMode get() =
"showing"\n\n.asDynamic().unsafeCast<TextTrackMode>()\n\n/* please, don't implement this interface!
*\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external interface TextTrackKind
{\n  companion object\n}\n\npublic inline val TextTrackKind.Companion.SUBTITLES: TextTrackKind get() =
"subtitles"\n\n.asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val
TextTrackKind.Companion.CAPTIONS: TextTrackKind get() =
"captions"\n\n.asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val
TextTrackKind.Companion.DESCRPTIONS: TextTrackKind get() =
"descriptions"\n\n.asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val
TextTrackKind.Companion.CHAPTERS: TextTrackKind get() =
"chapters"\n\n.asDynamic().unsafeCast<TextTrackKind>()\n\npublic inline val
TextTrackKind.Companion.METADATA: TextTrackKind get() =
"metadata"\n\n.asDynamic().unsafeCast<TextTrackKind>()\n\n/* please, don't implement this interface!
*\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external interface SelectionMode
{\n  companion object\n}\n\npublic inline val SelectionMode.Companion.SELECT: SelectionMode get() =
"select"\n\n.asDynamic().unsafeCast<SelectionMode>()\n\npublic inline val SelectionMode.Companion.START:
SelectionMode get() = "start"\n\n.asDynamic().unsafeCast<SelectionMode>()\n\npublic inline val
SelectionMode.Companion.END: SelectionMode get() =
"end"\n\n.asDynamic().unsafeCast<SelectionMode>()\n\npublic inline val SelectionMode.Companion.PRESERVE:
SelectionMode get() = "preserve"\n\n.asDynamic().unsafeCast<SelectionMode>()\n\n/* please, don't implement this
interface!
*\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external interface
CanvasFillRule {\n  companion object\n}\n\npublic inline val CanvasFillRule.Companion.NONZERO:
CanvasFillRule get() = "nonzero"\n\n.asDynamic().unsafeCast<CanvasFillRule>()\n\npublic inline val
CanvasFillRule.Companion.EVENODD: CanvasFillRule get() =
"evenodd"\n\n.asDynamic().unsafeCast<CanvasFillRule>()\n\n/* please, don't implement this interface!
*\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external interface
ImageSmoothingQuality {\n  companion object\n}\n\npublic inline val ImageSmoothingQuality.Companion.LOW:
ImageSmoothingQuality get() = "low"\n\n.asDynamic().unsafeCast<ImageSmoothingQuality>()\n\npublic inline val
ImageSmoothingQuality.Companion.MEDIUM: ImageSmoothingQuality get() =
"medium"\n\n.asDynamic().unsafeCast<ImageSmoothingQuality>()\n\npublic inline val
ImageSmoothingQuality.Companion.HIGH: ImageSmoothingQuality get() =
"high"\n\n.asDynamic().unsafeCast<ImageSmoothingQuality>()\n\n/* please, don't implement this interface!
*\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external interface CanvasLineCap
{\n  companion object\n}\n\npublic inline val CanvasLineCap.Companion.BUTT: CanvasLineCap get() =
"butt"\n\n.asDynamic().unsafeCast<CanvasLineCap>()\n\npublic inline val CanvasLineCap.Companion.ROUND:
CanvasLineCap get() = "round"\n\n.asDynamic().unsafeCast<CanvasLineCap>()\n\npublic inline val

```

```

CanvasLineCap.Companion.SQUARE: CanvasLineCap get() =
\"square\".asDynamic().unsafeCast<CanvasLineCap>()\n\n/* please, don't implement this interface!
*\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface CanvasLineJoin
{\n  companion object\n}\n\npublic inline val CanvasLineJoin.Companion.ROUND: CanvasLineJoin get() =
\"round\".asDynamic().unsafeCast<CanvasLineJoin>()\n\npublic inline val CanvasLineJoin.Companion.BEVEL:
CanvasLineJoin get() = \"bevel\".asDynamic().unsafeCast<CanvasLineJoin>()\n\npublic inline val
CanvasLineJoin.Companion.MITER: CanvasLineJoin get() =
\"miter\".asDynamic().unsafeCast<CanvasLineJoin>()\n\n/* please, don't implement this interface!
*\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface CanvasTextAlign
{\n  companion object\n}\n\npublic inline val CanvasTextAlign.Companion.START: CanvasTextAlign get() =
\"start\".asDynamic().unsafeCast<CanvasTextAlign>()\n\npublic inline val CanvasTextAlign.Companion.END:
CanvasTextAlign get() = \"end\".asDynamic().unsafeCast<CanvasTextAlign>()\n\npublic inline val
CanvasTextAlign.Companion.LEFT: CanvasTextAlign get() =
\"left\".asDynamic().unsafeCast<CanvasTextAlign>()\n\npublic inline val CanvasTextAlign.Companion.RIGHT:
CanvasTextAlign get() = \"right\".asDynamic().unsafeCast<CanvasTextAlign>()\n\npublic inline val
CanvasTextAlign.Companion.CENTER: CanvasTextAlign get() =
\"center\".asDynamic().unsafeCast<CanvasTextAlign>()\n\n/* please, don't implement this interface!
*\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface
CanvasTextBaseline {\n  companion object\n}\n\npublic inline val CanvasTextBaseline.Companion.TOP:
CanvasTextBaseline get() = \"top\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val
CanvasTextBaseline.Companion.HANGING: CanvasTextBaseline get() =
\"hanging\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val
CanvasTextBaseline.Companion.MIDDLE: CanvasTextBaseline get() =
\"middle\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val
CanvasTextBaseline.Companion.ALPHABETIC: CanvasTextBaseline get() =
\"alphabetic\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val
CanvasTextBaseline.Companion.IDEOGRAPHIC: CanvasTextBaseline get() =
\"ideographic\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\npublic inline val
CanvasTextBaseline.Companion.BOTTOM: CanvasTextBaseline get() =
\"bottom\".asDynamic().unsafeCast<CanvasTextBaseline>()\n\n/* please, don't implement this interface!
*\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface CanvasDirection
{\n  companion object\n}\n\npublic inline val CanvasDirection.Companion.LTR: CanvasDirection get() =
\"ltr\".asDynamic().unsafeCast<CanvasDirection>()\n\npublic inline val CanvasDirection.Companion.RTL:
CanvasDirection get() = \"rtl\".asDynamic().unsafeCast<CanvasDirection>()\n\npublic inline val
CanvasDirection.Companion.INHERIT: CanvasDirection get() =
\"inherit\".asDynamic().unsafeCast<CanvasDirection>()\n\n/* please, don't implement this interface!
*\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface ScrollRestoration
{\n  companion object\n}\n\npublic inline val ScrollRestoration.Companion.AUTO: ScrollRestoration get() =
\"auto\".asDynamic().unsafeCast<ScrollRestoration>()\n\npublic inline val
ScrollRestoration.Companion.MANUAL: ScrollRestoration get() =
\"manual\".asDynamic().unsafeCast<ScrollRestoration>()\n\n/* please, don't implement this interface!
*\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface ImageOrientation
{\n  companion object\n}\n\npublic inline val ImageOrientation.Companion.NONE: ImageOrientation get() =
\"none\".asDynamic().unsafeCast<ImageOrientation>()\n\npublic inline val ImageOrientation.Companion.FLIPY:
ImageOrientation get() = \"flipY\".asDynamic().unsafeCast<ImageOrientation>()\n\n/* please, don't implement this
interface! *\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface
PremultiplyAlpha {\n  companion object\n}\n\npublic inline val PremultiplyAlpha.Companion.NONE:
PremultiplyAlpha get() = \"none\".asDynamic().unsafeCast<PremultiplyAlpha>()\n\npublic inline val

```

```

PremultiplyAlpha.Companion.PREMULTIPLY: PremultiplyAlpha get() =
\"premultiply\".asDynamic().unsafeCast<PremultiplyAlpha>()\n\npublic inline val
PremultiplyAlpha.Companion.DEFAULT: PremultiplyAlpha get() =
\"default\".asDynamic().unsafeCast<PremultiplyAlpha>()\n\n/* please, don't implement this interface!
*\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface
ColorSpaceConversion {\n  companion object\n}\n\npublic inline val ColorSpaceConversion.Companion.NONE:
ColorSpaceConversion get() = \"none\".asDynamic().unsafeCast<ColorSpaceConversion>()\n\npublic inline val
ColorSpaceConversion.Companion.DEFAULT: ColorSpaceConversion get() =
\"default\".asDynamic().unsafeCast<ColorSpaceConversion>()\n\n/* please, don't implement this interface!
*\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface ResizeQuality
{\n  companion object\n}\n\npublic inline val ResizeQuality.Companion.PIXELATED: ResizeQuality get() =
\"pixelated\".asDynamic().unsafeCast<ResizeQuality>()\n\npublic inline val ResizeQuality.Companion.LOW:
ResizeQuality get() = \"low\".asDynamic().unsafeCast<ResizeQuality>()\n\npublic inline val
ResizeQuality.Companion.MEDIUM: ResizeQuality get() =
\"medium\".asDynamic().unsafeCast<ResizeQuality>()\n\npublic inline val ResizeQuality.Companion.HIGH:
ResizeQuality get() = \"high\".asDynamic().unsafeCast<ResizeQuality>()\n\n/* please, don't implement this
interface! *\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface
BinaryType {\n  companion object\n}\n\npublic inline val BinaryType.Companion.BLOB: BinaryType get() =
\"blob\".asDynamic().unsafeCast<BinaryType>()\n\npublic inline val BinaryType.Companion.ARRAYBUFFER:
BinaryType get() = \"arraybuffer\".asDynamic().unsafeCast<BinaryType>()\n\n/* please, don't implement this
interface! *\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface
WorkerType {\n  companion object\n}\n\npublic inline val WorkerType.Companion.CLASSIC: WorkerType get()
= \"classic\".asDynamic().unsafeCast<WorkerType>()\n\npublic inline val WorkerType.Companion.MODULE:
WorkerType get() = \"module\".asDynamic().unsafeCast<WorkerType>()\n\n/* please, don't implement this
interface! *\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface
ShadowRootMode {\n  companion object\n}\n\npublic inline val ShadowRootMode.Companion.OPEN:
ShadowRootMode get() = \"open\".asDynamic().unsafeCast<ShadowRootMode>()\n\npublic inline val
ShadowRootMode.Companion.CLOSED: ShadowRootMode get() =
\"closed\".asDynamic().unsafeCast<ShadowRootMode>()\n\n/* please, don't implement this interface!
*\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface ScrollBehavior
{\n  companion object\n}\n\npublic inline val ScrollBehavior.Companion.AUTO: ScrollBehavior get() =
\"auto\".asDynamic().unsafeCast<ScrollBehavior>()\n\npublic inline val ScrollBehavior.Companion.INSTANT:
ScrollBehavior get() = \"instant\".asDynamic().unsafeCast<ScrollBehavior>()\n\npublic inline val
ScrollBehavior.Companion.SMOOTH: ScrollBehavior get() =
\"smooth\".asDynamic().unsafeCast<ScrollBehavior>()\n\n/* please, don't implement this interface!
*\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface
ScrollLogicalPosition {\n  companion object\n}\n\npublic inline val ScrollLogicalPosition.Companion.START:
ScrollLogicalPosition get() = \"start\".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\npublic inline val
ScrollLogicalPosition.Companion.CENTER: ScrollLogicalPosition get() =
\"center\".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\npublic inline val
ScrollLogicalPosition.Companion.END: ScrollLogicalPosition get() =
\"end\".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\npublic inline val
ScrollLogicalPosition.Companion.NEAREST: ScrollLogicalPosition get() =
\"nearest\".asDynamic().unsafeCast<ScrollLogicalPosition>()\n\n/* please, don't implement this interface!
*\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\n\npublic external interface CSSBoxType {\n
  companion object\n}\n\npublic inline val CSSBoxType.Companion.MARGIN: CSSBoxType get() =
\"margin\".asDynamic().unsafeCast<CSSBoxType>()\n\npublic inline val CSSBoxType.Companion.BORDER:
CSSBoxType get() = \"border\".asDynamic().unsafeCast<CSSBoxType>()\n\npublic inline val

```

```

CSSBoxType.Companion.PADDING: CSSBoxType get() =
"padding".asDynamic().unsafeCast<CSSBoxType>()\n\npublic inline val CSSBoxType.Companion.CONTENT:
CSSBoxType get() = "content".asDynamic().unsafeCast<CSSBoxType>()", "/*\n * Copyright 2010-2019 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED,
DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.fetch\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport
org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport
org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport
org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport
org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript
[Headers](https://developer.mozilla.org/en/docs/Web/API/Headers) to Kotlin\n */\n\npublic external open class
Headers(init: dynamic = definedExternally) {\n    fun append(name: String, value: String)\n    fun delete(name:
String)\n    fun get(name: String): String?\n    fun has(name: String): Boolean\n    fun set(name: String, value:
String)\n}\n\n/**\n * Exposes the JavaScript [Body](https://developer.mozilla.org/en/docs/Web/API/Body) to
Kotlin\n */\n\npublic external interface Body {\n    val bodyUsed: Boolean\n    fun arrayBuffer():
Promise<ArrayBuffer>\n    fun blob(): Promise<Blob>\n    fun formData(): Promise<FormData>\n    fun json():
Promise<Any?>\n    fun text(): Promise<String>\n}\n\n/**\n * Exposes the JavaScript
[Request](https://developer.mozilla.org/en/docs/Web/API/Request) to Kotlin\n */\n\npublic external open class
Request(input: dynamic, init: RequestInit = definedExternally) : Body {\n    open val method: String\n    open val
url: String\n    open val headers: Headers\n    open val type: RequestType\n    open val destination:
RequestDestination\n    open val referrer: String\n    open val referrerPolicy: dynamic\n    open val mode:
RequestMode\n    open val credentials: RequestCredentials\n    open val cache: RequestCache\n    open val redirect:
RequestRedirect\n    open val integrity: String\n    open val keepalive: Boolean\n    override val bodyUsed:
Boolean\n    fun clone(): Request\n    override fun arrayBuffer(): Promise<ArrayBuffer>\n    override fun blob():
Promise<Blob>\n    override fun formData(): Promise<FormData>\n    override fun json(): Promise<Any?>\n    override
fun text(): Promise<String>\n}\n\npublic external interface RequestInit {\n    var method: String?\n    get() =
definedExternally\n    set(value) = definedExternally\n    var headers: dynamic\n    get() =
definedExternally\n    set(value) = definedExternally\n    var body: dynamic\n    get() = definedExternally\n
set(value) = definedExternally\n    var referrer: String?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var referrerPolicy: dynamic\n    get() = definedExternally\n    set(value) =
definedExternally\n    var mode: RequestMode?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var credentials: RequestCredentials?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var cache: RequestCache?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var redirect: RequestRedirect?\n    get() = definedExternally\n    set(value) =
definedExternally\n    var integrity: String?\n    get() = definedExternally\n    set(value) = definedExternally\n
var keepalive: Boolean?\n    get() = definedExternally\n    set(value) = definedExternally\n    var window:
Any?\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun RequestInit(method: String? = undefined,
headers: dynamic = undefined, body: dynamic = undefined, referrer: String? = undefined, referrerPolicy: dynamic =
undefined, mode: RequestMode? = undefined, credentials: RequestCredentials? = undefined, cache: RequestCache? =
undefined, redirect: RequestRedirect? = undefined, integrity: String? = undefined, keepalive: Boolean? =
undefined, window: Any? = undefined): RequestInit {\n    val o = js("{}")\n    o["method"] = method\n    o["headers"] = headers\n    o["body"] = body\n    o["referrer"] = referrer\n    o["referrerPolicy"] =
referrerPolicy\n    o["mode"] = mode\n    o["credentials"] = credentials\n    o["cache"] = cache\n    o["redirect"] =
redirect\n    o["integrity"] = integrity\n    o["keepalive"] = keepalive\n    o["window"] = window\n    return
o\n}\n\n/**\n * Exposes the JavaScript [Response](https://developer.mozilla.org/en/docs/Web/API/Response) to
Kotlin\n */\n\npublic external open class Response(body: dynamic = definedExternally, init: ResponseInit =

```

```

definedExternally) : Body {\n  open val type: ResponseType\n  open val url: String\n  open val redirected:
Boolean\n  open val status: Short\n  open val ok: Boolean\n  open val statusText: String\n  open val headers:
Headers\n  open val body: dynamic\n  open val trailer: Promise<Headers>\n  override val bodyUsed: Boolean\n
fun clone(): Response\n  override fun arrayBuffer(): Promise<ArrayBuffer>\n  override fun blob():
Promise<Blob>\n  override fun formData(): Promise<FormData>\n  override fun json(): Promise<Any?>\n
override fun text(): Promise<String>\n\n  companion object {\n    fun error(): Response\n    fun redirect(url:
String, status: Short = definedExternally): Response\n  }\n\n  public external interface ResponseInit {\n  var
status: Short? /* = 200 */\n    get() = definedExternally\n    set(value) = definedExternally\n  var statusText:
String? /* = \"OK\" */\n    get() = definedExternally\n    set(value) = definedExternally\n  var headers:
dynamic\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ResponseInit(status: Short? = 200,
statusText: String? = \"OK\", headers: dynamic = undefined): ResponseInit {\n  val o = js(\"({})\")\n  o[\"status\"]
= status\n  o[\"statusText\"] = statusText\n  o[\"headers\"] = headers\n  return o\n}\n\n/* please, don't implement
this interface! */\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface
RequestType {\n  companion object\n}\n\npublic inline val RequestType.Companion.EMPTY: RequestType get()
= \"\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.AUDIO:
RequestType get() = \"audio\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val
RequestType.Companion.FONT: RequestType get() = \"font\".asDynamic().unsafeCast<RequestType>()\n\npublic
inline val RequestType.Companion.IMAGE: RequestType get() =
\"image\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.SCRIPT:
RequestType get() = \"script\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val
RequestType.Companion.STYLE: RequestType get() =
\"style\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val RequestType.Companion.TRACK:
RequestType get() = \"track\".asDynamic().unsafeCast<RequestType>()\n\npublic inline val
RequestType.Companion.VIDEO: RequestType get() = \"video\".asDynamic().unsafeCast<RequestType>()\n\n/*
please, don't implement this interface!
*/\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface
RequestDestination {\n  companion object\n}\n\npublic inline val RequestDestination.Companion.EMPTY:
RequestDestination get() = \"\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.DOCUMENT: RequestDestination get() =
\"document\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.EMBED: RequestDestination get() =
\"embed\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.FONT: RequestDestination get() =
\"font\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.IMAGE: RequestDestination get() =
\"image\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.MANIFEST: RequestDestination get() =
\"manifest\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.MEDIA: RequestDestination get() =
\"media\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.OBJECT: RequestDestination get() =
\"object\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.REPORT: RequestDestination get() =
\"report\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.SCRIPT: RequestDestination get() =
\"script\".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.SERVICEWORKER: RequestDestination get() =

```



```

"serviceworker".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.SHAREDWORKER: RequestDestination get() =
"sharedworker".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.STYLE: RequestDestination get() =
"style".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.WORKER: RequestDestination get() =
"worker".asDynamic().unsafeCast<RequestDestination>()\n\npublic inline val
RequestDestination.Companion.XSLT: RequestDestination get() =
"xslt".asDynamic().unsafeCast<RequestDestination>()\n\n/* please, don't implement this interface!
*\n\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic external interface RequestMode {\n
companion object\n\n\npublic inline val RequestMode.Companion.NAVIGATE: RequestMode get() =
"navigate".asDynamic().unsafeCast<RequestMode>()\n\npublic inline val
RequestMode.Companion.SAME_ORIGIN: RequestMode get() = "same-
origin".asDynamic().unsafeCast<RequestMode>()\n\npublic inline val RequestMode.Companion.NO_CORS:
RequestMode get() = "no-cors".asDynamic().unsafeCast<RequestMode>()\n\npublic inline val
RequestMode.Companion.CORS: RequestMode get() = "cors".asDynamic().unsafeCast<RequestMode>()\n\n/*
please, don't implement this interface!
*\n\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic external interface
RequestCredentials {\n
companion object\n\n\npublic inline val RequestCredentials.Companion.OMIT:
RequestCredentials get() = "omit".asDynamic().unsafeCast<RequestCredentials>()\n\npublic inline val
RequestCredentials.Companion.SAME_ORIGIN: RequestCredentials get() = "same-
origin".asDynamic().unsafeCast<RequestCredentials>()\n\npublic inline val
RequestCredentials.Companion.INCLUDE: RequestCredentials get() =
"include".asDynamic().unsafeCast<RequestCredentials>()\n\n/* please, don't implement this interface!
*\n\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic external interface RequestCache
{\n
companion object\n\n\npublic inline val RequestCache.Companion.DEFAULT: RequestCache get() =
"default".asDynamic().unsafeCast<RequestCache>()\n\npublic inline val RequestCache.Companion.NO_STORE:
RequestCache get() = "no-store".asDynamic().unsafeCast<RequestCache>()\n\npublic inline val
RequestCache.Companion.RELOAD: RequestCache get() =
"reload".asDynamic().unsafeCast<RequestCache>()\n\npublic inline val RequestCache.Companion.NO_CACHE:
RequestCache get() = "no-cache".asDynamic().unsafeCast<RequestCache>()\n\npublic inline val
RequestCache.Companion.FORCE_CACHE: RequestCache get() = "force-
cache".asDynamic().unsafeCast<RequestCache>()\n\npublic inline val
RequestCache.Companion.ONLY_IF_CACHED: RequestCache get() = "only-if-
cached".asDynamic().unsafeCast<RequestCache>()\n\n/* please, don't implement this interface!
*\n\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic external interface RequestRedirect
{\n
companion object\n\n\npublic inline val RequestRedirect.Companion.FOLLOW: RequestRedirect get() =
"follow".asDynamic().unsafeCast<RequestRedirect>()\n\npublic inline val RequestRedirect.Companion.ERROR:
RequestRedirect get() = "error".asDynamic().unsafeCast<RequestRedirect>()\n\npublic inline val
RequestRedirect.Companion.MANUAL: RequestRedirect get() =
"manual".asDynamic().unsafeCast<RequestRedirect>()\n\n/* please, don't implement this interface!
*\n\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic external interface ResponseType
{\n
companion object\n\n\npublic inline val ResponseType.Companion.BASIC: ResponseType get() =
"basic".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val ResponseType.Companion.CORS:
ResponseType get() = "cors".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val
ResponseType.Companion.DEFAULT: ResponseType get() =
"default".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val ResponseType.Companion.ERROR:
ResponseType get() = "error".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val

```

```

ResponseType.Companion.OPAQUE: ResponseType get() =
"opaque".asDynamic().unsafeCast<ResponseType>()\n\npublic inline val
ResponseType.Companion.OPAQUEREDIRECT: ResponseType get() =
"opaqueredirect".asDynamic().unsafeCast<ResponseType>()", /*\n * Copyright 2010-2019 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT
EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.mediacapture\n\nimport
kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport
org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport
org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport org.w3c.dom.svg.*\nimport
org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport
org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript
[MediaStream](https://developer.mozilla.org/en/docs/Web/API/MediaStream) to Kotlin\n */\n\npublic external open
class MediaStream() : EventTarget {\n    constructor(stream: MediaStream)\n    constructor(tracks:
Array<MediaStreamTrack>)\n    open val id: String\n    open val active: Boolean\n    var onaddtrack:
((MediaStreamTrackEvent) -> dynamic)?\n    var onremovetrack: ((MediaStreamTrackEvent) -> dynamic)?\n    fun
getAudioTracks(): Array<MediaStreamTrack>\n    fun getVideoTracks(): Array<MediaStreamTrack>\n    fun
getTracks(): Array<MediaStreamTrack>\n    fun getTrackById(trackId: String): MediaStreamTrack?\n    fun
addTrack(track: MediaStreamTrack)\n    fun removeTrack(track: MediaStreamTrack)\n    fun clone():
MediaStream\n}\n\n/**\n * Exposes the JavaScript
[MediaStreamTrack](https://developer.mozilla.org/en/docs/Web/API/MediaStreamTrack) to Kotlin\n */\n\npublic
external abstract class MediaStreamTrack : EventTarget {\n    open val kind: String\n    open val id: String\n    open
val label: String\n    open var enabled: Boolean\n    open val muted: Boolean\n    open var onmute: ((Event) ->
dynamic)?\n    open var onunmute: ((Event) -> dynamic)?\n    open val readyState: MediaStreamTrackState\n
open var onended: ((Event) -> dynamic)?\n    open var onoverconstrained: ((Event) -> dynamic)?\n    fun clone():
MediaStreamTrack\n    fun stop()\n    fun getCapabilities(): MediaTrackCapabilities\n    fun getConstraints():
MediaTrackConstraints\n    fun getSettings(): MediaTrackSettings\n    fun applyConstraints(constraints:
MediaTrackConstraints = definedExternally): Promise<Unit>\n}\n\n/**\n * Exposes the JavaScript
[MediaTrackSupportedConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaTrackSupportedConstraints)
to Kotlin\n */\n\npublic external interface MediaTrackSupportedConstraints {\n    var width: Boolean? /* = true
*/\n    get() = definedExternally\n    set(value) = definedExternally\n    var height: Boolean? /* = true */\n
get() = definedExternally\n    set(value) = definedExternally\n    var aspectRatio: Boolean? /* = true */\n
get() = definedExternally\n    set(value) = definedExternally\n    var frameRate: Boolean? /* = true */\n
get() = definedExternally\n    set(value) = definedExternally\n    var facingMode: Boolean? /* = true */\n
get() = definedExternally\n    set(value) = definedExternally\n    var resizeMode: Boolean? /* = true */\n
get() = definedExternally\n    set(value) = definedExternally\n    var volume: Boolean? /* = true */\n
get() = definedExternally\n    set(value) = definedExternally\n    var sampleRate: Boolean? /* = true */\n
get() = definedExternally\n    set(value) = definedExternally\n    var sampleSize: Boolean? /* = true */\n
get() = definedExternally\n    set(value) = definedExternally\n    var echoCancellation: Boolean? /* = true */\n
get() = definedExternally\n    set(value) = definedExternally\n    var autoGainControl: Boolean? /* = true */\n
get() = definedExternally\n    set(value) = definedExternally\n    var noiseSuppression: Boolean? /* = true */\n
get() = definedExternally\n    set(value) = definedExternally\n    var latency: Boolean? /* = true */\n
get() = definedExternally\n    set(value) = definedExternally\n    var channelCount: Boolean? /* = true */\n
get() = definedExternally\n    set(value) = definedExternally\n    var deviceId: Boolean? /* = true */\n
get() = definedExternally\n    set(value) = definedExternally\n    var groupId: Boolean? /* = true */\n
get() = definedExternally\n    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\n\npublic inline fun
MediaTrackSupportedConstraints(width: Boolean? = true, height: Boolean? = true, aspectRatio: Boolean? = true,
frameRate: Boolean? = true, facingMode: Boolean? = true, resizeMode: Boolean? = true, volume: Boolean? = true,

```

```

sampleRate: Boolean? = true, sampleSize: Boolean? = true, echoCancellation: Boolean? = true, autoGainControl:
Boolean? = true, noiseSuppression: Boolean? = true, latency: Boolean? = true, channelCount: Boolean? = true,
deviceId: Boolean? = true, groupId: Boolean? = true): MediaTrackSupportedConstraints {
    val o = js("{}")
    o["width"] = width
    o["height"] = height
    o["aspectRatio"] = aspectRatio
    o["frameRate"] = frameRate
    o["facingMode"] = facingMode
    o["resizeMode"] = resizeMode
    o["volume"] = volume
    o["sampleRate"] = sampleRate
    o["sampleSize"] = sampleSize
    o["echoCancellation"] = echoCancellation
    o["autoGainControl"] = autoGainControl
    o["noiseSuppression"] = noiseSuppression
    o["latency"] = latency
    o["channelCount"] = channelCount
    o["deviceId"] = deviceId
    o["groupId"] = groupId
    return o
}

public external interface MediaTrackCapabilities {
    var width: ULongRange?
    get() = definedExternally
    set(value) = definedExternally
    var height: ULongRange?
    get() = definedExternally
    set(value) = definedExternally
    var aspectRatio: DoubleRange?
    get() = definedExternally
    set(value) = definedExternally
    var frameRate: DoubleRange?
    get() = definedExternally
    set(value) = definedExternally
    var facingMode: Array<String>?
    get() = definedExternally
    set(value) = definedExternally
    var resizeMode: Array<String>?
    get() = definedExternally
    set(value) = definedExternally
    var volume: DoubleRange?
    get() = definedExternally
    set(value) = definedExternally
    var sampleRate: ULongRange?
    get() = definedExternally
    set(value) = definedExternally
    var sampleSize: ULongRange?
    get() = definedExternally
    set(value) = definedExternally
    var echoCancellation: Array<Boolean>?
    get() = definedExternally
    set(value) = definedExternally
    var autoGainControl: Array<Boolean>?
    get() = definedExternally
    set(value) = definedExternally
    var noiseSuppression: Array<Boolean>?
    get() = definedExternally
    set(value) = definedExternally
    var latency: DoubleRange?
    get() = definedExternally
    set(value) = definedExternally
    var channelCount: ULongRange?
    get() = definedExternally
    set(value) = definedExternally
    var deviceId: String?
    get() = definedExternally
    set(value) = definedExternally
    var groupId: String?
    get() = definedExternally
    set(value) = definedExternally
}

@kotlin.internal.InlineOnly
public inline fun MediaTrackCapabilities(width: ULongRange? = undefined, height: ULongRange? = undefined, aspectRatio: DoubleRange? = undefined, frameRate: DoubleRange? = undefined, facingMode: Array<String>? = undefined, resizeMode: Array<String>? = undefined, volume: DoubleRange? = undefined, sampleRate: ULongRange? = undefined, sampleSize: ULongRange? = undefined, echoCancellation: Array<Boolean>? = undefined, autoGainControl: Array<Boolean>? = undefined, noiseSuppression: Array<Boolean>? = undefined, latency: DoubleRange? = undefined, channelCount: ULongRange? = undefined, deviceId: String? = undefined, groupId: String? = undefined): MediaTrackCapabilities {
    val o = js("{}")
    o["width"] = width
    o["height"] = height
    o["aspectRatio"] = aspectRatio
    o["frameRate"] = frameRate
    o["facingMode"] = facingMode
    o["resizeMode"] = resizeMode
    o["volume"] = volume
    o["sampleRate"] = sampleRate
    o["sampleSize"] = sampleSize
    o["echoCancellation"] = echoCancellation
    o["autoGainControl"] = autoGainControl
    o["noiseSuppression"] = noiseSuppression
    o["latency"] = latency
    o["channelCount"] = channelCount
    o["deviceId"] = deviceId
    o["groupId"] = groupId
    return o
}

/** Exposes the JavaScript [MediaTrackConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaTrackConstraints) to Kotlin */
public external interface MediaTrackConstraints : MediaTrackConstraintSet {
    var advanced: Array<MediaTrackConstraintSet>?
    get() = definedExternally
    set(value) = definedExternally
}

@kotlin.internal.InlineOnly
public inline fun MediaTrackConstraints(advanced: Array<MediaTrackConstraintSet>? = undefined, width: dynamic = undefined, height: dynamic = undefined, aspectRatio: dynamic = undefined, frameRate: dynamic = undefined, facingMode: dynamic = undefined, resizeMode: dynamic = undefined, volume: dynamic = undefined, sampleRate: dynamic = undefined, sampleSize: dynamic = undefined, echoCancellation: dynamic = undefined, autoGainControl: dynamic = undefined, noiseSuppression: dynamic = undefined, latency: dynamic = undefined, channelCount: dynamic = undefined, deviceId: dynamic = undefined, groupId: dynamic = undefined): MediaTrackConstraints {
    val o = js("{}")
    o["advanced"] = advanced
    o["width"] = width
    o["height"] = height
    o["aspectRatio"] =

```

```

aspectRatio\n  o[\"frameRate\"] = frameRate\n  o[\"facingMode\"] = facingMode\n  o[\"resizeMode\"] =
resizeMode\n  o[\"volume\"] = volume\n  o[\"sampleRate\"] = sampleRate\n  o[\"sampleSize\"] = sampleSize\n
o[\"echoCancellation\"] = echoCancellation\n  o[\"autoGainControl\"] = autoGainControl\n
o[\"noiseSuppression\"] = noiseSuppression\n  o[\"latency\"] = latency\n  o[\"channelCount\"] = channelCount\n
o[\"deviceId\"] = deviceId\n  o[\"groupId\"] = groupId\n  return o\n}\n\npublic external interface
MediaTrackConstraintSet {\n  var width: dynamic\n    get() = definedExternally\n    set(value) =
definedExternally\n  var height: dynamic\n    get() = definedExternally\n    set(value) = definedExternally\n
var aspectRatio: dynamic\n    get() = definedExternally\n    set(value) = definedExternally\n  var frameRate:
dynamic\n    get() = definedExternally\n    set(value) = definedExternally\n  var facingMode: dynamic\n
get() = definedExternally\n    set(value) = definedExternally\n  var resizeMode: dynamic\n    get() =
definedExternally\n    set(value) = definedExternally\n  var volume: dynamic\n    get() = definedExternally\n
set(value) = definedExternally\n  var sampleRate: dynamic\n    get() = definedExternally\n    set(value) =
definedExternally\n  var sampleSize: dynamic\n    get() = definedExternally\n    set(value) =
definedExternally\n  var echoCancellation: dynamic\n    get() = definedExternally\n    set(value) =
definedExternally\n  var autoGainControl: dynamic\n    get() = definedExternally\n    set(value) =
definedExternally\n  var noiseSuppression: dynamic\n    get() = definedExternally\n    set(value) =
definedExternally\n  var latency: dynamic\n    get() = definedExternally\n    set(value) = definedExternally\n
var channelCount: dynamic\n    get() = definedExternally\n    set(value) = definedExternally\n  var deviceId:
dynamic\n    get() = definedExternally\n    set(value) = definedExternally\n  var groupId: dynamic\n    get()
= definedExternally\n    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
MediaTrackConstraintSet(width: dynamic = undefined, height: dynamic = undefined, aspectRatio: dynamic =
undefined, frameRate: dynamic = undefined, facingMode: dynamic = undefined, resizeMode: dynamic = undefined,
volume: dynamic = undefined, sampleRate: dynamic = undefined, sampleSize: dynamic = undefined,
echoCancellation: dynamic = undefined, autoGainControl: dynamic = undefined, noiseSuppression: dynamic =
undefined, latency: dynamic = undefined, channelCount: dynamic = undefined, deviceId: dynamic = undefined,
groupId: dynamic = undefined): MediaTrackConstraintSet {\n  val o = js(\"({})\")\n  o[\"width\"] = width\n
o[\"height\"] = height\n  o[\"aspectRatio\"] = aspectRatio\n  o[\"frameRate\"] = frameRate\n  o[\"facingMode\"]
= facingMode\n  o[\"resizeMode\"] = resizeMode\n  o[\"volume\"] = volume\n  o[\"sampleRate\"] =
sampleRate\n  o[\"sampleSize\"] = sampleSize\n  o[\"echoCancellation\"] = echoCancellation\n
o[\"autoGainControl\"] = autoGainControl\n  o[\"noiseSuppression\"] = noiseSuppression\n  o[\"latency\"] =
latency\n  o[\"channelCount\"] = channelCount\n  o[\"deviceId\"] = deviceId\n  o[\"groupId\"] = groupId\n
return o\n}\n\n/**\n * Exposes the JavaScript
[MediaTrackSettings](https://developer.mozilla.org/en/docs/Web/API/MediaTrackSettings) to Kotlin\n *\npublic
external interface MediaTrackSettings {\n  var width: Int?\n    get() = definedExternally\n    set(value) =
definedExternally\n  var height: Int?\n    get() = definedExternally\n    set(value) = definedExternally\n  var
aspectRatio: Double?\n    get() = definedExternally\n    set(value) = definedExternally\n  var frameRate:
Double?\n    get() = definedExternally\n    set(value) = definedExternally\n  var facingMode: String?\n
get() = definedExternally\n    set(value) = definedExternally\n  var resizeMode: String?\n    get() =
definedExternally\n    set(value) = definedExternally\n  var volume: Double?\n    get() = definedExternally\n
set(value) = definedExternally\n  var sampleRate: Int?\n    get() = definedExternally\n    set(value) =
definedExternally\n  var sampleSize: Int?\n    get() = definedExternally\n    set(value) = definedExternally\n
var echoCancellation: Boolean?\n    get() = definedExternally\n    set(value) = definedExternally\n  var
autoGainControl: Boolean?\n    get() = definedExternally\n    set(value) = definedExternally\n  var
noiseSuppression: Boolean?\n    get() = definedExternally\n    set(value) = definedExternally\n  var latency:
Double?\n    get() = definedExternally\n    set(value) = definedExternally\n  var channelCount: Int?\n
get() = definedExternally\n    set(value) = definedExternally\n  var deviceId: String?\n    get() =
definedExternally\n    set(value) = definedExternally\n  var groupId: String?\n    get() = definedExternally\n
set(value) = definedExternally\n  var groupId: String?\n    get() = definedExternally\n
set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun MediaTrackSettings(width:

```

```

Int? = undefined, height: Int? = undefined, aspectRatio: Double? = undefined, frameRate: Double? = undefined,
facingMode: String? = undefined, resizeMode: String? = undefined, volume: Double? = undefined, sampleRate: Int?
= undefined, sampleSize: Int? = undefined, echoCancellation: Boolean? = undefined, autoGainControl: Boolean? =
undefined, noiseSuppression: Boolean? = undefined, latency: Double? = undefined, channelCount: Int? = undefined,
deviceId: String? = undefined, groupId: String? = undefined): MediaTrackSettings {\n  val o = js("{}")\n
o["width"] = width\n  o["height"] = height\n  o["aspectRatio"] = aspectRatio\n  o["frameRate"] =
frameRate\n  o["facingMode"] = facingMode\n  o["resizeMode"] = resizeMode\n  o["volume"] = volume\n
o["sampleRate"] = sampleRate\n  o["sampleSize"] = sampleSize\n  o["echoCancellation"] =
echoCancellation\n  o["autoGainControl"] = autoGainControl\n  o["noiseSuppression"] = noiseSuppression\n
o["latency"] = latency\n  o["channelCount"] = channelCount\n  o["deviceId"] = deviceId\n  o["groupId"] =
groupId\n  return o\n}\n\n/**\n * Exposes the JavaScript
[MediaStreamTrackEvent](https://developer.mozilla.org/en/docs/Web/API/MediaStreamTrackEvent) to Kotlin\n
*/\npublic external open class MediaStreamTrackEvent(type: String, eventInitDict: MediaStreamTrackEventInit) :
Event {\n  open val track: MediaStreamTrack\n\n  companion object {\n    val NONE: Short\n    val
CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n
}\n}\n\npublic external interface MediaStreamTrackEventInit : EventInit {\n  var track: MediaStreamTrack?\n
get() = definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
MediaStreamTrackEventInit(track: MediaStreamTrack?, bubbles: Boolean? = false, cancelable: Boolean? = false,
composed: Boolean? = false): MediaStreamTrackEventInit {\n  val o = js("{}")\n  o["track"] = track\n
o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] = composed\n  return
o\n}\n\npublic external open class OverconstrainedErrorEvent(type: String, eventInitDict:
OverconstrainedErrorEventInit) : Event {\n  open val error: dynamic\n\n  companion object {\n    val NONE:
Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE:
Short\n  }\n}\n\npublic external interface OverconstrainedErrorEventInit : EventInit {\n  var error: dynamic /* =
null */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun OverconstrainedErrorEventInit(error:
dynamic = null, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):
OverconstrainedErrorEventInit {\n  val o = js("{}")\n  o["error"] = error\n  o["bubbles"] = bubbles\n
o["cancelable"] = cancelable\n  o["composed"] = composed\n  return o\n}\n\n/**\n * Exposes the JavaScript
[MediaDevices](https://developer.mozilla.org/en/docs/Web/API/MediaDevices) to Kotlin\n*/\npublic external
abstract class MediaDevices : EventTarget {\n  open var ondevicechange: ((Event) -> dynamic)?\n  fun
enumerateDevices(): Promise<Array<MediaDeviceInfo>>\n  fun getSupportedConstraints():
MediaTrackSupportedConstraints\n  fun getUserMedia(constraints: MediaStreamConstraints = definedExternally):
Promise<MediaStream>\n}\n\n/**\n * Exposes the JavaScript
[MediaDeviceInfo](https://developer.mozilla.org/en/docs/Web/API/MediaDeviceInfo) to Kotlin\n*/\npublic
external abstract class MediaDeviceInfo {\n  open val deviceId: String\n  open val kind: MediaDeviceKind\n
open val label: String\n  open val groupId: String\n  fun toJSON(): dynamic\n}\n\npublic external abstract class
InputDeviceInfo : MediaDeviceInfo {\n  fun getCapabilities(): MediaTrackCapabilities\n}\n\n/**\n * Exposes the
JavaScript [MediaStreamConstraints](https://developer.mozilla.org/en/docs/Web/API/MediaStreamConstraints) to
Kotlin\n*/\npublic external interface MediaStreamConstraints {\n  var video: dynamic /* = false */\n  get() =
definedExternally\n  set(value) = definedExternally\n  var audio: dynamic /* = false */\n  get() =
definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
MediaStreamConstraints(video: dynamic = false, audio: dynamic = false): MediaStreamConstraints {\n  val o =
js("{}")\n  o["video"] = video\n  o["audio"] = audio\n  return o\n}\n\npublic external interface
ConstrainablePattern {\n  var onoverconstrained: ((Event) -> dynamic)?\n  get() = definedExternally\n
set(value) = definedExternally\n  fun getCapabilities(): Capabilities\n  fun getConstraints(): Constraints\n  fun
getSettings(): Settings\n  fun applyConstraints(constraints: Constraints = definedExternally):
Promise<Unit>\n}\n\n/**\n * Exposes the JavaScript

```

```

[DoubleRange](https://developer.mozilla.org/en/docs/Web/API/DoubleRange) to Kotlin
 * public external
interface DoubleRange {
    var max: Double?
    get() = definedExternally
    set(value) =
definedExternally
    var min: Double?
    get() = definedExternally
    set(value) =
definedExternally
}
 @kotlin.internal.InlineOnly
public inline fun DoubleRange(max: Double? = undefined,
min: Double? = undefined): DoubleRange {
    val o = js("{}")
    o["max"] = max
    o["min"] = min
    return o
}
public external interface ConstrainDoubleRange : DoubleRange {
    var exact: Double?
    get() = definedExternally
    set(value) = definedExternally
    var ideal: Double?
    get() = definedExternally
    set(value) = definedExternally
}
 @kotlin.internal.InlineOnly
public inline fun ConstrainDoubleRange(exact:
Double? = undefined, ideal: Double? = undefined, max: Double? = undefined, min: Double? = undefined):
ConstrainDoubleRange {
    val o = js("{}")
    o["exact"] = exact
    o["ideal"] = ideal
    o["max"] =
max
    o["min"] = min
    return o
}
public external interface ULongRange {
    var max: Int?
    get() = definedExternally
    set(value) = definedExternally
    var min: Int?
    get() = definedExternally
    set(value) = definedExternally
}
 @kotlin.internal.InlineOnly
public inline fun ULongRange(max: Int? =
undefined, min: Int? = undefined): ULongRange {
    val o = js("{}")
    o["max"] = max
    o["min"] =
min
    return o
}
public external interface ConstrainULongRange : ULongRange {
    var exact: Int?
    get() = definedExternally
    set(value) = definedExternally
    var ideal: Int?
    get() = definedExternally
    set(value) = definedExternally
}
 @kotlin.internal.InlineOnly
public inline fun ConstrainULongRange(exact:
Int? = undefined, ideal: Int? = undefined, max: Int? = undefined, min: Int? = undefined): ConstrainULongRange {
    val o = js("{}")
    o["exact"] = exact
    o["ideal"] = ideal
    o["max"] = max
    o["min"] = min
    return o
}
}
 * Exposes the JavaScript

[ConstrainBooleanParameters](https://developer.mozilla.org/en/docs/Web/API/ConstrainBooleanParameters) to
Kotlin
 * public external interface ConstrainBooleanParameters {
    var exact: Boolean?
    get() =
definedExternally
    set(value) = definedExternally
    var ideal: Boolean?
    get() = definedExternally
    set(value) = definedExternally
}
 @kotlin.internal.InlineOnly
public inline fun
ConstrainBooleanParameters(exact: Boolean? = undefined, ideal: Boolean? = undefined):
ConstrainBooleanParameters {
    val o = js("{}")
    o["exact"] = exact
    o["ideal"] = ideal
    return
o
}
}
 * Exposes the JavaScript

[ConstrainDOMStringParameters](https://developer.mozilla.org/en/docs/Web/API/ConstrainDOMStringParameters)
to Kotlin
 * public external interface ConstrainDOMStringParameters {
    var exact: dynamic
    get() =
definedExternally
    set(value) = definedExternally
    var ideal: dynamic
    get() = definedExternally
    set(value) = definedExternally
}
 @kotlin.internal.InlineOnly
public inline fun
ConstrainDOMStringParameters(exact: dynamic = undefined, ideal: dynamic = undefined):
ConstrainDOMStringParameters {
    val o = js("{}")
    o["exact"] = exact
    o["ideal"] = ideal
    return
o
}
}
public external interface Capabilities
 @kotlin.internal.InlineOnly
public inline fun Capabilities():
Capabilities {
    val o = js("{}")
    return o
}
}
public external interface Settings
 @kotlin.internal.InlineOnly
public inline fun Settings(): Settings {
    val o = js("{}")
    return
o
}
}
public external interface ConstraintSet
 @kotlin.internal.InlineOnly
public inline fun ConstraintSet():
ConstraintSet {
    val o = js("{}")
    return o
}
}
public external interface Constraints : ConstraintSet {
    var advanced: Array<ConstraintSet>?
    get() = definedExternally
    set(value) =
definedExternally
}
 @kotlin.internal.InlineOnly
public inline fun Constraints(advanced:
Array<ConstraintSet>? = undefined): Constraints {
    val o = js("{}")
    o["advanced"] = advanced
    return o
}
}
 * please, don't implement this interface!
 * @Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")
public external interface
MediaStreamTrackState {
    companion object
}
}
public inline val MediaStreamTrackState.Companion.LIVE:
MediaStreamTrackState
get() = "live".asDynamic().unsafeCast<MediaStreamTrackState>()
}
public inline val
MediaStreamTrackState.Companion.ENDED: MediaStreamTrackState
get() =
"ended".asDynamic().unsafeCast<MediaStreamTrackState>()
}
 * please, don't implement this interface!
 * @Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")
public external interface

```

```

VideoFacingModeEnum {\n  companion object\n}\n\npublic inline val
VideoFacingModeEnum.Companion.USER: VideoFacingModeEnum get() =
\"user\".asDynamic().unsafeCast<VideoFacingModeEnum>()\n\npublic inline val
VideoFacingModeEnum.Companion.ENVIRONMENT: VideoFacingModeEnum get() =
\"environment\".asDynamic().unsafeCast<VideoFacingModeEnum>()\n\npublic inline val
VideoFacingModeEnum.Companion.LEFT: VideoFacingModeEnum get() =
\"left\".asDynamic().unsafeCast<VideoFacingModeEnum>()\n\npublic inline val
VideoFacingModeEnum.Companion.RIGHT: VideoFacingModeEnum get() =
\"right\".asDynamic().unsafeCast<VideoFacingModeEnum>()\n\n/* please, don't implement this interface!
*\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface
VideoResizeModeEnum {\n  companion object\n}\n\npublic inline val
VideoResizeModeEnum.Companion.NONE: VideoResizeModeEnum get() =
\"none\".asDynamic().unsafeCast<VideoResizeModeEnum>()\n\npublic inline val
VideoResizeModeEnum.Companion.CROP_AND_SCALE: VideoResizeModeEnum get() = \"crop-and-
scale\".asDynamic().unsafeCast<VideoResizeModeEnum>()\n\n/* please, don't implement this interface!
*\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface
MediaDeviceKind {\n  companion object\n}\n\npublic inline val MediaDeviceKind.Companion.AUDIOINPUT:
MediaDeviceKind get() = \"audioinput\".asDynamic().unsafeCast<MediaDeviceKind>()\n\npublic inline val
MediaDeviceKind.Companion.AUDIOOUTPUT: MediaDeviceKind get() =
\"audiooutput\".asDynamic().unsafeCast<MediaDeviceKind>()\n\npublic inline val
MediaDeviceKind.Companion.VIDEOINPUT: MediaDeviceKind get() =
\"videoinput\".asDynamic().unsafeCast<MediaDeviceKind>()\n\n/*\n * Copyright 2010-2019 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT
EDIT!\n\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.dom.pointerevents\n\nimport
kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport
org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport
org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.svg.*\nimport
org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport org.w3c.notifications.*\nimport
org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\npublic external interface
PointerEventInit : MouseEventInit {\n  var pointerId: Int? /* = 0 */\n    get() = definedExternally\n
set(value) = definedExternally\n  var width: Double? /* = 1.0 */\n    get() = definedExternally\n    set(value) =
definedExternally\n  var height: Double? /* = 1.0 */\n    get() = definedExternally\n    set(value) =
definedExternally\n  var pressure: Float? /* = 0f */\n    get() = definedExternally\n    set(value) =
definedExternally\n  var tangentialPressure: Float? /* = 0f */\n    get() = definedExternally\n    set(value) =
definedExternally\n  var tiltX: Int? /* = 0 */\n    get() = definedExternally\n    set(value) = definedExternally\n
var tiltY: Int? /* = 0 */\n    get() = definedExternally\n    set(value) = definedExternally\n  var twist: Int? /* =
0 */\n    get() = definedExternally\n    set(value) = definedExternally\n  var pointerType: String? /* = \"\" */\n
get() = definedExternally\n    set(value) = definedExternally\n  var isPrimary: Boolean? /* = false */\n
get() = definedExternally\n    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
PointerEventInit(pointerId: Int? = 0, width: Double? = 1.0, height: Double? = 1.0, pressure: Float? = 0f,
tangentialPressure: Float? = 0f, tiltX: Int? = 0, tiltY: Int? = 0, twist: Int? = 0, pointerType: String? = \"\", isPrimary:
Boolean? = false, screenX: Int? = 0, screenY: Int? = 0, clientX: Int? = 0, clientY: Int? = 0, button: Short? = 0,
buttons: Short? = 0, relatedTarget: EventTarget? = null, region: String? = null, ctrlKey: Boolean? = false, shiftKey:
Boolean? = false, altKey: Boolean? = false, metaKey: Boolean? = false, modifierAltGraph: Boolean? = false,
modifierCapsLock: Boolean? = false, modifierFn: Boolean? = false, modifierFnLock: Boolean? = false,
modifierHyper: Boolean? = false, modifierNumLock: Boolean? = false, modifierScrollLock: Boolean? = false,
modifierSuper: Boolean? = false, modifierSymbol: Boolean? = false, modifierSymbolLock: Boolean? = false, view:

```

```

Window? = null, detail: Int? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): PointerEventInit {\n  val o = js("{}")\n  o["pointerId"] = pointerId\n  o["width"] = width\n
o["height"] = height\n  o["pressure"] = pressure\n  o["tangentialPressure"] = tangentialPressure\n
o["tiltX"] = tiltX\n  o["tiltY"] = tiltY\n  o["twist"] = twist\n  o["pointerType"] = pointerType\n
o["isPrimary"] = isPrimary\n  o["screenX"] = screenX\n  o["screenY"] = screenY\n  o["clientX"] =
clientX\n  o["clientY"] = clientY\n  o["button"] = button\n  o["buttons"] = buttons\n  o["relatedTarget"] =
relatedTarget\n  o["region"] = region\n  o["ctrlKey"] = ctrlKey\n  o["shiftKey"] = shiftKey\n  o["altKey"]
= altKey\n  o["metaKey"] = metaKey\n  o["modifierAltGraph"] = modifierAltGraph\n
o["modifierCapsLock"] = modifierCapsLock\n  o["modifierFn"] = modifierFn\n  o["modifierFnLock"] =
modifierFnLock\n  o["modifierHyper"] = modifierHyper\n  o["modifierNumLock"] = modifierNumLock\n
o["modifierScrollLock"] = modifierScrollLock\n  o["modifierSuper"] = modifierSuper\n
o["modifierSymbol"] = modifierSymbol\n  o["modifierSymbolLock"] = modifierSymbolLock\n  o["view"] =
view\n  o["detail"] = detail\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] =
composed\n  return o\n}\n\n/**\n * Exposes the JavaScript
[PointerEvent](https://developer.mozilla.org/en/docs/Web/API/PointerEvent) to Kotlin\n */\npublic external open
class PointerEvent(type: String, eventInitDict: PointerEventInit = definedExternally) : MouseEvent {\n  open val
pointerId: Int\n  open val width: Double\n  open val height: Double\n  open val pressure: Float\n  open val
tangentialPressure: Float\n  open val tiltX: Int\n  open val tiltY: Int\n  open val twist: Int\n  open val
pointerType: String\n  open val isPrimary: Boolean\n\n  companion object {\n    val NONE: Short\n    val
CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n  }\n}"/**\n
* Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS
FILE IS AUTO-GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage
org.w3c.dom.svg\n\nimport kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport
org.w3c.dom.*\nimport org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport
org.w3c.dom.events.*\nimport org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport
org.w3c.dom.pointerevents.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport
org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n
* Exposes the JavaScript [SVGElement](https://developer.mozilla.org/en/docs/Web/API/SVGElement) to Kotlin\n
*/\n\npublic external abstract class SVGElement : Element, ElementCSSInlineStyle, GlobalEventHandlers,
SVGElementInstance {\n  open val dataset: DOMStringMap\n  open val ownerSVGElement:
SVGSVGElement?\n  open val viewportElement: SVGElement?\n  open var tabIndex: Int\n  fun focus()\n  fun
blur()\n\n  companion object {\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n
val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE:
Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val
COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n
val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n  }\n}\n\npublic external interface
SVGBoundingBoxOptions {\n  var fill: Boolean? /* = true */\n  get() = definedExternally\n  set(value) =
definedExternally\n  var stroke: Boolean? /* = false */\n  get() = definedExternally\n  set(value) =
definedExternally\n  var markers: Boolean? /* = false */\n  get() = definedExternally\n  set(value) =
definedExternally\n  var clipped: Boolean? /* = false */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun SVGBoundingBoxOptions(fill: Boolean? =
true, stroke: Boolean? = false, markers: Boolean? = false, clipped: Boolean? = false): SVGBoundingBoxOptions {\n
val o = js("{}")\n  o["fill"] = fill\n  o["stroke"] = stroke\n  o["markers"] = markers\n  o["clipped"] =

```



```

clipped\n return o\n}\n\n/**\n * Exposes the JavaScript
[SVGGraphicsElement](https://developer.mozilla.org/en/docs/Web/API/SVGGraphicsElement) to Kotlin\n
*\npublic external abstract class SVGGraphicsElement : SVGElement, SVGTests {\n open val transform:
SVGAnimatedTransformList\n fun getBBox(options: SVGBoundingBoxOptions = definedExternally):
DOMRect\n fun getCTM(): DOMMatrix?\n fun getScreenCTM(): DOMMatrix?\n\n companion object {\n
val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val
CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE:
Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val
DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[SVGGeometryElement](https://developer.mozilla.org/en/docs/Web/API/SVGGeometryElement) to Kotlin\n
*\npublic external abstract class SVGGeometryElement : SVGGraphicsElement {\n open val pathLength:
SVGAnimatedNumber\n fun isPointInFill(point: DOMPoint): Boolean\n fun isPointInStroke(point: DOMPoint):
Boolean\n fun getTotalLength(): Float\n fun getPointAtLength(distance: Float): DOMPoint\n\n companion
object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE:
Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val
ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE:
Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val
DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val
DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n
val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n
val DOCUMENT_POSITION_CONTAINED_BY: Short\n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript
[SVGNumber](https://developer.mozilla.org/en/docs/Web/API/SVGNumber) to Kotlin\n *\npublic external
abstract class SVGNumber {\n open var value: Float\n}\n\n/**\n * Exposes the JavaScript
[SVGLength](https://developer.mozilla.org/en/docs/Web/API/SVGLength) to Kotlin\n *\npublic external
abstract class SVGLength {\n open val unitType: Short\n open var value: Float\n open var valueInSpecifiedUnits:
Float\n open var valueAsString: String\n fun newValueSpecifiedUnits(unitType: Short, valueInSpecifiedUnits:
Float)\n fun convertToSpecifiedUnits(unitType: Short)\n\n companion object {\n val
SVG_LENGTHTYPE_UNKNOWN: Short\n val SVG_LENGTHTYPE_NUMBER: Short\n val
SVG_LENGTHTYPE_PERCENTAGE: Short\n val SVG_LENGTHTYPE_EMS: Short\n val
SVG_LENGTHTYPE_EXS: Short\n val SVG_LENGTHTYPE_PX: Short\n val
SVG_LENGTHTYPE_CM: Short\n val SVG_LENGTHTYPE_MM: Short\n val
SVG_LENGTHTYPE_IN: Short\n val SVG_LENGTHTYPE_PT: Short\n val SVG_LENGTHTYPE_PC:
Short\n }\n}\n\n/**\n * Exposes the JavaScript
[SVGAngle](https://developer.mozilla.org/en/docs/Web/API/SVGAngle) to Kotlin\n *\npublic external
abstract class SVGAngle {\n open val unitType: Short\n open var value: Float\n open var valueInSpecifiedUnits:
Float\n open var valueAsString: String\n fun newValueSpecifiedUnits(unitType: Short, valueInSpecifiedUnits:
Float)\n fun convertToSpecifiedUnits(unitType: Short)\n\n companion object {\n val
SVG_ANGLETYPE_UNKNOWN: Short\n val SVG_ANGLETYPE_UNSPECIFIED: Short\n val
SVG_ANGLETYPE_DEG: Short\n val SVG_ANGLETYPE_RAD: Short\n val
SVG_ANGLETYPE_GRAD: Short\n }\n}\n\npublic external abstract class SVGNameList {\n open val length:
Int\n open val numberOfItems: Int\n fun clear()\n fun initialize(newItem: dynamic): dynamic\n fun
insertItemBefore(newItem: dynamic, index: Int): dynamic\n fun replaceItem(newItem: dynamic, index: Int):

```

dynamic\n fun removeItem(index: Int): dynamic\n fun appendItem(newItem: dynamic): dynamic\n fun
getItem(index: Int): dynamic\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun
SVGNameList.get(index: Int): dynamic = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline
operator fun SVGNameList.set(index: Int, newItem: dynamic) { asDynamic()[index] = newItem }\n\n/**\n *
Exposes the JavaScript [SVGNumberList](https://developer.mozilla.org/en/docs/Web/API/SVGNumberList) to
Kotlin\n */\npublic external abstract class SVGNumberList {\n open val length: Int\n open val numberOfItems:
Int\n fun clear()\n fun initialize(newItem: SVGNumber): SVGNumber\n fun insertItemBefore(newItem:
SVGNumber, index: Int): SVGNumber\n fun replaceItem(newItem: SVGNumber, index: Int): SVGNumber\n
fun removeItem(index: Int): SVGNumber\n fun appendItem(newItem: SVGNumber): SVGNumber\n fun
getItem(index: Int): SVGNumber\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun
SVGNumberList.get(index: Int): SVGNumber? = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline
operator fun SVGNumberList.set(index: Int, newItem: SVGNumber) { asDynamic()[index] = newItem }\n\n/**\n *
Exposes the JavaScript [SVGLengthList](https://developer.mozilla.org/en/docs/Web/API/SVGLengthList) to
Kotlin\n */\npublic external abstract class SVGLengthList {\n open val length: Int\n open val numberOfItems:
Int\n fun clear()\n fun initialize(newItem: SVGLength): SVGLength\n fun insertItemBefore(newItem:
SVGLength, index: Int): SVGLength\n fun replaceItem(newItem: SVGLength, index: Int): SVGLength\n fun
removeItem(index: Int): SVGLength\n fun appendItem(newItem: SVGLength): SVGLength\n fun
getItem(index: Int): SVGLength\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun
SVGLengthList.get(index: Int): SVGLength? = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline
operator fun SVGLengthList.set(index: Int, newItem: SVGLength) { asDynamic()[index] = newItem }\n\n/**\n *
Exposes the JavaScript
[SVGAnimatedBoolean](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedBoolean) to Kotlin\n
*/\npublic external abstract class SVGAnimatedBoolean {\n open var baseVal: Boolean\n open val animVal:
Boolean\n}\n\n/**\n * Exposes the JavaScript
[SVGAnimatedEnumeration](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedEnumeration) to
Kotlin\n */\npublic external abstract class SVGAnimatedEnumeration {\n open var baseVal: Short\n open val
animVal: Short\n}\n\n/**\n * Exposes the JavaScript
[SVGAnimatedInteger](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedInteger) to Kotlin\n
*/\npublic external abstract class SVGAnimatedInteger {\n open var baseVal: Int\n open val animVal:
Int\n}\n\n/**\n * Exposes the JavaScript
[SVGAnimatedNumber](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedNumber) to Kotlin\n
*/\npublic external abstract class SVGAnimatedNumber {\n open var baseVal: Float\n open val animVal:
Float\n}\n\n/**\n * Exposes the JavaScript
[SVGAnimatedLength](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedLength) to Kotlin\n
*/\npublic external abstract class SVGAnimatedLength {\n open val baseVal: SVGLength\n open val animVal:
SVGLength\n}\n\n/**\n * Exposes the JavaScript
[SVGAnimatedAngle](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedAngle) to Kotlin\n */\npublic
external abstract class SVGAnimatedAngle {\n open val baseVal: SVGAngle\n open val animVal:
SVGAngle\n}\n\n/**\n * Exposes the JavaScript
[SVGAnimatedString](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedString) to Kotlin\n */\npublic
external abstract class SVGAnimatedString {\n open var baseVal: String\n open val animVal: String\n}\n\n/**\n *
Exposes the JavaScript [SVGAnimatedRect](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedRect)
to Kotlin\n */\npublic external abstract class SVGAnimatedRect {\n open val baseVal: DOMRect\n open val
animVal: DOMRectReadOnly\n}\n\n/**\n * Exposes the JavaScript
[SVGAnimatedNumberList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedNumberList) to Kotlin\n
*/\npublic external abstract class SVGAnimatedNumberList {\n open val baseVal: SVGNumberList\n open val
animVal: SVGNumberList\n}\n\n/**\n * Exposes the JavaScript
[SVGAnimatedLengthList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedLengthList) to Kotlin\n

```

*\npublic external abstract class SVGAnimatedLengthList {\n  open val baseVal: SVGLengthList\n  open val animVal: SVGLengthList\n}\n\n/**\n * Exposes the JavaScript [SVGStringList](https://developer.mozilla.org/en/docs/Web/API/SVGStringList) to Kotlin\n */\n\npublic external abstract class SVGStringList {\n  open val length: Int\n  open val numberOfItems: Int\n  fun clear()\n  fun initialize(newItem: String): String\n  fun insertItemBefore(newItem: String, index: Int): String\n  fun replaceItem(newItem: String, index: Int): String\n  fun removeItem(index: Int): String\n  fun appendItem(newItem: String): String\n  fun getItem(index: Int): String\n}\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun SVGStringList.get(index: Int): String? = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\n\npublic inline operator fun SVGStringList.set(index: Int, newItem: String) { asDynamic()[index] = newItem }\n\n/**\n * Exposes the JavaScript [SVGUnitTypes](https://developer.mozilla.org/en/docs/Web/API/SVGUnitTypes) to Kotlin\n */\n\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic external interface SVGUnitTypes {\n  companion object {\n    val SVG_UNIT_TYPE_UNKNOWN: Short\n    val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n    val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n  }\n}\n\n/**\n * Exposes the JavaScript [SVGTTests](https://developer.mozilla.org/en/docs/Web/API/SVGTTests) to Kotlin\n */\n\npublic external interface SVGTTests {\n  val requiredExtensions: SVGStringList\n  val systemLanguage: SVGStringList\n}\n\npublic external interface SVGFitToViewBox {\n  val viewBox: SVGAnimatedRect\n  val preserveAspectRatio: SVGAnimatedPreserveAspectRatio\n}\n\n/**\n * Exposes the JavaScript [SVGZoomAndPan](https://developer.mozilla.org/en/docs/Web/API/SVGZoomAndPan) to Kotlin\n */\n\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\n\npublic external interface SVGZoomAndPan {\n  var zoomAndPan: Short\n\n  companion object {\n    val SVG_ZOOMANDPAN_UNKNOWN: Short\n    val SVG_ZOOMANDPAN_DISABLE: Short\n    val SVG_ZOOMANDPAN_MAGNIFY: Short\n  }\n}\n\n/**\n * Exposes the JavaScript [SVGURIReference](https://developer.mozilla.org/en/docs/Web/API/SVGURIReference) to Kotlin\n */\n\npublic external interface SVGURIReference {\n  val href: SVGAnimatedString\n}\n\n/**\n * Exposes the JavaScript [SVGSVGElement](https://developer.mozilla.org/en/docs/Web/API/SVGSVGElement) to Kotlin\n */\n\npublic external abstract class SVGSVGElement : SVGGraphicsElement, SVGFitToViewBox, SVGZoomAndPan, WindowEventHandlers {\n  open val x: SVGAnimatedLength\n  open val y: SVGAnimatedLength\n  open val width: SVGAnimatedLength\n  open val height: SVGAnimatedLength\n  open var currentScale: Float\n  open val currentTranslate: DOMPointReadOnly\n  fun getIntersectionList(rect: DOMRectReadOnly, referenceElement: SVGElement?): NodeList\n  fun getEnclosureList(rect: DOMRectReadOnly, referenceElement: SVGElement?): NodeList\n  fun checkIntersection(element: SVGElement, rect: DOMRectReadOnly): Boolean\n  fun checkEnclosure(element: SVGElement, rect: DOMRectReadOnly): Boolean\n  fun deselectAll()\n  fun createSVGNumber(): SVGNumber\n  fun createSVGLength(): SVGLength\n  fun createSVGAngle(): SVGAngle\n  fun createSVGPoint(): DOMPoint\n  fun createSVGMatrix(): DOMMatrix\n  fun createSVGRect(): DOMRect\n  fun createSVGTransform(): SVGTransform\n  fun createSVGTransformFromMatrix(matrix: DOMMatrixReadOnly): SVGTransform\n  fun getElementById(elementId: String): Element\n  fun suspendRedraw(maxWaitMilliseconds: Int): Int\n  fun unsuspendRedraw(suspendHandleID: Int)\n  fun unsuspendRedrawAll()\n  fun forceRedraw()\n\n  companion object {\n    val SVG_ZOOMANDPAN_UNKNOWN: Short\n    val SVG_ZOOMANDPAN_DISABLE: Short\n    val SVG_ZOOMANDPAN_MAGNIFY: Short\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n  }\n}

```

```

    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGGElement](https://developer.mozilla.org/en/docs/Web/API/SVGGElement) to Kotlin\n *\npublic external
abstract class SVGGElement : SVGGraphicsElement {\n    companion object {\n        val ELEMENT_NODE:
Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE:
Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external abstract class
SVGUnknownElement : SVGGraphicsElement {\n    companion object {\n        val ELEMENT_NODE: Short\n
val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n
val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGDefsElement](https://developer.mozilla.org/en/docs/Web/API/SVGDefsElement) to Kotlin\n *\npublic
external abstract class SVGDefsElement : SVGGraphicsElement {\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGDescElement](https://developer.mozilla.org/en/docs/Web/API/SVGDescElement) to Kotlin\n *\npublic
external abstract class SVGDescElement : SVGElement {\n    companion object {\n        val ELEMENT_NODE:
Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE:
Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGMetadataElement](https://developer.mozilla.org/en/docs/Web/API/SVGMetadataElement) to Kotlin\n
*\npublic external abstract class SVGMetadataElement : SVGElement {\n    companion object {\n        val

```

```

ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGTitleElement](https://developer.mozilla.org/en/docs/Web/API/SVGTitleElement) to Kotlin\n *\npublic
external abstract class SVGTitleElement : SVGElement {\n    companion object {\n    val ELEMENT_NODE:
Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE:
Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGSymbolElement](https://developer.mozilla.org/en/docs/Web/API/SVGSymbolElement) to Kotlin\n *\npublic
external abstract class SVGSymbolElement : SVGGraphicsElement, SVGFitToViewBox {\n    companion object
{\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n
val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val
ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE:
Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGUseElement](https://developer.mozilla.org/en/docs/Web/API/SVGUseElement) to Kotlin\n *\npublic external
abstract class SVGUseElement : SVGGraphicsElement, SVGURIReference {\n    open val x:
SVGAnimatedLength\n    open val y: SVGAnimatedLength\n    open val width: SVGAnimatedLength\n    open val
height: SVGAnimatedLength\n    open val instanceRoot: SVGElement?\n    open val animatedInstanceRoot:
SVGElement?\n\n    companion object {\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE:
Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external open class
SVGUseElementShadowRoot : ShadowRoot {\n    companion object {\n    val ELEMENT_NODE: Short\n
val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n
val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val

```

```

PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external interface
SVGElementInstance {\n    val correspondingElement: SVGElement?\n    get() = definedExternally\n    val
correspondingUseElement: SVGUseElement?\n    get() = definedExternally\n}\n\npublic external open class
ShadowAnimation(source: dynamic, newTarget: dynamic) {\n    open val sourceAnimation: dynamic\n}\n\n/**\n *
Exposes the JavaScript [SVGSwitchElement](https://developer.mozilla.org/en/docs/Web/API/SVGSwitchElement)
to Kotlin\n */\n\npublic external abstract class SVGSwitchElement : SVGGraphicsElement {\n    companion object
{\n        val ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n
        val CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val
ENTITY_NODE: Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE:
Short\n        val DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external interface
GetSVGDocument {\n    fun getSVGDocument(): Document\n}\n\n/**\n * Exposes the JavaScript
[SVGStyleElement](https://developer.mozilla.org/en/docs/Web/API/SVGStyleElement) to Kotlin\n */\n\npublic
external abstract class SVGStyleElement : SVGElement, LinkStyle {\n    open var type: String\n    open var media:
String\n    open var title: String\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGTransform](https://developer.mozilla.org/en/docs/Web/API/SVGTransform) to Kotlin\n */\n\npublic external
abstract class SVGTransform {\n    open val type: Short\n    open val matrix: DOMMatrix\n    open val angle:
Float\n    fun setMatrix(matrix: DOMMatrixReadOnly)\n    fun setTranslate(tx: Float, ty: Float)\n    fun setScale(sx:
Float, sy: Float)\n    fun setRotate(angle: Float, cx: Float, cy: Float)\n    fun setSkewX(angle: Float)\n    fun
setSkewY(angle: Float)\n\n    companion object {\n        val SVG_TRANSFORM_UNKNOWN: Short\n        val
SVG_TRANSFORM_MATRIX: Short\n        val SVG_TRANSFORM_TRANSLATE: Short\n        val
SVG_TRANSFORM_SCALE: Short\n        val SVG_TRANSFORM_ROTATE: Short\n        val
SVG_TRANSFORM_SKEWX: Short\n        val SVG_TRANSFORM_SKEWY: Short\n    }\n}\n\n/**\n * Exposes
the JavaScript [SVGTransformList](https://developer.mozilla.org/en/docs/Web/API/SVGTransformList) to Kotlin\n
*/\n\npublic external abstract class SVGTransformList {\n    open val length: Int\n    open val numberOfItems: Int\n
fun clear()\n    fun initialize(newItem: SVGTransform): SVGTransform\n    fun insertItemBefore(newItem:
SVGTransform, index: Int): SVGTransform\n    fun replaceItem(newItem: SVGTransform, index: Int):
SVGTransform\n    fun removeItem(index: Int): SVGTransform\n    fun appendItem(newItem: SVGTransform):
SVGTransform\n    fun createSVGTransformFromMatrix(matrix: DOMMatrixReadOnly): SVGTransform\n    fun

```

```

consolidate(): SVGTransform? \n fun getItem(index: Int):
SVGTransform \n \n @kotlin.internal.InlineOnly \n public inline operator fun SVGTransformList.get(index: Int):
SVGTransform? = asDynamic()[index] \n \n @kotlin.internal.InlineOnly \n public inline operator fun
SVGTransformList.set(index: Int, newItem: SVGTransform) { asDynamic()[index] = newItem } \n \n /** \n * Exposes
the JavaScript
[SVGAnimatedTransformList](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedTransformList) to
Kotlin \n \n /** \n public external abstract class SVGAnimatedTransformList { \n open val baseVal:
SVGTransformList \n open val animVal: SVGTransformList \n \n \n /** \n * Exposes the JavaScript
[SVGPreserveAspectRatio](https://developer.mozilla.org/en/docs/Web/API/SVGPreserveAspectRatio) to Kotlin \n
\n /** \n public external abstract class SVGPreserveAspectRatio { \n open var align: Short \n open var meetOrSlice:
Short \n \n companion object { \n val SVG_PRESERVEASPECTRATIO_UNKNOWN: Short \n val
SVG_PRESERVEASPECTRATIO_NONE: Short \n val SVG_PRESERVEASPECTRATIO_XMINYMIN:
Short \n val SVG_PRESERVEASPECTRATIO_XMIDYMIN: Short \n val
SVG_PRESERVEASPECTRATIO_XMAXYMIN: Short \n val
SVG_PRESERVEASPECTRATIO_XMINYMID: Short \n val
SVG_PRESERVEASPECTRATIO_XMIDYMID: Short \n val
SVG_PRESERVEASPECTRATIO_XMAXYMID: Short \n val
SVG_PRESERVEASPECTRATIO_XMINYMAX: Short \n val
SVG_PRESERVEASPECTRATIO_XMIDYMAX: Short \n val
SVG_PRESERVEASPECTRATIO_XMAXYMAX: Short \n val SVG_MEETORSLICE_UNKNOWN: Short \n
val SVG_MEETORSLICE_MEET: Short \n val SVG_MEETORSLICE_SLICE: Short \n } \n \n \n /** \n *
Exposes the JavaScript
[SVGAnimatedPreserveAspectRatio](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedPreserveAspect
Ratio) to Kotlin \n \n /** \n public external abstract class SVGAnimatedPreserveAspectRatio { \n open val baseVal:
SVGPreserveAspectRatio \n open val animVal: SVGPreserveAspectRatio \n \n \n /** \n * Exposes the JavaScript
[SVGPathElement](https://developer.mozilla.org/en/docs/Web/API/SVGPathElement) to Kotlin \n \n /** \n public
external abstract class SVGPathElement : SVGGeometryElement { \n companion object { \n val
ELEMENT_NODE: Short \n val ATTRIBUTE_NODE: Short \n val TEXT_NODE: Short \n val
CDATA_SECTION_NODE: Short \n val ENTITY_REFERENCE_NODE: Short \n val ENTITY_NODE:
Short \n val PROCESSING_INSTRUCTION_NODE: Short \n val COMMENT_NODE: Short \n val
DOCUMENT_NODE: Short \n val DOCUMENT_TYPE_NODE: Short \n val
DOCUMENT_FRAGMENT_NODE: Short \n val NOTATION_NODE: Short \n val
DOCUMENT_POSITION_DISCONNECTED: Short \n val DOCUMENT_POSITION_PRECEDING: Short \n
val DOCUMENT_POSITION_FOLLOWING: Short \n val DOCUMENT_POSITION_CONTAINS: Short \n
val DOCUMENT_POSITION_CONTAINED_BY: Short \n val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short \n } \n \n \n /** \n * Exposes the JavaScript
[SVGRectElement](https://developer.mozilla.org/en/docs/Web/API/SVGRectElement) to Kotlin \n \n /** \n public
external abstract class SVGRectElement : SVGGeometryElement { \n open val x: SVGAnimatedLength \n open
val y: SVGAnimatedLength \n open val width: SVGAnimatedLength \n open val height: SVGAnimatedLength \n
open val rx: SVGAnimatedLength \n open val ry: SVGAnimatedLength \n \n companion object { \n val
ELEMENT_NODE: Short \n val ATTRIBUTE_NODE: Short \n val TEXT_NODE: Short \n val
CDATA_SECTION_NODE: Short \n val ENTITY_REFERENCE_NODE: Short \n val ENTITY_NODE:
Short \n val PROCESSING_INSTRUCTION_NODE: Short \n val COMMENT_NODE: Short \n val
DOCUMENT_NODE: Short \n val DOCUMENT_TYPE_NODE: Short \n val
DOCUMENT_FRAGMENT_NODE: Short \n val NOTATION_NODE: Short \n val
DOCUMENT_POSITION_DISCONNECTED: Short \n val DOCUMENT_POSITION_PRECEDING: Short \n
val DOCUMENT_POSITION_FOLLOWING: Short \n val DOCUMENT_POSITION_CONTAINS: Short \n
val DOCUMENT_POSITION_CONTAINED_BY: Short \n val

```


[SVGAnimatedPoints](https://developer.mozilla.org/en/docs/Web/API/SVGAnimatedPoints) to Kotlin\n
 *\npublic external interface SVGAnimatedPoints {\n val points: SVGPointList\n val animatedPoints: SVGPointList\n}\n\npublic external abstract class SVGPointList {\n open val length: Int\n open val numberOfItems: Int\n fun clear()\n fun initialize(newItem: DOMPoint): DOMPoint\n fun insertItemBefore(newItem: DOMPoint, index: Int): DOMPoint\n fun replaceItem(newItem: DOMPoint, index: Int): DOMPoint\n fun removeItem(index: Int): DOMPoint\n fun appendItem(newItem: DOMPoint): DOMPoint\n fun getItem(index: Int): DOMPoint\n}\n\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGPointList.get(index: Int): DOMPoint? = asDynamic()[index]\n\n@kotlin.internal.InlineOnly\npublic inline operator fun SVGPointList.set(index: Int, newItem: DOMPoint) { asDynamic()[index] = newItem }\n}\n\n/**\n * Exposes the JavaScript

[SVGPolylineElement](https://developer.mozilla.org/en/docs/Web/API/SVGPolylineElement) to Kotlin\n
 *\npublic external abstract class SVGPolylineElement : SVGGeometryElement, SVGAnimatedPoints {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript

[SVGPolygonElement](https://developer.mozilla.org/en/docs/Web/API/SVGPolygonElement) to Kotlin\n
 *\npublic external abstract class SVGPolygonElement : SVGGeometryElement, SVGAnimatedPoints {\n companion object {\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n val DOCUMENT_POSITION_CONTAINED_BY: Short\n val DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n }\n}\n\n/**\n * Exposes the JavaScript

[SVGTextContentElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextContentElement) to Kotlin\n
 *\npublic external abstract class SVGTextContentElement : SVGGraphicsElement {\n open val textLength: SVGAnimatedLength\n open val lengthAdjust: SVGAnimatedEnumeration\n fun getNumberOfChars(): Int\n fun getComputedTextLength(): Float\n fun getSubStringLength(charnum: Int, nchars: Int): Float\n fun getStartPositionOfChar(charnum: Int): DOMPoint\n fun getEndPositionOfChar(charnum: Int): DOMPoint\n fun getExtentOfChar(charnum: Int): DOMRect\n fun getRotationOfChar(charnum: Int): Float\n fun getCharNumAtPosition(point: DOMPoint): Int\n fun selectSubString(charnum: Int, nchars: Int)\n}\n\n companion object {\n val LENGTHADJUST_UNKNOWN: Short\n val LENGTHADJUST_SPACING: Short\n val LENGTHADJUST_SPACINGANDGLYPHS: Short\n val ELEMENT_NODE: Short\n val ATTRIBUTE_NODE: Short\n val TEXT_NODE: Short\n val CDATA_SECTION_NODE: Short\n val ENTITY_REFERENCE_NODE: Short\n val ENTITY_NODE: Short\n val PROCESSING_INSTRUCTION_NODE: Short\n val COMMENT_NODE: Short\n val DOCUMENT_NODE: Short\n val DOCUMENT_TYPE_NODE: Short\n val DOCUMENT_FRAGMENT_NODE: Short\n val NOTATION_NODE: Short\n val DOCUMENT_POSITION_DISCONNECTED: Short\n val DOCUMENT_POSITION_PRECEDING: Short\n val DOCUMENT_POSITION_FOLLOWING: Short\n val DOCUMENT_POSITION_CONTAINS: Short\n }

```

    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGTextPositioningElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextPositioningElement) to Kotlin\n *\npublic external abstract class SVGTextPositioningElement : SVGTextContentElement {\n    open val x:
SVGAnimatedLengthList\n    open val y: SVGAnimatedLengthList\n    open val dx: SVGAnimatedLengthList\n
open val dy: SVGAnimatedLengthList\n    open val rotate: SVGAnimatedNumberList\n\n    companion object {\n
        val LENGTHADJUST_UNKNOWN: Short\n        val LENGTHADJUST_SPACING: Short\n        val
LENGTHADJUST_SPACINGANDGLYPHS: Short\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGTextElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextElement) to Kotlin\n *\npublic
external abstract class SVGTextElement : SVGTextPositioningElement {\n    companion object {\n        val
LENGTHADJUST_UNKNOWN: Short\n        val LENGTHADJUST_SPACING: Short\n        val
LENGTHADJUST_SPACINGANDGLYPHS: Short\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGTSpanElement](https://developer.mozilla.org/en/docs/Web/API/SVGTSpanElement) to Kotlin\n *\npublic
external abstract class SVGTSpanElement : SVGTextPositioningElement {\n    companion object {\n        val
LENGTHADJUST_UNKNOWN: Short\n        val LENGTHADJUST_SPACING: Short\n        val
LENGTHADJUST_SPACINGANDGLYPHS: Short\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGTextPathElement](https://developer.mozilla.org/en/docs/Web/API/SVGTextPathElement) to Kotlin\n\n
*\npublic external abstract class SVGTextPathElement : SVGTextContentElement, SVGURIReference {\n    open
val startOffset: SVGAnimatedLength\n    open val method: SVGAnimatedEnumeration\n    open val spacing:
SVGAnimatedEnumeration\n\n    companion object {\n        val TEXTPATH_METHODTYPE_UNKNOWN:
Short\n        val TEXTPATH_METHODTYPE_ALIGN: Short\n        val

```

```

TEXTPATH_METHODTYPE_STRETCH: Short\n    val TEXTPATH_SPACINGTYPE_UNKNOWN: Short\n
    val TEXTPATH_SPACINGTYPE_AUTO: Short\n    val TEXTPATH_SPACINGTYPE_EXACT: Short\n
val LENGTHADJUST_UNKNOWN: Short\n    val LENGTHADJUST_SPACING: Short\n    val
LENGTHADJUST_SPACINGANDGLYPHS: Short\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[SVGImageElement](https://developer.mozilla.org/en/docs/Web/API/SVGImageElement) to Kotlin \n */ \n public
external abstract class SVGImageElement : SVGGraphicsElement, SVGURIReference,
HTMLOrSVGImageElement { \n    open val x: SVGAnimatedLength \n    open val y: SVGAnimatedLength \n    open
val width: SVGAnimatedLength \n    open val height: SVGAnimatedLength \n    open val preserveAspectRatio:
SVGAnimatedPreserveAspectRatio \n    open var crossOrigin: String? \n \n    companion object { \n        val
ELEMENT_NODE: Short \n        val ATTRIBUTE_NODE: Short \n        val TEXT_NODE: Short \n        val
CDATA_SECTION_NODE: Short \n        val ENTITY_REFERENCE_NODE: Short \n        val ENTITY_NODE:
Short \n        val PROCESSING_INSTRUCTION_NODE: Short \n        val COMMENT_NODE: Short \n        val
DOCUMENT_NODE: Short \n        val DOCUMENT_TYPE_NODE: Short \n        val
DOCUMENT_FRAGMENT_NODE: Short \n        val NOTATION_NODE: Short \n        val
DOCUMENT_POSITION_DISCONNECTED: Short \n        val DOCUMENT_POSITION_PRECEDING: Short \n
        val DOCUMENT_POSITION_FOLLOWING: Short \n        val DOCUMENT_POSITION_CONTAINS: Short \n
        val DOCUMENT_POSITION_CONTAINED_BY: Short \n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short \n    } \n} \n \n /** \n * Exposes the JavaScript
[SVGForeignObjectElement](https://developer.mozilla.org/en/docs/Web/API/SVGForeignObjectElement) to
Kotlin \n */ \n public external abstract class SVGForeignObjectElement : SVGGraphicsElement { \n    open val x:
SVGAnimatedLength \n    open val y: SVGAnimatedLength \n    open val width: SVGAnimatedLength \n    open val
height: SVGAnimatedLength \n \n    companion object { \n        val ELEMENT_NODE: Short \n        val
ATTRIBUTE_NODE: Short \n        val TEXT_NODE: Short \n        val CDATA_SECTION_NODE: Short \n        val
ENTITY_REFERENCE_NODE: Short \n        val ENTITY_NODE: Short \n        val
PROCESSING_INSTRUCTION_NODE: Short \n        val COMMENT_NODE: Short \n        val
DOCUMENT_NODE: Short \n        val DOCUMENT_TYPE_NODE: Short \n        val
DOCUMENT_FRAGMENT_NODE: Short \n        val NOTATION_NODE: Short \n        val
DOCUMENT_POSITION_DISCONNECTED: Short \n        val DOCUMENT_POSITION_PRECEDING: Short \n
        val DOCUMENT_POSITION_FOLLOWING: Short \n        val DOCUMENT_POSITION_CONTAINS: Short \n
        val DOCUMENT_POSITION_CONTAINED_BY: Short \n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short \n    } \n} \n \n public external abstract class
SVGMarkerElement : SVGElement, SVGFitToViewBox { \n    open val refX: SVGAnimatedLength \n    open val
refY: SVGAnimatedLength \n    open val markerUnits: SVGAnimatedEnumeration \n    open val markerWidth:
SVGAnimatedLength \n    open val markerHeight: SVGAnimatedLength \n    open val orientType:
SVGAnimatedEnumeration \n    open val orientAngle: SVGAnimatedAngle \n    open var orient: String \n    fun
setOrientToAuto() \n    fun setOrientToAngle(angle: SVGAngle) \n \n    companion object { \n        val
SVG_MARKERUNITS_UNKNOWN: Short \n        val SVG_MARKERUNITS_USERSPACEONUSE: Short \n        val
SVG_MARKERUNITS_STROKewidth: Short \n        val SVG_MARKER_ORIENT_UNKNOWN: Short \n        val
SVG_MARKER_ORIENT_AUTO: Short \n        val SVG_MARKER_ORIENT_ANGLE: Short \n        val

```

```

ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[SVGSolidcolorElement](https://developer.mozilla.org/en/docs/Web/API/SVGSolidcolorElement) to Kotlin \n
*\npublic external abstract class SVGSolidcolorElement : SVGElement { \n    companion object { \n    val
ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val
CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE:
Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[SVGGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGGradientElement) to Kotlin \n
*\npublic external abstract class SVGGradientElement : SVGElement, SVGURIReference, SVGUnitTypes { \n
open val gradientUnits: SVGAnimatedEnumeration \n    open val gradientTransform: SVGAnimatedTransformList \n
open val spreadMethod: SVGAnimatedEnumeration \n \n    companion object { \n    val
SVG_SPREADMETHOD_UNKNOWN: Short\n    val SVG_SPREADMETHOD_PAD: Short\n    val
SVG_SPREADMETHOD_REFLECT: Short\n    val SVG_SPREADMETHOD_REPEAT: Short\n    val
SVG_UNIT_TYPE_UNKNOWN: Short\n    val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n    val
SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    } \n} \n \n /** \n * Exposes the JavaScript
[SVGLinearGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGLinearGradientElement) to
Kotlin \n
*\npublic external abstract class SVGLinearGradientElement : SVGGradientElement { \n    open val x1:
SVGAnimatedLength \n    open val y1: SVGAnimatedLength \n    open val x2: SVGAnimatedLength \n    open val
y2: SVGAnimatedLength \n \n    companion object { \n    val SVG_SPREADMETHOD_UNKNOWN: Short\n
val SVG_SPREADMETHOD_PAD: Short\n    val SVG_SPREADMETHOD_REFLECT: Short\n    val
SVG_SPREADMETHOD_REPEAT: Short\n    val SVG_UNIT_TYPE_UNKNOWN: Short\n    val
SVG_UNIT_TYPE_USERSPACEONUSE: Short\n    val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX:
Short\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n
    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val
ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE:
Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val

```

```

DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\n/**\n * Exposes the JavaScript
[SVGRadialGradientElement](https://developer.mozilla.org/en/docs/Web/API/SVGRadialGradientElement) to
Kotlin\n *\npublic external abstract class SVGRadialGradientElement : SVGGradientElement {\n    open val cx:
SVGAnimatedLength\n    open val cy: SVGAnimatedLength\n    open val r: SVGAnimatedLength\n    open val fx:
SVGAnimatedLength\n    open val fy: SVGAnimatedLength\n    open val fr: SVGAnimatedLength\n\n    companion
object {\n        val SVG_SPREADMETHOD_UNKNOWN: Short\n        val SVG_SPREADMETHOD_PAD:
Short\n        val SVG_SPREADMETHOD_REFLECT: Short\n        val SVG_SPREADMETHOD_REPEAT:
Short\n        val SVG_UNIT_TYPE_UNKNOWN: Short\n        val SVG_UNIT_TYPE_USERSPACEONUSE:
Short\n        val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n        val ELEMENT_NODE: Short\n
        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n
        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\npublic external abstract class
SVGMeshGradientElement : SVGGradientElement {\n    companion object {\n        val
SVG_SPREADMETHOD_UNKNOWN: Short\n        val SVG_SPREADMETHOD_PAD: Short\n        val
SVG_SPREADMETHOD_REFLECT: Short\n        val SVG_SPREADMETHOD_REPEAT: Short\n        val
SVG_UNIT_TYPE_UNKNOWN: Short\n        val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n        val
SVG_UNIT_TYPE_OBJECTBOUNDINGBOX: Short\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\npublic external abstract class
SVGMeshrowElement : SVGElement {\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }n}\n\npublic external abstract class
SVGMeshpatchElement : SVGElement {\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val

```

```

ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGStopElement](https://developer.mozilla.org/en/docs/Web/API/SVGStopElement) to Kotlin\n */\npublic
external abstract class SVGStopElement : SVGElement {\n    open val offset: SVGAnimatedNumber\n\n
companion object {\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val
TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE:
Short\n    val ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val
COMMENT_NODE: Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n
    val DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGPatternElement](https://developer.mozilla.org/en/docs/Web/API/SVGPatternElement) to Kotlin\n */\npublic
external abstract class SVGPatternElement : SVGElement, SVGFitToViewBox, SVGURIReference,
SVGUnitTypes {\n    open val patternUnits: SVGAnimatedEnumeration\n    open val patternContentUnits:
SVGAnimatedEnumeration\n    open val patternTransform: SVGAnimatedTransformList\n    open val x:
SVGAnimatedLength\n    open val y: SVGAnimatedLength\n    open val width: SVGAnimatedLength\n    open val
height: SVGAnimatedLength\n\n    companion object {\n    val SVG_UNIT_TYPE_UNKNOWN: Short\n
    val SVG_UNIT_TYPE_USERSPACEONUSE: Short\n    val SVG_UNIT_TYPE_OBJECTBOUNDINGBOX:
Short\n    val ELEMENT_NODE: Short\n    val ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n
    val CDATA_SECTION_NODE: Short\n    val ENTITY_REFERENCE_NODE: Short\n    val
ENTITY_NODE: Short\n    val PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE:
Short\n    val DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external abstract class
SVGHatchElement : SVGElement {\n    companion object {\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\npublic external abstract class
SVGHatchpathElement : SVGElement {\n    companion object {\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val

```

```

PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[SVGCursorElement](https://developer.mozilla.org/en/docs/Web/API/SVGCursorElement) to Kotlin\n *\npublic
external abstract class SVGCursorElement : SVGElement, SVGURIReference {\n    open val x:
SVGAnimatedLength\n    open val y: SVGAnimatedLength\n\n    companion object {\n        val
ELEMENT_NODE: Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val
CDATA_SECTION_NODE: Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE:
Short\n        val PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n        }\n}\n\n/**\n * Exposes the JavaScript
[SVGScriptElement](https://developer.mozilla.org/en/docs/Web/API/SVGScriptElement) to Kotlin\n *\npublic
external abstract class SVGScriptElement : SVGElement, SVGURIReference, HTMLOrSVGScriptElement {\n
    open var type: String\n    open var crossOrigin: String?\n\n    companion object {\n        val ELEMENT_NODE:
Short\n        val ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE:
Short\n        val ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n        }\n}\n\n/**\n * Exposes the JavaScript
[SVGAEElement](https://developer.mozilla.org/en/docs/Web/API/SVGAEElement) to Kotlin\n *\npublic external
abstract class SVGAEElement : SVGGraphicsElement, SVGURIReference {\n    open val target:
SVGAnimatedString\n    open val download: SVGAnimatedString\n    open val rel: SVGAnimatedString\n    open
val relList: SVGAnimatedString\n    open val hreflang: SVGAnimatedString\n    open val type:
SVGAnimatedString\n\n    companion object {\n        val ELEMENT_NODE: Short\n        val
ATTRIBUTE_NODE: Short\n        val TEXT_NODE: Short\n        val CDATA_SECTION_NODE: Short\n        val
ENTITY_REFERENCE_NODE: Short\n        val ENTITY_NODE: Short\n        val
PROCESSING_INSTRUCTION_NODE: Short\n        val COMMENT_NODE: Short\n        val
DOCUMENT_NODE: Short\n        val DOCUMENT_TYPE_NODE: Short\n        val
DOCUMENT_FRAGMENT_NODE: Short\n        val NOTATION_NODE: Short\n        val
DOCUMENT_POSITION_DISCONNECTED: Short\n        val DOCUMENT_POSITION_PRECEDING: Short\n
        val DOCUMENT_POSITION_FOLLOWING: Short\n        val DOCUMENT_POSITION_CONTAINS: Short\n
        val DOCUMENT_POSITION_CONTAINED_BY: Short\n        val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n        }\n}\n\n/**\n * Exposes the JavaScript
[SVGViewElement](https://developer.mozilla.org/en/docs/Web/API/SVGViewElement) to Kotlin\n *\npublic
external abstract class SVGViewElement : SVGElement, SVGFitToViewBox, SVGZoomAndPan {\n    companion
object {\n        val SVG_ZOOMANDPAN_UNKNOWN: Short\n        val SVG_ZOOMANDPAN_DISABLE:

```

```

Short\n    val SVG_ZOOMANDPAN_MAGNIFY: Short\n    val ELEMENT_NODE: Short\n    val
ATTRIBUTE_NODE: Short\n    val TEXT_NODE: Short\n    val CDATA_SECTION_NODE: Short\n    val
ENTITY_REFERENCE_NODE: Short\n    val ENTITY_NODE: Short\n    val
PROCESSING_INSTRUCTION_NODE: Short\n    val COMMENT_NODE: Short\n    val
DOCUMENT_NODE: Short\n    val DOCUMENT_TYPE_NODE: Short\n    val
DOCUMENT_FRAGMENT_NODE: Short\n    val NOTATION_NODE: Short\n    val
DOCUMENT_POSITION_DISCONNECTED: Short\n    val DOCUMENT_POSITION_PRECEDING: Short\n
    val DOCUMENT_POSITION_FOLLOWING: Short\n    val DOCUMENT_POSITION_CONTAINS: Short\n
    val DOCUMENT_POSITION_CONTAINED_BY: Short\n    val
DOCUMENT_POSITION_IMPLEMENTATION_SPECIFIC: Short\n } \n} ", /*\n * Copyright 2010-2019
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-
GENERATED, DO NOT EDIT!\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.files\n\nimport
kotlin.js.*\nimport org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport
org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport
org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport
org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.notifications.*\nimport
org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript
[Blob](https://developer.mozilla.org/en/docs/Web/API/Blob) to Kotlin\n */\n\npublic external open class
Blob(blobParts: Array<dynamic> = definedExternally, options: BlobPropertyBag = definedExternally) :
ImageBitmapSource {\n    open val size: Number\n    open val type: String\n    open val isClosed: Boolean\n    fun
slice(start: Int = definedExternally, end: Int = definedExternally, contentType: String = definedExternally): Blob\n
    fun close()\n}\n\npublic external interface BlobPropertyBag {\n    var type: String? /* = \"\" */\n    get() =
definedExternally\n    set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
BlobPropertyBag(type: String? = \"\"): BlobPropertyBag {\n    val o = js(\"({})\")\n    o[\"type\"] = type\n    return
o\n}\n\n/**\n * Exposes the JavaScript [File](https://developer.mozilla.org/en/docs/Web/API/File) to Kotlin\n
*/\n\npublic external open class File(fileBits: Array<dynamic>, fileName: String, options: FilePropertyBag =
definedExternally) : Blob {\n    open val name: String\n    open val lastModified: Int\n}\n\npublic external interface
FilePropertyBag : BlobPropertyBag {\n    var lastModified: Int?\n    get() = definedExternally\n    set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun FilePropertyBag(lastModified: Int? =
undefined, type: String? = \"\"): FilePropertyBag {\n    val o = js(\"({})\")\n    o[\"lastModified\"] = lastModified\n
o[\"type\"] = type\n    return o\n}\n\n/**\n * Exposes the JavaScript
[FileList](https://developer.mozilla.org/en/docs/Web/API/FileList) to Kotlin\n */\n\npublic external abstract class
FileList : ItemArrayLike<File> {\n    override fun item(index: Int): File?\n}\n\n@kotlin.internal.InlineOnly\npublic
inline operator fun FileList.get(index: Int): File? = asDynamic()[index]\n\n/**\n * Exposes the JavaScript
[FileReader](https://developer.mozilla.org/en/docs/Web/API/FileReader) to Kotlin\n */\n\npublic external open class
FileReader : EventTarget {\n    open val readyState: Short\n    open val result: dynamic\n    open val error:
dynamic\n    var onloadstart: ((ProgressEvent) -> dynamic)?\n    var onprogress: ((ProgressEvent) -> dynamic)?\n
var onload: ((Event) -> dynamic)?\n    var onabort: ((Event) -> dynamic)?\n    var onerror: ((Event) ->
dynamic)?\n    var onloadend: ((Event) -> dynamic)?\n    fun readAsArrayBuffer(blob: Blob)\n    fun readAsBinaryString(blob:
Blob)\n    fun readAsText(blob: Blob, label: String = definedExternally)\n    fun readAsDataURL(blob: Blob)\n
fun abort()\n\n    companion object {\n        val EMPTY: Short\n        val LOADING: Short\n        val DONE:
Short\n    }\n}\n\n/**\n * Exposes the JavaScript
[FileReaderSync](https://developer.mozilla.org/en/docs/Web/API/FileReaderSync) to Kotlin\n */\n\npublic external
open class FileReaderSync {\n    fun readAsArrayBuffer(blob: Blob): ArrayBuffer\n    fun readAsBinaryString(blob:
Blob): String\n    fun readAsText(blob: Blob, label: String = definedExternally): String\n    fun
readAsDataURL(blob: Blob): String\n}\n", /*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the

```



```

license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n\n// See
github.com/kotlin/dukat for details\n\npackage org.w3c.notifications\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport
org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport
org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport
org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport
org.w3c.performance.*\nimport org.w3c.workers.*\nimport org.w3c.xhr.*\n\n/**\n * Exposes the JavaScript
[Notification](https://developer.mozilla.org/en/docs/Web/API/Notification) to Kotlin\n */\n\npublic external open
class Notification(title: String, options: NotificationOptions = definedExternally) : EventTarget {\n    var onclick:
((MouseEvent) -> dynamic)?\n    var onerror: ((Event) -> dynamic)?\n    open val title: String\n    open val dir:
NotificationDirection\n    open val lang: String\n    open val body: String\n    open val tag: String\n    open val
image: String\n    open val icon: String\n    open val badge: String\n    open val sound: String\n    open val vibrate:
Array<out Int>\n    open val timestamp: Number\n    open val renotify: Boolean\n    open val silent: Boolean\n
open val noscreen: Boolean\n    open val requireInteraction: Boolean\n    open val sticky: Boolean\n    open val data:
Any?\n    open val actions: Array<out NotificationAction>\n    fun close()\n\n    companion object {\n        val
permission: NotificationPermission\n        val maxActions: Int\n        fun requestPermission(deprecatedCallback:
(NotificationPermission) -> Unit = definedExternally): Promise<NotificationPermission>\n    }\n\n    public
external interface NotificationOptions {\n        var dir: NotificationDirection? /* = NotificationDirection.AUTO */\n
get() = definedExternally\n        set(value) = definedExternally\n        var lang: String? /* = "" */\n        get() =
definedExternally\n        set(value) = definedExternally\n        var body: String? /* = "" */\n        get() =
definedExternally\n        set(value) = definedExternally\n        var tag: String? /* = "" */\n        get() =
definedExternally\n        set(value) = definedExternally\n        var image: String?\n        get() = definedExternally\n
set(value) = definedExternally\n        var icon: String?\n        get() = definedExternally\n        set(value) =
definedExternally\n        var badge: String?\n        get() = definedExternally\n        set(value) = definedExternally\n
var sound: String?\n        get() = definedExternally\n        set(value) = definedExternally\n        var vibrate: dynamic\n
get() = definedExternally\n        set(value) = definedExternally\n        var timestamp: Number?\n        get() =
definedExternally\n        set(value) = definedExternally\n        var renotify: Boolean? /* = false */\n        get() =
definedExternally\n        set(value) = definedExternally\n        var silent: Boolean? /* = false */\n        get() =
definedExternally\n        set(value) = definedExternally\n        var noscreen: Boolean? /* = false */\n        get() =
definedExternally\n        set(value) = definedExternally\n        var requireInteraction: Boolean? /* = false */\n        get()
= definedExternally\n        set(value) = definedExternally\n        var sticky: Boolean? /* = false */\n        get() =
definedExternally\n        set(value) = definedExternally\n        var data: Any? /* = null */\n        get() =
definedExternally\n        set(value) = definedExternally\n        var actions: Array<NotificationAction>? /* = arrayOf()
*/\n        get() = definedExternally\n        set(value) = definedExternally\n    }\n\n    @kotlin.internal.InlineOnly\n    public
inline fun NotificationOptions(dir: NotificationDirection? = NotificationDirection.AUTO, lang: String? = "", body:
String? = "", tag: String? = "", image: String? = undefined, icon: String? = undefined, badge: String? = undefined,
sound: String? = undefined, vibrate: dynamic = undefined, timestamp: Number? = undefined, renotify: Boolean? =
false, silent: Boolean? = false, noscreen: Boolean? = false, requireInteraction: Boolean? = false, sticky: Boolean? =
false, data: Any? = null, actions: Array<NotificationAction>? = arrayOf()): NotificationOptions {\n        val o =
js("{}")\n        o["dir"] = dir\n        o["lang"] = lang\n        o["body"] = body\n        o["tag"] = tag\n        o["image"] =
image\n        o["icon"] = icon\n        o["badge"] = badge\n        o["sound"] = sound\n        o["vibrate"] = vibrate\n
o["timestamp"] = timestamp\n        o["renotify"] = renotify\n        o["silent"] = silent\n        o["noscreen"] = noscreen\n
o["requireInteraction"] = requireInteraction\n        o["sticky"] = sticky\n        o["data"] = data\n        o["actions"] =
actions\n        return o\n    }\n\n    public external interface NotificationAction {\n        var action: String?\n        get() =
definedExternally\n        set(value) = definedExternally\n        var title: String?\n        get() = definedExternally\n
set(value) = definedExternally\n        var icon: String?\n        get() = definedExternally\n        set(value) =
definedExternally\n    }\n\n    @kotlin.internal.InlineOnly\n    public inline fun NotificationAction(action: String?, title:
String?, icon: String? = undefined): NotificationAction {\n        val o = js("{}")\n        o["action"] = action\n

```

```

o["title"] = title\n  o["icon"] = icon\n  return o\n}\n\npublic external interface GetNotificationOptions {\n  var
tag: String? /* = \"\" */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun GetNotificationOptions(tag: String? = \"\"):
GetNotificationOptions {\n  val o = js(\"({})\")\n  o["tag"] = tag\n  return o\n}\n\n/**\n * Exposes the
JavaScript [NotificationEvent](https://developer.mozilla.org/en/docs/Web/API/NotificationEvent) to Kotlin\n
*/\n\npublic external open class NotificationEvent(type: String, eventInitDict: NotificationEventInit) :
ExtendableEvent {\n  open val notification: Notification\n  open val action: String\n\n  companion object {\n
val NONE: Short\n  val CAPTURING_PHASE: Short\n  val AT_TARGET: Short\n  val
BUBBLING_PHASE: Short\n  }\n}\n\npublic external interface NotificationEventInit : ExtendableEventInit {\n
var notification: Notification?\n  get() = definedExternally\n  set(value) = definedExternally\n  var action:
String? /* = \"\" */\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun NotificationEventInit(notification:
Notification?, action: String? = \"\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): NotificationEventInit {\n  val o = js(\"({})\")\n  o["notification"] = notification\n  o["action"] =
action\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] = composed\n  return
o\n}\n\n/* please, don't implement this interface!
*/\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface
NotificationPermission {\n  companion object\n}\n\npublic inline val
NotificationPermission.Companion.DEFAULT: NotificationPermission get() =
\"default\".asDynamic().unsafeCast<NotificationPermission>()\n\npublic inline val
NotificationPermission.Companion.DENIED: NotificationPermission get() =
\"denied\".asDynamic().unsafeCast<NotificationPermission>()\n\npublic inline val
NotificationPermission.Companion.GRANTED: NotificationPermission get() =
\"granted\".asDynamic().unsafeCast<NotificationPermission>()\n\n/* please, don't implement this interface!
*/\n\n@Suppress(\"NESTED_CLASS_IN_EXTERNAL_INTERFACE\")\npublic external interface
NotificationDirection {\n  companion object\n}\n\npublic inline val NotificationDirection.Companion.AUTO:
NotificationDirection get() = \"auto\".asDynamic().unsafeCast<NotificationDirection>()\n\npublic inline val
NotificationDirection.Companion.LTR: NotificationDirection get() =
\"ltr\".asDynamic().unsafeCast<NotificationDirection>()\n\npublic inline val
NotificationDirection.Companion.RTL: NotificationDirection get() =
\"rtl\".asDynamic().unsafeCast<NotificationDirection>()\n\n/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT EDIT!\n\n//
See github.com/kotlin/dukat for details\n\npackage org.w3c.workers\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport
org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport
org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport
org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport
org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.xr.*\n\n/**\n * Exposes the JavaScript
[ServiceWorker](https://developer.mozilla.org/en/docs/Web/API/ServiceWorker) to Kotlin\n
*/\n\npublic external abstract class ServiceWorker : EventTarget, AbstractWorker, UnionMessagePortOrServiceWorker,
UnionClientOrMessagePortOrServiceWorker {\n  open val scriptURL: String\n  open val state:
ServiceWorkerState\n  open var onstatechange: ((Event) -> dynamic)?\n  fun postMessage(message: Any?,
transfer: Array<dynamic> = definedExternally)\n}\n\n/**\n * Exposes the JavaScript
[ServiceWorkerRegistration](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerRegistration) to
Kotlin\n
*/\n\npublic external abstract class ServiceWorkerRegistration : EventTarget {\n  open val installing:
ServiceWorker?\n  open val waiting: ServiceWorker?\n  open val active: ServiceWorker?\n  open val scope:
String\n  open var onupdatefound: ((Event) -> dynamic)?\n  open val APISpace: dynamic\n  fun update():

```

```

Promise<Unit>\n fun unregister(): Promise<Boolean>\n fun showNotification(title: String, options:
NotificationOptions = definedExternally): Promise<Unit>\n fun getNotifications(filter: GetNotificationOptions =
definedExternally): Promise<Array<Notification>>\n fun methodName(): Promise<dynamic>\n}\n\n/**\n *
Exposes the JavaScript
[ServiceWorkerContainer](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerContainer) to Kotlin\n
*\npublic external abstract class ServiceWorkerContainer : EventTarget {\n open val controller:
ServiceWorker?\n open val ready: Promise<ServiceWorkerRegistration>\n open var oncontrollerchange:
((Event) -> dynamic)?\n open var onmessage: ((MessageEvent) -> dynamic)?\n fun register(scriptURL: String,
options: RegistrationOptions = definedExternally): Promise<ServiceWorkerRegistration>\n fun
getRegistration(clientURL: String = definedExternally): Promise<Any?>\n fun getRegistrations():
Promise<Array<ServiceWorkerRegistration>>\n fun startMessages()\n}\n\npublic external interface
RegistrationOptions {\n var scope: String?\n get() = definedExternally\n set(value) = definedExternally\n
var type: WorkerType? /* = WorkerType.CLASSIC */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun RegistrationOptions(scope: String? =
undefined, type: WorkerType? = WorkerType.CLASSIC): RegistrationOptions {\n val o = js("{}")\n
o["scope"] = scope\n o["type"] = type\n return o\n}\n\n/**\n * Exposes the JavaScript
[ServiceWorkerMessageEvent](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerMessageEvent) to
Kotlin\n *\npublic external open class ServiceWorkerMessageEvent(type: String, eventInitDict:
ServiceWorkerMessageEventInit = definedExternally) : Event {\n open val data: Any?\n open val origin:
String\n open val lastEventId: String\n open val source: UnionMessagePortOrServiceWorker?\n open val
ports: Array<out MessagePort>?\n companion object {\n val NONE: Short\n val
CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n
}\n}\n\npublic external interface ServiceWorkerMessageEventInit : EventInit {\n var data: Any?\n get() =
definedExternally\n set(value) = definedExternally\n var origin: String?\n get() = definedExternally\n
set(value) = definedExternally\n var lastEventId: String?\n get() = definedExternally\n set(value) =
definedExternally\n var source: UnionMessagePortOrServiceWorker?\n get() = definedExternally\n
set(value) = definedExternally\n var ports: Array<MessagePort>?\n get() = definedExternally\n set(value)
= definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ServiceWorkerMessageEventInit(data:
Any? = undefined, origin: String? = undefined, lastEventId: String? = undefined, source:
UnionMessagePortOrServiceWorker? = undefined, ports: Array<MessagePort>? = undefined, bubbles: Boolean? =
false, cancelable: Boolean? = false, composed: Boolean? = false): ServiceWorkerMessageEventInit {\n val o =
js("{}")\n o["data"] = data\n o["origin"] = origin\n o["lastEventId"] = lastEventId\n o["source"] =
source\n o["ports"] = ports\n o["bubbles"] = bubbles\n o["cancelable"] = cancelable\n o["composed"] =
composed\n return o\n}\n\n/**\n * Exposes the JavaScript
[ServiceWorkerGlobalScope](https://developer.mozilla.org/en/docs/Web/API/ServiceWorkerGlobalScope) to
Kotlin\n *\npublic external abstract class ServiceWorkerGlobalScope : WorkerGlobalScope {\n open val clients:
Clients\n open val registration: ServiceWorkerRegistration\n open var oninstall: ((Event) -> dynamic)?\n open
var onactivate: ((Event) -> dynamic)?\n open var onfetch: ((FetchEvent) -> dynamic)?\n open var
onforeignfetch: ((Event) -> dynamic)?\n open var onmessage: ((MessageEvent) -> dynamic)?\n open var
onnotificationclick: ((NotificationEvent) -> dynamic)?\n open var onnotificationclose: ((NotificationEvent) ->
dynamic)?\n open var onfunctionalevent: ((Event) -> dynamic)?\n fun skipWaiting():
Promise<Unit>\n}\n\n/**\n * Exposes the JavaScript
[Client](https://developer.mozilla.org/en/docs/Web/API/Client) to Kotlin\n *\npublic external abstract class Client :
UnionClientOrMessagePortOrServiceWorker {\n open val url: String\n open val frameType: FrameType\n
open val id: String\n fun postMessage(message: Any?, transfer: Array<dynamic> = definedExternally)\n}\n\n/**\n
* Exposes the JavaScript [WindowClient](https://developer.mozilla.org/en/docs/Web/API/WindowClient) to
Kotlin\n *\npublic external abstract class WindowClient : Client {\n open val visibilityState: dynamic\n open
val focused: Boolean\n fun focus(): Promise<WindowClient>\n fun navigate(url: String):

```

```

Promise<WindowClient>\n}\n\n/**\n * Exposes the JavaScript
[Clients](https://developer.mozilla.org/en/docs/Web/API/Clients) to Kotlin\n */\npublic external abstract class
Clients {\n fun get(id: String): Promise<Any?>\n fun matchAll(options: ClientQueryOptions =
definedExternally): Promise<Array<Client>>\n fun openWindow(url: String): Promise<WindowClient?>\n fun
claim(): Promise<Unit>\n}\n\npublic external interface ClientQueryOptions {\n var includeUncontrolled:
Boolean? /* = false */\n get() = definedExternally\n set(value) = definedExternally\n var type:
ClientType? /* = ClientType.WINDOW */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ClientQueryOptions(includeUncontrolled:
Boolean? = false, type: ClientType? = ClientType.WINDOW): ClientQueryOptions {\n val o = js("{}")\n
o["includeUncontrolled"] = includeUncontrolled\n o["type"] = type\n return o}\n\n/**\n * Exposes the
JavaScript [ExtendableEvent](https://developer.mozilla.org/en/docs/Web/API/ExtendableEvent) to Kotlin\n
*/\npublic external open class ExtendableEvent(type: String, eventInitDict: ExtendableEventInit =
definedExternally) : Event {\n fun waitUntil(f: Promise<Any?>)\n\n companion object {\n val NONE:
Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE:
Short\n }\n}\n\npublic external interface ExtendableEventInit : EventInit\n\n@kotlin.internal.InlineOnly\npublic
inline fun ExtendableEventInit(bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? =
false): ExtendableEventInit {\n val o = js("{}")\n o["bubbles"] = bubbles\n o["cancelable"] =
cancelable\n o["composed"] = composed\n return o}\n\n/**\n * Exposes the JavaScript
[InstallEvent](https://developer.mozilla.org/en/docs/Web/API/InstallEvent) to Kotlin\n */\npublic external open
class InstallEvent(type: String, eventInitDict: ExtendableEventInit = definedExternally) : ExtendableEvent {\n fun
registerForeignFetch(options: ForeignFetchOptions)\n\n companion object {\n val NONE: Short\n val
CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val BUBBLING_PHASE: Short\n
}\n}\n\npublic external interface ForeignFetchOptions {\n var scopes: Array<String>?\n get() =
definedExternally\n set(value) = definedExternally\n var origins: Array<String>?\n get() =
definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ForeignFetchOptions(scopes: Array<String>?, origins: Array<String>?): ForeignFetchOptions {\n val o =
js("{}")\n o["scopes"] = scopes\n o["origins"] = origins\n return o}\n\n/**\n * Exposes the JavaScript
[FetchEvent](https://developer.mozilla.org/en/docs/Web/API/FetchEvent) to Kotlin\n */\npublic external open class
FetchEvent(type: String, eventInitDict: FetchEventInit) : ExtendableEvent {\n open val request: Request\n open
val clientId: String?\n open val isReload: Boolean\n fun respondWith(r: Promise<Response>)\n\n companion
object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val
BUBBLING_PHASE: Short\n }\n}\n\npublic external interface FetchEventInit : ExtendableEventInit {\n var
request: Request?\n get() = definedExternally\n set(value) = definedExternally\n var clientId: String? /* =
null */\n get() = definedExternally\n set(value) = definedExternally\n var isReload: Boolean? /* = false
*/\n get() = definedExternally\n set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic
inline fun FetchEventInit(request: Request?, clientId: String? = null, isReload: Boolean? = false, bubbles: Boolean?
= false, cancelable: Boolean? = false, composed: Boolean? = false): FetchEventInit {\n val o = js("{}")\n
o["request"] = request\n o["clientId"] = clientId\n o["isReload"] = isReload\n o["bubbles"] = bubbles\n
o["cancelable"] = cancelable\n o["composed"] = composed\n return o}\n\npublic external open class
ForeignFetchEvent(type: String, eventInitDict: ForeignFetchEventInit) : ExtendableEvent {\n open val request:
Request\n open val origin: String\n fun respondWith(r: Promise<ForeignFetchResponse>)\n\n companion
object {\n val NONE: Short\n val CAPTURING_PHASE: Short\n val AT_TARGET: Short\n val
BUBBLING_PHASE: Short\n }\n}\n\npublic external interface ForeignFetchEventInit : ExtendableEventInit {\n
var request: Request?\n get() = definedExternally\n set(value) = definedExternally\n var origin: String? /*
= \"null\" */\n get() = definedExternally\n set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ForeignFetchEventInit(request: Request?,
origin: String? = \"null\", bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false):
ForeignFetchEventInit {\n val o = js("{}")\n o["request"] = request\n o["origin"] = origin\n

```

```

o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n  o["composed"] = composed\n  return
o\n}\n\npublic external interface ForeignFetchResponse {\n  var response: Response?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var origin: String?\n  get() = definedExternally\n
set(value) = definedExternally\n  var headers: Array<String>?\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun ForeignFetchResponse(response:
Response?, origin: String? = undefined, headers: Array<String>? = undefined): ForeignFetchResponse {\n  val o =
js("{}")\n  o["response"] = response\n  o["origin"] = origin\n  o["headers"] = headers\n  return
o\n}\n\n/**\n * Exposes the JavaScript
[ExtendableMessageEvent](https://developer.mozilla.org/en/docs/Web/API/ExtendableMessageEvent) to Kotlin\n
*/\npublic external open class ExtendableMessageEvent(type: String, eventInitDict: ExtendableMessageEventInit =
definedExternally) : ExtendableEvent {\n  open val data: Any?\n  open val origin: String\n  open val lastEventId:
String\n  open val source: UnionClientOrMessagePortOrServiceWorker?\n  open val ports: Array<out
MessagePort>?\n\n  companion object {\n    val NONE: Short\n    val CAPTURING_PHASE: Short\n    val
AT_TARGET: Short\n    val BUBBLING_PHASE: Short\n  }\n}\n\npublic external interface
ExtendableMessageEventInit : ExtendableEventInit {\n  var data: Any?\n  get() = definedExternally\n
set(value) = definedExternally\n  var origin: String?\n  get() = definedExternally\n  set(value) =
definedExternally\n  var lastEventId: String?\n  get() = definedExternally\n  set(value) =
definedExternally\n  var source: UnionClientOrMessagePortOrServiceWorker?\n  get() = definedExternally\n
set(value) = definedExternally\n  var ports: Array<MessagePort>?\n  get() = definedExternally\n
set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
ExtendableMessageEventInit(data: Any? = undefined, origin: String? = undefined, lastEventId: String? = undefined,
source: UnionClientOrMessagePortOrServiceWorker? = undefined, ports: Array<MessagePort>? = undefined,
bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ExtendableMessageEventInit
{\n  val o = js("{}")\n  o["data"] = data\n  o["origin"] = origin\n  o["lastEventId"] = lastEventId\n
o["source"] = source\n  o["ports"] = ports\n  o["bubbles"] = bubbles\n  o["cancelable"] = cancelable\n
o["composed"] = composed\n  return o\n}\n\n/**\n * Exposes the JavaScript
[Cache](https://developer.mozilla.org/en/docs/Web/API/Cache) to Kotlin\n
*/\npublic external abstract class Cache
{\n  fun match(request: dynamic, options: CacheQueryOptions = definedExternally): Promise<Any?>\n  fun
matchAll(request: dynamic = definedExternally, options: CacheQueryOptions = definedExternally):
Promise<Array<Response>>\n  fun add(request: dynamic): Promise<Unit>\n  fun addAll(requests:
Array<dynamic>): Promise<Unit>\n  fun put(request: dynamic, response: Response): Promise<Unit>\n  fun
delete(request: dynamic, options: CacheQueryOptions = definedExternally): Promise<Boolean>\n  fun
keys(request: dynamic = definedExternally, options: CacheQueryOptions = definedExternally):
Promise<Array<Request>>\n}\n\npublic external interface CacheQueryOptions {\n  var ignoreSearch: Boolean? /*
= false */\n  get() = definedExternally\n  set(value) = definedExternally\n  var ignoreMethod: Boolean? /*
= false */\n  get() = definedExternally\n  set(value) = definedExternally\n  var ignoreVary: Boolean? /*
= false */\n  get() = definedExternally\n  set(value) = definedExternally\n  var cacheName: String?\n
get() = definedExternally\n  set(value) = definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun
CacheQueryOptions(ignoreSearch: Boolean? = false, ignoreMethod: Boolean? = false, ignoreVary: Boolean? =
false, cacheName: String? = undefined): CacheQueryOptions {\n  val o = js("{}")\n  o["ignoreSearch"] =
ignoreSearch\n  o["ignoreMethod"] = ignoreMethod\n  o["ignoreVary"] = ignoreVary\n  o["cacheName"] =
cacheName\n  return o\n}\n\npublic external interface CacheBatchOperation {\n  var type: String?\n  get() =
definedExternally\n  set(value) = definedExternally\n  var request: Request?\n  get() = definedExternally\n
set(value) = definedExternally\n  var response: Response?\n  get() = definedExternally\n  set(value) =
definedExternally\n  var options: CacheQueryOptions?\n  get() = definedExternally\n  set(value) =
definedExternally\n}\n\n@kotlin.internal.InlineOnly\npublic inline fun CacheBatchOperation(type: String? =
undefined, request: Request? = undefined, response: Response? = undefined, options: CacheQueryOptions? =
undefined): CacheBatchOperation {\n  val o = js("{}")\n  o["type"] = type\n  o["request"] = request\n

```

```

o["response"] = response\n  o["options"] = options\n  return o\n}\n\n/**\n * Exposes the JavaScript
[CacheStorage](https://developer.mozilla.org/en/docs/Web/API/CacheStorage) to Kotlin\n */\npublic external
abstract class CacheStorage {\n  fun match(request: dynamic, options: CacheQueryOptions = definedExternally):
Promise<Any?>\n  fun has(cacheName: String): Promise<Boolean>\n  fun open(cacheName: String):
Promise<Cache>\n  fun delete(cacheName: String): Promise<Boolean>\n  fun keys():
Promise<Array<String>>\n}\n\npublic external open class FunctionalEvent : ExtendableEvent {\n  companion
object {\n    val NONE: Short\n    val CAPTURING_PHASE: Short\n    val AT_TARGET: Short\n    val
BUBBLING_PHASE: Short\n  }\n}\n\npublic external interface UnionMessagePortOrServiceWorker\n\npublic
external interface UnionClientOrMessagePortOrServiceWorker\n\n/* please, don't implement this interface!
*/\n\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external interface
ServiceWorkerState {\n  companion object\n}\n\npublic inline val ServiceWorkerState.Companion.INSTALLING:
ServiceWorkerState get() = "installing".asDynamic().unsafeCast<ServiceWorkerState>()\n\npublic inline val
ServiceWorkerState.Companion.INSTALLED: ServiceWorkerState get() =
"installed".asDynamic().unsafeCast<ServiceWorkerState>()\n\npublic inline val
ServiceWorkerState.Companion.ACTIVATING: ServiceWorkerState get() =
"activating".asDynamic().unsafeCast<ServiceWorkerState>()\n\npublic inline val
ServiceWorkerState.Companion.ACTIVATED: ServiceWorkerState get() =
"activated".asDynamic().unsafeCast<ServiceWorkerState>()\n\npublic inline val
ServiceWorkerState.Companion.REDUNDANT: ServiceWorkerState get() =
"redundant".asDynamic().unsafeCast<ServiceWorkerState>()\n\n/* please, don't implement this interface!
*/\n\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external interface FrameType {\n
companion object\n}\n\npublic inline val FrameType.Companion.AUXILIARY: FrameType get() =
"auxiliary".asDynamic().unsafeCast<FrameType>()\n\npublic inline val FrameType.Companion.TOP_LEVEL:
FrameType get() = "top-level".asDynamic().unsafeCast<FrameType>()\n\npublic inline val
FrameType.Companion.NESTED: FrameType get() = "nested".asDynamic().unsafeCast<FrameType>()\n\npublic
inline val FrameType.Companion.NONE: FrameType get() =
"none".asDynamic().unsafeCast<FrameType>()\n\n/* please, don't implement this interface!
*/\n\n@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")\npublic external interface ClientType {\n
companion object\n}\n\npublic inline val ClientType.Companion.WINDOW: ClientType get() =
"window".asDynamic().unsafeCast<ClientType>()\n\npublic inline val ClientType.Companion.WORKER:
ClientType get() = "worker".asDynamic().unsafeCast<ClientType>()\n\npublic inline val
ClientType.Companion.SHAREDWORKER: ClientType get() =
"sharedworker".asDynamic().unsafeCast<ClientType>()\n\npublic inline val ClientType.Companion.ALL:
ClientType get() = "all".asDynamic().unsafeCast<ClientType>()}\n\n/*\n * Copyright 2010-2019 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\n// NOTE: THIS FILE IS AUTO-GENERATED, DO NOT
EDIT!\n\n// See github.com/kotlin/dukat for details\n\npackage org.w3c.xr\n\nimport kotlin.js.*\nimport
org.khronos.webgl.*\nimport org.w3c.css.masking.*\nimport org.w3c.dom.*\nimport
org.w3c.dom.clipboard.*\nimport org.w3c.dom.css.*\nimport org.w3c.dom.events.*\nimport
org.w3c.dom.mediacapture.*\nimport org.w3c.dom.parsing.*\nimport org.w3c.dom.pointerevents.*\nimport
org.w3c.dom.svg.*\nimport org.w3c.dom.url.*\nimport org.w3c.fetch.*\nimport org.w3c.files.*\nimport
org.w3c.notifications.*\nimport org.w3c.performance.*\nimport org.w3c.workers.*\n\n\n/**\n * Exposes the
JavaScript
[XMLHttpRequestEventTarget](https://developer.mozilla.org/en/docs/Web/API/XMLHttpRequestEventTarget) to
Kotlin\n */\n\npublic external abstract class XMLHttpRequestEventTarget : EventTarget {\n  open var onloadstart:
((ProgressEvent) -> dynamic)?\n  open var onprogress: ((ProgressEvent) -> dynamic)?\n  open var onabort:
((Event) -> dynamic)?\n  open var onerror: ((Event) -> dynamic)?\n  open var onload: ((Event) -> dynamic)?\n
open var ontimeout: ((Event) -> dynamic)?\n  open var onloadend: ((Event) -> dynamic)?\n}\n\npublic external

```

```

abstract class XMLHttpRequestUpload : XMLHttpRequestEventTarget {
    /** Exposes the JavaScript [XMLHttpRequest](https://developer.mozilla.org/en/docs/Web/API/XMLHttpRequest) to Kotlin
    */
    @public external open class XMLHttpRequest : XMLHttpRequestEventTarget {
        var onreadystatechange: ((Event) -> dynamic)?
        open val readyState: Short
        var timeout: Int
        var withCredentials: Boolean
        open val upload: XMLHttpRequestUpload
        open val responseURL: String
        open val status: Short
        open val statusText: String
        var responseType: XMLHttpRequestResponseType
        open val response: Any?
        open val responseText: String
        open val responseXML: Document?
        fun open(method: String, url: String)
        fun open(method: String, url: String, async: Boolean, username: String? = definedExternally, password: String? = definedExternally)
        fun setRequestHeader(name: String, value: String)
        fun send(body: dynamic = definedExternally)
        fun abort()
        fun getResponseHeader(name: String): String?
        fun getAllResponseHeaders(): String
        fun overrideMimeType(mime: String)
    }
    companion object {
        val UNSENT: Short
        val OPENED: Short
        val HEADERS_RECEIVED: Short
        val LOADING: Short
        val DONE: Short
    }
}
/** Exposes the JavaScript [FormData](https://developer.mozilla.org/en/docs/Web/API/FormData) to Kotlin
*/
@public external open class FormData(form: HTMLFormElement = definedExternally) {
    fun append(name: String, value: String)
    fun append(name: String, value: Blob, filename: String = definedExternally)
    fun delete(name: String)
    fun get(name: String): dynamic
    fun getAll(name: String): Array<dynamic>
    fun has(name: String): Boolean
    fun set(name: String, value: String)
    fun set(name: String, value: Blob, filename: String = definedExternally)
}
/** Exposes the JavaScript [ProgressEvent](https://developer.mozilla.org/en/docs/Web/API/ProgressEvent) to Kotlin
*/
@public external open class ProgressEvent(type: String, eventInitDict: ProgressEventInit = definedExternally) : Event {
    open val lengthComputable: Boolean
    open val loaded: Number
    open val total: Number
    companion object {
        val NONE: Short
        val CAPTURING_PHASE: Short
        val AT_TARGET: Short
        val BUBBLING_PHASE: Short
    }
}
@public external interface ProgressEventInit : EventInit {
    var lengthComputable: Boolean? /* = false */
    get() = definedExternally
    set(value) = definedExternally
    var loaded: Number? /* = 0 */
    get() = definedExternally
    set(value) = definedExternally
    var total: Number? /* = 0 */
    get() = definedExternally
    set(value) = definedExternally
}
@kotlin.internal.InlineOnly
@public inline fun ProgressEventInit(lengthComputable: Boolean? = false, loaded: Number? = 0, total: Number? = 0, bubbles: Boolean? = false, cancelable: Boolean? = false, composed: Boolean? = false): ProgressEventInit {
    val o = js("{}")
    o["lengthComputable"] = lengthComputable
    o["loaded"] = loaded
    o["total"] = total
    o["bubbles"] = bubbles
    o["cancelable"] = cancelable
    o["composed"] = composed
    return o
}
/* please, don't implement this interface! */
@Suppress("NESTED_CLASS_IN_EXTERNAL_INTERFACE")
@public external interface XMLHttpRequestResponseType {
    companion object {
        @public inline val XMLHttpRequestResponseType.Companion.EMPTY: XMLHttpRequestResponseType get() = ""
        @public inline val XMLHttpRequestResponseType.Companion.ARRAYBUFFER: XMLHttpRequestResponseType get() = "arraybuffer"
        @public inline val XMLHttpRequestResponseType.Companion.BLOB: XMLHttpRequestResponseType get() = "blob"
        @public inline val XMLHttpRequestResponseType.Companion.DOCUMENT: XMLHttpRequestResponseType get() = "document"
        @public inline val XMLHttpRequestResponseType.Companion.JSON: XMLHttpRequestResponseType get() = "json"
        @public inline val XMLHttpRequestResponseType.Companion.TEXT: XMLHttpRequestResponseType get() = "text"
    }
}
/* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
*/
package kotlin
import

```

```

kotlin.annotation.AnnotationRetention.BINARY\nimport kotlin.annotation.AnnotationRetention.SOURCE\nimport
kotlin.annotation.AnnotationTarget.*\nimport kotlin.internal.RequireKotlin\nimport
kotlin.internal.RequireKotlinVersionKind\nimport kotlin.reflect.KClass\n\n/**\n * Signals that the annotated
annotation class is a marker of an experimental API.\n *\n * Any declaration annotated with that marker is
considered an experimental declaration\n * and its call sites should accept the experimental aspect of it either by
using [UseExperimental],\n * or by being annotated with that marker themselves, effectively causing further
propagation of that experimental aspect.\n *\n * This class is deprecated in favor of a more general approach
provided by [RequiresOptIn]/[OptIn].\n
*\n*\n@Target(ANNOTATION_CLASS)\n@Retention(BINARY)\n@SinceKotlin("1.2")\n@RequireKotlin("1.2.50
", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\n@Deprecated("Please use RequiresOptIn
instead.")\npublic annotation class Experimental(val level: Level = Level.ERROR) {\n    /**\n     * Severity of the
diagnostic that should be reported on usages of experimental API which did not explicitly accept the experimental
aspect\n     * of that API either by using [UseExperimental] or by being annotated with the corresponding marker
annotation.\n     *\n     * public enum class Level {\n         /** Specifies that a warning should be reported on incorrect
usages of this experimental API. *\n         WARNING,\n         /** Specifies that an error should be reported on
incorrect usages of this experimental API. *\n         ERROR,\n     }\n}\n\n/**\n * Allows to use experimental API
denoted by the given markers in the annotated file, declaration, or expression.\n * If a declaration is annotated with
[UseExperimental], its usages are **not** required to opt-in to that experimental API.\n *\n * This class is
deprecated in favor of a more general approach provided by [RequiresOptIn]/[OptIn].\n *\n*\n@Target(\n    CLASS,
PROPERTY, LOCAL_VARIABLE, VALUE_PARAMETER, CONSTRUCTOR, FUNCTION,
PROPERTY_GETTER, PROPERTY_SETTER, EXPRESSION, FILE,
TYPEALIAS)\n@Retention(SOURCE)\n@SinceKotlin("1.2")\n@RequireKotlin("1.2.50", versionKind =
RequireKotlinVersionKind.COMPILER_VERSION)\n@Deprecated("Please use OptIn instead.",
ReplaceWith("OptIn(*markerClass)", "kotlin.OptIn"))\npublic annotation class UseExperimental(\n    vararg val
markerClass: KClass<out Annotation>)\n}\n\n@Target(CLASS, PROPERTY, CONSTRUCTOR, FUNCTION,
TYPEALIAS)\n@Retention(BINARY)\ninternal annotation class WasExperimental(\n    vararg val markerClass:
KClass<out Annotation>)\n}\n", "package kotlin\n\nimport kotlin.annotation.AnnotationTarget.*\n\n/**\n * This
annotation marks the standard library API that is considered experimental and is not subject to the\n * [general
compatibility guarantees](https://kotlinlang.org/docs/reference/evolution/components-stability.html) given for the
standard library:\n * the behavior of such API may be changed or the API may be removed completely in any
further release.\n *\n * > Beware using the annotated API especially if you're developing a library, since your library
might become binary incompatible\n * with the future versions of the standard library.\n *\n * Any usage of a
declaration annotated with `@ExperimentalStdlibApi` must be accepted either by\n * annotating that usage with the
[OptIn] annotation, e.g. `@OptIn(ExperimentalStdlibApi::class)`,\n * or by using the compiler argument `-Xopt-
in=kotlin.ExperimentalStdlibApi`. \n *\n*\n@Suppress("DEPRECATION")\n@Experimental(level =
Experimental.Level.ERROR)\n@RequiresOptIn(level =
RequiresOptIn.Level.ERROR)\n@Retention(AnnotationRetention.BINARY)\n@Target(\n    CLASS,\n
ANNOTATION_CLASS,\n    PROPERTY,\n    FIELD,\n    LOCAL_VARIABLE,\n    VALUE_PARAMETER,\n
CONSTRUCTOR,\n    FUNCTION,\n    PROPERTY_GETTER,\n    PROPERTY_SETTER,\n
TYPEALIAS)\n@MustBeDocumented\n@ExperimentalStdlibApi\n@SinceKotlin("1.3") // TODO: Remove
experimental status from itself and advance SinceKotlin to 1.4\npublic annotation class
ExperimentalStdlibApi\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin\n\nimport kotlin.annotation.AnnotationTarget.*\nimport
kotlin.experimental.ExperimentalTypeInference\n\n/**\n * Allows to infer generic type arguments of a function
from the calls in the annotated function parameter of that function.\n *\n * When this annotation is placed on a
generic function parameter of a function,\n * it enables to infer the type arguments of that generic function from the
lambda body passed to that parameter.\n *\n * The calls that affect inference are either members of the receiver type

```


of an annotated function parameter or `* extensions` for that type. The extensions must be themselves annotated with `@BuilderInference`.
 Example: we declare `fun <T> sequence(@BuilderInference block: suspend SequenceScope<T>().-> Unit): Sequence<T>` and use it like `val result = sequence { yield("result") }`. Here the type argument of the resulting sequence is inferred to `String` from the argument of the `[SequenceScope.yield]` function, that is called inside the lambda passed to `[sequence]`.
 Note: this annotation is experimental, see `[ExperimentalTypeInference]` on how to opt-in for it.

```
*\n@Target(VALUE_PARAMETER, FUNCTION,
PROPERTY)\n@Retention(AnnotationRetention.BINARY)\n@SinceKotlin("1.3")\n@ExperimentalTypeInference\npublic annotation class BuilderInference\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n */\npackage kotlin\nimport
```

```
kotlin.annotation.AnnotationTarget.*\nimport kotlin.internal.RequireKotlin\nimport
kotlin.internal.RequireKotlinVersionKind\n/**\n * The experimental multiplatform support API marker.\n *\n * Any usage of a declaration annotated with `@ExperimentalMultiplatform` must be accepted either by\n * annotating
that usage with the [OptIn] annotation, e.g. @OptIn(ExperimentalMultiplatform::class), or by using the
compiler argument -Xopt-in=kotlin.ExperimentalMultiplatform.
```

```
*\n@Suppress("DEPRECATION")\n@Experimental\n@RequiresOptIn\n@MustBeDocumented\n@Target(\n
CLASS,\n ANNOTATION_CLASS,\n PROPERTY,\n FIELD,\n LOCAL_VARIABLE,\n
VALUE_PARAMETER,\n CONSTRUCTOR,\n FUNCTION,\n PROPERTY_GETTER,\n
PROPERTY_SETTER,\n
```

```
TYPEALIAS)\n)\n@Retention(AnnotationRetention.BINARY)\n@RequireKotlin("1.2.50", versionKind =
RequireKotlinVersionKind.COMPILER_VERSION)\npublic annotation class ExperimentalMultiplatform\n/**\n * Marks an expected annotation class that it isn't required to have actual counterparts in all platforms.\n *\n * This
annotation is only applicable to `expect` annotation classes in multi-platform projects and marks that class as
`optional`.\n * Optional expected class is allowed to have no corresponding actual class on the platform. Optional
annotations can only be used\n * to annotate something, not as types in signatures. If an optional annotation has no
corresponding actual class on a platform,\n * the annotation entries where it's used are simply erased when
compiling code on that platform.\n *\n * Note: this annotation is experimental, see [ExperimentalMultiplatform] on
how to opt-in for it.
```

```
*\n@Target(ANNOTATION_CLASS)\n@Retention(AnnotationRetention.BINARY)\n@ExperimentalMultiplatform\n@RequireKotlin("1.2.50", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\npublic
annotation class OptionalExpectation\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\npackage kotlin\nimport
```

```
kotlin.annotation.AnnotationRetention.BINARY\nimport kotlin.annotation.AnnotationRetention.SOURCE\nimport
kotlin.annotation.AnnotationTarget.*\nimport kotlin.internal.RequireKotlin\nimport
kotlin.internal.RequireKotlinVersionKind\nimport kotlin.reflect.KClass\n/**\n * Signals that the annotated
annotation class is a marker of an API that requires an explicit opt-in.\n *\n * Call sites of any declaration annotated
with that marker should opt in to the API either by using [OptIn], or by being annotated with that marker
themselves, effectively causing further propagation of the opt-in requirement.\n *\n * This class requires opt-in itself
and can only be used with the compiler argument -Xopt-in=kotlin.RequiresOptIn.  

  @property message message to be reported on usages of API without an explicit opt-in, or empty string for the default message.
```

```
The default message is: "This declaration is experimental and its usage should be marked with 'Marker' or '@OptIn(Marker::class)", where Marker is the opt-in requirement marker.  

  @property level specifies how usages of API without an explicit opt-in are reported in code.
```

```
*\n@Target(ANNOTATION_CLASS)\n@Retention(BINARY)\n@SinceKotlin("1.3")\n@RequireKotlin("1.3.70", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\npublic annotation class RequiresOptIn(\n
val message: String = "",\n val level: Level = Level.ERROR)\n {\n /**\n * Severity of the diagnostic that
```

should be reported on usages which did not explicitly opt into the API either by using [OptIn] or by being annotated with the corresponding marker annotation.

```

public enum class Level {
    /** Specifies that a warning should be reported on incorrect usages of this API.
    WARNING,
    /** Specifies that an error should be reported on incorrect usages of this API.
    ERROR,
}

```

* Allows to use the API denoted by the given markers in the annotated file, declaration, or expression.

* If a declaration is annotated with [OptIn], its usages are **not** required to opt in to that API.

* This class requires opt-in itself and can only be used with the compiler argument `-Xopt-in=kotlin.RequiresOptIn``.

```

@Target(
    CLASS, PROPERTY, LOCAL_VARIABLE, VALUE_PARAMETER, CONSTRUCTOR, FUNCTION, PROPERTY_GETTER, PROPERTY_SETTER, EXPRESSION, FILE, TYPEALIAS)
@Retention(SOURCE)
@SinceKotlin("1.3")
@RequireKotlin("1.3.70", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)
public annotation class OptIn(
    vararg val markerClass: KClass<out Annotation>)

```

* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.

* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

```

package kotlin.collections
import kotlin.js.JsName

```

* Provides a skeletal implementation of the read-only [Collection] interface.

* @param E the type of elements contained in the collection. The collection is covariant on its element type.

```

@SinceKotlin("1.1")
public abstract class AbstractCollection<out E> protected constructor() : Collection<E> {
    abstract override val size: Int
    abstract override fun iterator(): Iterator<E>
    override fun contains(element: @UnsafeVariance E): Boolean = any { it == element }
    override fun containsAll(elements: Collection<@UnsafeVariance E>): Boolean =
        elements.all { contains(it) } // use when js will support bound refs: elements.all(this::contains)
    override fun isEmpty(): Boolean = size == 0
    override fun toString(): String = joinToString(", ", "[", "]")
    if (it === this) "(this Collection)" else it.toString()
}

```

* Returns new array of type `Array<Any?>` with the elements of this collection.

```

@JsName("toArray")
protected open fun toArray(): Array<Any?> = copyToArrayImpl(this)

```

* Fills the provided [array] or creates new array of the same type and fills it with the elements of this collection.

```

protected open fun <T> toArray(array: Array<T>): Array<T> = copyToArrayImpl(this, array)

```

* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.

* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

```

package kotlin.collections
private enum class State { Ready, NotReady, Done, Failed }

```

* A base class to simplify implementing iterators so that implementations only have to implement [computeNext] to implement the iterator, calling [done] when the iteration is complete.

```

public abstract class AbstractIterator<T> : Iterator<T> {
    private var state = State.NotReady
    private var nextValue: T? = null
    override fun hasNext(): Boolean {
        require(state != State.Failed)
        return when (state) {
            State.Done -> false
            State.Ready -> true
            else -> tryToComputeNext()
        }
    }
    override fun next(): T {
        if (!hasNext()) throw NoSuchElementException()
        state = State.NotReady
        @Suppress("UNCHECKED_CAST")
        return nextValue as T
    }
    private fun tryToComputeNext(): Boolean {
        state = State.Failed
        computeNext()
        return state == State.Ready
    }
}

```

* Computes the next item in the iterator.

* This callback method should call one of these two methods:

- * [setNext] with the next value of the iteration
- * [done] to indicate there are no more elements

* Failure to call either method will result in the iteration terminating with a failed state

```

abstract protected fun computeNext(): Unit

```

* Sets the next value in the iteration, called from the [computeNext] function

```

protected fun setNext(value: T): Unit {
    nextValue = value
    state = State.Ready
}

```

* Sets the state to done so that the iteration terminates.

```

protected fun done() {
    state = State.Done
}

```

* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.

* Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

* Based on GWT AbstractList

```

package kotlin.collections

```

* Provides a skeletal implementation of the read-only [List] interface.

* This class is intended to help implementing read-only lists so it doesn't support concurrent modification tracking.

* @param E the type of elements contained in the list.

```

The list is covariant on its element type.
*/@SinceKotlin("1.1")
public abstract class AbstractList<out E>
protected constructor() : AbstractCollection<E>(), List<E> {
    abstract override val size: Int
    abstract override fun get(index: Int): E
    override fun iterator(): Iterator<E> = IteratorImpl()
    override fun indexOf(element: @UnsafeVariance E): Int = indexOfFirst { it == element }
    override fun lastIndexOf(element: @UnsafeVariance E): Int = indexOfLast { it == element }
    override fun listIterator(): ListIterator<E> = ListIteratorImpl(0)
    override fun listIterator(index: Int): ListIterator<E> = ListIteratorImpl(index)
    override fun subList(fromIndex: Int, toIndex: Int): List<E> = SubList(this, fromIndex, toIndex)
    private class SubList<out E>(private val list: AbstractList<E>, private val fromIndex: Int, toIndex: Int) : AbstractList<E>(),
        RandomAccess {
        private var _size: Int = 0
        init {
            checkRangeIndexes(fromIndex, toIndex, list.size)
            this._size = toIndex - fromIndex
        }
        override fun get(index: Int): E {
            checkElementIndex(index, _size)
            return list[fromIndex + index]
        }
        override val size: Int
        get() = _size
    }
    /**
     * Compares this list with other list instance with the ordered structural equality.
     *
     * @return true, if [other] instance is a [List] of the same size, which contains the same elements in the same order.
     */
    override fun equals(other: Any?): Boolean {
        if (other === this) return true
        if (other !is List<*>) return false
        return orderedEquals(this, other)
    }
    /**
     * Returns the hash code value for this list.
     */
    override fun hashCode(): Int = orderedHashCode(this)
    private open inner class IteratorImpl : Iterator<E> {
        /** the index of the item that will be returned on the next call to [next]`()`` */
        protected var index = 0
        override fun hasNext(): Boolean = index < size
        override fun next(): E {
            if (!hasNext()) throw NoSuchElementException()
            return get(index++)
        }
    }
    /**
     * Implementation of [ListIterator] for abstract lists.
     */
    private open inner class ListIteratorImpl(index: Int) : IteratorImpl(), ListIterator<E> {
        init {
            checkPositionIndex(index, this@AbstractList.size)
            this.index = index
        }
        override fun hasPrevious(): Boolean = index > 0
        override fun nextIndex(): Int = index
        override fun previous(): E {
            if (!hasPrevious()) throw NoSuchElementException()
            return get(--index)
        }
        override fun previousIndex(): Int = index - 1
    }
    internal companion object {
        internal fun checkElementIndex(index: Int, size: Int) {
            if (index < 0 || index >= size) {
                throw IndexOutOfBoundsException("index: $index, size: $size")
            }
        }
        internal fun checkPositionIndex(index: Int, size: Int) {
            if (index < 0 || index > size) {
                throw IndexOutOfBoundsException("index: $index, size: $size")
            }
        }
        internal fun checkRangeIndexes(fromIndex: Int, toIndex: Int, size: Int) {
            if (fromIndex < 0 || toIndex > size) {
                throw IndexOutOfBoundsException("fromIndex: $fromIndex, toIndex: $toIndex, size: $size")
            }
            if (fromIndex > toIndex) {
                throw IllegalArgumentException("fromIndex: $fromIndex > toIndex: $toIndex")
            }
        }
        internal fun checkBoundsIndexes(startIndex: Int, endIndex: Int, size: Int) {
            if (startIndex < 0 || endIndex > size) {
                throw IndexOutOfBoundsException("startIndex: $startIndex, endIndex: $endIndex, size: $size")
            }
            if (startIndex > endIndex) {
                throw IllegalArgumentException("startIndex: $startIndex > endIndex: $endIndex")
            }
        }
        internal fun orderedHashCode(c: Collection<*>): Int {
            var hashCode = 1
            for (e in c) {
                hashCode = 31 * hashCode + (e?.hashCode() ?: 0)
            }
            return hashCode
        }
        internal fun orderedEquals(c: Collection<*>, other: Collection<*>): Boolean {
            if (c.size != other.size) return false
            val otherIterator = other.iterator()
            for (elem in c) {
                val elemOther = otherIterator.next()
                if (elem != elemOther) {
                    return false
                }
            }
            return true
        }
    }
}
/*
 * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.
 */
/*
 * Based on GWT AbstractMap
 * Copyright 2007 Google Inc.
 */
package kotlin.collections
/**
 * Provides a skeletal implementation of the read-only [Map] interface.
 *
 * The implementor is required to implement [entries] property, which should return read-only set of map entries.
 *
 * @param K the type of map keys. The map is invariant on its key type.
 * @param V the type of map values. The map is covariant on its value type.
 */
@SinceKotlin("1.1")
public abstract class AbstractMap<K, out V> protected constructor() : Map<K, V> {
    override fun containsKey(key: K): Boolean {
        return implFindEntry(key) != null
    }
    override

```



```

value for this set.\n    */\n    override fun hashCode(): Int = unorderedHashCode(this)\n\n    internal companion
object {\n        internal fun unorderedHashCode(c: Collection<*>): Int {\n            var hashCode = 0\n            for
(element in c) {\n                hashCode += (element?.hashCode() ?: 0)\n            }\n            return hashCode\n
}\n\n        internal fun setEquals(c: Set<*>, other: Set<*>): Boolean {\n            if (c.size != other.size) return false\n
            return c.containsAll(other)\n        }\n    }\n\n    """\n\n    * Copyright 2010-2019 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n    * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n\n    */\n\npackage kotlin.collections\n\nimport
kotlin.native.concurrent.SharedImmutable\n\n@SharedImmutable\nprivate val emptyElementData =
emptyArray<Any?>()\nprivate const val maxArraySize = Int.MAX_VALUE - 8\nprivate const val
defaultMinCapacity = 10\n\n/**\n * Resizable-array implementation of the deque data structure.\n * The name
deque is short for \"double ended queue\" and is usually pronounced \"deck\".\n * The collection provide
methods for convenient access to the both ends.\n * It also implements [MutableList] interface and supports efficient
get/set operations by index.\n */\n\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic class ArrayDeque<E> :
AbstractMutableList<E> {\n    private var head: Int = 0\n    private var elementData: Array<Any?>\n\n    override
var size: Int = 0\n    private set\n\n    /**\n * Constructs an empty deque with specified [initialCapacity], or
throws [IllegalArgumentException] if [initialCapacity] is negative.\n */\n    public constructor(initialCapacity:
Int) {\n        elementData = when {\n            initialCapacity == 0 -> emptyElementData\n            initialCapacity > 0 -
> arrayOfNulls(initialCapacity)\n            else -> throw IllegalArgumentException(\"Illegal Capacity:
$initialCapacity\")\n        }\n    }\n\n    /**\n * Constructs an empty deque.\n */\n    public constructor() {\n
elementData = emptyElementData\n    }\n\n    /**\n * Constructs a deque that contains the same elements as the
specified [elements] collection in the same order.\n */\n    public constructor(elements: Collection<E>) {\n
elementData = elements.toArray()\n        size = elementData.size\n        if (elementData.isEmpty())\n            elementData = emptyElementData\n    }\n\n    /**\n * Ensures that the capacity of this deque is at least equal to
the specified [minCapacity].\n * If the current capacity is less than the [minCapacity], a new backing
storage is allocated with greater capacity.\n * Otherwise, this method takes no action and simply returns.\n */\n    private fun ensureCapacity(minCapacity: Int) {\n        if (minCapacity < 0) throw IllegalStateException(\"Deque is
too big.\")\n        // overflow\n        if (minCapacity <= elementData.size) return\n        if (elementData ==
emptyElementData) {\n            elementData = arrayOfNulls(minCapacity.coerceAtLeast(defaultMinCapacity))\n
            return\n        }\n        val newCapacity = newCapacity(elementData.size, minCapacity)\n
copyElements(newCapacity)\n    }\n\n    // made internal for testing\n    internal fun newCapacity(oldCapacity: Int,
minCapacity: Int): Int {\n        // overflow-conscious\n        var newCapacity = oldCapacity + (oldCapacity shr 1)\n
        if (newCapacity - minCapacity < 0)\n            newCapacity = minCapacity\n        if (newCapacity - maxArraySize >
0)\n            newCapacity = if (minCapacity > maxArraySize) Int.MAX_VALUE else maxArraySize\n        return
newCapacity\n    }\n\n    /**\n * Creates a new array with the specified [newCapacity] size and copies elements in
the [elementData] array to it.\n */\n    private fun copyElements(newCapacity: Int) {\n        val newElements =
arrayOfNulls<Any?>(newCapacity)\n        elementData.copyInto(newElements, 0, head, elementData.size)\n
elementData.copyInto(newElements, elementData.size - head, 0, head)\n        head = 0\n        elementData =
newElements\n    }\n\n    @kotlin.internal.InlineOnly\n    private inline fun internalGet(internalIndex: Int): E {\n
@Suppress(\"UNCHECKED_CAST\")\n        return elementData[internalIndex] as E\n    }\n\n    private fun
positiveMod(index: Int): Int = if (index >= elementData.size) index - elementData.size else index\n\n    private fun
negativeMod(index: Int): Int = if (index < 0) index + elementData.size else index\n\n    @kotlin.internal.InlineOnly\n    private inline fun internalIndex(index: Int): Int = positiveMod(head + index)\n\n    private fun
incremented(index: Int): Int = if (index == elementData.lastIndex) 0 else index + 1\n\n    private fun
decremented(index: Int): Int = if (index == 0) elementData.lastIndex else index - 1\n\n    override fun isEmpty():
Boolean = size == 0\n\n    /**\n * Returns the first element, or throws [NoSuchElementException] if this deque is
empty.\n */\n    public fun first(): E = if (isEmpty()) throw NoSuchElementException(\"ArrayDeque is empty.\")\n
else internalGet(head)\n\n    /**\n * Returns the first element, or `null` if this deque is empty.\n */\n    public
fun firstOrNull(): E? = if (isEmpty()) null else internalGet(head)\n\n    /**\n * Returns the last element, or throws

```

```

[NoSuchElementException] if this deque is empty.\n    *^ public fun last(): E = if (isEmpty()) throw
NoSuchElementException("ArrayDeque is empty.") else internalGet(internalIndex(lastIndex))\n    /**\n    *
Returns the last element, or `null` if this deque is empty.\n    *^ public fun lastOrNull(): E? = if (isEmpty()) null
else internalGet(internalIndex(lastIndex))\n    /**\n    * Prepends the specified [element] to this deque.\n    *^
public fun addFirst(element: E) {\n    ensureCapacity(size + 1)\n    head = decremented(head)\n
elementData[head] = element\n    size += 1\n    }\n    /**\n    * Appends the specified [element] to this deque.\n
    *^ public fun addLast(element: E) {\n    ensureCapacity(size + 1)\n    elementData[internalIndex(size)] =
element\n    size += 1\n    }\n    /**\n    * Removes the first element from this deque and returns that removed
element, or throws [NoSuchElementException] if this deque is empty.\n    *^ public fun removeFirst(): E {\n
if (isEmpty()) throw NoSuchElementException("ArrayDeque is empty.")\n    val element =
internalGet(head)\n    elementData[head] = null\n    head = incremented(head)\n    size -= 1\n    return
element\n    }\n    /**\n    * Removes the first element from this deque and returns that removed element, or
returns `null` if this deque is empty.\n    *^ public fun removeFirstOrNull(): E? = if (isEmpty()) null else
removeFirst()\n    /**\n    * Removes the last element from this deque and returns that removed element, or
throws [NoSuchElementException] if this deque is empty.\n    *^ public fun removeLast(): E {\n    if
(isEmpty()) throw NoSuchElementException("ArrayDeque is empty.")\n    val internalLastIndex =
internalIndex(lastIndex)\n    val element = internalGet(internalLastIndex)\n    elementData[internalLastIndex] =
null\n    size -= 1\n    return element\n    }\n    /**\n    * Removes the last element from this deque and returns
that removed element, or returns `null` if this deque is empty.\n    *^ public fun removeLastOrNull(): E? = if
(isEmpty()) null else removeLast()\n    // MutableList, MutableCollection\n    public override fun add(element: E):
Boolean {\n    addLast(element)\n    return true\n    }\n    public override fun add(index: Int, element: E) {\n
AbstractList.checkPositionIndex(index, size)\n    if (index == size) {\n    addLast(element)\n
return\n    } else if (index == 0) {\n    addFirst(element)\n    return\n    }\n    ensureCapacity(size
+ 1)\n    // Elements in circular array lay in 2 ways:\n    // 1. `head` is less than `tail`:  [#, #, e1, e2, e3,
#]\n    // 2. `head` is greater than `tail`:  [e3, #, #, #, e1, e2]\n    // where head is the index of the first element
in the circular array,\n    // and tail is the index following the last element.\n    //\n    // At this point the
insertion index is not equal to head or tail.\n    // Also the circular array can store at least one more element.\n
//\n    // Depending on where the given element must be inserted the preceding or the succeeding\n    // elements
will be shifted to make room for the element to be inserted.\n    //\n    // In case the preceding elements are
shifted:\n    // * if the insertion index is greater than the head (regardless of circular array form)\n    // ->
shift the preceding elements\n    // * otherwise, the circular array has (2) form and the insertion index is less than
tail\n    // -> shift all elements in the back of the array\n    // -> shift preceding elements in the front of the
array\n    // In case the succeeding elements are shifted:\n    // * if the insertion index is less than the tail
(regardless of circular array form)\n    // -> shift the succeeding elements\n    // * otherwise, the circular
array has (2) form and the insertion index is greater than head\n    // -> shift all elements in the front of the
array\n    // -> shift succeeding elements in the back of the array\n    val internalIndex =
internalIndex(index)\n    if (index < (size + 1) shr 1) {\n    // closer to the first element -> shift preceding
elements\n    val decrementedInternalIndex = decremented(internalIndex)\n    val decrementedHead =
decremented(head)\n    if (decrementedInternalIndex >= head) {\n    elementData[decrementedHead]
= elementData[head] // head can be zero\n    elementData.copyInto(elementData, head, head + 1,
decrementedInternalIndex + 1)\n    } else { // head > tail\n    elementData.copyInto(elementData, head -
1, head, elementData.size) // head can't be zero\n    elementData[elementData.size - 1] = elementData[0]\n
    elementData.copyInto(elementData, 0, 1, decrementedInternalIndex + 1)\n    }\n    elementData[decrementedInternalIndex] = element\n    head = decrementedHead\n    } else {\n    //
closer to the last element -> shift succeeding elements\n    val tail = internalIndex(size)\n    if
(internalIndex < tail) {\n    elementData.copyInto(elementData, internalIndex + 1, internalIndex, tail)\n
} else { // head > tail\n    elementData.copyInto(elementData, 1, 0, tail)\n    elementData[0] =
elementData[elementData.size - 1]\n    elementData.copyInto(elementData, internalIndex + 1, internalIndex,

```

```

elementData.size - 1)\n        }\n        elementData[internalIndex] = element\n    }\n    size += 1\n }\n\nprivate fun copyCollectionElements(internalIndex: Int, elements: Collection<E>) {\n    val iterator =\n    elements.iterator()\n    for (index in internalIndex until elementData.size) {\n        if (!iterator.hasNext())\n        break\n        elementData[index] = iterator.next()\n    }\n    for (index in 0 until head) {\n        if\n        (!iterator.hasNext()) break\n        elementData[index] = iterator.next()\n    }\n    size += elements.size\n }\n\npublic override fun addAll(elements: Collection<E>): Boolean {\n    if (elements.isEmpty()) return false\n    ensureCapacity(this.size + elements.size)\n    copyCollectionElements(internalIndex(size), elements)\n    return true\n }\n\npublic override fun addAll(index: Int, elements: Collection<E>): Boolean {\n    AbstractList.checkPositionIndex(index, size)\n    if (elements.isEmpty()) {\n        return false\n    } else if\n    (index == size) {\n        return addAll(elements)\n    }\n    ensureCapacity(this.size + elements.size)\n    val tail = internalIndex(size)\n    val internalIndex = internalIndex(index)\n    val elementsSize =\n    elements.size\n    if (index < (size + 1) shr 1) {\n        // closer to the first element -> shift preceding\n        elements\n        var shiftedHead = head - elementsSize\n        if (internalIndex >= head) {\n            if\n            (shiftedHead >= 0) {\n                elementData.copyInto(elementData, shiftedHead, head, internalIndex)\n            } else { // head < tail, insertion leads to head >= tail\n                shiftedHead += elementData.size\n                val\n                elementsToShift = internalIndex - head\n                val shiftToBack = elementData.size - shiftedHead\n                if (shiftToBack >= elementsToShift) {\n                    elementData.copyInto(elementData, shiftedHead, head,\n                    internalIndex)\n                } else {\n                    elementData.copyInto(elementData, shiftedHead, head, head +\n                    shiftToBack)\n                    elementData.copyInto(elementData, 0, head + shiftToBack, internalIndex)\n                }\n            } else { // head > tail, internalIndex < tail\n                elementData.copyInto(elementData,\n                shiftedHead, head, elementData.size)\n                if (elementsSize >= internalIndex) {\n                    elementData.copyInto(elementData, elementData.size - elementsSize, 0, internalIndex)\n                } else {\n                    elementData.copyInto(elementData, elementData.size - elementsSize, 0, elementsSize)\n                    elementData.copyInto(elementData, 0, elementsSize, internalIndex)\n                }\n            }\n            head =\n            shiftedHead\n            copyCollectionElements(negativeMod(internalIndex - elementsSize), elements)\n        } else\n        {\n            // closer to the last element -> shift succeeding elements\n            val shiftedInternalIndex =\n            internalIndex + elementsSize\n            if (internalIndex < tail) {\n                if (tail + elementsSize <=\n                elementData.size) {\n                    elementData.copyInto(elementData, shiftedInternalIndex, internalIndex, tail)\n                } else { // head < tail, insertion leads to head >= tail\n                    if (shiftedInternalIndex >= elementData.size)\n                    {\n                        elementData.copyInto(elementData, shiftedInternalIndex - elementData.size, internalIndex, tail)\n                    }\n                } else {\n                    val shiftToFront = tail + elementsSize - elementData.size\n                    elementData.copyInto(elementData, 0, tail - shiftToFront, tail)\n                    elementData.copyInto(elementData,\n                    shiftedInternalIndex, internalIndex, tail - shiftToFront)\n                }\n            } else { // head > tail,\n            internalIndex > head\n                elementData.copyInto(elementData, elementsSize, 0, tail)\n                if\n                (shiftedInternalIndex >= elementData.size) {\n                    elementData.copyInto(elementData, shiftedInternalIndex\n                    - elementData.size, internalIndex, elementData.size)\n                } else {\n                    elementData.copyInto(elementData, 0, elementData.size - elementsSize, elementData.size)\n                    elementData.copyInto(elementData, shiftedInternalIndex, internalIndex, elementData.size - elementsSize)\n                }\n            }\n        }\n        copyCollectionElements(internalIndex, elements)\n    }\n    return true\n }\n\npublic\n    override fun get(index: Int): E {\n        AbstractList.checkElementIndex(index, size)\n        return\n        internalGet(internalIndex(index))\n    }\n\n    public override fun set(index: Int, element: E): E {\n        AbstractList.checkElementIndex(index, size)\n        val internalIndex = internalIndex(index)\n        val oldElement\n        = internalGet(internalIndex)\n        elementData[internalIndex] = element\n        return oldElement\n    }\n\n    public override fun contains(element: E): Boolean = indexOf(element) != -1\n\n    public override fun\n    indexOf(element: E): Int {\n        val tail = internalIndex(size)\n        if (head < tail) {\n            for (index in head\n            until tail) {\n                if (element == elementData[index]) return index - head\n            }\n        } else if (head >=\n        tail) {\n            for (index in head until elementData.size) {\n                if (element == elementData[index]) return\n                index - head\n            }\n        }\n        for (index in 0 until tail) {\n            if (element == elementData[index]) return

```

```

index + elementData.size - head\n        }\n        }\n        return -1\n    }\n    public override fun
lastIndexOf(element: E): Int {\n        val tail = internalIndex(size)\n        if (head < tail) {\n            for (index in tail
- 1 downTo head) {\n                if (element == elementData[index]) return index - head\n            }\n        } else if
(head > tail) {\n            for (index in tail - 1 downTo 0) {\n                if (element == elementData[index]) return
index + elementData.size - head\n            }\n            for (index in elementData.lastIndex downTo head) {\n
if (element == elementData[index]) return index - head\n            }\n        }\n        return -1\n    }\n    public
override fun remove(element: E): Boolean {\n        val index = indexOf(element)\n        if (index == -1) return
false\n        removeAt(index)\n        return true\n    }\n    public override fun removeAt(index: Int): E {\n
AbstractList.checkElementIndex(index, size)\n        if (index == lastIndex) {\n            return removeLast()\n        }
else if (index == 0) {\n            return removeFirst()\n        }\n        val internalIndex = internalIndex(index)\n
val element = internalGet(internalIndex)\n        if (index < size shr 1) {\n            // closer to the first element ->
shift preceding elements\n            if (internalIndex >= head) {\n                elementData.copyInto(elementData, head
+ 1, head, internalIndex)\n            } else { // head > tail, internalIndex < head\n
elementData.copyInto(elementData, 1, 0, internalIndex)\n                elementData[0] = elementData[elementData.size
- 1]\n                elementData.copyInto(elementData, head + 1, head, elementData.size - 1)\n            }\n        }\n
elementData[head] = null\n        head = incremented(head)\n    } else {\n        // closer to the last element ->
shift succeeding elements\n        val internalLastIndex = internalIndex(lastIndex)\n        if (internalIndex <=
internalLastIndex) {\n            elementData.copyInto(elementData, internalIndex, internalIndex + 1,
internalLastIndex + 1)\n        } else { // head > tail, internalIndex > head\n
elementData.copyInto(elementData, internalIndex, internalIndex + 1, elementData.size)\n
elementData[elementData.size - 1] = elementData[0]\n            elementData.copyInto(elementData, 0, 1,
internalLastIndex + 1)\n        }\n        elementData[internalLastIndex] = null\n    }\n    size -= 1\n    return element\n
}\n    public override fun removeAll(elements: Collection<E>): Boolean = filterInPlace {
!elements.contains(it) }\n    public override fun retainAll(elements: Collection<E>): Boolean = filterInPlace {
elements.contains(it) }\n    private inline fun filterInPlace(predicate: (E) -> Boolean): Boolean {\n        if
(this.isEmpty() || elementData.isEmpty())\n            return false\n        val tail = internalIndex(size)\n        var
newTail = head\n        var modified = false\n        if (head < tail) {\n            for (index in head until tail) {\n
val element = elementData[index]\n                @Suppress("UNCHECKED_CAST")\n                if
(predicate(element as E))\n                    elementData[newTail++] = element\n                else\n                    modified =
true\n            }\n            elementData.fill(null, newTail, tail)\n        } else {\n            for (index in head until
elementData.size) {\n                val element = elementData[index]\n                elementData[index] = null\n            }\n
@Suppress("UNCHECKED_CAST")\n            if (predicate(element as E))\n                elementData[newTail++] = element\n            else\n                modified = true\n        }\n        newTail =
positiveMod(newTail)\n        for (index in 0 until tail) {\n            val element = elementData[index]\n
elementData[index] = null\n            @Suppress("UNCHECKED_CAST")\n            if (predicate(element as
E)) {\n                elementData[newTail] = element\n                newTail = incremented(newTail)\n            }\n
else {\n                modified = true\n            }\n        }\n        if (modified)\n            size =
negativeMod(newTail - head)\n        return modified\n    }\n    public override fun clear() {\n        val tail =
internalIndex(size)\n        if (head < tail) {\n            elementData.fill(null, head, tail)\n        } else if (isEmpty())
{\n            elementData.fill(null, head, elementData.size)\n            elementData.fill(null, 0, tail)\n        }\n        head =
0\n        size = 0\n    }\n    // For testing only\n    internal fun internalStructure(structure: (head: Int, elements:
Array<Any?>) -> Unit) {\n        val tail = internalIndex(size)\n        if (isEmpty()) {\n            structure(head,
emptyArray())\n            return\n        }\n        val elements = arrayOfNulls<Any?>(size)\n        if (head < tail) {\n
            elementData.copyInto(elements, startIndex = head, endIndex = tail)\n            structure(head, elements)\n        }
else {\n            elementData.copyInto(elements, startIndex = head)\n            elementData.copyInto(elements,
elementData.size - head, startIndex = 0, endIndex = tail)\n            structure(head - elementData.size, elements)\n
        }\n    }\n}
", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n

```



```

    is DoubleArray -> result.append(element.contentToString())\n        is CharArray ->
result.append(element.contentToString())\n        is BooleanArray -> result.append(element.contentToString())\n
    is UByteArray -> result.append(element.contentToString())\n        is UShortArray ->
result.append(element.contentToString())\n        is UIntArray -> result.append(element.contentToString())\n
    is ULongArray -> result.append(element.contentToString())\n\n        else ->
result.append(element.toString())\n    }\n }\n\n result.append('}')\n
processed.removeAt(processed.lastIndex)\n}", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n/**\n * Data class representing a value from a
collection or sequence, along with its index in that collection or sequence.\n *\n * @property value the underlying
value.\n * @property index the index of the value in the collection or sequence.\n */\n\npublic data class
IndexedValue<out T>(public val index: Int, public val value: T)\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\n@file:kotlin.jvm.JvmName("MapAccessorsKt")\n\npackage
kotlin.collections\n\nimport kotlin.reflect.KProperty\nimport kotlin.internal.Exact\n\n/**\n * Returns the value of
the property for the given object from this read-only map.\n * @param thisRef the object for which the value is
requested (not used).\n * @param property the metadata for the property, used to get the name of property and
lookup the value corresponding to this name in the map.\n * @return the property value.\n *\n * @throws
NoSuchElementException when the map doesn't contain value for the property name and doesn't provide an implicit
default (see [withDefault]).\n */\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <V, V1 : V> Map<in
String, @Exact V>.getValue(thisRef: Any?, property: KProperty<*>): V1 =\n
@Suppress("UNCHECKED_CAST") (getOrImplicitDefault(property.name) as V1)\n\n/**\n * Returns the value
of the property for the given object from this mutable map.\n * @param thisRef the object for which the value is
requested (not used).\n * @param property the metadata for the property, used to get the name of property and
lookup the value corresponding to this name in the map.\n * @return the property value.\n *\n * @throws
NoSuchElementException when the map doesn't contain value for the property name and doesn't provide an implicit
default (see [withDefault]).\n */\n\n@kotlin.jvm.JvmName("getVar")\n@kotlin.internal.InlineOnly\npublic inline
operator fun <V, V1 : V> MutableMap<in String, out @Exact V>.getValue(thisRef: Any?, property:
KProperty<*>): V1 =\n    @Suppress("UNCHECKED_CAST") (getOrImplicitDefault(property.name) as
V1)\n\n@Deprecated("Use getValue() with two type parameters instead", level =
DeprecationLevel.ERROR)\n@kotlin.jvm.JvmName("getVarContravariant")\n@kotlin.internal.LowPriorityInOver
loadResolution\n@kotlin.internal.InlineOnly\npublic inline fun <V> MutableMap<in String, in
V>.getValue(thisRef: Any?, property: KProperty<*>): V =\n    @Suppress("UNCHECKED_CAST")
(getOrImplicitDefault(property.name) as V)\n\n/**\n * Stores the value of the property for the given object in this
mutable map.\n * @param thisRef the object for which the value is requested (not used).\n * @param property the
metadata for the property, used to get the name of property and store the value associated with that name in the
map.\n * @param value the value to set.\n */\n\n@kotlin.internal.InlineOnly\npublic inline operator fun <V>
MutableMap<in String, in V>.setValue(thisRef: Any?, property: KProperty<*>, value: V) {\n
this.put(property.name, value)\n}\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("MapsKt")\n\npackage
kotlin.collections\n\n/**\n * Returns the value for the given key, or the implicit default value for this map.\n * By
default no implicit value is provided for maps and a [NoSuchElementException] is thrown.\n * To create a map with
implicit default value use [withDefault] method.\n *\n * @throws NoSuchElementException when the map doesn't
contain a value for the specified key and no implicit default was provided for that map.\n
*/\n\n@kotlin.jvm.JvmName("getOrImplicitDefaultNullable")\n@PublishedApi\ninternal fun <K, V> Map<K,
V>.getOrImplicitDefault(key: K): V {\n    if (this is MapWithDefault)\n        return

```

```

this.getOrImplicitDefault(key)\n\n    return getOrElseNullable(key, { throw NoSuchElementException("Key $key
is missing in the map.") })\n}\n\n/**\n * Returns a wrapper of this read-only map, having the implicit default value
provided with the specified function [defaultValue].\n * This implicit default value is used when the original
map doesn't contain a value for the key specified\n * and a value is obtained with [Map.getValue] function, for
example when properties are delegated to the map.\n * When this map already has an implicit default value
provided with a former call to [withDefault], it is being replaced by this call.\n */\npublic fun <K, V> Map<K,
V>.withDefault(defaultValue: (key: K) -> V): Map<K, V> =\n    when (this) {\n        is MapWithDefault ->
this.map.withDefault(defaultValue)\n        else -> MapWithDefaultImpl(this, defaultValue)\n    }\n\n/**\n * Returns
a wrapper of this mutable map, having the implicit default value provided with the specified function
[defaultValue].\n * This implicit default value is used when the original map doesn't contain a value for the key
specified\n * and a value is obtained with [Map.getValue] function, for example when properties are delegated to the
map.\n * When this map already has an implicit default value provided with a former call to [withDefault], it is
being replaced by this call.\n */\n@kotlin.jvm.JvmName("withDefaultMutable")\npublic fun <K, V>
MutableMap<K, V>.withDefault(defaultValue: (key: K) -> V): MutableMap<K, V> =\n    when (this) {\n        is
MutableMapWithDefault -> this.map.withDefault(defaultValue)\n        else -> MutableMapWithDefaultImpl(this,
defaultValue)\n    }\n\nprivate interface MapWithDefault<K, out V> : Map<K, V> {\n    public val map: Map<K,
V>\n    public fun getOrImplicitDefault(key: K): V\n}\n\nprivate interface MutableMapWithDefault<K, V> :
MutableMap<K, V>, MapWithDefault<K, V> {\n    public override val map: MutableMap<K, V>\n}\n\nprivate
class MapWithDefaultImpl<K, out V>(public override val map: Map<K, V>, private val default: (key: K) -> V) :
MapWithDefault<K, V> {\n    override fun equals(other: Any?): Boolean = map.equals(other)\n    override fun
hashCode(): Int = map.hashCode()\n    override fun toString(): String = map.toString()\n    override val size: Int get()
= map.size\n    override fun isEmpty(): Boolean = map.isEmpty()\n    override fun containsKey(key: K): Boolean =
map.containsKey(key)\n    override fun containsValue(value: @UnsafeVariance V): Boolean =
map.containsValue(value)\n    override fun get(key: K): V? = map.get(key)\n    override val keys: Set<K> get() =
map.keys\n    override val values: Collection<V> get() = map.values\n    override val entries: Set<Map.Entry<K,
V>> get() = map.entries\n    override fun getOrImplicitDefault(key: K): V = map.getOrElseNullable(key, {
default(key) })\n}\n\nprivate class MutableMapWithDefaultImpl<K, V>(public override val map: MutableMap<K,
V>, private val default: (key: K) -> V) : MutableMapWithDefault<K, V> {\n    override fun equals(other: Any?):
Boolean = map.equals(other)\n    override fun hashCode(): Int = map.hashCode()\n    override fun toString(): String
= map.toString()\n    override val size: Int get() = map.size\n    override fun isEmpty(): Boolean = map.isEmpty()\n
override fun containsKey(key: K): Boolean = map.containsKey(key)\n    override fun containsValue(value:
@UnsafeVariance V): Boolean = map.containsValue(value)\n    override fun get(key: K): V? = map.get(key)\n
override val keys: MutableSet<K> get() = map.keys\n    override val values: MutableCollection<V> get() =
map.values\n    override val entries: MutableSet<MutableMap.MutableEntry<K, V>> get() = map.entries\n
override fun put(key: K, value: V): V? = map.put(key, value)\n    override fun remove(key: K): V? =
map.remove(key)\n    override fun putAll(from: Map<out K, V>) = map.putAll(from)\n    override fun clear() =
map.clear()\n\n    override fun getOrImplicitDefault(key: K): V = map.getOrElseNullable(key, { default(key)
})\n}\n\n"/\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of
this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*/\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CollectionsKt")\n\npackage
kotlin.collections\nimport kotlin.random.Random\n\n/**\n * Removes a single instance of the specified element
from this\n * collection, if it is present.\n * Allows to overcome type-safety restriction of `remove` that requires
to pass an element of type `E`.\n * @return `true` if the element has been successfully removed; `false` if it was
not present in the collection.\n */\n@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes
T> MutableCollection<out T>.remove(element: T): Boolean =\n    @Suppress("UNCHECKED_CAST") (this as
MutableCollection<T>).remove(element)\n\n/**\n * Removes all of this collection's elements that are also
contained in the specified collection.\n * Allows to overcome type-safety restriction of `removeAll` that requires
to pass a collection of type `Collection<E>`.\n * @return `true` if any of the specified elements was removed

```

from the collection, `false` if the collection was not modified.

```

*\/@kotlin.internal.InlineOnly\npublic inline fun
<@kotlin.internal.OnlyInputTypes T> MutableCollection<out T>.removeAll(elements: Collection<T>): Boolean
=\\n @Suppress("\\UNCHECKED_CAST\\") (this as MutableCollection<T>).removeAll(elements)\\n\\n/**\\n *
Retains only the elements in this collection that are contained in the specified collection.\\n *\\n * Allows to
overcome type-safety restriction of `retainAll` that requires to pass a collection of type `Collection<E>`.\\n *\\n *
@return `true` if any element was removed from the collection, `false` if the collection was not modified.\\n
*\/@kotlin.internal.InlineOnly\npublic inline fun <@kotlin.internal.OnlyInputTypes T> MutableCollection<out
T>.retainAll(elements: Collection<T>): Boolean =\\n @Suppress("\\UNCHECKED_CAST\\") (this as
MutableCollection<T>).retainAll(elements)\\n\\n/**\\n * Adds the specified [element] to this mutable collection.\\n
*\/@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.plusAssign(element: T)
{\\n this.add(element)\\n}\\n\\n/**\\n * Adds all elements of the given [elements] collection to this mutable
collection.\\n *\/@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in
T>.plusAssign(elements: Iterable<T>) {\\n this.addAll(elements)\\n}\\n\\n/**\\n * Adds all elements of the given
[elements] array to this mutable collection.\\n *\/@kotlin.internal.InlineOnly\npublic inline operator fun <T>
MutableCollection<in T>.plusAssign(elements: Array<T>) {\\n this.addAll(elements)\\n}\\n\\n/**\\n * Adds all
elements of the given [elements] sequence to this mutable collection.\\n *\/@kotlin.internal.InlineOnly\npublic
inline operator fun <T> MutableCollection<in T>.plusAssign(elements: Sequence<T>) {\\n
this.addAll(elements)\\n}\\n\\n/**\\n * Removes a single instance of the specified [element] from this mutable
collection.\\n *\/@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in
T>.minusAssign(element: T) {\\n this.remove(element)\\n}\\n\\n/**\\n * Removes all elements contained in the given
[elements] collection from this mutable collection.\\n *\/@kotlin.internal.InlineOnly\npublic inline operator fun
<T> MutableCollection<in T>.minusAssign(elements: Iterable<T>) {\\n this.removeAll(elements)\\n}\\n\\n/**\\n *
Removes all elements contained in the given [elements] array from this mutable collection.\\n
*\/@kotlin.internal.InlineOnly\npublic inline operator fun <T> MutableCollection<in T>.minusAssign(elements:
Array<T>) {\\n this.removeAll(elements)\\n}\\n\\n/**\\n * Removes all elements contained in the given [elements]
sequence from this mutable collection.\\n *\/@kotlin.internal.InlineOnly\npublic inline operator fun <T>
MutableCollection<in T>.minusAssign(elements: Sequence<T>) {\\n this.removeAll(elements)\\n}\\n\\n/**\\n * Adds
all elements of the given [elements] collection to this [MutableCollection].\\n *\/\npublic fun <T>
MutableCollection<in T>.addAll(elements: Iterable<T>): Boolean {\\n when (elements) {\\n is Collection ->
return addAll(elements)\\n else -> {\\n var result: Boolean = false\\n for (item in elements)\\n
if (add(item)) result = true\\n return result\\n }\\n }\\n}\\n\\n/**\\n * Adds all elements of the given
[elements] sequence to this [MutableCollection].\\n *\/\npublic fun <T> MutableCollection<in T>.addAll(elements:
Sequence<T>): Boolean {\\n var result: Boolean = false\\n for (item in elements) {\\n if (add(item)) result =
true\\n }\\n return result\\n}\\n\\n/**\\n * Adds all elements of the given [elements] array to this
[MutableCollection].\\n *\/\npublic fun <T> MutableCollection<in T>.addAll(elements: Array<out T>): Boolean {\\n
return addAll(elements.asList())\\n}\\n\\n/**\\n * Removes all elements from this [MutableCollection] that are also
contained in the given [elements] collection.\\n *\/\npublic fun <T> MutableCollection<in T>.removeAll(elements:
Iterable<T>): Boolean {\\n return removeAll(elements.convertToSetForSetOperationWith(this))\\n}\\n\\n/**\\n *
Removes all elements from this [MutableCollection] that are also contained in the given [elements] sequence.\\n
*\/\npublic fun <T> MutableCollection<in T>.removeAll(elements: Sequence<T>): Boolean {\\n val set =
elements.toHashSet()\\n return set.isNotEmpty() && removeAll(set)\\n}\\n\\n/**\\n * Removes all elements from this
[MutableCollection] that are also contained in the given [elements] array.\\n *\/\npublic fun <T>
MutableCollection<in T>.removeAll(elements: Array<out T>): Boolean {\\n return elements.isNotEmpty() &&
removeAll(elements.toHashSet())\\n}\\n\\n/**\\n * Retains only elements of this [MutableCollection] that are contained
in the given [elements] collection.\\n *\/\npublic fun <T> MutableCollection<in T>.retainAll(elements: Iterable<T>):
Boolean {\\n return retainAll(elements.convertToSetForSetOperationWith(this))\\n}\\n\\n/**\\n * Retains only
elements of this [MutableCollection] that are contained in the given [elements] array.\\n *\/\npublic fun <T>
MutableCollection<in T>.retainAll(elements: Array<out T>): Boolean {\\n if (elements.isNotEmpty())\\n return

```

```

retainAll(elements.toHashSet())\n else\n     return retainNothing()\n}\n\n/**\n * Retains only elements of this
[MutableCollection] that are contained in the given [elements] sequence.\n */\npublic fun <T>
MutableCollection<in T>.retainAll(elements: Sequence<T>): Boolean {\n     val set = elements.toHashSet()\n     if
(set.isNotEmpty())\n         return retainAll(set)\n     else\n         return retainNothing()\n}\n\nprivate fun
MutableCollection<*>.retainNothing(): Boolean {\n     val result = isEmpty()\n     clear()\n     return
result\n}\n\n/**\n * Removes all elements from this [MutableIterable] that match the given [predicate].\n */\n *
@return `true` if any element was removed from this collection, or `false` when no elements were removed and
collection was not modified.\n */\npublic fun <T> MutableIterable<T>.removeAll(predicate: (T) -> Boolean):
Boolean = filterInPlace(predicate, true)\n\n/**\n * Retains only elements of this [MutableIterable] that match the
given [predicate].\n */\n * @return `true` if any element was removed from this collection, or `false` when all
elements were retained and collection was not modified.\n */\npublic fun <T>
MutableIterable<T>.retainAll(predicate: (T) -> Boolean): Boolean = filterInPlace(predicate, false)\n\nprivate fun
<T> MutableIterable<T>.filterInPlace(predicate: (T) -> Boolean, predicateResultToRemove: Boolean): Boolean {\n
     var result = false\n     with(iterator()) {\n         while (hasNext())\n             if (predicate(next()) ==
predicateResultToRemove) {\n                 remove()\n                 result = true\n             }\n     }\n     return
result\n}\n\n/**\n * Returns a new list with the elements of this list randomly shuffled\n */\n * using the specified
[random] instance as the source of randomness.\n */\n@SinceKotlin("1.3")\npublic fun <T>
Iterable<T>.shuffled(random: Random): List<T> = toMutableList().apply { shuffle(random) }\n\n/**\n *
Removes the element at the specified [index] from this list.\n */\n * In Kotlin one should use the
[MutableList.removeAt] function instead.\n */\n@Deprecated("Use removeAt(index) instead.",
ReplaceWith("removeAt(index)"), level = DeprecationLevel.ERROR)\n@kotlin.internal.InlineOnly\npublic inline
fun <T> MutableList<T>.remove(index: Int): T = removeAt(index)\n\n/**\n * Removes the first element from this
mutable list and returns that removed element, or throws [NoSuchElementException] if this list is empty.\n */\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun <T> MutableList<T>.removeFirst(): T = if
(isEmpty()) throw NoSuchElementException("List is empty.") else removeAt(0)\n\n/**\n * Removes the first
element from this mutable list and returns that removed element, or returns `null` if this list is empty.\n */\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun <T> MutableList<T>.removeFirstOrNull(): T? =
if (isEmpty()) null else removeAt(0)\n\n/**\n * Removes the last element from this mutable list and returns that
removed element, or throws [NoSuchElementException] if this list is empty.\n */\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun <T> MutableList<T>.removeLast(): T = if
(isEmpty()) throw NoSuchElementException("List is empty.") else removeAt(lastIndex)\n\n/**\n * Removes the
last element from this mutable list and returns that removed element, or returns `null` if this list is empty.\n */\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun <T> MutableList<T>.removeLastOrNull(): T? =
if (isEmpty()) null else removeAt(lastIndex)\n\n/**\n * Removes all elements from this [MutableList] that match the
given [predicate].\n */\n * @return `true` if any element was removed from this collection, or `false` when no
elements were removed and collection was not modified.\n */\npublic fun <T>
MutableList<T>.removeAll(predicate: (T) -> Boolean): Boolean = filterInPlace(predicate, true)\n\n/**\n * Retains
only elements of this [MutableList] that match the given [predicate].\n */\n * @return `true` if any element was
removed from this collection, or `false` when all elements were retained and collection was not modified.\n */\npublic fun <T> MutableList<T>.retainAll(predicate: (T) -> Boolean): Boolean = filterInPlace(predicate,
false)\n\nprivate fun <T> MutableList<T>.filterInPlace(predicate: (T) -> Boolean, predicateResultToRemove:
Boolean): Boolean {\n     if (this !is RandomAccess)\n         return (this as
MutableIterable<T>).filterInPlace(predicate, predicateResultToRemove)\n     var writeIndex: Int = 0\n     for
(readIndex in 0..lastIndex) {\n         val element = this[readIndex]\n         if (predicate(element) ==
predicateResultToRemove)\n             continue\n         if (writeIndex != readIndex)\n             this[writeIndex] =
element\n         writeIndex++\n     }\n     if (writeIndex < size) {\n         for (removeIndex in lastIndex downTo
writeIndex)\n             removeAt(removeIndex)\n         return true\n     } else {\n         return false\n     }\n}\n\n/**\n *
Randomly shuffles elements in this mutable list using the specified [random] instance as the source of

```

```

randomness.\n *\n * See: https://en.wikipedia.org/wiki/Fisher%E2%80%93Yates_shuffle#The_modern_algorithm\n
*\n@SinceKotlin("1.3")\npublic fun <T> MutableList<T>.shuffle(random: Random): Unit {\n    for (i in lastIndex\n        downTo 1) {\n        val j = random.nextInt(i + 1)\n        val copy = this[i]\n        this[i] = this[j]\n        this[j] = copy\n    }\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of\nthis source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CollectionsKt")\n\npackage\nkotlin.collections\n\nprivate open class ReversedListReadOnly<out T>(private val delegate: List<T>) :\nAbstractList<T>() {\n    override val size: Int get() = delegate.size\n    override fun get(index: Int): T =\n        delegate[reverseElementIndex(index)]\n}\n\nprivate class ReversedList<T>(private val delegate: MutableList<T>) :\nAbstractMutableList<T>() {\n    override val size: Int get() = delegate.size\n    override fun get(index: Int): T =\n        delegate[reverseElementIndex(index)]\n    override fun clear() = delegate.clear()\n    override fun removeAt(index:\n        Int): T = delegate.removeAt(reverseElementIndex(index))\n    override fun set(index: Int, element: T): T =\n        delegate.set(reverseElementIndex(index), element)\n    override fun add(index: Int, element: T) {\n        delegate.add(reversePositionIndex(index), element)\n    }\n}\n\nprivate fun List<*>.reverseElementIndex(index:\n        Int) =\n    if (index in 0..lastIndex) lastIndex - index else throw IndexOutOfBoundsException("Element index\n        $index must be in range [0..lastIndex].")\n\nprivate fun List<*>.reversePositionIndex(index: Int) =\n    if (index\n        in 0..size) size - index else throw IndexOutOfBoundsException("Position index $index must be in range\n        [0..size].")\n\n"/*\n * Returns a reversed read-only view of the original List.\n * All changes made in the\noriginal list will be reflected in the reversed one.\n * @sample samples.collections.ReversedViews.asReversedList\n
*\n\npublic fun <T> List<T>.asReversed(): List<T> = ReversedListReadOnly(this)\n\n"/*\n * Returns a reversed\nmutable view of the original mutable List.\n * All changes made in the original list will be reflected in the reversed\none and vice versa.\n * @sample samples.collections.ReversedViews.asReversedMutableList\n
*\n\n@kotlin.jvm.JvmName("asReversedMutable")\n\npublic fun <T> MutableList<T>.asReversed():\nMutableList<T> = ReversedList(this)\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming\nLanguage contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the\nlicense/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("SequencesKt")\n@file:UseExperimental(\nExperimentalTypeInference::class)\n\npackage kotlin.sequences\n\nimport kotlin.coroutines.*\nimport\nkotlin.coroutines.intrinsics.*\nimport kotlin.experimental.ExperimentalTypeInference\n\n"/*\n * Builds a\n[Sequence] lazily yielding values one by one.\n *\n * @see kotlin.sequences.generateSequence\n *\n * @sample\nsamples.collections.Sequences.Building.buildSequenceYieldAll\n *\n * @sample\nsamples.collections.Sequences.Building.buildFibonacciSequence\n
*\n\n@SinceKotlin("1.3")\n\npublic fun <T>\nsequence(@BuilderInference block: suspend SequenceScope<T>().-> Unit): Sequence<T> = Sequence {\n    iterator(block)\n}\n\n@SinceKotlin("1.3")\n\n@Deprecated("Use 'sequence { }' function instead.")\nReplaceWith("sequence(builderAction)"), level =\nDeprecationLevel.ERROR)\n\n@kotlin.internal.InlineOnly\n\npublic inline fun <T> buildSequence(@BuilderInference\n        noinline builderAction: suspend SequenceScope<T>().-> Unit): Sequence<T> = Sequence {\n    iterator(builderAction)\n}\n\n"/*\n * Builds an [Iterator] lazily yielding values one by one.\n *\n * @sample\nsamples.collections.Sequences.Building.buildIterator\n *\n * @sample\nsamples.collections.Iterables.Building.iterable\n
*\n\n@SinceKotlin("1.3")\n\npublic fun <T> iterator(@BuilderInference block: suspend SequenceScope<T>().->\n        Unit): Iterator<T> {\n    val iterator = SequenceBuilderIterator<T>()\n    iterator.nextStep =\n        block.createCoroutineUnintercepted(receiver = iterator, completion = iterator)\n    return\n        iterator\n}\n\n@SinceKotlin("1.3")\n\n@Deprecated("Use 'iterator { }' function instead.")\nReplaceWith("iterator(builderAction)"), level = DeprecationLevel.ERROR)\n\n@kotlin.internal.InlineOnly\n\npublic\n        inline fun <T> buildIterator(@BuilderInference noinline builderAction: suspend SequenceScope<T>().-> Unit):\n        Iterator<T> = iterator(builderAction)\n\n"/*\n * The scope for yielding values of a [Sequence] or an [Iterator],\nprovides [yield] and [yieldAll] suspension functions.\n *\n * @see sequence\n *\n * @see iterator\n *\n * @sample\nsamples.collections.Sequences.Building.buildSequenceYieldAll\n *\n * @sample

```

```

samples.collections.Sequences.Building.buildFibonacciSequence\n
*\n@RestrictsSuspension\n@SinceKotlin(1.3)\npublic abstract class SequenceScope<in T> internal
constructor() {\n /**\n * Yields a value to the [Iterator] being built and suspends\n * until the next value is
requested.\n *\n * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n * @sample
samples.collections.Sequences.Building.buildFibonacciSequence\n */\n public abstract suspend fun yield(value:
T)\n\n /**\n * Yields all values from the `iterator` to the [Iterator] being built\n * and suspends until all these
values are iterated and the next one is requested.\n *\n * The sequence of values returned by the given iterator
can be potentially infinite.\n *\n * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n
*/\n public abstract suspend fun yieldAll(iterator: Iterator<T>)\n\n /**\n * Yields a collections of values to
the [Iterator] being built\n * and suspends until all these values are iterated and the next one is requested.\n
*\n * @sample samples.collections.Sequences.Building.buildSequenceYieldAll\n */\n public suspend fun
yieldAll(elements: Iterable<T>) {\n if (elements is Collection && elements.isEmpty()) return\n return
yieldAll(elements.iterator())\n }\n\n /**\n * Yields potentially infinite sequence of values to the [Iterator]
being built\n * and suspends until all these values are iterated and the next one is requested.\n *\n * The
sequence can be potentially infinite.\n *\n * @sample
samples.collections.Sequences.Building.buildSequenceYieldAll\n */\n public suspend fun yieldAll(sequence:
Sequence<T>) = yieldAll(sequence.iterator())\n\n\n@Deprecated("Use SequenceScope class instead.",
ReplaceWith("SequenceScope<T>"), level = DeprecationLevel.ERROR)\npublic typealias SequenceBuilder<T> =
SequenceScope<T>\n\nprivate typealias State = Int\nprivate const val State_NotReady: State = 0\nprivate const
val State_ManyNotReady: State = 1\nprivate const val State_ManyReady: State = 2\nprivate const val State_Ready:
State = 3\nprivate const val State_Done: State = 4\nprivate const val State_Failed: State = 5\nprivate class
SequenceBuilderIterator<T> : SequenceScope<T>(), Iterator<T>, Continuation<Unit> {\n private var state =
State_NotReady\n private var nextValue: T? = null\n private var nextIterator: Iterator<T>? = null\n var
nextStep: Continuation<Unit>? = null\n\n override fun hasNext(): Boolean {\n while (true) {\n when
(state) {\n State_NotReady -> {\n State_ManyNotReady ->\n if
(nextIterator!!.hasNext()) {\n state = State_ManyReady\n return true\n }
else {\n nextIterator = null\n } State_Done -> return false\n
State_Ready, State_ManyReady -> return true\n else -> throw exceptionalState()\n }\n\n state
= State_Failed\n val step = nextStep!!\n nextStep = null\n step.resume(Unit)\n }\n }\n\n
override fun next(): T {\n when (state) {\n State_NotReady, State_ManyNotReady -> return
nextNotReady()\n State_ManyReady -> {\n state = State_ManyNotReady\n return
nextIterator!!.next()\n } State_Ready -> {\n state = State_NotReady\n
@Suppress("UNCHECKED_CAST")\n val result = nextValue as T\n nextValue = null\n
return result\n } else -> throw exceptionalState()\n }\n }\n\n private fun nextNotReady(): T
{\n if (!hasNext()) throw NoSuchElementException() else return next()\n }\n\n private fun
exceptionalState(): Throwable = when (state) {\n State_Done -> NoSuchElementException()\n State_Failed
-> IllegalStateException("Iterator has failed.")\n else -> IllegalStateException("Unexpected state of the
iterator: $state")\n }\n\n\n override suspend fun yield(value: T) {\n nextValue = value\n state =
State_Ready\n return suspendCoroutineUninterceptedOrReturn { c ->\n nextStep = c\n
COROUTINE_SUSPENDED\n }\n }\n\n override suspend fun yieldAll(iterator: Iterator<T>) {\n if
(!iterator.hasNext()) return\n nextIterator = iterator\n state = State_ManyReady\n return
suspendCoroutineUninterceptedOrReturn { c ->\n nextStep = c\n COROUTINE_SUSPENDED\n
}\n }\n\n // Completion continuation implementation\n override fun resumeWith(result: Result<Unit>) {\n
result.getOrThrow() // just rethrow exception if it is there\n state = State_Done\n }\n\n override val context:
CoroutineContext\n get() = EmptyCoroutineContext\n}\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and
Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that
can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\ninternal fun
checkWindowSizeStep(size: Int, step: Int) {\n require(size > 0 && step > 0) {\n if (size != step)\n

```

```

\"Both size $size and step $step must be greater than zero.\"\\n      else\\n          \"size $size must be greater than
zero.\"\\n    }\\n}\\n\\ninternal fun <T> Sequence<T>.windowedSequence(size: Int, step: Int, partialWindows: Boolean,
reuseBuffer: Boolean): Sequence<List<T>> {\\n    checkWindowSizeStep(size, step)\\n    return Sequence {
windowedIterator(iterator(), size, step, partialWindows, reuseBuffer) }\\n}\\n\\ninternal fun <T>
windowedIterator(iterator: Iterator<T>, size: Int, step: Int, partialWindows: Boolean, reuseBuffer: Boolean):
Iterator<List<T>> {\\n    if (!iterator.hasNext()) return EmptyIterator\\n    return iterator<List<T>> {\\n        val
bufferInitialCapacity = size.coerceAtMost(1024)\\n        val gap = step - size\\n        if (gap >= 0) {\\n            var buffer
= ArrayList<T>(bufferInitialCapacity)\\n            var skip = 0\\n            for (e in iterator) {\\n                if (skip > 0) {
skip -= 1; continue }\\n                buffer.add(e)\\n                if (buffer.size == size) {\\n                    yield(buffer)\\n
                    if (reuseBuffer) buffer.clear() else buffer = ArrayList(size)\\n                    skip = gap\\n                }\\n            }\\n
            if (buffer.isNotEmpty()) {\\n                if (partialWindows || buffer.size == size) yield(buffer)\\n            }\\n        }
    } else {\\n        var buffer = RingBuffer<T>(bufferInitialCapacity)\\n        for (e in iterator) {\\n            buffer.add(e)\\n
            if (buffer.isFull()) {\\n                if (buffer.size < size) { buffer =
buffer.expanded(maxCapacity = size); continue }\\n                yield(if (reuseBuffer) buffer else
ArrayList(buffer))\\n                buffer.removeFirst(step)\\n            }\\n        }\\n        if (partialWindows) {\\n
            while (buffer.size > step) {\\n                yield(if (reuseBuffer) buffer else ArrayList(buffer))\\n
buffer.removeFirst(step)\\n            }\\n            if (buffer.isNotEmpty()) yield(buffer)\\n        }\\n    }\\n}\\n}\\n\\ninternal class MovingSubList<out E>(private val list: List<E>) : AbstractList<E>(), RandomAccess {\\n
private var fromIndex: Int = 0\\n    private var _size: Int = 0\\n\\n    fun move(fromIndex: Int, toIndex: Int) {\\n
checkRangeIndexes(fromIndex, toIndex, list.size)\\n    this.fromIndex = fromIndex\\n    this._size = toIndex -
fromIndex\\n    }\\n\\n    override fun get(index: Int): E {\\n        checkElementIndex(index, _size)\\n        return
list[fromIndex + index]\\n    }\\n\\n    override val size: Int get() = _size\\n}\\n\\n\\n/**\\n * Provides ring buffer
implementation.\\n *\\n * Buffer overflow is not allowed so [add] doesn't overwrite tail but raises an exception.\\n
*\\nprivate class RingBuffer<T>(private val buffer: Array<Any?>, filledSize: Int) : AbstractList<T>(),
RandomAccess {\\n    init {\\n        require(filledSize >= 0) { \"ring buffer filled size should not be negative but it is
$filledSize\" }\\n        require(filledSize <= buffer.size) { \"ring buffer filled size: $filledSize cannot be larger than
the buffer size: ${buffer.size}\" }\\n    }\\n\\n    constructor(capacity: Int) : this(arrayOfNulls<Any?>(capacity), 0)\\n\\n
private val capacity = buffer.size\\n    private var startIndex: Int = 0\\n\\n    override var size: Int = filledSize\\n
private set\\n\\n    override fun get(index: Int): T {\\n        checkElementIndex(index, size)\\n
@Suppress(\"UNCHECKED_CAST\")\\n        return buffer[startIndex.forward(index)] as T\\n    }\\n\\n    fun isFull() =
size == capacity\\n\\n    override fun iterator(): Iterator<T> = object : AbstractIterator<T>() {\\n        private var count
= size\\n        private var index = startIndex\\n\\n        override fun computeNext() {\\n            if (count == 0) {\\n
done()\\n            } else {\\n                @Suppress(\"UNCHECKED_CAST\")\\n                setNext(buffer[index] as
T)\\n                index = index.forward(1)\\n                count--\\n            }\\n        }\\n    }\\n}\\n}\\n\\n@Suppress(\"UNCHECKED_CAST\")\\n    override fun <T> toArray(array: Array<T>): Array<T> {\\n        val
result: Array<T?> =\\n            if (array.size < this.size) array.copyOf(this.size) else array as Array<T?>\\n\\n        val
size = this.size\\n\\n        var widx = 0\\n        var idx = startIndex\\n\\n        while (widx < size && idx < capacity) {\\n
            result[widx] = buffer[idx] as T\\n            widx++\\n            idx++\\n        }\\n\\n        idx = 0\\n        while (widx <
size) {\\n            result[widx] = buffer[idx] as T\\n            widx++\\n            idx++\\n        }\\n        if (result.size >
this.size) result[this.size] = null\\n\\n        return result as Array<T>\\n    }\\n}\\n\\n    override fun toArray(): Array<Any?>
{\\n        return toArray(arrayOfNulls(size))\\n    }\\n}\\n\\n    /**\\n     * Creates a new ring buffer with the capacity equal to
the minimum of [maxCapacity] and 1.5 * [capacity].\\n     * The returned ring buffer contains the same elements as
this ring buffer.\\n     *\\n     fun expanded(maxCapacity: Int): RingBuffer<T> {\\n         val newCapacity = (capacity +
(capacity shr 1) + 1).coerceAtMost(maxCapacity)\\n         val newBuffer = if (startIndex == 0)
buffer.copyOf(newCapacity) else toArray(arrayOfNulls(newCapacity))\\n         return RingBuffer(newBuffer, size)\\n     }
}\\n\\n    /**\\n     * Add [element] to the buffer or fail with [IllegalStateException] if no free space available in the
buffer\\n     *\\n     fun add(element: T) {\\n         if (isFull()) {\\n             throw IllegalStateException(\"ring buffer is
full\")\\n         }\\n         buffer[startIndex.forward(size)] = element\\n         size++\\n     }\\n}\\n\\n    /**\\n     * Removes [n]

```



```

first elements from the buffer or fails with [IllegalArgumentException] if not enough elements in the buffer to
remove\n    */\n    fun removeFirst(n: Int) {\n        require(n >= 0) {\n            "n shouldn't be negative but it is $n" }\n        require(n <= size) {\n            "n shouldn't be greater than the buffer size: n = $n, size = $size" }\n        if (n > 0) {\n            val start = startIndex\n                val end = start.forward(n)\n                if (start > end) {\n                    buffer.fill(null, start, capacity)\n                } else {\n                    buffer.fill(null, start, end)\n                }\n            startIndex = end\n            size -= n\n        }\n    }\n\n    @Suppress("NOTHING_TO_INLINE")\n    private inline fun Int.forward(n: Int): Int = (this + n) % capacity\n\n"/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.collections\n\n// UByteArray

```

```

=====\n@ExperimentalUnsignedTypes\nprivate fun partition(\n    array: UByteArray, left: Int, right: Int): Int {\n    var i = left\n    var j = right\n    val pivot = array[(left + right) / 2]\n    while (i <= j) {\n        while (array[i] < pivot)\n            i++\n        while (array[j] > pivot)\n            j--\n        if (i <= j) {\n            val tmp = array[i]\n            array[i] = array[j]\n            array[j] = tmp\n            i++\n            j--\n        }\n    }\n    return i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun quickSort(\n    array: UByteArray, left: Int, right: Int) {\n    val index = partition(array, left, right)\n    if (left < index - 1)\n        quickSort(array, left, index - 1)\n    if (index < right)\n        quickSort(array, index, right)\n}\n\n// UShortArray

```

```

=====\n@ExperimentalUnsignedTypes\nprivate fun partition(\n    array: UShortArray, left: Int, right: Int): Int {\n    var i = left\n    var j = right\n    val pivot = array[(left + right) / 2]\n    while (i <= j) {\n        while (array[i] < pivot)\n            i++\n        while (array[j] > pivot)\n            j--\n        if (i <= j) {\n            val tmp = array[i]\n            array[i] = array[j]\n            array[j] = tmp\n            i++\n            j--\n        }\n    }\n    return i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun quickSort(\n    array: UShortArray, left: Int, right: Int) {\n    val index = partition(array, left, right)\n    if (left < index - 1)\n        quickSort(array, left, index - 1)\n    if (index < right)\n        quickSort(array, index, right)\n}\n\n// UIntArray

```

```

=====\n@ExperimentalUnsignedTypes\nprivate fun partition(\n    array: UIntArray, left: Int, right: Int): Int {\n    var i = left\n    var j = right\n    val pivot = array[(left + right) / 2]\n    while (i <= j) {\n        while (array[i] < pivot)\n            i++\n        while (array[j] > pivot)\n            j--\n        if (i <= j) {\n            val tmp = array[i]\n            array[i] = array[j]\n            array[j] = tmp\n            i++\n            j--\n        }\n    }\n    return i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun quickSort(\n    array: UIntArray, left: Int, right: Int) {\n    val index = partition(array, left, right)\n    if (left < index - 1)\n        quickSort(array, left, index - 1)\n    if (index < right)\n        quickSort(array, index, right)\n}\n\n// ULongArray

```

```

=====\n@ExperimentalUnsignedTypes\nprivate fun partition(\n    array: ULongArray, left: Int, right: Int): Int {\n    var i = left\n    var j = right\n    val pivot = array[(left + right) / 2]\n    while (i <= j) {\n        while (array[i] < pivot)\n            i++\n        while (array[j] > pivot)\n            j--\n        if (i <= j) {\n            val tmp = array[i]\n            array[i] = array[j]\n            array[j] = tmp\n            i++\n            j--\n        }\n    }\n    return i\n}\n\n@ExperimentalUnsignedTypes\nprivate fun quickSort(\n    array: ULongArray, left: Int, right: Int) {\n    val index = partition(array, left, right)\n    if (left < index - 1)\n        quickSort(array, left, index - 1)\n    if (index < right)\n        quickSort(array, index, right)\n}\n\n// Interfaces

```

```

=====\n/*\n * Sorts the given array using qsort algorithm.\n */\n\n@ExperimentalUnsignedTypes\ninternal fun sortArray(array: UByteArray) = quickSort(array, 0, array.size - 1)\n@ExperimentalUnsignedTypes\ninternal fun sortArray(array: UShortArray) = quickSort(array, 0, array.size - 1)\n@ExperimentalUnsignedTypes\ninternal fun sortArray(array: UIntArray) = quickSort(array, 0, array.size - 1)\n@ExperimentalUnsignedTypes\ninternal fun sortArray(array: ULongArray) = quickSort(array, 0, array.size - 1)\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be

```

found in the license/LICENSE.txt file.

```

import kotlin.internal.ContractsDsl
import kotlin.internal.InlineOnly

 * This marker distinguishes the experimental contract declaration API and is used to opt-in for that feature when declaring contracts of user functions.
 * Any usage of a declaration annotated with `@ExperimentalContracts` must be accepted either by annotating that usage with the [OptIn] annotation, e.g. `@OptIn(ExperimentalContracts::class)`, or by using the compiler argument `-Xopt-in=kotlin.contracts.ExperimentalContracts`.

@Suppress("DEPRECATION")
@Retention(AnnotationRetention.BINARY)
@SinceKotlin("1.3")
@Experimental
@RequiresOptIn
@MustBeDocumented
public annotation class ExperimentalContracts

Provides a scope, where the functions of the contract DSL, such as [returns], [callsInPlace], etc., can be used to describe the contract of a function.
This type is used as a receiver type of the lambda function passed to the [contract] function.
@see contract

@ContractsDsl
@ExperimentalContracts
@SinceKotlin("1.3")
public interface ContractBuilder {

 * Describes a situation when a function returns normally, without any exceptions thrown.
 * Use [SimpleEffect.implies] function to describe a conditional effect that happens in such case.
 // @sample samples.contracts.returnsContract
 @ContractsDsl public fun returns(): Returns

 * Describes a situation when a function returns normally with the specified return [value].
 * The possible values of [value] are limited to `true`, `false` or `null`.
 * Use [SimpleEffect.implies] function to describe a conditional effect that happens in such case.
 // @sample samples.contracts.returnsTrueContract
 // @sample samples.contracts.returnsFalseContract
 // @sample samples.contracts.returnsNullContract
 @ContractsDsl public fun returns(value: Any?): Returns

 * Describes a situation when a function returns normally with any value that is not `null`.
 * Use [SimpleEffect.implies] function to describe a conditional effect that happens in such case.
 // @sample samples.contracts.returnsNotNullContract
 @ContractsDsl public fun returnsNotNull(): ReturnsNotNull

 * Specifies that the function parameter [lambda] is invoked in place.
 * This contract specifies that:
 * 1. the function [lambda] can only be invoked during the call of the owner function, and it won't be invoked after that owner function call is completed;
 * 2. _(optionally)_ the function [lambda] is invoked the amount of times specified by the [kind] parameter, see the [InvocationKind] enum for possible values.
 * A function declaring the `callsInPlace` effect must be _inline_.
 // @sample samples.contracts.callsInPlaceAtMostOnceContract
 // @sample samples.contracts.callsInPlaceAtLeastOnceContract
 // @sample samples.contracts.callsInPlaceExactlyOnceContract
 // @sample samples.contracts.callsInPlaceUnknownContract
 @ContractsDsl public fun <R> callsInPlace(lambda: Function<R>, kind: InvocationKind = InvocationKind.UNKNOWN): CallsInPlace

 * Specifies how many times a function invokes its function parameter in place.
 * See [ContractBuilder.callsInPlace] for the details of the call-in-place function contract.

@ContractsDsl
@ExperimentalContracts
@SinceKotlin("1.3")
public enum class InvocationKind {

 * A function parameter will be invoked one time or not invoked at all.
 // @sample samples.contracts.callsInPlaceAtMostOnceContract
 @ContractsDsl AT_MOST_ONCE,

 * A function parameter will be invoked one or more times.
 // @sample samples.contracts.callsInPlaceAtLeastOnceContract
 @ContractsDsl AT_LEAST_ONCE,

 * A function parameter will be invoked exactly one time.
 // @sample samples.contracts.callsInPlaceExactlyOnceContract
 @ContractsDsl EXACTLY_ONCE,

 * A function parameter is called in place, but it's unknown how many times it can be called.
 // @sample samples.contracts.callsInPlaceUnknownContract
 @ContractsDsl UNKNOWN
}

 * Specifies the contract of a function.
 * The contract description must be at the beginning of a function and have at least one effect.
 * Only the top-level functions can have a contract for now.
 * @param builder the lambda where the contract of a function is described with the help of the [ContractBuilder] members.
 // @sample samples.contracts.returnsContract
 // @sample samples.contracts.returnsTrueContract

```

```

samples.contracts.returnsFalseContract\n* @sample samples.contracts.returnsNullContract\n* @sample
samples.contracts.returnsNotNullContract\n* @sample samples.contracts.callsInPlaceAtMostOnceContract\n*
@sample samples.contracts.callsInPlaceAtLeastOnceContract\n* @sample
samples.contracts.callsInPlaceExactlyOnceContract\n* @sample
samples.contracts.callsInPlaceUnknownContract\n*/\n@ContractsDsl\n@ExperimentalContracts\n@InlineOnly\n@
SinceKotlin("1.3")\n@Suppress("UNUSED_PARAMETER")\npublic inline fun contract(builder:
ContractBuilder.() -> Unit) { }\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\n\n/**\n * Marks coroutine context element that
intercepts coroutine continuations.\n * The coroutines framework uses [ContinuationInterceptor.Key] to retrieve the
interceptor and\n * intercepts all coroutine continuations with [interceptContinuation] invocations.\n */\n *
[ContinuationInterceptor] behaves like a [polymorphic element][AbstractCoroutineContextKey], meaning that\n *
its implementation delegates [get][CoroutineContext.Element.get] and
[minusKey][CoroutineContext.Element.minusKey]\n * to [getPolymorphicElement] and [minusPolymorphicKey]
respectively.\n * [ContinuationInterceptor] subtypes can be extracted from the coroutine context using either
[ContinuationInterceptor.Key]\n * or subtype key if it extends [AbstractCoroutineContextKey].\n
*/\n\n@SinceKotlin("1.3")\npublic interface ContinuationInterceptor : CoroutineContext.Element {\n    /**\n     *
The key that defines *the* context interceptor.\n     */\n    companion object Key :
CoroutineContext.Key<ContinuationInterceptor>\n\n    /**\n     * Returns continuation that wraps the original
[continuation], thus intercepting all resumptions.\n     * This function is invoked by coroutines framework when
needed and the resulting continuations are\n     * cached internally per each instance of the original [continuation].\n
*/\n     * This function may simply return original [continuation] if it does not want to intercept this particular
continuation.\n     */\n     * When the original [continuation] completes, coroutine framework invokes
[releaseInterceptedContinuation]\n     * with the resulting continuation if it was intercepted, that is if
`interceptContinuation` had previously\n     * returned a different continuation instance.\n     */\n     public fun <T>
interceptContinuation(continuation: Continuation<T>): Continuation<T>\n\n     /**\n     * Invoked for the
continuation instance returned by [interceptContinuation] when the original\n     * continuation completes and will
not be used anymore. This function is invoked only if [interceptContinuation]\n     * had returned a different
continuation instance from the one it was invoked with.\n     */\n     * Default implementation does nothing.\n     */\n
    @param continuation Continuation instance returned by this interceptor's [interceptContinuation] invocation.\n
    */\n     public fun releaseInterceptedContinuation(continuation: Continuation<*>) {\n         /* do nothing by default
*/\n     }\n\n     public override operator fun <E : CoroutineContext.Element> get(key: CoroutineContext.Key<E>):
E? {\n         // getPolymorphicKey specialized for ContinuationInterceptor key\n
@OptIn(ExperimentalStdlibApi::class)\n         if (key is AbstractCoroutineContextKey<*, *>) {\n
@Suppress("UNCHECKED_CAST")\n             return if (key.isSubKey(this.key)) key.tryCast(this) as? E else
null\n         }\n         @Suppress("UNCHECKED_CAST")\n         return if (ContinuationInterceptor === key) this as
E else null\n     }\n\n     public override fun minusKey(key: CoroutineContext.Key<*>): CoroutineContext {\n
// minusPolymorphicKey specialized for ContinuationInterceptor key\n
@OptIn(ExperimentalStdlibApi::class)\n         if (key is AbstractCoroutineContextKey<*, *>) {\n             return if
(key.isSubKey(this.key) && key.tryCast(this) != null) EmptyCoroutineContext else this\n         }\n         return if
(ContinuationInterceptor === key) EmptyCoroutineContext else this\n     }\n}\n", "/*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.coroutines\n\n/**\n *
Persistent context for the coroutine. It is an indexed set of [Element] instances.\n * An indexed set is a mix between
a set and a map.\n * Every element in this set has a unique [Key].\n */\n\n@SinceKotlin("1.3")\npublic interface
CoroutineContext {\n    /**\n     * Returns the element with the given [key] from this context or `null`.\n     */\n
    public operator fun <E : Element> get(key: Key<E>): E?\n\n    /**\n     * Accumulates entries of this context
starting with [initial] value and applying [operation]\n     * from left to right to current accumulator value and each

```

```

element of this context.\n    */\n    public fun <R> fold(initial: R, operation: (R, Element) -> R): R\n\n    /**\n     * Returns a context containing elements from this context and elements from other [context].\n     * The elements from this context with the same key as in the other one are dropped.\n     */\n    public operator fun plus(context: CoroutineContext): CoroutineContext =\n        if (context === EmptyCoroutineContext) this else // fast path -- avoid lambda creation\n            context.fold(this) { acc, element ->\n                val removed = acc.minusKey(element.key)\n                if (removed === EmptyCoroutineContext) element else {\n                    // make sure interceptor is always last in the context (and thus is fast to get when present)\n                    val interceptor = removed[ContinuationInterceptor]\n                    if (interceptor == null) CombinedContext(removed, element) else {\n                        val left = removed.minusKey(ContinuationInterceptor)\n                        if (left === EmptyCoroutineContext) CombinedContext(element, interceptor) else\n                            CombinedContext(CombinedContext(left, element), interceptor)\n                    }\n                }\n            }\n\n    /**\n     * Returns a context containing elements from this context, but without an element with\n     * the specified [key].\n     */\n    public fun minusKey(key: Key<*>): CoroutineContext\n\n    /**\n     * Key for the elements of [CoroutineContext]. [E] is a type of element with this key.\n     */\n    public interface Key<E : Element>\n\n    /**\n     * An element of the [CoroutineContext]. An element of the coroutine context is a singleton context by itself.\n     */\n    public interface Element : CoroutineContext {\n        /**\n         * A key of this coroutine context element.\n         */\n        public val key: Key<*>\n\n        public override operator fun <E : Element> get(key: Key<E>): E? =\n            @Suppress("UNCHECKED_CAST")\n                if (this.key == key) this as E else null\n\n        public override fun <R> fold(initial: R, operation: (R, Element) -> R): R =\n            operation(initial, this)\n\n        public override fun minusKey(key: Key<*>): CoroutineContext =\n            if (this.key == key) EmptyCoroutineContext else this\n    }\n\n    /**\n     * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n     * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n     */\n\n    package kotlin.coroutines\n    import kotlin.coroutines.CoroutineContext.Element\n    import kotlin.coroutines.CoroutineContext.Key\n\n    /**\n     * Base class for [CoroutineContext.Element] implementations.\n     */\n    @SinceKotlin("1.3")\n    public abstract class AbstractCoroutineContextElement(public override val key: Key<*>) : Element\n\n    /**\n     * Base class for [CoroutineContext.Key] associated with polymorphic [CoroutineContext.Element] implementation.\n     * Polymorphic element implementation implies delegating its [get][Element.get] and [minusKey][Element.minusKey]\n     * to [getPolymorphicElement] and [minusPolymorphicKey] respectively.\n     * Polymorphic elements can be extracted from the coroutine context using both element key and its supertype key.\n     * Example of polymorphic elements:\n     * ```\n     * open class BaseElement : CoroutineContext.Element {\n     *     companion object Key : CoroutineContext.Key<BaseElement>\n     *     override val key: CoroutineContext.Key<*> get() = Key\n     *     // It is important to use getPolymorphicKey and minusPolymorphicKey\n     *     override fun <E : CoroutineContext.Element> get(key: CoroutineContext.Key<E>): E? =\n     *         getPolymorphicElement(key)\n     *     override fun minusKey(key: CoroutineContext.Key<*>): CoroutineContext =\n     *         minusPolymorphicKey(key)\n     * }\n     * class DerivedElement : BaseElement() {\n     *     companion object Key : AbstractCoroutineContextKey<BaseElement, DerivedElement>(BaseElement, { it as? DerivedElement })\n     * }\n     * // Now it is possible to query both `BaseElement` and `DerivedElement`\n     * someContext[BaseElement] // Returns BaseElement?, non-null both for BaseElement and DerivedElement instances\n     * someContext[DerivedElement] // Returns DerivedElement?, non-null only for DerivedElement instance\n     * ```\n     * @param B base class of a polymorphic element\n     * @param baseKey an instance of base key\n     * @param E element type associated with the current key\n     * @param safeCast a function that can safely cast abstract [CoroutineContext.Element] to the concrete [E] type\n     * and return the element if it is a subtype of [E] or `null` otherwise.\n     */\n    @SinceKotlin("1.3")\n    @ExperimentalStdlibApi\n    public abstract class AbstractCoroutineContextKey<B : Element, E : B>(\n        baseKey: Key<B>,\n        private val safeCast: (element: Element) -> E?) : Key<E> {\n        private val topmostKey: Key<*> = if (baseKey is AbstractCoroutineContextKey<*, *>) baseKey.topmostKey else baseKey\n\n        internal fun tryCast(element: Element): E? = safeCast(element)\n        internal fun isSubKey(key: Key<*>): Boolean = key === this || topmostKey === key\n    }\n\n    /**\n     * Returns the current element if it is associated with the given [key] in a polymorphic manner

```

or `null` otherwise.\n * This method returns non-null value if either [Element.key] is equal to the given [key] or if the [key] is associated\n * with [Element.key] via [AbstractCoroutineContextKey].\n * See

[AbstractCoroutineContextKey] for the example of usage.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun <E : Element>
```

```
Element.getPolymorphicElement(key: Key<E>): E? {\n    if (key is AbstractCoroutineContextKey<*, *>) {\n        @Suppress("UNCHECKED_CAST")\n        return if (key.isSubKey(this.key)) key.tryCast(this) as? E else null\n    }\n    @Suppress("UNCHECKED_CAST")\n    return if (this.key === key) this as E else null\n}\n\n/**\n *
```

Returns empty coroutine context if the element is associated with the given [key] in a polymorphic manner\n * or `null` otherwise.\n * This method returns empty context if either [Element.key] is equal to the given [key] or if the [key] is associated\n * with [Element.key] via [AbstractCoroutineContextKey].\n * See

[AbstractCoroutineContextKey] for the example of usage.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun Element.minusPolymorphicKey(key: Key<*>):
```

```
CoroutineContext {\n    if (key is AbstractCoroutineContextKey<*, *>) {\n        return if (key.isSubKey(this.key)\n            && key.tryCast(this) != null) EmptyCoroutineContext else this\n    }\n    return if (this.key === key)
```

```
EmptyCoroutineContext else this\n}\n\n/**\n * An empty coroutine context.\n */\n@SinceKotlin("1.3")\npublic object EmptyCoroutineContext : CoroutineContext, Serializable {\n    private const val serialVersionUID: Long = 0\n    private fun readResolve(): Any = EmptyCoroutineContext\n\n    public override fun <E : Element> get(key: Key<E>): E? = null\n    public override fun <R> fold(initial: R, operation: (R, Element) -> R): R = initial\n    public override fun plus(context: CoroutineContext): CoroutineContext = context\n    public override fun minusKey(key: Key<*>): CoroutineContext = this\n    public override fun hashCode(): Int = 0\n    public override fun toString(): String = "EmptyCoroutineContext"\n}\n\n//----- internal impl -----\n\n// this class is not exposed, but is hidden inside implementations\n// this is a left-biased list, so that `plus` works naturally
```

```
@SinceKotlin("1.3")\ninternal class CombinedContext(\n    private val left: CoroutineContext,\n    private val element: Element\n) : CoroutineContext, Serializable {\n    override fun <E : Element> get(key: Key<E>): E? {\n        var cur = this\n        while (true) {\n            cur.element[key]?.let { return it }\n            val next = cur.left\n            if (next is CombinedContext) {\n                cur = next\n            } else {\n                return next[key]\n            }\n        }\n    }\n\n    public override fun <R> fold(initial: R, operation: (R, Element) -> R): R =\n        operation(left.fold(initial, operation), element)\n\n    public override fun minusKey(key: Key<*>):
```

```
CoroutineContext {\n    element[key]?.let { return left }\n    val newLeft = left.minusKey(key)\n    return when {\n        newLeft === left -> this\n        newLeft === EmptyCoroutineContext -> element\n        else -> CombinedContext(newLeft, element)\n    }\n}\n\nprivate fun size(): Int {\n    var cur = this\n    var size = 2\n    while (true) {\n        cur = cur.left as? CombinedContext ?: return size\n        size++\n    }\n}\n\nprivate fun contains(element: Element): Boolean =\n    get(element.key) == element\n\nprivate fun containsAll(context: CombinedContext): Boolean {\n    var cur = context\n    while (true) {\n        if (!contains(cur.element)) return false\n        val next = cur.left\n        if (next is CombinedContext) {\n            cur = next\n        } else {\n            return contains(next as Element)\n        }\n    }\n}\n\noverride fun equals(other: Any?): Boolean =\n    this === other || other is CombinedContext && other.size() == size() && other.containsAll(this)\n\noverride fun hashCode(): Int = left.hashCode() + element.hashCode()\n\noverride fun toString(): String =\n    "[" + fold("") { acc, element ->\n        if (acc.isEmpty()) element.toString() else\n        "$acc, $element"\n    } + "]"
```

```
\n\nprivate fun writeReplace(): Any {\n    val n = size()\n    val elements = arrayOfNulls<CoroutineContext>(n)\n    var index = 0\n    fold(Unit) { _, element -> elements[index++] = element }\n    check(index == n)\n    @Suppress("UNCHECKED_CAST")\n    return Serialized(elements as Array<CoroutineContext>)\n}\n\nprivate class Serialized(val elements: Array<CoroutineContext>) : Serializable {\n    companion object {\n        private const val serialVersionUID: Long = 0L\n    }\n\n    private fun readResolve(): Any = elements.fold(EmptyCoroutineContext, CoroutineContext::plus)\n}\n\n"/**\n *
```

```
* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n\n*/\n\n@file:kotlin.jvm.JvmName("IntrinsicsKt")\n@file:kotlin.jvm.JvmMultifileClass\n\npackage
```

kotlin.coroutines.intrinsics\n\nimport kotlin.coroutines.*\nimport kotlin.internal.InlineOnly\n\n/**\n * Obtains the current continuation instance inside suspend functions and either suspends\n * currently running coroutine or returns result immediately without suspension.\n * \n * If the [block] returns the special [COROUTINE_SUSPENDED] value, it means that suspend function did suspend the execution and will\n * not return any result immediately. In this case, the [Continuation] provided to the [block] shall be\n * resumed by invoking [Continuation.resumeWith] at some moment in the\n * future when the result becomes available to resume the computation.\n * \n * Otherwise, the return value of the [block] must have a type assignable to [T] and represents the result of this suspend function.\n * \n * It means that the execution was not suspended and the [Continuation] provided to the [block] shall not be invoked.\n * \n * As the result type of the [block] is declared as `Any?` and cannot be correctly type-checked,\n * its proper return type remains on the conscience of the suspend function's author.\n * \n * Invocation of [Continuation.resumeWith] resumes coroutine directly in the invoker's thread without going through the\n * [ContinuationInterceptor] that might be present in the coroutine's [CoroutineContext].\n * \n * It is the invoker's responsibility to ensure that a proper invocation context is established.\n * \n * [Continuation.intercepted] can be used to acquire the intercepted continuation.\n * \n * Note that it is not recommended to call either [Continuation.resume] nor [Continuation.resumeWithException] functions synchronously\n * in the same stackframe where suspension function is run. Use [suspendCoroutine] as a safer way to obtain current\n * continuation instance.\n

```

*\n@SinceKotlin("1.3")\n@InlineOnly\n@Suppress("UNUSED_PARAMETER",
"RedundantSuspendModifier")\npublic suspend inline fun <T>
suspendCoroutineUninterceptedOrReturn(crossinline block: (Continuation<T>) -> Any?): T =\n throw
NotImplementedError("Implementation of suspendCoroutineUninterceptedOrReturn is intrinsic")\n\n/**\n * This value is used as a return value of [suspendCoroutineUninterceptedOrReturn] `block` argument to state that\n * the execution was suspended and will not return any result immediately.\n * \n * **Note: this value should not be used in general code.** Using it outside of the context of\n * `suspendCoroutineUninterceptedOrReturn` function return value (including, but not limited to,\n * storing this value in other properties, returning it from other functions, etc)\n * can lead to unspecified behavior of the code.\n * \n * // It is implemented as property with getter to avoid ProGuard <clinit> problem with multifile IntrinsicsKt class\n@SinceKotlin("1.3")\npublic val
COROUTINE_SUSPENDED: Any get() = CoroutineSingletons.COROUTINE_SUSPENDED\n\n// Using enum here ensures two important properties:\n// 1. It makes SafeContinuation serializable with all kinds of serialization frameworks (since all of them natively support enums)\n// 2. It improves debugging experience, since you clearly see toString() value of those objects and what package they come from\n@SinceKotlin("1.3")\n@PublishedApi // This class is Published API via serialized representation of SafeContinuation, don't rename/move\ninternal enum class CoroutineSingletons { COROUTINE_SUSPENDED, UNDECIDED, RESUMED }\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\npackage

```

```

kotlin.experimental\n\n/** Performs a bitwise AND operation between the two values.
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Byte.and(other: Byte): Byte =
(this.toInt() and other.toInt()).toByte()\n\n/** Performs a bitwise OR operation between the two values.
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Byte.or(other: Byte): Byte =
(this.toInt() or other.toInt()).toByte()\n\n/** Performs a bitwise XOR operation between the two values.
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Byte.xor(other: Byte): Byte =
(this.toInt() xor other.toInt()).toByte()\n\n/** Inverts the bits in this value.
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun Byte.inv(): Byte =
(this.toInt().inv()).toByte()\n\n/** Performs a bitwise AND operation between the two values.
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Short.and(other: Short): Short =
(this.toInt() and other.toInt()).toShort()\n\n/** Performs a bitwise OR operation between the two values.
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Short.or(other: Short): Short =
(this.toInt() or other.toInt()).toShort()\n\n/** Performs a bitwise XOR operation between the two values.
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline infix fun Short.xor(other: Short): Short =

```

(this.toInt() xor other.toInt()).toShort()\n\n** Inverts the bits in this value.

```
*\n@SinceKotlin("1.1")\n@kotlin.internal.InlineOnly\npublic inline fun Short.inv(): Short =
(this.toInt().inv()).toShort()\n\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n *\n\npackage kotlin.experimental\n\n**\n * The experimental marker for type
inference augmenting annotations.\n *\n * Any usage of a declaration annotated with
`@ExperimentalTypeInference` must be accepted either by\n * annotating that usage with the [OptIn] annotation,
e.g. `@OptIn(ExperimentalTypeInference::class)`,\n * or by using the compiler argument `-Xopt-
in=kotlin.experimental.ExperimentalTypeInference`. \n *\n@Suppress("DEPRECATION")\n@Experimental(level
= Experimental.Level.ERROR)\n@RequiresOptIn(level =
RequiresOptIn.Level.ERROR)\n@MustBeDocumented\n@Retention(AnnotationRetention.BINARY)\n@Target(A
nnotationTarget.ANNOTATION_CLASS)\n@SinceKotlin("1.3")\npublic annotation class
ExperimentalTypeInference\n", /*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n *\n\npackage kotlin.internal\n\n**\n * Specifies that the corresponding type should be
ignored during type inference.\n\n *\n@Target(AnnotationTarget.TYPE)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class
NoInfer\n\n**\n * Specifies that the constraint built for the type during type inference should be an equality one.\n\n *\n@Target(AnnotationTarget.TYPE)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class
Exact\n\n**\n * Specifies that a corresponding member has the lowest priority in overload resolution.\n\n *\n@Target(AnnotationTarget.FUNCTION,
AnnotationTarget.PROPERTY)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class
LowPriorityInOverloadResolution\n\n**\n * Specifies that the corresponding member has the highest priority in
overload resolution. Effectively this means that\n * an extension annotated with this annotation will win in overload
resolution over a member with the same signature.\n *\n@Target(AnnotationTarget.FUNCTION,
AnnotationTarget.PROPERTY)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class
HidesMembers\n\n**\n * The value of this type parameter should be mentioned in input types (argument types,
receiver type or expected type).\n\n *\n@Target(AnnotationTarget.TYPE_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\ninternal
annotation class OnlyInputTypes\n\n**\n * Specifies that this function should not be called directly without
inlining\n *\n@Target(AnnotationTarget.FUNCTION, AnnotationTarget.PROPERTY,
AnnotationTarget.PROPERTY_GETTER,
AnnotationTarget.PROPERTY_SETTER)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class
InlineOnly\n\n**\n * Specifies that this declaration can have dynamic receiver type.\n\n *\n@Target(AnnotationTarget.FUNCTION,
AnnotationTarget.PROPERTY)\n@Retention(AnnotationRetention.BINARY)\ninternal annotation class
DynamicExtension\n\n**\n * The value of this parameter should be a property reference expression (`this::foo`),
referencing a `lateinit` property,\n * the backing field of which is accessible at the point where the corresponding
argument is passed.\n\n *\n@Target(AnnotationTarget.VALUE_PARAMETER)\n@Retention(AnnotationRetention.BINARY)\n@SinceK
otlin("1.2")\ninternal annotation class AccessibleLateinitPropertyLiteral\n\n**\n * Specifies that this declaration is
only completely supported since the specified version.\n *\n * The Kotlin compiler of an earlier version is going to
report a diagnostic on usages of this declaration.\n * The diagnostic message can be specified with [message], or via
[errorCode] (takes less space, but might not be immediately clear\n * to the user). The diagnostic severity can be
specified with [level]: WARNING/ERROR mean that either a warning or an error\n * is going to be reported,
HIDDEN means that the declaration is going to be removed from resolution completely.\n *\n * [versionKind]
specifies which version should be compared with the [version] value, when compiling the usage of the annotated
declaration.\n * Note that prior to 1.2, only [RequireKotlinVersionKind.LANGUAGE_VERSION] was supported,

```



```

*\n\npackage kotlin.properties\n\nimport kotlin.reflect.KProperty\n\n/**\n * Implements the core logic of a
property delegate for a read/write property that calls callback functions when changed.\n * @param initialValue the
initial value of the property.\n */\npublic abstract class ObservableProperty<T>(initialValue: T) :
ReadWriteProperty<Any?, T> {\n    private var value = initialValue\n\n    /**\n     * The callback which is called
before a change to the property value is attempted.\n     * The value of the property hasn't been changed yet, when
this callback is invoked.\n     * If the callback returns `true` the value of the property is being set to the new value,\n
     * and if the callback returns `false` the new value is discarded and the property remains its old value.\n     */\n    protected open fun beforeChange(property: KProperty<*>, oldValue: T, newValue: T): Boolean = true\n\n    /**\n     * The callback which is called after the change of the property is made. The value of the property\n     * has already
been changed when this callback is invoked.\n     */\n    protected open fun afterChange(property: KProperty<*>,
oldValue: T, newValue: T): Unit {} \n\n    public override fun getValue(thisRef: Any?, property: KProperty<*>): T
{\n        return value\n    }\n\n    public override fun setValue(thisRef: Any?, property: KProperty<*>, value: T) {\n
        val oldValue = this.value\n        if (!beforeChange(property, oldValue, value)) {\n            return\n        }\n
this.value = value\n        afterChange(property, oldValue, value)\n    }\n}","/**\n * Copyright 2010-2018 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.random\n\nimport
kotlin.math.nextDown\n\n/**\n * An abstract class that is implemented by random number generator algorithms.\n
*\n * The companion object [Random.Default] is the default instance of [Random].\n *\n * To get a seeded instance
of random generator use [Random] function.\n *\n * @sample samples.random.Randoms.defaultRandom\n
*/\n\n@SinceKotlin("1.3")\npublic abstract class Random {\n\n    /**\n     * Gets the next random [bitCount] number
of bits.\n     *\n     * Generates an `Int` whose lower [bitCount] bits are filled with random values and the remaining
upper bits are zero.\n     *\n     * @param bitCount number of bits to generate, must be in range 0..32, otherwise the
behavior is unspecified.\n     */\n    public abstract fun nextBits(bitCount: Int): Int\n\n    /**\n     * Gets the next
random `Int` from the random number generator.\n     *\n     * Generates an `Int` random value uniformly distributed
between `Int.MIN_VALUE` and `Int.MAX_VALUE` (inclusive).\n     */\n    public open fun nextInt(): Int =
nextInt(32)\n\n    /**\n     * Gets the next random non-negative `Int` from the random number generator less than
the specified [until] bound.\n     *\n     * Generates an `Int` random value uniformly distributed between `0`
(inclusive) and the specified [until] bound (exclusive).\n     *\n     * @param until must be positive.\n     *\n     *
@throws IllegalArgumentException if [until] is negative or zero.\n     */\n    public open fun nextInt(until: Int): Int =
nextInt(0, until)\n\n    /**\n     * Gets the next random `Int` from the random number generator in the specified
range.\n     *\n     * Generates an `Int` random value uniformly distributed between the specified [from] (inclusive)
and [until] (exclusive) bounds.\n     *\n     * @throws IllegalArgumentException if [from] is greater than or equal to
[until].\n     */\n    public open fun nextInt(from: Int, until: Int): Int {\n        checkRangeBounds(from, until)\n
val n = until - from\n        if (n > 0 || n == Int.MIN_VALUE) {\n            val rnd = if (n and -n == n) {\n                val
bitCount = fastLog2(n)\n                nextBits(bitCount)\n            } else {\n                var v: Int\n                do {\n
                    val bits = nextInt().ushr(1)\n                    v = bits % n\n                } while (bits - v + (n - 1) < 0)\n
                v\n            }\n            return from + rnd\n        } else {\n            while (true) {\n                val rnd = nextInt()\n                if
(rnd in from until until) return rnd\n            }\n        }\n    }\n\n    /**\n     * Gets the next random `Long` from the
random number generator.\n     *\n     * Generates a `Long` random value uniformly distributed between
`Long.MIN_VALUE` and `Long.MAX_VALUE` (inclusive).\n     */\n    public open fun nextLong(): Long =
nextInt().toLong().shl(32) + nextInt()\n\n    /**\n     * Gets the next random non-negative `Long` from the random
number generator less than the specified [until] bound.\n     *\n     * Generates a `Long` random value uniformly
distributed between `0` (inclusive) and the specified [until] bound (exclusive).\n     *\n     * @param until must be
positive.\n     *\n     * @throws IllegalArgumentException if [until] is negative or zero.\n     */\n    public open fun
nextLong(until: Long): Long = nextLong(0, until)\n\n    /**\n     * Gets the next random `Long` from the random
number generator in the specified range.\n     *\n     * Generates a `Long` random value uniformly distributed
between the specified [from] (inclusive) and [until] (exclusive) bounds.\n     *\n     * @throws
IllegalArgumentException if [from] is greater than or equal to [until].\n     */\n    public open fun nextLong(from:

```

```

Long, until: Long): Long {
    checkRangeBounds(from, until)
    val n = until - from
    if (n > 0) {
        val rnd: Long
        if (n and -n == n) {
            val nLow = n.toInt()
            val nHigh = (n ushr
32).toInt()
            rnd = when {
                nLow != 0 -> {
                    val bitCount = fastLog2(nLow)
                    // toUInt().toLong()
                    nextBits(bitCount).toLong() and 0xFFFF_FFFF
                }
                nHigh == 1 -> {
                    // toUInt().toLong()
                    nextInt().toLong() and
0xFFFF_FFFF
                }
                else -> {
                    val bitCount = fastLog2(nHigh)
                    nextBits(bitCount).toLong().shl(32) + nextInt()
                }
            } else {
                var v:
Long
                do {
                    val bits = nextLong().ushr(1)
                    v = bits % n
                } while (bits
- v + (n - 1) < 0)
                rnd = v
            }
            return from + rnd
        } else {
            while (true) {
                val rnd = nextLong()
                if (rnd in from until until) return rnd
            }
        }
    }
}

/**
 * Gets the next random [Boolean] value.
 */
public open fun nextBoolean(): Boolean = nextBits(1) != 0

/**
 * Gets the next random [Double] value uniformly distributed between 0 (inclusive) and 1 (exclusive).
 */
public open fun nextDouble(): Double = doubleFromParts(nextBits(26), nextBits(27))

/**
 * Gets the next random non-negative `Double` from the random number generator less than the specified [until] bound.
 */
 * Generates a `Double` random value uniformly distributed between 0 (inclusive) and [until] (exclusive).
 */
 * @throws IllegalArgumentException if [until] is negative or zero.
 */
public open fun
nextDouble(until: Double): Double = nextDouble(0.0, until)

/**
 * Gets the next random `Double` from
the random number generator in the specified range.
 */
 * Generates a `Double` random value uniformly
distributed between the specified [from] (inclusive) and [until] (exclusive) bounds.
 */
 * [from] and [until]
must be finite otherwise the behavior is unspecified.
 */
 * @throws IllegalArgumentException if [from] is
greater than or equal to [until].
 */
public open fun nextDouble(from: Double, until: Double): Double {
    checkRangeBounds(from, until)
    val size = until - from
    val r = if (size.isInfinite() && from.isFinite()
&& until.isFinite()) {
        val r1 = nextDouble() * (until / 2 - from / 2)
        from + r1 + r1
    } else {
        from + nextDouble() * size
    }
    return if (r >= until) until.nextDown() else r
}

/**
 * Gets the next random [Float] value uniformly distributed between 0 (inclusive) and 1 (exclusive).
 */
public
open fun nextFloat(): Float = nextBits(24) / (1 shl 24).toFloat()

/**
 * Fills a subrange of the specified byte
[array] starting from [fromIndex] inclusive and ending [toIndex] exclusive
 * with random bytes.
 */
 *
 * @return [array] with the subrange filled with random bytes.
 */
public open fun nextBytes(array: ByteArray,
fromIndex: Int = 0, toIndex: Int = array.size): ByteArray {
    require(fromIndex in 0..array.size && toIndex in
0..array.size) { "fromIndex ($fromIndex) or toIndex ($toIndex) are out of range: 0..${array.size}." }
    require(fromIndex <= toIndex) { "fromIndex ($fromIndex) must be not greater than toIndex ($toIndex)." }
    val steps = (toIndex - fromIndex) / 4
    var position = fromIndex
    repeat(steps) {
        val v =
nextInt()
        array[position] = v.toByte()
        array[position + 1] = v.ushr(8).toByte()
array[position + 2] = v.ushr(16).toByte()
        array[position + 3] = v.ushr(24).toByte()
        position += 4
    }
    val remainder = toIndex - position
    val vr = nextBits(remainder * 8)
    for (i in 0 until
remainder) {
        array[position + i] = vr.ushr(i * 8).toByte()
    }
    return array
}

/**
 * Fills the specified byte [array] with random bytes and returns it.
 */
 * @return [array] filled with random
bytes.
 */
public open fun nextBytes(array: ByteArray): ByteArray = nextBytes(array, 0, array.size)

/**
 * Creates a byte array of the specified [size], filled with random bytes.
 */
public open fun
nextBytes(size: Int): ByteArray = nextBytes(ByteArray(size))

/**
 * The default random number
generator.
 */
 * On JVM this generator is thread-safe, its methods can be invoked from multiple threads.
 */
 * @sample samples.random.Randoms.defaultRandom
 */
companion object Default : Random() {
    private val defaultRandom: Random = defaultPlatformRandom()
    override fun nextBits(bitCount: Int): Int =
defaultRandom.nextBits(bitCount)
    override fun nextInt(): Int = defaultRandom.nextInt()
    override fun
nextInt(until: Int): Int = defaultRandom.nextInt(until)
    override fun nextInt(from: Int, until: Int): Int =
defaultRandom.nextInt(from, until)
    override fun nextLong(): Long = defaultRandom.nextLong()
    override fun nextLong(until: Long): Long = defaultRandom.nextLong(until)
    override fun nextLong(from:
Long, until: Long): Long = defaultRandom.nextLong(from, until)
    override fun nextBoolean(): Boolean =

```

```

defaultRandom.nextDouble()\n\n    override fun nextDouble(): Double = defaultRandom.nextDouble()\n
override fun nextDouble(until: Double): Double = defaultRandom.nextDouble(until)\n    override fun
nextDouble(from: Double, until: Double): Double = defaultRandom.nextDouble(from, until)\n\n    override fun
nextFloat(): Float = defaultRandom.nextFloat()\n\n    override fun nextBytes(array: ByteArray): ByteArray =
defaultRandom.nextBytes(array)\n    override fun nextBytes(size: Int): ByteArray =
defaultRandom.nextBytes(size)\n    override fun nextBytes(array: ByteArray, fromIndex: Int, toIndex: Int):
ByteArray = defaultRandom.nextBytes(array, fromIndex, toIndex)\n\n    @Deprecated("Use Default companion
object instead", level = DeprecationLevel.HIDDEN)\n    @Suppress("DEPRECATION_ERROR")\n
@kotlin.jvm.JvmField\n    public val Companion: Random.Companion = Random.Companion\n    }\n\n
@Deprecated("Use Default companion object instead", level = DeprecationLevel.HIDDEN)\n    public object
Companion : Random() {\n    override fun nextBits(bitCount: Int): Int = Default.nextBits(bitCount)\n
}\n}\n\n/**\n * Returns a repeatable random number generator seeded with the given [seed] `Int` value.\n * Two
generators with the same seed produce the same sequence of values within the same version of Kotlin runtime.\n
**\n * *Note:* Future versions of Kotlin may change the algorithm of this seeded number generator so that it will
return\n * a sequence of values different from the current one for a given seed.\n * @sample
samples.random.Randoms.seededRandom\n * \n @SinceKotlin("1.3")\n public fun Random(seed: Int): Random =
XorWowRandom(seed, seed.shr(31))\n\n/**\n * Returns a repeatable random number generator seeded with the
given [seed] `Long` value.\n * Two generators with the same seed produce the same sequence of values within
the same version of Kotlin runtime.\n * *Note:* Future versions of Kotlin may change the algorithm of this
seeded number generator so that it will return\n * a sequence of values different from the current one for a
given seed.\n * @sample samples.random.Randoms.seededRandom\n * \n @SinceKotlin("1.3")\n public fun
Random(seed: Long): Random = XorWowRandom(seed.toInt(), seed.shr(32).toInt())\n\n\n/**\n * Gets the next
random `Int` from the random number generator in the specified [range].\n * Generates an `Int` random value
uniformly distributed in the specified [range]:\n * from `range.start` inclusive to `range.endInclusive`
inclusive.\n * @throws IllegalArgumentException if [range] is empty.\n * \n @SinceKotlin("1.3")\n public fun
Random.nextInt(range: IntRange): Int = when {\n    range.isEmpty() -> throw IllegalArgumentException("Cannot
get random in empty range: $range")\n    range.last < Int.MAX_VALUE -> nextInt(range.first, range.last + 1)\n
range.first > Int.MIN_VALUE -> nextInt(range.first - 1, range.last) + 1\n    else -> nextInt()\n}\n\n/**\n * Gets the
next random `Long` from the random number generator in the specified [range].\n * Generates a `Long` random
value uniformly distributed in the specified [range]:\n * from `range.start` inclusive to `range.endInclusive`
inclusive.\n * @throws IllegalArgumentException if [range] is empty.\n * \n @SinceKotlin("1.3")\n public fun
Random.nextLong(range: LongRange): Long = when {\n    range.isEmpty() -> throw
IllegalArgumentException("Cannot get random in empty range: $range")\n    range.last < Long.MAX_VALUE ->
nextLong(range.first, range.last + 1)\n    range.first > Long.MIN_VALUE -> nextLong(range.first - 1, range.last) +
1\n    else -> nextLong()\n}\n\n\ninternal expect fun defaultPlatformRandom(): Random\n\ninternal expect fun
doubleFromParts(hi26: Int, low27: Int): Double\n\n@UseExperimental(ExperimentalStdlibApi::class)\n\ninternal fun
fastLog2(value: Int): Int = 31 - value.countLeadingZeroBits()\n\n/** Takes upper [bitCount] bits (0..32) from this
number. *\n\ninternal fun Int.takeUpperBits(bitCount: Int): Int =\n    this.ushr(32 - bitCount) and (-
bitCount).shr(31)\n\n\ninternal fun checkRangeBounds(from: Int, until: Int) = require(until > from) {\n
boundsErrorMessage(from, until) }\n\ninternal fun checkRangeBounds(from: Long, until: Long) = require(until >
from) {\n    boundsErrorMessage(from, until) }\n\ninternal fun checkRangeBounds(from: Double, until: Double) =
require(until > from) {\n    boundsErrorMessage(from, until) }\n\n\ninternal fun boundsErrorMessage(from: Any, until:
Any) = "Random range is empty: [$from, $until].\n", "/**\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n * \n @package kotlin.random\n\n\n/**\n * Gets the next random [UInt]
from the random number generator.\n * Generates a [UInt] random value uniformly distributed between
[UInt.MIN_VALUE] and [UInt.MAX_VALUE] (inclusive).\n
*\n @SinceKotlin("1.3")\n @ExperimentalUnsignedTypes\n public fun Random.nextUInt(): UInt =

```

```

nextInt().toUInt()\n\n/**\n * Gets the next random [UInt] from the random number generator less than the specified
 [until] bound.\n *\n * Generates a [UInt] random value uniformly distributed between `0` (inclusive) and the
 specified [until] bound (exclusive).\n *\n * @throws IllegalArgumentException if [until] is zero.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUInt(until: UInt): UInt =
nextUInt(0u, until)\n\n/**\n * Gets the next random [UInt] from the random number generator in the specified
 range.\n *\n * Generates a [UInt] random value uniformly distributed between the specified [from] (inclusive) and
 [until] (exclusive) bounds.\n *\n * @throws IllegalArgumentException if [from] is greater than or equal to [until].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUInt(from: UInt, until: UInt):
UInt {\n    checkUIntRangeBounds(from, until)\n    val signedFrom = from.toInt() xor Int.MIN_VALUE\n    val
signedUntil = until.toInt() xor Int.MIN_VALUE\n    val signedResult = nextInt(signedFrom, signedUntil) xor
Int.MIN_VALUE\n    return signedResult.toUInt()\n}\n\n/**\n * Gets the next random [UInt] from the random
number generator in the specified [range].\n *\n * Generates a [UInt] random value uniformly distributed in the
specified [range]:\n * from `range.start` inclusive to `range.endInclusive` inclusive.\n *\n * @throws
IllegalArgumentException if [range] is empty.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun Random.nextUInt(range: UIntRange): UInt = when {\n    range.isEmpty() -> throw
IllegalArgumentException("Cannot get random in empty range: $range")\n    range.last < UInt.MAX_VALUE ->
nextUInt(range.first, range.last + 1u)\n    range.first > UInt.MIN_VALUE -> nextUInt(range.first - 1u, range.last) +
1u\n    else -> nextUInt()\n}\n\n/**\n * Gets the next random [ULong] from the random number generator.\n *\n *
Generates a [ULong] random value uniformly distributed between [ULong.MIN_VALUE] and
[ULong.MAX_VALUE] (inclusive).\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Random.nextULong(): ULong = nextLong().toULong()\n\n/**\n * Gets the next random [ULong] from the random
number generator less than the specified [until] bound.\n *\n * Generates a [ULong] random value uniformly
distributed between `0` (inclusive) and the specified [until] bound (exclusive).\n *\n * @throws
IllegalArgumentException if [until] is zero.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun Random.nextULong(until: ULong): ULong = nextULong(0uL, until)\n\n/**\n * Gets the next random [ULong]
from the random number generator in the specified range.\n *\n * Generates a [ULong] random value uniformly
distributed between the specified [from] (inclusive) and [until] (exclusive) bounds.\n *\n * @throws
IllegalArgumentException if [from] is greater than or equal to [until].\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Random.nextULong(from: ULong, until:
ULong): ULong {\n    checkULongRangeBounds(from, until)\n    val signedFrom = from.toLong() xor
Long.MIN_VALUE\n    val signedUntil = until.toLong() xor Long.MIN_VALUE\n    val signedResult =
nextLong(signedFrom, signedUntil) xor Long.MIN_VALUE\n    return signedResult.toULong()\n}\n\n/**\n * Gets
the next random [ULong] from the random number generator in the specified [range].\n *\n * Generates a [ULong]
random value uniformly distributed in the specified [range]:\n * from `range.start` inclusive to `range.endInclusive`
inclusive.\n *\n * @throws IllegalArgumentException if [range] is empty.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Random.nextULong(range: ULongRange):
ULong = when {\n    range.isEmpty() -> throw IllegalArgumentException("Cannot get random in empty range:
$range")\n    range.last < ULong.MAX_VALUE -> nextULong(range.first, range.last + 1u)\n    range.first >
ULong.MIN_VALUE -> nextULong(range.first - 1u, range.last) + 1u\n    else -> nextULong()\n}\n\n/**\n * Fills
the specified unsigned byte [array] with random bytes and returns it.\n *\n * @return [array] filled with random
bytes.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUBytes(array:
UByteArray): UByteArray {\n    nextBytes(array.asByteArray())\n    return array\n}\n\n/**\n * Creates an unsigned
byte array of the specified [size], filled with random bytes.\n
*\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun Random.nextUBytes(size: Int): UByteArray
= nextBytes(size).asUByteArray()\n\n/**\n * Fills a subrange of the specified `UByte` [array] starting from
[fromIndex] inclusive and ending [toIndex] exclusive with random UBytes.\n *\n * @return [array] with the
subrange filled with random bytes.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
Random.nextUBytes(array: UByteArray, fromIndex: Int = 0, toIndex: Int = array.size): UByteArray {\n

```

```

nextBytes(array.asByteArray(), fromIndex, toIndex)\n return
array\n}\n\n\n@ExperimentalUnsignedTypes\ninternal fun checkUIntRangeBounds(from: UInt, until: UInt) =
require(until > from) { boundsErrorMessage(from, until) }\n\n\n@ExperimentalUnsignedTypes\ninternal fun
checkULongRangeBounds(from: ULong, until: ULong) = require(until > from) { boundsErrorMessage(from, until)
}\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this
source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\npackage kotlin.random\n\n/**\n * Random number generator, using Marsaglia's "xorwow" algorithm\n * \n *
Cycles after 2^192 - 2^32 repetitions.\n * \n * For more details, see Marsaglia, George (July 2003). "Xorshift
RNGs". Journal of Statistical Software. 8 (14). doi:10.18637/jss.v008.i14\n * \n * Available at
https://www.jstatsoft.org/v08/i14/paper\n * \n */\n\ninternal class XorWowRandom\n\ninternal constructor(\n private
var x: Int,\n private var y: Int,\n private var z: Int,\n private var w: Int,\n private var v: Int,\n private var
addend: Int\n) : Random() {\n\n internal constructor(seed1: Int, seed2: Int) : \n this(seed1, seed2, 0, 0,
seed1.inv(), (seed1 shl 10) xor (seed2 ushr 4))\n\n init {\n require((x or y or z or w or v) != 0) { "Initial state
must have at least one non-zero element." }\n\n // some trivial seeds can produce several values with zeroes in
upper bits, so we discard first 64\n repeat(64) { nextInt() }\n }\n\n override fun nextInt(): Int {\n //
Equivalent to the xorwow algorithm\n // From Marsaglia, G. 2003. Xorshift RNGs. J. Statis. Soft. 8, 14, p. 5\n
var t = x\n t = t xor (t ushr 2)\n x = y\n y = z\n z = w\n val v0 = v\n w = v0\n t = (t
xor (t shl 1)) xor v0 xor (v0 shl 4)\n v = t\n addend += 362437\n return t + addend\n }\n\n override
fun nextBits(bitCount: Int): Int = \n nextInt().takeUpperBits(bitCount)\n}\n", "/*\n * Copyright 2010-2018
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("RangesKt")\n\npackage
kotlin.ranges\n\n/**\n * Represents a range of [Comparable] values.\n * \n private open class ComparableRange<T :
Comparable<T>>(\n override val start: T,\n override val endInclusive: T\n) : ClosedRange<T> {\n\n override
fun equals(other: Any?): Boolean {\n return other is ComparableRange<*> && (isEmpty() && other.isEmpty())
|| \n start == other.start && endInclusive == other.endInclusive)\n }\n\n override fun hashCode(): Int
{\n return if (isEmpty()) -1 else 31 * start.hashCode() + endInclusive.hashCode()\n }\n\n override fun
toString(): String = "$start..$endInclusive"\n}\n\n/**\n * Creates a range from this [Comparable] value to the
specified [that] value.\n * \n * This value needs to be smaller than [that] value, otherwise the returned range will be
empty.\n * \n @sample samples.ranges.Ranges.rangeFromComparable\n * \n public operator fun <T :
Comparable<T>> T.rangeTo(that: T): ClosedRange<T> = ComparableRange(this, that)\n}\n\n/**\n * Represents a
range of floating point numbers.\n * \n Extends [ClosedRange] interface providing custom operation
[lessThanOrEquals] for comparing values of range domain type.\n * \n * This interface is implemented by floating
point ranges returned by [Float.rangeTo] and [Double.rangeTo] operators to\n * achieve IEEE-754 comparison order
instead of total order of floating point numbers.\n * \n @SinceKotlin("1.1")\n\n public interface
ClosedFloatingPointRange<T : Comparable<T>> : ClosedRange<T> {\n override fun contains(value: T): Boolean
= lessThanOrEquals(start, value) && lessThanOrEquals(value, endInclusive)\n override fun isEmpty(): Boolean =
!lessThanOrEquals(start, endInclusive)\n\n /**\n * Compares two values of range domain type and returns true
if first is less than or equal to second.\n * \n fun lessThanOrEquals(a: T, b: T): Boolean\n}\n\n/**\n * A
closed range of values of type `Double`.\n * \n * Numbers are compared with the ends of this range according to
IEEE-754.\n * \n private class ClosedDoubleRange(\n start: Double,\n endInclusive: Double\n) :
ClosedFloatingPointRange<Double> {\n private val _start = start\n private val _endInclusive = endInclusive\n
override val start: Double get() = _start\n override val endInclusive: Double get() = _endInclusive\n\n override
fun lessThanOrEquals(a: Double, b: Double): Boolean = a <= b\n\n override fun contains(value: Double): Boolean
= value >= _start && value <= _endInclusive\n\n override fun isEmpty(): Boolean = !(_start <= _endInclusive)\n\n
override fun equals(other: Any?): Boolean {\n return other is ClosedDoubleRange && (isEmpty() &&
other.isEmpty()) || \n _start == other._start && _endInclusive == other._endInclusive)\n }\n\n override
fun hashCode(): Int {\n return if (isEmpty()) -1 else 31 * _start.hashCode() + _endInclusive.hashCode()\n
}

```

```

}\n\n override fun toString(): String = \"$_start..$_endInclusive\"\n}\n\n/**\n * Creates a range from this [Double]
value to the specified [that] value.\n *\n * Numbers are compared with the ends of this range according to IEEE-
754.\n * @sample samples.ranges.Ranges.rangeFromDouble\n */\n@SinceKotlin(\"1.1\")\npublic operator fun
Double.rangeTo(that: Double): ClosedFloatingPointRange<Double> = ClosedDoubleRange(this, that)\n}\n\n/**\n *
A closed range of values of type `Float`.\n *\n * Numbers are compared with the ends of this range according to
IEEE-754.\n */\nprivate class ClosedFloatRange(\n start: Float,\n endInclusive: Float)\n :
ClosedFloatingPointRange<Float> {\n private val _start = start\n private val _endInclusive = endInclusive\n
override val start: Float get() = _start\n override val endInclusive: Float get() = _endInclusive\n\n override fun
lessThanOrEquals(a: Float, b: Float): Boolean = a <= b\n\n override fun contains(value: Float): Boolean = value
>= _start && value <= _endInclusive\n\n override fun isEmpty(): Boolean = !(_start <= _endInclusive)\n\n
override fun equals(other: Any?): Boolean {\n return other is ClosedFloatRange && (isEmpty() &&
other.isEmpty() ||\n _start == other._start && _endInclusive == other._endInclusive)\n }\n\n override
fun hashCode(): Int {\n return if (isEmpty()) -1 else 31 * _start.hashCode() + _endInclusive.hashCode()\n
}\n\n override fun toString(): String = \"$_start..$_endInclusive\"\n}\n\n/**\n * Creates a range from this [Float]
value to the specified [that] value.\n *\n * Numbers are compared with the ends of this range according to IEEE-
754.\n * @sample samples.ranges.Ranges.rangeFromFloat\n */\n@SinceKotlin(\"1.1\")\npublic operator fun
Float.rangeTo(that: Float): ClosedFloatingPointRange<Float> = ClosedFloatRange(this, that)\n}\n\n/**\n * Returns
`true` if this iterable range contains the specified [element].\n *\n * Always returns `false` if the [element] is `null`.\n */\n@SinceKotlin(\"1.3\")\n@kotlin.internal.InlineOnly\npublic inline operator fun <T, R> R.contains(element: T?):
Boolean where T : Any, R : Iterable<T>, R : ClosedRange<T> =\n element != null &&
contains(element)\n}\n\ninternal fun checkStepIsPositive(isPositive: Boolean, step: Number) {\n if (!isPositive)
throw IllegalArgumentException(\"Step must be positive, was: $step.\")\n}\n\n/*\n * Copyright 2010-2019
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmName(\"KClasses\")\n@file:Suppress(\"UNCHECKED_CAST\")\n\npackage
kotlin.reflect\n\nimport kotlin.internal.LowPriorityInOverloadResolution\n\n/**\n * Casts the given [value] to the
class represented by this [KClass] object.\n * Throws an exception if the value is `null` or if it is not an instance of
this class.\n *\n * This is an experimental function that behaves as a similar function from kotlin.reflect.full on
JVM.\n *\n * @see [KClass.isInstance]\n * @see [KClass.safeCast]\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@LowPriorityInOverloadResolution\nfun <T : Any>
KClass<T>.cast(value: Any?): T {\n if (!isInstance(value)) throw ClassCastException(\"Value cannot be cast to
$qualifiedName\")\n return value as T\n}\n\n/**\n * Casts the given [value] to the class represented by this
[KClass] object.\n * Returns `null` if the value is `null` or if it is not an instance of this class.\n *\n * This is an
experimental function that behaves as a similar function from kotlin.reflect.full on JVM.\n *\n * @see
[KClass.isInstance]\n * @see [KClass.cast]\n */\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\n@LowPriorityInOverloadResolution\nfun <T : Any>
KClass<T>.safeCast(value: Any?): T? {\n return if (isInstance(value)) value as T else null\n}\n\n/*\n * Copyright
2010-2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.reflect\n\n/**\n
* Returns a runtime representation of the given reified type [T] as an instance of [KType].\n */\n@Suppress(\"unused\") // KT-12448\n@SinceKotlin(\"1.3\")\n@ExperimentalStdlibApi\npublic inline fun
<reified T> typeOf(): KType =\n throw UnsupportedOperationException(\"This function is implemented as an
intrinsic on all supported platforms.\")\n}\n\n/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName(\"StringsKt\")\n\npackage
kotlin.text\n\n/**\n * An object to which char sequences and values can be appended.\n */\nexpect interface
Appendable {\n /**\n * Appends the specified character [value] to this Appendable and returns this instance.\n */
}

```

```

*\n * @param value the character to append.\n *^\n fun append(value: Char): Appendable\n\n /**\n *
Appends the specified character sequence [value] to this Appendable and returns this instance.\n *\n * @param
value the character sequence to append. If [value] is `null`, then the four characters `"\null"` are appended to this
Appendable.\n *^\n fun append(value: CharSequence?): Appendable\n\n /**\n * Appends a subsequence of
the specified character sequence [value] to this Appendable and returns this instance.\n *\n * @param value the
character sequence from which a subsequence is appended. If [value] is `null`,\n * then characters are appended
as if [value] contained the four characters `"\null"`. \n * @param startIndex the beginning (inclusive) of the
subsequence to append.\n * @param endIndex the end (exclusive) of the subsequence to append.\n *\n *
@throws IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of
range of the [value] character sequence indices or when `startIndex > endIndex`. \n *^\n fun append(value:
CharSequence?, startIndex: Int, endIndex: Int): Appendable\n}\n\n/**\n * Appends a subsequence of the specified
character sequence [value] to this Appendable and returns this instance.\n *\n * @param value the character
sequence from which a subsequence is appended. If [value] is `null`,\n * then characters are appended as if [value]
contained the four characters `"\null"`. \n * @param startIndex the beginning (inclusive) of the subsequence to
append.\n * @param endIndex the end (exclusive) of the subsequence to append.\n *\n * @throws
IndexOutOfBoundsException or [IllegalArgumentException] when [startIndex] or [endIndex] is out of range of the
[value] character sequence indices or when `startIndex > endIndex`. \n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun <T : Appendable> T.appendRange(value:
CharSequence?, startIndex: Int, endIndex: Int): T {\n @Suppress("UNCHECKED_CAST")\n return
append(value, startIndex, endIndex) as T}\n\n/**\n * Appends all arguments to the given [Appendable].\n
*\npublic fun <T : Appendable> T.append(vararg value: CharSequence?): T {\n for (item in value)\n
append(item)\n return this}\n\n\ninternal fun <T> Appendable.appendElement(element: T, transform: ((T) ->
CharSequence?)) {\n when {\n transform != null -> append(transform(element))\n element is
CharSequence? -> append(element)\n element is Char -> append(element)\n else ->
append(element.toString())\n }\n}\n\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("CharsKt")\n\npackage kotlin.text\n\n/**\n
* Concatenates this Char and a String.\n *\n * @sample samples.text.Chars.plus\n
*\n\n@kotlin.internal.InlineOnly\npublic inline operator fun Char.plus(other: String): String = this.toString() +
other\n\n\n/**\n * Returns `true` if this character is equal to the [other] character, optionally ignoring character case.\n
*\n * @param ignoreCase `true` to ignore character case when comparing characters. By default `false`. \n *\n * Two
characters are considered the same ignoring case if at least one of the following is `true`:\n * - The two characters
are the same (as compared by the == operator)\n * - Applying the method [toUpperCase] to each character
produces the same result\n * - Applying the method [toLowerCase] to each character produces the same result\n
*\n * @sample samples.text.Chars.equals\n *\n\npublic fun Char.equals(other: Char, ignoreCase: Boolean = false):
Boolean {\n if (this == other) return true\n if (!ignoreCase) return false\n\n if (this.toUpperCase() ==
other.toUpperCase()) return true\n if (this.toLowerCase() == other.toLowerCase()) return true\n return
false\n}\n\n\n/**\n * Returns `true` if this character is a Unicode surrogate code unit.\n *\n\npublic fun
Char.isSurrogate(): Boolean = this in Char.MIN_SURROGATE..Char.MAX_SURROGATE\n", "/*\n * Copyright
2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass\n@file:kotlin.jvm.JvmName("StringsKt")\n\npackage
kotlin.text\n\n/**\n * Trims leading whitespace characters followed by [marginPrefix] from every line of a source
string and removes\n * the first and the last lines if they are blank (notice difference blank vs empty).\n *\n * Doesn't
affect a line if it doesn't contain [marginPrefix] except the first and the last blank lines.\n *\n * Doesn't preserve the
original line endings.\n *\n * @param marginPrefix non-blank string, which is used as a margin delimiter. Default is
`|` (pipe character).\n *\n * @sample samples.text.Strings.trimMargin\n * @see trimIndent\n * @see

```

```

kotlin.text.isWhitespace\n *^\npublic fun String.trimMargin(marginPrefix: String = "\\"): String =\n
replaceIndentByMargin("\\", marginPrefix)\n\n/**\n * Detects indent by [marginPrefix] as it does [trimMargin] and\n
replace it with [newIndent].\n *\n * @param marginPrefix non-blank string, which is used as a margin delimiter.\n
Default is `|` (pipe character).\n *\npublic fun String.replaceIndentByMargin(newIndent: String = "\\",\n
marginPrefix: String = "\\"): String {\n    require(marginPrefix.isNotBlank()) { "marginPrefix must be non-blank\n
string." }\n    val lines = lines()\n\n    return lines.reindent(length + newIndent.length * lines.size,\n
getIndentFunction(newIndent), { line ->\n        val firstNonWhitespaceIndex = line.indexOfFirst { !it.isWhitespace()\n
}\n\n        when {\n            firstNonWhitespaceIndex == -1 -> null\n            line.startsWith(marginPrefix,\n
firstNonWhitespaceIndex) -> line.substring(firstNonWhitespaceIndex + marginPrefix.length)\n            else -> null\n        }\n    })\n}\n\n/**\n * Detects a common minimal indent of all the input lines, removes it from every line and\n
also removes the first and the last\n * lines if they are blank (notice difference blank vs empty).\n *\n * Note that\n
blank lines do not affect the detected indent level.\n *\n * In case if there are non-blank lines with no leading\n
whitespace characters (no indent at all) then the\n * common indent is 0, and therefore this function doesn't change\n
the indentation.\n *\n * Doesn't preserve the original line endings.\n *\n * @sample\n
samples.text.Strings.trimIndent\n *\n * @see trimMargin\n *\n * @see kotlin.text.isBlank\n *\npublic fun\n
String.trimIndent(): String = replaceIndent("\\")\n\n/**\n * Detects a common minimal indent like it does\n
[trimIndent] and replaces it with the specified [newIndent].\n *\npublic fun String.replaceIndent(newIndent: String\n
= "\\"): String {\n    val lines = lines()\n\n    val minCommonIndent = lines\n        .filter(String::isNotBlank)\n
.map(String::indentWidth)\n        .min() ?: 0\n\n    return lines.reindent(length + newIndent.length * lines.size,\n
getIndentFunction(newIndent), { line -> line.drop(minCommonIndent) })\n}\n\n/**\n * Prepends [indent] to every\n
line of the original string.\n *\n * Doesn't preserve the original line endings.\n *\npublic fun\n
String.prependIndent(indent: String = "  "): String =\n    lineSequence()\n        .map {\n            when {\n
it.isBlank() -> {\n                when {\n                    it.length < indent.length -> indent\n                    else -> it\n                }\n            }\n            else -> indent + it\n        }\n        .joinToString("\\n")\n\nprivate fun\n
String.indentWidth(): Int = indexOfFirst { !it.isWhitespace() }.let { if (it == -1) length else it }\n\nprivate fun\n
getIndentFunction(indent: String) = when {\n    indent.isEmpty() -> { line: String -> line }\n    else -> { line: String -\n
> indent + line }\n}\n\nprivate inline fun List<String>.reindent(\n    resultSizeEstimate: Int,\n    indentAddFunction:\n
(String) -> String,\n    indentCutFunction: (String) -> String?)\n): String {\n    val lastIndex = lastIndex\n    return\n
mapIndexedNotNull { index, value ->\n        if ((index == 0 || index == lastIndex) && value.isBlank())\n        null\n        else\n            indentCutFunction(value)?.let(indentAddFunction)?: value\n    }\n    .joinTo(StringBuilder(resultSizeEstimate), "\\n")\n        .toString()\n}\n\n"/*\n * Copyright 2010-2018 JetBrains\n
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0\n
license that can be found in the license/LICENSE.txt file.\n *\npackage kotlin.text\n\n/**\n * Defines names for\n
Unicode symbols used in proper Typography.\n *\npublic object Typography {\n    /** The character &#x22;\n
\u2013 quotation mark *\n    public const val quote: Char = "\u0022"\n    /** The character &#x24;\n
\u2013 dollar sign *\n    public const val dollar: Char = "\u0024"\n    /** The character &#x26;\n
\u2013 ampersand *\n    public const val amp: Char = "\u0026"\n    /** The character &#x3C;\n
\u2013 less-than sign *\n    public const val less: Char = "\u003C"\n    /** The character &#x3E;\n
\u2013 greater-than sign *\n    public const val greater: Char = "\u003E"\n    /** The non-breaking space character *\n
    public const val nbsp: Char = "\u00A0"\n    /** The character &#xD7;\n
*\n    public const val times: Char = "\u00D7"\n    /** The character &#xA2;\n
*\n    public const val cent: Char = "\u00A2"\n    /** The character &#xA3;\n
*\n    public const val pound: Char = "\u00A3"\n    /** The character &#xA7;\n
*\n    public const val section: Char = "\u00A7"\n    /** The character &#xA9;\n
*\n    public const val copyright: Char = "\u00A9"\n    /** The character &#xAB;\n
*\n    public const val leftGuillemete: Char = "\u00AB"\n    /** The character &#xBB;\n
*\n    public const val rightGuillemete: Char = "\u00BB"\n    /** The character &#xAE;\n
*\n    public const val registered: Char = "\u00AE"\n    /** The character &#xB0;\n
*\n    public const val degree: Char = "\u00B0"\n    /** The character &#xB1;\n
*\n    public const val plusMinus: Char = "\u00B1"\n    /** The character &#xB6;\n
*\n    public const val paragraph: Char = "\u00B6"\n    /** The character &#xB7;\n
*\n    public const val middleDot: Char = "\u00B7"\n    /** The character &#xBD;\n
*\n    public const val

```



```

half: Char = "\u00BD" /** The character &#x2013; */
public const val ndash: Char = "\u2013" /** The
character &#x2014; */
public const val mdash: Char = "\u2014" /** The character &#x2018; */
public
const val leftSingleQuote: Char = "\u2018" /** The character &#x2019; */
public const val rightSingleQuote:
Char = "\u2019" /** The character &#x201A; */
public const val lowSingleQuote: Char = "\u201A" /**
The character &#x201C; */
public const val leftDoubleQuote: Char = "\u201C" /** The character &#x201D;
*/
public const val rightDoubleQuote: Char = "\u201D" /** The character &#x201E; */
public const val
lowDoubleQuote: Char = "\u201E" /** The character &#x2020; */
public const val dagger: Char =
"\u2020" /** The character &#x2021; */
public const val doubleDagger: Char = "\u2021" /** The
character &#x2022; */
public const val bullet: Char = "\u2022" /** The character &#x2026; */
public
const val ellipsis: Char = "\u2026" /** The character &#x2032; */
public const val prime: Char = "\u2032"
/** The character &#x2033; */
public const val doublePrime: Char = "\u2033" /** The character &#x20AC;
*/
public const val euro: Char = "\u20AC" /** The character &#x2122; */
public const val tm: Char =
"\u2122" /** The character &#x2248; */
public const val almostEqual: Char = "\u2248" /** The character
&#x2260; */
public const val notEqual: Char = "\u2260" /** The character &#x2264; */
public const val
lessOrEqual: Char = "\u2264" /** The character &#x2265; */
public const val greaterOrEqual: Char =
"\u2265"
}"/ * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.
Use
of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.
*/
package kotlin.text
/** Represents a collection of captured groups in a single match of a regular
expression.
This collection has size of `groupCount + 1` where `groupCount` is the count of groups in the
regular expression.
Groups are indexed from 1 to `groupCount` and group with the index 0 corresponds to the
entire match.
An element of the collection at the particular index can be `null` if the corresponding
group in the regular expression is optional and there was no match captured by that group.
*/
public interface MatchGroupCollection : Collection<MatchGroup> {
/** Returns a group with the specified [index].
@return An instance of [MatchGroup] if the group with the specified [index] was matched or `null` otherwise.
Groups are indexed from 1 to the count of groups in the regular expression. A group with the index 0
corresponds to the entire match.
*/
public operator fun get(index: Int): MatchGroup?
}
/** Extends [MatchGroupCollection] by introducing a way to get matched groups by name, when regex supports it.
*/
@SinceKotlin("1.1")
public interface MatchNamedGroupCollection : MatchGroupCollection {
/** Returns a named group with the specified [name].
@return An instance of [MatchGroup] if the group with the specified [name] was matched or `null` otherwise.
@throws IllegalArgumentException if there is no group with the specified [name] defined in the regex pattern.
@throws UnsupportedOperationException if getting named groups isn't supported on the current platform.
*/
public operator fun get(name: String): MatchGroup?
}
/** Represents the results from a single regular expression match.
*/
public interface MatchResult {
/** The range of indices in the original string where match was captured.
*/
public val range: IntRange
/** The substring from the input string captured by this match.
*/
public val value: String
/** A collection of groups matched by the regular expression.
This collection has size of `groupCount + 1` where `groupCount` is the count of groups in the regular expression.
Groups are indexed from 1 to `groupCount` and group with the index 0 corresponds to the entire match.
*/
public val groups: MatchGroupCollection
/** A list of matched indexed group values.
This list has size of `groupCount + 1` where `groupCount` is the count of groups in the regular expression.
Groups are indexed from 1 to `groupCount` and group with the index 0 corresponds to the entire match.
If the group in the regular expression is optional and there were no match captured by that group,
corresponding item in [groupValues] is an empty string.
*/
@sample
samples.text.Regexps.matchDestructuringToGroupValues
public val groupValues: List<String>
/** An instance of [MatchResult.Destructured] wrapper providing components for destructuring assignment
of group values.
component1 corresponds to the value of the first group, component2 \u2014 of the second, and so on.
*/
@sample samples.text.Regexps.matchDestructuringToGroupValues
public val destructured: Destructured
get() = Destructured(this)
/** Returns a new [MatchResult] with the

```

```

results for the next match, starting at the position\n    * at which the last match ended (at the character after the last
matched character).\n    *^ public fun next(): MatchResult?\n    /**\n    * Provides components for
destructuring assignment of group values.\n    *\n    * [component1] corresponds to the value of the first group,
[component2] \u2014 of the second, and so on.\n    *\n    * If the group in the regular expression is optional and
there were no match captured by that group,\n    * corresponding component value is an empty string.\n    *\n    *
@sample samples.text.Regexps.matchDestructuringToGroupValues\n    *^ public class Destructured internal
constructor(public val match: MatchResult) {\n    @kotlin.internal.InlineOnly\n    public operator inline fun
component1(): String = match.groupValues[1]\n    @kotlin.internal.InlineOnly\n    public operator inline fun
component2(): String = match.groupValues[2]\n    @kotlin.internal.InlineOnly\n    public operator inline fun
component3(): String = match.groupValues[3]\n    @kotlin.internal.InlineOnly\n    public operator inline fun
component4(): String = match.groupValues[4]\n    @kotlin.internal.InlineOnly\n    public operator inline fun
component5(): String = match.groupValues[5]\n    @kotlin.internal.InlineOnly\n    public operator inline fun
component6(): String = match.groupValues[6]\n    @kotlin.internal.InlineOnly\n    public operator inline fun
component7(): String = match.groupValues[7]\n    @kotlin.internal.InlineOnly\n    public operator inline fun
component8(): String = match.groupValues[8]\n    @kotlin.internal.InlineOnly\n    public operator inline fun
component9(): String = match.groupValues[9]\n    @kotlin.internal.InlineOnly\n    public operator inline fun
component10(): String = match.groupValues[10]\n\n    /**\n    * Returns destructured group values as a list of
strings.\n    * First value in the returned list corresponds to the value of the first group, and so on.\n    *\n    *
@sample samples.text.Regexps.matchDestructuringToGroupValues\n    *^ public fun toList():
List<String> = match.groupValues.subList(1, match.groupValues.size)\n    }\n    }", "/*\n    * Copyright 2010-2019
JetBrains s.r.o. and Kotlin Programming Language contributors.\n    * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n    */\n\npackage kotlin.time\n\nimport
kotlin.math.abs\n\n@UseExperimental(ExperimentalTime::class)\n\nprivate inline val storageUnit get() =
DurationUnit.NANOSECONDS\n\n/**\n    * Represents the amount of time one instant of time is away from another
instant.\n    *\n    * A negative duration is possible in a situation when the second instant is earlier than the first one.\n    *
An infinite duration value [Duration.INFINITE] can be used to represent infinite timeouts.\n    *\n    * To construct a
duration use either the extension function [toDuration],\n    * or the extension properties [hours], [minutes], [seconds],
and so on,\n    * available on [Int], [Long], and [Double] numeric types.\n    *\n    * To get the value of this duration
expressed in a particular [duration units][DurationUnit]\n    * use the functions [toInt], [toLong], and [toDouble]\n    * or
the properties [inHours], [inMinutes], [inSeconds], [inNanoseconds], and so on.\n    *
*\n    @SinceKotlin("1.3")\n    @ExperimentalTime\n    @Suppress("NON_PUBLIC_PRIMARY_CONSTRUCTOR_O
F_INLINE_CLASS")\n    public inline class Duration internal constructor(internal val value: Double) :
Comparable<Duration> {\n    // TODO: backend fails on init block, wait for KT-28055\n    // init {\n    //
require(_value.isNaN().not())\n    // }\n    companion object {\n    /** The duration equal to exactly 0 seconds.
*\n    public val ZERO: Duration = Duration(0.0)\n    /** The duration whose value is positive infinity. It is
useful for representing timeouts that should never expire. *\n    public val INFINITE: Duration =
Duration(Double.POSITIVE_INFINITY)\n    /** Converts the given time duration [value] expressed in the
specified [sourceUnit] into the specified [targetUnit]. *\n    public fun convert(value: Double, sourceUnit:
DurationUnit, targetUnit: DurationUnit): Double =\n    convertDurationUnit(value, sourceUnit, targetUnit)\n    }\n    // arithmetic operators\n    /** Returns the negative of this value. *\n    public operator fun unaryMinus():
Duration = Duration(-value)\n    /** Returns a duration whose value is the sum of this and [other] duration values.
*\n    public operator fun plus(other: Duration): Duration = Duration(value + other.value)\n    /** Returns a
duration whose value is the difference between this and [other] duration values. *\n    public operator fun
minus(other: Duration): Duration = Duration(value - other.value)\n    /** Returns a duration whose value is this
duration value multiplied by the given [scale] number. *\n    public operator fun times(scale: Int): Duration =
Duration(value * scale)\n    /** Returns a duration whose value is this duration value multiplied by the given
[scale] number. *\n    public operator fun times(scale: Double): Duration = Duration(value * scale)\n    /**
Returns a duration whose value is this duration value divided by the given [scale] number. *\n    public operator fun

```

```

div(scale: Int): Duration = Duration(value / scale)\n\n /** Returns a duration whose value is this duration value
divided by the given [scale] number. */\n public operator fun div(scale: Double): Duration = Duration(value /
scale)\n\n /** Returns a number that is the ratio of this and [other] duration values. */\n public operator fun
div(other: Duration): Double = this.value / other.value\n\n /** Returns true, if the duration value is less than zero.
*/\n public fun isNegative(): Boolean = value < 0\n\n /** Returns true, if the duration value is greater than zero.
*/\n public fun isPositive(): Boolean = value > 0\n\n /** Returns true, if the duration value is infinite. */\n
public fun isInfinite(): Boolean = value.isInfinite()\n\n /** Returns true, if the duration value is finite. */\n public
fun isFinite(): Boolean = value.isFinite()\n\n /** Returns the absolute value of this value. The returned value is
always non-negative. */\n public val absoluteValue: Duration get() = if (isNegative()) -this else this\n\n override
fun compareTo(other: Duration): Int = this.value.compareTo(other.value)\n\n // splitting to components\n\n
/**\n * Splits this duration into days, hours, minutes, seconds, and nanoseconds and executes the given [action]
with these components.\n * The result of [action] is returned as the result of this function.\n *\n * -
`nanoseconds` represents the whole number of nanoseconds in this duration, and its absolute value is less than
1_000_000_000;\n * - `seconds` represents the whole number of seconds in this duration, and its absolute value is
less than 60;\n * - `minutes` represents the whole number of minutes in this duration, and its absolute value is less
than 60;\n * - `hours` represents the whole number of hours in this duration, and its absolute value is less than
24;\n * - `days` represents the whole number of days in this duration.\n * If the value doesn't fit in [Int] range,
i.e. it's greater than [Int.MAX_VALUE] or less than [Int.MIN_VALUE],\n * it is coerced into that range.\n
*/\n public inline fun <T> toComponents(action: (days: Int, hours: Int, minutes: Int, seconds: Int, nanoseconds:
Int) -> T): T =\n action(inDays.toInt(), hoursComponent, minutesComponent, secondsComponent,
nanosecondsComponent)\n\n /**\n * Splits this duration into hours, minutes, seconds, and nanoseconds and
executes the given [action] with these components.\n * The result of [action] is returned as the result of this
function.\n *\n * - `nanoseconds` represents the whole number of nanoseconds in this duration, and its absolute
value is less than 1_000_000_000;\n * - `seconds` represents the whole number of seconds in this duration, and its
absolute value is less than 60;\n * - `minutes` represents the whole number of minutes in this duration, and its
absolute value is less than 60;\n * - `hours` represents the whole number of hours in this duration.\n * If the
value doesn't fit in [Int] range, i.e. it's greater than [Int.MAX_VALUE] or less than [Int.MIN_VALUE],\n * it is
coerced into that range.\n */\n public inline fun <T> toComponents(action: (hours: Int, minutes: Int, seconds:
Int, nanoseconds: Int) -> T): T =\n action(inHours.toInt(), minutesComponent, secondsComponent,
nanosecondsComponent)\n\n /**\n * Splits this duration into minutes, seconds, and nanoseconds and executes
the given [action] with these components.\n * The result of [action] is returned as the result of this function.\n
*\n * - `nanoseconds` represents the whole number of nanoseconds in this duration, and its absolute value is less
than 1_000_000_000;\n * - `seconds` represents the whole number of seconds in this duration, and its absolute
value is less than 60;\n * - `minutes` represents the whole number of minutes in this duration.\n * If the value
doesn't fit in [Int] range, i.e. it's greater than [Int.MAX_VALUE] or less than [Int.MIN_VALUE],\n * it is
coerced into that range.\n */\n public inline fun <T> toComponents(action: (minutes: Int, seconds: Int,
nanoseconds: Int) -> T): T =\n action(inMinutes.toInt(), secondsComponent, nanosecondsComponent)\n\n
/**\n * Splits this duration into seconds, and nanoseconds and executes the given [action] with these
components.\n * The result of [action] is returned as the result of this function.\n *\n * - `nanoseconds`
represents the whole number of nanoseconds in this duration, and its absolute value is less than 1_000_000_000;\n
* - `seconds` represents the whole number of seconds in this duration.\n * If the value doesn't fit in [Long] range,
i.e. it's greater than [Long.MAX_VALUE] or less than [Long.MIN_VALUE],\n * it is coerced into that range.\n
*/\n public inline fun <T> toComponents(action: (seconds: Long, nanoseconds: Int) -> T): T =\n
action(inSeconds.toLong(), nanosecondsComponent)\n\n @PublishedApi\n internal val hoursComponent: Int
get() = (inHours % 24).toInt()\n @PublishedApi\n internal val minutesComponent: Int get() = (inMinutes %
60).toInt()\n @PublishedApi\n internal val secondsComponent: Int get() = (inSeconds % 60).toInt()\n
@PublishedApi\n internal val nanosecondsComponent: Int get() = (inNanoseconds % 1e9).toInt()\n\n //
conversion to units\n\n /** Returns the value of this duration expressed as a [Double] number of the specified

```

```

[unit]. *^/n public fun toDouble(unit: DurationUnit): Double = convertDurationUnit(value, storageUnit, unit)\n\n
/**\n * Returns the value of this duration expressed as a [Long] number of the specified [unit].\n * If the
value doesn't fit in the range of [Long] type, it is coerced into that range, see the conversion [Double.toLong] for
details.\n *^/n public fun toLong(unit: DurationUnit): Long = toDouble(unit).toLong()\n\n /**\n * Returns
the value of this duration expressed as an [Int] number of the specified [unit].\n * If the value doesn't fit in
the range of [Int] type, it is coerced into that range, see the conversion [Double.toInt] for details.\n *^/n public
fun toInt(unit: DurationUnit): Int = toDouble(unit).toInt()\n\n /** The value of this duration expressed as a
[Double] number of days. *^/n public val inDays: Double get() = toDouble(DurationUnit.DAYS)\n\n /** The
value of this duration expressed as a [Double] number of hours. *^/n public val inHours: Double get() =
toDouble(DurationUnit.HOURS)\n\n /** The value of this duration expressed as a [Double] number of minutes.
*^/n public val inMinutes: Double get() = toDouble(DurationUnit.MINUTES)\n\n /** The value of this duration
expressed as a [Double] number of seconds. *^/n public val inSeconds: Double get() =
toDouble(DurationUnit.SECONDS)\n\n /** The value of this duration expressed as a [Double] number of
milliseconds. *^/n public val inMilliseconds: Double get() = toDouble(DurationUnit.MILLISECONDS)\n\n /**
The value of this duration expressed as a [Double] number of microseconds. *^/n public val inMicroseconds:
Double get() = toDouble(DurationUnit.MICROSECONDS)\n\n /** The value of this duration expressed as a
[Double] number of nanoseconds. *^/n public val inNanoseconds: Double get() =
toDouble(DurationUnit.NANOSECONDS)\n\n // shortcuts\n\n /**\n * Returns the value of this duration
expressed as a [Long] number of nanoseconds.\n * If the value doesn't fit in the range of [Long] type, it is
coerced into that range, see the conversion [Double.toLong] for details.\n * The range of durations that can
be expressed as a `Long` number of nanoseconds is approximately \u00b1292 years.\n *^/n public fun
toLongNanoseconds(): Long = toLong(DurationUnit.NANOSECONDS)\n\n /**\n * Returns the value of this
duration expressed as a [Long] number of milliseconds.\n * The value is coerced to the range of [Long]
type, if it doesn't fit in that range, see the conversion [Double.toLong] for details.\n * The range of
durations that can be expressed as a `Long` number of milliseconds is approximately \u00b1292 million years.\n
*^/n public fun toLongMilliseconds(): Long = toLong(DurationUnit.MILLISECONDS)\n\n /**\n * Returns a
string representation of this duration value expressed in the unit which yields the most compact and readable number
value.\n * Special cases:\n * - zero duration is formatted as `"0s"`\n * - the infinite duration is
formatted as `"Infinity"` without unit\n * - very small durations (less than 1e-15 s) are expressed in seconds and
formatted in scientific notation\n * - very big durations (more than 1e+7 days) are expressed in days and
formatted in scientific notation\n * @return the value of duration in the automatically determined unit
followed by that unit abbreviated name: `d`, `h`, `m`, `s`, `ms`, `us`, or `ns`.\n * @sample
samples.time.Durations.toStringDefault\n *^/n override fun toString(): String = when {\n isInfinite() ->
value.toString()\n value == 0.0 -> "0s"\n else -> {\n val absNs = absoluteValue.inNanoseconds\n
var scientific = false\n var maxDecimals = 0\n val unit = when {\n absNs < 1e-6 ->
DurationUnit.SECONDS.also { scientific = true }\n absNs < 1 -> DurationUnit.NANOSECONDS.also {
maxDecimals = 7 }\n absNs < 1e3 -> DurationUnit.NANOSECONDS\n absNs < 1e6 ->
DurationUnit.MICROSECONDS\n absNs < 1e9 -> DurationUnit.MILLISECONDS\n absNs <
1000e9 -> DurationUnit.SECONDS\n absNs < 60_000e9 -> DurationUnit.MINUTES\n absNs <
3600_000e9 -> DurationUnit.HOURS\n absNs < 86400e9 * 1e7 -> DurationUnit.DAYS\n else ->
DurationUnit.DAYS.also { scientific = true }\n }\n val value = toDouble(unit)\n when {\n
scientific -> formatScientific(value)\n maxDecimals > 0 -> formatUpToDecimals(value,
maxDecimals)\n else -> formatToExactDecimals(value, precision(abs(value)))\n } +
unit.shortName()\n }\n }\n\n private fun precision(value: Double): Int = when {\n value < 1 -> 3\n
value < 10 -> 2\n value < 100 -> 1\n else -> 0\n }\n\n /**\n * Returns a string representation of this
duration value expressed in the given [unit]\n * and formatted with the specified [decimals] number of digits after
decimal point.\n * Special cases:\n * - the infinite duration is formatted as `"Infinity"` without unit\n
*\n * @return the value of duration in the specified [unit] followed by that unit abbreviated name: `d`, `h`, `m`,

```



```

toDuration(DurationUnit.MILLISECONDS)\n\n/** Returns a [Duration] equal to this [Int] number of seconds.
*\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Int.seconds get() =
toDuration(DurationUnit.SECONDS)\n\n/** Returns a [Duration] equal to this [Long] number of seconds.
*\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Long.seconds get() =
toDuration(DurationUnit.SECONDS)\n\n/** Returns a [Duration] equal to this [Double] number of seconds.
*\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Double.seconds get() =
toDuration(DurationUnit.SECONDS)\n\n/** Returns a [Duration] equal to this [Int] number of minutes.
*\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Int.minutes get() =
toDuration(DurationUnit.MINUTES)\n\n/** Returns a [Duration] equal to this [Long] number of minutes.
*\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Long.minutes get() =
toDuration(DurationUnit.MINUTES)\n\n/** Returns a [Duration] equal to this [Double] number of minutes.
*\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Double.minutes get() =
toDuration(DurationUnit.MINUTES)\n\n/** Returns a [Duration] equal to this [Int] number of hours.
*\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Int.hours get() =
toDuration(DurationUnit.HOURS)\n\n/** Returns a [Duration] equal to this [Long] number of hours.
*\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Long.hours get() =
toDuration(DurationUnit.HOURS)\n\n/** Returns a [Duration] equal to this [Double] number of hours.
*\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Double.hours get() =
toDuration(DurationUnit.HOURS)\n\n/** Returns a [Duration] equal to this [Int] number of days.
*\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Int.days get() =
toDuration(DurationUnit.DAYS)\n\n/** Returns a [Duration] equal to this [Long] number of days.
*\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Long.days get() =
toDuration(DurationUnit.DAYS)\n\n/** Returns a [Duration] equal to this [Double] number of days.
*\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic val Double.days get() =
toDuration(DurationUnit.DAYS)\n\n/** Returns a duration whose value is the specified [duration] value
multiplied by this number. *\n@SinceKotlin("1.3")\n@ExperimentalTime\n@kotlin.internal.InlineOnly\npublic
inline operator fun Int.times(duration: Duration): Duration = duration * this\n\n/** Returns a duration whose value
is the specified [duration] value multiplied by this number.
*\n@SinceKotlin("1.3")\n@ExperimentalTime\n@kotlin.internal.InlineOnly\npublic inline operator fun
Double.times(duration: Duration): Duration = duration * this\n\n\ninternal expect fun
formatToExactDecimals(value: Double, decimals: Int): String\n\ninternal expect fun formatUpToDecimals(value:
Double, decimals: Int): String\n\ninternal expect fun formatScientific(value: Double): String", "/*\n * Copyright 2010-
2019 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmMultifileClass()\n@file:kotlin.jvm.JvmName("DurationUnitKt")\n\npackage
kotlin.time\n\n/**\n * The list of possible time measurement units, in which a duration can be expressed.\n *
*\n * The smallest time unit is [NANOSECONDS] and the largest is [DAYS], which corresponds to exactly 24
[HOURS].\n *\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic expect enum class DurationUnit {\n
/**\n * Time unit representing one nanosecond, which is 1/1000 of a microsecond.\n
*\n NANOSECONDS,\n
/**\n * Time unit representing one microsecond, which is 1/1000 of a millisecond.\n
*\n
MICROSECONDS,\n
/**\n * Time unit representing one millisecond, which is 1/1000 of a second.\n
*\n
MILLISECONDS,\n
/**\n * Time unit representing one second.\n
*\n SECONDS,\n
/**\n * Time unit
representing one minute.\n
*\n MINUTES,\n
/**\n * Time unit representing one hour.\n
*\n
HOURS,\n
/**\n * Time unit representing one day, which is always equal to 24 hours.\n
*\n
DAYS;\n}\n\n/** Converts the given time duration [value] expressed in the specified [sourceUnit] into the specified
[targetUnit]. *\n@SinceKotlin("1.3")\n@ExperimentalTime\ninternal expect fun convertDurationUnit(value:
Double, sourceUnit: DurationUnit, targetUnit: DurationUnit):
Double\n\n\n@SinceKotlin("1.3")\n@ExperimentalTime\ninternal fun DurationUnit.shortName(): String = when

```

```

(this) {\n  DurationUnit.NANOSECONDS -> \"ns\"\n  DurationUnit.MICROSECONDS -> \"us\"\n
DurationUnit.MILLISECONDS -> \"ms\"\n  DurationUnit.SECONDS -> \"s\"\n  DurationUnit.MINUTES ->
\"m\"\n  DurationUnit.HOURS -> \"h\"\n  DurationUnit.DAYS -> \"d\"}\n},\"/*\n * Copyright 2010-2019
JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the
Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage kotlin.time\n\nimport
kotlin.annotation.AnnotationTarget\n\n/**\n * This annotation marks the experimental preview of the standard
library API for measuring time and working with durations.\n *\n * > Note that this API is in a preview state and has
a very high chance of being changed in the future.\n *\n * Do not use it if you develop a library since your library will
become binary incompatible\n * with the future versions of the standard library.\n *\n * Any usage of a declaration
annotated with `@ExperimentalTime` must be accepted either by\n * annotating that usage with the [OptIn]
annotation, e.g. `@OptIn(ExperimentalTime::class)`,\n * or by using the compiler argument `-Xopt-
in=kotlin.time.ExperimentalTime`. \n */\n\n@Suppress(\"DEPRECATION\")\n@Experimental(level =
Experimental.Level.ERROR)\n@RequiresOptIn(level =
RequiresOptIn.Level.ERROR)\n@MustBeDocumented\n@Retention(AnnotationRetention.BINARY)\n@Target(\n
CLASS,\n ANNOTATION_CLASS,\n PROPERTY,\n FIELD,\n LOCAL_VARIABLE,\n
VALUE_PARAMETER,\n CONSTRUCTOR,\n FUNCTION,\n PROPERTY_GETTER,\n
PROPERTY_SETTER,\n TYPEALIAS)\n\n@SinceKotlin(\"1.3\")\npublic annotation class
ExperimentalTime\n},\"/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n */\n\npackage kotlin.time\n\n/**\n * A source of time for measuring time intervals.\n
*\n * The only operation provided by the time source is [markNow]. It returns a [TimeMark], which can be used to
query the elapsed time later.\n *\n * @see [measureTime]\n * @see [measureTimedValue]\n
*/\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic interface TimeSource {\n  /**\n   * Marks a point in
time on this time source.\n   *\n   * The returned [TimeMark] instance encapsulates the captured time point and
allows querying\n   * the duration of time interval [elapsed][TimeMark.elapsedNow] from that point.\n   */\n
  public fun markNow(): TimeMark\n}\n\n/**\n * The most precise time source available in the platform.\n *\n
* This time source returns its readings from a source of monotonic time when it is available in a target platform,\n
* and resorts to a non-monotonic time source otherwise.\n */\n\npublic object Monotonic : TimeSource by
MonotonicTimeSource {\n  override fun toString(): String = MonotonicTimeSource.toString()\n}\n\n\npublic companion object {\n}\n}\n\n/**\n * Represents a time point notched on a particular [TimeSource].
Remains bound to the time source it was taken from\n * and allows querying for the duration of time elapsed from
that point (see the function [elapsedNow]).\n */\n\n@SinceKotlin(\"1.3\")\n@ExperimentalTime\npublic abstract class
TimeMark {\n  /**\n   * Returns the amount of time passed from this mark measured with the time source from
which this mark was taken.\n   *\n   * Note that the value returned by this function can change on subsequent
invocations.\n   */\n  public abstract fun elapsedNow(): Duration\n}\n\n/**\n * Returns a time mark on the same
time source that is ahead of this time mark by the specified [duration].\n *\n * The returned time mark is more
_late_ when the [duration] is positive, and more _early_ when the [duration] is negative.\n */\n\npublic open
operator fun plus(duration: Duration): TimeMark = AdjustedTimeMark(this, duration)\n}\n\n/**\n * Returns a
time mark on the same time source that is behind this time mark by the specified [duration].\n *\n * The
returned time mark is more _early_ when the [duration] is positive, and more _late_ when the [duration] is
negative.\n */\n\npublic open operator fun minus(duration: Duration): TimeMark = plus(-duration)\n}\n\n\n/**\n
* Returns true if this time mark has passed according to the time source from which this mark was taken.\n *\n
* Note that the value returned by this function can change on subsequent invocations.\n *\n * If the time source is
monotonic, it can change only from `false` to `true`, namely, when the time mark becomes behind the current point
of the time source.\n */\n\npublic fun hasPassedNow(): Boolean = !elapsedNow().isNegative()\n}\n\n/**\n *
Returns false if this time mark has not passed according to the time source from which this mark was taken.\n *\n
* Note that the value returned by this function can change on subsequent invocations.\n *\n * If the time source is
monotonic, it can change only from `true` to `false`, namely, when the time mark becomes behind the current point

```

```

of the time source.\n    */\n    public fun hasNotPassedNow(): Boolean =
elapsedNow().isNegative()\n}\n\n@ExperimentalTime\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@
Deprecated(\n    \"Subtracting one TimeMark from another is not a well defined operation because these time marks
could have been obtained from the different time sources.\",\n    level = DeprecationLevel.ERROR)\n\npublic inline
operator fun TimeMark.minus(other: TimeMark): Duration = throw Error(\"Operation is
disallowed.\")\n\n@ExperimentalTime\n@SinceKotlin("1.3")\n@kotlin.internal.InlineOnly\n@Deprecated(\n
\"Comparing one TimeMark to another is not a well defined operation because these time marks could have been
obtained from the different time sources.\",\n    level = DeprecationLevel.ERROR)\n\npublic inline operator fun
TimeMark.compareTo(other: TimeMark): Int = throw Error(\"Operation is
disallowed.\")\n\n@ExperimentalTime\nprivate class AdjustedTimeMark(val mark: TimeMark, val adjustment:
Duration) : TimeMark() {\n    override fun elapsedNow(): Duration = mark.elapsedNow() - adjustment\n\n
override fun plus(duration: Duration): TimeMark = AdjustedTimeMark(mark, adjustment +
duration)\n}\n\n\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated(\"Use TimeSource interface
instead.\", ReplaceWith(\"TimeSource\", \"kotlin.time.TimeSource\"))\n\npublic typealias Clock =
TimeSource\n\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated(\"Use TimeMark class instead.\",
ReplaceWith(\"TimeMark\", \"kotlin.time.TimeMark\"))\n\npublic typealias ClockMark = TimeMark\n\n\"/*\n *
Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage
kotlin.time\n\n@SinceKotlin("1.3")\n@ExperimentalTime\ninternal expect object MonotonicTimeSource :
TimeSource\n\n\"/*\n * An abstract class used to implement time sources that return their readings as [Long] values
in the specified [unit].\n * @property unit The unit in which this time source's readings are expressed.\n
*/\n\n@SinceKotlin("1.3")\n@ExperimentalTime\n\npublic abstract class AbstractLongTimeSource(protected val
unit: DurationUnit) : TimeSource {\n    /*\n     * This protected method should be overridden to return the current
reading of the time source expressed as a [Long] number\n     * in the unit specified by the [unit] property.\n
*/\n\n    protected abstract fun read(): Long\n\n    private class LongTimeMark(private val startedAt: Long, private val
timeSource: AbstractLongTimeSource, private val offset: Duration) : TimeMark() {\n        override fun
elapsedNow(): Duration = (timeSource.read() - startedAt).toDuration(timeSource.unit) - offset\n        override fun
plus(duration: Duration): TimeMark = LongTimeMark(startedAt, timeSource, offset + duration)\n    }\n\n    override
fun markNow(): TimeMark = LongTimeMark(read(), this, Duration.ZERO)\n}\n\n\"/*\n * An abstract class used to
implement time sources that return their readings as [Double] values in the specified [unit].\n * @property unit
The unit in which this time source's readings are expressed.\n
*/\n\n@SinceKotlin("1.3")\n@ExperimentalTime\n\npublic abstract class AbstractDoubleTimeSource(protected val
unit: DurationUnit) : TimeSource {\n    /*\n     * This protected method should be overridden to return the current
reading of the time source expressed as a [Double] number\n     * in the unit specified by the [unit] property.\n
*/\n\n    protected abstract fun read(): Double\n\n    private class DoubleTimeMark(private val startedAt: Double,
private val timeSource: AbstractDoubleTimeSource, private val offset: Duration) : TimeMark() {\n        override fun
elapsedNow(): Duration = (timeSource.read() - startedAt).toDuration(timeSource.unit) - offset\n        override fun
plus(duration: Duration): TimeMark = DoubleTimeMark(startedAt, timeSource, offset + duration)\n    }\n\n    override
fun markNow(): TimeMark = DoubleTimeMark(read(), this, Duration.ZERO)\n}\n\n\"/*\n * A time source
that has programmatically updatable readings. It is useful as a predictable source of time in tests.\n * @property
unit The unit in which this time source's readings are expressed.\n
*/\n\n@SinceKotlin("1.3")\n@ExperimentalTime\n\npublic class TestTimeSource
: AbstractLongTimeSource(unit = DurationUnit.NANOSECONDS) {\n    private var reading: Long = 0L\n\n    override fun
read(): Long = reading\n\n    /*\n     * Advances the current reading value of this time source by the
specified [duration].\n     * [duration] value is rounded down towards zero when converting it to a [Long]
*/\n
}

```



```

number of nanoseconds.\n * For example, if the duration being added is `0.6.nanoseconds`, the reading doesn't
advance because\n * the duration value is rounded to zero nanoseconds.\n * \n * @throws
IllegalStateException when the reading value overflows as the result of this operation.\n * \n public operator fun
plusAssign(duration: Duration) {\n     val delta = duration.toDouble(unit)\n     val longDelta = delta.toLong()\n
    reading = if (longDelta != Long.MIN_VALUE && longDelta != Long.MAX_VALUE) {\n        // when delta
fits in long, add it as long\n        val newReading = reading + longDelta\n        if (reading xor longDelta >= 0
&& reading xor newReading < 0) overflow(duration)\n        newReading\n    } else {\n        // when delta is
greater than long, add it as double\n        val newReading = reading + delta\n        if (newReading >
Long.MAX_VALUE || newReading < Long.MIN_VALUE) overflow(duration)\n        newReading.toLong()\n
    }\n }\n\n private fun overflow(duration: Duration) {\n     throw IllegalStateException("TestTimeSource will
overflow if its reading ${reading}ns is advanced by $duration.")\n
}\n}\n\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated("Use TimeSource.Monotonic instead.",
ReplaceWith("TimeSource.Monotonic", "kotlin.time.TimeSource"))\npublic typealias MonoClock =
TimeSource.Monotonic\n\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated("Use
AbstractLongTimeSource instead.", ReplaceWith("AbstractLongTimeSource",
"kotlin.time.AbstractLongTimeSource"))\npublic typealias AbstractLongClock =
AbstractLongTimeSource\n\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated("Use
AbstractDoubleTimeSource instead.", ReplaceWith("AbstractDoubleTimeSource",
"kotlin.time.AbstractDoubleTimeSource"))\npublic typealias AbstractDoubleClock =
AbstractDoubleTimeSource\n\n@SinceKotlin("1.3")\n@ExperimentalTime\n@Deprecated("Use TestTimeSource
instead.", ReplaceWith("TestTimeSource", "kotlin.time.TestTimeSource"))\npublic typealias TestClock =
TestTimeSource\n\n/*\n * Copyright 2010-2020 JetBrains s.r.o. and Kotlin Programming Language contributors.\n
 * Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
 */\n\npackage kotlin.time\n\nimport kotlin.contracts.*\n\n/**\n * Executes the given function [block] and returns the
duration of elapsed time interval.\n * \n * The elapsed time is measured with [TimeSource.Monotonic].\n
 */\n\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic inline fun measureTime(block: () -> Unit): Duration {\n
    contract {\n        callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n    }\n    return
TimeSource.Monotonic.measureTime(block)\n}\n\n/**\n * Executes the given function [block] and returns the
duration of elapsed time interval.\n * \n * The elapsed time is measured with the specified `this` [TimeSource]
instance.\n * \n@SinceKotlin("1.3")\n@ExperimentalTime\npublic inline fun TimeSource.measureTime(block: ()
-> Unit): Duration {\n    contract {\n        callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n    }\n    val
mark = markNow()\n    block()\n    return mark.elapsedNow()\n}\n\n/**\n * Data class representing a result of
executing an action, along with the duration of elapsed time interval.\n * \n * @property value the result of the
action.\n * @property duration the time elapsed to execute the action.\n
 */\n\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic data class TimedValue<T>(val value: T, val duration:
Duration)\n\n/**\n * Executes the given function [block] and returns an instance of [TimedValue] class, containing
both\n * the result of the function execution and the duration of elapsed time interval.\n * \n * The elapsed time is
measured with [TimeSource.Monotonic].\n * \n@SinceKotlin("1.3")\n@ExperimentalTime\npublic inline fun <T>
measureTimedValue(block: () -> T): TimedValue<T> {\n    contract {\n        callsInPlace(block,
InvocationKind.EXACTLY_ONCE)\n    }\n    return
TimeSource.Monotonic.measureTimedValue(block)\n}\n\n/**\n * Executes the given [block] and returns an
instance of [TimedValue] class, containing both\n * the result of function execution and the duration of elapsed time
interval.\n * \n * The elapsed time is measured with the specified `this` [TimeSource] instance.\n
 */\n\n@SinceKotlin("1.3")\n@ExperimentalTime\npublic inline fun <T> TimeSource.measureTimedValue(block: ()
-> T): TimedValue<T> {\n    contract {\n        callsInPlace(block, InvocationKind.EXACTLY_ONCE)\n    }\n    val
mark = markNow()\n    val result = block()\n    return TimedValue(result, mark.elapsedNow())\n}\n\n/*\n *
Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is
governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n */\n\npackage

```

```

kotlin\nimport kotlin.internal.InlineOnly\n\n/**\n * Returns a hash code value for the object or zero if the object
is `null`.\n *\n * @see Any.hashCode()\n *\n * @SinceKotlin("1.3")\n *\n * @InlineOnly\n *\n * public inline fun
Any?.hashCode(): Int = this?.hashCode() ?: 0\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be
found in the license/LICENSE.txt file.\n *\n * ^\n *\n * package kotlin\n *\n * /**\n * Represents a version of the Kotlin standard
library.\n *\n * [major], [minor] and [patch] are integer components of a version,\n * they must be non-negative and
not greater than 255 ([MAX_COMPONENT_VALUE]).\n *\n * @constructor Creates a version from all three
components.\n *\n * @SinceKotlin("1.1")\n *\n * public class KotlinVersion(val major: Int, val minor: Int, val patch: Int) :
Comparable<KotlinVersion> {\n * /**\n * Creates a version from [major] and [minor] components, leaving
[patch] component zero.\n * ^\n * public constructor(major: Int, minor: Int) : this(major, minor, 0)\n *\n * private val
version = versionOf(major, minor, patch)\n *\n * private fun versionOf(major: Int, minor: Int, patch: Int): Int {\n
require(major in 0..MAX_COMPONENT_VALUE && minor in 0..MAX_COMPONENT_VALUE && patch in
0..MAX_COMPONENT_VALUE) {\n * ^\n * "Version components are out of range: $major.$minor.$patch"\n
}\n * return major.shl(16) + minor.shl(8) + patch\n * }\n *\n * /**\n * Returns the string representation of this
version\n *\n * ^\n * override fun toString(): String = "$major.$minor.$patch"\n *\n * override fun equals(other:
Any?): Boolean {\n * if (this === other) return true\n * val otherVersion = (other as? KotlinVersion) ?: return
false\n * return this.version == otherVersion.version\n * }\n *\n * override fun hashCode(): Int = version\n *\n *
override fun compareTo(other: KotlinVersion): Int = version - other.version\n *\n * /**\n * Returns `true` if this
version is not less than the version specified\n * ^\n * with the provided [major] and [minor] components.\n * ^\n *
public fun isAtLeast(major: Int, minor: Int): Boolean = // this.version >= versionOf(major, minor, 0)\n
this.major > major || (this.major == major &&\n * ^\n * this.minor >= minor)\n *\n * /**\n * Returns `true` if this
version is not less than the version specified\n * ^\n * with the provided [major], [minor] and [patch] components.\n *
^ \n * public fun isAtLeast(major: Int, minor: Int, patch: Int): Boolean = // this.version >= versionOf(major, minor,
patch)\n * this.major > major || (this.major == major &&\n * ^\n * (this.minor > minor || this.minor == minor
&&\n * ^\n * this.patch >= patch))\n *\n * companion object {\n * /**\n * Maximum value a version
component can have, a constant value 255.\n * ^\n * // NOTE: Must be placed before CURRENT because its
initialization requires this field being initialized in JS\n * public const val MAX_COMPONENT_VALUE =
255\n *\n * /**\n * Returns the current version of the Kotlin standard library.\n * ^\n *
@kotlin.jvm.JvmField\n * public val CURRENT: KotlinVersion = KotlinVersion(1, 3, 70) // value is written here
automatically during build\n * }\n * }\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming
Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n *\n * ^\n *\n * @file:kotlin.jvm.JvmName("LateinitKt")\n *\n * @file:Suppress("unused")\n *\n * package kotlin\n *\n * import
kotlin.internal.InlineOnly\n *\n * import kotlin.internal.AccessibleLateinitPropertyLiteral\n *\n * import
kotlin.reflect.KProperty0\n *\n * /**\n * Returns `true` if this lateinit property has been assigned a value, and `false`
otherwise.\n *\n * ^\n * Cannot be used in an inline function, to avoid binary compatibility issues.\n *\n * ^\n *
@SinceKotlin("1.2")\n *\n * @InlineOnly\n *\n * inline val @receiver:AccessibleLateinitPropertyLiteral
KProperty0<*>.isInitialized: Boolean\n * get() = throw NotImplementedError("Implementation is
intrinsic")\n", "/*\n * Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use
of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n *\n *
^ \n *\n * @file:kotlin.jvm.JvmName("LazyKt")\n *\n * @file:kotlin.jvm.JvmMultifileClass\n *\n * package kotlin\n *\n * import
kotlin.reflect.KProperty\n *\n * /**\n * Represents a value with lazy initialization.\n *\n * ^\n * To create an instance of
[Lazy] use the [lazy] function.\n *\n * ^\n * public interface Lazy<out T> {\n * /**\n * Gets the lazily initialized value of
the current Lazy instance.\n * ^\n * Once the value was initialized it must not change during the rest of lifetime of this
Lazy instance.\n * ^\n * public val value: T\n *\n * /**\n * Returns `true` if a value for this Lazy instance has been
already initialized, and `false` otherwise.\n * ^\n * Once this function has returned `true` it stays `true` for the rest of
lifetime of this Lazy instance.\n * ^\n * public fun isInitialized(): Boolean\n * }\n *\n * /**\n * Creates a new instance of
the [Lazy] that is already initialized with the specified [value].\n *\n * ^\n * public fun <T> lazyOf(value: T): Lazy<T> =

```

```

InitializedLazyImpl(value)\n\n/**\n * An extension to delegate a read-only property of type [T] to an instance of
[Lazy].\n *\n * This extension allows to use instances of Lazy for property delegation:\n *\n `val property: String by
lazy { initializer }`\n *\n @kotlin.internal.InlineOnly\n public inline operator fun <T> Lazy<T>.getValue(thisRef:
Any?, property: KProperty<*>): T = value\n\n/**\n * Specifies how a [Lazy] instance synchronizes initialization
among multiple threads.\n *\n public enum class LazyThreadSafetyMode {\n\n /**\n * Locks are used to ensure
that only a single thread can initialize the [Lazy] instance.\n *\n SYNCHRONIZED,\n\n /**\n * Initializer
function can be called several times on concurrent access to uninitialized [Lazy] instance value,\n * but only the
first returned value will be used as the value of [Lazy] instance.\n *\n PUBLICATION,\n\n /**\n * No
locks are used to synchronize an access to the [Lazy] instance value; if the instance is accessed from multiple
threads, its behavior is undefined.\n *\n * This mode should not be used unless the [Lazy] instance is
guaranteed never to be initialized from more than one thread.\n *\n NONE,\n\n }\n\n internal object
UNINITIALIZED_VALUE\n\n // internal to be called from lazy in JS\n internal class UnsafeLazyImpl<out
T>(initializer: () -> T) : Lazy<T>, Serializable {\n\n private var initializer: (() -> T)? = initializer\n\n private var
_value: Any? = UNINITIALIZED_VALUE\n\n override val value: T\n\n get() {\n\n if (_value ===
UNINITIALIZED_VALUE) {\n\n _value = initializer!!()\n\n initializer = null\n\n }\n\n @Suppress("UNCHECKED_CAST")\n\n return _value as T\n\n }\n\n override fun isInitialized():
Boolean = _value !== UNINITIALIZED_VALUE\n\n override fun toString(): String = if (isInitialized())
value.toString() else "Lazy value not initialized yet."\n\n private fun writeReplace(): Any =
InitializedLazyImpl(value)\n\n }\n\n internal class InitializedLazyImpl<out T>(override val value: T) : Lazy<T>,
Serializable {\n\n override fun isInitialized(): Boolean = true\n\n override fun toString(): String =
value.toString()\n\n }\n\n }"/**\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language
contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the
license/LICENSE.txt file.\n\n
*/\n\n @file:kotlin.jvm.JvmMultifileClass\n @file:kotlin.jvm.JvmName("NumbersKt")\n package kotlin\n\n /**\n *
Counts the number of set bits in the binary representation of this [Int] number.\n\n
*/\n\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n public expect fun Int.countOneBits(): Int\n\n /**\n * Counts
the number of consecutive most significant bits that are zero in the binary representation of this [Int] number.\n\n
*/\n\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n public expect fun Int.countLeadingZeroBits(): Int\n\n /**\n *
Counts the number of consecutive least significant bits that are zero in the binary representation of this [Int]
number.\n\n
*/\n\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n public expect fun Int.countTrailingZeroBits():
Int\n\n /**\n * Returns a number having a single bit set in the position of the most significant set bit of this [Int]
number,\n * or zero, if this number is zero.\n\n
*/\n\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n public expect fun Int.takeHighestOneBit(): Int\n\n /**\n * Returns a number having a single bit set in the position of the least
significant set bit of this [Int] number,\n * or zero, if this number is zero.\n\n
*/\n\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n public expect fun Int.takeLowestOneBit(): Int\n\n /**\n *
Rotates the binary representation of this [Int] number left by the specified [bitCount] number of bits.\n * The most
significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n *\n
*/\n\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n *
`number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [Int.SIZE_BITS] (32) returns
the same number, or more generally\n *\n `number.rotateLeft(n) == number.rotateLeft(n % 32)`\n\n
*/\n\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n public expect fun Int.rotateLeft(bitCount: Int): Int\n\n /**\n *
Rotates the binary representation of this [Int] number right by the specified [bitCount] number of bits.\n * The
least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n *\n
*/\n\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n *
`number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [Int.SIZE_BITS] (32) returns
the same number, or more generally\n *\n `number.rotateRight(n) == number.rotateRight(n % 32)`\n\n
*/\n\n @SinceKotlin("1.3")\n @ExperimentalStdlibApi\n public expect fun Int.rotateRight(bitCount: Int):
Int\n\n /**\n * Counts the number of set bits in the binary representation of this [Long] number.\n\n
*/

```

*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic expect fun Long.countOneBits(): Int\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [Long] number.\n */\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic expect fun Long.countLeadingZeroBits(): Int\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [Long] number.\n */\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic expect fun Long.countTrailingZeroBits(): Int\n\n/**\n * Returns a number having a single bit set in the position of the most significant set bit of this [Long] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic expect fun Long.takeHighestOneBit(): Long\n\n/**\n * Returns a number having a single bit set in the position of the least significant set bit of this [Long] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic expect fun Long.takeLowestOneBit(): Long\n\n/**\n * Rotates the binary representation of this [Long] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n * Rotating by a multiple of [Long.SIZE_BITS] (64) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 64)`\n */\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic expect fun Long.rotateLeft(bitCount: Int): Long\n\n/**\n * Rotates the binary representation of this [Long] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n * Rotating by a multiple of [Long.SIZE_BITS] (64) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 64)`\n */\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic expect fun Long.rotateRight(bitCount: Int): Long\n\n/**\n * Counts the number of set bits in the binary representation of this [Byte] number.\n */\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun Byte.countOneBits(): Int = (toInt() and 0xFF).countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [Byte] number.\n */\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun Byte.countLeadingZeroBits(): Int = (toInt() and 0xFF).countLeadingZeroBits() - (Int.SIZE_BITS - Byte.SIZE_BITS)\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [Byte] number.\n */\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun Byte.countTrailingZeroBits(): Int = (toInt() or 0x100).countTrailingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most significant set bit of this [Byte] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun Byte.takeHighestOneBit(): Byte = (toInt() and 0xFF).takeHighestOneBit().toByte()\n\n/**\n * Returns a number having a single bit set in the position of the least significant set bit of this [Byte] number,\n * or zero, if this number is zero.\n */\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun Byte.takeLowestOneBit(): Byte = toInt().takeLowestOneBit().toByte()\n\n/**\n * Rotates the binary representation of this [Byte] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n * Rotating by a multiple of [Byte.SIZE_BITS] (8) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 8)`\n */\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun Byte.rotateLeft(bitCount: Int): Byte = (toInt().shl(bitCount and 7) or (toInt() and 0xFF).ushr(8 - (bitCount and 7))).toByte()\n\n/**\n * Rotates the binary representation of this [Byte] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n */

```

`number.rotateRight(-n) == number.rotateLeft(n)`\n * Rotating by a multiple of [Byte.SIZE_BITS] (8) returns
the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 8)`\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun Byte.rotateRight(bitCount: Int): Byte =\n(toInt().shl(8 - (bitCount and 7)) or (toInt() and 0xFF).ushr(bitCount and 7)).toByte()\n\n**\n * Counts the number
of set bits in the binary representation of this [Short] number.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
Short.countOneBits(): Int = (toInt() and 0xFFFF).countOneBits()\n\n**\n * Counts the number of consecutive most
significant bits that are zero in the binary representation of this [Short] number.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
Short.countLeadingZeroBits(): Int =\n (toInt() and 0xFFFF).countLeadingZeroBits() - (Int.SIZE_BITS -
Short.SIZE_BITS)\n\n**\n * Counts the number of consecutive least significant bits that are zero in the binary
representation of this [Short] number.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
Short.countTrailingZeroBits(): Int = (toInt() or 0x10000).countTrailingZeroBits()\n\n**\n * Returns a number
having a single bit set in the position of the most significant set bit of this [Short] number,\n * or zero, if this number
is zero.\n\n*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline fun
Short.takeHighestOneBit(): Short = (toInt() and 0xFFFF).takeHighestOneBit().toShort()\n\n**\n * Returns a
number having a single bit set in the position of the least significant set bit of this [Short] number,\n * or zero, if this
number is zero.\n\n*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@kotlin.internal.InlineOnly\npublic inline
fun Short.takeLowestOneBit(): Short = toInt().takeLowestOneBit().toShort()\n\n**\n * Rotates the binary
representation of this [Short] number left by the specified [bitCount] number of bits.\n * The most significant bits
pushed out from the left side reenter the number as the least significant bits on the right side.\n\n**\n * Rotating the
number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-
n) == number.rotateRight(n)`\n\n**\n * Rotating by a multiple of [Short.SIZE_BITS] (16) returns the same number, or
more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 16)`\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun Short.rotateLeft(bitCount: Int): Short =\n(toInt().shl(bitCount and 15) or (toInt() and 0xFFFF).ushr(16 - (bitCount and 15))).toShort()\n\n**\n * Rotates the
binary representation of this [Short] number right by the specified [bitCount] number of bits.\n * The least
significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n\n**\n *
Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n *
`number.rotateRight(-n) == number.rotateLeft(n)`\n\n**\n * Rotating by a multiple of [Short.SIZE_BITS] (16) returns
the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 16)`\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\npublic fun Short.rotateRight(bitCount: Int): Short =\n(toInt().shl(16 - (bitCount and 15)) or (toInt() and 0xFFFF).ushr(bitCount and 15)).toShort()\n\n**\n * Copyright
2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed
by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n\n**\n\npackage kotlin\nimport
kotlin.internal.RequireKotlin\nimport
kotlin.internal.RequireKotlinVersionKind\n\n@kotlin.internal.InlineOnly\n@SinceKotlin("1.2")\n@Suppress("IN
VISIBLE_MEMBER", "INVISIBLE_REFERENCE")\n@RequireKotlin("1.2.30", level =
DeprecationLevel.HIDDEN, versionKind = RequireKotlinVersionKind.COMPILER_VERSION)\npublic inline fun
<R> suspend(noinline block: suspend () -> R): suspend () -> R = block\n\n**\n * Copyright 2010-2018 JetBrains
s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0
license that can be found in the license/LICENSE.txt file.\n
*\n\n@file:kotlin.jvm.JvmName("TuplesKt")\n\npackage kotlin\n\n**\n * Represents a generic pair of two
values.\n\n**\n * There is no meaning attached to values in this class, it can be used for any purpose.\n * Pair exhibits
value semantics, i.e. two pairs are equal if both components are equal.\n\n**\n * An example of decomposing it into
values:\n * @sample samples.misc.Tuples.pairDestructuring\n\n**\n * @param A type of the first value.\n * @param
B type of the second value.\n * @property first First value.\n * @property second Second value.\n * @constructor

```

```

Creates a new instance of Pair.\n *\npublic data class Pair<out A, out B>(\n  public val first: A,\n  public val\n  second: B)\n) : Serializable {\n\n  /**\n   * Returns string representation of the [Pair] including its [first] and\n  [second] values.\n   *\n   public override fun toString(): String = \"(\$first, \$second)\"\n}\n\n/**\n * Creates a tuple\n of type [Pair] from this and [that].\n *\n * This can be useful for creating [Map] literals with less noise, for\n example:\n * @sample samples.collections.Maps.Instantiation.mapFromPairs\n *\npublic infix fun <A, B>\n A.to(that: B): Pair<A, B> = Pair(this, that)\n\n/**\n * Converts this pair into a list.\n * @sample\n samples.misc.Tuples.pairToList\n *\npublic fun <T> Pair<T, T>.toList(): List<T> = listOf(first, second)\n\n/**\n * Represents a triad of values\n *\n * There is no meaning attached to values in this class, it can be used for any\n purpose.\n * Triple exhibits value semantics, i.e. two triples are equal if all three components are equal.\n * An\n example of decomposing it into values:\n * @sample samples.misc.Tuples.tripleDestructuring\n *\n * @param A\n type of the first value.\n * @param B type of the second value.\n * @param C type of the third value.\n * @property\n first First value.\n * @property\n second Second value.\n * @property\n third Third value.\n *\npublic data class\n Triple<out A, out B, out C>(\n  public val first: A,\n  public val second: B,\n  public val third: C)\n) : Serializable\n {\n\n  /**\n   * Returns string representation of the [Triple] including its [first], [second] and [third] values.\n   *\n   public override fun toString(): String = \"(\$first, \$second, \$third)\"\n}\n\n/**\n * Converts this triple into a\n list.\n * @sample\n samples.misc.Tuples.tripleToList\n *\npublic fun <T> Triple<T, T, T>.toList(): List<T> =\n listOf(first, second, third)\n", "/**\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin Programming Language\n contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be found in the\n license/LICENSE.txt file.\n *\n\n// Auto-generated file. DO NOT EDIT!\n\npackage kotlin.ranges\n\n\nimport\n kotlin.internal.*\n\n/**\n * A range of values of type `UInt`.\n *\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic class UIntRange(start: UInt, endInclusive: UInt)\n : UIntProgression(start, endInclusive, 1), ClosedRange<UInt> {\n  override val start: UInt get() = first\n  override\n val endInclusive: UInt get() = last\n  override fun contains(value: UInt): Boolean = first <= value && value <=\n last\n  override fun isEmpty(): Boolean = first > last\n  override fun equals(other: Any?): Boolean =\n other is UIntRange && (isEmpty() && other.isEmpty() ||\n first == other.first && last == other.last)\n  override fun hashCode(): Int =\n if (isEmpty()) -1 else (31 * first.toInt() + last.toInt())\n  override fun\n toString(): String = \"$first..$last\"\n  companion object {\n    /** An empty range of values of type UInt. *\n    public val EMPTY: UIntRange = UIntRange(UInt.MAX_VALUE, UInt.MIN_VALUE)\n  }\n}\n\n/**\n * A\n progression of values of type `UInt`.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic open\n class UIntProgression\n internal constructor(\n  start: UInt,\n  endInclusive: UInt,\n  step: Int)\n : Iterable<UInt>\n {\n  init {\n    if (step == 0.toInt()) throw kotlin.IllegalArgumentException("Step must be non-zero.")\n    if\n (step == Int.MIN_VALUE) throw kotlin.IllegalArgumentException("Step must be greater than Int.MIN_VALUE\n to avoid overflow on negation.")\n  }\n  /**\n   * The first element in the progression.\n   *\n   public val\n first: UInt = start\n  /**\n   * The last element in the progression.\n   *\n   public val\n last: UInt =\n getProgressionLastElement(start, endInclusive, step)\n  /**\n   * The step of the progression.\n   *\n   public\n val step: Int = step\n  override fun iterator(): UIntIterator = UIntProgressionIterator(first, last, step)\n  /**\n   Checks if the progression is empty. *\n   public open fun isEmpty(): Boolean = if (step > 0) first > last else first <\n last\n  override fun equals(other: Any?): Boolean =\n other is UIntProgression && (isEmpty() &&\n other.isEmpty() ||\n first == other.first && last == other.last && step == other.step)\n  override fun\n hashCode(): Int =\n if (isEmpty()) -1 else (31 * (31 * first.toInt() + last.toInt()) + step.toInt())\n  override fun\n toString(): String = if (step > 0) \"$first..$last step $step\" else \"$first downTo $last step\n ${-step}\"\n  companion\n object {\n    /**\n     * Creates UIntProgression within the specified bounds of a closed range.\n     *\n     * The\n progression starts with the [rangeStart] value and goes toward the [rangeEnd] value not excluding it, with the\n specified [step].\n     *\n     * In order to go backwards the [step] must be negative.\n     *\n     * [step] must be\n greater than `Int.MIN_VALUE` and not equal to zero.\n     *\n     public fun fromClosedRange(rangeStart:\n UInt, rangeEnd: UInt, step: Int): UIntProgression = UIntProgression(rangeStart, rangeEnd, step)\n  }\n}\n\n/**\n * An iterator over a progression of values of type `UInt`.\n * @property\n step the number by which the value is\n incremented on each step.\n *\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\nprivate class

```

```

UIntProgressionIterator(first: UInt, last: UInt, step: Int) : UIntIterator() {\n  private val finalElement = last\n  private var hasNext: Boolean = if (step > 0) first <= last else first >= last\n  private val step = step.toUInt() // use 2-  
complement math for negative steps\n  private var next = if (hasNext) first else finalElement\n\n  override fun  
hasNext(): Boolean = hasNext\n\n  override fun nextUInt(): UInt {\n    val value = next\n    if (value ==  
finalElement) {\n      if (!hasNext) throw kotlin.NoSuchElementException()\n      hasNext = false\n    }  
else {\n      next += step\n    }\n    return value\n  }\n}\n\n"/*\n * Copyright 2010-2019 JetBrains s.r.o.  
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license  
that can be found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage  
kotlin.collections\n\n/** An iterator over a sequence of values of type `UByte`.  
 */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic abstract class UByteIterator : Iterator<UByte>  
{\n  override final fun next() = nextUByte()\n  /** Returns the next value in the sequence without boxing. */\n  public abstract fun nextUByte(): UByte\n}\n\n/** An iterator over a sequence of values of type `UShort`.  
 */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic abstract class UShortIterator : Iterator<UShort>  
{\n  override final fun next() = nextUShort()\n  /** Returns the next value in the sequence without boxing. */\n  public abstract fun nextUShort(): UShort\n}\n\n/** An iterator over a sequence of values of type `UInt`.  
 */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic abstract class UIntIterator : Iterator<UInt> {\n  override final fun next() = nextUInt()\n  /** Returns the next value in the sequence without boxing. */\n  public abstract fun nextUInt(): UInt\n}\n\n/** An iterator over a sequence of values of type `ULong`.  
 */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic abstract class ULongIterator : Iterator<ULong>  
{\n  override final fun next() = nextULong()\n  /** Returns the next value in the sequence without boxing. */\n  public abstract fun nextULong(): ULong\n}\n\n"/*\n * Copyright 2010-2019 JetBrains s.r.o. and Kotlin  
Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license that can be  
found in the license/LICENSE.txt file.\n */\n\n// Auto-generated file. DO NOT EDIT!\n\npackage  
kotlin.ranges\n\nimport kotlin.internal.*\n\n/** A range of values of type `ULong`. */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic class ULongRange(start: ULong, endInclusive:  
ULong) : ULongProgression(start, endInclusive, 1), ClosedRange<ULong> {\n  override val start: ULong get() =  
first\n  override val endInclusive: ULong get() = last\n  override fun contains(value: ULong): Boolean = first <=  
value && value <= last\n  override fun isEmpty(): Boolean = first > last\n  override fun equals(other: Any?):  
Boolean =\n    other is ULongRange && (isEmpty() && other.isEmpty()) ||\n      first == other.first && last  
== other.last\n  override fun hashCode(): Int =\n    if (isEmpty()) -1 else (31 * (first xor (first shr 32)).toInt() +  
(last xor (last shr 32)).toInt())\n  override fun toString(): String = "$first..$last"\n  companion object {\n    /** An empty range of values of type ULong. */\n    public val EMPTY: ULongRange =  
ULongRange(ULong.MAX_VALUE, ULong.MIN_VALUE)\n  }\n}\n\n/** A progression of values of type  
`ULong`. */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic open class  
ULongProgression\ninternal constructor(\n  start: ULong,\n  endInclusive: ULong,\n  step: Long\n) :  
Iterable<ULong> {\n  init {\n    if (step == 0.toLong()) throw kotlin.IllegalArgumentException("Step must be  
non-zero.")\n    if (step == Long.MIN_VALUE) throw kotlin.IllegalArgumentException("Step must be greater  
than Long.MIN_VALUE to avoid overflow on negation.")\n  }\n  /**\n   * The first element in the  
progression. */\n  public val first: ULong = start\n  /**\n   * The last element in the progression. */\n  public val last: ULong = getProgressionLastElement(start, endInclusive, step)\n  /**\n   * The step of the  
progression. */\n  public val step: Long = step\n  override fun iterator(): ULongIterator =  
ULongProgressionIterator(first, last, step)\n  /** Checks if the progression is empty. */\n  public open fun  
isEmpty(): Boolean = if (step > 0) first > last else first < last\n  override fun equals(other: Any?): Boolean =\n    other is ULongProgression && (isEmpty() && other.isEmpty()) ||\n      first == other.first && last ==  
other.last && step == other.step\n  override fun hashCode(): Int =\n    if (isEmpty()) -1 else (31 * (31 * (first  
xor (first shr 32)).toInt() + (last xor (last shr 32)).toInt()) + (step xor (step ushr 32)).toInt())\n  override fun  
toString(): String = if (step > 0) "$first..$last step $step" else "$first downTo $last step ${-step}"\n  companion  
object {\n    /**\n     * Creates ULongProgression within the specified bounds of a closed range. */\n    * The

```



```

y\npublic inline fun UInt.rotateLeft(bitCount: Int): UInt = toInt().rotateLeft(bitCount).toInt()\n\n/**\n * Rotates
the binary representation of this [UInt] number right by the specified [bitCount] number of bits.\n * The least
significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n *
Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n *
`number.rotateRight(-n) == number.rotateLeft(n)`\n * Rotating by a multiple of [UInt.SIZE_BITS] (32) returns
the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 32)`\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun UInt.rotateRight(bitCount: Int): UInt = toInt().rotateRight(bitCount).toInt()\n\n/**\n *
Counts the number of set bits in the binary representation of this [ULong] number.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun ULong.countOneBits(): Int = toLong().countOneBits()\n\n/**\n * Counts the number of
consecutive most significant bits that are zero in the binary representation of this [ULong] number.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun ULong.countLeadingZeroBits(): Int = toLong().countLeadingZeroBits()\n\n/**\n * Counts the
number of consecutive least significant bits that are zero in the binary representation of this [ULong] number.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun ULong.countTrailingZeroBits(): Int = toLong().countTrailingZeroBits()\n\n/**\n * Returns a
number having a single bit set in the position of the most significant set bit of this [ULong] number,\n * or zero, if
this number is zero.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun ULong.takeHighestOneBit(): ULong = toLong().takeHighestOneBit().toULong()\n\n/**\n *
Returns a number having a single bit set in the position of the least significant set bit of this [ULong] number,\n * or
zero, if this number is zero.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun ULong.takeLowestOneBit(): ULong = toLong().takeLowestOneBit().toULong()\n\n/**\n *
Rotates the binary representation of this [ULong] number left by the specified [bitCount] number of bits.\n * The
most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n
*\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n *
`number.rotateLeft(-n) == number.rotateRight(n)`\n * Rotating by a multiple of [ULong.SIZE_BITS] (64)
returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 64)`\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun ULong.rotateLeft(bitCount: Int): ULong = toLong().rotateLeft(bitCount).toULong()\n\n/**\n *
Rotates the binary representation of this [ULong] number right by the specified [bitCount] number of bits.\n * The
least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n
*\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n *
`number.rotateRight(-n) == number.rotateLeft(n)`\n * Rotating by a multiple of [ULong.SIZE_BITS] (64)
returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 64)`\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun ULong.rotateRight(bitCount: Int): ULong = toLong().rotateRight(bitCount).toULong()\n\n/**\n *
Counts the number of set bits in the binary representation of this [UByte] number.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun UByte.countOneBits(): Int = toUInt().countOneBits()\n\n/**\n * Counts the number of
consecutive most significant bits that are zero in the binary representation of this [UByte] number.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun UByte.countLeadingZeroBits(): Int = toByte().countLeadingZeroBits()\n\n/**\n * Counts the
number of consecutive least significant bits that are zero in the binary representation of this [UByte] number.\n
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnl
y\npublic inline fun UByte.countTrailingZeroBits(): Int = toByte().countTrailingZeroBits()\n\n/**\n * Returns a

```

number having a single bit set in the position of the most significant set bit of this [UByte] number, \n * or zero, if this number is zero.\n

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByte.takeHighestOneBit(): UByte = toInt().takeHighestOneBit().toUByte()\n\n/**\n * Returns a number having a single bit set in the position of the least significant set bit of this [UByte] number,\n * or zero, if this number is zero.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByte.takeLowestOneBit(): UByte = toInt().takeLowestOneBit().toUByte()\n\n/**\n * Rotates the binary representation of this [UByte] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n *\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [UByte.SIZE_BITS] (8) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 8)`\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByte.rotateLeft(bitCount: Int): UByte = toByte().rotateLeft(bitCount).toUByte()\n\n/**\n * Rotates the binary representation of this [UByte] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n *\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n * `number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [UByte.SIZE_BITS] (8) returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 8)`\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UByte.rotateRight(bitCount: Int): UByte = toByte().rotateRight(bitCount).toUByte()\n\n/**\n * Counts the number of set bits in the binary representation of this [UShort] number.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShort.countOneBits(): Int = toUInt().countOneBits()\n\n/**\n * Counts the number of consecutive most significant bits that are zero in the binary representation of this [UShort] number.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShort.countLeadingZeroBits(): Int = toShort().countLeadingZeroBits()\n\n/**\n * Counts the number of consecutive least significant bits that are zero in the binary representation of this [UShort] number.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShort.countTrailingZeroBits(): Int = toShort().countTrailingZeroBits()\n\n/**\n * Returns a number having a single bit set in the position of the most significant set bit of this [UShort] number,\n * or zero, if this number is zero.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShort.takeHighestOneBit(): UShort = toInt().takeHighestOneBit().toUShort()\n\n/**\n * Returns a number having a single bit set in the position of the least significant set bit of this [UShort] number,\n * or zero, if this number is zero.\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShort.takeLowestOneBit(): UShort = toInt().takeLowestOneBit().toUShort()\n\n/**\n * Rotates the binary representation of this [UShort] number left by the specified [bitCount] number of bits.\n * The most significant bits pushed out from the left side reenter the number as the least significant bits on the right side.\n *\n * Rotating the number left by a negative bit count is the same as rotating it right by the negated bit count:\n * `number.rotateLeft(-n) == number.rotateRight(n)`\n *\n * Rotating by a multiple of [UShort.SIZE_BITS] (16) returns the same number, or more generally\n * `number.rotateLeft(n) == number.rotateLeft(n % 16)`\n
```

```
*\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly\npublic inline fun UShort.rotateLeft(bitCount: Int): UShort = toShort().rotateLeft(bitCount).toUShort()\n\n/**\n * Rotates the binary representation of this [UShort] number right by the specified [bitCount] number of bits.\n * The least significant bits pushed out from the right side reenter the number as the most significant bits on the left side.\n
```

```

*\n * Rotating the number right by a negative bit count is the same as rotating it left by the negated bit count:\n *
`number.rotateRight(-n) == number.rotateLeft(n)`\n *\n * Rotating by a multiple of [UShort.SIZE_BITS] (16)
returns the same number, or more generally\n * `number.rotateRight(n) == number.rotateRight(n % 16)`\n
*\n@\n@SinceKotlin("1.3")\n@ExperimentalStdlibApi\n@ExperimentalUnsignedTypes\n@kotlin.internal.InlineOnly
y\npublic inline fun UShort.rotateRight(bitCount: Int): UShort = toShort().rotateRight(bitCount).toUShort()\n"/*\n
* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors.\n * Use of this source code
is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.\n
*\n@\n@file:UseExperimental(ExperimentalUnsignedTypes::class)\npackage kotlin.internal\n\n// (a - b) mod
c\nprivate fun differenceModulo(a: UInt, b: UInt, c: UInt): UInt {\n    val ac = a % c\n    val bc = b % c\n    return if
(ac >= bc) ac - bc else ac - bc + c}\n\nprivate fun differenceModulo(a: ULong, b: ULong, c: ULong): ULong {\n
val ac = a % c\n    val bc = b % c\n    return if (ac >= bc) ac - bc else ac - bc + c}\n\n}/*\n * Calculates the final
element of a bounded arithmetic progression, i.e. the last element of the progression which is in the range\n * from
[start] to [end] in case of a positive [step], or from [end] to [start] in case of a negative\n * [step].\n * No
validation on passed parameters is performed. The given parameters should satisfy the condition:\n * - either
`step > 0` and `start <= end`,\n * - or `step < 0` and `start >= end`.\n * @param start first element of the
progression\n * @param end ending bound for the progression\n * @param step increment, or difference of
successive elements in the progression\n * @return the final element of the progression\n * @suppress\n
*\n@\n@PublishedApi\n@SinceKotlin("1.3")\ninternal fun getProgressionLastElement(start: UInt, end: UInt, step:
Int): UInt = when {\n    step > 0 -> if (start >= end) end else end - differenceModulo(end, start, step.toUInt())\n
step < 0 -> if (start <= end) end else end + differenceModulo(start, end, (-step).toUInt())\n    else -> throw
kotlin.IllegalArgumentException("Step is zero.")\n}\n\n}/*\n * Calculates the final element of a bounded
arithmetic progression, i.e. the last element of the progression which is in the range\n * from [start] to [end] in case
of a positive [step], or from [end] to [start] in case of a negative\n * [step].\n * No validation on passed
parameters is performed. The given parameters should satisfy the condition:\n * - either `step > 0` and `start <=
end`,\n * - or `step < 0` and `start >= end`.\n * @param start first element of the progression\n * @param end
ending bound for the progression\n * @param step increment, or difference of successive elements in the
progression\n * @return the final element of the progression\n * @suppress\n
*\n@\n@PublishedApi\n@SinceKotlin("1.3")\ninternal fun getProgressionLastElement(start: ULong, end: ULong,
step: Long): ULong = when {\n    step > 0 -> if (start >= end) end else end - differenceModulo(end, start,
step.toULong())\n    step < 0 -> if (start <= end) end else end + differenceModulo(start, end, (-step).toULong())\n
else -> throw kotlin.IllegalArgumentException("Step is zero.")\n}\n\n"/*\n * Copyright 2010-2018 JetBrains s.r.o.
and Kotlin Programming Language contributors.\n * Use of this source code is governed by the Apache 2.0 license
that can be found in the license/LICENSE.txt file.\n *\n@\n@file:kotlin.jvm.JvmName("UStringsKt") // string
representation of unsigned numbers\n\npackage kotlin.text\n\n}/*\n * Returns a string representation of this [Byte]
value in the specified [radix].\n * @throws IllegalArgumentException when [radix] is not a valid radix for
number to string conversion.\n
*\n@\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n//@kotlin.internal.InlineOnly\npublic /*inline*/ fun
UByte.toString(radix: Int): String = this.toInt().toString(radix)\n\n}/*\n * Returns a string representation of this
[Short] value in the specified [radix].\n * @throws IllegalArgumentException when [radix] is not a valid radix
for number to string conversion.\n
*\n@\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n//@kotlin.internal.InlineOnly\npublic /*inline*/ fun
UShort.toString(radix: Int): String = this.toInt().toString(radix)\n\n}/*\n * Returns a string representation of this
[Int] value in the specified [radix].\n * @throws IllegalArgumentException when [radix] is not a valid radix for
number to string conversion.\n
*\n@\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\n//@kotlin.internal.InlineOnly\npublic /*inline*/ fun
UInt.toString(radix: Int): String = this.toLong().toString(radix)\n\n}/*\n * Returns a string representation of this
[Long] value in the specified [radix].\n * @throws IllegalArgumentException when [radix] is not a valid radix
for number to string conversion.\n *\n@\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun

```

```

ULong.toString(radix: Int): String = ulongToString(this.toLong(), checkRadix(radix))\n\n/**\n * Parses the string
as a signed [UByte] number and returns the result.\n * @throws NumberFormatException if the string is not a valid
representation of a number.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun
String.toUByte(): UByte = toUByteOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a signed
[UByte] number and returns the result.\n * @throws NumberFormatException if the string is not a valid
representation of a number.\n * @throws IllegalArgumentException when [radix] is not a valid radix for string to
number conversion.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun String.toUByte(radix:
Int): UByte = toUByteOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string as a [UShort]
number and returns the result.\n * @throws NumberFormatException if the string is not a valid representation of a
number.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun String.toUShort(): UShort =
toUShortOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a [UShort] number and returns the
result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws
IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun String.toUShort(radix: Int): UShort =
toUShortOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string as an [UInt] number and returns the
result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun String.toUInt(): UInt = toUIntOrNull() ?:
numberFormatError(this)\n\n/**\n * Parses the string as an [UInt] number and returns the result.\n * @throws
NumberFormatException if the string is not a valid representation of a number.\n * @throws
IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun String.toUInt(radix: Int): UInt =
toUIntOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string as a [ULong] number and returns the
result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun String.toULong(): ULong =
toULongOrNull() ?: numberFormatError(this)\n\n/**\n * Parses the string as a [ULong] number and returns the
result.\n * @throws NumberFormatException if the string is not a valid representation of a number.\n * @throws
IllegalArgumentException when [radix] is not a valid radix for string to number conversion.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun String.toULong(radix: Int): ULong =
toULongOrNull(radix) ?: numberFormatError(this)\n\n/**\n * Parses the string as an [UByte] number and
returns the result\n * or `null` if the string is not a valid representation of a number.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun String.toUByteOrNull(): UByte? =
toUByteOrNull(radix = 10)\n\n/**\n * Parses the string as an [UByte] number and returns the result\n * or `null` if
the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a
valid radix for string to number conversion.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun String.toUByteOrNull(radix: Int): UByte? {\n    val int = this.toUIntOrNull(radix) ?: return null\n    if (int >
UByte.MAX_VALUE) return null\n    return int.toUByte()\n}\n\n/**\n * Parses the string as an [UShort] number
and returns the result\n * or `null` if the string is not a valid representation of a number.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun String.toUShortOrNull(): UShort? =
toUShortOrNull(radix = 10)\n\n/**\n * Parses the string as an [UShort] number and returns the result\n * or `null` if
the string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a
valid radix for string to number conversion.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic
fun String.toUShortOrNull(radix: Int): UShort? {\n    val int = this.toUIntOrNull(radix) ?: return null\n    if (int >
UShort.MAX_VALUE) return null\n    return int.toUShort()\n}\n\n/**\n * Parses the string as an [UInt] number and
returns the result\n * or `null` if the string is not a valid representation of a number.\n
*/\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic fun String.toUIntOrNull(): UInt? =
toUIntOrNull(radix = 10)\n\n/**\n * Parses the string as an [UInt] number and returns the result\n * or `null` if the
string is not a valid representation of a number.\n * @throws IllegalArgumentException when [radix] is not a
valid radix for string to number conversion.\n */\n@SinceKotlin("1.3")\n@ExperimentalUnsignedTypes\npublic

```

```

fun String.toUIntOrNull(radix: Int): UInt? {
    checkRadix(radix)
    val length = this.length
    if (length == 0)
        return null
    val limit: UInt = UInt.MAX_VALUE
    val start: Int
    val firstChar = this[0]
    if (firstChar < '0') {
        if (length == 1 || firstChar != '+') return null
        start = 1
    } else {
        start = 0
    }
    val limitForMaxRadix = 119304647u // limit / 36
    var limitBeforeMul = limitForMaxRadix
    val uradix = radix.toUInt()
    var result = 0u
    for (i in start until length) {
        val digit = digitOf(this[i], radix)
        if (digit < 0) return null
        if (result > limitBeforeMul) {
            if (limitBeforeMul == limitForMaxRadix) {
                limitBeforeMul = limit / uradix
                if (result > limitBeforeMul) return null
            } else {
                return null
            }
        }
        result *= uradix
        val beforeAdding = result
        result += digit.toUInt()
        if (result < beforeAdding) return null // overflow has happened
    }
    return result
}

```

* Parses the string as an [ULong] number and returns the result * or `null` if the string is not a valid representation of a number.

* @throws IllegalArgumentException when [radix] is not a valid radix for string to number conversion.

```

* @SinceKotlin("1.3") @ExperimentalUnsignedTypes
public fun String.toULongOrNull(): ULong? = toULongOrNull(radix = 10)

```

* Parses the string as an [ULong] number and returns the result * or `null` if the string is not a valid representation of a number.

```

* @SinceKotlin("1.3") @ExperimentalUnsignedTypes
public fun String.toULongOrNull(radix: Int): ULong? {
    checkRadix(radix)
    val length = this.length
    if (length == 0) return null
    val limit: ULong = ULong.MAX_VALUE
    val start: Int
    val firstChar = this[0]
    if (firstChar < '0') {
        if (length == 1 || firstChar != '+') return null
        start = 1
    } else {
        start = 0
    }
    val limitForMaxRadix = 512409557603043100uL // limit / 36
    var limitBeforeMul = limitForMaxRadix
    val uradix = radix.toULong()
    var result = 0uL
    for (i in start until length) {
        val digit = digitOf(this[i], radix)
        if (digit < 0) return null
        if (result > limitBeforeMul) {
            if (limitBeforeMul == limitForMaxRadix) {
                limitBeforeMul = limit / uradix
                if (result > limitBeforeMul) return null
            } else {
                return null
            }
        }
        result *= uradix
        val beforeAdding = result
        result += digit.toUInt()
        if (result < beforeAdding) return null // overflow has happened
    }
    return result
}

```

"", /* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

```

* @file: Suppress("INVISIBLE_REFERENCE", "INVISIBLE_MEMBER")
package kotlin
import kotlin.annotation.AnnotationTarget
import kotlin.internal.RequireKotlin
import kotlin.internal.RequireKotlinVersionKind

```

* Marks the API that is dependent on the experimental unsigned types, including those types themselves.

* Usages of such API will be reported as warnings unless an explicit opt-in with the [OptIn] annotation, e.g. `@OptIn(ExperimentalUnsignedTypes::class)` or with the `-Xopt-in=kotlin.ExperimentalUnsignedTypes` compiler option is given.

* It's recommended to propagate the experimental status to the API that depends on unsigned types by annotating it with this annotation.

```

* @Suppress("DEPRECATION") @Experimental(level = Experimental.Level.WARNING)
@RequiresOptIn(level = RequiresOptIn.Level.WARNING)
@MustBeDocumented
@Target(CLASS, ANNOTATION_CLASS, PROPERTY, FIELD, LOCAL_VARIABLE, VALUE_PARAMETER, CONSTRUCTOR, FUNCTION, PROPERTY_GETTER, PROPERTY_SETTER, TYPEALIAS)
@Retention(AnnotationRetention.BINARY)
@RequireKotlin("1.2.50", versionKind = RequireKotlinVersionKind.COMPILER_VERSION)
public annotation class ExperimentalUnsignedTypes

```

/* Copyright 2010-2018 JetBrains s.r.o. and Kotlin Programming Language contributors. Use of this source code is governed by the Apache 2.0 license that can be found in the license/LICENSE.txt file.

```

* @file: kotlin.jvm.JvmMultifileClass
* @file: kotlin.jvm.JvmName("MathKt")
package kotlin.math

```

// constants, can't use them from nativeMath as they are not constants there

* Ratio of the circumference of a circle to its diameter, approximately 3.14159.

```

* @SinceKotlin("1.2")
public const val PI: Double = 3.141592653589793

```

* Base of the natural logarithms, approximately 2.71828.

```

* @SinceKotlin("1.2")
public const val E: Double = 2.718281828459045

```

// region =====

```

Double Math =====

```

* Computes the sine of the angle [x]

given in radians.
`sin`: `Double` Computes the sine of the angle [x] given in radians.
`cos`: `Double` Computes the cosine of the angle [x] given in radians.
`tan`: `Double` Computes the tangent of the angle [x] given in radians.
`asin`: `Double` Computes the arc sine of the value [x]; the returned value is an angle in the range from $-\pi/2$ to $\pi/2$ radians.
`acos`: `Double` Computes the arc cosine of the value [x]; the returned value is an angle in the range from 0.0 to π radians.
`atan`: `Double` Computes the arc tangent of the value [x]; the returned value is an angle in the range from $-\pi/2$ to $\pi/2$ radians.
`atan2`: `Double, Double` Returns the angle θ of the polar coordinates (r, theta) that correspond to the rectangular coordinates (x, y) by computing the arc tangent of the value y / x ; the returned value is an angle in the range from $-\pi$ to π radians.
`sinh`: `Double` Computes the hyperbolic sine of the value [x].
`cosh`: `Double` Computes the hyperbolic cosine of the value [x].
`tanh`: `Double` Computes the hyperbolic tangent of the value [x].
`asinh`: `Double` Computes the inverse hyperbolic sine of the value [x]. The returned value is y such that $\sinh(y) == x$.
`acosh`: `Double` Computes the inverse hyperbolic cosine of the value [x]. The returned value is positive y such that $\cosh(y) == x$.
`atanh`: `Double` Computes the inverse hyperbolic tangent of the value [x]. The returned value is y such that $\tanh(y) == x$.
`hypot`: `Double, Double` Computes the positive square root of the value $\sqrt{x^2 + y^2}$ without intermediate overflow or underflow.
`exp`: `Double` Computes Euler's number e raised to the power of the value [x].
`expm1`: `Double` Computes $\exp(x) - 1$. This function can be implemented to produce more precise result for [x] near zero.
`log`: `Double, Double` Computes the logarithm of the value [x] to the given [base].
`log10`: `Double` Computes the logarithm of the value [x] to the given [base].

+Inf for $b > 1$. See also logarithm functions for common fixed bases: `[ln]`, `[log10]` and `[log2]`.

`fun log(x: Double, base: Double): Double` Computes the natural logarithm (base `E`) of the value `[x]`.
 Special cases: `ln(NaN)` is `NaN`, `ln(x)` is `NaN` when `x < 0.0`, `ln(+Inf)` is `+Inf`, `ln(0.0)` is `-Inf`.

`fun ln(x: Double): Double` Computes the common logarithm (base 10) of the value `[x]`.
 @see `[ln]` function for special cases.

`fun log10(x: Double): Double` Computes the binary logarithm (base 2) of the value `[x]`.
 @see `[ln]` function for special cases.

`fun log2(x: Double): Double` Computes `ln(x + 1)`.
 This function can be implemented to produce more precise result for `[x]` near zero.
 Special cases: `ln1p(NaN)` is `NaN`, `ln1p(x)` is `NaN` where `x < -1.0`, `ln1p(-1.0)` is `-Inf`, `ln1p(+Inf)` is `+Inf`.
 @see `[ln]` function @see `[expm1]` function

`fun ln1p(x: Double): Double` Rounds the given value `[x]` to an integer towards positive infinity.
 @return the smallest double value that is greater than or equal to the given value `[x]` and is a mathematical integer.
 Special cases: `ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

`fun ceil(x: Double): Double` Rounds the given value `[x]` to an integer towards negative infinity.
 @return the largest double value that is smaller than or equal to the given value `[x]` and is a mathematical integer.
 Special cases: `floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

`fun floor(x: Double): Double` Rounds the given value `[x]` to an integer towards zero.
 @return the value `[x]` having its fractional part truncated.
 Special cases: `truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

`fun truncate(x: Double): Double` Rounds the given value `[x]` towards the closest integer with ties rounded towards even integer.
 Special cases: `round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.

`fun round(x: Double): Double` Returns the absolute value of the given value `[x]`.
 Special cases: `abs(NaN)` is `NaN`.
 @see `absoluteValue` extension property for `[Double]`.

`fun abs(x: Double): Double` Returns the sign of the given value `[x]`: `-1.0` if the value is negative, `0` if the value is zero, `1.0` if the value is positive.
 Special case: `sign(NaN)` is `NaN`.

`fun sign(x: Double): Double` Returns the smaller of two values.
 If either value is `NaN`, then the result is `NaN`.

`fun min(a: Double, b: Double): Double` Returns the greater of two values.
 If either value is `NaN`, then the result is `NaN`.

`fun max(a: Double, b: Double): Double` Raises this value to the power `[x]`.
 Special cases: `b.pow(0.0)` is `1.0`, `b.pow(1.0) == b`, `b.pow(NaN)` is `NaN`, `NaN.pow(x)` is `NaN` for `x != 0.0`, `b.pow(Inf)` is `NaN` for `abs(b) == 1.0`, `b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer.

`fun Double.pow(x: Double): Double` Raises this value to the integer power `[n]`.
 See the other overload of `[pow]` for details.

`fun Double.pow(n: Int): Double` Returns the absolute value of this value.
 Special cases: `NaN.absoluteValue` is `NaN`.
 @see `abs` function

`val Double.absoluteValue: Double` Returns the sign of this value: `-1.0` if the value is negative, `0` if the value is zero, `1.0` if the value is positive.
 Special case: `NaN.sign` is `NaN`.

`val Double.sign: Double` Returns this value with the sign bit same as of the `[sign]` value.
 If `[sign]` is `NaN` the sign of the result is undefined.

`fun Double.withSign(sign: Double): Double` Returns this value with the sign bit same as of the `[sign]` value.

`fun Double.withSign(sign: Int): Double` Returns the ulp (unit in the last place) of this value.
 An ulp is a positive distance between this value and the next nearest `[Double]` value larger in magnitude.
 Special Cases: `NaN.ulp` is `NaN`, `x.ulp` is `+Inf` when `x` is `+Inf` or `-Inf`, `0.0.ulp` is `Double.MIN_VALUE`.

*\n@SinceKotlin("1.2")\npublic expect fun acosh(x: Float): Float\n\n/**\n * Computes the inverse hyperbolic tangent of the value [x].\n * The returned value is `y` such that `tanh(y) == x`.\n * Special cases:\n * - `tanh(NaN)` is `NaN`\n * - `tanh(x)` is `NaN` when `x > 1` or `x < -1`\n * - `tanh(1.0)` is `+Inf`\n * - `tanh(-1.0)` is `-Inf`\n */\n\npublic expect fun atanh(x: Float): Float\n\n/**\n * Computes `sqrt(x^2 + y^2)` without intermediate overflow or underflow.\n * Special cases:\n * - returns `+Inf` if any of arguments is infinite\n * - returns `NaN` if any of arguments is `NaN` and the other is not infinite\n */\n\npublic expect fun hypot(x: Float, y: Float): Float\n\n/**\n * Computes the positive square root of the value [x].\n * Special cases:\n * - `sqrt(x)` is `NaN` when `x < 0` or `x` is `NaN`\n */\n\npublic expect fun sqrt(x: Float): Float\n\n/**\n * Computes Euler's number `e` raised to the power of the value [x].\n * Special cases:\n * - `exp(NaN)` is `NaN`\n * - `exp(+Inf)` is `+Inf`\n * - `exp(-Inf)` is `0.0`\n */\n\npublic expect fun exp(x: Float): Float\n\n/**\n * Computes `exp(x) - 1`.\n * This function can be implemented to produce more precise result for [x] near zero.\n * Special cases:\n * - `expm1(NaN)` is `NaN`\n * - `expm1(+Inf)` is `+Inf`\n * - `expm1(-Inf)` is `-1.0`\n * @see [exp] function.\n */\n\npublic expect fun expm1(x: Float): Float\n\n/**\n * Computes the logarithm of the value [x] to the given [base].\n * Special cases:\n * - `log(x, b)` is `NaN` if either `x` or `b` are `NaN`\n * - `log(x, b)` is `NaN` when `x < 0` or `b <= 0` or `b == 1.0`\n * - `log(+Inf, +Inf)` is `NaN`\n * - `log(+Inf, b)` is `+Inf` for `b > 1` and `-Inf` for `b < 1`\n * - `log(0.0, b)` is `-Inf` for `b > 1` and `+Inf` for `b > 1`\n * See also logarithm functions for common fixed bases: [ln], [log10] and [log2].\n */\n\npublic expect fun log(x: Float, base: Float): Float\n\n/**\n * Computes the natural logarithm (base `E`) of the value [x].\n * Special cases:\n * - `ln(NaN)` is `NaN`\n * - `ln(x)` is `NaN` when `x < 0.0`\n * - `ln(+Inf)` is `+Inf`\n * - `ln(0.0)` is `-Inf`\n */\n\npublic expect fun ln(x: Float): Float\n\n/**\n * Computes the common logarithm (base 10) of the value [x].\n * @see [ln] function for special cases.\n */\n\npublic expect fun log10(x: Float): Float\n\n/**\n * Computes the binary logarithm (base 2) of the value [x].\n * @see [ln] function for special cases.\n */\n\npublic expect fun log2(x: Float): Float\n\n/**\n * Computes `ln(a + 1)`.\n * This function can be implemented to produce more precise result for [x] near zero.\n * Special cases:\n * - `ln1p(NaN)` is `NaN`\n * - `ln1p(x)` is `NaN` where `x < -1.0`\n * - `ln1p(-1.0)` is `-Inf`\n * - `ln1p(+Inf)` is `+Inf`\n * @see [ln] function\n * @see [expm1] function\n */\n\npublic expect fun ln1p(x: Float): Float\n\n/**\n * Rounds the given value [x] to an integer towards positive infinity.\n * @return the smallest Float value that is greater than or equal to the given value [x] and is a mathematical integer.\n * Special cases:\n * - `ceil(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n\npublic expect fun ceil(x: Float): Float\n\n/**\n * Rounds the given value [x] to an integer towards negative infinity.\n * @return the largest Float value that is smaller than or equal to the given value [x] and is a mathematical integer.\n * Special cases:\n * - `floor(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n\npublic expect fun floor(x: Float): Float\n\n/**\n * Rounds the given value [x] to an integer towards zero.\n * @return the value [x] having its fractional part truncated.\n * Special cases:\n * - `truncate(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n\npublic expect fun truncate(x: Float): Float\n\n/**\n * Rounds the given value [x] towards the closest integer with ties rounded towards even integer.\n * Special cases:\n * - `round(x)` is `x` where `x` is `NaN` or `+Inf` or `-Inf` or already a mathematical integer.\n */\n\npublic expect fun round(x: Float): Float\n\n/**\n * Returns the absolute value of the given value [x].\n * Special cases:\n * - `abs(NaN)` is `NaN`\n * @see absoluteValue extension property for [Float]\n */\n\npublic expect fun abs(x: Float): Float\n\n/**\n * Returns the sign of the given value [x]:\n * - `-1.0` if the value is negative,\n * - zero if the value is zero,\n * - `1.0` if the value is positive\n * Special case:\n * - `sign(NaN)` is `NaN`\n */\n\npublic expect fun sign(x: Float): Float\n\n/**\n * Returns the smaller of two values.\n * If either value is `NaN`, then the result is `NaN`.\n */\n\npublic expect fun min(a: Float, b: Float): Float\n\n/**\n * Returns the greater of two values.\n * If either value is `NaN`, then the result is `NaN`.\n */\n\npublic expect fun

max(a: Float, b: Float): Float\n\n// extensions\n\n/**\n * Raises this value to the power [x].\n * Special cases:\n * - `b.pow(0.0)` is `1.0`\n * - `b.pow(1.0) == b`\n * - `b.pow(NaN)` is `NaN`\n * - `NaN.pow(x)` is `NaN` for `x != 0.0`\n * - `b.pow(Inf)` is `NaN` for `abs(b) == 1.0`\n * - `b.pow(x)` is `NaN` for `b < 0` and `x` is finite and not an integer\n */\n\npublic expect fun Float.pow(x: Float): Float\n\n/**\n * Raises this value to the integer power [n].\n * See the other overload of [pow] for details.\n */\n\n@SinceKotlin("1.2")\npublic expect fun Float.pow(n: Int): Float\n\n/**\n * Returns the absolute value of this value.\n * Special cases:\n * - `NaN.absoluteValue` is `NaN`\n * @see abs function\n */\n\n@SinceKotlin("1.2")\npublic expect val Float.absoluteValue: Float\n\n/**\n * Returns the sign of this value:\n * - `-1.0` if the value is negative,\n * - zero if the value is zero,\n * - `1.0` if the value is positive\n * Special case:\n * - `NaN.sign` is `NaN`\n */\n\n@SinceKotlin("1.2")\npublic expect val Float.sign: Float\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n * If [sign] is `NaN` the sign of the result is undefined.\n */\n\n@SinceKotlin("1.2")\npublic expect fun Float.withSign(sign: Float): Float\n\n/**\n * Returns this value with the sign bit same as of the [sign] value.\n */\n\n@SinceKotlin("1.2")\npublic expect fun Float.withSign(sign: Int): Float\n\n/**\n * Rounds this [Float] value to the nearest integer and converts the result to [Int].\n * Ties are rounded towards positive infinity.\n * Special cases:\n * - `x.roundToInt() == Int.MAX_VALUE` when `x > Int.MAX_VALUE`\n * - `x.roundToInt() == Int.MIN_VALUE` when `x < Int.MIN_VALUE`\n * @throws IllegalArgumentException when this value is `NaN`\n */\n\n@SinceKotlin("1.2")\npublic expect fun Float.roundToInt(): Int\n\n/**\n * Rounds this [Float] value to the nearest integer and converts the result to [Long].\n * Ties are rounded towards positive infinity.\n * Special cases:\n * - `x.roundToLong() == Long.MAX_VALUE` when `x > Long.MAX_VALUE`\n * - `x.roundToLong() == Long.MIN_VALUE` when `x < Long.MIN_VALUE`\n * @throws IllegalArgumentException when this value is `NaN`\n */\n\n@SinceKotlin("1.2")\npublic expect fun Float.roundToLong(): Long\n\n// endregion\n\n// region\n\n==== Integer Math ==== \n\n/**\n * Returns the absolute value of the given value [n].\n * Special cases:\n * - `abs(Int.MIN_VALUE)` is `Int.MIN_VALUE` due to an overflow\n * @see absoluteValue extension property for [Int]\n */\n\n@SinceKotlin("1.2")\npublic expect fun abs(n: Int): Int\n\n/**\n * Returns the smaller of two values.\n */\n\n@SinceKotlin("1.2")\npublic expect fun min(a: Int, b: Int): Int\n\n/**\n * Returns the greater of two values.\n */\n\n@SinceKotlin("1.2")\npublic expect fun max(a: Int, b: Int): Int\n\n/**\n * Returns the absolute value of this value.\n * Special cases:\n * - `Int.MIN_VALUE.absoluteValue` is `Int.MIN_VALUE` due to an overflow\n * @see abs function\n */\n\n@SinceKotlin("1.2")\npublic expect val Int.absoluteValue: Int\n\n/**\n * Returns the sign of this value:\n * - `-1` if the value is negative,\n * - `0` if the value is zero,\n * - `1` if the value is positive\n */\n\n@SinceKotlin("1.2")\npublic expect val Int.sign: Int\n\n/**\n * Returns the absolute value of the given value [n].\n * Special cases:\n * - `abs(Long.MIN_VALUE)` is `Long.MIN_VALUE` due to an overflow\n * @see absoluteValue extension property for [Long]\n */\n\n@SinceKotlin("1.2")\npublic expect fun abs(n: Long): Long\n\n/**\n * Returns the smaller of two values.\n */\n\n@SinceKotlin("1.2")\npublic expect fun min(a: Long, b: Long): Long\n\n/**\n * Returns the greater of two values.\n */\n\n@SinceKotlin("1.2")\npublic expect fun max(a: Long, b: Long): Long\n\n/**\n * Returns the absolute value of this value.\n * Special cases:\n * - `Long.MIN_VALUE.absoluteValue` is `Long.MIN_VALUE` due to an overflow\n * @see abs function\n */\n\n@SinceKotlin("1.2")\npublic expect val Long.absoluteValue: Long\n\n/**\n * Returns the sign of this value:\n * - `-1` if the value is negative,\n * - `0` if the value is zero,\n * - `1` if the value is positive\n */\n\n@SinceKotlin("1.2")\npublic expect val Long.sign: Int\n\n// endregion\n\nendregion\n",null,null,null,null,null,null,null,null,null], "names": [], "mappings": "AAWC,CAXA,yB;EACG,IAAI,OA AO,MAAO,KAAI,UAAW,IAAG,MAAM,IAA1C,C;IACI,MAAM,CAAC,QAAD,EA AW,CAAC,SAAD,CAAX,E AAwB,OAAxB,C;SAEL,IAAI,OAAO,OAAQ,KAAI,QAAvB,C;IACD,OAAO,CAAC,MAAM,QAAP,C;;IAGP,IA AI,OAAQ,GAAE,E;IACd,OAAO,CAAC,IAAI,OAAL,C;;CAEd,CAAC,IAAD,EAAO,kB;EACJ,IAAI,IAAI,M;EC PZ,MAAM,eAAgB,GAAE,a;IACpB,OAAoD,CAA5C,KAAK,QAAQ,CAAC,CAAD,CAAI,IAAG,CAAE,YAAW, SAAW,KAAG,CAAC,OAAQ,KAAI,c;G;EAGxE,MAAM,YAAa,GAAE,a;IACjB,OAAO,CAAE,YAAW,SAAU,I AAG,CAAC,OAAQ,KAAI,c;G;EAGID,MAAM,aAAc,GAAE,a;IACIB,OAAO,CAAE,YAAW,U;G;EAGxB,MAA

M,YAAa,GAAE,a;IACjB,OAAO,CAAE,YAAW,WAAY,IAAG,CAAC,OAAQ,KAAL,W;G;EAGpD,MAAM,WAA
Y,GAAE,a;IACbB,OAAO,CAAE,YAAW,U;G;EAGxB,MAAM,aAAc,GAAE,a;IACIB,OAAO,CAAE,YAAW,Y;G
;EAGxB,MAAM,cAAe,GAAE,a;IACnB,OAAO,CAAE,YAAW,Y;G;EAGxB,MAAM,YAAa,GAAE,a;IACjB,OAA
O,KAAK,QAAQ,CAAC,CAAD,CAAI,IAAG,CAAC,OAAQ,KAAL,W;G;EAG5C,MAAM,QAAS,GAAE,a;IACb,O
AAO,KAAK,QAAQ,CAAC,CAAD,CAAI,IAAG,CAAC,CAAC,O;G;EAGjC,MAAM,WAAW,GAAE,a;IACbB,OA
AO,KAAK,QAAQ,CAAC,CAAD,CAAI,IAAG,WAAY,OAAO,CAAC,CAAD,C;G;EAGjD,MAAM,cAAe,GAAE,
a;IACnB,IAAI,WAAY,MAAM,YAAW,CAAC,CAAD,CAAI,GAAE,MAAM,aAAR,GAAwB,MAAM,S;IACnE,O
AAO,GAAI,GAAE,KAAK,UAAU,IAAI,KAAK,CAAC,CAAD,EAAL,a;MAAc,OAAO,QAAQ,CAAC,CAAD,C;K
AAjC,CAAwC,KAAK,CAAC,IAAD,CAAO,GAAE,G;G;EAG/F,MAAM,kBAAMb,GAAE,e;IACvB,OAAO,MAA
M,OAAO,YAAW,wBAAwB,CAAC,GAAD,C;G;EAG5D,MAAM,YAAa,GAAE,gB;IACjB,IAAI,CAAE,KAAL,CA
AV,C;MACI,OAAO,I;KAEX,IAAI,CAAC,MAAM,WAAY,CAAC,CAAD,CAAI,IAAG,CAAC,OAAQ,KAAL,CA
AC,OAA3C,C;MACI,OAAO,K;KAGX,KAAK,IAAI,IAAI,CAAR,EAAY,IAAI,CAAC,OAArB,EAASB,CAAE,G
AAE,CAAIC,EAaqC,CAAC,EAAtC,C;MACI,IAAI,CAAC,MAAM,OAAO,CAAC,CAAC,CAAC,CAAD,CAAF,
EAAO,CAAC,CAAC,CAAD,CAAR,CAAI,C;QACI,OAAO,K;IAGf,OAAO,I;G;EAGX,MAAM,gBAAiB,GAAE
,gB;IACrB,OAAO,MAAM,OAAO,YAAW,sBAAsB,CAAC,CAAD,EAAL,CAAJ,C;G;EAG1D,MAAM,cAAe,GAA
E,e;IACnB,IAAI,SAAS,C;IACb,KAAK,IAAI,IAAI,CAAR,EAAY,IAAI,GAAG,OAAvB,EAAGC,CAAE,GAAE,C
AApC,EAAsC,CAAC,EAAX,C;MACI,MAAO,GAAqB,CAAjB,EAAG,GAAE,MAAO,GAAE,CAAG,IAAE,MA
AM,SAAS,CAAC,GAAG,CAAC,CAAD,CAAJ,CAAU,GAAE,C;IAE7D,OAAO,M;G;EAGX,MAAM,kBAAMb,
GAAE,e;IACvB,OAAO,MAAM,OAAO,YAAW,wBAAwB,CAAC,GAAD,C;G;EAG5D,MAAM,mBAAoB,GAAE,
iB;IACxB,KAAK,KAAK,CAAC,MAAM,gBAAP,C;G;ECIFd,MAAM,eAAgB,GAAE,mB;IACpB,CAAC,aAAc,G
AAE,I;IACjB,OAAO,C;G;EAGX,MAAM,uBAAwB,GAAE,4C;IAC5B,MAAM,IAAK,GAAE,M;IACb,MAAM,IA
AK,GAAE,M;IACb,MAAM,aAAc,GAAE,I;IACtB,OAAO,mBAAMb,CAAC,MAAD,EAAS,MAAT,EAaiB,6BA
A6B,CAAC,UAAD,CAA9C,C;G;EAG9B,iD;IACI,GAAG,WAAY,GAAE,sBAAsB,CAAC,OAAO,MAAO,KAAL,
UAAW,GAAE,KAAK,QAAP,GAakB,KAAK,UAArD,C;IACvC,GAAG,YAAa,GAAE,G;IACIB,OAAO,G;G;EA
GX,IAAI,gCAAqC,CACc,UACa,QAAS,IAAT,wBAAqC,Y;IAC1C,OAAO,MAAM,OAAO,QAAQ,kB;GADvB,
CADb,aAIe,QAAS,IAAT,wBAAqC,Y;IAC5C,OAAO,MAAM,OAAO,QAAQ,W;GADrB,CAJf,CADgC,EAShC,U
ACa,QAAS,IAAT,wBAAqC,Y;IAC1C,OAAO,MAAM,OAAO,QAAQ,kB;GADvB,CADb,aAIe,QAAS,IAAT,wBA
AqC,Y;IAC5C,OAAO,MAAM,OAAO,QAAQ,W;GADrB,CAJf,CATgC,C;EAmBpC,uC;IACI,IAAI,KAAK,MAA
O,KAAL,IAApB,C;MACI,KAAK,MAAO,GAAE,aACE,CAAC,KAAK,qBAAqB,EAASB,CADF,aAEC,IAFD,aAG
C,EAHD,cAIE,EAJF,SAKH,EALG,iBAMK,EANL,C;KASIB,OAAO,KAAK,M;G;EChDhB,MAAM,QAAS,GAA
E,a;IACb,OAAoB,CAAZ,CAAE,GAAE,KAAQ,KAAG,EAAG,IAAG,E;G;EAGjC,MAAM,OAAQ,GAAE,a;IACZ,
OAAkB,CAAV,CAAE,GAAE,GAAM,KAAG,EAAG,IAAG,E;G;EAG/B,MAAM,OAAQ,GAAE,a;IACZ,OAAO,C
AAE,GAAE,K;G;EAGf,MAAM,aAAc,GAAE,a;IACIB,OAAO,CAAE,YAAW,MAAM,KAAM,GAAE,CAAF,GA
AM,MAAM,KAAK,WAAY,CAAC,CAAD,C;G;EAGhE,MAAM,YAAa,GAAE,a;IACjB,OAAO,CAAE,YAAW,
MAAM,KAAM,GAAE,CAAC,MAAM,EAAT,GAAC,MAAM,YAAW,CAAC,CAAD,C;G;EAGpE,MAAM,cAAe,
GAAE,a;IACnB,OAAO,MAAM,QAAQ,CAAC,MAAM,YAAW,CAAC,CAAD,CAAnB,C;G;EAGzB,MAAM,aAA
c,GAAE,a;IACIB,OAAO,MAAM,OAAO,CAAC,MAAM,YAAW,CAAC,CAAD,CAAnB,C;G;EAGxB,MAAM,eA
AgB,GAAE,a;IACpB,OAAO,CAAC,C;G;EAGZ,MAAM,aAAc,GAAE,a;IACIB,OAAO,MAAM,OAAO,CAAC,M
AAM,YAAW,CAAC,CAAD,CAAnB,C;G;EAGxB,MAAM,YAAa,GAAE,a;IACjB,IAAI,CAAE,GAAE,UAAR,C;
MAAoB,OAAO,U;IAC3B,IAAI,CAAE,GAAE,WAAR,C;MAAqB,OAAO,W;IAC5B,OAAO,CAAE,GAAE,C;G;E
AGf,MAAM,YAAa,GAAE,a;IACjB,IAAI,CAAE,IAAG,IAAT,C;MAAe,OAAO,C;IACtB,IAAI,CAAE,YAAW,M
AAM,UAAvB,C;MAAmC,OAAO,C;IAC1C,OAAO,IAAI,MAAM,UAAV,CAAqB,CAArB,C;G;EAGX,MAAM,U
AAW,GAAE,a;IACf,IAAI,CAAE,IAAG,IAAT,C;MAAe,OAAO,C;IACtB,OAAO,MAAM,OAAO,CAAC,CAAD,
C;G;ECIDxB,MAAM,OAAQ,GAAE,sB;IACZ,IAAI,IAAK,IAAG,IAAZ,C;MACI,OAAO,IAAK,IAAG,I;KAGnB,I
AAI,IAAK,IAAG,IAAZ,C;MACI,OAAO,K;KAGX,IAAI,IAAK,KAAL,IAAb,C;MACI,OAAO,IAAK,KAAL,I;KA
GpB,IAAI,OAAO,IAAK,KAAL,QAAS,IAAG,OAAO,IAAI,OAAQ,KAAL,UAAvD,C;MACI,OAAO,IAAI,OAAO,
CAAC,IAAD,C;KAGtB,IAAI,OAAO,IAAK,KAAL,QAAS,IAAG,OAAO,IAAK,KAAL,QAAdD,C;MACI,OAAO,I
AAK,KAAL,IAAK,KAAL,IAAK,KAAL,CAAE,IAAG,CAAE,GAAE,IAAK,KAAL,CAAE,GAAE,IAAnC,C;KAGzB

,OAAO,IAAK,KAAl,I;G;EAGpB,MAAM,SAAU,GAAE,e;IACd,IAAI,GAAl,IAAG,IAAX,C;MACl,OAAO,C;KA EX,IAAI,UAAU,OAAO,G;IACrB,IAAI,QAAS,KAAl,OAAjB,C;MACl,OAAO,UAAW,KAAl,OAAO,GAAG,SA AU,GAAE,GAAG,SAAS,EAAd,GAAmB,iBAAiB,CAAC,GAAD,C;KAEIf,IAAI,UAAW,KAAl,OAA nB,C;MACl ,OAAO,iBAAiB,CAAC,GAAD,C;KAE5B,IAAI,QAAS,KAAl,OAAjB,C;MACl,OAAO,MAAM,eAAe,CAAC,GA AD,C;KAEhC,IAAI,SAAU,KAAl,OAAiB,C;MACl,OAAO,MAAM,CAAC,GAAD,C;KAGjB,IAAI,MAAM,MAA M,CAAC,GAAD,C;IACHb,OAAO,iBAAiB,CAAC,GAAD,C;G;EAI5B,MAAM,SAAU,GAAE,a;IACd,IAAI,CAA E,IAAG,IAAT,C;MACl,OAAO,M;WAEN,IAAI,MAAM,WAAW,CAAC,CAAD,CAArB,C;MACD,OAAO,O;:MA GP,OAAO,CAAC,SAAS,E;:G;EAKzB,IAAI,WAAW,a;EAGf,IAAI,iCAAiC,sB;EAErC,gC;IACl,IAAI,EAAE,8BA A+B,IAAG,GAAPc,CAAJ,C;MACl,IAAI,OAAQ,IAAI,OAAO,EAAG,GAAE,QAAU,GAAE,C;MACxC,MAAM, eAAe,CAAC,GAAD,EAAM,8BAAN,EAAsC,QAAU,IAAV,cAA4B,KAA5B,CAAtC,C;KAEzB,OAAO,GAAG,C AAC,8BAAD,C;G;EAGd,gC;IACl,IAAI,OAAO,C;IACX,KAAK,IAAI,IAAI,CAAb,EAAgB,CAAE,GAAE,GAAG ,OAAvB,EAAGc,CAAC,EAajC,C;MACl,IAAI,OAAQ,GAAG,WAAW,CAAC,CAAD,C;MAC1B,IAAM,GAAG,I AAK,GAAE,EAAG,GAAE,IAAM,GAAE,C;:IAEjC,OAAO,I;G;EAGX,MAAM,iBAAkB,GAAE,iB;EC9C1B,MA AM,KAAm,GAAE,qB;IAKZ,IAAI,KAAm,GAAE,GAAl,GAAE,C;IAMiB,IAAI,MAAO,GAAE,IAAK,GAAE,C; G;EAGtB,MAAM,KAAK,WAAy,GAAE,OAcf,OADe,cAET,MAFS,cAGV,EAHU,C;EAgBzB,MAAM,KAAK,U AAW,GAAE,E;EAQxB,MAAM,KAAK,QAAS,GAAE,iB;IACpB,IAAI,IAAK,IAAG,KAAm,IAAG,KAAm,GAA E,GAA7B,C;MACE,IAAI,YAAy,MAAM,KAAK,UAAU,CAAC,KAAD,C;MACrC,IAAI,SAAJ,C;QACE,OAAO, S;QAIX,IAAI,MAAM,IAAI,MAAM,KAAV,CAAgB,KAAm,GAAE,CAAxB,EA2B,KAAm,GAAE,CAAE,GAA E,EAAF,GAAO,CAA5C,C;IACV,IAAI,IAAK,IAAG,KAAm,IAAG,KAAm,GAAE,GAA7B,C;MACE,MAAM,K AAK,UAAU,CAAC,KAAD,CAAQ,GAAE,G;KAEjC,OAAO,G;G;EAYT,MAAM,KAAK,WAAy,GAAE,iB;IACv B,IAAI,KAAK,CAAC,KAAD,CAAT,C;MACE,OAAO,MAAM,KAAK,K;WACb,IAAI,KAAm,IAAG,CAAC,MA AM,KAAK,gBAAzB,C;MACL,OAAO,MAAM,KAAK,U;WACb,IAAI,KAAm,GAAE,CAAE,IAAG,MAAM,KAA K,gBAA5B,C;MACL,OAAO,MAAM,KAAK,U;WACb,IAAI,KAAm,GAAE,CAAZ,C;MACL,OAAO,MAAM,K AAK,WAAW,CAAC,CAAC,KAAF,CAAQ,OAAO,E;:MAE5C,OAAO,IAAI,MAAM,KAAV,CACf,KAAm,GAA E,MAAM,KAAK,gBAAkB,GAAE,CADrC,EAef,KAAm,GAAE,MAAM,KAAK,gBAAkB,GAAE,CAFrC,C;:G;E AcX,MAAM,KAAK,SAAU,GAAE,6B;IACrB,OAAO,IAAI,MAAM,KAAV,CAAgB,OAAhB,EAAYB,QAazB,C; G;EAWT,MAAM,KAAK,WAAy,GAAE,0B;IACvB,IAAI,GAAG,OAAQ,IAAG,CAAIb,C;MACE,MAAM,KAA K,CAAC,mCAAD,C;KAGb,IAAI,QA AQ,SAAU,IAAG,E;IACzB,IAAI,KAAm,GAAE,CAAE,IAAG,EAAG,GAA E,KAAtB,C;MACE,MAAM,KAAK,CAAC,sBAAuB,GAAE,KAA1B,C;KAGb,IAAI,GAAG,OAAO,CAAC,CAA D,CAAI,IAAG,GAArB,C;MACE,OAAO,MAAM,KAAK,WAAW,CAAC,GAAG,UAAU,CAAC,CAAD,CAAd,E AAmB,KAA nB,CAAYB,OAAO,E;WACxD,IAAI,GAAG,QAAQ,CAAC,GAAD,CAAM,IAAG,CAAxB,C;MACL, MAAM,KAAK,CAAC,+CAAgD,GAAE,GAAnD,C;KAKb,IAAI,eAAe,MAAM,KAAK,WAAW,CAAC,IAAI,IAA I,CAAC,KAAD,EA AQ,CAAR,CAAT,C;IAEzC,IAAI,SAAS,MAAM,KAAK,K;IACxB,KAAK,IAAI,IAAI,CAAb, EAAgB,CAAE,GAAE,GAAG,OAAvB,EAAGc,CAAE,IAAG,CAArC,C;MACE,IAAI,OAAO,IAAI,IAAI,CAAC,C AAD,EAAl,GAAG,OAAQ,GAAE,CAAjB,C;MACnB,IAAI,QA AQ,QA AQ,CAAC,GAAG,UAAU,CAAC,CAAD, EAAl,CAAE,GAAE,IAAR,CAAd,EA A6B,KAA7B,C;MACpB,IAAI,IAAK,GAAE,CAAX,C;QACE,IAAI,QA AQ, MAAM,KAAK,WAAW,CAAC,IAAI,IAAI,CAAC,KAAD,EA AQ,IAAR,CAAT,C;QACIC,MAAO,GAAE,MAAM ,SAAS,CAAC,KAAD,CAAO,IAAI,CAAC,MAAM,KAAK,WAAW,CAAC,KAAD,CAAvB,C;:QAE nC,MAAO,G AA E,MAAM,SAAS,CAAC,YAAD,C;QACxB,MAAO,GAAE,MAAM,IAAI,CAAC,MAAM,KAAK,WAAW,CAA C,KAAD,CAAvB,C;:;IAGvB,OAAO,M;G;EA cT,MAAM,KAAK,gBAAiB,GAAE,CAAE,IAAG,E;EAOnC,MAA M,KAAK,gBAAiB,GAAE,CAAE,IAAG,E;EAOnC,MAAM,KAAK,gBAAiB,GACxB,MAAM,KAAK,gBAAiB,G AA E,MAAM,KAAK,gB;EA07C,MAAM,KAAK,gBAAiB,GACxB,MAAM,KAAK,gBAAiB,GAAE,C;EA0IC,M AAM,KAAK,gBAAiB,GACxB,MAAM,KAAK,gBAAiB,GAAE,MAAM,KAAK,gB;EA07C,MAAM,KAAK,gBA AiB,GACxB,MAAM,KAAK,gBAAiB,GAAE,MAAM,KAAK,gB;EA07C,MAAM,KAAK,gBAAiB,GACxB,MAA M,KAAK,gBAAiB,GAAE,C;EAIIC,MAAM,KAAK,KAAm,GAAE,MAAM,KAAK,QAAQ,CAAC,CAAD,C;EAI t C,MAAM,KAAK,IAAK,GAAE,MAAM,KAAK,QAAQ,CAAC,CAAD,C;EAIrC,MAAM,KAAK,QAAS,GAAE,M AAM,KAAK,QAAQ,CAAC,EAAD,C;EAIzC,MAAM,KAAK,UAAW,GACIB,MAAM,KAAK,SAAS,CAAC,aAA W,GAAE,CAAd,EA AiB,UAAW,GAAE,CAA9B,C;EAIxB,MAAM,KAAK,UAAW,GAAE,MAAM,KAAK,SAAS,

CAAC,CAAD,EAAl,aAAW,GAAE,CAAjB,C;EAO5C,MAAM,KAAK,YAAa,GAAE,MAAM,KAAK,QAAQ,CAAC,CAAE,IAAG,EAAN,C;EAI7C,MAAM,KAAK,UAAU,MAAO,GAAE,Y;IAC5B,OAAO,IAAI,K;G;EAKb,MAAM,KAAK,UAAU,SAAU,GAAE,Y;IAC/B,OAAO,IAAI,MAAO,GAAE,MAAM,KAAK,gBAAiB,GACzC,IAAI,mBAAmB,E;G;EAIhC,MAAM,KAAK,UAAU,SAAU,GAAE,Y;IAC/B,OAAO,IAAI,MAAO,GAAE,IAAI,K;G;EAQ1B,MAAM,KAAK,UAAU,SAAU,GAAE,qB;IAC/B,IAAI,QAAQ,SAAU,IAAG,E;IACzB,IAAI,KAAM,GAAE,CAAE,IAAG,EAAG,GAAE,KAAtB,C;MACE,MAAM,KAAK,CAAC,sBAAuB,GAAE,KAA1B,C;KAGb,IAAI,IAAI,OAAO,EAaf,C;MACE,OAAO,G;KAGT,IAAI,IAAI,WAAW,EAAnB,C;MACE,IAAI,IAAI,WAAW,CAAC,MAAM,KAAK,UAAZ,CAAnB,C;QAGE,IAAI,YAA,Y,MAAM,KAAK,WAAW,CAAC,KAAD,C;QACtC,IAAI,MAAM,IAAI,IAAI,CAAC,SAAD,C;QACiB,IAAI,MAAM,GAAG,SAAS,CAAC,SAAD,CAAW,SAAS,CAAC,IAAD,C;QAC1C,OAAO,GAAG,SAAS,CAAC,KAAD,CAAQ,GAAE,GAAG,MAAM,EAAE,SAAS,CAAC,KAAD,C;;QAEjD,OAAO,GAAI,GAAE,IAAI,OAAO,EAAE,SAAS,CAAC,KAAD,C;;KAMvC,IAAI,eAAe,MAAM,KAAK,WAAW,CAAC,IAAI,IAAI,CAAC,KAAD,EAAQ,CAAR,CAAT,C;IAEzC,IAAI,MAAM,I;IACV,IAAI,SAAS,E;IACb,OAAO,IAAP,C;MACE,IAAI,SAAS,GAAG,IAAI,CAAC,YAAD,C;MACpB,IAAI,SAAS,GAAG,SAAS,CAAC,MAAM,SAAS,CAAC,YAAD,CAAhB,CAA+B,MAAM,E;MAC9D,IAAI,SAAS,MAAM,SAAS,CAAC,KAAD,C;MAE5B,GAAI,GAAE,M;MACN,IAAI,GAAG,OAAO,EAAd,C;QACE,OAAO,MAAO,GAAE,M;;QAEhB,OAAO,MAAM,OAAQ,GAAE,CAAvB,C;UACE,MAAO,GAAE,GAAI,GAAE,M;;QAEjB,MAAO,GAAE,EAAG,GAAE,MAAO,GAAE,M;;G;EAO7B,MAAM,KAAK,UAAU,YAAa,GAAE,Y;IACiC,OAAO,IAAI,M;G;EAKb,MAAM,KAAK,UAAU,WAA,Y,GAAE,Y;IACjC,OAAO,IAAI,K;G;EAKb,MAAM,KAAK,UAAU,mBAAoB,GAAE,Y;IACzC,OAAQ,IAAI,KAAM,IAAG,CAAG,GACpB,IAAI,KADgB,GACR,MAAM,KAAK,gBAAiB,GAAE,IAAI,K;G;EAQpD,MAAM,KAAK,UAAU,cAAe,GAAE,Y;IACpC,IAAI,IAAI,WAAW,EAAnB,C;MACE,IAAI,IAAI,WAAW,CAAC,MAAM,KAAK,UAAZ,CAAnB,C;QACE,OAAO,E;;QAEp,OAAO,IAAI,OAAO,EAAE,cAAc,E;;MAGpC,IAAI,MAAM,IAAI,MAAO,IAAG,CAAE,GAAE,IAAI,MAAN,GAAe,IAAI,K;MAC7C,KAAK,IAAI,MAAM,EAaf,EAAMb,GAAI,GAAE,CAAzB,EAA4B,GAAG,EAA/B,C;QACE,IAAuB,CAAiB,GAAI,GAAG,CAAE,IAAG,GAAM,KAAG,CAA1B,C;UACE,K;;MAGJ,OAAO,IAAI,MAAO,IAAG,CAAE,GAAE,GAAI,GAAE,EAAR,GAAa,GAAI,GAAE,C;;G;EAM9C,MAAM,KAAK,UAAU,OAAQ,GAAE,Y;IAC7B,OAAO,IAAI,MAAO,IAAG,CAAE,IAAG,IAAI,KAAM,IAAG,C;G;EAKzC,MAAM,KAAK,UAAU,WAA,Y,GAAE,Y;IACjC,OAAO,IAAI,MAAO,GAAE,C;G;EAKtB,MAAM,KAAK,UAAU,MAAO,GAAE,Y;IAC5B,OAAuB,CAaf,IAAI,KAAM,GAAE,CAAG,KAAG,C;G;EAQ5B,MAAM,KAAK,UAAU,WAA,Y,GAAE,iB;IACjC,OAAQ,IAAI,MAAO,IAAG,KAAK,MAAQ,IAAI,IAAI,KAAM,IAAG,KAAK,K;G;EAQ3D,MAAM,KAAK,UAAU,cAAe,GAAE,iB;IACpC,OAAQ,IAAI,MAAO,IAAG,KAAK,MAAQ,IAAI,IAAI,KAAM,IAAG,KAAK,K;G;EAQ3D,MAAM,KAAK,UAAU,SAAU,GAAE,iB;IAC/B,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,GAAE,C;G;EAQ/B,MAAM,KAAK,UAAU,gBAAiB,GAAE,iB;IACtC,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,IAAG,C;G;EAQhC,MAAM,KAAK,UAAU,YAAa,GAAE,iB;IACiC,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,GAAE,C;G;EAQ/B,MAAM,KAAK,UAAU,mBAAoB,GAAE,iB;IACzC,OAAO,IAAI,QAAQ,CAAC,KAAD,CAAQ,IAAG,C;G;EAUhC,MAAM,KAAK,UAAU,QAAS,GAAE,iB;IAC9B,IAAI,IAAI,WAAW,CAAC,KAAD,CAAnB,C;MACE,OAAO,C;KAGT,IAAI,UAAU,IAAI,WAAW,E;IAC7B,IAAI,WAAW,KAAK,WAAW,E;IAC/B,IAAI,OAAQ,IAAG,CAAC,QAAhB,C;MACE,OAAO,E;KAET,IAAI,CAAC,OAAQ,IAAG,QAAhB,C;MACE,OAAO,C;KAIT,IAAI,IAAI,SAAS,CAAC,KAAD,CAAO,WAAW,EAAnC,C;MACE,OAAO,E;;MAEP,OAAO,C;;G;EAMX,MAAM,KAAK,UAAU,OAAQ,GAAE,Y;IAC7B,IAAI,IAAI,WAAW,CAAC,MAAM,KAAK,UAAZ,CAAnB,C;MACE,OAAO,MAAM,KAAK,U;;MAEiB,OAAO,IAAI,IAAI,EAAE,IAAI,CAAC,MAAM,KAAK,IAAZ,C;;G;EAUzB,MAAM,KAAK,UAAU,IAAK,GAAE,iB;IAG1B,IAAI,MAAM,IAAI,MAAO,KAAI,E;IACzB,IAAI,MAAM,IAAI,MAAO,GAAE,K;IACvB,IAAI,MAAM,IAAI,KAAM,KAAI,E;IACxB,IAAI,MAAM,IAAI,KAAM,GAAE,K;IAEtB,IAAI,MAAM,KAAK,MAAO,KAAI,E;IAC1B,IAAI,MAAM,KAAK,MAAO,GAAE,K;IACxB,IAAI,MAAM,KAAK,KAAM,KAAI,E;IACzB,IAAI,MAAM,KAAK,KAAM,GAAE,K;IAEvB,IAAI,MAAM,CAAV,EAAa,MAAM,CAAnB,EAAsB,MAAM,CAA5B,EAA+B,MAAM,C;IACrC,GAAI,IAAG,GAAI,GAAE,G;IACb,GAAI,IAAG,GAAI,KAAI,E;IACf,GAAI,IAAG,K;IACP,GAAI,IAAG,GAAI,GAAE,G;IACb,GAAI,IAAG,GAAI,KAAI,E;IACf,GAAI,IAAG,K;IACP,GAAI,IAAG,GAAI,GAAE,G;IACb,GAAI,IAAG,GAAI,KAAI,E;IACf,GAAI,IAAG,K;IACP,GAAI,IAAG,GAAI,GAAE,G;IACb,GAAI,IAAG,GAAI,KAAI,E;IACf,GAAI,IAAG,K;IACP,OAAO,MAAM,KAAK,SAAS,CAAE,GAAI,IAAG,EAAI,GAAE,GAaf,EAAqB,GAAI,IAAG,EAAI,GAAE,GAaIC,C;G;EAS7

B,MAAM,KAAK,UAAU,SAAU,GAAE,iB;IAC/B,OAAO,IAAI,IAAI,CAAC,KAAK,OAAO,EAAb,C;G;EASjB,M
AAM,KAAK,UAAU,SAAU,GAAE,iB;IAC/B,IAAI,IAAI,OAAO,EAAf,C;MACE,OAAO,MAAM,KAAK,K;WAC
b,IAAI,KAAK,OAAO,EAAhB,C;MACL,OAAO,MAAM,KAAK,K;KAGpB,IAAI,IAAI,WAAW,CAAC,MAAM,K
AAK,UAAZ,CAAnB,C;MACE,OAAO,KAAK,MAAM,EAAG,GAAE,MAAM,KAAK,UAAb,GAA0B,MAAM,K
AAK,K;WACrD,IAAI,KAAK,WAAW,CAAC,MAAM,KAAK,UAAZ,CAApB,C;MACL,OAAO,IAAI,MAAM,EA
AG,GAAE,MAAM,KAAK,UAAb,GAA0B,MAAM,KAAK,K;KAG3D,IAAI,IAAI,WAAW,EAAhB,C;MACE,IAA
I,KAAK,WAAW,EAApB,C;QACE,OAAO,IAAI,OAAO,EAAE,SAAS,CAAC,KAAK,OAAO,EAAb,C;;QAE7B,O
AAO,IAAI,OAAO,EAAE,SAAS,CAAC,KAAD,CAAO,OAAO,E;;WAExC,IAAI,KAAK,WAAW,EAApB,C;MAC
L,OAAO,IAAI,SAAS,CAAC,KAAK,OAAO,EAAb,CAAgB,OAAO,E;KAI7C,IAAI,IAAI,SAAS,CAAC,MAAM,K
AAK,YAAZ,CAA0B,IACvC,KAAK,SAAS,CAAC,MAAM,KAAK,YAAZ,CADiB,C;MAEE,OAAO,MAAM,KA
AK,WAAW,CAAC,IAAI,SAAS,EAAG,GAAE,KAAK,SAAS,EAAjC,C;KAM/B,IAAI,MAAM,IAAI,MAAO,KA
AI,E;IACzB,IAAI,MAAM,IAAI,MAAO,GAAE,K;IACvB,IAAI,MAAM,IAAI,KAAM,KAAI,E;IACxB,IAAI,MA
AM,IAAI,KAAM,GAAE,K;IAEtB,IAAI,MAAM,KAAK,MAAO,KAAI,E;IAC1B,IAAI,MAAM,KAAK,MAAO,G
AAE,K;IACxB,IAAI,MAAM,KAAK,KAAM,KAAI,E;IACzB,IAAI,MAAM,KAAK,KAAM,GAAE,K;IAEvB,IAA
I,MAAM,CAAV,EAAa,MAAM,CAAnB,EAAhB,MAAM,CAA5B,EAA+B,MAAM,C;IACrC,GAAl,IAAG,GAAl,
GAAE,G;IACb,GAAl,IAAG,GAAl,KAAI,E;IACf,GAAl,IAAG,K;IACP,GAAl,IAAG,GAAl,GAAE,G;IACb,GAAl,
IAAG,GAAl,KAAI,E;IACf,GAAl,IAAG,K;IACP,GAAl,IAAG,GAAl,GAAE,G;IACb,GAAl,IAAG,GAAl,KAAI,
E;IACf,GAAl,IAAG,K;IACP,GAAl,IAAG,GAAl,GAAE,G;IACb,GAAl,IAAG,GAAl,KAAI,E;IACf,GAAl,IAAG,
K;IACP,GAAl,IAAG,GAAl,GAAE,G;IACb,GAAl,IAAG,GAAl,KAAI,E;IACf,GAAl,IAAG,K;IACP,GAAl,IAAG
,GAAl,GAAE,G;IACb,GAAl,IAAG,GAAl,KAAI,E;IACf,GAAl,IAAG,K;IACP,GAAl,IAAG,GAAl,GAAE,GAAl,
GAAE,GAAl,GAAE,GAAl,GAAE,GAAl,GAAE,GAAl,GAAE,GAAl,GAAE,G;IACjD,GAAl,IAAG,K;IACP,OA
AO,MAAM,KAAK,SAAS,CAAE,GAAl,IAAG,EAAl,GAAE,GAAl,EAAqB,GAAl,IAAG,EAAl,GAAE,GAAl,C
;G;EAS7B,MAAM,KAAK,UAAU,IAAK,GAAE,iB;IAC1B,IAAI,KAAK,OAAO,EAAhB,C;MACE,MAAM,KAA
K,CAAC,kBAAD,C;WACN,IAAI,IAAI,OAAO,EAAf,C;MACL,OAAO,MAAM,KAAK,K;KAGpB,IAAI,IAAI,W
AAW,CAAC,MAAM,KAAK,UAAZ,CAAnB,C;MACE,IAAI,KAAK,WAAW,CAAC,MAAM,KAAK,IAAZ,CAA
kB,IACiC,KAAK,WAAW,CAAC,MAAM,KAAK,QAAZ,CADpB,C;QAEe,OAAO,MAAM,KAAK,U;AACb,IAAI,
KAAK,WAAW,CAAC,MAAM,KAAK,UAAZ,CAApB,C;QACL,OAAO,MAAM,KAAK,I;;QAGiB,IAAI,WAAW,
IAAI,WAAW,CAAC,CAAD,C;QAC9B,IAAI,SAAS,QAAQ,IAAI,CAAC,KAAD,CAAO,UAAU,CAAC,CAAD,C;
QAC1C,IAAI,MAAM,WAAW,CAAC,MAAM,KAAK,KAAZ,CAArB,C;UACE,OAAO,KAAK,WAAW,EAAG,G
AAE,MAAM,KAAK,IAAb,GAAoB,MAAM,KAAK,Q;;UAEzD,IAAI,MAAM,IAAI,SAAS,CAAC,KAAK,SAAS,
CAAC,MAAD,CAAf,C;UACvB,IAAI,SAAS,MAAM,IAAI,CAAC,GAAG,IAAI,CAAC,KAAD,CAAR,C;UACvB,
OAAO,M;;WAGN,IAAI,KAAK,WAAW,CAAC,MAAM,KAAK,UAAZ,CAApB,C;MACL,OAAO,MAAM,KAA
K,K;KAGpB,IAAI,IAAI,WAAW,EAAhB,C;MACE,IAAI,KAAK,WAAW,EAApB,C;QACE,OAAO,IAAI,OAAO,
EAAE,IAAI,CAAC,KAAK,OAAO,EAAb,C;;QAExB,OAAO,IAAI,OAAO,EAAE,IAAI,CAAC,KAAD,CAAO,OA
AO,E;;WAEhC,IAAI,KAAK,WAAW,EAApB,C;MACL,OAAO,IAAI,IAAI,CAAC,KAAK,OAAO,EAAb,CAAgB,
OAAO,E;KAQxC,IAAI,MAAM,MAAM,KAAK,K;IACrB,IAAI,MAAM,I;IACV,OAAO,GAAG,mBAAmB,CAAC
,KAAD,CAA7B,C;MAGE,IAAI,SAAS,IAAI,IAAI,CAAC,CAAD,EAAl,IAAI,MAAM,CAAC,GAAG,SAAS,EA
G,GAAE,KAAK,SAAS,EAAhC,CAAd,C;MAIrB,IAAI,OAAO,IAAI,KAAK,CAAC,IAAI,IAAI,CAAC,MAAD,C
AAS,GAAE,IAAI,IAAxB,C;MACpB,IAAI,QAAS,IAAK,IAAG,EAAl,GAAE,CAAF,GAAM,IAAI,IAAI,CAAC,C
AAD,EAAl,IAAK,GAAE,EAAX,C;MAIvC,IAAI,YAAY,MAAM,KAAK,WAAW,CAAC,MAAD,C;MACtC,IAAI
,YAAY,SAAS,SAAS,CAAC,KAAD,C;MACiC,OAAO,SAAS,WAAW,EAAG,IAAG,SAAS,YAAY,CAAC,GAAD
,CAAtD,C;QACE,MAAO,IAAG,K;QACV,SAAU,GAAE,MAAM,KAAK,WAAW,CAAC,MAAD,C;QACiC,SA
U,GAAE,SAAS,SAAS,CAAC,KAAD,C;;MAKhC,IAAI,SAAS,OAAO,EAApB,C;QACE,SAAU,GAAE,MAAM,K
AAK,I;OAGzB,GAAl,GAAE,GAAG,IAAI,CAAC,SAAD,C;MACb,GAAl,GAAE,GAAG,SAAS,CAAC,SAAD,C;;
IAEpB,OAAO,G;G;EAST,MAAM,KAAK,UAAU,OAAQ,GAAE,iB;IAC7B,OAAO,IAAI,SAAS,CAAC,IAAI,IA
I,CAAC,KAAD,CAAO,SAAS,CAAC,KAAD,CAAZB,C;G;EAKtB,MAAM,KAAK,UAAU,IAAK,GAAE,Y;IAC1
B,OAAO,MAAM,KAAK,SAAS,CAAC,CAAC,IAAI,KAAK,EAaA,CAAC,IAAI,MAAI,B,C;G;EAS7B,MAAM,K
AAK,UAAU,IAAK,GAAE,iB;IAC1B,OAAO,MAAM,KAAK,SAAS,CAAC,IAAI,KAAM,GAAE,KAAK,KAAI,B,

EACI,IAAI,MAAO,GAAE,KAAK,MADtB,C;G;EAU7B,MAAM,KAAK,UAAU,GAAl,GAAE,iB;IACzB,OAAO,MAAM,KAAK,SAAS,CAAC,IAAI,KAAM,GAAE,KAAK,KAAIB,EACI,IAAI,MAAO,GAAE,KAAK,MADtB,C;G;EAU7B,MAAM,KAAK,UAAU,IAAK,GAAE,iB;IAC1B,OAAO,MAAM,KAAK,SAAS,CAAC,IAAI,KAAM,GAAE,KAAK,KAAIB,EACI,IAAI,MAAO,GAAE,KAAK,MADtB,C;G;EAU7B,MAAM,KAAK,UAAU,UAAW,GAAE,mB;IACHC,OAAQ,IAAG,E;IACX,IAAI,OAAQ,IAAG,CAAf,C;MACE,OAAO,I;MAEP,IAAI,MAAM,IAAI,K;MACd,IAAI,OAAQ,GAAE,EAAd,C;QACE,IAAI,OAAO,IAAI,M;QACf,OAAO,MAAM,KAAK,SAAS,CACvB,GAAl,IAAG,OADgB,EAETB,IAAK,IAAG,OAAS,GAAG,GAAl,KAAK,EAAG,GAAE,OAFZ,C;;QAI3B,OAAO,MAAM,KAAK,SAAS,CAAC,CAAD,EAAl,GAAl,IAAI,OAAQ,GAAE,EAAtB,C;;G;EAWjC,MAAM,KAAK,UAAU,WAAY,GAAE,mB;IACjC,OAAQ,IAAG,E;IACX,IAAI,OAAQ,IAAG,CAAf,C;MACE,OAAO,I;MAEP,IAAI,OAAO,IAAI,M;MACf,IAAI,OAAQ,GAAE,EAAd,C;QACE,IAAI,MAAM,IAAI,K;QACd,OAAO,MAAM,KAAK,SAAS,CACtB,GAAl,KAAI,OAAS,GAAG,IAAK,IAAI,EAAG,GAAE,OADZ,EAEvB,IAAK,IAAG,OAFc,C;;QAI3B,OAAO,MAAM,KAAK,SAAS,CACvB,IAAK,IAAI,OAAQ,GAAE,EADI,EAEvB,IAAK,IAAG,CAAE,GAAE,CAAF,GAAM,EAFO,C;;G;EAejC,MAAM,KAAK,UAAU,mBAAoB,GAAE,mB;IACzC,OAAQ,IAAG,E;IACX,IAAI,OAAQ,IAAG,CAAf,C;MACE,OAAO,I;MAEP,IAAI,OAAO,IAAI,M;MACf,IAAI,OAAQ,GAAE,EAAd,C;QACE,IAAI,MAAM,IAAI,K;QACd,OAAO,MAAM,KAAK,SAAS,CACtB,GAAl,KAAI,OAAS,GAAG,IAAK,IAAI,EAAG,GAAE,OADZ,EAEvB,IAAK,IAAG,OAFc,C;aAGtB,IAAI,OAAQ,IAAG,EAaf,C;QACL,OAAO,MAAM,KAAK,SAAS,CAAC,IAAD,EAAO,CAAP,C;;QAE3B,OAAO,MAAM,KAAK,SAAS,CAAC,IAAK,KAAK,OAAQ,GAAE,EAARb,EAA0B,CAA1B,C;;G;EAMjC,MAAM,KAAK,UAAU,OAAQ,GAAE,iB;IAC3B,OAAO,KAAM,YAAW,MAAM,KAAM,IAAG,IAAI,WAAW,CAAC,KAAD,C;G;EAG1D,MAAM,KAAK,UAAU,gBAAiB,GAAE,MAAM,KAAK,UAAU,Q;EAE7D,MAAM,KAAK,UAAU,IAAK,GAAE,Y;IACxB,OAAO,IAAI,IAAI,CAAC,MAAM,KAAK,IAAZ,C;G;EAGnB,MAAM,KAAK,UAAU,IAAK,GAAE,Y;IACxB,OAAO,IAAI,IAAI,CAAC,MAAM,KAAK,QAAs,C;G;EAGnB,MAAM,KAAK,UAAU,QAAS,GAAE,Y;IAC5B,OAAO,IAAI,SAAS,E;G;EAGxB,MAAM,KAAK,UAAU,UAAW,GAAE,Y;IAC9B,OAAO,I;G;EAGX,MAAM,KAAK,UAAU,WAAY,GAAE,MAAM,KAAK,UAAU,O;EACxD,MAAM,KAAK,UAAU,IAAK,GAAE,MAAM,KAAK,UAAU,I;EAEjD,MAAM,KAAK,UAAU,QAAS,GAAE,iB;IAC5B,OAAO,IAAI,MAAM,OAAO,OAAO,UAAxB,CAAmC,IAAnC,EAAYC,KAAzC,C;G;EC1zBX,MAAM,aAAc,GAAE,2B;G;EAGtB,MAAM,qBAAsB,GAAE,oB;IAC1B,OAAO,G;G;EAGX,MAAM,aAAc,GAAE,e;IACIB,IAAI,IAAI,Y;MACJ,CAAE,GAAE,GAAG,E;MACP,OAAO,CAAC,MAAM,CAAC,IAAD,EAAO,SAAP,C;K;IAEIB,OAAO,Y;MACH,OAAO,CAAC,MAAM,CAAC,IAAD,EAAO,SAAP,C;K;G;EAItB,MAAM,SAAU,GAAE,gB;IACd,OAAO,kB;MACH,OAAO,OAAO,MAAO,KAAI,I;K;G;EAIjC,MAAM,aAAc,GAAE,iB;IACIB,OAAO,kB;MACH,OAAO,MAAM,OAAO,CAAC,MAAD,EAAS,KAAT,C;K;G;EAI5B,MAAM,OA AQ,GAAE,c;IACZ,OAAO,kB;MACH,OAAO,MAAO,IAAG,IAAK,IAAG,EAAE,CAAC,MAAD,C;K;G;EAIInC,MAAM,aAAc,GAAE,gB;IACIB,OAAO,kB;MACH,OAAO,CAAC,CAAC,MAAD,CAAS,IAAG,CAAC,CAAC,MAAD,C;K;G;EAI7B,MAAM,qBAAsB,GAAE,wC;G;EAG9B,MAAM,YAAa,GAAE,iB;IACjB,OAAO,K;G;EAGX,MAAM,gBAAiB,GAAE,qB;IACrB,gBAAgB,E;G;EAGpB,MAAM,oBAAqB,GAAE,qB;IACzB,gBAAgB,E;G;EAGpB,MAAM,kBAAmB,GAAE,qB;IACvB,gBAAgB,E;G;EAGpB,MAAM,mBAAoB,GAAE,4B;IACxB,gBAAgB,E;G;EAGpB,MAAM,6BAA8B,GAAE,yB;IACIC,gBAAgB,E;G;EAGpB,4B;IACI,MAAM,IAAI,KAAJ,CACF,iDAkD,GACID,qDAAsD,GACtD,uDAHE,C;G;EAMV,MAAM,gBAAiB,GAAE,4B;IACrB,OAAO,Y;MACH,OAAO,Y;K;G;ECjFf,MAAM,UAAW,GAAE,gB;IACf,IAAI,QA AQ,OAAO,C;IACnB,IAAI,KAAM,KAAI,QAAd,C;MACI,IAAI,OAAO,CAAE,KAAI,QA AjB,C;QACI,OAAO,MAAM,gBAAgB,CAAC,CAAD,EAAl,CAAJ,C;OAEjC,OAAO,MAAM,mBAAmB,CAAC,CAAD,EAAl,CAAJ,C;KAEpC,IAAI,KAAM,KAAI,QAAS,IAAG,KAAM,KAAI,SAAP,C;MACI,OAAO,MAAM,mBAAmB,CAAC,CAAD,EAAl,CAAJ,C;KAEpC,OAAO,CAAC,gBAAgB,CAAC,CAAD,C;G;EAG5B,MAAM,mBAAoB,GAAE,gB;IACxB,OAAO,CAAE,GAAE,CAAE,GAAE,EA AF,GAAO,C;AAE,GAAE,CAAE,GAAE,CAAF,GAAM,C;G;EAGpC,MAAM,gBAAiB,GAAE,gB;IACrB,IAAI,CAAE,GAAE,CAAR,C;MAAW,OAAO,E;IACIB,IAAI,CAAE,GAAE,CAAR,C;MAAW,OAAO,C;IAEIB,IAAI,CAAE,KAAI,CAAV,C;MACI,IAAI,CAAE,KAAI,CAAV,C;QA Aa,OAAO,C;MAEPB,IAAI,KAAK,CAAE,GAAE,C;MACb,OAAO,EAA G,KAAI,CAAE,GAAE,CAAE,GAAE,CAAF,GA AO,EAAG,GAAE,CAAE,GAAE,EA AF,GAAO,C;KAG7C,OAAO,CAAE,KAAI,CAAE,GAAG,CAAE,KAAI,CAAE,GAAE,CAAF,GAAM,CAAjB,GAAsB,E;G;EAGzC,MAAM,QAAS,GAAE,iB;IACb,OAAO,MAAM,OAAO,CAAC,KAAK,GAAC,CAAP,C;G;EAGxB,MAAM,QAAS,GAA

E,iB;IACb,OAAO,MAAM,OAAO,CAAC,KAAK,GAAC,CAAP,C;G;EAGxB,MAAM,KAAM,GAAE,IAAI,KAA
M,IAAG,I;EAE3B,MAAM,aAAc,GAAE,I;EAETb,oB;IACI,OAAyB,CAAhB,CAAE,GAAE,YAAY,KAAG,CAAE,
GAAE,KAAP,CAAe,GAAe,CAAZ,CAAE,GAAE,KAAQ,KAAG,CAAE,GAAE,CAAP,CAAW,GAAE,C;G;EA6D
tE,CA1DD,Y;IACG,IAAI,MAAM,IAAI,WAAJ,CAAgB,CAAhB,C;IACV,IAAI,aAAa,IAAI,YAAJ,CAAIb,GAAj
B,C;IACjB,IAAI,aAAa,IAAI,YAAJ,CAAIb,GAAjB,C;IACjB,IAAI,WAAW,IAAI,UAAJ,CAAe,GAAf,C;IACf,IA
AI,WAAW,C;IACf,IAAI,YAAY,C;IAEhB,UAAU,CAAC,CAAD,CAAI,GAAE,E;IACHb,IAAI,QAAQ,CAAC,QA
AD,CAAW,KAAI,CAA3B,C;MACI,QAAS,GAAE,C;MACX,SAAU,GAAE,C;KAGhB,MAAM,aAAc,GAAE,iB;
MACiB,OAAO,MAAM,gBAAgB,CAAC,KAAK,CAAC,KAAD,CAAQ,GAAE,GAAF,GAAQ,KAAtB,C;K;IAGjC
,MAAM,gBAAiB,GAAE,iB;MACrB,UAAU,CAAC,CAAD,CAAI,GAAE,K;MACHb,OAAO,MAAM,KAAK,SAA
S,CAAC,QAAQ,CAAC,QAAD,CAAT,EAaQb,QAAQ,CAAC,SAAD,CAA7B,C;K;IAG/B,MAAM,eAAgB,GAAE
,iB;MACpB,QAAQ,CAAC,QAAD,CAAW,GAAE,KAAK,K;MAC1B,QAAQ,CAAC,SAAD,CAAY,GAAE,KAAK
,M;MAC3B,OAAO,UAAU,CAAC,CAAD,C;K;IAGrB,MAAM,YAAa,GAAE,iB;MACjB,OAAO,MAAM,eAAe,C
AAC,KAAK,CAAC,KAAD,CAAQ,GAAE,GAAF,GAAQ,KAAtB,C;K;IAGhC,MAAM,eAAgB,GAAE,iB;MACp
B,UAAU,CAAC,CAAD,CAAI,GAAE,K;MACHb,OAAO,QAAQ,CAAC,CAAD,C;K;IAGnB,MAAM,cAAe,GAA
E,iB;MACnB,QAAQ,CAAC,CAAD,CAAI,GAAE,K;MACd,OAAO,UAAU,CAAC,CAAD,C;K;IAIrB,MAAM,cA
Ae,GAAE,iB;MACnB,UAAU,CAAC,CAAD,CAAI,GAAE,K;MACHb,OAAO,QAAQ,CAAC,SAAD,CAAY,GAA
E,a;K;IAGjC,MAAM,eAAgB,GAAE,e;MACpB,IAAc,CAAT,GAAL,GAAE,CAAG,MAAI,GAAIB,C;QACI,OAA
O,GAAL,GAAE,C;QAGb,UAAU,CAAC,CAAD,CAAI,GAAE,G;QACHb,OAAc,CAA9B,QAAQ,CAAC,SAAD,
CAAY,GAAE,EAAG,GAAE,CAAG,IAAE,QAAQ,CAAC,QAAD,CAAW,GAAE,C;K;GAGvE,G;EAEF,MAAM,
cAAe,GAAE,a;IACnB,OAAO,CAAE,IAAG,IAAK,GAAE,CAAF,GAAM,MAAM,SAAS,E;G;EC7G1C,IAAI,OA
AO,MAAM,UAAU,WAAJ,KAAI,WAA3C,C;IACI,MAAM,UAAU,WAAJ,GAAE,kC;MAC1B,QAAS,GAAE,Q
AAS,IAAG,C;MACvB,OAAO,IAAI,YAAY,CAAC,YAAD,EAae,QAAf,CAAYB,KAAI,Q;K;GAG5D,IAAI,OAA
O,MAAM,UAAU,SAAU,KAAI,WAAzC,C;IACI,MAAM,UAAU,SAAU,GAAE,kC;MACxB,IAAI,gBAAgB,IAAI,
SAAS,E;MACjC,IAAI,QAAS,KAAI,SAAU,IAAG,QAAS,GAAE,aAAa,OAAtD,C;QACI,QAAS,GAAE,aAAa,O;
OAE5B,QAAS,IAAG,YAAY,O;MACxB,IAAI,YAAY,aAAa,QAAQ,CAAC,YAAD,EAae,QAAf,C;MACrC,OAA
O,SAAU,KAAI,EAAG,IAAG,SAAU,KAAI,Q;K;GAIjD,IAAI,OAAO,IAAI,KAAM,KAAI,WAAzB,C;IACI,IAAI,
KAAM,GAAE,a;MACR,CAAE,GAAE,CAAC,C;MACL,IAAI,CAAE,KAAI,CAAE,IAAG,KAAK,CAAC,CAAD,
CAApB,C;QACI,OAAO,MAAM,CAAC,CAAD,C;OAEjB,OAAO,CAAE,GAAE,CAAE,GAAE,CAAF,GAAM,E;
K;GAG3B,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;IACI,IAAI,MAAO,GAAE,a;MACT,IAAI,KAAK,CAAC,
CAAD,CAAT,C;QACI,OAAO,G;OAEX,IAAI,CAAE,GAAE,CAAR,C;QACI,OAAO,IAAI,MAAM,CAAC,CAAD
,C;OAErB,OAAO,IAAI,KAAK,CAAC,CAAD,C;K;GAuKtB,CAnKd,Y;IACG,IAAI,UAAU,qB;IACd,IAAI,iBAAi
B,IAAI,KAAK,CAAC,OAAD,C;IAC9B,IAAI,iBAAiB,IAAI,KAAK,CAAC,cAAD,C;IAC9B,IAAI,uBAAuB,CAA
C,GAAC,c;IAC7B,IAAI,uBAAuB,CAAC,GAAC,c;IAE7B,IAAI,OAAO,IAAI,KAAM,KAAI,WAAzB,C;MACI,IA
AI,KAAM,GAAE,a;QACR,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;UACI,IAAI,SAAS,C;UACb,I
AAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;YACI,MAAO,IAAI,CAAE,GAAE,CAAE,GAAE,CAAG,G
AAE,C;WAE5B,OAAO,M;UAEp,IAAI,IAAI,IAAI,IAAI,CAAC,CAAD,C;UACHb,IAAI,KAAK,CAAE,GAAE,C
;UACb,IAAI,CAAC,QAAQ,CAAC,CAAD,CAAb,C;YAAkB,OAAO,IAAI,IAAI,CAAC,CAAE,GAAE,IAAI,IAAT
,C;UACjC,IAAI,CAAC,QAAQ,CAAC,EAAD,CAAb,C;YAAmB,OAAO,CAAC,IAAI,IAAI,CAAC,CAAC,CAAE,
GAAE,IAAI,IAAV,C;UACnB,OAAGb,CAAR,CAAE,GAAE,EAAL,IAAE,C;O;KAI9B,IAAI,OAAO,IAAI,KAA
M,KAAI,WAAzB,C;MACI,IAAI,KAAM,GAAE,a;QACR,IAAI,IAAI,IAAI,IAAI,CAAC,CAAD,C;QACHb,IAAI,
KAAK,CAAE,GAAE,C;QACb,IAAI,CAAC,QAAQ,CAAC,CAAD,CAAI,IAAG,CAAC,QAAQ,CAAC,EAAD,CA
A7B,C;UAAmC,OAAO,IAAI,IAAI,CAAC,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI,IAAnB,C;QACID,OAA
gB,CAAR,CAAE,GAAE,EAAL,IAAE,C;O;KAI1B,IAAI,OAAO,IAAI,KAAM,KAAI,WAAzB,C;MACI,IAAI,KA
AM,GAAE,a;QACR,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;UACI,IAAI,SAAS,C;UACb,IAAI,IA
AI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;YACI,MAAO,IAAI,CAAE,GAAE,CAAE,GAAE,CAAG,GAAE,C
;WAE5B,OAAO,M;UAGP,IAAI,IAAI,IAAI,IAAI,CAAC,CAAC,CAAF,CAAhB,EAAsB,IAAI,IAAI,IAAI,CAAC
,CAAC,CAAF,C;UACIC,OAAO,CAAE,KAAI,QAAS,GAAE,CAAF,GAAM,CAAE,KAAI,QAAS,GAAE,EAFF,
GAAe,CAAP,CAAE,GAAE,CAAG,KAAG,CAAE,GAAE,CAAP,C;O;KAQtE,IAAI,OAAO,IAAI,MAAO,KAAI,

WAA1B,C;MACI,IAAI,QAAQ,a;QACR,IAAI,CAAE,IAAG,CAAC,cAAV,C;UAEI,IAAI,CAAE,GAAE,oBAAR,C;YAEI,IAAI,CAAE,GAAE,oBAAR,C;cAGI,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI,I;;cAKzB,OA
AO,IAAI,IAAI,CAAC,CAAE,GAAE,CAAE,GAAG,CAAE,IAAG,CAAE,GAAE,CAAP,CAAZ,C;;;YAKnB,OAA
O,IAAI,IAAI,CAAC,CAAE,GAAE,IAAI,KAAK,CAAC,CAAE,GAAE,CAAE,GAAE,CAAT,CAAd,C;;eAGIB,IA
AI,CAAE,IAAG,CAAC,cAAV,C;UAED,OAAO,CAAC,KAAK,CAAC,CAAC,CAAF,C;;UAKb,IAAI,SAAS,C;U
ACb,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,IAAG,cAAAnB,C;YAEI,IAAI,KAAK,CAAE,GAAE,CAAE,GAAE,C;
YAEjB,MAAO,IAAG,EAAG,GAAE,C;WAEEnB,OAAO,M;;O;MAGf,IAAI,MAAO,GAAE,K;KAEjB,IAAI,OAAO
,IAAI,MAAO,KAAI,WAA1B,C;MACI,IAAI,MAAO,GAAE,a;QACT,IAAI,CAAE,GAAE,CAAR,C;UAEI,OAAO,
G;eAEN,IAAI,CAAE,GAAE,CAAE,IAAG,cAAb,C;UAED,IAAI,CAAE,GAAE,oBAAR,C;YAGI,OAAO,IAAI,IA
AI,CAAC,CAAD,CAAI,GAAE,IAAI,I;;YAlzB,OAAO,IAAI,IAAI,CAAC,CAAE,GAAE,IAAI,KAAK,CAAC,CA
AE,GAAE,CAAE,GAAE,CAAT,CAAd,C;;;UAKnB,IAAI,IAAI,IAAI,KAAK,CAAC,CAAE,GAAE,CAAL,C;UAE
jB,IAAI,SAAS,C;UACb,IAAI,CAAE,IAAG,cAAT,C;YAEI,IAAI,KAAK,CAAE,GAAE,CAAE,GAAE,C;YAEjB,
MAAO,IAAG,EAAG,GAAE,E;WAGnB,OAAO,IAAI,KAAK,CAAC,CAAD,CAAI,GAAE,M;;O;KAIIC,IAAI,OA
AO,IAAI,MAAO,KAAI,WAA1B,C;MACI,IAAI,MAAO,GAAE,a;QACT,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,G
AAE,cAAIB,C;UACI,IAAI,SAAS,C;UACb,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;YACI,MAAO
,IAAI,CAAE,GAAE,CAAE,GAAE,CAAG,GAAE,C;WAE5B,OAAO,M;SAEX,OAAO,IAAI,IAAI,CAAS,CAAP,
CAAE,GAAE,CAAG,KAAK,CAAE,GAAE,CAAP,CAAT,CAAoB,GAAE,C;O;KAG7C,IAAI,OAAO,IAAI,MAA
O,KAAI,WAA1B,C;MACI,IAAI,MAAO,GAAE,a;QACT,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;
UACI,IAAI,KAAK,CAAE,GAAE,C;UACb,IAAI,KAAK,EAAG,GAAE,C;UACd,IAAI,KAAK,EAAG,GAAE,C;U
AEd,OAAQ,CAAC,EAAG,GAAE,CAAE,GAAE,EAAG,GAAE,CAAE,GAAE,EAAG,GAAE,CAAE,GAAE,C;SA
ExC,OAAO,IAAI,IAAI,CAAC,CAAE,GAAE,CAAL,C;O;KAGvB,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;
MACI,IAAI,MAAO,GAAE,a;QACT,IAAI,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,cAAIB,C;UACI,IAAI,KAAK,
CAAE,GAAE,C;UACb,IAAI,KAAK,EAAG,GAAE,C;UACd,IAAI,KAAK,EAAG,GAAE,C;UAEd,OAAQ,EAAG,
GAAE,EAAG,GAAE,EAAG,GAAE,CAAE,GAAE,EAAG,GAAE,CAAE,GAAE,C;SAExC,OAAO,IAAI,IAAI,CA
AC,CAAD,CAAI,GAAE,C;O;MAG/B,G;EACF,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;IACI,IAAI,MAAO,
GAAE,Y;MACT,IAAI,IAAI,C;MACR,IAAI,SAAS,SAAS,O;MAEtB,KAAK,IAAI,IAAI,CAAb,EAAGb,CAAE,G
AAE,MAApB,EAA4B,CAAC,EAA7B,C;QACI,IAAI,SAAS,CAAC,CAAD,CAAI,KAAI,QAAS,IAAG,SAAS,CA
AC,CAAD,CAAI,KAAI,CAAC,QAAnD,C;UACI,OAAO,Q;SAEX,CAAE,IAAG,SAAS,CAAC,CAAD,CAAI,GA
AE,SAAS,CAAC,CAAD,C;;MAEjC,OAAO,IAAI,KAAK,CAAC,CAAD,C;K;GAGxB,IAAI,OAAO,IAAI,MAAO,
KAAI,WAA1B,C;IACI,IAAI,MAAO,GAAE,a;MACT,OAAO,IAAI,IAAI,CAAC,CAAD,CAAI,GAAE,IAAI,O;K;
GAGjC,IAAI,OAAO,IAAI,KAAM,KAAI,WAAzB,C;IACI,IAAI,KAAM,GAAE,a;MACR,OAAO,IAAI,IAAI,CA
AC,CAAD,CAAI,GAAE,IAAI,M;K;GAGjC,IAAI,OAAO,IAAI,MAAO,KAAI,WAA1B,C;IACI,IAAI,MAAO,GA
AG,oB;MACV,OAAO,a;QACH,IAAI,SAAS,CAAE,KAAI,C;QACnB,IAAI,MAAO,KAAI,CAAf,C;UACI,OAAO,
E;SAEX,OAAO,EAAG,IAAG,GAAG,CAAC,MAAD,CAAS,GAAE,GAAL,GAAE,CAAvB,CAAoB,GAAE,C;O;K
AESc,CAAC,IAAI,IAAL,EAaw,IAAI,IAAf,C;GAIN,IAAI,OAAO,WAAW,OAAQ,KAAI,WAAIC,C;IACI,WAA
W,OAAQ,GAAE,a;MACjB,OAAO,CAAE,IAAG,IAAK,IAAG,CAAC,UAAW,IAAG,IAAK,IAAG,CAAC,UAAU,
UAAW,KAAI,SAAS,UAAU,U;K;GAIhG,IAAI,OAAO,KAAK,UAAU,KAAM,KAAI,WAApC,C;IAEI,KAAK,UA
AU,KAAM,GAAE,Y;MAErB,IAAI,IAAK,IAAG,IAAZ,C;QACE,MAAM,IAAI,SAAJ,CAAc,6BAAd,C;OAGR,IA
AI,IAAI,MAAM,CAAC,IAAD,C;MAGd,IAAI,MAAM,CAAC,OAAQ,KAAI,C;MAGvB,IAAI,QAAQ,SAAS,CAA
C,CAAD,C;MACrB,IAAI,gBAAgB,KAAM,IAAG,C;MAG7B,IAAI,IAAI,aAAc,GAAE,CAAE,GACxB,IAAI,IAA
I,CAAC,GAAL,GAAE,aAAP,EAA5B,CAAtB,CADgB,GAExB,IAAI,IAAI,CAAC,aAAD,EAAGb,GAAhB,C;MAG
V,IAAI,MAAM,SAAS,CAAC,CAAD,C;MACnB,IAAI,cAAc,GAAL,KAAI,SAAU,GACIC,GADkC,GAC5B,GAAL
,IAAG,C;MAGf,IAAI,QAAQ,WAAy,GAAE,CAAE,GACIB,IAAI,IAAI,CAAC,GAAL,GAAE,WAAp,EAAb,C
AApB,CADkC,GAElB,IAAI,IAAI,CAAC,WAAAD,EAAC,GAAd,C;MAGV,OAAO,CAAE,GAAE,KAAX,C;QAC
E,CAAC,CAAC,CAAD,CAAI,GAAE,K;QACP,CAAC,E;;MAIH,OAAO,C;K;GakFX,CA9ED,Y;IACG,yC;MACI,
IAAI,MAAO,GAAE,CAAb,C;QAAGB,OAAO,IAAI,IAAI,CAAC,CAAD,EAAL,MAAO,GAAE,MAAb,C;MAC/B,
OAAO,IAAI,IAAI,CAAC,MAAD,EAAS,MAAT,C;K;IAEnB,qC;MACI,IAAI,OAAO,GAAL,KAAI,WAAAnB,C;QA
CI,GAAL,GAAE,IAAI,O;OAEd,KAAM,GAAE,eAAe,CAAC,KAAM,IAAG,CAAV,EAAa,IAAI,OAAjB,C;MACv

B,GAAl,GAAE,IAAl,IAAl,CAAC,KAAD,EAAQ,eAAe,CAAC,GAAD,EAAM,IAAl,OAAV,CAAvB,C;MACd,OAAO,IAAl,IAAl,YAAR,CAAqB,IAAl,SAAS,CAAC,KAAD,EAAQ,GAAR,CAAIC,C;K;IAGX,IAAl,SAAS,CAAC,SAAD,EAAy,UAAZ,EAAwB,WAAxB,EAAqC,UAArC,EAAiD,YAAjD,EAA+D,YAA/D,C;IACb,KAAK,IAAl,IAAl,CAAAb,EAAgB,CAAe,GAAE,MAAM,OAA1B,EAAMC,EAAE,CAArC,C;MACl,IAAl,aAAa,MAAM,CAAC,CAAD,C;MACvB,IAAl,OAAO,UAAU,UAAU,KAAM,KAAI,WAAzC,C;QACl,UAAU,UAAU,KAAM,GAAE,KAAK,UAAU,K;OAE/C,IAAl,OAAO,UAAU,UAAU,MAAO,KAAI,WAA1C,C;QACl,MAAM,eAAe,CAAC,UAAU,UAAx,EAAuB,OAAvB,EAAgC,QAC1C,eAD0C,CAAhC,C;;;MAQJ,CAApB,Y;OAAc,MAAM,CAAC,IAAD,EAAO,IAAl,UAAJ,CAAe,CAAf,CAAP,E;;MAErB,IAAl,QAAQ,QAAQ,UAAU,M;MAC9B,MAAM,eAAe,CAAC,QAAQ,UAAU,EAAqB,OAArB,EAA8B,QACxC,uB;QACH,OAAO,KAAK,KAAK,CAAC,IAAD,EAAO,IAAP,EAAa,EAAE,MAAM,KAAK,CAAC,KAAD,CAA1B,C;OAF0B,CAA9B,C;;IASzB,KAAK,IAAl,IAAl,CAAAb,EAAGb,CAAe,GAAE,MAAM,OAA1B,EAAMC,EAAE,CAArC,C;MACl,IAAl,aAAa,MAAM,CAAC,CAAD,C;MACvB,IAAl,OAAO,UAAU,UAAU,IAAK,KAAI,WAAxC,C;QACl,MAAM,eAAe,CAAC,UAAU,UAAx,EAAuB,KAAvB,EAA8B,QACxC,0B;UACH,OAAO,EAAE,MAAM,KAAK,CAAC,IAAD,CAAM,IAAl,CAAC,QAAD,EAAW,IAAX,C;SAFa,CAA9B,C;;IAU7B,IAAl,uBAAuB,gB;MACvB,IAAl,CAAe,GAAE,CAAR,C;QAAW,OAAO,E;MACIB,IAAl,CAAe,GAAE,CAAR,C;QAAW,OAAO,C;MAEIB,IAAl,CAAe,KAAI,CAAV,C;QACl,IAAl,CAAe,KAAI,CAAV,C;UAAa,OAAO,C;QAEpB,IAAl,KAAK,CAAe,GAAE,C;QACb,OAAO,EAAG,KAAI,CAAe,GAAE,CAAe,GAAE,CAAF,GAAO,EAAG,GAAE,CAAe,GAAE,EAAF,GAAO,C;OAG7C,OAAO,CAAe,KAAI,CAAE,GAAg,CAAe,KAAI,CAAe,GAAE,CAAF,GAAM,CAAjB,GAAsB,E;K;IAGzC,KAAK,IAAl,IAAl,CAAAb,EAAGb,CAAe,GAAE,MAAM,OAA1B,EAAMC,EAAE,CAArC,C;MACl,IAAl,aAAa,MAAM,CAAC,CAAD,C;MACvB,IAAl,OAAO,UAAU,UAAU,KAAM,KAAI,WAAzC,C;QACl,MAAM,eAAe,CAAC,UAAU,UAAx,EAAuB,MAAvB,EAA+B,QACzC,2B;UACH,OAAO,KAAK,UAAU,KAAK,KAAK,CAAC,IAAD,EAAO,eAAgB,IAAG,oBAA1B,C;SAFY,CAA/B,C;;GAO/B,G;EC/WF,MAAM,KAAM,GAAE,QACH,OADG,aAEC,WAFD,UAGF,QAHE,C;EAMd,MAAM,WAAy,GAAE,2C;IACHb,IAAl,qBAAqB,MAAM,yBAAyB,CAAC,KAAD,EAAQ,YAAR,C;IACxD,IAAl,kBAAmB,IAAG,IAAK,IAAG,kBAAkB,IAAK,IAAG,IAA5D,C;MACl,OAAO,kBAAkB,IAAl,KAAK,CAAC,UAAD,C;KAGtC,kBAAmB,GAAE,MAAM,yBAAyB,CAAC,UAAD,EAAa,YAAb,C;IACpD,IAAl,kBAAmB,IAAG,IAAK,IAAG,OAAQ,IAAG,kBAA7C,C;MACl,OAAO,UAAU,CAAC,YAAD,C;KAGrB,OAAO,MAAM,WAAW,CAAC,UAAD,EAAa,MAAM,eAAe,CAAC,KAAD,CAAIC,EAA2C,YAA3C,C;G;EAG5B,MAAM,WAAy,GAAE,kD;IACHb,IAAl,qBAAqB,MAAM,yBAAyB,CAAC,KAAD,EAAQ,YAAR,C;IACxD,IAAl,kBAAmB,IAAG,IAAK,IAAG,kBAAkB,IAAK,IAAG,IAA5D,C;MACl,kBAAkB,IAAl,KAAK,CAAC,UAAD,EAAa,KAAb,C;MAC3B,M;KAGJ,kBAAmB,GAAE,MAAM,yBAAyB,CAAC,UAAD,EAAa,YAAb,C;IACpD,IAAl,kBAAmB,IAAG,IAAK,IAAG,OAAQ,IAAG,kBAA7C,C;MACl,UAAU,CAAC,YAAD,CAAe,GAAE,K;MAC3B,M;KAGJ,MAAM,WAAW,CAAC,UAAD,EAAa,MAAM,eAAe,CAAC,KAAD,CAAIC,EAA2C,YAA3C,EAAYD,KAAzD,C;G;EAGrB,iD;IACl,IAAl,IAAK,KAAI,KAAb,C;MAAoB,OAAO,I;IAE3B,IAAl,WAAW,IAAl,W;IACnB,IAAl,QAAS,IAAG,IAAhB,C;MACl,IAAl,aAAa,QAAQ,W;MACzB,KAAK,IAAl,IAAl,CAAAb,EAAGb,CAAe,GAAE,UAAU,OAA9B,EAAuC,CAAC,EAAxC,C;QACl,IAAl,0BAA0B,CAAC,UAAU,CAAC,CAAD,CAAX,EAAGb,KAAhB,CAA9B,C;UACl,OAAO,I;;KAKnB,IAAl,iBAAiB,IAAl,UAAW,IAAG,IAAK,GAAE,MAAM,eAAe,CAAC,IAAl,UAAAL,CAAvB,GAA0C,I;IACtF,IAAl,mBAAmB,cAAe,IAAG,IAAK,GAAE,cAAc,YAAhB,GAA+B,I;IAC7E,OAAO,gBAAiB,IAAG,IAAK,IAAG,0BAA0B,CAAC,gBAAD,EAAMB,KAAmB,C;G;EASjE,MAAM,OAAQ,GAAE,yB;IACZ,IAAl,KAAM,KAAI,MAAd,C;MACl,QAAQ,OAAO,MAAf,C;aACS,Q;aACA,Q;aACA,S;aACA,U;UACD,OAAO,I;gBAEP,OAAO,MAAO,YAAW,M;;KAIrC,IAAl,MAAO,IAAG,IAAK,IAAG,KAAM,IAAG,IAAK,KAAI,OAAO,MAAO,KAAI,QAAS,IAAG,OAAO,MAAO,KAAI,UAApD,CAApC,C;MACl,OAAO,K;KAGX,IAAl,OAAO,KAAAM,KAAI,UAAW,IAAG,MAAO,YAAW,KAArD,C;MACl,OAAO,I;KAGX,IAAl,QAAQ,MAAM,eAAe,CAAC,KAAD,C;IACjC,IAAl,cAAc,KAAM,IAAG,IAAK,GAAE,KAAK,YAAP,GAAsB,I;IACtD,IAAl,WAAy,IAAG,IAAK,IAAG,YAAa,IAAG,WAA3C,C;MACl,IAAl,WAAW,WAAW,W;MAC1B,IAAl,QAAQ,KAAM,KAAI,MAAM,KAAK,OAAjC,C;QACl,OAAO,MAAO,KAAI,K;QAI1B,IAAl,gBAAgB,KAAK,W;IAGzB,IAAl,aAAc,IAAG,IAArB,C;MACl,OAAO,MAAO,YAAW,K;KAG7B,IAAl,aAAa,KAAM,KAAI,MAAM,KAAK,UAAW,IAAG,MAAM,YAAa,IAAG,IAA1E,C;MACl,OAAO,0BAA0B,CAAC,MAAM,YAAP,EAAGb,KAArB,C;KAGrC,OAAO,K;G;EAGX,MAAM,SAAU,GAAE,a;IACd,OAAO,OAAO,CAAe,IAAG,QAAS,IAAG,CAAe,YAAW,MAAM,K;

G;EAGtD,MAAM,OAAQ,GAAE,iB;IACZ,OAAO,KAAM,YAAW,MAAM,U;G;EAGlC,MAAM,aAAc,GAAE,iB; IACIB,IAAI,OAAO,OAAO,K;IAEIB,OAAO,IAAK,KAAl,QAAS,IACIB,IAAK,KAAl,SAAU,IACnB,MAAM,SA AS,CAAC,KAAD,CAAQ,IACvB,MAAM,OAAO,CAAC,KAAD,EAAQ,MAAM,OAAO,WAArB,C;G;EAGxB,M AAM,eAAgB,GAAE,iB;IACpB,OAAO,OAAO,KAAM,KAAl,QAAS,IAAG,MAAM,OAAO,CAAC,KAAD,EAA Q,MAAM,OAAO,aAArB,C;G;,,,,,;aCnDV,gB;,,,;ICrE3C,gB;MAkBI,4B;MAjBA,aAA6C,E;MAC7C,gBAAgD,C; K;wDAG5C,Y;MAAQ,iB;K;2DAGR,Y;MAAQ,oB;K;qCAEZ,iB;MAAyC,OAAQ,0BAAR,YAAQ,EAAU,KAAM, QAAhB,C;K;4BAEjD,iB;MAAmC,gBAAS,K;K;8BAE5C,Y;MAA+B,OAAnc,MAAmC,kBAA8B,IAA9B,C;K;8B AE/B,Y;MAA0B,gB;K;IAE1B,0B;MAAA,8B;K;,,,;IAAA,sC;MAAA,qC;QAAA,oB;OAAA,8B;K;,,,;IDfJ,mC;MAC4 C,oBAAa,MAAS,IAAT,CAAb,EAA6B,SAa7B,C;K;gEAE5C,yB;MAAA,mB;MAAA,6B;QAC2D,YAAa,QAAS,I AAT,C;QAIvD,Q;QAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,MAAM,CAAN,I ALgF,IAKrE,CAAK,CAAL,C;,,,;QALwC,OAOhD,K;O;KARX,C;gEAGA,uB;MAEiB,Q;MAAA,OAAA,KAAM,O AAN,GAAa,CAAb,I;MAAb,aAAU,CAAV,iB;QACI,MAAM,CAAN,IAAW,KAAC,CAAL,C;,,,;MAEf,OAAO,K;K; IAGX,kC;MAIiB,IAAN,I;MAFP,aAAsB,MAAe,IAAf,C;MAcTB,gBAAkB,c;MAEd,IADS,IACT,mBADs,IACT,E AAM,IAAN,E;QAAc,oBAAa,MAAb,EAAqB,KAArB,C;WACd,WAFS,IAET,S;QAAS,a;,,,;QAZA,U;QAAA,SAaqB ,MAbf,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,mB;UAakC,MAZ9B,CAAM,CAAN,IAyS,C,IAZ3B,CAAK,C AAL,C;,,,;QAYH,OAAsB,M;,,,;MAHIC,W;K;2EAOJ,yB;MAAA,iC;MAAA,6B;QACoF,YAAa,aAAa,IAAb,EAAMb, KAAAnB,C;QAIBhF,Q;QAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,MAAM,CAA N,IAiBoH,IAjBzG,CAAK,CAAL,C;,,,;QAIbIE,OafzE,K;O;KAcX,C;IAGA,+B;MAKiB,IAAN,I;MAFP,aAAa,IAAb, WAAa,CAAD,IAAC,C;MACb,gBAAkB,W;MAEd,IADS,IACT,mBADs,IACT,EAAM,IAAN,YADS,IACT,EAAY ,KAAZ,E;QAAqB,a;,,,;QA1BZ,U;QAAA,SA2BkB,MA3BZ,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,mB;UA2B +B,MA1B3B,CAAM,CAAN,IA0BmC,IA1BxB,CAAK,CAAL,C;,,,;QA0BH,OAAMb,M;,,,;MAF/B,W;K;qEAMJ,yB; MAAA,2B;MAAA,gC;MAAA,6B;QAGiB,Q;QADb,YAAy,UAAU,IAAV,EAAGB,IAAhB,C;QACC,OAAA,KAA M,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,YACY,eAAK,CAAL,E;UACpB,KAAC,CAAD,C AAG,GAAG,K;,,,;QAEP,OAAO,K;O;KARX,C;mFAWA,yB;MAAA,mB;MAAA,gC;MAAA,6B;QAGiB,Q;QADb, YAAy,QAAY,IAAZ,C;QACC,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,YACY,eAA K,CAAL,E;UACpB,KAAC,CAAD,CAAG,GAAG,K;,,,;QAEP,OAAO,K;O;KARX,C;IAWA,+B;MAIiB,IAA N,I;MAFP,aAAsB,MAAY,IAAZ,C;MACtB,gBAAkB,W;MAEd,IADS,IACT,mBADs,IACT,EAAM,IAAN,E;QAA c,oBAAa,MAAb,K;WACd,WAFS,IAET,S;QAAS,a;,,,;QA3DA,U;QAAA,SA4DkB,MA5DZ,OAAN,GAAa,CAAb,I; QAAb,aAAU,CAAV,mB;UA4D+B,MA3D3B,CAAM,CAAN,IA2DmC,IA3DxB,CAAK,CAAL,C;,,,;QA2DH,OA AmB,M;,,,;MAH/B,W;K;qEAOJ,yB;MAAA,2B;MAAA,6B;QAC2E,YAAa,UAAU,IAAV,EAAGB,KAAhB,C;QAJEvE ,Q;QAAA,OAAA,KAAM,OAAN,GAAa,CAAb,I;QAAb,aAAU,CAAV,iB;UACI,MAAM,CAAN,IAgEwG,IAhE7F ,CAAK,CAAL,C;,,,;QAGewD,OA9DhE,K;O;KA6DX,C;IAGA,wC;MACiB,Q;MAAA,OAAA,KAAM,OAAN,GAAa ,CAAb,I;MAAb,aAAU,CAAV,iB;QACI,MAAM,CAAN,IAAW,S;,,,;MAEf,OAAO,K;K;IEIFX,iC;MAAA,qC;MAEI, iBACJ,MAA4B,U;MAExB,iBACJ,MAA4B,U;MAExB,yBACJ,MAAoC,kB;MAEhC,yBACJ,MAAoC,kB;MAEhC, WACJ,MAAsB,I;K;,,,;IAftB,6C;MAAA,4C;QAAA,2B;OAAA,qC;K;IAkBA,gC;MAAA,oC;MAEI,iBACJ,MAA2B, U;MAEvB,iBACJ,MAA2B,U;MAEvB,yBACJ,MAAmC,kB;MAE/B,yBACJ,MAAmC,kB;MAE/B,WACJ,MAAqB ,I;K;,,,;IAfrB,4C;MAAA,2C;QAAA,0B;OAAA,oC;K;IAkBA,8B;MAAA,kC;MAEI,iBACqB,W;MAErB,iBACqB,U ;MAErB,kBACuB,C;MAEvB,iBACsB,E;K;,,,;IAZ1B,0C;MAAA,yC;QAAA,wB;OAAA,kC;K;IAeA,+B;MAAA,mC ;MAEI,iBACJ,MAAM,KAAoB,U;MAEtB,iBACJ,MAAM,KAAoB,U;MAEtB,kBACuB,C;MAEvB,iBACsB,E;K;,,,; IAZ1B,2C;MAAA,0C;QAAA,yB;OAAA,mC;K;IAeA,gC;MAAA,oC;MAEI,iBACuB,U;MAEvB,iBACuB,K;MAE vB,kBACuB,C;MAEvB,iBACsB,E;K;,,,;IAZ1B,4C;MAAA,2C;QAAA,0B;OAAA,oC;K;IAeA,+B;MAAA,mC;MAE I,iBACsB,Q;MAEtB,iBACsB,G;MAEtB,kBACuB,C;MAEvB,iBACsB,C;K;,,,;IAZ1B,2C;MAAA,0C;QAAA,yB;OA AA,mC;K;IAeA,+B;MAAA,mC;MAEI,iBACmC,C;MAEnC,iBACmC,K;MAEnC,0BAC4C,K;MAE5C,0BAC4C, K;MAE5C,yBAC2C,K;MAE3C,yBAC2C,K;MAE3C,qBACuC,uB;MAEvC,qBACuC,sB;MAEvC,kBACuB,C;MA EvB,iBACsB,E;K;,,,;IA9B1B,2C;MAAA,0C;QAAA,yB;OAAA,mC;K;IAiCA,iC;MAAA,qC;K;,,,;IAAA,6C;MAAA, 4C;QAAA,2B;OAAA,qC;K;IAEA,kC;MAAA,sC;K;,,,;IAAA,8C;MAAA,6C;QAAA,4B;OAAA,sC;K;,,,,,; ;,,,,,;,,,,,;aCgwfOB,gB;,,,;cC3ze0C,mB;,,,;gBAyEvC,yB;eAAyB,wB;,,,;uBAGBzB,gC;sBAAwB,+B;mCA4Jc,qB;mC A5ImC,qB;,,,;kBAQ1B,2B;iBAA0B,0B;,,,;eCvdgB,wB;sBCQA,sB;iBCPA,0B;,,,;aC1K8B,e;,,,,,;gCCzChD,yC;+B

CTA,uC;+BCAA,sC;;gCCyJ/B,+B;+BAIW,sC;gBCIF0D,yB;.....
.....;IChFrF,kD;MAM
uF,wC;K;IANvF,4CAOI,Y;MAAuC,8B;K;IAP3C,8E;ICCA,kD;MAQuF,wC;K;IARvF,4CASI,Y;MAAuC,8B;K;IA
T3C,8E;0FZSA,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MA
QI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,
C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,
OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;0FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;
K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,O
AAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;
4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OA
AO,UAAI,CAAJ,C;K;0FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4
FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAA
O,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4F
AGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;0FAGX,qB;MAQI,OAAO,
UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAG
X,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UA
AI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,
qB;MAQI,OAAO,UAAI,CAAJ,C;K;0FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAA
I,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB
;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,C
AAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;4FAGX,qB;MAQI,OAAO,UAAI,CAAJ,C;K;IAGX,sC;MA
II,OAAO,mBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,
OAAO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OA
AO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAG/B,wC;MAII,OAAO,qB
AAQ,OAAR,KAAoB,C;K;oGAkE/B,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3
B,GAAc,UAAI,KAAJ,CAAtC,GAAcD,aAAa,KAAb,C;O;KAPjE,C;sGAUA,yB;MAAA,8D;MAAA,iD;QAOI,O
AAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAc,UAAI,KAAJ,CAAtC,GAAcD,aAAa,KAAb,C;O;KAPjE,C;sG
AUA,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAc,UAAI,KAAJ,CAAtC
,GAAcD,aAAa,KAAb,C;O;KAPjE,C;sGAUA,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS
,wBAA3B,GAAc,UAAI,KAAJ,CAAtC,GAAcD,aAAa,KAAb,C;O;KAPjE,C;sGAUA,yB;MAAA,8D;MAAA,iD;
QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAc,UAAI,KAAJ,CAAtC,GAAcD,aAAa,KAAb,C;O;KAP
jE,C;sGAUA,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAc,UAAI,KAAJ
,CAAtC,GAAcD,aAAa,KAAb,C;O;KAPjE,C;sGAUA,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAA
c,SAAS,wBAA3B,GAAc,UAAI,KAAJ,CAAtC,GAAcD,aAAa,KAAb,C;O;KAPjE,C;sGAUA,yB;MAAA,8D;MA
AA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAc,UAAI,KAAJ,CAAtC,GAAcD,aAAa,KAAb,C;
O;KAPjE,C;sGAUA,yB;MAAA,8D;MAAA,gC;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,G
AAc,UAAI,KAAJ,CAAtC,GAAcD,uBAAa,KAAb,E;O;KAPjE,C;oGAUA,yB;MAAA,sD;MAAA,mC;QAOI,OA
AY,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;qGAUA,yB;MAAA,qD;MAAA,mC;QAOI,OAAy,UAAL,SAAK,
EAAU,KAAV,C;O;KAPhB,C;sGAUA,yB;MAAA,sD;MAAA,mC;QAOI,OAAy,UAAL,SAAK,EAAU,KAAV,C;
O;KAPhB,C;sGAUA,yB;MAAA,sD;MAAA,mC;QAOI,OAAy,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;sGA
UA,yB;MAAA,sD;MAAA,mC;QAOI,OAAy,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;sGAUA,yB;MAAA,sD
;MAAA,mC;QAOI,OAAy,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;sGAUA,yB;MAAA,sD;MAAA,mC;QAO
I,OAAy,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;sGAUA,yB;MAAA,sD;MAAA,mC;QAOI,OAAy,UAAL,S
AAK,EAAU,KAAV,C;O;KAPhB,C;sGAUA,yB;MAAA,sD;MAAA,mC;QAOI,OAAy,UAAL,SAAK,EAAU,KAA
V,C;O;KAPhB,C;8EUA,gC;MAKW,sB;;QAYXS,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAzXH,SAyXO,CAA
U,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;MA1XP,yB;K;gFAGJ,gC;MAKW,sB;;QA
yXS,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAzXH,SAyXO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP

C;MAII,OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAcC,UAAI,KAAJ,CAAtC,GAAcD,I;K;IAGjE,uC;MAII,
OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B,GAAcC,UAAI,KAAJ,CAAtC,GAAcD,I;K;IAGjE,uC;MAII,OAAW,S
AAS,CAAT,IAAc,SAAS,0BAA3B,GAAcC,UAAI,KAAJ,CAAtC,GAAcD,I;K;IAGjE,uC;MAII,OAAW,SAAS,CA
AT,IAAc,SAAS,0BAA3B,GAAcC,UAAI,KAAJ,CAAtC,GAAcD,I;K;IAGjE,uC;MAII,OAAW,SAAS,CAAT,IAAc
,SAAS,0BAA3B,GAAcC,UAAI,KAAJ,CAAtC,GAAcD,I;K;IAGjE,uC;MAII,OAAW,SAAS,CAAT,IAAc,SAAS,0
BAA3B,GAAcC,UAAI,KAAJ,CAAtC,GAAcD,I;K;IAGjE,uC;MAII,OAAW,SAAS,CAAT,IAAc,SAAS,0BAA3B,
GAAcC,UAAI,KAAJ,CAAtC,GAAcD,I;K;IAGjE,qC;MAII,IAAI,eAAJ,C;QACI,wD;UACI,IAAI,UAAK,KAAL,SAAJ,C;Y
ACI,OAAO,K;;QAI f,8D;UACI,IAAI,gBAAW,UAAK,OAAL,CAAX,CAAJ,C;YACI,OAAO,O;;MAInB,OAAO,
E;K;IAGX,uC;MAII,wD;QACI,IAAI,YAAW,UAAK,KAAL,CAAF,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,
uC;MAII,wD;QACI,IAAI,YAAW,UAAK,KAAL,CAAF,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,uC;MAII,w
D;QACI,IAAI,YAAW,UAAK,KAAL,CAAF,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,uC;MAII,wD;QACI,IA
AI,gBAAW,UAAK,KAAL,CAAX,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,uC;MAII,wD;QACI,IAAI,
YAAW,UAAK,KAAL,CAAF,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,uC;MAII,wD;QACI,IAAI,YAAW,UA
AK,KAAL,CAAF,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,uC;MAII,wD;QACI,IAAI,YAAW,UAAK,KAAL,
CAAF,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,uC;MAII,wD;QACI,IAAI,YAAW,UAAK,KAAL,CAAF,C;UA
CI,OAAO,K;;MAGf,OAAO,E;K;8FAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;UACI,
OAAO,K;;MAGf,OAAO,E;K;gGAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;UACI,O
AAO,K;;MAGf,OAAO,E;K;gGAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;UACI,OA
AO,K;;MAGf,OAAO,E;K;gGAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;UACI,OAA
O,K;;MAGf,OAAO,E;K;gGAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;UACI,OAAO,
K;;MAGf,OAAO,E;K;gGAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;UACI,OAAO,K;;M
AGf,OAAO,E;K;gGAGX,gC;MAII,wD;QACI,IAAI,UAAU,UAAK,KAAL,CAAV,CAAJ,C;UACI,OAAO,K;;MA
Gf,OAAO,E;K;gGAGX,yB;MAAA,oC;MAAA,uC;QAI I,wD;UACI,IAAI,UAAU,sBAAK,KAAL,EAAV,CAAJ,C;
YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;4FAYA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAIkB,Q;QAAA,O
AAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAAV,CAA
J,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAIkB,Q;Q
AAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,IAAI,UAAU,UAAK,KAAL,CAA
V,CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAIkB,Q
;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,IAAI,UAAU,UAAK,KAAL,C
AAV,CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,0D;MAAA,+C;MAAA,uC;QAIk
B,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,IAAI,UAAU,UAAK,KAA
L,CAAV,CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,0D;MAAA,+C;MAAA,uC;Q
AIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,IAAI,UAAU,UAAK,K
AAL,CAAV,CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,0D;MAAA,+C;MAAA,u
C;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,IAAI,UAAU,UAA
K,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,0D;MAAA,+C;MAA
A,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,IAAI,UAAU,U
AAK,KAAL,CAAV,CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;8FAYA,yB;MAAA,0D;MAAA,+C;M
AAA,oC;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,
IAAI,UAAU,sBAAK,KAAL,EAAV,CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;IAYA,yB;MAKI,IAI+
JO,qBAAQ,CAj+Jf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,wBAAL,C;K;IAGX,2B;MAKI,I
A+9JO,qBAAQ,CA/9Jf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;MA
KI,IA69JO,qBAAQ,CA79Jf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX,2B;
MAKI,IA29JO,qBAAQ,CA39Jf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;IAGX

,2B;MAKI,IAy9JO,qBAAQ,CAz9Jf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C;K;I
AGX,2B;MAKI,IAu9JO,qBAAQ,CAv9Jf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAAL,C
;K;IAGX,2B;MAKI,IAq9JO,qBAAQ,CAr9Jf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0BAA
L,C;K;IAGX,2B;MAKI,IAM9JO,qBAAQ,CAn9Jf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAAK,0
BAAL,C;K;IAGX,2B;MAKI,IAi9JO,qBAAQ,CAj9Jf,C;QACI,MAAM,2BAAuB,iBAAvB,C;MACV,OAAO,UAA
K,0BAAL,C;K;gFAGX,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,YAAL,
SAAK,CAAQ,CAAb,W;QAAd,OAAC,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OA
AV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;O;KATV,C;gFAYA,yB;MAAA,0D;MA
AA,+C;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAC,cAA
d,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,M
AAM,gCAAuB,mDAAvB,C;O;KATV,C;IFAYA,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAKkB,Q;QA
AA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAC,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C
;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;O;KATV,C;IFA
YA,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAA
b,W;QAAd,OAAC,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAw
B,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;O;KATV,C;IFAYA,yB;MAAA,0D;MAAA,+C;MAAA,iE;M
AAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAC,cAAd,C;UAAc,uB;UAC
V,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mD
AAvB,C;O;KATV,C;IFAYA,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,Y
AAL,SAAK,CAAQ,CAAb,W;QAAd,OAAC,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAA
U,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;O;KATV,C;IFAYA,yB;MAAA,0D;
MAAA,+C;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAC,
cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEn
C,MAAM,gCAAuB,mDAAvB,C;O;KATV,C;IFAYA,yB;MAAA,0D;MAAA,+C;MAAA,iE;MAAA,uC;QAKkB,Q
;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAd,OAAC,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KA
AL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;O;KATV,
C;IFAYA,yB;MAAA,0D;MAAA,+C;MAAA,oC;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,YAAL,S
AAK,CAAQ,CAAb,W;QAAd,OAAC,cAAd,C;UAAc,uB;UACV,cAAc,UAAK,KAAL,C;UACd,IAAI,UAAU,oBA
AV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;O;KATV,C;IAYA,yC;MAKsB,UAMA,
M;MAPIB,IAAI,eAAJ,C;QACKB,OAAQ,WAAR,sBAAQ,CAAR,W;QAAd,OAAC,cAAd,C;UAAc,uB;UACV,IAA
I,UAAK,KAAL,SAAJ,C;YACI,OAAO,K;;QAID,SAAQ,WAAR,sBAAQ,CAAR,W;QAAd,OAAC,gBAAd,C;UAA
c,2B;UACV,IAAI,gBAAW,UAAK,OAAL,CAAX,CAAJ,C;YACI,OAAO,O;;MAInB,OAAO,E;K;IAGX,2C;MAIk
B,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAC,cAAd,C;QAAC,uB;QACV,IAAI,YAAW,UAAK,K
AAL,CAAF,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,2C;MAIkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,
W;MAAd,OAAC,cAAd,C;QAAC,uB;QACV,IAAI,YAAW,UAAK,KAAL,CAAF,C;UACI,OAAO,K;;MAGf,OAAO
E;K;IAGX,2C;MAIkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAC,cAAd,C;QAAC,uB;QACV,IA
AI,YAAW,UAAK,KAAL,CAAF,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,2C;MAIkB,Q;MAAA,OAAQ,WA
AR,wBAAQ,CAAR,W;MAAd,OAAC,cAAd,C;QAAC,uB;QACV,IAAI,gBAAW,UAAK,KAAL,CAAX,CAAJ,C;U
ACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,2C;MAIkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAC,
cAAd,C;QAAC,uB;QACV,IAAI,YAAW,UAAK,KAAL,CAAF,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,2C;M
AIkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAC,cAAd,C;QAAC,uB;QACV,IAAI,YAAW,UAAK
,KAAL,CAAF,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,2C;MAIkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAA
R,W;MAAd,OAAC,cAAd,C;QAAC,uB;QACV,IAAI,YAAW,UAAK,KAAL,CAAF,C;UACI,OAAO,K;;MAGf,OAA
O,E;K;IAGX,2C;MAIkB,Q;MAAA,OAAQ,WAAR,wBAAQ,CAAR,W;MAAd,OAAC,cAAd,C;QAAC,uB;QACV,I
AAI,YAAW,UAAK,KAAL,CAAF,C;UACI,OAAO,K;;MAGf,OAAO,E;K;IAGX,+B;MAII,OAyqJO,qBAAQ,CAx
qJR,GAAe,IAAf,GAAyB,UAAK,mBAAO,CAAP,IAAL,C;K;IAGpC,iC;MAII,OAyqJO,qBAAQ,CAzqJR,GAAe,I
AAf,GAAyB,UAAK,mBAAO,CAAP,IAAL,C;K;IAGpC,iC;MAII,OA0qJO,qBAAQ,CA1qJR,GAAe,IAAf,GAAyB
,UAAK,mBAAO,CAAP,IAAL,C;K;IAGpC,iC;MAII,OA2qJO,qBAAQ,CA3qJR,GAAe,IAAf,GAAyB,UAAK,mB

U,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;
QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,2D;O;KafX,C;qFakBA,yB
;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAsB,I;QACtB,YAAy,K;QACZ,wBAA
gB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAA
M,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAA
uB,mDAAvB,C;QAEIB,OAAO,2D;O;KafX,C;qFakBA,yB;MAAA,kF;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB
,UAST,M;QAXP,aAAuB,I;QACvB,YAAy,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI
,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QA
AQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,4D;O;KafX,C;qFak
BA,yB;MAAA,oC;MAAA,kF;MAAA,gC;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAoB,I;Q
ACpB,YAAy,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,IAAI,UAAU,oBAAV,C
AAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,gDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IA
AI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,mDAAvB,C;QAEIB,OAAO,4E;O;KafX,C;IAkBA,iC;MAII,OAAW
,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK
,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IA
GvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAA
Q,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAA
L,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,
mC;MAII,OAAW,qBAAQ,CAAZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;IAGvC,mC;MAII,OAAW,qBAAQ,CA
AZ,GAAe,UAAK,CAAL,CAAf,GAA4B,I;K;gGAGvC,gC;MAMoB,Q;MAFhB,aAAiB,I;MACjB,YAAy,K;MACZ
,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAA
W,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAy,OAAO,I;MACnB,OAAO,M
;K;gGAGX,gC;MAMoB,Q;MAFhB,aAAoB,I;MACpB,YAAy,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SA
AhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAA
Q,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAy,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MAMoB,Q;MAFhB,aAAq
B,I;MACrB,YAAy,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,
C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAA
Y,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MAMoB,Q;MAFhB,aAAmB,I;MACnB,YAAy,K;MACZ,wBAAgB,
SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I
;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAy,OAAO,I;MACnB,OAAO,M;K;iGAGX
,gC;MAMoB,Q;MAFhB,aAAoB,I;MACpB,YAAy,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QA
CI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGh
B,IAAI,CAAC,KAAL,C;QAAy,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MAMoB,Q;MAFhB,aAAqB,I;MACrB
,YAAy,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IA
AI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAy,OAAO,I;
MACnB,OAAO,M;K;iGAGX,gC;MAMoB,Q;MAFhB,aAAsB,I;MACtB,YAAy,K;MACZ,wBAAgB,SAAhB,gB;Q
AAgB,cAAA,SAAhB,M;QACI,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SA
AS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAy,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MAMoB,
Q;MAFhB,aAAuB,I;MACvB,YAAy,K;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,UA
AU,OAAV,CAAJ,C;UACI,IAAI,KAAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAA
C,KAAL,C;QAAy,OAAO,I;MACnB,OAAO,M;K;iGAGX,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAF
hB,aAAoB,I;QACpB,YAAy,K;QACZ,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,IAAI,UA
AU,oBAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,OAAO,I;YACIB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAA
C,KAAL,C;UAAy,OAAO,I;QACnB,OAAO,M;O;KAdX,C;IAiBA,4B;Ma3+FI,IAAI,Ebm/FI,KAAK,Can/FT,CAA
J,C;QACI,cbk/Fc,sD;Qaj/Fd,MAAM,gCAAyB,OAAQ,WAAjC,C;Obk/FV,OAAO,oBAAoB,gBAAV,mBAAO,CA
AP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,8B;Mav/FI,IAAI,Eb+/FI,KAAK,Ca/FT,CAAJ,C;QACI,cb8/Fc,sD;Qa
7/Fd,MAAM,gCAAyB,OAAQ,WAAjC,C;Ob8/FV,OAAO,sBAAoB,gBAAV,mBAAO,CAAP,IAAU,EAAC,CAAd,
CAApB,C;K;IAGX,8B;MangI,IAAI,Eb2gI,KAAK,Ca3GT,CAAJ,C;QACI,cb0gGc,sD;QazgGd,MAAM,gCAA

WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QAEEnB,OAAO,I;O;K AfX,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,g B;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CA AL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QAEEnB,OAAO,I;O;KAFx,C;0FAkBA,yB;MAAA,+D;MAA A,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI ,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;Y ACL,WAAW,I;;QAEEnB,OAAO,I;O;KAFx,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf ,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C; eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QAEEnB,OAAO,I;O;K AfX,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,g B;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CA AL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QAEEnB,OAAO,I;O;KAFx,C;0FAkBA,yB;MAAA,+D;MAA A,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI ,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;Y ACL,WAAW,I;;QAEEnB,OAAO,I;O;KAFx,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf ,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C; eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QAEEnB,OAAO,I;O;K AfX,C;0FAkBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,g B;UAAa,WAAA,SAAb,M;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CA AL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QAEEnB,OAAO,I;O;KAFx,C;0FAkBA,yB;MAAA,+D;MAA A,oC;MAAA,gC;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAA b,UAAa,SAAb,O;UACI,IAAI,QAAJ,C;YACI,IAAK,WAAI,iBAAJ,C;eACJ,IAAI,CAAC,UAAU,iBAAV,CAAL,C ;YACD,IAAK,WAAI,iBAAJ,C;YACL,WAAW,I;;QAEEnB,OAAO,I;O;KAFx,C;kFAkBA,yB;MAAA,+D;MAAA,u C;QAIW,kBAAS,gB;QAiaA,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAjaU,SAiaN,CAAU,OAAV,CAAJ,C;YAA wB,WAAy,WAAI,OAAJ,C;;Qaja1D,OakaO,W;O;KataX,C;oFAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAS,g B;QAkaA,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAlaa,SakaT,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI ,OAAJ,C;;QAla1D,OamaO,W;O;KavaX,C;oFAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAS,gB;QAmaA,Q;QA AhB,iD;UAAgB,cAAhB,e;UAAsB,IANac,SamaV,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QAn a1D,OaoaO,W;O;KaxaX,C;oFAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAS,gB;QAoaA,Q;QAaHb,iD;UAAgB ,cAAhB,e;UAAsB,IApaY,SAoaR,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;Qapa1D,OaqaO,W; O;KazaX,C;oFAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAS,gB;QAqaA,Q;QAaHb,iD;UAAgB,cAAhB,e;UAA sB,IAraa,SAqaT,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;Qara1D,OasaO,W;O;KA1aX,C;oFA OA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAS,gB;QasaA,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAtac,SAsaV, CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;Qata1D,OaAaO,W;O;KA3aX,C;oFAOA,yB;MAAA,+ D;MAAA,uC;QAIW,kBAAS,gB;QAuaA,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAvae,SAuaX,CAAU,OAAV,C AAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;Qava1D,OawaO,W;O;KA5aX,C;oFAOA,yB;MAAA,+D;MAAA,uC;Q AIW,kBAAS,gB;QawaA,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAxagB,SAwaz,CAAU,OAAV,CAAJ,C;YAA wB,WAAy,WAAI,OAAJ,C;;Qaxa1D,OayaO,W;O;KA7aX,C;oFAOA,yB;MAAA,+D;MAYA,aO;MAAA,gC;M AzaA,uC;QAIW,kBAAS,gB;QayaA,Q;QAaHb,iD;UAAgB,cAAhB,0B;UAAsB,IAzaa,SAyaT,CAAU,oBAAV,CA AJ,C;YAAwB,WAAy,WAAI,oBAAJ,C;;Qaza1D,OA0aO,W;O;KA9aX,C;gGAOA,yB;MAAA,+D;MAAA,uC;QA MW,kBAAGB,gB;QA8oPV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA5jPI,IAIFmC,SAkF/B,EA4jPkB,cA 5jPIB,EA4jPkB,sBA5jPIB,WA4jP2B,IA5jP3B,CAAJ,C;YAA2C,sBA4jPZ,IA5jPY,C;;QAIF/C,OAoFO,W;O;KAIF X,C;kGASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAGB,gB;QA+oPV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WA Ab,e;UA1jPI,IArFsC,SAqFIC,EA0jPkB,cA1jPIB,EA0jPkB,sBA1jPIB,WA0jP2B,IA1jP3B,CAAJ,C;YAA2C,sBA0j PZ,IA1jPY,C;;QArF/C,OAuFO,W;O;KA7FX,C;kGASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAGB,gB;QAgpP V,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UAxjPI,IAxFuC,SAwFnC,EAwjPkB,cAxjPIB,EAwjPkB,sBAxjP IB,WAwjP2B,IAxjP3B,CAAJ,C;YAA2C,sBAwjPZ,IAxjPY,C;;QAxF/C,OA0FO,W;O;KAhGX,C;kGASA,yB;MA

AA,+D;MAAA,uC;QAMW,kBAAGB,gB;QAipPV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UAtjPI,IA3FqC,SA2FjC,EAsjPkB,cAtjPIB,EAsjPkB,sBAtpjPIB,WAsjP2B,IAtpjP3B,CAAJ,C;YAA2C,sBASjPZ,IAtpjPY,C;;QA3F/C,OA6FO,W;O;KAnGX,C;kGASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAGB,gB;QAkpPV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UApjPI,IA9FsC,SA8FIC,EAojPkB,cApjPIB,EAojPkB,sBApjPIB,WAojP2B,IApjP3B,CAAJ,C;YAA2C,sBAojPZ,IApjPY,C;;QA9F/C,OAgGO,W;O;KATGX,C;kGASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAGB,gB;QAmpPV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UAljPI,IAjGuC,SAiGnC,EakjPkB,cAljPIB,EakjPkB,sBALjPIB,WakjP2B,IALjP3B,CAAJ,C;YAA2C,sBAkjPZ,IALjPY,C;;QAjG/C,OAmGO,W;O;KazGX,C;kGASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAGB,gB;QAopPV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UAhjPI,IApGwC,SAoGpC,EAgiPkB,cAhjPIB,EAgiPkB,sBAhjPIB,WAgjP2B,IAhjP3B,CAAJ,C;YAA2C,sBAgjPZ,IAhjPY,C;;QApG/C,OAsGO,W;O;KA5GX,C;kGASA,yB;MAAA,+D;MAAA,uC;QAMW,kBAAGB,gB;QAqpPV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,e;UA9iPI,IAvGyC,SAuGrC,EA8iPkB,cA9iPIB,EA8iPkB,sBA9iPIB,WA8iP2B,IA9iP3B,CAAJ,C;YAA2C,sBA8iPZ,IA9iPY,C;;QAvG/C,OAYGO,W;O;KA/GX,C;kGASA,yB;MAAA,+D;MAyGA,gC;MA4iPA,oC;MArpPA,uC;QAMW,kBAAGB,gB;QAspPV,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,0B;UAAmB,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAGB,iB;UA5iP/B,IA1GsC,SA0GIC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YAA2C,sBAAI,OAAJ,C;;QA1G/C,OA4GO,W;O;KAIHX,C;oGASA,6C;MAmkPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA5jPI,IAAI,WA4jPkB,cA5jPIB,EA4jPkB,sBA5jPIB,WA4jP2B,IA5jP3B,CAAJ,C;UAA2C,sBA4jPZ,IA5jPY,C;;MAE/C,OAAO,W;K;qGAGX,6C;MAikPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA1jPI,IAAI,WA0jPkB,cA1jPIB,EA0jPkB,sBA1jPIB,WA0jP2B,IA1jP3B,CAAJ,C;UAA2C,sBA0jPZ,IA1jPY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA+jPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAxjPI,IAAI,WAwjPkB,cAxjPIB,EAwjPkB,sBAxjPIB,WAwjP2B,IAxjP3B,CAAJ,C;UAA2C,sBAwjPZ,IAxjPY,C;;MAE/C,OAAO,W;K;qGAGX,6C;MA6jPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAtjPI,IAAI,WAsjPkB,cAtjPIB,EAsjPkB,sBAtpjPIB,WAsjP2B,IAtpjP3B,CAAJ,C;UAA2C,sBASjPZ,IAtpjPY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MA2jPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QApjPI,IAAI,WAojPkB,cApjPIB,EAojPkB,sBApjPIB,WAojP2B,IApjP3B,CAAJ,C;UAA2C,sBAojPZ,IApjPY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAyjPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAljPI,IAAI,WakjPkB,cAljPIB,EakjPkB,sBALjPIB,WakjP2B,IALjP3B,CAAJ,C;UAA2C,sBAkjPZ,IALjPY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAujPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QAhjPI,IAAI,WAgjPkB,cAhjPIB,EAgiPkB,sBAhjPIB,WAgjP2B,IAhjP3B,CAAJ,C;UAA2C,sBAgjPZ,IAhjPY,C;;MAE/C,OAAO,W;K;sGAGX,6C;MAqjPiB,gB;MADb,YAAY,C;MACZ,iD;QAAa,WAAb,e;QA9iPI,IAAI,WA8iPkB,cA9iPIB,EA8iPkB,sBA9iPIB,WA8iP2B,IA9iP3B,CAAJ,C;UAA2C,sBA8iPZ,IA9iPY,C;;MAE/C,OAAO,W;K;sGAGX,yB;MAAA,gC;MA4iPA,oC;MA5iPA,oD;QAmjPiB,gB;QADb,YAAY,C;QACZ,iD;UAAa,WAAb,0B;UAAmB,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAGB,iB;UA5iP/B,IAAI,UAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YAA2C,sBAAI,OAAJ,C;;QAE/C,OAAO,W;O;KATX,C;sGAYA,yB;MAAA,+D;MAAA,sC;QAIW,kBAAmB,gB;QAOV,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,YAAJ,C;YAAkB,WAAy,WAAI,OAAJ,C;;QAPpD,OAQO,W;O;KAZX,C;0GAOA,4C;MAIoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,IAAI,YAAJ,C;UAAkB,WAAy,WAAI,OAAJ,C;;MACpD,OAAO,W;K;wFAGX,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA8EH,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA9ES,SA8ER,CAAU,OAAV,CAAL,C;YAAyB,WAAy,WAAI,OAAJ,C;;QA9E3D,OA+EO,W;O;KAnFX,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA+EH,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CA/EY,SA+EX,CAAU,OAAV,CAAL,C;YAAyB,WAAy,WAAI,OAAJ,C;;QA/E3D,OAGFO,W;O;KApFX,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QA8EH,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAhFa,SAgFZ,CAAU,OAAV,CAAL,C;YAAyB,WAAy,WAAI,OAAJ,C;;QA9E3D,OAIfo,W;O;KArFX,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAIfo,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAjFW,SAiFV,CAAU,OAAV,CAAL,C;YAAyB,WAAy,WAAI,OAAJ,C;;QAjF3D,OAKFO,W;O;KATFX,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAKFH,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAIFy,SAkFX,CAAU,OAAV,CAAL,C;YAAyB,WAAy,WAAI,OAAJ,C;;QAI3D,OAmFO,W;O;KAvFX,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAmFH,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAnFa,SAmFZ,CAAU,OAAV,CAAL,C;YAAyB,WAAy,WAAI,OAAJ,C;;QAnF3D,OAoFO,W;O;KAXFX,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAoFH,Q;QAaHb,iD;UAAgB,cAAhB,e;UAAsB,IAAI,CAPFc,SAoFb,CAAU,OAAV,CAAL,C;YAAyB,WAAy,WAAI,OAAJ,C;;QAp

F3D,OAcFO,W;O;KAzFX,C;0FAOA,yB;MAAA,+D;MAAA,uC;QAiW,kBAAY,gB;QAqFH,Q;QAaHb,iD;UAAg B,cAAhB,e;UAAsB,IAAI,CaRFe,SAqFd,CAAU,OAAV,CAAL,C;YAAyB,WAAy,WAAI,OAAJ,C;;QArF3D,OAs FO,W;O;KA1FX,C;0FAOA,yB;MAAA,+D;MAAsFA,oC;MAAA,gC;MAtFA,uC;QAiW,kBAAY,gB;QAsFH,Q;QA AhB,iD;UAAgB,cAAhB,OB;UAAsB,IAAI,CAtFY,SAsFX,CAAU,oBAAV,CAAL,C;YAAyB,WAAy,WAAI,oBA AJ,C;;QAtF3D,OAUFO,W;O;KA3FX,C;IAOA,kC;MAII,OAAO,2BAAgB,gBAAhB,C;K;IAGX,iD;MAIoB,Q;MA AhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,eAAJ,C;UAAqB,WAAy,WAAI,OAAJ,C;;M ACvD,OAAO,W;K;4FAGX,6C;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAA I,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,6C;MAIoB,Q; MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB, WAAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,6C;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cA AA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAC3D,OAAO, W;K;8FAGX,6C;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAA U,OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,6C;MAIoB,Q;MAAhB,wBA AgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAy,WAAI, OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,6C;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M; QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,6C ;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL, C;UAAyB,WAAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;8FAGX,6C;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB; QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAC 3D,OAAO,W;K;8FAGX,yB;MAAA,oC;MAAA,gC;MAAA,oD;QAIoB,Q;QAaHb,wBAAgB,SAAhB,gB;UAAgB, cAAhB,UAAgB,SAAhB,O;UAAsB,IAAI,CAAC,UAAU,oBAAV,CAAL,C;YAAyB,WAAy,WAAI,oBAAJ,C;;QA C3D,OAAO,W;O;KALX,C;sFAQA,6C;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAA sB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAy,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,6C;MAIoB,Q; MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAy ,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,6C;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SA AhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAy,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,6 C;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UA AwB,WAAy,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,6C;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAA gB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAy,WAAI,OAAJ,C;;MAC1D,OAAO,W ;K;wFAGX,6C;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV, CAAJ,C;UAAwB,WAAy,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,6C;MAIoB,Q;MAAhB,wBAAgB,SAAh B,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAy,WAAI,OAAJ,C;;MAC1 D,OAAO,W;K;wFAGX,6C;MAIoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,U AAU,OAAV,CAAJ,C;UAAwB,WAAy,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;wFAGX,yB;MAAA,oC;MAAA,g C;MAAA,oD;QAIoB,Q;QAaHb,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAsB,IAAI,UAAU, oBAAV,CAAJ,C;YAAwB,WAAy,WAAI,oBAAJ,C;;QAC1D,OAAO,W;O;KALX,C;IAQA,mC;MAII,IAAI,OAA Q,UAAZ,C;QAAuB,OMj6He,W;ONk6HtC,OAA4D,OAArD,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAA vB,IAA3B,CAAqD,C;K;IAGHe,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMz6He,W;ON06HtC,Oc74 HsC,Od64H/B,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAA vB,IAA3B,Cc74H+B,C;K;Idg5H1C, qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMj7He,W;ONk7HtC,Oc74HuC,Od64HhC,yBAAY,OAAQ,MAApB,E AA2B,OAAQ,aAAR,GAAuB,CAA vB,IAA3B,Cc74HgC,C;K;Idg5H3C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB, OMz7He,W;ON07HtC,Oc74HqC,Od64H9B,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAA vB,IA A3B,Cc74H8B,C;K;Idg5HzC,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMj8He,W;ONk8HtC,Oc74HsC,Od64H/B ,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAA vB,IAA3B,Cc74H+B,C;K;Idg5H1C,qC;MAII,IAAI ,OAAQ,UAAZ,C;QAAuB,OMz8He,W;ON08HtC,Oc74HuC,Od64HhC,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,a AAR,GAAuB,CAA vB,IAA3B,Cc74HgC,C;K;Idg5H3C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMj9He,W;ON k9HtC,Oc74HwC,Od64HjC,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAA vB,IAA3B,Cc74HiC,C; K;Idg5H5C,qC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OMz9He,W;ON09HtC,Oc74HyC,Od64HiC,0BAAY,OAAQ,

MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,Cc74HkC,C;K;Idg5H7C,qC;MAIL,IAAI,OAAQ,UAAZ,
C;QAAuB,OMj+He,W;ONk+HtC,OAA4D,SAArD,0BAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAA
vB,IAA3B,CAAqD,C;K;IAGhE,qC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IA
AI,SAAQ,CAAZ,C;QA Ae,OAAO,W;MACTb,WAAW,iBAAa,IAAb,C;MACG,yB;MAAd,OAAc,cAAAd,C;QA Ac,u
B;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,qC;MAOkB,Q;MAHd,WAAmB,wBAAR
,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QA Ae,OAAO,W;MACTb,WAAW,iBAAgB,IAAhB,C;
MACG,yB;MAAd,OAAc,cAAAd,C;QA Ac,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAG
X,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QA Ae,OA
AO,W;MACTb,WAAW,iBAAiB,IAAjB,C;MACG,yB;MAAd,OAAc,cAAAd,C;QA Ac,uB;QACV,IAAK,WAAI,UA
AI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C
;MACnB,IAAI,SAAQ,CAAZ,C;QA Ae,OAAO,W;MACTb,WAAW,iBAAe,IAAf,C;MACG,yB;MAAd,OAAc,cAA
d,C;QA Ac,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAA
mB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QA Ae,OAAO,W;MACTb,WAAW,iBAA
gB,IAAhB,C;MACG,yB;MAAd,OAAc,cAAAd,C;QA Ac,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,O
AAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ
,C;QA Ae,OAAO,W;MACTb,WAAW,iBAAiB,IAAjB,C;MACG,yB;MAAd,OAAc,cAAAd,C;QA Ac,uB;QACV,IAA
K,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAA
wB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QA Ae,OAAO,W;MACTb,WAAW,iBAAkB,IAAiB,C;MACG,yB;M
AAd,OAAc,cAAAd,C;QA Ac,uB;QACV,IAAK,WAAI,UAAI,KAAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB
,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QA Ae,OAAO,W;MACT
B,WAAW,iBAAmB,IAAnB,C;MACG,yB;MAAd,OAAc,cAAAd,C;QA Ac,uB;QACV,IAAK,WAAI,UAAI,KAAJ,C
AAJ,C;;MAET,OAAO,I;K;IAGX,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,I
AAI,SAAQ,CAAZ,C;QA Ae,OAAO,W;MACTb,WAAW,iBAAgB,IAAhB,C;MACG,yB;MAAd,OAAc,cAAAd,C;Q
AAc,uB;QACV,IAAK,WAAI,sBAAI,KAAJ,EAAJ,C;;MAET,OAAO,I;K;IAGX,wC;MAMwB,UACT,M;MAHX,a
AAa,aAAa,SAAb,EAAmB,OAAQ,KAA3B,C;MACb,kBAAkB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAAoB,
6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;K;IAGX,0C;MAMwB,
UACT,M;MAHX,aAAa,cAAU,OAAQ,KAAIB,C;MACb,kBAAkB,C;MACE,yB;MAApB,OAAoB,cAApB,C;QAA
oB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;K;IAGX,0C;MAM
wB,UACT,M;MAHX,aAAa,eAAW,OAAQ,KAAmB,C;MACb,kBAAkB,C;MACE,yB;MAApB,OAAoB,cAApB,C;
QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;K;IAGX,0C;
MAMwB,UACT,M;MAHX,aAAa,eAAS,OAAQ,KAAjB,C;MACb,kBAAkB,C;MACE,yB;MAApB,OAAoB,cAAp
B,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,M;K;IA
GX,0C;MAMwB,UACT,M;MAHX,aAAa,iBAAU,OAAQ,KAAIB,C;MACb,kBAAkB,C;MACE,yB;MAApB,OA
AoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,OAAO,
M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,iBAAy,OAAQ,KAApB,C;MACb,kBAAkB,C;MACE,yB;MAA
pB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE5B,O
AAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,oBAAa,OAAQ,KAArB,C;MACb,kBAAkB,C;MACE,yB;
MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;MAE
5B,OAAO,M;K;IAGX,0C;MAMwB,UACT,M;MAHX,aAAa,iBAAU,OAAQ,KAAIB,C;MACb,kBAAkB,C;MACE
,yB;MAApB,OAAoB,cAApB,C;QAAoB,6B;QACHB,OAAO,oBAAP,EAAO,4BAAP,YAAwB,UAAK,WAAL,C;;
MAE5B,OAAO,M;K;IAGX,0C;MAIL,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,yBAAY,CAAZ,EAAe,CAAF,C;MA
C9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,0C;MAIL,IAAI,
OAAQ,UAAZ,C;QAAuB,OAAO,cAAU,CAAV,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAA
R,GAAuB,CAAvB,IAA3B,C;K;IAGX,2C;MAIL,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,eAAW,CAAX,C;MAC9B
,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAAvB,IAA3B,C;K;IAGX,2C;MAIL,IAAI,OAA
Q,UAAZ,C;QAAuB,OAAO,eAAS,CAAT,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GA

AuB,CAA vB,IAA3B,C;K;IAGX,2C;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,iBAAU,CAAV,C;MAC9B,OA
 AO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAA vB,IAA3B,C;K;IAGX,2C;MAII,IAAI,OAAQ,U
 AAZ,C;QAAuB,OAAO,iBAAW,CAAX,C;MAC9B,OAAO,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAA
 uB,CAA vB,IAA3B,C;K;IAGX,2C;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,iBAAU,CAAV,C;MAC9B,OAA
 O,yBAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAA vB,IAA3B,C;K;IAGX,2C;MAII,IAAI,OAAQ,UA
 AZ,C;QAAuB,OAAO,oBAAa,CAAb,C;MAC9B,OAAO,0BAAU,CAAV,C;MAC9B,OAAO,0
 BAAY,OAAQ,MAApB,EAA2B,OAAQ,aAAR,GAAuB,CAA vB,IAA3B,C;K;IAGX,4B;MAciB,Q;Ma30Ib,IAAI,E
 bq0II,KAAK,Car0IT,CAAJ,C;QACI,cbo0Ic,sD;Qan0Id,MAAM,gCAAYB,OAAQ,WAAjC,C;Obo0IV,IAAI,MAAK
 ,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,iB;MACtB,IAAI,MAAK,CAAT,C;Q
 AAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAa,CAAb,C;MACX,wBAAa
 ,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,
 OAAO,I;K;IAGX,8B;MAciB,Q;Maj2Ib,IAAI,Eb21II,KAAK,Ca31IT,CAAJ,C;QACI,cb01Ic,sD;Qaz1Id,MAAM,gC
 AAYB,OAAQ,WAAjC,C;Ob01IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QA
 Ae,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;
 MACZ,WAAW,iBAAgB,CAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ
 ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;Mav3Ib,IAAI,Ebi3II,KAAK,
 Caj3IT,CAAJ,C;QACI,cbg3Ic,sD;Qa/2Id,MAAM,gCAAYB,OAAQ,WAAjC,C;Obg3IV,IAAI,MAAK,CAAT,C;QA
 AY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,
 OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAiB,CAAjB,C;MACX,wBAAa,SAAb,gB;
 QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K
 ;IAGX,8B;MAciB,Q;Ma74Ib,IAAI,Ebu4II,KAAK,Cav4IT,CAAJ,C;QACI,cbs4Ic,sD;Qar4Id,MAAM,gCAAYB,OA
 AQ,WAAjC,C;Obs4IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,
 mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WA
 AW,iBAAe,CAAf,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI
 ,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;Man6Ib,IAAI,Eb65II,KAAK,Ca75IT,CAAJ,
 C;QACI,cb45Ic,sD;Qa35Id,MAAM,gCAAYB,OAAQ,WAAjC,C;Ob45IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W
 ;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAA
 K,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAgB,CAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WA
 AA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;
 MAciB,Q;Maz7Ib,IAAI,Ebm7II,KAAK,Can7IT,CAAJ,C;QACI,cbk7Ic,sD;Qaj7Id,MAAM,gCAAYB,OAAQ,WAAj
 C,C;Obk7IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACt
 B,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAA
 iB,CAAjB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAA
 W,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;Ma/8Ib,IAAI,Eby8II,KAAK,Caz8IT,CAAJ,C;QACI,
 cbw8Ic,sD;Qav8Id,MAAM,gCAAYB,OAAQ,WAAjC,C;Obw8IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACn
 B,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAA
 L,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAkB,CAAlB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SA
 Ab,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q
 ;Mar+Ib,IAAI,Eb+9II,KAAK,Ca/9IT,CAAJ,C;QACI,cb89Ic,sD;Qa79Id,MAAM,gCAAYB,OAAQ,WAAjC,C;Ob89
 IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAAK,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MA
 AK,CAAT,C;QAAY,OAAO,OAAO,UAAK,CAAL,CAAP,C;MACnB,YAAY,C;MACZ,WAAW,iBAAmB,CAA
 nB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAA
 f,C;UACI,K;;MAER,OAAO,I;K;IAGX,8B;MAciB,Q;Ma3/Ib,IAAI,Ebq/II,KAAK,Car/IT,CAAJ,C;QACI,cbo/Ic,sD;
 Qan/Id,MAAM,gCAAYB,OAAQ,WAAjC,C;Obo/IV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,IAAI,KAA
 K,gBAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAB,CAAL,EAAP,C;M
 ACnB,YAAY,C;MACZ,WAAW,iBAAgB,CAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,WAAb,UAAa,SAAb,O;Q
 ACI,IAAK,WAAI,iBAAJ,C;QACL,IAAI,mCAAW,CAAf,C;UACI,K;;MAER,OAAO,I;K;IAGX,gC;MangJI,IAAI,

AC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;K
AXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UA
CI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OA
AO,iB;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,WAA+B,CA
A/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;
QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,4C;MAAA,gD;MAAA,uC;QAMI,iBAAc,wBAAd,W
AA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,UAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAA
R,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;kGAcA,yB;MAAA,8D;MAAA,oC;MAAA,4C;MAAA,gD;MAAA,uC;Q
AMI,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,EAAV,CAAL,C;YACI,OAA
O,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAXX,C;wFACa,yB;MAAA,+D;MAAA,uC;QAOiB,Q;Q
ADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;Y
ACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QA
Db,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;Y
ACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QAD
b,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YAC
I,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb
,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,
K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,
WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,
K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,
WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,
K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,
WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAA,SAAb,M;UACI,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,
K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;0FAeA,yB;MAAA,+D;MAAA,oC;MAAA,gC;MAA
A,uC;QAOiB,Q;QADb,WAAW,gB;QACX,wBAAa,SAAb,gB;UAAa,WAAb,UAAa,SAAb,O;UACI,IAAI,CAAC,
UAAU,iBAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,iBAAJ,C;;QAET,OAAO,I;O;KAZX,C;IAeA,4B;MAII,eAA
e,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAAmB,wB;
MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,Y
AAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,
CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,
U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;Q
ACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;Q
AAkB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QAC
V,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CA
AC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAAmB,0B;MACn
B,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;
QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I
;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QAC
I,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,
mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,
M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAA
K,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mB
AAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAAmB,0B;MACnB,iBA
Ac,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd
,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,8B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MAC
f,IAAI,WAAW,CAAf,C;QAAkB,M;MACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UA

AU,UAAK,KAAL,C;QACV,UAAK,KAAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;
K;IAIR,8B;MAII,eAAe,CAAC,mBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAf,C;QAAkB,M;M
ACIB,mBAAmB,0B;MACnB,iBAAc,CAAd,WAAiB,QAAjB,U;QACI,UAAU,UAAK,KAAL,C;QACV,UAAK,K
AAL,IAAc,UAAK,YAAL,C;QACd,UAAK,YAAL,IAAqB,G;QACrB,mC;;K;IAIR,6B;MAII,IA8kDO,qBAAQ,CA
9kDf,C;QAAe,OAAO,W;MACtB,WAAW,wB;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,+B;MAII,IA4k
DO,qBAAQ,CA5kDf,C;QAAe,OAAO,W;MACtB,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,
+B;MAII,IA0kDO,qBAAQ,CA1kDf,C;QAAe,OAAO,W;MACtB,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OA
AO,I;K;IAGX,+B;MAII,IAwkDO,qBAAQ,CAxkDf,C;QAAe,OAAO,W;MACtB,WAAW,0B;MACN,WAAL,IAA
K,C;MACL,OAAO,I;K;IAGX,+B;MAII,IAskDO,qBAAQ,CAtkDf,C;QAAe,OAAO,W;MACtB,WAAW,0B;MAC
N,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,+B;MAII,IAokDO,qBAAQ,CAPkDf,C;QAAe,OAAO,W;MACtB,W
AAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,+B;MAII,IAkkDO,qBAAQ,CAIkDf,C;QAAe,OAAO,
W;MACtB,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,+B;MAII,IAgkDO,qBAAQ,CAhkDf,C;
QAAe,OAAO,W;MACtB,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,+B;MAII,IA8jDO,qBAA
Q,CA9jDf,C;QAAe,OAAO,W;MACtB,WAAW,0B;MACN,WAAL,IAAK,C;MACL,OAAO,I;K;IAGX,kC;MAII,I
Ao/CO,qBAAQ,CAP/Cf,C;QAAe,OAAO,S;MACtB,aAAa,aAAa,SAAb,EAAMb,gBAAnB,C;MACb,gBAAgB,wB;
MACHb,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OA
AO,M;K;IAGX,oC;MAII,IAg/CO,qBAAQ,CAh/Cf,C;QAAe,OAAO,S;MACtB,aAAa,cAAU,gBAAV,C;MACb,gB
AAGB,0B;MACHb,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;M
AC5B,OAAO,M;K;IAGX,oC;MAII,IA4+CO,qBAAQ,CA5+Cf,C;QAAe,OAAO,S;MACtB,aAAa,eAAW,gBAAX,
C;MACb,gBAAGB,0B;MACHb,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK
,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAII,IAw+CO,qBAAQ,CAx+Cf,C;QAAe,OAAO,S;MACtB,aAAa,eA
AS,gBAAT,C;MACb,gBAAGB,0B;MACHb,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IA
AwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAII,IAo+CO,qBAAQ,CAP+Cf,C;QAAe,OAAO,S;MACt
B,aAAa,iBAAU,gBAAV,C;MACb,gBAAGB,0B;MACHb,aAAU,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CA
AZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAII,IAg+CO,qBAAQ,CAh+Cf,C;QAAe,OA
AO,S;MACtB,aAAa,iBAAW,gBAAX,C;MACb,gBAAGB,0B;MACHb,aAAU,CAAV,OAAa,SAAb,M;QACI,OAA
O,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAII,IA49CO,qBAAQ,CA59Cf,
C;QAAe,OAAO,S;MACtB,aAAa,iBAAy,gBAAZ,C;MACb,gBAAGB,0B;MACHb,aAAU,CAAV,OAAa,SAAb,M;
QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAII,IAw9CO,qBA
AQ,CAx9Cf,C;QAAe,OAAO,S;MACtB,aAAa,oBAAa,gBAAb,C;MACb,gBAAGB,0B;MACHb,aAAU,CAAV,OA
Aa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;IAGX,oC;MAII,I
Ao9CO,qBAAQ,CAP9Cf,C;QAAe,OAAO,S;MACtB,aAAa,iBAAU,gBAAV,C;MACb,gBAAGB,0B;MACHb,aAA
U,CAAV,OAAa,SAAb,M;QACI,OAAO,YAAY,CAAZ,IAAP,IAAwB,UAAK,CAAL,C;MAC5B,OAAO,M;K;kFA
GX,yB;MAAA,oD;MersKA,sC;MCjFA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+B
AAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,
gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;Mf8rKf,s
C;QAMI,IAAI,mBAAO,CAAX,C;UAAc,iDepsKH,iBfosKsB,QepsKtB,CfosKG,E;U;KANIB,C;sGASA,yB;MAA
A,oD;Me3rKA,sC;MCpGA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAA
X,EAAC,CAAd,C;O;MAD5C,kF;MDoGA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB
,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MforKf,sC;QAMI,IAA
I,mBAAO,CAAX,C;UAAc,iDe1rKH,2Bf0rKgC,Qe1rKhC,Cf0rKG,E;U;KANIB,C;IASA,mC;MAMI,oBAAS,cAA
T,C;K;IAGJ,qC;MAII,IAAI,mBAAO,CAAX,C;QACI,e;QACA,oB;Q;IAIR,qC;MAII,IAAI,mBAAO,CAAX,C;QA
CI,e;QACA,oB;Q;IAIR,qC;MAII,IAAI,mBAAO,CAAX,C;QACI,e;QACA,oB;Q;IAIR,qC;MAII,IAAI,mBAAO,C
AAX,C;QACI,iB;QACA,oB;Q;IAIR,qC;MAII,IAAI,mBAAO,CAAX,C;QACI,e;QACA,oB;Q;IAIR,qC;MAII,IAAI
,mBAAO,CAAX,C;QACI,e;QACA,oB;Q;IAIR,qC;MAII,IAAI,mBAAO,CAAX,C;QACI,e;QACA,oB;Q;IAIR,2B;
MAMI,OAAqB,OAAd,sBAAC,C;K;IAGzB,6B;MAI0B,kBAAf,yB;MAAuB,mB;MAA9B,OAAuC,OiB9zKhC,WjB
8zKgC,C;K;IAG3C,6B;MAI0B,kBAAf,yB;MAAuB,mB;MAA9B,OAAuC,OiBr0KhC,WjBq0KgC,C;K;IAG3C,6B;
MAI0B,kBAAf,yB;MAAuB,mB;MAA9B,OAAuC,OiB50KhC,WjB40KgC,C;K;IAG3C,6B;MAI0B,kBAAf,yB;M

AAuB,mB;MAA9B,OAAuC,OiBn1KhC,WjBm1KgC,C;K;IAG3C,6B;MAI0B,kBAAf,yB;MAAuB,mB;MAA9B,OAAuC,OiB11KhC,WjB01KgC,C;K;IAG3C,6B;MAI0B,kBAAf,yB;MAAuB,mB;MAA9B,OAAuC,OiBj2KhC,WjB i2KgC,C;K;IAG3C,6B;MAI0B,kBAAf,0B;MAAuB,mB;MAA9B,OAAuC,OiBx2KhC,WjBw2KgC,C;K;IAG3C,gC ;MAMI,IA2uCO,qBAAQ,CA3uCf,C;QAAe,OAAO,S;MACD,kBAAd,ScztJiB,Q;MdytJK,mB;MAA7B,OiB13KO, W;K;IjBq3KX,kC;MAIL,IA2uCO,qBAAQ,CA3uCf,C;QAAe,OAAO,S;MACD,kBAAd,ScvtJiB,Q;MdutJK,iB;MA A7B,OiB13KO,W;K;IjB63KX,kC;MAIL,IA2uCO,qBAAQ,CA3uCf,C;QAAe,OAAO,S;MACD,kBAAd,ScrtJiB,Q; MdqJJK,iB;MAA7B,OiB14KO,W;K;IjBq4KX,kC;MAIL,IA2uCO,qBAAQ,CA3uCf,C;QAAe,OAAO,S;MACD,kBA Ad,ScntJiB,Q;MdmJJK,iB;MAA7B,OiB14KO,W;K;IjB64KX,kC;MAIL,IA2uCO,qBAAQ,CA3uCf,C;QAAe,OAAO ,S;MACD,kBAAT,UAAAL,SAAK,C;MAAiB,mB;MAA7B,OiB15KO,W;K;IjBq5KX,kC;MAIL,IA2uCO,qBAAQ,CA 3uCf,C;QAAe,OAAO,S;MACD,kBAAd,SchtJiB,Q;MdgtJK,iB;MAA7B,OiB15KO,W;K;IjB65KX,kC;MAIL,IA2uC O,qBAAQ,CA3uCf,C;QAAe,OAAO,S;MACD,kBAAd,Sc9sJiB,Q;Md8sJK,iB;MAA7B,OiB16KO,W;K;IjBq6KX,k C;MAIL,IAmvCO,qBAAQ,CAnvCf,C;QAAe,OAAO,S;MACD,kBAAT,UAAAL,SAAK,C;MAAiB,iB;MAA7B,OiB1 6KO,W;K;IjB66KX,0C;MAMI,IAyqCO,qBAAQ,CAzqCf,C;QAAe,OAAO,S;MACD,kBAAd,Sc3xJiB,Q;Md2xJK, sBAAS,cAAT,C;MAA7B,OiBp7KO,W;K;IjBu7KX,4C;MAIL,IAyqCO,qBAAQ,CAzqCf,C;QAAe,OAAO,S;MAC D,kBAAd,SczxJiB,Q;MdyxJK,6B;MAA7B,OiB57KO,W;K;IjB+7KX,4C;MAIL,IAyqCO,qBAAQ,CAzqCf,C;QAA e,OAAO,S;MACD,kBAAd,ScvxJiB,Q;MduxJK,6B;MAA7B,OiBp8KO,W;K;IjBu8KX,4C;MAIL,IAyqCO,qBAAQ, CAzqCf,C;QAAe,OAAO,S;MACD,kBAAd,ScrxJiB,Q;MdqxJK,6B;MAA7B,OiB58KO,W;K;IjB+8KX,4C;MAIL,I AyqCO,qBAAQ,CAzqCf,C;QAAe,OAAO,S;MACD,kBAAT,UAAAL,SAAK,C;MAAiB,6B;MAA7B,OiBp9KO,W; K;IjBu9KX,4C;MAIL,IAyqCO,qBAAQ,CAzqCf,C;QAAe,OAAO,S;MACD,kBAAd,SclxJiB,Q;MdkxJK,6B;MAA7 B,OiB59KO,W;K;IjB+9KX,4C;MAIL,IAyqCO,qBAAQ,CAzqCf,C;QAAe,OAAO,S;MACD,kBAAd,ScxJiB,Q;Md gxJK,6B;MAA7B,OiBp+KO,W;K;IjBu+KX,4C;MAIL,IAirCO,qBAAQ,CAjrCf,C;QAAe,OAAO,S;MACD,kBAAT ,UAAAL,SAAK,C;MAAiB,6B;MAA7B,OiB5+KO,W;K;IjB++KX,gD;MAMI,IAumCO,qBAAQ,CAvmCf,C;QAAe, OAAO,S;MACD,kBAAd,Sc71JiB,Q;Md61JK,iC;MAA7B,OiBt/KO,W;K;sFjBy/KX,yB;MAAA,wD;Me9+KA,sC; MCjFA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O; MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4D gB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;Mfu+Kf,sC;QAMI,OAAO,mDe7+KI,iBf6 +KiB,Qe7+KjB,Cf6+KjE,E;O;KANX,C;wFASA,yB;MAAA,wD;Mev/KA,sC;MCjFA,kC;MAAA,oC;MAAA,sD;Q AAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MDiFA,uBAOe,yB;QAr Ef,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM, CA5DN,CAA3B,C;W;S;OA4DI,C;Mfg/Kf,sC;QAIL,OAAO,mDep/KI,iBfo/KiB,Qep/KjB,Cfo/KjE,E;O;KAJX,C;wF AOA,yB;MAAA,wD;Me9/KA,sC;MCjFA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+ BA AW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB ,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;Mfu/Kf, sC;QAIL,OAAO,mDe3/KI,iBf2/KiB,Qe3/KjB,Cf2/KjE,E;O;KAJX,C;wFAOA,yB;MAAA,wD;MergLA,sC;MCjFA,k C;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C, kF;MDiFA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5D hB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;Mf8/Kf,sC;QAIL,OAAO,mDelgLI,iBfkgLiB,QelgLj B,CfkgLjE,E;O;KAJX,C;wFAOA,yB;MAAA,wD;Me5gLA,sC;MCjFA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;M AAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;eAqEe,4 B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3 B,C;W;S;OA4DI,C;MfqqLf,sC;QAIL,OAAO,mDezgLI,iBfygLiB,QuezgLjB,CfygLjE,E;O;KAJX,C;wFAOA,yB;MA AA,wD;MenhLA,sC;MCjFA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CA AX,EAAC,CAAd,C;O;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAt B,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;Mf4gLf,sC;QAIL, OAAO,mDehhLI,iBfghLiB,QehhLjB,CfghLjE,E;O;KAJX,C;wFAOA,yB;MAAA,wD;Me1hLA,sC;MCjFA,kC;MAA A,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MDi FA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CA Ad,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MfmhLf,sC;QAIL,OAAO,mDevhLI,iBfuhLiB,QevhLjB,Cf

uhLJ,E;O;KAJX,C;wFAOA,yB;MAAA,wD;MejiLA,sC;MCjFA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;Mf0hLf,sC;QAI,OAAO,mDe9hLI,iBf8hLiB,Qe9hLjB,Cf8hLjE;O;KAJX,C;wFAOA,yB;MAAA,wD;MexiLA,sC;MCjFA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MfiiLf,sC;QAI,OAAO,mDeriLI,iBfqLiB,QeriLjB,CfqLiJ,E;O;KAJX,C;0GAOA,yB;MAAA,wD;Me5hLA,sC;MCPGA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MDoGA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MfqhLf,sC;QAMI,OAAO,mDe3hLI,2Bf2hL2B,Qe3hL3B,Cf2hLjE;O;KANX,C;4GASA,yB;MAAA,wD;MeriLA,sC;MCPGA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MDoGA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;Mf8hLf,sC;QAI,OAAO,mDeLiLI,2BfkiL2B,QeliL3B,CfkiLjE;O;KAJX,C;4GAOA,yB;MAAA,wD;Me5iLA,sC;MCPGA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MDoGA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MfqiLf,sC;QAI,OAAO,mDeziLI,2BfyiL2B,QeziL3B,CfyiLjE;O;KAJX,C;4GAOA,yB;MAAA,wD;MenjLA,sC;MCPGA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MDoGA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;Mf4iLf,sC;QAI,OAAO,mDehjLI,2BfgjL2B,QehjL3B,CfgjLjE;O;KAJX,C;4GAOA,yB;MAAA,wD;Me1jLA,sC;MCPGA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MDoGA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MfmjLf,sC;QAI,OAAO,mDevjLI,2BfujL2B,QevjL3B,CfujLjE;O;KAJX,C;4GAOA,yB;MAAA,wD;MejkLA,sC;MCPGA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MDoGA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;Mf0jLf,sC;QAI,OAAO,mDe9jLI,2Bf8jL2B,Qe9jL3B,Cf8jLjE;O;KAJX,C;4GAOA,yB;MAAA,wD;MexkLA,sC;MCPGA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MDoGA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MfikLf,sC;QAI,OAAO,mDerkLI,2BfqkL2B,QerkL3B,CfqkLjE;O;KAJX,C;4GAOA,yB;MAAA,wD;Me/kLA,sC;MCPGA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MDoGA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MfwkLf,sC;QAI,OAAO,mDe5kLI,2Bf4kL2B,Qe5kL3B,Cf4kLjE;O;KAJX,C;4GAOA,yB;MAAA,wD;MetlLA,sC;MCPGA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MDoGA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;Mf+kLf,sC;QAI,OAAO,mDenLI,2BfmL2B,QenL3B,CfmLjE;O;KAJX,C;IAOA,qC;MAMI,OAAO,sBAAW,cAAX,C;K;IAGX,uC;MAIoB,kBcr+JQ,iB;Mdq+JA,iB;MAAxB,OA AiC,WiBxoL1B,WjBwoL0B,C;K;IAGrC,uC;MAIoB,kBcl+JQ,iB;Mdk+JA,iB;MAAxB,OAAiC,WiBoL1B,WjBoL0B,C;K;IAGrC,uC;MAIoB,kBc/9JQ,iB;Md+9JA,iB;MAAxB,OAAiC,WiBtpL1B,WjBspL0B,C;K;IAGrC,uC;MAIoB,kBAAT,oB;MAAiB,mB;MAAxB,OAAiC,WiB7pL1B,WjB6pL0B,C;K;IAGrC,uC;MAIoB,kBc19JQ,iB;Md09JA,iB;MAAxB,OAAiC,WiBpqL1B,WjBoqL0B,C;K;IAGrC,uC;MAIoB,kBcv9JQ,iB;Mdu9JA,iB;MAAxB,OAAiC,WiB3qL1B,WjB2qL0B,C;K;IAGrC,uC;MAIoB,kBAAT,oB;MAAiB,iB;MAAxB,OAAiC,WiBrlL1B,WjBkrlL0B,C;K;IAGrC,2C;MAMI,OAAmC,OAA5B,2BAAgB,UAAhB,CAA4B,C;K;IAGvC,6C;MAIoB,kBAaf,yB;MAAuB,iC;MAA9B,OAAqD,OiBlS9C,WjBksL8C,C;K;IAGzD,6C;MAIoB,kBAaf,yB;MAAuB,iC;MAA9B,OAAqD,OiBzsL

AY,mBAAoB,QAAPB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO5xOnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;QPknNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAiC,cAAIB,YAAAY,gBAAZ,CAAKB,EAAC,EAAD,C;QAC1B,kBAAy,mBAAoB,QAAPB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WA1qB8C,SA0qB/B,CAAU,OAAV,C;UO3yOnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;QPioNA,OA4qBO,W;O;KAxrBX,C;0FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA4qBA,oC;MAAA,gC;MA5qBA,uC;QAWI,eAAiC,cAAIB,YAAAY,gBAAZ,CAAKB,EAAC,EAAD,C;QAC1B,kBAAy,mBAAoB,QAAPB,C;QAyqBH,Q;QAAhB,iD;UAAgB,cAAhB,0B;UACI,WA1qB8C,SA0qB/B,CAAU,oBAAV,C;UO1zOnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;QPgpNA,OA4qBO,W;O;KAxrBX,C;4FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAAY,gBAAZ,CAAKB,EAAC,EAAD,C;QAC1B,kBAAC,mBAAoB,QAAPB,C;QAmQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aApQoC,WAoQhC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QApQhB,OAsQO,W;O;KAIRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAAY,gBAAZ,CAAKB,EAAC,EAAD,C;QAC1B,kBAAC,mBAAuB,QAAvB,C;QAoQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aArQuC,WAqQnC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QArQhB,OAuQO,W;O;KAnRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAAY,gBAAZ,CAAKB,EAAC,EAAD,C;QAC1B,kBAAC,mBAAwB,QAAXB,C;QAqQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAtQwC,WAsQpC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QAtQhB,OAwQO,W;O;KApRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAAY,gBAAZ,CAAKB,EAAC,EAAD,C;QAC1B,kBAAC,mBAAwB,QAAXB,C;QAqQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAtQwC,WAsQpC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QATqHb,OAwQO,W;O;KApRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAAY,gBAAZ,CAAKB,EAAC,EAAD,C;QAC1B,kBAAC,mBAAwB,QAAXB,C;QAqQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAvQsC,WAuQlC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QAvQhB,OAyQO,W;O;KArRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAAY,gBAAZ,CAAKB,EAAC,EAAD,C;QAC1B,kBAAC,mBAAuB,QAAvB,C;QAuQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAxQuC,WAwQnC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QAxQhB,OA0QO,W;O;KATRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAAY,gBAAZ,CAAKB,EAAC,EAAD,C;QAC1B,kBAAC,mBAAyB,QAazB,C;QAyQL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA1QyC,WA0QrC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QA1QhB,OA4QO,W;O;KAXRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAiC,cAAIB,YAAAY,gBAAZ,CAAKB,EAAC,EAAD,C;QAC1B,kBAAC,mBAA0B,QAa1B,C;QA0QL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA3Q0C,WA2QtC,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QA3QhB,OA6QO,W;O;KAzRX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA6QA,oC;MAAA,gC;MA7QA,yC;QAWI,eAAiC,cAAIB,YAAAY,gBAAZ,CAAKB,EAAC,EAAD,C;QAC1B,kBAAC,mBAAuB,QAavB,C;QA2QL,Q;QAAhB,iD;UAAgB,cAAhB,0B;UACI,WAAY,aA5QuC,WA4QnC,CAAY,oBAAZ,CAAJ,EAA0B,oBAA1B,C;;QA5QhB,OA8QO,W;O;KA1RX,C;8FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAIB,YAAAY,gBAAZ,CAAKB,EAAC,EAAD,C;QAC1B,kBAAC,mBAAoB,QAAPB,C;QA6QL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aA9QoC,WA8QhC,CAAY,OAAZ,CAAJ,EA9QiD,cA8QvB,CAAe,OAaf,CAA1B,C;;QA9QhB,OAgrO,W;O;KA3RX,C;8FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAIB,YAAAY,gBAAZ,CAAKB,EAAC,EAAD,C;QAC1B,kBAAC,mBAAoB,QAAPB,C;QAiRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAIrOC,WakRhC,CAAY,OAAZ,CAAJ,EAIrID,cAkRvB,CAAe,OAaf,CAA1B,C;;QAIRhB,OAoRO,W;O;KA/RX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAIB,YAAAY,gBAAZ,CAAKB,EAAC,EAAD,C;QAC1B,kBAAC,mBAAoB,QAAPB,C;QAmRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aApRoC,WAoRhC,CAAY,OAAZ,CAAJ,EAPrID,cAoRvB,CAAe,OAaf,CAA1B,C;;QApRhB,OAsRO,W;O;KAjSX,C;+FAcA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAUI,eAAiC,cAAIB,YAAAY,gBAAZ,CAAKB,EAAC,EAAD,C;QAC1B,kBAAC,mBAAoB,QAAPB,C;QAqRL,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAAY,aAtRoC,WAsRhC,CAAY,OAAZ,CAAJ,EAtRiD,cAsRvB,CAAe,OAaf,CAA1B,C;;QAtRhB,OAwRO,W;O;KAnSX,C;+FA

,gB;QAAa,WAAA,SAAb,M;QAAMb,IAAK,WAAI,IAAJ,C;;MACxB,OAAO,I;K;IAGX,oC;MAKiB,Q;MADb,W
AAW,iBAAMb,gBAANb,C;MACX,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAMb,IAAK,WAAI,IAAJ,C;;
MACxB,OAAO,I;K;IAGX,oC;MAKiB,Q;MADb,WAAW,iBAAgB,gBAAhB,C;MACX,wBAAa,SAAb,gB;QAAa,
WAAb,UAAa,SAAb,O;QAAMb,IAAK,WAAI,iBAAJ,C;;MACxB,OAAO,I;K;IAGX,0B;MAMiB,IAAN,I;MAAA,
QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;gBAC
Q,+BAAa,qBAAiB,YAAY,gBAAZ,CAAJB,CAAb,C;UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I;MAAA,Q
AAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;gBACQ
,iCAAa,qBAAoB,YAAY,gBAAZ,CAApB,CAAb,C;UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I;MAAA,QA
AM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;gBACQ,i
CAAa,qBAAqB,YAAY,gBAAZ,CAArB,CAAb,C;UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I;MAAA,QAA
M,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;gBACQ,iC
AAa,qBAAMb,YAAY,gBAAZ,CAAnB,CAAb,C;UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I;MAAA,QAA
M,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;gBACQ,iC
AAa,qBAAqB,YAAY,gBAAZ,CAApB,CAAb,C;UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I;MAAA,QAA
M,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;gBACQ,iC
AAa,qBAAqB,YAAY,gBAAZ,CAArB,CAAb,C;UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I;MAAA,QAA
M,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;gBACQ,iC
AAa,qBAAqB,YAAY,gBAAZ,CAAtB,CAAb,C;UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I;MAAA,QAA
M,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,UAAK,CAAL,CAAN,C;UAAL,K;gBACQ,iC
AAa,qBAAuB,YAAY,gBAAZ,CAAvB,CAAb,C;UAHL,K;;MAAP,W;K;IAOJ,4B;MAMiB,IAAN,I;MAAA,QAA
M,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAAK,aAAM,sBAAK,CAAL,EAAN,C;UAAL,K;gBACQ,iC
AAa,qBAAoB,YAAY,gBAAZ,CAApB,CAAb,C;UAHL,K;;MAAP,W;K;oFAOJ,yB;MAAA,+D;MAiFA,gD;MAjFA
,uC;QAMW,kBAAU,gB;QA+ED,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAhF6B,SAGFIB,CAAU,OAAV,C;UA
CC,OAAZ,WAAy,EAAO,IAAP,C;;QAjFhB,OAmFO,W;O;KAzFX,C;sFASA,yB;MAAA,+D;MAmFA,gD;MAvFA
A,uC;QAMW,kBAAU,gB;QAiFD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAlF6B,SakFIB,CAAU,OAAV,C;UA
CC,OAAZ,WAAy,EAAO,IAAP,C;;QAnFhB,OAqFO,W;O;KA3FX,C;sFASA,yB;MAAA,+D;MAqFA,gD;MArFA
,uC;QAMW,kBAAU,gB;QAmFD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WApF6B,SAoFIB,CAAU,OAAV,C;UA
CC,OAAZ,WAAy,EAAO,IAAP,C;;QArFhB,OAuFO,W;O;KA7FX,C;sFASA,yB;MAAA,+D;MAuFA,gD;MAvFA
,uC;QAMW,kBAAU,gB;QAqFD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAtF6B,SAsFIB,CAAU,OAAV,C;UAC
C,OAAZ,WAAy,EAAO,IAAP,C;;QAvFhB,OAYFO,W;O;KA/FX,C;sFASA,yB;MAAA,+D;MAyFA,gD;MAzFA,u
C;QAMW,kBAAU,gB;QAUFD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAXF6B,SAwFIB,CAAU,OAAV,C;UAC
C,OAAZ,WAAy,EAAO,IAAP,C;;QAzFhB,OA2FO,W;O;KAjGX,C;sFASA,yB;MAAA,+D;MA2FA,gD;MA3FA,
uC;QAMW,kBAAU,gB;QAYFD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,WAlF6B,SAoFIB,CAAU,OAAV,C;UAC
C,OAAZ,WAAy,EAAO,IAAP,C;;QA3FhB,OA6FO,W;O;KAnGX,C;sFASA,yB;MAAA,+D;MA6FA,gD;MA7FA,
uC;QAMW,kBAAU,gB;QA2FD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,Wa5F6B,SA4FIB,CAAU,OAAV,C;UAC
C,OAAZ,WAAy,EAAO,IAAP,C;;QA7FhB,OA+FO,W;O;KA/RGX,C;sFASA,yB;MAAA,+D;MA+FA,gD;MA/FA,
uC;QAMW,kBAAU,gB;QA6FD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,Wa9F6B,SA8FIB,CAAU,OAAV,C;UAC
C,OAAZ,WAAy,EAAO,IAAP,C;;QA/FhB,OAiGO,W;O;KAvGX,C;sFASA,yB;MAAA,+D;MAiGA,oC;MAAA,g
D;MAAA,gC;MAjGA,uC;QAMW,kBAAU,gB;QA+FD,Q;QAAhB,iD;UAAgB,cAAhB,0B;UACI,WAhG6B,SAG
IB,CAAU,oBAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAjGhB,OAmGO,W;O;KAzGX,C;uFASA,yB;MAA
A,gD;MAAA,oD;QAiOB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,UAAU,OAA
V,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;0FAWA,yB;MAAA,gD;MAAA,oD;Q
AIoB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,UAAU,OAAV,C;UACC,OAAZ,
WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;0FAWA,yB;MAAA,gD;MAAA,oD;QAiOB,Q;QAAhB,w
BAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IA
AP,C;;QAEhB,OAAO,W;O;KARX,C;0FAWA,yB;MAAA,gD;MAAA,oD;QAiOB,Q;QAAhB,wBAAGB,SAAhB,g
B;UAAgB,cAAA,SAAhB,M;UACI,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OA
AO,W;O;KARX,C;0FAWA,yB;MAAA,gD;MAAA,oD;QAiOB,Q;QAAhB,wBAAGB,SAAhB,gB;UAAgB,cAAA,S

AAhB,M;UACI,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAA,Y,EA AO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;
0FAWA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,W
AAW,UAAU,OAAV,C;UACC,OAAZ,WAA,Y,EA AO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;0FAWA,yB;MAA
A,gD;MAAA,oD;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,UAAU,OAA
V,C;UACC,OAAZ,WAA,Y,EA AO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;0FAWA,yB;MAAA,gD;MAAA,oD;Q
AIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,WAAW,UAAU,OAAV,C;UACC,OAAZ,
WAA,Y,EA AO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;0FAWA,yB;MAAA,oC;MAAA,gD;MAAA,gC;MAAA,o
D;QAIoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,WAAW,UAAU,oBAAV,C;
UACC,OAAZ,WAA,Y,EA AO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;0FAWA,yB;MAAA,wE;MAiOA,+D;MAj
OA,yC;QASW,kBAAU,oB;QAIoD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAIoD,WAKoVc,CAAY,OAAZ,C;U
Ox9QP,U;UADP,YP09Qe,WO19QH,WP09QwB,GO19QxB,C;UACL,IAAI,aAAJ,C;YACH,aPw9QuC,gB;YAA5B
,WOv9QX,aPu9QgC,GOv9QhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPo9QA,iB;UACA,IAAK,WAAI,OAAJ,C;;
QApOT,OAsOO,W;O;KA/OX,C;sFAYA,yB;MAAA,wE;MAsoA,+D;MAtoA,yC;QASW,kBAAU,oB;QAsOD,Q;
QAAhB,iD;UAAgB,cAAhB,e;UACI,UAvOoD,WAuO1C,CAAY,OAAZ,C;UOz+QP,U;UADP,YP2+Qe,WO3+QH,
WP2+QwB,GO3+QxB,C;UACL,IAAI,aAAJ,C;YACH,aPy+QuC,gB;YAA5B,WOx+QX,aPw+QgC,GOx+QhC,EA
AS,MAAT,C;YACA,e;;YAEA,c;;UPq+QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAzOT,OA2OO,W;O;KApPX,C;sF
AYA,yB;MAAA,wE;MA2OA,+D;MA3OA,yC;QASW,kBAAU,oB;QA2OD,Q;QAAhB,iD;UAAgB,cAAhB,e;UA
CI,UA5OqD,WA4O3C,CAAY,OAAZ,C;UO1/QP,U;UADP,YP4/Qe,WO5/QH,WP4/QwB,GO5/QxB,C;UACL,IAA
I,aAAJ,C;YACH,aP0/QuC,gB;YAA5B,WOz/QX,aPy/QgC,GOz/QhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPs/Q
A,iB;UACA,IAAK,WAAI,OAAJ,C;;QA9OT,OAgPO,W;O;KAZPX,C;sFAYA,yB;MAAA,wE;MAgPA,+D;MAhP
A,yC;QASW,kBAAU,oB;QAgPD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAjPmD,WaiPzC,CAAY,OAAZ,C;UO
3gRP,U;UADP,YP6gRe,WO7gRH,WP6gRwB,GO7gRxB,C;UACL,IAAI,aAAJ,C;YACH,aP2gRuC,gB;YAA5B,W
O1gRX,aP0gRgC,GO1gRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPugRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA
nPT,OAgPO,W;O;KA9PX,C;sFAYA,yB;MAAA,wE;MAqPA,+D;MArPA,yC;QASW,kBAAU,oB;QAqPD,Q;QAA
hB,iD;UAAgB,cAAhB,e;UACI,UAtPoD,WAsP1C,CAAY,OAAZ,C;UO5hRP,U;UADP,YP8hRe,WO9hRH,WP8h
RwB,GO9hRxB,C;UACL,IAAI,aAAJ,C;YACH,aP4hRuC,gB;YAA5B,WO3hRX,aP2hRgC,GO3hRhC,EAAS,MA
AT,C;YACA,e;;YAEA,c;;UPwhRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAxPT,OA0PO,W;O;KANQX,C;sFAYA,y
B;MAAA,wE;MA0PA,+D;MA1PA,yC;QASW,kBAAU,oB;QA0PD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA3P
qD,WA2P3C,CAAY,OAAZ,C;UO7iRP,U;UADP,YP+iRe,WO/iRH,WP+iRwB,GO/iRxB,C;UACL,IAAI,aAAJ,C;
YACH,aP6iRuC,gB;YAA5B,WO5iRX,aP4iRgC,GO5iRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPyiRA,iB;UAC
A,IAAK,WAAI,OAAJ,C;;QA7PT,OA+PO,W;O;KAXQX,C;sFAYA,yB;MAAA,wE;MA+PA,+D;MA/PA,yC;QAS
W,kBAAU,oB;QA+PD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UAhQsD,WAgQ5C,CAAY,OAAZ,C;UO9jRP,U;U
ADP,YPgkRe,WOhkRH,WPgkRwB,GOhkRxB,C;UACL,IAAI,aAAJ,C;YACH,aP8jRuC,gB;YAA5B,WO7jRX,aP
6jRgC,GO7jRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP0jRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAIQT,OAoQO
,W;O;KA7QX,C;sFAYA,yB;MAAA,wE;MAoQA,+D;MApQA,yC;QASW,kBAAU,oB;QAoQD,Q;QAAhB,iD;UA
AgB,cAAhB,e;UACI,UArQuD,WaqQ7C,CAAY,OAAZ,C;UO/kRP,U;UADP,YPilRe,WOjIRH,WPilRwB,GOjIRx
B,C;UACL,IAAI,aAAJ,C;YACH,aP+kRuC,gB;YAA5B,WO9kRX,aP8kRgC,GO9kRhC,EAAS,MAAT,C;YACA,e;
;YAEA,c;;UP2kRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAvQT,OAYQO,W;O;KAIRX,C;sFAYA,yB;MAAA,wE;M
AyQA,oC;MAAA,+D;MAAA,gC;MAzQA,yC;QASW,kBAAU,oB;QAYQD,Q;QAAhB,iD;UAAgB,cAAhB,0B;UA
CI,UA1QoD,WA0Q1C,CAAY,oBAAZ,C;UOhmRP,U;UADP,YPkmRe,WolmRH,WPkmRwB,GOlmRxB,C;UAC
L,IAAI,aAAJ,C;YACH,aPgmRuC,gB;YAA5B,WO/IRX,aP+IRgC,GO/IRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;
UP4IRA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA5QT,OA8QO,W;O;KAvRX,C;sFAYA,yB;MAAA,wE;MA8QA,+
D;MA9QA,yD;QAUW,kBAAU,oB;QA8QD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UA/QiD,WA+QvC,CAAY,O
AAZ,C;UOlNRP,U;UADP,YPonRe,WOpnRH,WPonRwB,GOpnRxB,C;UACL,IAAI,aAAJ,C;YACH,aPknRuC,gB;
YAA5B,WOjnRX,aPinRgC,GOjnRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP8mRA,iB;UACA,IAAK,WajRyD,c
AiRrD,CAAE,OAaf,CAAJ,C;;QajRT,OAmRO,W;O;KA7RX,C;sFAaA,yB;MAAA,wE;MAmRA,+D;MAnRA,yD;
QAUW,kBAAU,oB;QAmRD,Q;QAAhB,iD;UAAgB,cAAhB,e;UACI,UApriD,WaOrvC,CAAY,OAAZ,C;UOpOR
P,U;UADP,YPsoRe,WotoRH,WPsoRwB,GOtoRxB,C;UACL,IAAI,aAAJ,C;YACH,aPooRuC,gB;YAA5B,WOnoR

X,aPmoRgC,GOnoRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPgoRA,iB;UACA,IAAK,WAtRyD,cAsRrD,CAAe, OAAf,CAAJ,C;;QAtRT,OAwRO,W;O;KAISX,C;uFAaA,yB;MAAA,wE;MAwRA,+D;MAxRA,yD;QAUW,kBAAU U,oB;QAwRD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UARiD,WAYRvC,CAAY,OAAZ,C;UOTpRP,U;UADP,YP wpRe,WoxpRH,WPwpRwB,GOxpRxB,C;UACL,IAAI,aAAJ,C;YACH,aPspRuC,gB;YAA5B,WOrpRX,aPqpRgC, GOrpRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPkpRA,iB;UACA,IAAK,WA3RyD,cA2RrD,CAAe,OAAf,CAAJ, C;;QA3RT,OA6RO,W;O;KAvsX,C;uFAaA,yB;MAAA,wE;MA6RA,+D;MA7RA,yD;QAUW,kBAAU,oB;QA6RD ,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UA9RiD,WA8RvC,CAAY,OAAZ,C;UOXqRP,U;UADP,YP0qRe,WO1qR H,WP0qRwB,GO1qRxB,C;UACL,IAAI,aAAJ,C;YACH,aPwqRuC,gB;YAA5B,WovqRX,aPuqRgC,GOvqRhC,EA AS,MAAT,C;YACA,e;;YAEA,c;;UPoqRA,iB;UACA,IAAK,WahSyD,cAgSrD,CAAe,OAAf,CAAJ,C;;QAhST,O AkSO,W;O;KA5SX,C;uFAaA,yB;MAAA,wE;MAkSA,+D;MAISA,yD;QAUW,kBAAU,oB;QAKSD,Q;QAaHb,iD; UAAgB,cAAhB,e;UACI,UAnSiD,WAmSvC,CAAY,OAAZ,C;UO1rRP,U;UADP,YP4rRe,WO5rRH,WP4rRwB,G O5rRxB,C;UACL,IAAI,aAAJ,C;YACH,aP0rRuC,gB;YAA5B,WozrRX,aPyrRgC,GOzrRhC,EAAS,MAAT,C;YA CA,e;;YAEA,c;;UPsrRA,iB;UACA,IAAK,WArSyD,cAqSrD,CAAe,OAAf,CAAJ,C;;QArST,OAuSO,W;O;KAjTX, C;uFAaA,yB;MAAA,wE;MAuSA,+D;MAvSA,yD;QAUW,kBAAU,oB;QAUdS,Q;QAaHb,iD;UAAgB,cAAhB,e; UACI,UAXSiD,WAwSvC,CAAY,OAAZ,C;UO5sRP,U;UADP,YP8sRe,WO9sRH,WP8sRwB,GO9sRxB,C;UACL,I AAI,aAAJ,C;YACH,aP4sRuC,gB;YAA5B,WO3sRX,aP2sRgC,GO3sRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP wsRA,iB;UACA,IAAK,WA1SyD,cA0SrD,CAAe,OAAf,CAAJ,C;;QA1ST,OA4SO,W;O;KAtTX,C;uFAaA,yB;MA AA,wE;MA4SA,+D;MA5SA,yD;QAUW,kBAAU,oB;QA4SD,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UA7SiD,W A6SvC,CAAY,OAAZ,C;UO9tRP,U;UADP,YPguRe,WOhuRH,WPguRwB,GOhuRxB,C;UACL,IAAI,aAAJ,C;YA CH,aP8tRuC,gB;YAA5B,WO7tRX,aP6tRgC,GO7tRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP0tRA,iB;UACA,I AAK,WA/SyD,cA+SrD,CAAe,OAAf,CAAJ,C;;QA/ST,OAiTO,W;O;KA3TX,C;uFAaA,yB;MAAA,wE;MAiTA,+ D;MAjTA,yD;QAUW,kBAAU,oB;QAItd,Q;QAaHb,iD;UAAgB,cAAhB,e;UACI,UAITiD,WAKtvC,CAAY,OA AZ,C;UOhvRP,U;UADP,YPkvRe,WOlvrH,WPkvRwB,GOlvRxB,C;UACL,IAAI,aAAJ,C;YACH,aPgvRuC,gB;Y AA5B,WO/uRX,aP+uRgC,GO/uRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP4uRA,iB;UACA,IAAK,WApTyD,c AoTrD,CAAe,OAAf,CAAJ,C;;QApTT,OAStO,W;O;KAhUX,C;uFAaA,yB;MAAA,wE;MAStA,oC;MAAA,+D;M AAA,gC;MatTA,yD;QAUW,kBAAU,oB;QAsTD,Q;QAaHb,iD;UAAgB,cAAhB,0B;UACI,UAvTiD,WAuTvC,C AAY,oBAAZ,C;UOlwrRP,U;UADP,YPowRe,WOpwRH,WPowRwB,GOpwRxB,C;UACL,IAAI,aAAJ,C;YACH,aP kwRuC,gB;YAA5B,WOjwRX,aPiwRgC,GOjwRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP8vRA,iB;UACA,IAA K,WAZTyD,cAyTrD,CAAe,oBAaf,CAAJ,C;;QAZTT,OA2TO,W;O;KArUX,C;wFAaA,yB;MAAA,+D;MAAA,sD; QASoB,Q;QAaHb,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOX9QP,U;U ADP,YP09Qe,WO19QH,WP09QwB,GO19QxB,C;UACL,IAAI,aAAJ,C;YACH,aPw9QuC,gB;YAA5B,Wov9QX,a Pu9QgC,GOv9QhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPo9QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAA O,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAaHb,wBAAGB,SAAhB,gB;UAAgB,cAAA,SA AhB,M;UACI,UAAU,YAAY,OAAZ,C;UOz+QP,U;UADP,YP2+Qe,WO3+QH,WP2+QwB,GO3+QxB,C;UACL,I AAI,aAAJ,C;YACH,aPy+QuC,gB;YAA5B,WOx+QX,aPw+QgC,GOx+QhC,EAAS,MAAT,C;YACA,e;;YAEA,c;; UPq+QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QA SoB,Q;QAaHb,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1/QP,U;UAD P,YP4/Qe,WO5/QH,WP4/QwB,GO5/QxB,C;UACL,IAAI,aAAJ,C;YACH,aP0/QuC,gB;YAA5B,Woz/QX,aPy/Qg C,GOz/QhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPs/QA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O; KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAaHb,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M; UACI,UAAU,YAAY,OAAZ,C;UO3gRP,U;UADP,YP6gRe,WO7gRH,WP6gRwB,GO7gRxB,C;UACL,IAAI,aAAJ ,C;YACH,aP2gRuC,gB;YAA5B,WO1gRX,aP0gRgC,GO1gRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPugRA,iB; UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAaH B,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO5hRP,U;UADP,YP8hRe,W O9hRH,WP8hRwB,GO9hRxB,C;UACL,IAAI,aAAJ,C;YACH,aP4hRuC,gB;YAA5B,WO3hRX,aP2hRgC,GO3hRh C,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPwhRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C; 0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAaHb,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,U AAU,YAAY,OAAZ,C;UO7iRP,U;UADP,YP+iRe,WO/iRH,WP+iRwB,GO/iRxB,C;UACL,IAAI,aAAJ,C;YACH,a

P6iRuC,gB;YAA5B,WO5iRX,aP4iRgC,GO5iRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPyiRA,iB;UACA,IAAK, WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,S AAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO9jRP,U;UADP,YPgkRe,WOhkRH,WPgk Rwb,GOhkRxB,C;UACL,IAAI,aAAJ,C;YACH,aP8jRuC,gB;YAA5B,WO7jRX,aP6jRgC,GO7jRhC,EAAS,MAAT ,C;YACA,e;;YAEA,c;;UP0jRA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAA A,+D;MAAA,sD;QASoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAA Z,C;UO/kRP,U;UADP,YPiRe,WOjIRH,WPiIRwb,GOjIRxB,C;UACL,IAAI,aAAJ,C;YACH,aP+kRuC,gB;YAA5B ,WO9kRX,aP8kRgC,GO9kRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP2kRA,iB;UACA,IAAK,WAAI,OAAJ,C;; QAET,OAAO,W;O;KAdX,C;0FAiBA,yB;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sD;QASoB,Q;QAAhB,wBA AgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,UAAU,YAAY,oBAAZ,C;UOhmRP,U;UADP,YPkmR e,WOlRH,WPkmRwb,GOlmRxB,C;UACL,IAAI,aAAJ,C;YACH,aPgmRuC,gB;YAA5B,WO/lRX,aP+lRgC,GO/ RhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP4lRA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAET,OAAO,W;O;KAdX, C;0FAiBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI, UAAU,YAAY,OAAZ,C;UOlRP,U;UADP,YPonRe,WOpnRH,WpOnRwb,GOprRxB,C;UACL,IAAI,aAAJ,C;YA CH,aPknRuC,gB;YAA5B,WOjnRX,aPinRgC,GOjnRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP8mRA,iB;UACA, IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;0FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q; QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOpRP,U;UADP,YPso Re,WotoRH,WPsoRwb,GOtoRxB,C;UACL,IAAI,aAAJ,C;YACH,aPooRuC,gB;YAA5B,WOnoRX,aPmoRgC,GO noRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPgoRA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAA O,W;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SA AhB,M;UACI,UAAU,YAAY,OAAZ,C;UOtpRP,U;UADP,YPwpRe,WoxpRH,WPwpRwb,GOxpRxB,C;UACL,IA AI,aAAJ,C;YACH,aPspRuC,gB;YAA5B,WOrpRX,aPqpRgC,GOprRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPk pRA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA ,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UOxqRP, U;UADP,YP0qRe,Wo1qRH,WP0qRwb,GO1qRxB,C;UACL,IAAI,aAAJ,C;YACH,aPwqRuC,gB;YAA5B,WovqR X,aPwqRgC,GOvqRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPoqRA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ, C;;QAET,OAAO,W;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UA AgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO1rRP,U;UADP,YP4rRe,Wo5rRH,WP4rRwb,GO5rRxB ,C;UACL,IAAI,aAAJ,C;YACH,aP0rRuC,gB;YAA5B,WozrRX,aPyrRgC,GOzrRhC,EAAS,MAAT,C;YACA,e;;Y AEA,c;;UPsrRA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;2FAkBA,yB;MAAA ,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ, C;UO5sRP,U;UADP,YP8sRe,Wo9sRH,WP8sRwb,GO9sRxB,C;UACL,IAAI,aAAJ,C;YACH,aP4sRuC,gB;YAA5 B,WO3sRX,aP2sRgC,GO3sRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UPwsRA,iB;UACA,IAAK,WAAI,eAAe,OA Af,CAAJ,C;;QAET,OAAO,W;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAh B,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YAAY,OAAZ,C;UO9tRP,U;UADP,YPguRe,WohuRH,WPguRw B,GOhuRxB,C;UACL,IAAI,aAAJ,C;YACH,aP8tRuC,gB;YAA5B,WO7tRX,aP6tRgC,GO7tRhC,EAAS,MAAT,C; YACA,e;;YAEA,c;;UP0tRA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;2FAkBA ,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,UAAU,YA AY,OAAZ,C;UOhvRP,U;UADP,YPkvRe,WolvRH,WPkvRwb,GOlvRxB,C;UACL,IAAI,aAAJ,C;YACH,aPgvRu C,gB;YAA5B,WO/uRX,aP+uRgC,GO/uRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP4uRA,iB;UACA,IAAK,WA AI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;2FAkBA,yB;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE ;QAUoB,Q;QAAhB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,UAAU,YAAY,oBAAZ,C;U OlwRP,U;UADP,YPowRe,WopwRH,WPowRwb,GOpwRxB,C;UACL,IAAI,aAAJ,C;YACH,aPkwRuC,gB;YAA5 B,WOjwRX,aPiwRgC,GOjwRhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UP8vRA,iB;UACA,IAAK,WAAI,eAAe,oB AAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;0FAkBA,yB;MAAA,kC;MAAA,4C;MAAA,wE;QAQW,sC;QAAA,8C ;O;MARX,oDASQ,Y;QAA6C,OAAGB,qBAAhB,oBAAgB,C;O;MATrE,iDAUQ,mB;QAAoC,gCAAY,OAAZ,C;O ;MAV5C,gF;MAAA,yC;QAQI,2D;O;KARJ,C;4EAa,yB;MAAA,gE;MAAA,uC;QAOW,kBAAM,eAAa,gBAAb, C;QA6UA,Q;QAAb,iD;UAAa,WAAb,e;UACI,WAAy,WA9UiB,SA8Ub,CAAU,IAAV,CAAJ,C;;QA9UhB,OA+U

Y,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAy,WAAI,WAAU,cAAV,EAAU,sBAAV,WA
AmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;K:gGAGX,6C;MAQiB,UACiB,M;MAF9B,YAAy,C;MACZ,wBAAa,S
AAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAy,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;
MACHB,OAAO,W;K:+FAGX,6C;MAQiB,UACiB,M;MAF9B,YAAy,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,
SAAb,M;QACI,WAAy,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;K:g
GAGX,yB;MAAA,oC;MAAA,gC;MAAA,oD;QAQiB,UACiB,M;QAF9B,YAAy,C;QACZ,wBAAa,SAAb,gB;UA
Aa,WAAb,UAAa,SAAb,O;UACI,WAAy,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,iBAAnB,CAAJ,C;;QA
ChB,OAAO,W;O;KAVX,C;0FAaA,yB;MAAA,+D;MAAA,uC;QAKW,kBAAa,gB;QAKuDJ,Q;QAAb,iD;UAAg
B,cAAhB,e;UA1tDqB,U;UAAA,cARe,SAQf,CA0tDQ,OA1tDR,W;YAAsC,6B;;QAR3D,OASO,W;O;KAdX,C;8F
AQA,yB;MAAA,oD;QA+tDoB,Q;QAAb,iD;UAAgB,cAAhB,e;UA1tDqB,U;UAAA,wBA0tDQ,OA1tDR,W;YA
AsC,6B;;QAC3D,OAAO,W;O;KANX,C;gFASA,6C;MAKiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M
;QACI,WAAy,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K:kFAGX,6C;MAKiB,Q;MAAb,wBAAa,SAAb
,gB;QAAa,WAAA,SAAb,M;QACI,WAAy,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K:kFAGX,6C;MA
KiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAy,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,
OAAO,W;K:kFAGX,6C;MAKiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAy,WAAI,UA
AU,IAAV,CAAJ,C;;MACHB,OAAO,W;K:kFAGX,6C;MAKiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,
M;QACI,WAAy,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K:kFAGX,6C;MAKiB,Q;MAAb,wBAAa,SA
Ab,gB;QAAa,WAAA,SAAb,M;QACI,WAAy,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K:kFAGX,6C;
MAKiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAy,WAAI,UAAU,IAAV,CAAJ,C;;MAC
hB,OAAO,W;K:kFAGX,6C;MAKiB,Q;MAAb,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,WAAy,WAAI,
UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K:kFAGX,yB;MAAA,oC;MAAA,gC;MAAA,oD;QAKiB,Q;QAAb,w
BAAa,SAAb,gB;UAAa,WAAb,UAAa,SAAb,O;UACI,WAAy,WAAI,UAAU,iBAAV,CAAJ,C;;QACHB,OAAO,W
;O;KAPX,C;IAe4B,0C;MAAA,mB;QAAE,2C;O;K;IAL9B,8B;MAKI,OAAO,qBAAiB,2BAAjB,C;K;IAQiB,4C;M
AAA,mB;QAAE,+C;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,gD;O;K;
IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,+C;O;K;IAL9B,gC;MAKI,OAAO,
qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,+C;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IA
QiB,4C;MAAA,mB;QAAE,gD;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAA
E,iD;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,kD;O;K;IAL9B,gC;MA
KI,OAAO,qBAAiB,6BAAjB,C;K;IAQiB,4C;MAAA,mB;QAAE,+C;O;K;IAL9B,gC;MAKI,OAAO,qBAAiB,6BA
AjB,C;K;IAGX,6B;MAQI,OAA2B,SAAf,aAAL,SAAK,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK
,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SA
AK,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,
SAAK,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eA
AL,SAAK,CAAe,C;K;IAG/B,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;K;0FAG/B,yB;MAAA,2D;MAAA,
+D;MAAA,sC;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M
;UACI,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAl,WAAI,GAAl,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,O
AAO,I;O;KAhBX,C;4FAmBA,yB;MAAA,2D;MAAA,+D;MAAA,sC;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,g
B;QACX,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAl,WAAI,G
AAJ,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;O;KAhBX,C;4FAmBA,yB;MAAA,2D;MAAA,+D;
MAAA,sC;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;U
ACI,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAl,WAAI,GAAl,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OA
AO,I;O;KAhBX,C;4FAmBA,yB;MAAA,2D;MAAA,+D;MAAA,sC;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB
;QACX,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAl,WAAI,G
AAJ,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;O;KAhBX,C;4FAmBA,yB;MAAA,2D;MAAA,+D;M
AAA,sC;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UAC
I,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAl,WAAI,GAAl,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,
I;O;KAhBX,C;4FAmBA,yB;MAAA,2D;MAAA,+D;MAAA,sC;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QA
CX,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAl,WAAI,GAAl,

CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;O;KAhBX,C;4FAmBA,yB;MAAA,2D;MAAA,+D;MAA
A,sC;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,U
AAU,SAAS,CAAT,C;UACV,IAAI,GAAL,WAAI,GAAL,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;O
;KAhBX,C;4FAmBA,yB;MAAA,2D;MAAA,+D;MAAA,sC;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX
,wBAAU,SAAV,gB;UAAU,QAAA,SAAV,M;UACI,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAL,WAAI,GAAL,CA
AR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,OAAO,I;O;KAhBX,C;4FAmBA,yB;MAAA,2D;MAAA,+D;MAAA,o
C;MAAA,gC;MAAA,sC;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACX,wBAAU,SAAV,gB;UAAU,QAAV
,UAAU,SAAV,O;UACI,UAAU,SAAS,cAAT,C;UACV,IAAI,GAAL,WAAI,GAAL,CAAR,C;YACI,IAAK,WAAI,c
AAJ,C;;QAEb,OAAO,I;O;KAhBX,C;IAmBA,qC;MAQI,UAAe,aAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAA
V,C;MACJ,OAAO,G;K;IAGX,uC;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,O
AAO,G;K;IAGX,uC;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OAAO,G;K;IAG
X,uC;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OAAO,G;K;IAGX,uC;MAQI,U
AAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OAAO,G;K;IAGX,uC;MAQI,UAAe,eAAL,SA
AK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OAAO,G;K;IAGX,uC;MAQI,UAAe,eAAL,SAAK,C;MACX,
YAAJ,GAAL,EAAU,KAAV,C;MACJ,OAAO,G;K;IAGX,uC;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,E
AAU,KAAV,C;MACJ,OAAO,G;K;IAGX,uC;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,
C;MACJ,OAAO,G;K;IAGX,oC;MAMI,UAAe,aAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OA
AO,G;K;IAGX,sC;MAMI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OAAO,G;K;IAG
X,sC;MAMI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OAAO,G;K;IAGX,sC;MAMI,U
AAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OAAO,G;K;IAGX,sC;MAMI,UAAe,eAAL,S
AAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OAAO,G;K;IAGX,sC;MAMI,UAAe,eAAL,SAAK,C;MAC
X,YAAJ,GAAL,EAAU,KAAV,C;MACJ,OAAO,G;K;IAGX,sC;MAMI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAA
L,EAAU,KAAV,C;MACJ,OAAO,G;K;IAGX,sC;MAMI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAA
V,C;MACJ,OAAO,G;K;IAGX,sC;MAMI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAL,EAAU,KAAV,C;MACJ,O
AAO,G;K;IAGX,iC;MAOiB,Q;MADb,UAAU,qBAAiB,YAAy,gBAAZ,CAAjB,C;MACV,wBAAa,SAAb,gB;QA
Aa,WAAA,SAAb,M;QAAmB,GAAL,WAAI,IAAJ,C;;MACvB,OAAO,G;K;IAGX,mC;MAOiB,Q;MADb,UAAU,q
BAAoB,YAAy,gBAAZ,CAApB,C;MACV,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAmB,GAAL,WAAI,IA
AJ,C;;MACvB,OAAO,G;K;IAGX,mC;MAOiB,Q;MADb,UAAU,qBAAqB,YAAy,gBAAZ,CAArB,C;MACV,wB
AAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAmB,GAAL,WAAI,IAAJ,C;;MACvB,OAAO,G;K;IAGX,mC;MAOiB,
Q;MADb,UAAU,qBAAmB,YAAy,gBAAZ,CAAnB,C;MACV,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAm
B,GAAL,WAAI,IAAJ,C;;MACvB,OAAO,G;K;IAGX,mC;MAOiB,Q;MADb,UAAU,qBAAoB,YAAy,gBAAZ,CA
ApB,C;MACV,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAmB,GAAL,WAAI,IAAJ,C;;MACvB,OAAO,G;K;I
AGX,mC;MAOiB,Q;MADb,UAAU,qBAAqB,YAAy,gBAAZ,CAArB,C;MACV,wBAAa,SAAb,gB;QAAa,WAAA
,SAAb,M;QAAmB,GAAL,WAAI,IAAJ,C;;MACvB,OAAO,G;K;IAGX,mC;MAOiB,Q;MADb,UAAU,qBAAsB,Y
AAy,gBAAZ,CAAtB,C;MACV,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QAAmB,GAAL,WAAI,IAAJ,C;;MAC
vB,OAAO,G;K;IAGX,mC;MAOiB,Q;MADb,UAAU,qBAAuB,YAAy,gBAAZ,CAAvB,C;MACV,wBAAa,SAAb,
gB;QAAa,WAAA,SAAb,M;QAAmB,GAAL,WAAI,IAAJ,C;;MACvB,OAAO,G;K;IAGX,mC;MAOiB,Q;MADb,U
AAU,qBAAoB,YAAy,gBAAZ,CAApB,C;MACV,wBAAa,SAAb,gB;QAAa,WAAb,UAAa,SAAb,O;QAAmB,GA
AL,WAAI,iBAAJ,C;;MACvB,OAAO,G;K;IAGX,iC;MAUI,UAAe,aAAL,SAAK,C;MACX,OAAJ,GAAL,EAAO,K
AAP,C;MACJ,OAAO,G;K;IAGX,mC;MAUI,UAAe,eAAL,SAAK,C;MACX,OAAJ,GAAL,EAAO,KAAP,C;MACJ
,OAAO,G;K;IAGX,mC;MAUI,UAAe,eAAL,SAAK,C;MACX,OAAJ,GAAL,EAAO,KAAP,C;MACJ,OAAO,G;K;I
AGX,mC;MAUI,UAAe,eAAL,SAAK,C;MACX,OAAJ,GAAL,EAAO,KAAP,C;MACJ,OAAO,G;K;IAGX,mC;MA
UI,UAAe,eAAL,SAAK,C;MACX,OAAJ,GAAL,EAAO,KAAP,C;MACJ,OAAO,G;K;IAGX,mC;MAUI,UAAe,eAA
L,SAAK,C;MACX,OAAJ,GAAL,EAAO,KAAP,C;MACJ,OAAO,G;K;IAGX,mC;MAUI,UAAe,eAAL,SAAK,C;M
ACX,OAAJ,GAAL,EAAO,KAAP,C;MACJ,OAAO,G;K;IAGX,mC;MAUI,UAAe,eAAL,SAAK,C;MACX,OAAJ,G
AAL,EAAO,KAAP,C;MACJ,OAAO,G;K;IAGX,mC;MAUI,UAAe,eAAL,SAAK,C;MACX,OAAJ,GAAL,EAAO,K
AAP,C;MACJ,OAAO,G;K;4EAGX,gC;MAMoB,Q;MAAhB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QA
AsB,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MActD,OAAO,I;K;8EAGX,gC;MAMoB,Q;MAAh

AO,G;MACX,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAM,QAAF,CAAE,CAAN,C; UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;M AFb,IArqJO,qBAAQ,CAqqJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAA V,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G; K;IAGX,0B;MAMiB,Q;MAFb,IA1qJO,qBAAQ,CA0qJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MAC G,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;M AEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IA/qJO,qBAAQ,CA+qJf,C;QAAe,OAAO,I;MACtB,UAAU,UAA K,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;U AAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAprJO,qBAAQ,CAorJf,C;QAAe,OAAO,I;MA CtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MA AM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAzrJO,qBAAQ,CAYrJf,C;QA Ae,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C; QACR,IAAI,oBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MASiB,Q;MAHb,IAhsJ O,qBAAQ,CAGsJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACV,IAAQ,QAAJ,GAAL,CAAR,C;QAA iB,OAAO,G;MACX,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAM,QAAF,CAAE,CA AN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MASiB, Q;MAHb,IAzsJO,qBAAQ,CAYSJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACV,IAAQ,QAAJ,GAAL ,CAAR,C;QAAiB,OAAO,G;MACX,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAM,QA AF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAG X,0B;MAMiB,Q;MAFb,IAxsJO,qBAAQ,CAwsJf,C;QAAe,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC; MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEv B,OAAO,G;K;gFAGX,yB;MAAA,8D;MAAA,sC;QAMI,IAvxJO,qBAAQ,CAuxJf,C;UAAe,OAAO,I;QACtB,cAA c,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eA Ae,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,C AAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAnBX, C;kFAsBA,yB;MAAA,8D;MAAA,sC;QAMI,IAryJO,qBAAQ,CAqyJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CA AL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OA AT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR, IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAnBX,C;kFAsBA,yB; MAAA,8D;MAAA,sC;QAMI,IAnzJO,qBAAQ,CAMzJf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,g BAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,a AAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAA W,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAnBX,C;kFAsBA,yB;MAAA,8D; MAAA,sC;QAMI,IAj0JO,qBAAQ,CAi0Jf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAA L,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV, OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KA AJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAnBX,C;kFAsBA,yB;MAAA,8D;MAAA,sC;QA MI,IA0JO,qBAAQ,CA+0Jf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;Q ACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb, M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,U AAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAnBX,C;kFAsBA,yB;MAAA,8D;MAAA,sC;QAMI,IA71JO,qB AAQ,CA61Jf,C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cA Aa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAA Q,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV ,WAAW,C;;QAGnB,OAAO,O;O;KAnBX,C;kFAsBA,yB;MAAA,8D;MAAA,sC;QAMI,IA32JO,qBAAQ,CA22Jf, C;UAAe,OAAO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C; UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CA AL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;

QAGnB,OAAO,O;O;KAnBX,C;kFAsBA,yB;MAAA,8D;MAAA,sC;QAMI,IAz3JO,qBAAQ,CAy3Jf,C;UAAe,OA
AO,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OA
AO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR
,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAA
O,O;O;KAnBX,C;kFAsBA,yB;MAAA,8D;MAAA,oC;MAAA,sC;QAMI,IAv4JO,qBAAQ,CAu4Jf,C;UAAe,OAA
O,I;QACtB,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAA
O,O;QAC3B,eAAe,SAAS,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,
QAAQ,SAAS,cAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAA
O,O;O;KAnBX,C;IAsBA,wC;MAMiB,Q;MAFb,IA39JO,qBAAQ,CA29Jf,C;QAAe,OAAO,I;MACTb,UAAU,UAA
K,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAA
R,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,0C;MAMiB,Q;MAFb,I
Ah+JO,qBAAQ,CAG+Jf,C;QAAe,OAAO,I;MACTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;
QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAA
oC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,0C;MAMiB,Q;MAFb,IAR+JO,qBAAQ,CAq+Jf,C;QAAe,OAAO,I;MA
CtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UA
AW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,0C;M
AMiB,Q;MAFb,IA1+JO,qBAAQ,CA0+Jf,C;QAAe,OAAO,I;MACTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,a
AAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,
CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,0C;MAMiB,Q;MAFb,IA+/JO,qBAAQ,CA++Jf,C;QAA
e,OAAO,I;MACTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;Q
ACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;
K;IAGX,0C;MAMiB,Q;MAFb,IAp/JO,qBAAQ,CAo/Jf,C;QAAe,OAAO,I;MACTb,UAAU,UAAK,CAAL,C;MAC
G,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,C
AAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,0C;MAMiB,Q;MAFb,IAz/JO,qBAAQ,C
Ay/Jf,C;QAAe,OAAO,I;MACTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAA
K,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE
9C,OAAO,G;K;IAGX,0C;MAMiB,Q;MAFb,IA9/JO,qBAAQ,CA8/Jf,C;QAAe,OAAO,I;MACTb,UAAU,UAAK,C
AAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,E
AAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,0C;MAMiB,Q;MAFb,IAN
gKO,qBAAQ,CAMgKf,C;QAAe,OAAO,I;MACTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;Q
ACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAo
C,MAAM,C;;MAE9C,OAAO,G;K;IAGX,wB;MAUiB,Q;MAHb,IANlKO,qBAAQ,CamlKf,C;QAAe,OAAO,I;MA
CtB,UAAU,UAAK,CAAL,C;MACV,IAAQ,QA AJ,GA AI,CAAR,C;QAAiB,OAAO,G;MACX,+B;MAAb,aAAU,C
AAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MA
AM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAUiB,Q;MAHb,IArmKO,qBAAQ,CAqmKf,C;
QAAe,OAAO,I;MACTb,UAAU,UAAK,CAAL,C;MACV,IAAQ,QA AJ,GA AI,CAAR,C;QAAiB,OAAO,G;MACX,
+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO,
C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IApnKO,q
BAAQ,CAonKf,C;QAAe,OAAO,I;MACTb,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,Q
AAQ,UAAK,CAAL,C;QACR,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;M
AMiB,Q;MAFb,IAznKO,qBAAQ,CAynKf,C;QAAe,OAAO,I;MACTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,
aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAA
O,G;K;IAGX,0B;MAMiB,Q;MAFb,IA9nKO,qBAAQ,CA8nKf,C;QAAe,OAAO,I;MACTb,UAAU,UAAK,CAAL,C
;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAA
M,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAnoKO,qBAAQ,CAmoKf,C;QAAe,OAAO,I;MACTb,UA
AU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CA
AV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MAMiB,Q;MAFb,IAxoKO,qBAAQ,CAwoKf,C;QAAe,O
AAO,I;MACTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QAC

R,IAAI,oBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MASiB,Q;MAHb,IA/oKO,qB
AAQ,CA+oKf,C;QAAe,OAAO,I;MACTb,UAAU,UAAK,CAAL,C;MACV,IAAQ,QAAJ,GAAI,CAAR,C;QAAiB,
OAAO,G;MACX,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAM,QAAF,CAAE,CAAN,
C;UAAe,OAAO,C;QACTb,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,0B;MASiB,Q;
MAHb,IAxpKO,qBAAQ,CAwpKf,C;QAAe,OAAO,I;MACTb,UAAU,UAAK,CAAL,C;MACV,IAAQ,QAAJ,GAA
I,CAAR,C;QAAiB,OAAO,G;MACX,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAM,Q
AAF,CAAE,CAAN,C;UAAe,OAAO,C;QACTb,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IA
GX,0B;MAMiB,Q;MAFb,IAvpKO,qBAAQ,CAupKf,C;QAAe,OAAO,I;MACTb,UAAU,UAAK,CAAL,C;MACG,i
C;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAE
vB,OAAO,G;K;gFAGX,yB;MAAA,8D;MAAA,sC;QAMI,IAtuKO,qBAAQ,CAsuKf,C;UAAe,OAAO,I;QACTb,cA
Ac,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,e
AAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,
CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAnBX
,C;kFAsBA,yB;MAAA,8D;MAAA,sC;QAMI,IApvKO,qBAAQ,CAovKf,C;UAAe,OAAO,I;QACTb,cAAc,UAAK,
CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,
OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UA
CR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAnBX,C;kFAsBA,
yB;MAAA,8D;MAAA,sC;QAMI,IAlwKO,qBAAQ,CAkwKf,C;UAAe,OAAO,I;QACTb,cAAc,UAAK,CAAL,C;Q
ACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;Q
ACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2
BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAnBX,C;kFAsBA,yB;MAAA,
8D;MAAA,sC;QAMI,IAhxKO,qBAAQ,CAgxKf,C;UAAe,OAAO,I;QACTb,cAAc,UAAK,CAAL,C;QACd,gBAAq
B,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,
CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CA
AX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAnBX,C;kFAsBA,yB;MAAA,8D;MAAA,
sC;QAMI,IA9xKO,qBAAQ,CA8xKf,C;UAAe,OAAO,I;QACTb,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SA
AK,C;QACrB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OA
Aa,SAAb,M;UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;
YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAnBX,C;kFAsBA,yB;MAAA,8D;MAAA,sC;QAMI,IA
5yKO,qBAAQ,CA4yKf,C;UAAe,OAAO,I;QACTb,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACr
B,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;
UACI,QAAQ,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAA
U,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAnBX,C;kFAsBA,yB;MAAA,8D;MAAA,sC;QAMI,IA1zKO,qBA
AQ,CA0zKf,C;UAAe,OAAO,I;QACTb,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cA
Aa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAA
Q,UAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV
,WAAW,C;;QAGnB,OAAO,O;O;KAnBX,C;kFAsBA,yB;MAAA,8D;MAAA,sC;QAMI,IAx0KO,qBAAQ,CAw0K
f,C;UAAe,OAAO,I;QACTb,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,
C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,C
AAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;
;QAGnB,OAAO,O;O;KAnBX,C;kFAsBA,yB;MAAA,8D;MAAA,oC;MAAA,sC;QAMI,IAt1KO,qBAAQ,CA5lKf,
C;UAAe,OAAO,I;QACTb,cAAc,UAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C;
UAAoB,OAAO,O;QAC3B,eAAe,SAAS,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,UAAK,C
AAL,C;UACR,QAAQ,SAAS,cAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;
QAGnB,OAAO,O;O;KAnBX,C;IAsBA,wC;MAMiB,Q;MAFb,IA16KO,qBAAQ,CA06Kf,C;QAAe,OAAO,I;MACT
B,UAAU,UAAK,CAAL,C;MACG,+B;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAA
W,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,0C;MA
MiB,Q;MAFb,IA/6KO,qBAAQ,CA+6Kf,C;QAAe,OAAO,I;MACTb,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,a

AAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,0C;MAMiB,Q;MAFb,IAp7KO,qBAAQ,CAo7Kf,C;QA Ae,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C; QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO, G;K;IAGX,0C;MAMiB,Q;MAFb,IAz7KO,qBAAQ,CAy7Kf,C;QA Ae,OAAO,I;MACtB,UAAU,UAAK,CAAL,C; MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CA Ab,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,0C;MAMiB,Q;MAFb,IA97KO,qB AAQ,CA87Kf,C;QA Ae,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QA AQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAA M,C;;MAE9C,OAAO,G;K;IAGX,0C;MAMiB,Q;MAFb,IA8KO,qBAAQ,CAm8Kf,C;QA Ae,OAAO,I;MACtB,UA AU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SA AQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,0C;MAMiB, Q;MAFb,IAx8KO,qBAAQ,CAw8Kf,C;QA Ae,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU ,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAA jC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,0C;MAMiB,Q;MAFb,IA78KO,qBAAQ,CA68Kf,C;QA Ae,O AAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG,iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QAC R,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;I AGX,0C;MAMiB,Q;MAFb,IAI9KO,qBAAQ,CAk9Kf,C;QA Ae,OAAO,I;MACtB,UAAU,UAAK,CAAL,C;MACG, iC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,UAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CA AX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,yB;MAMI,OAJiLO,qBAAQ,C;K;IAoiLnB ,2B;MAMI,OAliLO,qBAAQ,C;K;IAqiLnB,2B;MAMI,OAniLO,qBAAQ,C;K;IASiLnB,2B;MAMI,OApiLO,qBAA Q,C;K;IAuiLnB,2B;MAMI,OariLO,qBAAQ,C;K;IAwiLnB,2B;MAMI,OatiLO,qBAAQ,C;K;IAYiLnB,2B;MAMI, OAviLO,qBAAQ,C;K;IA0iLnB,2B;MAMI,OAXiLO,qBAAQ,C;K;IA2iLnB,2B;MAMI,OAZiLO,qBAAQ,C;K;gFA 4iLnB,gC;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CA AJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;gFAGX,gC;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cA AA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,gC;MAMo B,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,O AAO,K;;MACrD,OAAO,I;K;iFAGX,gC;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;Q AAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,gC;MAMoB,Q;MAAhB,wB AAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD, OAAO,I;K;iFAGX,gC;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAA U,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,gC;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB ;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX ,gC;MAMoB,Q;MAAhB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QAAsB,IAAI,UAAU,OAAV,CAAJ,C; UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,yB;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAhB,wBAA gB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UAAAsB,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,K;;Q ACrD,OAAO,I;O;KAPX,C;kFAUA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QASqB,Q;QAHjB,IA5sLO,qBAAQ,CA 4sLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaQB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,y B;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAZX,C;oFAeA,yB;MAA A,4F;MAAA,8D;MAAA,uC;QASqB,Q;QAHjB,IAntLO,qBAAQ,CAMtLf,C;UACI,MAAM,mCAA8B,+BAA9B,C; QACV,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UA AK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAZX,C;oFAeA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QASqB,Q;QA HjB,IA1tLO,qBAAQ,CA0tLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaKB,UAAK,CAAL,C;QACD,+ B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O; KAZX,C;oFAeA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QASqB,Q;QAHjB,IAjuLO,qBAAQ,CAiuLf,C;UACI,MA AM,mCAA8B,+BAA9B,C;QACV,kBAaKB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,U AAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAZX,C;oFAeA,yB;MAAA,4F;MAAA,8D ;MAAA,uC;QASqB,Q;QAHjB,IAxuLO,qBAAQ,CAwuLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaK

B,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAZX,C;oFAeA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QASqB,Q;QAHjB,IA/uLO,qBAAQ,CA+uLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAZX,C;oFAeA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QASqB,Q;QAHjB,IAtvLO,qBAAQ,CAsvLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAZX,C;oFAeA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QASqB,Q;QAHjB,IA7vLO,qBAAQ,CA6vLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAZX,C;oFAeA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QASqB,Q;QAHjB,IA7vLO,qBAAQ,CA6vLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAZX,C;oFAeA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QASqB,Q;QAHjB,IApLO,qBAAQ,CAowLf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,wBAAV,EAAuB,sBAak,KAAL,EAAvB,E;;QAEIB,OAAO,W;O;KAZX,C;gGAeA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAYqB,Q;QAHjB,IAt1LO,qBAAQ,CAs1Lf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAaqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KA AV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KafX,C;kGakBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAYqB,Q;QAHjB,IAh2LO,qBAAQ,CAG2Lf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KA AV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KafX,C;kGakBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAYqB,Q;QAHjB,IA12LO,qBAAQ,CA02Lf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KA AV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KafX,C;kGakBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAYqB,Q;QAHjB,IAp3LO,qBAAQ,CAo3Lf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KA AV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KafX,C;kGakBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAYqB,Q;QAHjB,IA93LO,qBAAQ,CA83Lf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KA AV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KafX,C;kGakBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAYqB,Q;QAHjB,IAx4LO,qBAAQ,CAw4Lf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KA AV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KafX,C;kGakBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAYqB,Q;QAHjB,IA15LO,qBAAQ,CAk5Lf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KA AV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KafX,C;kGakBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAYqB,Q;QAHjB,IA55LO,qBAAQ,CA45Lf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KA AV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;;QAEIB,OAAO,W;O;KafX,C;kGakBA,yB;MAAA,4F;MAAA,8D;MAAA,uC;QAYqB,Q;QAHjB,IA55LO,qBAAQ,CA45Lf,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,KA AV,EAAiB,wBAAjB,EAA8B,sBAak,KAAL,EAA9B,E;;QAEIB,OAAO,W;O;KafX,C;8FakBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAv/LO,qBAAQ,CAu/Lf,C;UACI,OAAO,I;QACX,kBAAqB,UAAK,CAAL,C;QACJ,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAdX,C;gGaiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAhgMO,qBAAQ,CaggMf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAdX,C;gGaiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IAzgMO,qBAAQ,CaygMf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAdX,C;gGaiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA1hMO,qBAAQ,CAkhMf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAdX,C;gGaiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA3hMO,qBAAQ,CA2hMf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;Q

ACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAdX,C;gGaiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IApiMO,qBAAQ,CAoiMf,C;UACI,OA AO,I;QACX,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAu B,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAdX,C;gGaiBA,yB;MAAA,8D;MAAA,uC;QAWqB,Q;QAHj B,IA7iMO,qBAAQ,CA6iMf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAA d,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAdX,C;gGaiBA,yB; MAAA,8D;MAAA,uC;QAWqB,Q;QAHjB,IA7jMO,qBAAQ,CAsjMf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,C AAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,UAAK,KAAL,CAAvB,C;;QA EIB,OAAO,W;O;KAdX,C;gGaiBA,yB;MAAA,8D;MAAA,oC;MAAA,gC;MAAA,uC;QAWqB,Q;QAHjB,IA/jMO ,qBAAQ,CA+jMf,C;UACI,OAAO,I;QACX,kBAakB,UAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UAC I,cAAc,oBAAU,wBAAV,EAAuB,sBAAK,KAAL,EAAvB,E;;QAEIB,OAAO,W;O;KAdX,C;4FAiBA,yB;MAAA,8 D;MAAA,4F;MAAA,uC;QAQ0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mC AA8B,+BAA9B,C;QACrB,kBAaqB,UAAI,YAAJ,EAAI,oBAAJ,O;QACrB,OAAO,SAAS,CAAhB,C;UACI,cAAc, UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAZX,C;8FAeA,yB;MAAA, 8D;MAAA,4F;MAAA,uC;QAQ0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,m CAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAA c,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAZX,C;8FAeA,yB;MAA A,8D;MAAA,4F;MAAA,uC;QAQ0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM, mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAA Ac,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAZX,C;8FAeA,yB;MAA A,8D;MAAA,4F;MAAA,uC;QAQ0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAA M,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI, cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAZX,C;8FAeA,yB;M AAA,8D;MAAA,4F;MAAA,uC;QAQ0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAA M,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI, cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAZX,C;8FAeA,yB;M AAA,8D;MAAA,4F;MAAA,uC;QAQ0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAA M,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI, cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAZX,C;8FAeA,yB;M AAA,8D;MAAA,4F;MAAA,uC;QAQ0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAA M,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI, cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAZX,C;8FAeA,yB;M AAA,8D;MAAA,4F;MAAA,uC;QAQ0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAA M,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI, cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAZX,C;8FAeA,yB;M AAA,8D;MAAA,4F;MAAA,oC;MAAA,gC;MAAA,uC;QAQ0B,UAEU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAA Q,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO ,SAAS,CAAhB,C;UACI,cAAc,oBAAU,sBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,wBAAxB,E;;QAEIB,OAAO, W;O;KAZX,C;0GAeA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAW6B,Q;QAFzB,YAAY,wB;QACZ,IAAI,QAAQ, CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAaqB,UAAI,YAAJ,EAAI,oBAAJ,O;QACrB,OAAO,S AAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,O AAO,W;O;KAhBX,C;4GAmBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAW0B,Q;QAFtB,YAAY,wB;QACZ,IAA I,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB, OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB; ;QAEJ,OAAO,W;O;KAhBX,C;4GAmBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAW0B,Q;QAFtB,YAAY,wB;Q ACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ, O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C; UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;4GAmBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAW0B,Q;QAFtB, YA

AY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI ,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB,EAA6B,W AA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;4GAmBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;QAW0B,Q;Q AFtB,YAAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,Y AAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAAJ,CAAjB, EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;4GAmBA,yB;MAAA,8D;MAAA,4F;MAAA,uC;Q AW0B,Q;QAFtB,YAAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAak B,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,UAAI,KAA J,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;4GAmBA,yB;MAAA,8D;MAAA,4F;MA AA,uC;QAW0B,Q;QAFtB,YAAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACr B,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,U AAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;4GAmBA,yB;MAAA,8D;MAA A,4F;MAAA,uC;QAW0B,Q;QAFtB,YAAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B ,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV, EAAiB,UAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;4GAmBA,yB;MAAA, 8D;MAAA,4F;MAAA,oC;MAAA,gC;MAAA,uC;QAW0B,Q;QAFtB,YAAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;U AAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAh B,C;UACI,cAAc,oBAAU,KAAV,EAAiB,sBAAI,KAAJ,EAAjB,EAA6B,wBAA7B,E;UACd,qB;;QAEJ,OAAO,W; O;KAhBX,C;wGAmBA,yB;MAAA,8D;MAAA,uC;QAU6B,UAE0,M;QAJhC,YAAAY,wB;QACZ,IAAI,QAAQ,C AAZ,C;UAAe,OAAO,I;QACtB,kBAaqB,UAAI,YAAJ,EAAI,oBAAJ,O;QACrB,OAAO,SAAS,CAAhB,C;UACI,c AAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAdX,C;0GAiBA,yB;M AAA,8D;MAAA,uC;QAU0B,UAEU,M;QAJhC,YAAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB, kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI, sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAdX,C;0GAiBA,yB;MAAA,8D;MAAA,uC;QAU0B,U AEU,M;QAJhC,YAAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,UAAI,YAAJ,EAAI,o BAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAx B,C;;QAEIB,OAAO,W;O;KAdX,C;0GAiBA,yB;MAAA,8D;MAAA,uC;QAU0B,UAEU,M;QAJhC,YAAAY,wB;QA CZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS, CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAd X,C;0GAiBA,yB;MAAA,8D;MAAA,uC;QAU0B,UAEU,M;QAJhC,YAAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UA Ae,OAAO,I;QACtB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAA U,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAdX,C;0GAiBA,yB;MAAA,8D; MAAA,uC;QAU0B,UAEU,M;QAJhC,YAAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB ,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,S AAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAdX,C;0GAiBA,yB;MAAA,8D;MAAA,uC;QAU0B,UAEU,M; QAJhC,YAAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O ;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QA EIB,OAAO,W;O;KAdX,C;0GAiBA,yB;MAAA,8D;MAAA,uC;QAU0B,UAEU,M;QAJhC,YAAAY,wB;QACZ,IAA I,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB ,C;UACI,cAAc,UAAU,UAAI,cAAJ,EAAI,sBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAdX,C;0GA iBA,yB;MAAA,8D;MAAA,oC;MAAA,gC;MAAA,uC;QAU0B,UAEU,M;QAJhC,YAAAY,wB;QACZ,IAAI,QAAQ, CAAZ,C;UAAe,OAAO,I;QACtB,kBAakB,UAAI,YAAJ,EAAI,oBAAJ,O;QACIB,OAAO,SAAS,CAAhB,C;UACI, cAAc,oBAAU,sBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,wBAAxB,E;;QAEIB,OAAO,W;O;KAdX,C;8EAiBA,y B;MAAA,gD;MAAA,gE;MAAA,gD;QAIBoB,Q;QAHhB,IAjmNO,qBAAQ,CAimNf,C;UAAe,OAAO,OAAO,OA AP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB9raO,W;QjB+raP,kBAakB,O;QAC lB,wBAAgB,SAAhB,gB;UAAgB,CAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAA O,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;gFAwBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAKBoB,Q;Q AHhB,IAInNO,qBAAQ,CAknNf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,

C;QAA+B,8B;QAA5C,aiBvtaO,W;QjBwtaP,kBAaAkB,O;QACIB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KatBX,C;gFAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QakBoB,Q;QAHhB,IAnoNO,qBAAQ,CAmoNf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBhvaO,W;QjBivaP,kBAaAkB,O;QACIB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KatBX,C;gFAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QakBoB,Q;QAHhB,IAppNO,qBAAQ,CAopNf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzwaO,W;QjB0waP,kBAaAkB,O;QACIB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KatBX,C;gFAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QakBoB,Q;QAHhB,IAppNO,qBAAQ,CAopNf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBzwaO,W;QjB0waP,kBAaAkB,O;QACIB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KatBX,C;gFAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QakBoB,Q;QAHhB,IAppNO,qBAAQ,CAopNf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB3zaO,W;QjB4zaP,kBAaAkB,O;QACIB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KatBX,C;gFAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QakBoB,Q;QAHhB,IAsrNO,qBAAQ,CAsrNf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB3zaO,W;QjB4zaP,kBAaAkB,O;QACIB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KatBX,C;gFAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QakBoB,Q;QAHhB,IAsrNO,qBAAQ,CAsrNf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBp1aO,W;QjBq1aP,kBAaAkB,O;QACIB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KatBX,C;gFAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QakBoB,Q;QAHhB,IAxtNO,qBAAQ,CAwtNf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB72aO,W;QjB82aP,kBAaAkB,O;QACIB,wBAAGB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KatBX,C;gFAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QakBoB,Q;QAHhB,IAzuNO,qBAAQ,CAyuNf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBt4aO,W;QjBu4aP,kBAaAkB,O;QACIB,wBAAGB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,cAAc,UAAU,WAAV,EAAuB,oBAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KatBX,C;4FAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QaeI,IAI0NO,qBAAQ,CAk0Nf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB5aO,W;QjBg6aP,kBAaAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KatBX,C;8FAyBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IAp1NO,qBAAQ,CAo1Nf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBz7aO,W;QjB07aP,kBAaAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IA2NO,qBAAQ,CAs2Nf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBn9aO,W;QjBo9aP,kBAaAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IA3NO,qBAAQ,CAw3Nf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB7+aO,W;QjB8+aP,kBAaAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IA14NO,qBAAQ,CA04Nf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBvgbO,W;QjBwgbP,kBAaAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IA55NO,qBAAQ,CA45Nf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBjibO,W;QjBkibP,kBAaAkB,O;QACIB,wD;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IA96NO,qBAAQ,CA86Nf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,k

BAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiB3jbO,W;QjB4jbP,kBAaKb,O;QACIB,wD;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAgBI,IAh8NO,qBAAQ,CAG8Nf,C;UA Ae,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,aiBrlbO,W;QjBs lbP,kBAaKb,O;QACIB,wD;UACI,cAAc,UAAU,KAaV,EAAiB,WAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd ,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;8FA0BA,yB;MAAA,gD;MAAA,gE;MAAA,oC;MAAA, gD;QAgBI,IAI9NO,qBAAQ,CAk9Nf,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,mBAAO,CAAP,IA Ab,C;QAA+B,8B;QAA5C,aiB/mbO,W;QjBgnbP,kBAaKb,O;QACIB,wD;UACI,cAAc,UAAU,KAaV,EAAiB,WA Ajb,EAA8B,sBAaK,KAAL,EAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;0FA0BA, yB;MAAA,qD;MAAA,gE;MAAA,uC;QAcI,IAIiOO,qBAAQ,CA0iOf,C;UAAe,OAAO,W;QACtB,sBAAqB,UAA K,CAAL,CAArB,C;QACgC,kBAAnB,eAAa,gBAAb,C;QAA2B,sBAAI,aAAJ,C;QAAxC,aiBxobO,W;QjByobP,iB AAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;UACd,MAAO,W AAI,aAAJ,C;;QAEX,OAAO,M;O;KArBX,C;4FAwBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAYI,IAxjOO,qBA AQ,CAwjOf,C;UAAe,OAAO,W;QACtB,sBAaKb,UAAK,CAAL,CAAIB,C;QACmC,kBAAtB,eAAgB,gBAAhB,C ;QAA8B,sBAAI,aAAJ,C;QAA3C,aiB9pbO,W;QjB+pbP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU, aAAV,EAAuB,UAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;4FAsBA, yB;MAAA,qD;MAAA,gE;MAAA,uC;QAYI,IAtkOO,qBAAQ,CAskOf,C;UAAe,OAAO,W;QACtB,sBAaKb,UAA K,CAAL,CAAIB,C;QACoC,kBAAvB,eAAiB,gBAAjB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBprbO,W;QjBqrbP,i BAAC,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;UACd,MAAO, WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;4FAsBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAYI,IAplOO,qB AAQ,CAolOf,C;UAAe,OAAO,W;QACtB,sBAaKb,UAAK,CAAL,CAAIB,C;QACkC,kBAArB,eAAe,gBAAf,C;Q AA6B,sBAAI,aAAJ,C;QAA1C,aiB1sbO,W;QjB2sbP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aA AV,EAAuB,UAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;4FAsBA,yB ;MAAA,qD;MAAA,gE;MAAA,uC;QAYI,IAImOO,qBAAQ,CAkmOf,C;UAAe,OAAO,W;QACtB,sBAaKb,UAA K,CAAL,CAAIB,C;QACmC,kBAAtB,eAAgB,gBAAhB,C;QAA8B,sBAAI,aAAJ,C;QAA3C,aiBhubO,W;QjBiubP, iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;UACd,MAAO, WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;4FAsBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAYI,IAhnOO,qB AAQ,CAgnOf,C;UAAe,OAAO,W;QACtB,sBAaKb,UAAK,CAAL,CAAIB,C;QACoC,kBAAvB,eAAiB,gBAAjB, C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBtvbO,W;QjBuvbP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU ,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;4FAsBA, yB;MAAA,qD;MAAA,gE;MAAA,uC;QAYI,IA9nOO,qBAAQ,CA8nOf,C;UAAe,OAAO,W;QACtB,sBAaKb,UA AK,CAAL,CAAIB,C;QACqC,kBAAxB,eAAkB,gBAaIB,C;QAAgC,sBAAI,aAAJ,C;QAA7C,aiB5wbO,W;QjB6w bP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;UACd,MA AO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;4FAsBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAYI,IA5oO O,qBAAQ,CA4oOf,C;UAAe,OAAO,W;QACtB,sBAaKb,UAAK,CAAL,CAAIB,C;QACsC,kBAAzB,eAAmB,gB AAnB,C;QAAiC,sBAAI,aAAJ,C;QAA9C,aiBlybO,W;QjBmybP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc, UAAU,aAAV,EAAuB,UAAK,KAAL,CAAvB,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;4 FAsBA,yB;MAAA,qD;MAAA,gE;MAAA,oC;MAAA,gC;MAAA,uC;QAYI,IA1pOO,qBAAQ,CA0pOf,C;UAAe, OAAO,W;QACtB,sBAaKb,UAAK,CAAL,CAAIB,C;QACmC,kBAAtB,eAAgB,gBAAhB,C;QAA8B,sBAAI,0BA AJ,C;QAA3C,aiBxzbO,W;QjByzbP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,oBAAU,0BAAV,EAAuB,sB AAK,KAAL,EAAvB,E;UACd,MAAO,WAAI,0BAAJ,C;;QAEX,OAAO,M;O;KAnBX,C;wGAsBA,yB;MAAA,qD; MAAA,gE;MAAA,uC;QAeI,IANvOO,qBAAQ,CAMvOf,C;UAAe,OAAO,W;QACtB,sBAAqB,UAAK,CAAL,CA ArB,C;QACgC,kBAAnB,eAAa,gBAAb,C;QAA2B,sBAAI,aAAJ,C;QAAxC,aiBj1bO,W;QjBk1bP,iBAAc,CAAd,U AAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAaV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO, WAAI,aAAJ,C;;QAEX,OAAO,M;O;KAtBX,C;0GAYBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IAIwOO,qB AAQ,CAkwOf,C;UAAe,OAAO,W;QACtB,sBAaKb,UAAK,CAAL,CAAIB,C;QACmC,kBAAtB,eAAgB,gBAAhB ,C;QAA8B,sBAAI,aAAJ,C;QAA3C,aiBx2bO,W;QjBy2bP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAA U,KAaV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;K

ApBX,C;0GAuBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IAjxOO,qBAAQ,CAixOf,C;UAAe,OAAO,W;QA
CtB,sBAakB,UAAK,CAAL,CAAIB,C;QACoC,kBAAvB,eAAiB,gBAajB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiB
/3bO,W;QjBg4bP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK
,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KApBX,C;0GAuBA,yB;MAAA,qD;MAA
A,gE;MAAA,uC;QAaI,IAhyOO,qBAAQ,CAgyOf,C;UAAe,OAAO,W;QACtB,sBAakB,UAAK,CAAL,CAAIB,C;
QACkC,kBAArB,eAAe,gBAAf,C;QAA6B,sBAAI,aAAJ,C;QAA1C,aiBt5bO,W;QjBu5bP,iBAAc,CAAd,UAAsB,g
BAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,a
AAJ,C;;QAEX,OAAO,M;O;KApBX,C;0GAuBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IA/yOO,qBAAQ,C
A+yOf,C;UAAe,OAAO,W;QACtB,sBAakB,UAAK,CAAL,CAAIB,C;QACmC,kBAAtB,eAAgB,gBAAhB,C;QA
A8B,sBAAI,aAAJ,C;QAA3C,aiB76bO,W;QjB86bP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KA
AV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KApBX
,C;0GAuBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IA9zOO,qBAAQ,CA8zOf,C;UAAe,OAAO,W;QACtB,s
BAakB,UAAK,CAAL,CAAIB,C;QACoC,kBAAvB,eAAiB,gBAajB,C;QAA+B,sBAAI,aAAJ,C;QAA5C,aiBp8bO
,W;QjBq8bP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KA
AL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KApBX,C;0GAuBA,yB;MAAA,qD;MAAA,gE
;MAAA,uC;QAaI,IA70OO,qBAAQ,CA60Of,C;UAAe,OAAO,W;QACtB,sBAakB,UAAK,CAAL,CAAIB,C;QAC
qC,kBAAxB,eAAkB,gBAAlB,C;QAAGC,sBAAI,aAAJ,C;QAA7C,aiB39bO,W;QjB49bP,iBAAc,CAAd,UAAsB,g
BAAtB,U;UACI,gBAAc,UAAU,KAAV,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,a
AAJ,C;;QAEX,OAAO,M;O;KApBX,C;0GAuBA,yB;MAAA,qD;MAAA,gE;MAAA,uC;QAaI,IA51OO,qBAAQ,C
A41Of,C;UAAe,OAAO,W;QACtB,sBAakB,UAAK,CAAL,CAAIB,C;QACsC,kBAAzB,eAAmB,gBAAnB,C;QA
AiC,sBAAI,aAAJ,C;QAA9C,aiBl/bO,W;QjBm/bP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,UAAU,KAA
V,EAAiB,aAAjB,EAA8B,UAAK,KAAL,CAA9B,C;UACd,MAAO,WAAI,aAAJ,C;;QAEX,OAAO,M;O;KApBX,
C;0GAuBA,yB;MAAA,qD;MAAA,gE;MAAA,oC;MAAA,gC;MAAA,uC;QAaI,IA32OO,qBAAQ,CA22Of,C;UA
Ae,OAAO,W;QACtB,sBAakB,UAAK,CAAL,CAAIB,C;QACmC,kBAAtB,eAAgB,gBAAhB,C;QAA8B,sBAAI,0
BAAJ,C;QAA3C,aiBzgcO,W;QjB0gcP,iBAAc,CAAd,UAAsB,gBAAtB,U;UACI,gBAAc,oBAAU,KAAV,EAAiB,
0BAAjB,EAA8B,sBAAK,KAAL,EAA9B,E;UACd,MAAO,WAAI,0BAAJ,C;;QAEX,OAAO,M;O;KApBX,C;gFA
uBA,+B;MAKoB,Q;MADhB,UAAe,C;MACf,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,YAAO,SA
S,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,+B;MAKoB,Q;MADhB,UAAe,C;MACf,wBAAGB,SAAhB,gB;QA
AGB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,+B;MAKoB,Q;MADhB,
UAAe,C;MACf,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OA
AO,G;K;kFAGX,+B;MAKoB,Q;MADhB,UAAe,C;MACf,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,
YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,+B;MAKoB,Q;MADhB,UAAe,C;MACf,wBAAGB,SA
AhB,gB;QAAGB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,+B;MAKoB
,Q;MADhB,UAAe,C;MACf,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I
;;MAEJ,OAAO,G;K;kFAGX,+B;MAKoB,Q;MADhB,UAAe,C;MACf,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAh
B,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,+B;MAKoB,Q;MADhB,UAAe,C;MACf,w
BAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,YAAO,SAAS,OAAT,CAAP,I;;MAEJ,OAAO,G;K;kFAGX,
yB;MAAA,oC;MAAA,gC;MAAA,sC;QAKoB,Q;QADhB,UAAe,C;QACf,wBAAGB,SAAhB,gB;UAAgB,cAAhB,
UAAgB,SAAhB,O;UACI,YAAO,SAAS,oBAAT,CAAP,I;;QAEJ,OAAO,G;O;KARX,C;4FAWA,+B;MAKoB,Q;M
ADhB,UAAkB,G;MACIB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAE
X,OAAO,G;K;8FAGX,+B;MAKoB,Q;MADhB,UAAkB,G;MACIB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,
M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;8FAGX,+B;MAKoB,Q;MADhB,UAAkB,G;MACIB,wBAA
gB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;8FAGX,+B;MAKo
B,Q;MADhB,UAAkB,G;MACIB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;
MAEX,OAAO,G;K;8FAGX,+B;MAKoB,Q;MADhB,UAAkB,G;MACIB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SA
AhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;8FAGX,+B;MAKoB,Q;MADhB,UAAkB,G;MACIB,w
BAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;8FAGX,+B;M
AKoB,Q;MADhB,UAAkB,G;MACIB,wBAAGB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,SAAS,OAA

T,C;;MAEX,OAAO,G;K;8FAGX,+B;MAKoB,Q;MADhB,UAAkB,G;MACIB,wBAAgB,SAAhB,gB;QAAgB,cAA
A,SAAhB,M;QACI,OAAO,SAAS,OAAT,C;;MAEX,OAAO,G;K;8FAGX,yB;MAAA,oC;MAAA,gC;MAAA,sC;Q
AKoB,Q;QADhB,UAAkB,G;QACIB,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,OAAO,SA
AS,oBAAT,C;;QAEX,OAAO,G;O;KARX,C;IAWA,mC;MAIoB,UAMT,M;MANP,wBAAgB,SAAhB,gB;QAAgB,
cAAA,SAAhB,M;QACI,IAAI,eAAJ,C;UACI,MAAM,gCAAyB,2BAAwB,SAAxB,MAAZB,C;;MAId,OAAO,0D;
K;wFAGX,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAg
B,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YA
EN,MAAO,WAAI,OAAJ,C;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KafX,C;0FAkBA,yB;MAAA,+D;
MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAA
A,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;
;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KafX,C;0FAkBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAQo
B,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UA
AU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;QAGf,OAAO,cAAK,KAAL,
EAAY,MAAZ,C;O;KafX,C;0FAkBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAY,gB;QAC
Z,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,K
AAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KafX,C;
0FAkBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAgB,
SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN
,MAAO,WAAI,OAAJ,C;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KafX,C;0FAkBA,yB;MAAA,+D;MA
AA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAAA,S
AAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;Q
AGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KafX,C;0FAkBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAQoB,
Q;QAFhB,YAAY,gB;QACZ,aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAA
U,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;QAGf,OAAO,cAAK,KAAL,E
AAY,MAAZ,C;O;KafX,C;0FAkBA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAY,gB;QACZ,
aAAa,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAAA,SAAhB,M;UACI,IAAI,UAAU,OAAV,CAAJ,C;YACI,KA
AM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KafX,C;0
FAkBA,yB;MAAA,+D;MAAA,oC;MAAA,gC;MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAY,gB;QACZ,aAAa
,gB;QACb,wBAAgB,SAAhB,gB;UAAgB,cAAhB,UAAgB,SAAhB,O;UACI,IAAI,UAAU,oBAAV,CAAJ,C;YACI,
KAAM,WAAI,oBAAJ,C;;YAEN,MAAO,WAAI,oBAAJ,C;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;Kaf
X,C;IAkBA,+B;MAkGI,WkBl4cO,MAAK,KIBk4cK,gBkBl4cL,ElBuycD,KA2FkB,OkBl4cjB,C;MIBm4cZ,WAA
W,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA9FqB,GA8FP,UAAK,CAAL,CA9F
O,EAAnB,KA8FqB,CAAM,CAAN,CA9FF,CA8FrB,C;;MA9FT,OAgGO,I;K;IA7FX,iC;MAwGI,WkBl5cO,MAA
K,KIBk5cK,gBkBl5cL,ElBizcD,KAiGkB,OkBl5cjB,C;MIBm5cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,
MAAkB,IAAIB,M;QACI,IAAK,WApGqB,GAoGP,UAAK,CAAL,CAPGO,EAAnB,KAoGqB,CAAM,CAAN,CAP
GF,CAoGrB,C;;MApGT,OAsGO,I;K;IANGX,iC;MA8GI,WkBl6cO,MAAK,KIBk6cK,gBkBl6cL,ElB2zcD,KAuGk
B,OkBl6cjB,C;MIBm6cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA1Gq
B,GA0GP,UAAK,CAAL,CA1GO,EAAnB,KA0GqB,CAAM,CAAN,CA1GF,CA0GrB,C;;MA1GT,OA4GO,I;K;IA
zGX,iC;MAoHI,WkBl7cO,MAAK,KIBk7cK,gBkBl7cL,ElBq0cD,KA6GkB,OkBl7cjB,C;MIBm7cZ,WAAW,iBAA
a,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAhHqB,GAgHP,UAAK,CAAL,CAhHO,EAAn
B,KAgHqB,CAAM,CAAN,CAhHF,CAGhrB,C;;MAhHT,OakHO,I;K;IA/GX,iC;MA0HI,WkBl8cO,MAAK,KIBk8
cK,gBkBl8cL,ElB+0cD,KAmHkB,OkBl8cjB,C;MIBm8cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB
,IAAIB,M;QACI,IAAK,WAtHqB,GAsHP,UAAK,CAAL,CAtHO,EAAnB,KAsHqB,CAAM,CAAN,CAtHF,CAsHr
B,C;;MAtHT,OAWhO,I;K;IARHX,iC;MAGII,WkBl9cO,MAAK,KIBk9cK,gBkBl9cL,ElBy1cD,KAYHkB,OkBl9cjB
,C;MIBm9cZ,WAAW,iBAAa,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA5HqB,GA4HP,U
AAK,CAAL,CA5HO,EAAnB,KA4HqB,CAAM,CAAN,CA5HF,CA4HrB,C;;MA5HT,OA8HO,I;K;IA3HX,iC;MAS
II,WkBl+cO,MAAK,KIBk+cK,gBkBl+cL,ElBm2cD,KA+HkB,OkBl+cjB,C;MIBm+cZ,WAAW,iBAAa,IAAb,C;M
ACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAlIqB,GAKIP,UAAK,CAAL,CAIIO,EAAnB,KAKIqB,CAA

M,CAAN,CAIIF,CAkIrB,C;;MAIIT,OAoIO,I;K;IAjIX,iC;MA4II,WkBl/cO,MAAK,KIBk/cK,gBkBl/cL,EIB62cD,K
AqIkB,OkBl/cjB,C;MlBm/cZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA
xIqB,GAwIP,UAAK,CAAL,CAxIO,EAAnB,KAwIqB,CAAM,CAAN,CAxIF,CAwIrB,C;;MAxIT,OA0IO,I;K;IAvI
X,iC;MAkJI,WkBlgdO,MAAK,KlBkgdK,gBkBlgdL,ElBu3cD,KA2IkB,OkBlgdjB,C;MlBmgdZ,WAAW,iBAaA,IA
Ab,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA9IqB,GA8IP,sBAAK,CAAL,EA9IO,EAAnB,KA
8IqB,CAAM,CAAN,CA9IF,CA8IrB,C;;MA9IT,OAgJO,I;K;8EA7IX,yB;MAAA,gE;MkBJ4cA,iB;MlBi4cA,8C;QA
QI,WkBl4cO,MAAK,KIBk4cK,gBkBl4cL,EIBk4cW,KAAM,OkBl4cjB,C;QlBm4cZ,WAAW,eAAa,IAAb,C;QAC
X,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MAAM,CAAN,C
AAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;8EA9BA,yB;MAAA,gE;MkBJ5cA,iB;MlBi5cA,8C;QAQI,WkBl5cO,
MAAK,KIBk5cK,gBkBl5cL,EIBk5cW,KAAM,OkBl5cjB,C;QlBm5cZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAA
V,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,
C;;QAET,OAAO,I;O;KAbX,C;+EA9BA,yB;MAAA,gE;MkBJ6cA,iB;MlBi6cA,8C;QAQI,WkBl6cO,MAAK,KIBk
6cK,gBkBl6cL,EIBk6cW,KAAM,OkBl6cjB,C;QlBm6cZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,I
AAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OA
AO,I;O;KAbX,C;8EA9BA,yB;MAAA,gE;MkBJ7cA,iB;MlBi7cA,8C;QAQI,WkBl7cO,MAAK,KIBk7cK,gBkBl7c
L,EIBk7cW,KAAM,OkBl7cjB,C;QlBm7cZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UAC
I,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX
,C;+EA9BA,yB;MAAA,gE;MkBJ8cA,iB;MlBi8cA,8C;QAQI,WkBl8cO,MAAK,KIBk8cK,gBkBl8cL,EIBk8cW,K
AAM,OkBl8cjB,C;QlBm8cZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI
,UAAU,UAAK,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EA9BA,y
B;MAAA,gE;MkBJ9cA,iB;MlBi9cA,8C;QAQI,WkBl9cO,MAAK,KIBk9cK,gBkBl9cL,EIBk9cW,KAAM,OkBl9cj
B,C;QlBm9cZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAA
K,CAAL,CAAV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EA9BA,yB;MAAA,gE;
MkBJ+cA,iB;MlBi+cA,8C;QAQI,WkBl+cO,MAAK,KIBk+cK,gBkBl+cL,EIBk+cW,KAAM,OkBl+cjB,C;QlBm+c
Z,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CA
AV,EAAMb,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EA9BA,yB;MAAA,gE;MkBJ/cA,iB;
MlBi/cA,8C;QAQI,WkBl/cO,MAAK,KIBk/cK,gBkBl/cL,EIBk/cW,KAAM,OkBl/cjB,C;QlBm/cZ,WAAW,eAAa,I
AAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAMb,MA
AM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EA9BA,yB;MAAA,gE;MAAA,oC;MkBJgdA,iB;MlBi
gdA,8C;QAQI,WkBlgdO,MAAK,KIBkgdK,gBkBlgdL,EIBkgdW,KAAM,OkBlgdjB,C;QlBmgdZ,WAAW,eAAa,I
AAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,sBAAK,CAAL,EA9V,EAAMb,MA
AM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IA9BA,kC;MAqGoB,gB;MAHhB,gBAAGB,gB;MACH
B,WAAW,iBkB7mdJ,MAAK,KIB6mdwB,wBA5FzB,KA4FyB,EAAwB,EAAXB,CkB7mdxB,EIB6mdqD,SkB7mdr
D,CIB6mdD,C;MACX,QAAQ,C;MACQ,OA9FL,KA8FK,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI
,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhGqB,GA9GP,UAAK,UAAL,EA9K,kBAAL,SAhGO,EA9GI,OA
hGJ,CAGrB,C;;MAhGT,OAkGO,I;K;IA/FX,kC;MA6GoB,gB;MAHhB,gBAAGB,gB;MACHB,WAAW,iBkB/ndJ,
MAAK,KIB+ndwB,wBApGzB,KAoGyB,EAAwB,EAAXB,CkB/ndxB,EIB+ndqD,SkB/ndrD,CIB+ndD,C;MACX,Q
AAQ,C;MACQ,OA9GL,KAsGK,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAo
B,K;QACpB,IAAK,WAxGqB,GAwGP,UAAK,UAAL,EA9K,kBAAL,SAxGO,EAwGI,OA9GJ,CAwGrB,C;;MAx
GT,OA0GO,I;K;IAvGX,kC;MAqHoB,gB;MAHhB,gBAAGB,gB;MACHB,WAAW,iBkBJpdJ,MAAK,KlBipdwB,w
BA5GzB,KA4GyB,EAAwB,EAAXB,CkBJpdxB,EIBipdqD,SkBJpdrD,CIBipdD,C;MACX,QAAQ,C;MACQ,OA9G
L,KA8GK,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,W
AhHqB,GA9HP,UAAK,UAAL,EA9K,kBAAL,SAhHO,EA9HI,OA9HJ,CAGHrB,C;;MAhHT,OAkHO,I;K;IA/GX,
kC;MA6HoB,gB;MAHhB,gBAAGB,gB;MACHB,WAAW,iBkBNqdJ,MAAK,KlBmqdwB,wBApHzB,KAoHyB,EA
AwB,EAAXB,CkBNqdxB,EIBmqdqD,SkBNqdrD,CIBmqdD,C;MACX,QAAQ,C;MACQ,OA9HL,KAsHK,W;MAAh
B,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxHqB,GAwHP,UA
AK,UAAL,EA9K,kBAAL,SAxHO,EAwHI,OA9HJ,CAwHrB,C;;MAxHT,OA0HO,I;K;IAvHX,kC;MAqIoB,gB;M
AHhB,gBAAGB,gB;MACHB,WAAW,iBkBrddJ,MAAK,KlBqrdwB,wBA5HzB,KA4HyB,EAAwB,EAAXB,CkBrdd

xB,ElBqrdqD,SkBrrdrD,CIBqrdD,C;MACX,QAAQ,C;MACQ,OA9HL,KA8HK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhIqB,GAgIP,UAAK,UAAAL,EAAK,kBAAL,SAhIO,EAgII,OAHIJ,CAGrB,C;;MAhIT,OAkIO,I;K;IA/HX,kC;MA6IoB,gB;MAHhB,gBAAgB,gB;MACHB,WAAW,iBkBvsdJ,MAAK,KIBusdwB,wBApIzB,KAOIyB,EAAwB,EAAxB,CkBvsdxB,ElBusdqD,SkBvsdrD,CIBusdD,C;MACX,QAAQ,C;MACQ,OAiIL,KAsIK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxIqB,GAWIP,UAAK,UAAAL,EAAK,kBAAL,SAxIO,EAwII,OAXIJ,CAwIrB,C;;MAxIT,OA0IO,I;K;IAvIX,kC;MAqJoB,gB;MAHhB,gBAAgB,gB;MACHB,WAAW,iBkBztdJ,MAAK,KIBytdwB,wBA5IzB,KA4IyB,EAAwB,EAAxB,CkBztdxB,ElBytdqD,SkBztdrD,CIBytdD,C;MACX,QAAQ,C;MACQ,OA9IL,KA8IK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhJqB,GAGJP,UAAK,UAAAL,EAAK,kBAAL,SAhJO,EAGJI,OAHIJ,CAGJrB,C;;MAhJT,OAkJO,I;K;IA/IX,kC;MA6JoB,gB;MAHhB,gBAAgB,gB;MACHB,WAAW,iBkB3udJ,MAAK,KIB2udwB,wBApJzB,KAOJyB,EAAwB,EAAxB,CkB3udxB,ElB2udqD,SkB3udrD,CIB2udD,C;MACX,QAAQ,C;MACQ,OAiJL,KAsJK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAxJqB,GAWJP,UAAK,UAAAL,EAAK,kBAAL,SAxJO,EAwJI,OAXJJ,CAwJrB,C;;MAxJT,OA0JO,I;K;IAvJX,kC;MAqKoB,gB;MAHhB,gBAAgB,gB;MACHB,WAAW,iBkB7vdJ,MAAK,KIB6vdwB,wBA5JzB,KA4JyB,EAAwB,EAAxB,CkB7vdxB,ElB6vdqD,SkB7vdrD,CIB6vdD,C;MACX,QAAQ,C;MACQ,OA9JL,KA8JK,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,KAAK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhKqB,GAGKP,sBAAK,UAAAL,EAAK,kBAAL,UAhKO,EAGKI,OA hKJ,CAGKrB,C;;MAhKT,OAkKO,I;K;+EA/JX,yB;MAAA,kF;MAAA,gE;MkB3mdA,iB;MIB2mdA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QACHB,WAAW,ekB7mdJ,MAAK,KIB6mdwB,wBAAN,KAAM,EAAwB,EAAxB,CkB7mdxB,ElB6mdqD,SkB7mdrD,CIB6mdD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL,EAAK,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB;MAAA,kF;MAAA,gE;MkB7ndA,iB;MIB6ndA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QACHB,WAAW,ekB/ndJ,MAAK,KIB+ndwB,wBAAN,KAAM,EA AwB,EAAxB,CkB/ndxB,ElB+ndqD,SkB/ndrD,CIB+ndD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL,EAAK,kBA AL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB;MAAA,kF;MAAA,gE;MkB/odA,i B;MIB+odA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QACHB,WAAW,ekBjpdJ,MAAK,KIBipdwB,wBAAN,KA AM,EAAwB,EAAxB,CkBjpdxB,ElBipdqD,SkBjpdR,CIBipdD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB, cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK,UAAAL,EAA K,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB;MAAA,kF;MAAA,gE;MkBj qdA,iB;MIBiqdA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QACHB,WAAW,ekBnqdJ,MAAK,KIBmqdwB,wB AAN,KAAM,EAAwB,EAAxB,CkBnqdxB,ElBmqdqD,SkBnqdrD,CIBmqdD,C;QACX,QAAQ,C;QACQ,uB;QAAh B,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,UAAK, UAAL,EAAK,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB;MAAA,kF;MA AAA,gE;MkBnrDA,iB;MIBmrDA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QACHB,WAAW,ekBrrdJ,MAAK,KI BqrdwB,wBAAN,KAAM,EAAwB,EAAxB,CkBrrdxB,ElBqrdqD,SkBrrdrD,CIBqrdD,C;QACX,QAAQ,C;QACQ,u B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU, UAAK,UAAAL,EAAK,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB;MAAA, kF;MAAA,gE;MkBrsdA,iB;MIBqsdA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QACHB,WAAW,ekBvsdJ,MA AK,KIBusdwB,wBAAN,KAAM,EAAwB,EAAxB,CkBvsdxB,ElBusdqD,SkBvsdrD,CIBusdD,C;QACX,QAAQ,C; QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAA I,UAAU,UAAK,UAAAL,EAAK,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+EakBA,yB ;MAAA,kF;MAAA,gE;MkBvtdA,iB;MIBvtdA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QACHB,WAAW,ekBz tdJ,MAAK,KIBytdwB,wBAAN,KAAM,EAAwB,EAAxB,CkBztdxB,ElBytdqD,SkBztdrD,CIBytdD,C;QACX,QAA Q,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK, WAAI,UAAU,UAAK,UAAAL,EAAK,kBAAL,SAAV,EAAqB,OAARb,CAAJ,C;;QAET,OAAO,I;O;KafX,C;+Eak BA,yB;MAAA,kF;MAAA,gE;MkBzudA,iB;MIByudA,8C;QAWoB,UAEY,M;QAL5B,gBAAgB,gB;QACHB,WAA W,ekB3udJ,MAAK,KIB2udwB,wBAAN,KAAM,EAAwB,EAAxB,CkB3udxB,ElB2udqD,SkB3udrD,CIB2udD,C;

QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UA
CpB,IAAK,WAAI,UAAU,UAAK,UAAAL,EAAK,kBAAL,SAAV,EAAqB,OAARB,CAAJ,C;;QAET,OAAO,I;O;KA
fX,C;+EakBA,yB;MAAA,kF;MAAA,gE;MAAA,oC;MkB3vdA,iB;MIB2vdA,8C;QAWoB,UAEY,M;QAL5B,gBA
AgB,gB;QAChB,WAAW,ekB7vdJ,MAAK,KIB6vdwB,wBAAN,KAAM,EAAwB,EAAxB,CkB7vdxB,ElB6vdqD,S
kB7vdrD,CIB6vdD,C;QACX,QAAQ,C;QACQ,uB;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,S
AAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,sBAAK,UAAAL,EAAK,kBAAL,UAAV,EAAqB,OAARB,CAAJ,C
;;QAET,OAAO,I;O;KafX,C;IAkBA,kC;MAwFI,WkB91dO,MAAK,KIB81dK,gBkB91dL,ElB6wdD,KaIFkB,OkB
91djB,C;MIB+1dZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WApFqB,GAo
FP,UAAK,CAAL,CAPFO,EAAAnB,KAOFqB,CAAM,CAAN,CAPFF,CAoFrB,C;;MApFT,OAsFO,I;K;IANFX,kC;M
A8FI,WkB92dO,MAAK,KIB82dK,gBkB92dL,ElBuxdD,KAuFkB,OkB92djB,C;MIB+2dZ,WAAW,iBAaA,IAAb,C
;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA1FqB,GA0FP,UAAK,CAAL,CA1FO,EAAAnB,KAOFq
B,CAAM,CAAN,CA1FF,CA0FrB,C;;MA1FT,OA4FO,I;K;IAzFX,kC;MAoGI,WkB93dO,MAAK,KIB83dK,gBkB9
3dL,ElBiydD,KA6FkB,OkB93djB,C;MIB+3dZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;
QACI,IAAK,WAhGqB,GAgGP,UAAK,CAAL,CAhGO,EAAAnB,KAgGqB,CAAM,CAAN,CAhGF,CAGrB,C;;M
AhGT,OAkGO,I;K;IAFX,kC;MA0GI,WkB94dO,MAAK,KIB84dK,gBkB94dL,ElB2ydD,KAmGkB,OkB94djB,C;
MIB+4dZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAtGqB,GAsGP,UAA
K,CAAL,CAtGO,EAAAnB,KAsGqB,CAAM,CAAN,CAtGF,CAsGrB,C;;MAtGT,OAwGO,I;K;IArGX,kC;MAGHI,
WkB95dO,MAAK,KIB85dK,gBkB95dL,ElBqzdD,KAyGkB,OkB95djB,C;MIB+5dZ,WAAW,iBAaA,IAAb,C;MA
CX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA5GqB,GA4GP,UAAK,CAAL,CA5GO,EAAAnB,KAO4GqB,C
AAM,CAAN,CA5GF,CA4GrB,C;;MA5GT,OA8GO,I;K;IA3GX,kC;MAsHI,WkB96dO,MAAK,KIB86dK,gBkB96
dL,ElB+zdD,KA+GkB,OkB96djB,C;MIB+6dZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;
QACI,IAAK,WAlHqB,GakHP,UAAK,CAAL,CAIHO,EAAAnB,KakHqB,CAAM,CAAN,CAIHF,CakHrB,C;;MAI
HT,OAoHO,I;K;IAjHX,kC;MA4HI,WkB97dO,MAAK,KIB87dK,gBkB97dL,ElBy0dD,KaqHkB,OkB97djB,C;MI
B+7dZ,WAAW,iBAaA,IAAb,C;MACX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WAxHqB,GawHP,UAAK
,CAAL,CAXHO,EAAAnB,KAwHqB,CAAM,CAAN,CAXHF,CAwHrB,C;;MAXHT,OA0HO,I;K;IAvHX,kC;MAkII,
WkB98dO,MAAK,KIB88dK,gBkB98dL,ElBm1dD,KA2HkB,OkB98djB,C;MIB+8dZ,WAAW,iBAaA,IAAb,C;MA
CX,aAAU,CAAV,MAAkB,IAAIB,M;QACI,IAAK,WA9HqB,GA8HP,sBAAK,CAAL,EA9HO,EA8HE,YA9HrB,K
A8HqB,CAAM,CAAN,EA9HF,CA8HrB,C;;MA9HT,OA9IO,I;K;+EA7HX,yB;MAAA,gE;MkB71dA,iB;MIB61dA
,8C;QAQI,WkB91dO,MAAK,KIB81dK,gBkB91dL,ElB81dW,KAAM,OkB91djB,C;QIB+1dZ,WAAW,eAAa,IAAb
,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CA
AN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EA9gBA,yB;MAAA,gE;MkB72dA,iB;MIB62dA,8C;QAQI,
WkB92dO,MAAK,KIB82dK,gBkB92dL,ElB82dW,KAAM,OkB92djB,C;QIB+2dZ,WAAW,eAAa,IAAb,C;QACX,
aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CA
AnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EA9gBA,yB;MAAA,gE;MkB73dA,iB;MIB63dA,8C;QAQI,WkB93dO,
MAAK,KIB83dK,gBkB93dL,ElB83dW,KAAM,OkB93djB,C;QIB+3dZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CA
AV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ
,C;;QAET,OAAO,I;O;KAbX,C;+EA9gBA,yB;MAAA,gE;MkB74dA,iB;MIB64dA,8C;QAQI,WkB94dO,MAAK,KI
B84dK,gBkB94dL,ElB84dW,KAAM,OkB94djB,C;QIB+4dZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAk
B,IAAIB,M;UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,
OAAO,I;O;KAbX,C;+EA9gBA,yB;MAAA,gE;MkB75dA,iB;MIB65dA,8C;QAQI,WkB95dO,MAAK,KIB85dK,gBk
B95dL,ElB85dW,KAAM,OkB95djB,C;QIB+5dZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;
UACI,IAAK,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;
KAbX,C;+EA9gBA,yB;MAAA,gE;MkB76dA,iB;MIB66dA,8C;QAQI,WkB96dO,MAAK,KIB86dK,gBkB96dL,ElB
86dW,KAAM,OkB96djB,C;QIB+6dZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAA
K,WAAI,UAAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+E
AgBA,yB;MAAA,gE;MkB77dA,iB;MIB67dA,8C;QAQI,WkB97dO,MAAK,KIB87dK,gBkB97dL,ElB87dW,KAA
M,OkB97djB,C;QIB+7dZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAIB,M;UACI,IAAK,WAAI,U
AAU,UAAK,CAAL,CAAV,EAAmB,MAAM,CAAN,CAAnB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;+EA9gBA,yB;

MAAA,gE;MAAA,oC;MkB78dA,iB;MIB68dA,8C;QAQI,WkB98dO,MAAK,KIB88dK,gBkB98dL,ElB88dW,KA
AM,OkB98djB,C;QIB+8dZ,WAAW,eAAa,IAAb,C;QACX,aAAU,CAAV,MAAkB,IAAlB,M;UACI,IAAK,WAAI,
UAAU,sBAAK,CAAL,EAaV,EAaMb,kBAAM,CAAN,EAaNB,CAAJ,C;;QAET,OAAO,I;O;KAbX,C;IAGbA,4F;
MAQ8D,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAA
a,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MAGvN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MA
CP,YAAy,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAA
O,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACW,gBAAP,MAAO,EAaC,OAAd,E
AAuB,SAAvB,C;;UACJ,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C
;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,8F;MAQwD,yB;QAAA,YAA0B,I;MAAM,sB;QA
AA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;
QAAA,YAAuC,I;MAGpN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAy,C;MACZ,wBAAgB,SAAhB,gB;
QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,
CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MA
AO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gB
AAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,8F;MAQyD,yB;QAAA,YAA0B,I;M
AAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K
;MAAO,yB;QAAA,YAAwC,I;MAGtN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAy,C;MACZ,wBAAgB,
SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IA
AI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;
YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,
MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,8F;MAQuD,yB;QAAA,Y
AA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,
YAA0B,K;MAAO,yB;QAAA,YAAc,I;MAGn,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAy,C;MACZ,w
BAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;Q
ACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,OAAV,C
AAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;
QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,8F;MAQwD,yB;
QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,y
B;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAGpN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAy,
C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,
SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAA
U,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,
KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;IAGX,8F;M
AQyD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,
E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MAGtN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MAC
P,YAAy,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAA
O,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gB
AAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SAAS,CAAT,IA
Ac,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,OAAO,M;K;I
AGX,8F;MAQ0D,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QA
AA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAyC,I;MAGxN,Q;MAFhB,MAAO,gBAAO,MA
AP,C;MACP,YAAy,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,CAAd,C;UA
AiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAAJ,C;YACI,
MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,IAAI,SA
S,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C;MACP,O
AAO,M;K;IAGX,8F;MAQ2D,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;M
AAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAA0C,I;MAG1N,Q;MAFhB,MAAO,g
BAAO,MAAP,C;MACP,YAAy,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,IAAI,iCAAU,C

AAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACI,IAAI,iBAA J,C;YACI,MAAO,gBAAO,UAAU,OAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAQ,WAAf,C;;UACR,K;;MAEX,I AAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OAAP,C; MACP,OAAO,M;K;IAGX,8F;MAQwD,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UA AwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAGpN,Q;MAFh B,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACZ,wBAAgB,SAAhB,gB;QAAgB,cAAhB,UAAgB,SAAhB,O; QACI,IAAI,iCAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,IAAI,QAAQ,CAAR,IAAa,SAAS,KAA1 B,C;UACI,IAAI,iBAAJ,C;YACI,MAAO,gBAAO,UAAU,oBAAV,CAAP,C;;YAEP,MAAO,gBAAO,OAAP,C;;UA CR,K;;MAEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gB AAO,OAAP,C;MACP,OAAO,M;K;IAGX,0F;MAQyC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI, uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MA CIN,OAAO,kBAAO,sBAAP,EAawB,SAAxB,EAAMC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA 3D,EAAsE,SAAtE,CAAI,F,W;K;IAG5F,4F;MAQkC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB ;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAC9 M,OAAO,oBAAO,sBAAP,EAawB,SAAxB,EAAMC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D ,EAAsE,SAAtE,CAAI,F,W;K;IAG5F,4F;MAQmC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;Q AAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MACHN, OAAO,oBAAO,sBAAP,EAawB,SAAxB,EAAMC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,E AAsE,SAAtE,CAAI,F,W;K;IAG5F,4F;MAQiC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAA A,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAsC,I;MAC5M,OA AO,oBAAO,sBAAP,EAawB,SAAxB,EAAMC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAA sE,SAAtE,CAAI,F,W;K;IAG5F,4F;MAQkC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA, UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAC9M,OAA O,oBAAO,sBAAP,EAawB,SAAxB,EAAMC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAsE ,SAAtE,CAAI,F,W;K;IAG5F,4F;MAQmC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,U AAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAwC,I;MACHN,OAAO, oBAAO,sBAAP,EAawB,SAAxB,EAAMC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAsE,S AAtE,CAAI,F,W;K;IAG5F,4F;MAQoC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UA AwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAyC,I;MACIN,OAAO,oB AAO,sBAAP,EAawB,SAAxB,EAAMC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAsE,SA AtE,CAAI,F,W;K;IAG5F,4F;MAQqC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAA wB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MACpN,OAAO,oBA AO,sBAAP,EAawB,SAAxB,EAAMC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAsE,SAAt E,CAAI,F,W;K;IAG5F,4F;MAQkC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB, E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAC9M,OAAO,oBAAO ,sBAAP,EAawB,SAAxB,EAAMC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAsE,SAAt E,CAAI,F,W;K;IAG5F,4F;MAQkC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB, E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAuC,I;MAC9M,OAAO,oBAAO ,sBAAP,EAawB,SAAxB,EAAMC,MAAnC,EAA2C,OAA3C,EAAoD,KAApD,EAA2D,SAA3D,EAAsE,SAAt E,CAAI,F,W;K;IAQxE,4C;MAAA,mB;QAAE,OAAK,qBAAL,eAAK,C;O;K;IAL3B,+B;MAII,IA9yRO,qBAAQ,CA8y Rf,C;QAAe,OAAO,W;MACTB,kCAAgB,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O ;K;IAL3B,iC;MAII,IA9yRO,qBAAQ,CA8yRf,C;QAAe,OAAO,W;MACTB,kCAAgB,8BAAhB,C;K;IAQgB,8C;M AAA,mB;QAAE,OAAK,0BAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA9yRO,qBAAQ,CA8yRf,C;QAAe,OAAO,W;M ACTB,kCAAgB,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,wBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA9 yRO,qBAAQ,CA8yRf,C;QAAe,OAAO,W;MACTB,kCAAgB,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK ,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA9yRO,qBAAQ,CA8yRf,C;QAAe,OAAO,W;MACTB,kCAAgB,8BAAhB ,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,0BAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA9yRO,qBAAQ,CA8yRf,C; QAAe,OAAO,W;MACTB,kCAAgB,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,2BAAL,eAAK,C;O;K;IAL 3B,iC;MAII,IA9yRO,qBAAQ,CA8yRf,C;QAAe,OAAO,W;MACTB,kCAAgB,8BAAhB,C;K;IAQgB,8C;MAAA,m B;QAAE,OAAK,4BAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA9yRO,qBAAQ,CA8yRf,C;QAAe,OAAO,W;MACTB,k CAAGB,8BAAhB,C;K;IAQgB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAL3B,iC;MAII,IA9yRO,qB

AAQ,CA8yRf,C;QAAe,OAAO,W;MACTB,kCAAgB,8BAAhB,C;K;IAUGB,4C;MAAA,mB;QAAE,OAAK,qBAAL ,eAAK,C;O;K;IAP3B,+B;MAMI,IAx3RO,qBAAQ,CAw3Rf,C;QAAe,OAAO,e;MACTB,kCAAgB,4BAAhB,C;K;I AUGB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IA13RO,qBAAQ,CA03Rf,C;QAAe ,OAAO,e;MACTB,kCAAgB,8BAAhB,C;K;IAUGB,8C;MAAA,mB;QAAE,OAAK,0BAAL,eAAK,C;O;K;IAP3B,iC ;MAMI,IA53RO,qBAAQ,CA43Rf,C;QAAe,OAAO,e;MACTB,kCAAgB,8BAAhB,C;K;IAUGB,8C;MAAA,mB;QA AE,OAAK,wBAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IA93RO,qBAAQ,CA83Rf,C;QAAe,OAAO,e;MACTB,kCAAg B,8BAAhB,C;K;IAUGB,8C;MAAA,mB;QAAE,OAAK,yBAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IAh4RO,qBAAQ, CAg4Rf,C;QAAe,OAAO,e;MACTB,kCAAgB,8BAAhB,C;K;IAUGB,8C;MAAA,mB;QAAE,OAAK,0BAAL,eAAK ,C;O;K;IAP3B,iC;MAMI,IAI4RO,qBAAQ,CAk4Rf,C;QAAe,OAAO,e;MACTB,kCAAgB,8BAAhB,C;K;IAUGB,8C ;MAAA,mB;QAAE,OAAK,2BAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IAp4RO,qBAAQ,CAo4Rf,C;QAAe,OAAO,e; MACTB,kCAAgB,8BAAhB,C;K;IAUGB,8C;MAAA,mB;QAAE,OAAK,4BAAL,eAAK,C;O;K;IAP3B,iC;MAMI,I At4RO,qBAAQ,CAs4Rf,C;QAAe,OAAO,e;MACTB,kCAAgB,8BAAhB,C;K;IAUGB,8C;MAAA,mB;QAAE,OAA K,yBAAL,eAAK,C;O;K;IAP3B,iC;MAMI,IAx4RO,qBAAQ,CAw4Rf,C;QAAe,OAAO,e;MACTB,kCAAgB,8BAA hB,C;K;IAGJ,4B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA ,SAAhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K ;K;IAGjD,8B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SA AhB,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K; IAGjD,8B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAh B,M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IA GjD,8B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB, M;QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGj D,8B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M; QACI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8 B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QA CI,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;M AMoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAC I,OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;M AMoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI, OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MA MoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI, OAAO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAM oB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OA AO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,8B;MAM oB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OA AO,O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MAMoB, Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO, O;QACP,qB;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,wB;MAMoB,Q ;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;;MAEX,OAAO,G;K;I AGX,0B;MAMoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO,O;; MAEX,OAAO,G;K;IAGX,0B;MAMoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB ,M;QACI,YAAO,OAAP,I;;MAEJ,OAAO,G;K;IAGX,0B;MAMoB,Q;MADhB,Y;MACA,wBAAgB,SAAhB,gB;QA AgB,cAAA,SAAhB,M;QACI,cAAO,OAAP,C;;MAEJ,OAAO,G;K;IAGX,0B;MAMoB,Q;MADhB,UAAiB,G;MA CjB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAMoB,Q; MADhB,UAAkB,G;MACIB,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G; K;IAGX,0B;MAKoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QACI,YAAO, O;;MAEX,OAAO,G;K;IAGX,0B;MAKoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAh B,M;QACI,YAAO,O;;MAEX,OAAO,G;K;IAGX,0B;MAKoB,Q;MADhB,UAAe,C;MACf,wBAAgB,SAAhB,gB; QAAgB,cAAA,SAAhB,M;QACI,YAAO,OAAP,I;;MAEJ,OAAO,G;K;IAGX,0B;MAKoB,Q;MADhB,Y;MACA,w

BAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,cAAO,OAAP,C;;MAEJ,OAAO,G;K;IAGX,0B;MAKOB,Q;
MADhB,UAAiB,G;MACjB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAAO,O;;MAEX,OAAO,G;
K;IAGX,2B;MAKOB,Q;MADhB,UAAkB,G;MACIB,wBAAgB,SAAhB,gB;QAAGB,cAAA,SAAhB,M;QACI,OAA
O,O;;MAEX,OAAO,G;K;IY15fX,oD;MAQuF,wC;K;IARvF,8CASI,Y;MAAuC,8B;K;IAT3C,gF;4FOSA,qB;MAO
I,OAAO,sBAAI,CAAJ,C;K;4FAGX,qB;MAOI,OAAO,sBAAI,CAAJ,C;K;4FAGX,qB;MAOI,OAAO,sBAAI,CAA
J,C;K;4FAGX,qB;MAOI,OAAO,sBAAI,CAAJ,C;K;4FAGX,qB;MAOI,OAAO,sBAAI,CAAJ,C;K;IAGX,wC;MAII
,IAAI,oCAAJ,C;QACI,OAAO,yBAAS,OAAT,C;MACX,OAAO,qBAAQ,OAAR,KAAoB,C;K;IAWG,yC;MAAA,
qB;QAAE,MAAM,8BAA0B,iDAA8C,aAA9C,MAA1B,C;O;K;IAR1C,qC;MAMI,IAAI,8BAAJ,C;QACI,OAAO,s
BAAI,KAAJ,C;MACX,OAAO,6BAAgB,KAAhB,EAAuB,uBAAvB,C;K;0FAGX,4B;MAOI,OAAO,sBAAI,KAAJ,
C;K;IAGX,2D;MACqB,Q;MARjB,IAAI,8BAAJ,C;QACI,OAAsB,KAwJf,IAAS,CAAT,IAxJe,KAwJD,IAAS,iBx
JvB,SAwJuB,CAA3B,GAxJI,SAwJkC,aAxJnB,KAwJmB,CAATc,GAxJ0B,YAwJ4B,CAXJnC,KAwJmC,C;OAvJ7
D,IAAI,QAAQ,CAAZ,C;QACI,OAAO,aAAa,KAAb,C;MACX,eAAe,oB;MACf,YAAY,C;MACZ,OAAO,QAAS,
UAAhB,C;QACI,cAAc,QAAS,O;QACvB,IAAI,WAAS,YAAT,EAAS,oBAAT,OAAJ,C;UACI,OAAO,O;;MAEf,O
AAO,aAAa,KAAb,C;K;sGAGX,yB;MAAA,8D;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,G
AAsC,sBAAI,KAAJ,CAATc,GAAsD,aAAa,KAAb,C;O;KAPjE,C;IAUA,6C;MACqB,Q;MARjB,IAAI,8BAAJ,C;Q
ACI,OAAy,YAAL,SAAK,EAAU,KAAV,C;MACHB,IAAI,QAAQ,CAAZ,C;QACI,OAAO,I;MACX,eAAe,oB;MA
Cf,YAAY,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,cAAc,QAAS,O;QACvB,IAAI,WAAS,YAAT,EAAS,oBAAT,
OAAJ,C;UACI,OAAO,O;;MAEf,OAAO,I;K;sGAGX,yB;MAAA,sD;MAAA,mC;QAOI,OAAy,UAAL,SAAK,EA
AU,KAAV,C;O;KAPhB,C;gFAUA,gC;MAKW,sB;;QAqFS,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;
UAAM,IArFH,SAqFO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;MATFP,yB;K;
wFAGJ,gC;MAqSoB,Q;MADhB,WAAe,I;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,IAjSc,SAiS
V,CAAU,OAAV,CAAJ,C;UACI,OAAO,O;;MAISf,OAqSO,I;K;wFALSX,gC;MAKW,qB;;QAoSP,eAAoB,+BAAa,
cAAb,C;QACpB,OAAO,QAAS,cAAhB,C;UACI,cAAc,QAAS,W;UACvB,IAvSc,SAuSV,CAAU,OAAV,CAAJ,C;
YAAwB,oBAAO,O;YAAP,sB;;QAE5B,oBAAO,I;;MAzSP,wB;K;IAGJ,6B;MAMQ,kBADE,SACF,Q;QAAW,OA
AY,SAAL,SAAK,C;;QAEEnB,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAd,C;UACI,MAAM,2BAAuB,sBAAvB,C;
QACV,OAAO,QAAS,O;;K;IAK5B,6B;MAKI,IAAI,mBAAJ,C;QACI,MAAM,2BAAuB,gBAAvB,C;MACV,OAA
O,sBAAK,CAAL,C;K;mFAGX,yB;MAAA,iE;MAAA,uC;QAKoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAA
gB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,wDAAvB,C;O;KANV
,C;IASA,mC;MAKQ,kBADE,SACF,Q;QACI,IAAI,mBAAJ,C;UACI,OAAO,I;;UAEP,OAAO,sBAAK,CAAL,C;;Q
AGX,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAd,C;UACI,OAAO,I;QACX,OAAO,QAAS,O;;K;IAK5B,mC;MAII,
OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,CAAL,C;K;+FAGpC,gC;MAIoB,Q;MAAA,2B;MAAhB,OAAgB,c
AAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;0FAGX,yB;
MAAA,8D;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,sBAAI,KAAJ,CAATc,GAAsD
,aAAa,KAAb,C;O;KALjE,uC;IAQA,uC;MAII,OAAW,SAAS,CAAT,IAAc,SAAS,2BAA3B,GAAsC,sBAAI,KAAJ,
CAATc,GAAsD,I;K;IAGjE,uC;MAMiB,Q;MAFb,IAAI,8BAAJ,C;QAAkB,OAAO,SAAK,eAAQ,OAAR,C;MAC9
B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,mBAAmB,KAAAnB,C;QACA,IAAI,gBAAW,IAA
X,CAAJ,C;UACI,OAAO,K;QACX,qB;;MAEJ,OAAO,E;K;IAGX,uC;MAKI,OAAO,wBAAQ,OAAR,C;K;gGAGX
,yB;MAAA,wE;MAAA,uC;QAKiB,Q;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,mBAA
mB,KAAAnB,C;UACA,IAAI,UAAU,IAAV,CAAJ,C;YACI,OAAO,K;UACX,qB;;QAEJ,OAAO,E;O;KAXX,C;gGA
cA,gC;MAKiB,Q;MADb,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAI,UAAU,IAAV,CAAJ
,C;UACI,OAAO,K;QACX,qB;;MAEJ,OAAO,E;K;8FAGX,yB;MAAA,wE;MAAA,uC;QAMiB,Q;QAFb,gBAAgB,
E;QACHB,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,mBAAmB,KAAAnB,C;UACA,IAAI,UAA
U,IAAV,CAAJ,C;YACI,YAAY,K;UACHB,qB;;QAEJ,OAAO,S;O;KAZX,C;8FAeA,gC;MAII,eAAe,SAAK,sBAA
a,cAAb,C;MACpB,OAAO,QAAS,cAAhB,C;QACI,IAAI,UAAU,QAAS,WAAAnB,CAAJ,C;UACI,OAAO,QAAS,Y
;;MAGxB,OAAO,E;K;IAGX,4B;MAMQ,kBADE,SACF,Q;QAAW,OAAY,QAAL,SAAK,C;;QAEEnB,eAAe,oB;Q
ACf,IAAI,CAAC,QAAS,UAAd,C;UACI,MAAM,2BAAuB,sBAAvB,C;QACV,WAAW,QAAS,O;QACpB,OAAO,
QAAS,UAAhB,C;UACI,OAAO,QAAS,O;QACpB,OAAO,I;;K;IAKnB,4B;MAKI,IAAI,mBAAJ,C;QACI,MAAM,
2BAAuB,gBAAvB,C;MACV,OAAO,sBAAK,2BAAL,C;K;iFAGX,yB;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,u

C;QAOoB,UAQT,M;QAVP,WAAe,I;QACf,YAAY,K;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,OAAO,O;YACP,QAAQ,I;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,wDAAvB,C;QAEIB,OAAO,2E;O;KafX,C;IFakBA,yB;MAAA,iE;MAAA,uC;QAKI,eAAe,SAAK,sBAaA,cAAAb,C;QACpB,OAAO,QAAS,cAAhB,C;UACI,cAAc,QAAS,W;UACvB,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;QAEEnC,MAAM,gCAAuB,kDAAvB,C;O;KAVV,C;IAaA,2C;MAOiB,Q;MAHb,IAAI,8BAAJ,C;QAAkB,OAAO,SAAK,mBAAy,OAAZ,C;MAC9B,gBAAgB,E;MACHb,YAAY,C;MACC,2B;MAAb,OAAa,cAAAb,C;QAAa,sB;QACT,mBAAmB,KAAhB,C;QACA,IAAI,gBAAW,IAAX,CAAJ,C;UACI,YAAY,K;QACHb,qB;MAEJ,OAAO,S;K;IAGX,2C;MAKI,OAAO,4BAAy,OAAZ,C;K;IAGX,kC;MAKQ,kBADE,SACF,Q;QAAW,OAAW,mBAAJ,GAAe,IAAf,GAAYB,sBAAK,iBAAO,CAAP,IAAL,C;QAEvC,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UACI,OAAO,I;QACX,WAAW,QAAS,O;QACpB,OAAO,QAAS,UAAhB,C;UACI,OAAO,QAAS,O;QACpB,OA AO,I;K;IAKnB,kC;MAII,OAAW,mBAAJ,GAAe,IAAf,GAAYB,sBAAK,iBAAO,CAAP,IAAL,C;K;6FAGpC,gC;MAKoB,Q;MADhB,WAAe,I;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CA AJ,C;UACI,OAAO,O;MAGf,OAAO,I;K;6FAGX,gC;MAII,eAAe,SAAK,sBAaA,cAAAb,C;MACpB,OAAO,QAAS,cAAhB,C;QACI,cAAc,QAAS,W;QACvB,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;MAEnC,OAAO,I;K;q FAGX,yB;MAAA,mC;MAAA,gD;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;IAWA,sC;MAOI,IAAI,mBAAJ,C;QACI,MAAM,2BAAuB,sBAAvB,C;MACV,OAAO,qBAAU,MAAO,iBAAQ,cAAR,CAAjB,C;K;iGAG X,yB;MAAA,mC;MAAA,4D;MAAA,4B;QAOI,OAAO,wBAAa,cAAAb,C;O;KAPX,C;IAUA,4C;MAMI,IAAI,mBA AJ,C;QACI,OAAO,I;MACX,OAAO,qBAAU,MAAO,iBAAQ,cAAR,CAAjB,C;K;IAGX,8B;MAKQ,kBADE,SAC F,Q;QAAW,OAAy,UAAL,SAAK,C;QAEEnB,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UACI,MAAM,2BAA uB,sBAAvB,C;QACV,aAAa,QAAS,O;QACtB,IAAI,QAAS,UAAb,C;UACI,MAAM,gCAAYB,uCAAzB,C;QACV, OAAO,M;K;IAKnB,8B;MAIiB,IAAN,I;MAAA,QAAM,cAAN,C;aACH,C;UAAK,MAAM,2BAAuB,gBAAvB,C; aACX,C;UAAK,6BAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAYB,iCAAzB,C;MAHIB,W;K;qFAOJ,yB;MA AA,kF;MAAA,iE;MAAA,gB;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAiB,I;QACjB,YAAY,K;QACI, 2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MA AM,8BAAyB,qDAAzB,C;YACjB,SAAS,O;YACT,QAAQ,I;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCA AuB,wDAAvB,C;QAEIB,OAAO,6E;O;KafX,C;IAkBA,oC;MAKQ,kBADE,SACF,Q;QAAW,OAAW,mBAAQ,C AAZ,GAAe,sBAAK,CAAL,CAAf,GAA4B,I;QAEIc,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UACI,OAAO ,I;QACX,aAAa,QAAS,O;QACtB,IAAI,QAAS,UAAb,C;UACI,OAAO,I;QACX,OAAO,M;K;IAKnB,oC;MAII,OA AW,mBAAQ,CAAZ,GAAe,sBAAK,CAAL,CAAf,GAA4B,I;K;iGAGvC,gC;MAMoB,Q;MAFhB,aAAiB,I;MACjB ,YAAY,K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,K AAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MAC nB,OAAO,M;K;IAGX,8B;MAoBsC,UAGT,MAHS,EAarB,M;MNnmBb,IAAI,EM0kBI,KAAK,CN1kBT,CAAJ,C; QACI,cMykBc,sD;QNxkBd,MAAM,gCAAYB,OAAQ,WAAjC,C;OMykBV,IAAI,MAAK,CAAT,C;QAAY,OAAO ,mB;MACnB,Q;MACA,IAAI,oCAAJ,C;QACI,iBAAiB,iBAAO,CAAP,I;QACjB,IAAI,cAAc,CAAIB,C;UACI,OA AO,W;QACX,IAAI,eAAc,CAAIB,C;UACI,OAAO,OAAO,kBAAP,C;QACX,OAAO,iBAAa,UAAb,C;QACP,IAAI ,8BAAJ,C;UACI,IAAI,sCAAJ,C;YAC0B,qB;YAAtB,iBAAc,CAAd,wB;cACI,IAAK,WAAI,sBAAK,KAAL,CAAJ ,C;YAEI,wCAAa,CAAb,C;YAAb,OAAa,gBAAb,C;cAAa,wB;cACT,IAAK,WAAI,IAAJ,C;UAEb,OAAO,I;QAI X,OAAO,gB;MAEX,YAAY,C;MACC,6B;MAAb,OAAa,gBAAb,C;QAAa,0B;QACT,IAAI,SAAS,CAAb,C;UAA gB,IAAK,WAAI,MAAJ,C;UAAe,qB;MAEXC,OAAy,qBAAL,IAAK,C;K;IAGhB,kC;MNzmBI,IAAI,EMinBI,K AAK,CNjnBT,CAAJ,C;QACI,cMgnBc,sD;QN/mBd,MAAM,gCAAYB,OAAQ,WAAjC,C;OMgnBV,OAAO,kBAA gB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;kGAGX,yB;MAAA,4C;MAAA,qD;MAAA,uC;QA MI,IAAI,CAAC,mBAAL,C;UACI,eAAe,+BAAa,cAAAb,C;UACf,OAAO,QAAS,cAAhB,C;YACI,IAAI,CAAC,UA AU,QAAS,WAAhB,CAAL,C;cACI,OAAO,gBAAK,QAAS,YAAT,GAAuB,CAAvB,IAAL,C;SAInB,OAAO,W;O ;KAdX,C;0FAiBA,yB;MAAA,+D;MAAA,uC;QAQiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACE,2B;QAAb,OA Aa,cAAAb,C;UAAa,sB;UACT,IAAI,QA AJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL, C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;QAEEnB,OAAO,I;O;KafX,C;oFakBA,yB;MAAA,+D;MAAA,u C;QAIW,kBAAS,gB;QAYEA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAzEU,SAyEN,CAA U,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;QAzE1D,OA0EO,W;O;KA9EX,C;kGAOA,yB;MAAA,+D;

MA06BA,wE;MA16BA,uC;QAMW,kBAAGB,gB;QA26BV,gB;QADb,YAAy,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAj6BT,IAVmC,SAU/B,CAi6BkB,oBAAMb,cAAnB,EAAMb,sBAAnB,UAj6BIB,EAi6B+C,IAj6B/C,CAAJ,C;YAA2C,sBAi6BQ,IAj6BR,C;;QAV/C,OAYO,W;O;KAIBX,C;sGASA,yB;MAi6BA,wE;MAj6BA,oD;QAw6BiB,gB;QADb,YAAy,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAj6BT,IAAI,UAi6BkB,oBAAMb,cAAnB,EAAMb,sBAAnB,UAj6BIB,EAi6B+C,IAj6B/C,CAAJ,C;YAA2C,sBAi6BQ,IAj6BR,C;;QAE/C,OAAO,W;O;KATX,C;wGAYa,yB;MAAA,+D;MAAA,sC;QAIW,kBAAMb,gB;QAOV,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,YAAJ,C;YAAkB,WAAy,WAAI,OAAJ,C;;QAPpD,OAQO,W;O;KAZX,C;4GAOA,4C;MAIoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,YAAJ,C;UAAkB,WAAy,WAAI,OAAJ,C;;MACpD,OAAO,W;K;0FAGX,yB;MAAA,+D;MAAA,uC;QAIW,kBAAY,gB;QAsBH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CAtBS,SAsBR,CAAU,OAAV,CAAL,C;YAAyB,WAAy,WAAI,OAAJ,C;;QAtB3D,OAuBO,W;O;KA3BX,C;IAOA,oC;MAII,OAAO,6BAAgB,gBAAhB,C;K;IAGX,mD;MAIoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,eAAJ,C;UAAqB,WAAy,WAAI,OAAJ,C;;MACvD,OAAO,W;K;8FAGX,6C;MAIoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;wFAGX,6C;MAIoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAy,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;IAGX,sC;MAII,IAAI,OAAQ,UAAZ,C;QAAuB,Ob9rBe,W;Oa+rBtC,OAA6D,SAAtD,SAAK,iBAAQ,OAAQ,MAAhB,EAAuB,OAAQ,aAAR,GAAuB,CAAvB,IAAvB,CAAiD,C;K;IAGjE,sC;MAOkB,Q;MAHd,WAAmB,wBAAR,OAAQ,EAawB,EAaxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,W;MACtB,WAAW,iBAAa,IAAb,C;MACG,yB;MAAd,OAAc,cAAc,C;QAAc,uB;QACV,IAAK,WAAI,sBAAI,KAJ,CAAJ,C;;MAET,OAAO,I;K;IAGX,8B;MAgBiB,Q;MN9wBb,IAAI,EMswBI,KAAK,CNtwBT,CAAJ,C;QACI,cMqwBc,sD;QNpwBd,MAAM,gCAAYB,OAAQ,WAAjC,C;OMqwBV,IAAI,MAAK,CAAT,C;QAAy,OAAO,W;MACnB,IAAI,oCAAJ,C;QACI,IAAI,KAAK,cAAT,C;UAAe,OAAO,mB;QACtB,IAAI,MAAK,CAAT,C;UAAy,OAAO,OAAO,mBAAP,C;OAEvB,YAAy,C;MACZ,WAAW,iBAAa,CAAb,C;MACE,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,IAAK,WAAI,IAAJ,C;QACL,IAAI,mCAAW,CAAF,C;UACI,K;;MAER,OAAy,qBAAL,IAAK,C;K;IAGhB,kC;MAeqC,IAGhB,I;MNxyBjB,IAAI,EM8xBI,KAAK,CN9xBT,CAAJ,C;QACI,cM6xBc,sD;QN5xBd,MAAM,gCAAYB,OAAQ,WAAjC,C;OM6xBV,IAAI,MAAK,CAAT,C;QAAy,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACtB,IAAI,MAAK,CAAT,C;QAAy,OAAO,OAAO,kBAAP,C;MACnB,WAAW,iBAAa,CAAb,C;MACX,IAAI,sCAAJ,C;QACI,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;UACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;;QAEI,sCAAa,OAAO,CAAP,IAAb,C;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAK,WAAI,IAAJ,C;;MAEb,OAAO,I;K;kGAGX,yB;MAAA,qD;MAAA,gE;MAAA,gD;MAAA,uC;QAMI,IAAI,mBAAJ,C;UACI,OAAO,W;QACX,eAAe,+BAAa,cAAb,C;QACf,OAAO,QAAS,cAAhB,C;UACI,IAAI,CAAC,UAAU,QAAS,WAAW,nB,CAAL,C;YACI,QAAS,O;YACT,mBAAMb,iBAAO,QAAS,YAAhB,I;YACnB,IAAI,iBAAgB,CAApB,C;CAAuB,OAAO,W;YACI,kBAA3B,eAAa,YAAb,C;YACH,OAAgB,kBAAhB,C;cACI,sBAAa,eAAb,C;YAFR,OF5wBD,W;;QEkbBP,OAAO,iB;O;KApBX,C;0FAuBa,yB;MAAA,+D;MAAA,uC;QAOiB,Q;QADb,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KAZX,C;IAoBA,+B;MAII,IAAI,wCAAsB,kBAAQ,CAALC,C;QAAqC,OAAO,mB;MAC5C,WAAW,0B;MACN,WAAI,IAAK,C;MACL,OAAO,I;K;oFAGX,yB;MAAA,oD;MJxyBA,sC;MCjFA,kC;MAAA,oC;MAAA,sD;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MIyBf,sC;QAMI,IAAI,iBAAO,CAAX,C;UAAc,iDJvyBH,iBIuyBsB,QJvyBtB,CiuyBG,E;U;KANIB,C;wGASA,yB;MAAA,oD;MJ9xBA,sC;MCpGA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MDoGA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MIuxBf,sC;QAMI,IAAI,iBAAO,CAAX,C;UAAc,iDJ7xBH,2BI6xBgC,QJ7xBhC,CI6xBG,E;U;KANIB,C;IASA,qC;MAMI,sBAAS,cAAT,C;K;IAGJ,6B;MASgB,Q;MAHZ,IAAI,oCAAJ,C;QACI,IAAI,kBAAQ,CAAZ,C;UAAe,OAAy,SAAL,SAAK,C;QAEwB,kBAA3C,sBC35BsD,sBD25BtD,uB;QAAmD,mB;QAA3D,OAAoE,OFv1BjE,WEu1BiE,C;OAEjD,kBAAhB,0B;MAAwB,oB;MAA/B,OFz1BO,W;K;wFE41BX,yB;MAAA,wD;MJj1BA,sC;MCjFA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAA

W,CAAX,EAAC,CAAD,C;O;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MI00Bf,sC;QAMI,OAAO,mDJh1Bl,iBIg1BiB,QJh1BjB,CiG1BJ,E;O;KANX,C;4GASA,yB;MAAA,wD;MJv0BA,sC;MCPGA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAD,C;O;MAD5C,kF;MDoGA,iCAOe,yB;QAxFf,8D;eAwFe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;S;OA+EI,C;MIg0Bf,sC;QAMI,OAAO,mDJt0Bl,2BIs0B2B,QJt0B3B,CIs0BJ,E;O;KANX,C;IASA,uC;MAMI,OAAO,wBAAW,cAAX,C;K;IAGX,6C;MAsE,Q;MAHX,IAAI,oCAAJ,C;QACG,IAAI,kBAAQ,CAAZ,C;UAAe,OAAy,SAAL,SAAK,C;QAEe,kBAALC,sBCp8BuD,sBDo8BvD,uB;QAA0C,iC;QAAID,OAAyE,OFh4BrE,Weg4BqE,C;OAErD,kBAAhB,0B;MAAwB,mC;MAA/B,OF14BO,W;K;IEq4BX,qC;MAMoB,UACL,M;MAHX,aAAa,oBAAa,cAAb,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,kC;MAMoB,UACL,M;MAHX,aAAa,cAAU,cAAV,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,kC;MAMoB,UACL,M;MAHX,aAAa,iBAAU,cAAV,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,oC;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,oC;MAMoB,UACL,M;MAHX,aAAa,iBAAy,cAAZ,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,mC;MAMoB,UACL,M;MAHX,aAAa,iBAAW,cAAX,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,iC;MAMoB,UACL,M;MAHX,aAAa,eAAS,cAAT,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,kC;MAMoB,UACL,M;MAHX,aAAa,iBAAU,cAAV,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;IAGX,mC;MAMoB,UACL,M;MAHX,aAAa,eAAW,cAAX,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MACtB,OAAO,M;K;OFAGX,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,uC;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAC,EAAD,C;QACjD,kBAAY,mBAAoB,QAApB,C;QAYEH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WA1E8C,SA0E/B,CAAU,OAAV,C;UZjfnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;QYuaA,OA4EO,W;O;KAXFX,C;+FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yC;QAWI,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAC,EAAD,C;QACjD,kBAAC,mBAAoB,QAApB,C;QA2BL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAy,aA5BoC,WA4BhC,CAAy,OAaz,CAAJ,EAA0B,OAA1B,C;;QA5BhB,OA8BO,W;O;KA1CX,C;+FAeA,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,yD;QAU,eAAwD,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAC,EAAD,C;QACjD,kBAAC,mBAAoB,QAApB,C;QA6BL,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAy,aA9BoC,WA8BhC,CAAy,OAaz,CAAJ,EA9BiD,cA8BvB,CAAe,OAaf,CAA1B,C;;QA9BhB,OAGCO,W;O;KA3CX,C;mGAcA,+C;MAUoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAy,aAAI,YAAY,OAaz,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,W;K;mGAGX,+D;MAUoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAy,aAAI,YAAY,OAaz,CAAJ,EAA0B,eAAe,OAaf,CAA1B,C;;MAEhB,OAAO,W;K;8FAGX,6C;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAe,UAAU,OAAV,C;QZjfnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;MYmfA,OAAO,W;K;gGAGX,yB;MAAA,kF;MAAA,0D;MAAA,yD;MAAA,uE;MAAA,2C;QAYI,aAAa,mBAA6D,cAAzC,YAAY,mCAAwB,EAAxB,CAAZ,CAAyC,EAAC,EAAD,CAA7D,C;QAcG,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAbO,MAcP,aAAI,OAAJ,EAd,eAcF,CAAC,OAAd,CAAb,C;;QAdhB,OAAuB,M;O;KAb3B,C;oGAGBA,iD;MAUoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,WAAy,aAAI,OAAJ,EAAa,cAAc,OAAd,CAAb,C;;MAEhB,OAAO,W;K;IAGX,gD;MAliB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WAAI,IAAJ,C;;MAEhB,OAAO,W;K;IAGX,gC;MAII,OAAO,0BAAa,eAAW,YAAY,mCAAwB,EAAxB,CAAZ,CAAX,CAAb,C;K;IAGX,6B;MAKqB,IAAN,I;MADX,IAAI,oCAAJ,C;QACW,QAAM,cAAN,C;eACH,C;YAAK,kB;YAAL,K;eACA,C;YAAK,cAAW,8BAAJ,GAakB,sBAAI,CAAJ,CAAIB,GAA8B,oBAAW,OAAhD,C;YAAL,K;kBACa,uBAAL,SAAK,C;YAHV,K;;QAAP,W;OAMJ,OAA4B,qBAAhB,gBAAL,SAAK,CAAgB,C;K;IAGhC,oC;MAII,IAAI,oCAAJ,C;QACI,OAAy,gBAAL,SAAK,C;MACHB,OAAO,0BAAa,gBAAb,C;K;IAGX,oC;MAII,OAAO,iBAAU,SAAV,C;K;IAGX,4

B;MAOqB,IAAN,I;MADX,IAAI,oCAAJ,C;QACW,QAAM,cAAN,C;eACH,C;YAAK,iB;YAAL,K;eACA,C;YAA
K,aAAU,8BAAJ,GAakB,sBAAK,CAAL,CAAIB,GAA+B,oBAAW,OAaHd,C;YAAL,K;kBACQ,iCAAa,qBAaiB
,YAAy,cAAZ,CAAJB,CAAb,C;YAHL,K;;QAAP,W;OAMJ,OAAwC,oBAAjC,OBAAa,sBAAb,CAAIc,C;K;sFAG
5C,yB;MAAA,+D;MASA,gD;MATA,uC;QAMW,kBAAU,gB;QAOD,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;U
AAgB,yB;UACZ,WAR6B,SAQIB,CAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAThB,OAwo,W;O;
KAjBX,C;OFASA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ
,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAao,W;O;KARX,C;uFAWA,yB;M
AAA,wE;MAyBA,+D;MAzBA,yC;QASW,kBAAU,oB;QAYBD,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB
,yB;UACZ,UA1BiD,WA0BvC,CAAY,OAAZ,C;UZt8BP,U;UADP,YYw8Be,WZx8BH,WYw8BwB,GZx8BxB,C;
UACL,IAAI,aAAJ,C;YACH,aYs8BuC,gB;YAA5B,WZr8BX,aYq8BgC,GZr8BhC,EAAS,MAAT,C;YACA,e;;YAE
A,c;;UYk8BA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA5BT,OA8BO,W;O;KAvcX,C;uFAYA,yB;MAAA,wE;MA8B
A,+D;MA9BA,yD;QAUW,kBAAU,oB;QA8BD,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UA/
BiD,WA+BvC,CAAY,OAAZ,C;UZx9BP,U;UADP,YY09Be,WZ19BH,WY09BwB,GZ19BxB,C;UACL,IAAI,aAA
J,C;YACH,aYw9BuC,gB;YAA5B,WZv9BX,aYu9BgC,GZv9BhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UYo9BA,i
B;UACA,IAAK,WajCyD,cAiCrD,CAAe,OAAf,CAAJ,C;;QAJCT,OAmCO,W;O;KA7CX,C;OFaAa,yB;MAAA,+
D;MAAA,sD;QASoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAy,OAAZ,C;UZt8
BP,U;UADP,YYw8Be,WZx8BH,WYw8BwB,GZx8BxB,C;UACL,IAAI,aAAJ,C;YACH,aYs8BuC,gB;YAA5B,W
Zr8BX,aYq8BgC,GZr8BhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UYk8BA,iB;UACA,IAAK,WAAI,OAAJ,C;;QA
ET,OAao,W;O;KAdX,C;2FAiBA,yB;MAAA,+D;MAAA,sE;QAUoB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;U
AAgB,yB;UACZ,UAAU,YAAy,OAAZ,C;UZx9BP,U;UADP,YY09Be,WZ19BH,WY09BwB,GZ19BxB,C;UACL,
IAAI,aAAJ,C;YACH,aYw9BuC,gB;YAA5B,WZv9BX,aYu9BgC,GZv9BhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;
UYo9BA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QaET,OAao,W;O;KafX,C;4FAkBA,yB;MAAA,kC;M
AAA,4C;MAAA,wE;QAQW,sC;QAAA,8C;O;MARX,oDASQ,Y;QAA6C,OAAA,oBAAgB,W;O;MATrE,iDAUQ,
mB;QAAoC,gCAAY,OAAZ,C;O;MAV5C,gF;MAAA,yC;QAQI,2D;O;KARJ,C;8EAca,yB;MAAA,kF;MAAA,gE;
MAAA,uC;QAOW,kBAAM,eAAa,mCAAwB,EAAXB,CAAb,C;QAqEA,Q;QAAA,2B;QAAb,OAAa,cAAb,C;UA
Aa,sB;UACT,WAAy,WAtEwC,SAsEpC,CAAU,IAAV,CAAJ,C;;QAtEhB,OAuEO,W;O;KA9EX,C;4FAUA,yB;M
AAA,kF;MAAA,gE;MA+BA,wE;MA/BA,uC;QAOW,kBAAa,eAAa,mCAAwB,EAAXB,CAAb,C;QAqCP,gB;QA
Db,YAAy,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAy,WajC+C,SAiC3C,CAAU,oBAAmB,cA
AnB,EAAMb,sBAAnB,UAAV,EAaUc,IAAvC,CAAJ,C;;QajChB,OakCO,W;O;KazCX,C;0GAUA,yB;MAAA,+
D;MAgRA,wE;MAhRA,uC;QAOW,kBAAoB,gB;QAgrd,gB;QADb,YAAy,C;QACC,2B;QAAb,OAAa,cAAb,C;U
AAa,sB;UAtQsB,U;UAAA,cAVQ,SAUR,CAsQT,oBAAmB,cAAnB,EAAMb,sBAAnB,UAtQS,EAsQoB,IAtQpB,
W;YAA6C,6B;;QAVhF,OAwo,W;O;KAIBX,C;8GAUA,yB;MASQA,wE;MATQA,oD;QA6QiB,gB;QADb,YAAy,
C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAtQsB,U;UAAA,wBASQT,oBAAmB,cAAnB,EAAMb,sBAAnB,
UAtQS,EAsQoB,IAtQpB,W;YAA6C,6B;;QACHF,OAao,W;O;KARX,C;+FAWA,yB;MAAA,wE;MAAA,oD;QA
QiB,UACoC,M;QAFjD,YAAy,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAy,WAAI,UAAU,oBA
AmB,cAAnB,EAAMb,sBAAnB,UAAV,EAaUc,IAAvC,CAAJ,C;;QACHB,OAao,W;O;KAVX,C;4FAaA,yB;MA
AA,+D;MAAA,uC;QAKW,kBAAa,gB;QAsOJ,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UA9NK,U;U
AAA,cARe,SAQf,CA8NQ,OA9NR,W;YAA5C,6B;;QAR3D,OASO,W;O;KAdX,C;gGAQA,yB;MAAA,oD;QAmO
oB,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UA9NK,U;UAAA,wBA8NQ,OA9NR,W;YAA5C,6B;;Q
AC3D,OAao,W;O;KANX,C;kFASA,6C;MAKiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,
WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAao,W;K;IAQiB,4C;MAAA,mB;QAAE,gC;O;K;IAL9B,gC;MAKI,OA
AO,qBAAiB,6BAAJB,C;K;IAGX,+B;MAQI,OAA2B,SAAf,eAAL,SAAK,CAAe,C;K;4FAG/B,yB;MAAA,2D;MA
AA,+D;MAAA,sC;QAWc,Q;QAFV,UAAU,c;QACV,WAAW,gB;QACD,2B;QAAV,OAAU,cAAV,C;UAAU,mB;
UACN,UAAU,SAAS,CAAT,C;UACV,IAAI,GAAI,WAAI,GAAJ,CAAR,C;YACI,IAAK,WAAI,CAAJ,C;;QAEb,O
AAO,I;O;KAhBX,C;IAmBA,uC;MAQI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAI,EAAU,KAAV,C;MACJ,OA
AO,G;K;IAGX,sC;MAMI,UAAe,eAAL,SAAK,C;MACX,YAAJ,GAAI,EAAU,KAAV,C;MACJ,OAAO,G;K;IAG
X,mC;MAMiB,IAAN,I;MACH,kBADs,SACT,c;QAAoB,4BAAc,SAAd,C;;QACZ,iCAAa,sBAAb,C;MAFZ,W;K;I
AMJ,mC;MAUI,UAAe,eAAL,SAAK,C;MACX,OAAJ,GAAI,EAAO,KAAP,C;MACJ,OAAO,G;K;8EAGX,yB;M

B,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;:MAE9C,OAAO,G;K;I
AGX,4B;MAMI,IAAI,oCAAJ,C;QAAwB,OAAO,mB;MAC/B,OAAO,CAAC,oBAAW,U;K;iFAGvB,yB;MAAA,g
D;MAAA,uC;QAOoB,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,OAAO,I;QAC5B,2B;QAAhB,OAAgB,cA
AhB,C;UAAgB,yB;UAAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,K;:QACrD,OAAO,I;O;KARX,C;kFA
WA,6B;MAKmC,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;:MAArC,gB;K;
oFAGJ,yB;MAAA,4F;MAAA,uC;QAMI,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,
mCAA8B,oCAA9B,C;QAC/B,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,WAAV,
EAAuB,QAAS,OAAhC,C;:QAEIB,OAAO,W;O;KAZX,C;kGAeA,yB;MAAA,4F;MAAA,wE;MAAA,uC;QAcMD,
Q;QAL/C,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,mCAA8B,oCAA9B,C;QAC/B,
YAAy,C;QACZ,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,oBAAmB,YAAAnB,E
AAmB,oBAAAnB,QAAS,EAAuB,WAAvC,EAAoD,QAAS,OAA7D,C;:QAEIB,OAAO,W;O;KAhBX,C;gGAmBA,
gC;MAQI,eAAe,SAAK,W;MACpB,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHc,kBAAqB,QAAS,O;
MAC9B,OAAO,QAAS,UAAhB,C;QACI,cAAc,UAAU,WAAV,EAAuB,QAAS,OAAhC,C;:MAEIB,OAAO,W;K;8
FAGX,yB;MAAA,4F;MAAA,uC;QAMI,eAAe,+BAAa,cAAb,C;QACf,IAAI,CAAC,QAAS,cAAAd,C;UACI,MAA
M,mCAA8B,8BAA9B,C;QACV,kBAAqB,QAAS,W;QAC9B,OAAO,QAAS,cAAhB,C;UACI,cAAc,UAAU,QAAS
,WAAAnB,EAA+B,WAA/B,C;:QAEIB,OAAO,W;O;KAbX,C;4GAgBA,yB;MAAA,4F;MAAA,uC;QASI,eAAe,+B
AAa,cAAb,C;QACf,IAAI,CAAC,QAAS,cAAAd,C;UACI,MAAM,mCAA8B,8BAA9B,C;QACV,kBAAqB,QAAS
,W;QAC9B,OAAO,QAAS,cAAhB,C;UACI,YAAy,QAAS,gB;UACrB,cAAc,UAAU,KAAY,EAAiB,QAAS,WAA1
B,EAAc,WAAt,C;:QAEIB,OAAO,W;O;KAjBX,C;0GAoBA,gC;MAQI,eAAe,+BAAa,cAAb,C;MACf,IAAI,CA
AC,QAAS,cAAAd,C;QACI,OAAO,I;MACX,kBAAqB,QAAS,W;MAC9B,OAAO,QAAS,cAAhB,C;QACI,cAAc,U
AAU,QAAS,WAAAnB,EAA+B,WAA/B,C;:MAEIB,OAAO,W;K;gFAGX,yB;MAAA,kF;MAAA,gD;MAAA,gE;M
AAA,gD;QAKBoB,Q;QAJhB,oBAAoB,mCAAwB,CAAxB,C;QACpB,IAAI,kBAAiB,CAArB,C;UAAwB,OAAO,
OAAO,OAAP,C;QACc,kBAAhC,eAAa,gBAAGB,CAAhB,IAAb,C;QAAwC,8B;QAARd,aFz2DO,W;QE02DP,kB
AAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UA
Cd,MAAO,WAAI,WAAJ,C;:QAEX,OAAO,M;O;KAtBX,C;8FAyBA,yB;MAAA,kF;MAAA,gD;MAAA,gE;MAA
A,gD;QAOBoB,UACY,M;QAN5B,oBAAoB,mCAAwB,CAAxB,C;QACpB,IAAI,kBAAiB,CAArB,C;UAAwB,OA
AO,OAAO,OAAP,C;QACc,kBAAhC,eAAa,gBAAGB,CAAhB,IAAb,C;QAAwC,8B;QAARd,aFn4DO,W;QE04DP,
YAAy,C;QACZ,kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,cAAc,WAAU,cAAV,EAA
U,sBAAV,WAAmB,WAAAnB,EAAgC,OAAhC,C;UACd,MAAO,WAAI,WAAJ,C;:QAEX,OAAO,M;O;KAXBX,C;
4FA2BA,yB;MAAA,qD;MAAA,kF;MAAA,gE;MAAA,uC;QACI,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,U
AAAd,C;UAAyB,OAAO,W;QACc,sBAAqB,QAAS,OAA9B,C;QACuD,kBAA1C,eAAa,mCAAwB,EAAxB,CAA
b,C;QAAkD,sBAAI,aAAJ,C;QAA/D,aF95DO,W;QE+5DP,OAAO,QAAS,UAAhB,C;UACI,gBAAc,UAAU,aAAV,
EAAuB,QAAS,OAAhC,C;UACd,MAAO,WAAI,aAAJ,C;:QAEX,OAAO,M;O;KAtBX,C;0GAYBA,yB;MAAA,qD
;MAAA,kF;MAAA,gE;MAAA,uC;QAqBgC,Q;QAN5B,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;U
AAyB,OAAO,W;QACc,sBAAqB,QAAS,OAA9B,C;QACuD,kBAA1C,eAAa,mCAAwB,EAAxB,CAAb,C;QAA
kD,sBAAI,aAAJ,C;QAA/D,aF7DO,W;QEY7DP,YAAy,C;QACZ,OAAO,QAAS,UAAhB,C;UACI,gBAAc,WAA
U,YAAV,EAAU,oBAAV,SAAmB,aAAnB,EAAgC,QAAS,OAAzC,C;UACd,MAAO,WAAI,aAAJ,C;:QAEX,OAA
O,M;O;KAXBX,C;kFA2BA,+B;MAKOB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;
QACZ,YAAO,SAAS,OAAT,CAAP,I;:MAEJ,OAAO,G;K;8FAGX,+B;MAKOB,Q;MADhB,UAAkB,G;MACF,2B;
MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,OAAO,SAAS,OAAT,C;:MAEX,OAAO,G;K;IAGX,qC;MAIoB,U
AMT,M;MANS,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,eAAJ,C;UACI,MAAM,gCAAYB,2BAA
wB,SAAxB,MAAZB,C;:MAId,OAAO,mE;K;IAGX,qC;MAIoB,UAMT,M;MANS,2B;MAAhB,OAAgB,cAAhB,C;
QAAgB,yB;QACZ,IAAI,eAAJ,C;UACI,MAAM,gCAAYB,2BAAwB,SAAxB,MAAZB,C;:MAId,OAAO,+D;K;IAG
X,kC;MAWI,OAAO,oBAAS,IAAT,EAAe,IAAf,EAAc,IAAtC,C;K;IAGX,+C;MAGBI,OAAO,sBAAS,IAAT,EA
Ae,IAAf,EAAc,IAAtC,EAAwD,SAAxD,C;K;IAGX,mC;MAII,aAAa,iBAAa,mCAAwB,EAAxB,CAAb,C;MACb,
kBAAc,KAAAd,C;MAI2CgB,Q;MAAA,OAm2CT,SAn2CS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,2B;QAAU,oB;
QAm2CK,IAAI,CAAC,SAAD,IAAY,OAn2CX,SAm2CW,UAAhB,C;UAAiC,YAAU,I;UAA3C,mBAAiD,K;:UAA
jD,mBAA8D,I;:QAn2CvE,qB;UAm2CD,MAN2CqC,WAAI,SAAJ,C;:MAM2C1D,OAAqB,M;K;IAGzB,sC;MAOI,

IAAI,QnB0jJG,YAAQ,CmB1jJf,C;QAAwB,OAAY,SAAL,SAAK,C;MACpC,YAAqB,UAAT,QAAS,C;MA54Cd,kBAAY,gB;MAsBH,Q;MAAA,OAu3CT,SAv3CS,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CAu3CF,qBAv3Ca,OAu3Cb,CAv3CF,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAu3C3D,OAt3CO,W;K;IAy3CX,sC;MAOI,YAAqB,gCAAT,QAAS,EAAgC,SAAhC,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAY,SAAL,SAAK,C;MAz5CT,kBAAY,gB;MAsBH,Q;MAAA,OAo4CT,SAp4CS,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CAo4CF,qBAp4Ca,OAo4Cb,CAP4CF,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAo4C3D,OAn4CO,W;K;IAs4CX,sC;MAOI,YAAqB,YAAT,QAAS,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAY,SAAL,SAAK,C;Mat6CT,kBAAY,gB;MAsBH,Q;MAAA,OAI5CT,SAj5CS,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CAi5CF,qBAj5Ca,OAI5Cb,CAj5CF,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAi5C3D,OAh5CO,W;K;8FAm5CX,yB;MAAA,8C;MAAA,qC;QAKI,OAAO,iBAAM,OAAN,C;O;KALX,C;0FAQA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAy,gB;QACZ,aAAa,gB;QACG,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YAEN,MAAO,WAAI,OAAJ,C;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KafX,C;IAkBA,kC;MAII,IAAI,oCAAJ,C;QAAwB,OAAY,OAAL,SAAK,EAAK,OAAL,C;MACpC,aAAa,gB;MACN,OAAP,MAAO,EAAO,SAAP,C;MACP,MAAO,WAAI,OAAJ,C;MACP,OAAO,M;K;IAGX,oC;MAII,aAAa,iBAAa,iBAAO,CAAP,IAAb,C;MACb,MAAO,gBAAO,SAAP,C;MACP,MAAO,WAAI,OAAJ,C;MACP,OAAO,M;K;IAGX,qC;MAII,IAAI,oCAAJ,C;QAAwB,OAAY,OAAL,SAAK,EAAK,QAAL,C;MACpC,aAAa,gB;MACN,OAAP,MAAO,EAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,qC;MAII,aAAa,iBAAa,SAAK,KAAL,GAAY,QAAS,OAARB,IAAb,C;MACb,MAAO,gBAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,qC;MAII,IAAI,oCAAJ,C;QAAwB,OAAY,OAAL,SAAK,EAAK,QAAL,C;MACpC,aAAa,gB;MACN,OAAP,MAAO,EAAO,SAAP,C;MACA,OAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,qC;MAII,IAAI,mCAAJ,C;QACI,aAAa,iBAAa,SAAK,KAAL,GAAY,QAAS,KAARb,IAAb,C;QACb,MAAO,gBAAO,SAAP,C;QACP,MAAO,gBAAO,QAAP,C;QACP,OAAO,M;;QAEp,eAAa,iBAAa,SAAb,C;QACN,OAAP,QA AO,EAAO,QAAP,C;QACP,OAAO,Q;;K;IAIf,qC;MAII,aAAa,gB;MACN,OAAP,MAAO,EAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,qC;MAII,aAAa,iBAAa,SAAK,KAAL,GAAY,EA AZ,IAAb,C;MACb,MAAO,gBAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;4FAGX,yB;MAAA,4C;MAAA,qC;QAKI,OAAO,gBAAK,OAAL,C;O;KALX,C;8FAQA,yB;MAAA,4C;MAAA,qC;QAKI,OAAO,gBAAK,OAAL,C;O;KALX,C;IAQA,yD;MAGB+C,oB;QAAA,OAAY,C;MAAG,8B;QAAA,iBAA0B,K;MAOzE,Q;MANX,oBAAoB,IAApB,EAA0B,IAA1B,C;MACA,IAAI,0CAAwB,8BAA5B,C;QACI,eAAe,SAAK,K;QACpB,qBAAqB,YAAW,IAAX,SAAsB,WAAW,IAAX,KAAMb,CAAvB,GAA0B,CAA1B,GAAiC,CAAnD,K;QACrB,aAAa,iBAAMb,cAAnB,C;QACb,gBAAy,CAAZ,C;QACA,Y;UAAO,c;UAAP,MAAgB,CAAT,mBAAiB,QAAXB,E;YAAA,K;UACI,iBAAsB,eAAL,IAAK,EAAa,WAAW,OAAX,IAAb,C;UACtB,IAAI,aAAa,IAAb,IAAqB,CAAC,cAA1B,C;YAA0C,K;UbpzEID,WAAW,iBa0pEa,Ub1pEb,C;UWFX,mBAAC,CAAd,YE4pEwB,UF5pExB,Y;YXG6B,eaypES,sBF3pE3B,OE2pEgC,GA AK,OAAL,IAAL,CbzpET,C;;UaypErB,MAAO,WbxpER,IawpEQ,C;UACP,oBAAS,IAAT,I;;QAEJ,OAAO,M;OAEX,eAAa,gB;MACiE,kBAA9E,iBAAiB,oBAAjB,EAA6B,IAA7B,EAAmC,IAAnC,EAAyC,cAAzC,EAAuE,KAAvE,C;MExxEA,OAAGB,qBAAhB,C;QAAGB,gC;QFyxEL,mBEzxEqB,OFyxErB,C;;MAEX,OAAO,Q;K;IAGX,sE;MAkBkD,oB;QAAA,OAAY,C;MAAG,8B;QAAA,iBAA0B,K;MACvF,oBAAoB,IAApB,EAA0B,IAA1B,C;MACA,IAAI,0CAAwB,8BAA5B,C;QACI,eAAe,SAAK,K;QACpB,qBAAqB,YAAW,IAAX,SAAsB,WAAW,IAAX,KAAMb,CAAvB,GAA0B,CAA1B,GAAiC,CAAnD,K;QACrB,aAAa,iBAAa,cAAb,C;QACb,eAAa,kBAAC,SAAd,C;QACb,YAAy,C;QACZ,OAAGB,CAAT,qBAAiB,QAAXB,C;UACI,iBAAsB,eAAL,IAAK,EAAa,WAAW,KAAX,IAAb,C;UACtB,IAAI,CAAC,cAAD,IAAmB,aAAa,IAApC,C;YAA0C,K;UAC1C,QA AO,cAAK,KAAL,EAAY,QA AQ,UAAR,IAAZ,C;UACP,MAAO,WAAI,UAAU,QA AV,CAAJ,C;UACP,gBAAS,IAAT,I;;QAEJ,OAAO,M;OAEX,eAAa,gB;MACgE,kBAA7E,iBAAiB,oBAAjB,EAA6B,IAA7B,EAAmC,IAAnC,EAAyC,cAAzC,EAAuE,IAAvE,C;MEI0EA,OAAGB,qBAAhB,C;QAAGB,gC;QFm0EL,mBAAI,UEn0EiB,OFm0EjB,CAAJ,C;;MAEX,OAAO,Q;K;IAGX,kC;MAqBoB,gB;MAHhB,gBAXW,KAWW,O;MACtB,WAAW,iBDjsEJ,MAAK,KCisEkB,mCAAwB,EAAxB,CDjsEiB,ECisE+C,SDjsE/C,CCisED,C;MACX,QA AQ,C;MACQ,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IAAI,KA AK,SAAT,C;UAAoB,K;QACpB,IAAK,WAhBqB,GAGBP,OA hBO,EAA nB,KAGBqB,CAAM,UAA N,EAAM,kBAAN,SAhBF,CAGBrB,C;;MAhBT,OAKBO,I;K;+EafX,yB;MAAA,kF;MAAA,gE;MD/rEA,iB;MC+rEA,8C;QAWoB,UAEsB,M;QALtC,gBAAgB,KA

AM,O;QACtB,WAAW,eDjsEJ,MAAK,KCisEkB,mCAAwB,EAAxB,CDjsEIB,ECisE+C,SDjsE/C,CCisED,C;QACX,QAAQ,C;QACQ,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,KAAK,SAAT,C;YAAoB,K;UACpB,IAAK,WAAI,UAAU,OAAV,EAAM,MAAM,UAAN,EAAM,kBAAN,SAAnB,CAAJ,C;;QAET,OAAO,I;O;KafX,C;IAkBA,kC;MAkBI,YAAY,oB;MACZ,aAZW,KAYQ,W;MACnB,WAAW,iBD9tEJ,MAAK,KC8tEkB,mCAAwB,EAAxB,CD9tEIB,EC8tEqD,wBAbtD,KAsD,EAAwB,EAAxB,CD9tErD,CC8tED,C;MACX,OAAO,KAAM,UAA N,IAAmB,MAAO,UAAjC,C;QACI,IAAK,WafqB,GAeP,KAAM,OafC,EAeO,MAAO,Oafd,CAerB,C;;MAfT,OA iBO,I;K;+EAdX,yB;MAAA,kF;MAAA,gE;MD3tEA,iB;MC2tEA,8C;QAQI,YAAY,oB;QACZ,aAAa,KAAM,W;Q ACnB,WAAW,eD9tEJ,MAAK,KC8tEkB,mCAAwB,EAAxB,CD9tEIB,EC8tEqD,wBAAN,KAAM,EAAwB,EAAx B,CD9tErD,CC8tED,C;QACX,OAAO,KAAM,UAAN,IAAmB,MAAO,UAAjC,C;UACI,IAAK,WAAI,UAAU,KA AM,OAAhB,EAAwB,MAAO,OAA/B,CAAJ,C;;QAET,OAAO,I;O;KadX,C;IAiBA,gC;MASW,sB;;QAaP,eAAe,o B;QACf,IAAI,CAAC,QAAS,UAA d,C;UAAyB,qBAAO,W;UAAP,uB;SACzB,ab51EoD,gB;Qa61EpD,cAAc,QAA S,O;QACvB,OAAO,QAAS,UAAhB,C;UACI,WAAW,QAAS,O;UACpB,MAAO,WAnBkB,GAmBJ,OAnBI,EAm BK,IAnBL,CAmBIB,C;UACP,UAAU,I;;QAE d,qBAAO,M;;MatBP,yB;K;8FAGJ,yB;MAAA,qD;Mbt1EA,+D;Ma s1EA,uC;QAUI,eAAe,oB;QACf,IAAI,CAAC,QAAS,UAA d,C;UAAyB,OAAO,W;QAC hC,ab51EoD,gB;Qa61EpD ,cAAc,QAAS,O;QACvB,OAAO,QAAS,UAAhB,C;UACI,WAAW,QAAS,O;UACpB,MAAO,WAAI,UAAU,OAA V,EAAmB,IAAnB,CAAJ,C;UACP,UAAU,I;;QAE d,OAAO,M;O;KAnBX,C;IAsBA,8F;MAQ6D,yB;QAAA,YAA0 B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAAA,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YA A0B,K;MAAO,yB;QAAA,YAAoC,I;MAGtN,Q;MAFhB,MAAO,gBAAO,MAAP,C;MACP,YAAY,C;MACI,2B;M AAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,IAAI,ICAAU,CAAd,C;UAAiB,MAAO,gBAAO,SAAP,C;QACxB,I AAI,QAAQ,CAAR,IAAa,SAAS,KAA1B,C;UACW,gBAAP,MAAO,EAAC,OAA d,EAAuB,SAAvB,C;;UACJ,K;;M AEX,IAAI,SAAS,CAAT,IAAc,QAAQ,KAA1B,C;QAAiC,MAAO,gBAAO,SAAP,C;MACxC,MAAO,gBAAO,OA AP,C;MACP,OAAO,M;K;IAGX,4F;MAQwC,yB;QAAA,YAA0B,I;MAAM,sB;QAAA,SAAuB,E;MAAI,uB;QAA A,UAAwB,E;MAAI,qB;QAAA,QAAa,E;MAAI,yB;QAAA,YAA0B,K;MAAO,yB;QAAA,YAAoC,I;MACjN,OAA O,oBAAO,sBAAP,EAAwB,SAAxB,EAAmC,MAAnC,EAA2C,OAA3C,EAAoD,KAAPD,EAA2D,SAA3D,EAASe ,SAAtE,CAAI f,W;K;4FAG5F,qB;MAKI,OAAO,S;K;IASS,8C;MAAA,mB;QAAE,OAAA,eAAK,W;O;K;IAN3B,i C;MAMI,oCAA gB,8BAAhB,C;K;IAGJ,+B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAh B,OAAgB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAA nB,E;;MAEJ,OAAW ,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MAOoB,Q;MAFhB,UAAkB,G;MACIB, YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAA mB,KAA nB,E;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MAOoB, Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;Q ACP,oBAAmB,qBAAnB,EAAmB,KAA nB,E;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MA AM,K;K;IAGjD,+B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C; QAAGB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAA nB,E;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,+B;MAOoB,Q;MAFhB,UAAkB,G;MACIB,YAAiB,C;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;QACP,oBAAmB,qBAAnB,EAAmB,KAA nB,E;;MAEJ,OAAW,UAAS,CAAb,GAAgB,wCAAO,IAAvB,GAAgC,MAAM,K;K;IAGjD,2B;M AMoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,YAAO,O;;MAEX,OAAO, G;K;IAGX,2B;MAMoB,Q;MADhB,UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB ;QACZ,YAAO,OAAP,I;;MAEJ,OAAO,G;K;IAGX,2B;MAMoB,Q;MADhB,Y;MACgB,2B;MAAhB,OAAgB,cAA hB,C;QAAGB,yB;QACZ,cAAO,OAAP,C;;MAEJ,OAAO,G;K;IAGX,2B;MAMoB,Q;MADhB,UAAiB,G;MACD,2 B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;;MAEX,OAAO,G;K;IAGX,2B;MAMoB,Q;MADhB, UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,OAAO,O;;MAEX,OAAO,G;K;IG1hFX,oC; MAKI,OAAO,QAAM,CAAN,EAAS,QAAM,CAAN,EAAS,CAAT,EAAY,UAAZ,CAAT,EAaK,UAAIC,C;K;IA GX,mC;MAMI,OAAW,UAAW,SAAQ,CAAR,EAAW,CAAX,CAAX,IAA4B,CAAhC,GAAmC,CAAnC,GAA0C,

C;K;IAoGrD,oC;MAKI,OAAO,QAAM,CAAN,EAAS,QAAM,CAAN,EAAS,CAAT,EAAY,UAAZ,CAAT,EAaKc ,UAAIC,C;K;IAGX,mC;MAMI,OAAW,UAAW,SAAQ,CAAR,EAAW,CAAX,CAAX,IAA4B,CAAhC,GAAmC,C AAnC,GAA0C,C;K;IC/NrD,6B;MAIL,IAAI,mBAAQ,CAAZ,C;QACI,OAAO,W;MACX,eAAe,iBAAQ,W;MACvB ,IAAI,CAAC,QAAS,UAAAd,C;QACI,OAAO,W;MACX,YAAY,QAAS,O;MACrB,IAAI,CAAC,QAAS,UAAAd,C;Q ACI,OAAO,OhBkRiD,SgBIR1C,KhBkR+C,IAAL,EgBIR1C,KhBkRoD,MAAV,CgBIRjD,C;OACX,aAAa,iBAAsB ,cAAtB,C;MACb,MAAO,WhBgRqD,SgBhRjD,KhBgRsD,IAAL,EgBhRjD,KhBgR2D,MAAV,CgBhRrD,C;;QAE wB,kBAAhB,QAAS,O;QAApB,MAAO,WhB8QiD,SAAK,eAAL,EAAU,iBAAV,CgB9QjD,C;;MACO,QAAT,QA AS,W;MACIB,OAAO,M;K;sFAGX,yB;MAAA,+D;MASA,gD;MATA,uC;QAMW,kBAAU,gB;QAOD,Q;QAAA, OhBsToE,iBAAQ,W;QgBtT5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAR6B,SAQIB,CAAU,OAAV,C;UACC,O AAZ,WAA,Y,EA AO,IAAP,C;;QAThB,OA WO,W;O;KAjBX,C;0FASA,yB;MAAA,gD;MAAA,oD;QAIoB,Q;QAA A,OAAA,ShBsToE,QAAQ,W;QgBtT5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAAW,UAAU,OAAV,C;UACC, OAAZ,WAA,Y,EA AO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;8EAWA,yB;MAAA,gE;MAAA,uC;QAOW,kBAA M,eAAa,cAAb,C;QAYBA,Q;QAAA,OhB+QuE,iBAAQ,W;QgB/Q5F,OAAa,cAAb,C;UAAa,sB;UACT,WAA,Y,W A1BiB,SA0Bb,CAAU,IAAV,CAAJ,C;;QA1BhB,OA2BO,W;O;KAICX,C;4FAUA,yB;MAAA,+D;MAAA,uC;QA KW,kBAAa,gB;QA4EJ,Q;QAAA,OhBoNoE,iBAAQ,W;QgBpN5F,OAAgB,cAAhB,C;UAAgB,yB;UApEK,U;UA AA,cARe,SAQf,CAoEQ,OApER,W;YAAc,6B;;QAR3D,OASO,W;O;KADx,C;gGAQA,yB;MAAA,oD;QAYeOB, Q;QAAA,OhBoNoE,iBAAQ,W;QgBpN5F,OAAgB,cAAhB,C;UAAgB,yB;UApEK,U;UAAA,wBAoEQ,OApER,W ;YAAc,6B;;QAC3D,OAAO,W;O;KANX,C;kFASA,6C;MAKiB,Q;MAAA,OAAA,ShB+QuE,QAAQ,W;MgB/Q5 F,OAAa,cAAb,C;QAAa,sB;QACT,WAA,Y,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K;8EAGX,gC;MA OoB,Q;MADhB,IAAI,mBAAJ,C;QAae,OAAO,I;MACN,OAAA,ShBmQoE,QAAQ,W;MgBnQ5F,OAAgB,cAAh B,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACTD,OAAO,I;K;IAGX,2B; MAMI,OAAO,CAAC,mB;K;+EAGZ,gC;MAOoB,Q;MADhB,IAAI,mBAAJ,C;QAae,OAAO,K;MACN,OAAA,Sh B+OoE,QAAQ,W;MgB/O5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAA O,I;;MACrD,OAAO,K;K;mFAGX,qB;MAKI,OAAO,c;K;mFAGX,gC;MAMoB,Q;MAFhB,IAAI,mBAAJ,C;QAae ,OAAO,C;MACTB,YAAY,C;MACI,OAAA,ShB6NoE,QAAQ,W;MgB7N5F,OAAgB,cAAhB,C;QAAgB,yB;QAA M,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;sFAGX,6B;MAKoB,Q;MAAA,OAAA,ShBoN oE,QAAQ,W;MgBpN5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;K;kFAG1B,+B;MAOmB,kBA AR,iB;MAAQ,gB;;QJghDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,eAAO,I;UAAP,iB;SACzB,cAA c,QAAS,O;QACvB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,eAAO,O;UAAP,iB;SACzB,eIphDqB,QJohDN,CAAS,O AAT,C;;UAEX,QAAQ,QAAS,O;UACjB,QIvhDiB,QJuhDT,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KA AJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAED,QAAT,QAAS,W;QACIB,eAAO,O;;MI7hDP,mB;K;sFAGJ,yB;MA AA,kD;MAAA,wC;QAKI,OAAe,QAAR,iBAAQ,EAAQ,UAAR,C;O;KALnB,C;kFAQA,+B;MAMmB,kBAAR,iB; MAAQ,gB;;QJulDf,eAAe,sB;QACf,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,eAAO,I;UAAP,iB;SACzB,cAAc,QAA S,O;QACvB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,eAAO,O;UAAP,iB;SACzB,eI3IDqB,QJ2IDN,CAAS,OAAT,C ;UAEX,QAAQ,QAAS,O;UACjB,QI9IDiB,QJ8IDT,CAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KA AJ,C;YACI, UAAU,C;YACV,WAAW,C;;QAED,QAAT,QAAS,W;QACIB,eAAO,O;;MIpmDP,mB;K;IAGJ,0C;MAIL,OAAe,U AAR,iBAAQ,EAAQ,UAAR,C;K;IAGnB,4B;MAMI,OAAO,mB;K;iFAGX,gC;MAOoB,Q;MADhB,IAAI,mBAAJ, C;QAae,OAAO,I;MACN,OAAA,ShB+JoE,QAAQ,W;MgB/J5F,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UA AU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;oFAGX,6B;MAKMc,Q;MAAA,OhBsJqD,iBAAQ,W ;MgBtJ7E,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;MAArC,gB;K;4FAGJ,qB;MAKI,OAAO,iB;K; IAGX,iC;MAIL,OAAe,aAAR,iBAAQ,C;K;gFtBINnB,yB;MAAA,mC;MAAA,2C;MAAA,4B;QAQI,OAAO,kBAA O,cAAP,C;O;KARX,C;gFAWA,yB;MAAA,mC;MAAA,2C;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX, C;gFAWA,yB;MAAA,mC;MAAA,2C;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;IAWA,sC;;QAQQ, OAAc,QAAP,MAAO,EAAQ,SAAR,C;;QACHb,+C;UACE,MAAM,2BAAuB,CAAE,QAAzB,C;;UAHV,O;;K;IAO J,sC;;QAQQ,OAAuD,OAAhD,MAAO,iBAAQ,eAAM,IAAd,EAAuB,CAAA,cAAK,IAAL,IAAe,CAA f,IAAvB,CAAyC,C;;QACzD,+C;UACE,MAAM,2BAAuB,CAAE,QAAzB,C;;UAHV,O;;K;4FAOJ,yB;MAAA,mC; MAAA,uD;MAAA,4B;QAQI,OAAO,wBAAa,cAAb,C;O;KAPX,C;4FAUA,yB;MAAA,mC;MAAA,uD;MAAA,4B

;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;4FAUA,yB;MAAA,mC;MAAA,uD;MAAA,4B;QAOI,OAAO,wBAA
a,cAAb,C;O;KAPX,C;IAUA,4C;MAMI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAc,QAAP,MAAO,EAAQ,SA
AR,C;K;IAG1B,4C;MAMI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAc,SAAP,MAAO,EAAS,SAAT,C;K;IAG1
B,4C;MAMI,IAAI,mBAAJ,C;QACI,OAAO,I;MACX,OAAuD,OAAhD,MAAO,iBAAQ,eAAM,IAAd,EAAuB,CA
AA,cAAK,IAAL,IAAe,CAAf,IAAvB,CAAyC,C;K;mFAG3D,8B;MAQI,OAAO,mBAAmB,2BAAS,OAAT,C;K;o
FAG9B,8B;MAQI,OAAO,mBAAmB,2BAAS,OAAT,C;K;oFAG9B,8B;MAQI,OAAO,mBAAmB,2BAAS,OAAT,
C;K;IAG9B,uC;MAKI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;MAKI,OAAO,2BAAe,oBAAN,KAAM,CAAf,C;K;IA
GX,uC;MAKI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;MAMI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;MAMI,OAAO,2
BAAe,KAAf,C;K;IAGX,uC;MgBvHW,ShB6HM,mBAAN,KAAM,C;MAAb,OAA0C,UAAJ,GAAgB,2BAAS,EA
AT,CAAhB,GAAkC,K;K;IAG5E,uC;MgBhIW,ShBsIM,kBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAA
S,EAAT,CAAhB,GAAkC,K;K;IAG7E,uC;MgBzIW,ShB+IM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2
BAAS,EAAT,CAAhB,GAAkC,K;K;IAG7E,uC;MgBIJW,ShBwJM,qBAAN,KAAM,C;MAAb,OAA4C,UAAJ,GA
AgB,2BAAS,EAAT,CAAhB,GAAkC,K;K;IAG9E,uC;MAKI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;MgBnKW,ShB
yKM,mBAAN,KAAM,C;MAAb,OAA0C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;K;IAG5E,uC;MgB5
KW,ShBkLM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;K;IAG7E,uC
;MgBrLW,ShB2LM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;K;IAG
7E,uC;MgB9LW,ShBoMM,qBAAN,KAAM,C;MAAb,OAA4C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;
K;IAG9E,uC;MAKI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;MAKI,OAAO,2BAAe,oBAAN,KAAM,CAAf,C;K;IAG
X,uC;MgBvNW,ShB4NM,kBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;
K;IAG7E,uC;MgB/NW,ShBoOM,mBAAN,KAAM,C;MAAb,OAA4C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GA
AkC,K;K;IAG9E,uC;MAMI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;MAMI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;M
gBzPW,ShB8PM,iBAAN,KAAM,C;MAAb,OAA0C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;K;IAG5E,
uC;MgBjQW,ShBsQM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;K;I
AG7E,uC;MgBzQW,ShB8QM,qBAAN,KAAM,C;MAAb,OAA4C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAk
C,K;K;IAG9E,uC;MAMI,OAAO,2BAAS,KAAM,WAAf,C;K;IAGX,uC;MAMI,OAAO,2BAAS,KAAM,WAAf,C;
K;IAGX,uC;MAKI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;MAKI,OAAO,2BAAe,oBAAN,KAAM,CAAf,C;K;IAG
X,uC;MgBnTW,ShBwTM,oBAAN,KAAM,C;MAAb,OAA2C,UAAJ,GAAgB,2BAAS,EAAT,CAAhB,GAAkC,K;
K;IAG7E,uC;MAMI,OAAO,2BAAe,KAAf,C;K;IAGX,uC;MAMI,OAAO,2BAAe,KAAf,C;K;IAGX,+B;MAOI,O
AAO,sCAAe,yBAAgB,SAAhB,EAAYB,EAzB,EAkC,EAiC,C;K;IAG1B,iC;MAOI,OAAO,uCAAgB,yBAAg
B,SAAhB,EAAYB,oBAAH,EAAG,CAAZB,M;K;IAG3B,iC;MAOI,OAAO,sCAAe,yBAAqB,SAArB,EAAiC,EAAj
C,EAA0C,EAA1C,C;K;IAG1B,iC;MAOI,OAAO,sCAAe,yBAAqB,SAArB,EAAiC,EAAjC,EAA0C,EAA1C,C;K;I
AG1B,iC;MAOI,OAAO,uCAAgB,yBAAgB,SAAhB,EAAzB,EAA0B,EAA1B,C;K;IAG3B,iC;MAOI,OAA
O,sCAAe,yBAAgB,SAAhB,EAAzB,EAA0B,EAA1B,C;K;IAG1B,iC;MAOI,OAAO,uCAAgB,yBAAgB,SA
AhB,EAAYB,oBAAH,EAAG,CAAZB,M;K;IAG3B,iC;MAOI,OAAO,sCAAe,yBAAqB,SAArB,EAA8B,EAA9B,
EAAkC,EAAiC,C;K;IAG1B,iC;MAOI,OAAO,sCAAe,yBAAqB,SAArB,EAA8B,EAA9B,EAAkC,EAAiC,C;K;IA
G1B,iC;MAOI,OAAO,uCAAgB,yBAAqB,oBAAL,SAAK,CAArB,EAA+B,EAA/B,M;K;IAG3B,iC;MAOI,OAAO,
uCAAgB,yBAAgB,SAAhB,EAAzB,EAA0B,EAA1B,C;K;IAG3B,kC;MAOI,OAAO,uCAAgB,yBAAqB,oBAAL,SAAK,C
AArB,EAA+B,EAA/B,M;K;IAG3B,kC;MAOI,OAAO,uCAAgB,yBAAqB,oBAAL,SAAK,CAArB,EAA+B,EAA/B
,M;K;IAG3B,kC;MAOI,OAAO,sCAAe,yBAAgB,SAAhB,EAAYB,EAzB,EAkC,EAiC,C;K;IAG1B,kC;MAOI
,OAAO,uCAAgB,yBAAgB,SAAhB,EAAYB,oBAAH,EAAG,CAAZB,M;K;IAG3B,kC;MAOI,OAAO,sCAAe,yBA
AqB,SAArB,EAAiC,EAAjC,EAA0C,EAA1C,C;K;IAG1B,kC;MAOI,OAAO,sCAAe,yBAAqB,SAArB,EAAiC,EA
AjC,EAA0C,EAA1C,C;K;IAG1B,+B;MAII,OAAO,sCAAe,yBAAgB,cAAhB,EAAzB,eAA0B,EAA6B,CAAC,cAA
D,IAA7B,C;K;IAG1B,gC;MAII,OAAO,uCAAgB,yBAAgB,cAAhB,EAAzB,eAA0B,EAA6B,cAAD,aAA7B,C;K;I
AG3B,gC;MAII,OAAO,uCAAgB,yBAAgB,cAAhB,EAAzB,eAA0B,EAA6B,CAAC,cAAD,IAA7B,C;K;IAG3B,+B
;MAII,oBAAoB,OAAO,CAA3B,EAA8B,IAA9B,C;MACA,OAAO,sCAAe,yBAAgB,eAAhB,EAAuB,cAAvB,EA
AiC,SAAK,KAAL,GAAY,CAAhB,GAAmB,IAAnB,GAA6B,CAAC,IAAD,IAA1D,C;K;IAG1B,iC;MAII,oBAAo
B,kBAAO,CAA3B,EAA8B,IAA9B,C;MACA,OAAO,uCAAgB,yBAAgB,eAAhB,EAAuB,cAAvB,EAiC,SAAK,
KAAL,cAAyC,CAAhB,GAAmB,IAAnB,GAA8B,IAAD,aAA1D,C;K;IAG3B,iC;MAII,oBAAoB,OAAO,CAA3B,E

AA8B,IAA9B,C;MACA,OAAO,uCAAgB,yBAAGB,eAAhB,EAAuB,cAAvB,EAAiC,SAAK,KAAL,GAAY,CAAh
B,GAAMb,IAAnB,GAA6B,CAAC,IAAD,IAA1D,C;K;IAG3B,sC;MACI,OAAmB,IAAR,8BAAgC,GAAPc,GAAi
E,OAAL,SAAK,CAAjE,GAA+E,I;K;IAG1F,wC;MACI,OAAW,mEAAJ,GAAMe,OAAL,SAAK,SAAnE,GAAiF,I;
K;IAG5F,wC;MACI,OAAW,YAAQ,aAAA,sCAAe,UAAf,EAA0B,sCAAe,UAAZC,CAAR,YAAJ,GAAqE,OAAL,
SAAK,CAArE,GAAMf,I;K;IAG9F,wC;MACI,OAAmB,UAAA,sCAAe,UAAf,EAA2B,sCAAe,UAA1C,CAAR,4B
AAJ,GAAuE,mBAAL,SAAK,EAAvE,GAAqF,I;K;IAGhG,wC;MACI,OAAmB,UAAA,sCAAe,UAAf,EAA0B,sC
AAe,UAAZC,CAAR,4BAAJ,GAAqE,mBAAL,SAAK,EAArE,GAAMf,I;K;IAG9F,qC;MACI,OAAW,iFAAJ,GAA
4D,SAAK,QAAjE,GAA8E,I;K;IAGzF,uC;MACI,OAAmB,UAAc,WAAAd,EAAwC,UAAxC,CAAR,4BAAJ,GAAq
E,YAAL,SAAK,CAArE,GAAKf,I;K;IAG7F,uC;MACI,OAAmB,UAAc,WAAAd,EAAuC,UAAvC,CAAR,4BAAJ,G
AAmE,YAAL,SAAK,CAAnE,GAAgF,I;K;IAG3F,sC;MACI,OAAmB,UAAe,mCAAf,EAA0C,mCAA1C,CAAR,4
BAAJ,GAAuE,uBAAL,SAAK,CAAvE,GAAqF,I;K;IAGhG,wC;MACI,OAAmB,UAAe,mCAAf,EAAyC,mCAAzC
,CAAR,4BAAJ,GAAqE,uBAAL,SAAK,CAArE,GAAMf,I;K;IAG9F,uC;MACI,OAAmB,MAAR,8BAAiC,KAARc
,GAAMe,QAAL,SAAK,CAAnE,GAAKf,I;K;IAG7F,yC;MACI,OAAW,uEAAJ,GAAqE,QAAL,SAAK,SAArE,GA
AoF,I;K;IAG/F,yC;MACI,OAAmB,UAAA,uCAAgB,UAAhB,EAA4B,uCAAgB,UAA5C,CAAR,4BAAJ,GAAyE,
oBAAL,SAAK,EAAzE,GAAwF,I;K;IAGnG,yC;MACI,OAAmB,UAAA,uCAAgB,UAAhB,EAA2B,uCAAgB,UA
A3C,CAAR,4BAAJ,GAAuE,oBAAL,SAAK,EAAvE,GAAf,I;K;IAGjG,8B;MAMI,OAAO,wBAAY,EAAa,GAA
H,CAAG,IAAzB,C;K;IAGX,gC;MAMI,OAAO,kBAAY,oBAAH,EAAG,CAAc,8BAAH,CAAG,EAA1B,C;K;IAG
X,gC;MAMI,OAAO,aAAK,SAAL,EAAoB,EAAa,GAAH,CAAG,IAAjC,C;K;IAGX,gC;MAMI,OAAO,aAAK,SA
AL,EAAoB,EAAa,GAAH,CAAG,IAAjC,C;K;IAGX,gC;MAMI,IAAI,MAAM,CAAV,C;QAAoB,OAAO,iCAAU,
M;MACrC,OAAO,yBAAiB,OAAR,EAAQ,GAAH,CAAG,CAAjB,C;K;IAGX,gC;MAMI,IAAI,MAAM,WAAV,C;
QAAyB,OAAO,gCAAS,M;MACzC,OAAO,wBAAS,EAAQ,GAAH,CAAG,IAAjB,C;K;IAGX,gC;MAMI,OAAO,
kBAAY,oBAAH,EAAG,CAAc,8BAAH,CAAG,EAA1B,C;K;IAGX,gC;MAMI,IAAI,MAAM,WAAV,C;QAAyB,
OAAO,gCAAS,M;MACzC,OAAO,aAAK,SAAL,EAAiB,EAAQ,GAAH,CAAG,IAAzB,C;K;IAGX,gC;MAMI,IA
AI,MAAM,WAAV,C;QAAyB,OAAO,gCAAS,M;MACzC,OAAO,aAAK,SAAL,EAAiB,EAAQ,GAAH,CAAG,IA
AzB,C;K;IAGX,gC;MAMI,IAAI,iDAAJ,C;QAA0B,OAAO,iCAAU,M;MAC3C,OAAy,oBAAL,SAAK,CAAL,SA
AkB,EAAQ,8BAAH,CAAG,EAA1B,C;K;IAGX,gC;MAMI,IAAI,iDAAJ,C;QAA0B,OAAO,iCAAU,M;MAC3C,O
AAO,kBAAS,EAAQ,8BAAH,CAAG,EAAjB,C;K;IAGX,iC;MAMI,IAAI,iDAAJ,C;QAA0B,OAAO,iCAAU,M;M
AC3C,OAAy,oBAAL,SAAK,CAAL,SAAKB,EAAQ,8BAAH,CAAG,EAA1B,C;K;IAGX,iC;MAMI,IAAI,iDAAJ,
C;QAA0B,OAAO,iCAAU,M;MAC3C,OAAy,oBAAL,SAAK,CAAL,SAAKB,EAAQ,8BAAH,CAAG,EAA1B,C;K
;IAGX,iC;MAMI,OAAO,wBAAY,EAAa,GAAH,CAAG,IAAzB,C;K;IAGX,iC;MAMI,OAAO,kBAAY,oBAAH,E
AAG,CAAc,8BAAH,CAAG,EAA1B,C;K;IAGX,iC;MAMI,OAAO,aAAK,SAAL,EAAoB,EAAa,GAAH,CAAG,IA
AjC,C;K;IAGX,iC;MAMI,OAAO,aAAK,SAAL,EAAoB,EAAa,GAAH,CAAG,IAAjC,C;K;IAGX,gD;MAQI,OAA
W,4BAAO,YAAP,KAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAz
B,GAA2C,S;K;IAGtD,kD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAQI,OAAW,
YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAQI,OAAW,0BAAO,YAAP,KAAJ,GAAyB,YAAzB,G
AA2C,S;K;IAGtD,kD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAQI,OAAW,YA
AO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,+C;MAQI,OAAW,4BAAO,YAAP,KAAJ,GAAyB,YAAzB,GA
A2C,S;K;IAGtD,iD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,YAA
O,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;I
AGtD,iD;MAQI,OAAW,0BAAO,YAAP,KAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,YAAO,Y
AAX,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAQI,OAAW,YAAO,YAAX,GAAyB,YAAzB,GAA2C,S;K;IAGt
D,yD;MAQI,IAAI,iBAAiB,IAAjB,IAAyB,iBAAiB,IAA9C,C;QACI,IAAI,+BA Ae,YAAf,KAAJ,C;UAAiC,MAAM
,gCAAyB,6DAAiD,YAAjD,wCAAO,F,YAApF,OAAzB,C;QACvC,IAAI,4BAAO,YAAP,KAAJ,C;UAAyB,OAAO,
Y;QACHC,IAAI,4BAAO,YAAP,KAAJ,C;UAAyB,OAAO,Y;QAGhC,IAAI,iBAAiB,IAAjB,IAAyB,4BAAO,YAA
P,KAA7B,C;UAAkD,OAAO,Y;QACzD,IAAI,iBAAiB,IAAjB,IAAyB,4BAAO,YAAP,KAA7B,C;UAAkD,OAAO,
Y;MAE7D,OAAO,S;K;IAGX,2D;MAQI,IAAI,eAAe,YAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BA
AoF,YAApF,MAAZB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHC,IAAI,YAAO,YAAX,C;QAA
yB,OAAO,Y;MACHC,OAAO,S;K;IAGX,2D;MAQI,IAAI,eAAe,YAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,Y

AAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHC,IAAI,YAAO,YA
AX,C;QAAyB,OAAO,Y;MACHC,OAAO,S;K;IAGX,2D;MAQI,IAAI,eAAe,YAAAnB,C;QAAiC,MAAM,gCAAyB,
oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHC,IAAI,
YAAO,YAAX,C;QAAyB,OAAO,Y;MACHC,OAAO,S;K;IAGX,2D;MAQI,IAAI,6BA Ae,YAAf,KAAJ,C;QAAiC,
MAAM,gCAAyB,oDAAiD,YAAjD,yCAAoF,YAApF,iBAAzB,C;MACvC,IAAI,0BAAO,YAAP,KAAJ,C;QAAyB
,OAAO,Y;MACHC,IAAI,0BAAO,YAAP,KAAJ,C;QAAyB,OAAO,Y;MACHC,OAAO,S;K;IAGX,2D;MAQI,IAAI,
eAAe,YAAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IAAI,YAAO,
YAAX,C;QAAyB,OAAO,Y;MACHC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHC,OAAO,S;K;IAGX,2D;M
AQI,IAAI,eAAe,YAAAnB,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;MACvC,IA
AI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHC,IAAI,YAAO,YAAX,C;QAAyB,OAAO,Y;MACHC,OAAO,S;K;I
AGX,sC;MAUW,Q;MADP,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAyC,KAAzC,MAAzB,C;MAG
vB,IAAA,KAAM,0BAAiB,SAAjB,EAAuB,KAAM,MAA7B,CAAN,IAA6C,CAAC,KAAM,0BAAiB,KAAM,MA
AvB,EAA8B,SAA9B,CAApD,C;QAAiG,OAAN,KAAM,M;WAEjG,IAAA,KAAM,0BAAiB,KAAM,aAAvB,EAA
qC,SAArC,CAAN,IAAoD,CAAC,KAAM,0BAAiB,SAAjB,EAAuB,KAAM,aAA7B,CAA3D,C;QAA+G,OAAN,K
AAM,a;:QACvG,gB;MALZ,W;K;IASJ,sC;MAYW,Q;MAJP,IAAI,8CAAJ,C;QACI,OAAY,WAAL,SAAK,EAAY,
KAAZ,C;OAEhB,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAyC,KAAzC,MAAzB,C;MAEvB,gCAA
O,KAAM,MAAb,M;QAA4B,OAAN,KAAM,M;WAC5B,gCAAO,KAAM,aAAb,M;QAAMC,OAAN,KAAM,a;:Q
AC3B,gB;MAHZ,W;K;IAOJ,sC;MAYW,Q;MAJP,IAAI,8CAAJ,C;QACI,OAAY,WAAL,SAAK,EAAC,KAAd,C;O
AEhB,IAAI,KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAyC,KAAzC,MAAzB,C;MAEvB,gBAAO,KAAM,
MAAb,C;QAA4B,OAAN,KAAM,M;WAC5B,gBAAO,KAAM,aAAb,C;QAAMC,OAAN,KAAM,a;:QAC3B,gB;M
AHZ,W;K;IAOJ,sC;MAYW,Q;MAJP,IAAI,8CAAJ,C;QACI,OAAY,WAAL,SAAK,EA Ae,KAAf,C;OAEhB,IAAI,
KAAM,UAAV,C;QAAqB,MAAM,gCAAyB,4CAAyC,KAAzC,MAAzB,C;MAEvB,8BAAO,KAAM,MAAb,M;Q
AA4B,OAAN,KAAM,M;WAC5B,8BAAO,KAAM,aAAb,M;QAAMC,OAAN,KAAM,a;:QAC3B,gB;MAHZ,W;K;
IU1qCJ,oD;MAMuF,wC;K;IANvF,8CAOI,Y;MAAuC,8B;K;IAP3C,gF;IaQA,yC;MAMI,OAAO,sBAAQ,OAAR,K
AAoB,C;K;IAWG,2C;MAAA,qB;QAAE,MAAM,8BAA0B,+CAA4C,aAA5C,MAA1B,C;O;K;IAR1C,uC;MAQI,
OAAO,8BAAgB,KAAhB,EAAuB,yBAAvB,C;K;IAGX,4D;MACqB,Q;MANjB,IAAI,QAAQ,CAAZ,C;QACI,OAA
O,aAAa,KAAb,C;MACX,eAAe,oB;MACf,YAAY,C;MACZ,OAAO,QAAS,UAAhB,C;QACI,cAAc,QAAS,O;QAC
vB,IAAI,WAAS,YAAT,EAAS,oBAAT,OAAJ,C;UACI,OAAO,O;:MAEf,OAAO,aAAa,KAAb,C;K;IAGX,8C;MA
cqB,Q;MANjB,IAAI,QAAQ,CAAZ,C;QACI,OAAO,I;MACX,eAAe,oB;MACf,YAAY,C;MACZ,OAAO,QAAS,U
AAhB,C;QACI,cAAc,QAAS,O;QACvB,IAAI,WAAS,YAAT,EAAS,oBAAT,OAAJ,C;UACI,OAAO,O;:MAEf,OA
AO,I;K;8EAGX,gC;MAOW,sB;:QAuDS,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAGB,yB;UAAM,IAvDH,SA
uDO,CAAU,OA AV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;:QAC9C,qBAAO,I;:MAXDP,yB;K;uFAGJ,gC;MAo
LoB,Q;MADhB,WAAe,I;MACC,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,IA9Kc,SA8KV,CAAU,OA
V,CAAJ,C;UACI,OAAO,O;:MA/Kf,OAkLO,I;K;IA/KX,6B;MAOI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAd,C;
QACI,MAAM,2BAAuB,oBAAvB,C;MACV,OAAO,QAAS,O;K;IFAGpB,yB;MAAA,iE;MAAA,uC;QAOoB,Q;Q
AAA,2B;QAAhB,OAAGB,cAAhB,C;UAAGB,yB;UAAM,IAAI,UAAU,OA AV,CAAJ,C;YAAwB,OAAO,O;:QACr
D,MAAM,gCAAuB,sDAAvB,C;O;KARV,C;IAWA,mC;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAd,C;QA
CI,OAAO,I;MACX,OAAO,QAAS,O;K;6FAGpB,gC;MAMoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,
yB;QAAM,IAAI,UAAU,OA AV,CAAJ,C;UA AwB,OAAO,O;:MACrD,OAAO,I;K;IAGX,wC;MAOiB,Q;MADb,Y
AAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,mBAAMb,KAAAnB,C;QACA,IAAI,gBAAW,IAAX,C
AAJ,C;UACI,OAAO,K;QACX,qB;:MAEJ,OAAO,E;K;+FAGX,yB;MAAA,wE;MAAA,uC;QAOiB,Q;QADb,YAA
Y,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,mBAAMb,KAAAnB,C;UACA,IAAI,UAAU,IAAV,CAAJ,C
;YACI,OAAO,K;UACX,qB;:QAEJ,OAAO,E;O;KAbX,C;6FAGbA,yB;MAAA,wE;MAAA,uC;QAQiB,Q;QAFb,g
BAAgB,E;QACHb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,mBAAMb,KAAAnB,C;UACA,IA
AI,UAAU,IAAV,CAAJ,C;YACI,YAAY,K;UACHb,qB;:QAEJ,OAAO,S;O;KAdX,C;IAiBA,4B;MAOI,eAAe,oB;M
ACf,IAAI,CAAC,QAAS,UAd,C;QACI,MAAM,2BAAuB,oBAAvB,C;MACV,WA AW,QAAS,O;MACpB,OAAO
,QAAS,UAAhB,C;QACI,OAAO,QAAS,O;MACpB,OAAO,I;K;+EAGX,yB;MAAA,iE;MAAA,gB;MAAA,8B;MA
AA,uC;QASoB,UAQT,M;QAVP,WAAe,I;QACf,YAAY,K;QACI,2B;QAAhB,OAAGB,cAAhB,C;UAAGB,yB;UA

CZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,OAAO,O;YACP,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAA
M,gCAAuB,sDAAvB,C;QAEIB,OAAO,2E;O;KAjBX,C;IAoBA,4C;MAQiB,Q;MAFb,gBAAgB,E;MACHb,YAAy
,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,mBAAmB,KAAnB,C;QACA,IAAI,gBAAW,IAAX,CAAJ,
C;UACI,YAAy,K;QACHb,qB;;MAEJ,OAAO,S;K;IAGX,kC;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAd,
C;QACI,OAAO,I;MACX,WAAW,QAAS,O;MACpB,OAAO,QAAS,UAAhB,C;QACI,OAAO,QAAS,O;MACpB,O
AAO,I;K;2FAGX,gC;MAOoB,Q;MADhB,WAAe,I;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,IA
AI,UAAU,OAAV,CAAJ,C;UACI,OAAO,O;;MAGf,OAAO,I;K;IAGX,8B;MAMI,eAAe,oB;MACf,IAAI,CAAC,Q
AAS,UAd,C;QACI,MAAM,2BAAuB,oBAAvB,C;MACV,aAAa,QAAS,O;MACtB,IAAI,QAAS,UAAb,C;QACI,
MAAM,gCAAyB,qCAAzB,C;MACV,OAAO,M;K;mFAGX,yB;MAAA,kF;MAAA,iE;MAAA,gB;MAAA,8B;MA
AA,uC;QAQoB,UAST,M;QAXP,aAAiB,I;QACjB,YAAy,K;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;U
ACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,IAAI,KAJ,C;cAAW,MAAM,8BAAYB,mDAAzB,C;YACjB,SAAS,O;
YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,sDAAvB,C;QAEIB,OAAO,6E;O;KAjB
X,C;IAoBA,oC;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAd,C;QACI,OAAO,I;MACX,aAAa,QAAS,O;MA
CtB,IAAI,QAAS,UAAb,C;QACI,OAAO,I;MACX,OAAO,M;K;+FAGX,gC;MAQoB,Q;MAFhB,aAAiB,I;MACjB,
YAAy,K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,K
AAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MAC
nB,OAAO,M;K;IAGX,8B;MAWW,Q;MXhUP,IAAI,EW+TI,KAAK,CX/TT,CAAJ,C;QACI,cW8Tc,sD;QX7Td,M
AAM,gCAAyB,OAAQ,WAAjC,C;OW+TN,UAAK,CAAL,C;QAAU,gB;WACV,+C;QAAiC,OAAL,SAAK,cAAK,
CAAL,C;;QAcZB,wBAAa,SAAb,EAAMB,CAAnB,C;MAHZ,W;K;IAOJ,2C;MAQI,OAAO,sBAAkB,SAIB,EAA
wB,SAAXB,C;K;IAGX,wC;MAMI,OAAO,sBAAkB,SAIB,EAAwB,IAAxB,EAA8B,SA9B,C;K;IAyqE,iD;MA
AA,qB;QAAE,yBAAU,EAAG,MAAb,EAAoB,EAAG,MAAvB,C;O;K;IAAkC,oC;MAAE,OAAA,EAAG,M;K;IA
TzH,+C;MASI,OAAO,yBAAqB,sBAAkB,qBAAiB,SAAJB,CAaIB,EAA0C,IAA1C,EAAgD,+BAAhD,CAArB,EA
AyG,sBAAzG,C;K;oGAGX,yB;MAwsBA,wE;MAxsBA,oD;QAiBiB,gB;QADb,YAAy,C;QACC,2B;QAAb,OAA
a,cAAb,C;UAAa,sB;UAXsBT,IAAI,UAXsBkB,oBAAmB,cAAnB,EAAMB,sBAAnB,UAXsBIB,EAXsB+C,IAxsB/
C,CAAJ,C;YAA2C,sBAwsBQ,IAxsBR,C;;QAE/C,OAAO,W;O;KAXX,C;sGAcA,yB;MAAA,8C;MAAA,0C;MAA
A,8B;MAOkB,qD;QAAA,qB;UAAE,c;S;O;MAPpB,sC;QAOW,Q;QAAP,OAAO,uCAAO,iCAAP,gC;O;KAPX,C;
0GAUA,4C;MAMoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,YAAJ,C;UAAkB,WAA
Y,WAAI,OAAJ,C;;MACpD,OAAO,W;K;IAGX,2C;MAMI,OAAO,sBAAkB,SAIB,EAAwB,KAAxB,EAA+B,SA
A/B,C;K;IAUU,kC;MAAE,iB;K;IAPvB,oC;MAOW,Q;MAAP,OAAO,4CAAU,oBAAV,kC;K;IAGX,mD;MAMoB
,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,eAAJ,C;UAAqB,WAAy,WAAI,OAAJ,C;;M
ACvD,OAAO,W;K;4FAGX,6C;MAMoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,CA
AC,UAAU,OAAV,CAAL,C;UAAyB,WAAy,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;sFAGX,6C;MAMoB,Q;MA
AA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAy,WAAI,O
AAJ,C;;MAC1D,OAAO,W;K;IAGX,8B;MAWW,Q;MXrcP,IAAI,EWocl,KAAK,CXpcT,CAAJ,C;QACI,cWmcc,s
D;QXlcd,MAAM,gCAAyB,OAAQ,WAAjC,C;OWocN,UAAK,CAAL,C;QAAU,sB;WACV,+C;QAAiC,OAAL,SA
AK,cAAK,CAAL,C;;QAcZB,wBAAa,SAAb,EAAMB,CAAnB,C;MAHZ,W;K;IAOJ,2C;MAQI,OAAO,sBAAkB,S
AAIB,EAAwB,SAAXB,C;K;IAWA,2C;MAAA,8B;K;8CACH,Y;MACI,iBAA6B,iBAAZ,gBAAy,C;MACIB,QAA
X,UAAW,C;MACX,OAAO,UAAW,W;K;IAZ9B,6B;MAQI,0C;K;sFASJ,yB;MAAA,sD;MT7aA,sC;MCjFA,kC;
MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF
;MDiFA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd,cAAc,SA4DgB,CA5DhB
,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MSsaf,sC;QAQI,OAAO,mDT9aI,iBS8aiB,QT9ajB,CS
8aJ,E;O;KARX,C;0GAWA,yB;MAAA,sD;MTraA,sC;MCpGA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6
CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MDoGA,iCAOe,yB;QAXff,8D;eAwFe,4B;UA
AA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EgB,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C;W;
S;OA+EI,C;MS8Zf,sC;QAQI,OAAO,mDTtaI,2BSsa2B,QTta3B,CSsaJ,E;O;KARX,C;IAWA,uC;MAQI,OAAO,wB
AAW,cAAAX,C;K;IAWA,uE;MAAA,sC;MAAA,4C;K;kDACH,Y;MACI,iBAAiC,iBAAhB,oBAAGB,C;MACtB,W
AAX,UAAW,EAAS,uBAAT,C;MACX,OAAO,UAAW,W;K;;IAZ9B,6C;MAQI,0D;K;wFASJ,yB;MAAA,wE;MA
AA,uC;QAaW,kBAAY,oB;QAiFH,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,WAlFSc,SAkFv

B,CAAU,OAAV,C;UjBPnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;QiB3EA,OAoFO,W;O;KAjGX,C;6
FAGBA,yB;MAAA,wE;MAAA,yC;QAaW,kBAAc,oB;QA8BL,Q;QAAA,2B;QAaHb,OAAGB,cAAhB,C;UAGB,
yB;UACZ,WAAy,aA/B4B,WA+BxB,CAAY,OAAZ,CAAJ,EAA0B,OAA1B,C;;QA/BhB,OAIco,W;O;KA9CX,C;
6FAGBA,yB;MAAA,wE;MAAA,yD;QAYW,kBAAc,oB;QAIcL,Q;QAAA,2B;QAaHb,OAAGB,cAAhB,C;UAGB,
yB;UACZ,WAAy,aAIC4B,WakCxB,CAAY,OAAZ,CAAJ,EAIcYc,cAkCf,CAAe,OAAf,CAA1B,C;;QAICb,O
AoCO,W;O;KAhDX,C;iGAeA,+C;MAYoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,WAAy,
aAAI,YAAy,OAAZ,CAAJ,EAA0B,OAA1B,C;;MAEhB,OAAO,W;K;iGAGX,+D;MAYoB,Q;MAAA,2B;MAAhB
,OAAGB,cAAhB,C;QAAGB,yB;QACZ,WAAy,aAAI,YAAy,OAAZ,CAAJ,EAA0B,eAAe,OAAf,CAA1B,C;;MAE
hB,OAAO,W;K;4FAGX,6C;MAWoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,WAAe,UAA
U,OAAV,C;QjBPnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAArB,C;;MiBSA,OAAO,W;K;gGAGX,yB;MAAA,w
E;MAAA,2C;QAcI,aAAa,oB;QAGBG,Q;QAAA,2B;QAaHb,OAAGB,cAAhB,C;UAGB,yB;UafO,MAgBP,aAAI,
OAAJ,EAhBe,aAgBF,CAAc,OAAc,CAAb,C;;QAhBhB,OAAuB,M;O;Kaf3B,C;oGakBA,iD;MAYoB,Q;MAAA,2
B;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;QACZ,WAAy,aAAI,OAAJ,EAAa,cAAc,OAAc,CAAb,C;;MAEhB,OA
AO,W;K;IAGX,gD;MAMiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAA,sB;QACT,WAAy,WAAl,IAAJ,C;;MAE
hB,OAAO,W;K;IAGX,gC;MAMI,OAAO,0BAAa,cAAb,C;K;IAGX,8B;MAMI,OAA4B,qBAAhB,iBAAL,SAAK,
CAAAGB,C;K;IAGhC,qC;MAMI,OAAO,0BAAa,gBAAb,C;K;IAGX,4B;MAQI,OAAwC,oBAAjC,0BAAa,sBAAb,
CAAiC,C;K;IAWG,4B;MAAE,OAAA,EAAG,W;K;IARpD,0C;MAQI,OAAO,uBAAmB,SAAAnB,EAAyB,SAAzB,
EAAoC,cAApC,C;K;yFAGX,yB;MAAA,gD;MAAA,oD;QAMoB,Q;QAAA,2B;QAaHb,OAAGB,cAAhB,C;UAG
B,yB;UACZ,WAAW,UAAU,OAAV,C;UACC,OAAZ,WAAy,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KAVX,C;qF
AaA,yB;MAAA,wE;MA6BA,+D;MA7BA,yC;QAWW,kBAAU,oB;QA6BD,Q;QAAA,2B;QAaHb,OAAGB,cAAh
B,C;UAGB,yB;UACZ,UA9BiD,WA8BvC,CAAY,OAAZ,C;UjB7dP,U;UADP,YiB+de,WjB/dH,WiB+dwB,GjB/d
xB,C;UACL,IAAI,aAAJ,C;YACH,aiB6duC,gB;YAA5B,WjB5dX,aiB4dgC,GjB5dhC,EAAS,MAAT,C;YACA,e;;Y
AEA,c;;UiBydA,iB;UACA,IAAK,WAAl,OAAJ,C;;QAhCT,OAKCO,W;O;KA7CX,C;qFAcA,yB;MAAA,wE;MAK
CA,+D;MAICA,yD;QAYW,kBAAU,oB;QAKCD,Q;QAAA,2B;QAaHb,OAAGB,cAAhB,C;UAGB,yB;UACZ,UA
nCiD,WAmCvC,CAAY,OAAZ,C;UjBjFP,U;UADP,YiBmfe,WjBnfH,WiBmfwB,GjBnfxB,C;UACL,IAAI,aAAJ,C;
YACH,aiBifuC,gB;YAA5B,WjBhfX,aiBgfgC,GjBhfhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UiB6eA,iB;UACA,I
AAK,WArCyD,cAqCrD,CAAe,OAAf,CAAJ,C;;QArCT,OAuCO,W;O;KANDX,C;yFAeA,yB;MAAA,+D;MAAA,s
D;QAWoB,Q;QAAA,2B;QAaHb,OAAGB,cAAhB,C;UAGB,yB;UACZ,UAAU,YAAy,OAAZ,C;UjB7dP,U;UAD
P,YiB+de,WjB/dH,WiB+dwB,GjB/dxB,C;UACL,IAAI,aAAJ,C;YACH,aiB6duC,gB;YAA5B,WjB5dX,aiB4dgC,Gj
B5dhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UiBydA,iB;UACA,IAAK,WAAl,OAAJ,C;;QAET,OAAO,W;O;KAhB
X,C;yFAMBA,yB;MAAA,+D;MAAA,sE;QAYoB,Q;QAAA,2B;QAaHb,OAAGB,cAAhB,C;UAGB,yB;UACZ,U
AAU,YAAy,OAAZ,C;UjBjFP,U;UADP,YiBmfe,WjBnfH,WiBmfwB,GjBnfxB,C;UACL,IAAI,aAAJ,C;YACH,aiB
ifuC,gB;YAA5B,WjBhfX,aiBgfgC,GjBhfhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;UiB6eA,iB;UACA,IAAK,WAAl
,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAjBX,C;0FAoBA,yB;MAAA,kC;MAAA,4C;MAAA,wE;QAUW,sC;
QAAA,8C;O;MAVX,oDAWQ,Y;QAA6C,OAAA,oBAAGB,W;O;MAXrE,iDAYQ,mB;QAAoC,gCAAY,OAAZ,C;
O;MAZ5C,gF;MAAA,yC;QAUI,2D;O;KAVJ,C;IAGBA,sC;MASI,OAAO,yBAAqB,SAArB,EAA2B,SAA3B,C;K;I
AGX,4C;MASI,OAAO,gCAA4B,SAA5B,EAAkC,SAAlC,C;K;IAGX,mD;MASI,OAAoD,gBAA7C,gCAA4B,SAA
5B,EAAkC,SAAlC,CAA6C,C;K;4GAGxD,yB;MA2MA,wE;MA3MA,oD;QAoNiB,gB;QADb,YAAy,C;QACC,2B
;QAAb,OAAa,cAAb,C;UAAa,sB;UA3MsB,U;UAAA,wBA2MT,oBAAmB,cAAnB,EAAMb,sBAAnB,UA3MS,EA
2MoB,IA3MpB,W;YAA6C,6B;;QACHF,OAAO,W;O;KAVX,C;8FAaA,yB;MAAA,wE;MAAA,oD;QAUiB,UACo
C,M;QAFjD,YAAy,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAy,WAAl,UAAU,oBAAmB,cAAn
B,EAAMb,sBAAnB,UAAV,EAAuC,IAAvC,CAAJ,C;;QACHB,OAAO,W;O;KAZX,C;IAeA,4C;MAOI,OAA6C,g
BAAtC,yBAAqB,SAArB,EAA2B,SAA3B,CAAsC,C;K;8FAGjD,yB;MAAA,oD;QAKoB,Q;QAAA,2B;QAaHb,
OAAGB,cAAhB,C;UAGB,yB;UA3JK,U;UAAA,wBA2JQ,OA3JR,W;YAA6C,6B;;QAC3D,OAAO,W;O;KARX,C
;iFAWA,6C;MAOI,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAA,sB;QACT,WAAy,WAAl,UAAU,IAAV,CAAJ,
C;;MACHB,OAAO,W;K;IAGX,gC;MAOI,OAAO,qBAAiB,SAAjB,C;K;IAAGB,6B;MAAE,S;K;IAV7B,+B;MAUI,
OAAy,aAAL,SAAK,EAAW,eAAX,C;K;IAGhB,2C;MAWI,OAAO,qBAAiB,SAAjB,EAAuB,QAAvB,C;K;IAGX,
mC;MASiB,Q;MADb,UAAU,sB;MACG,2B;MAAb,OAAa,cAAb,C;QAAA,sB;QAAM,GAAl,WAAl,IAAJ,C;;MA

CvB,OAAO,G;K;6EAGX,gC;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC ,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;K;IAGX,2B;MAQI,OAAO,oBAAW,U;K;6EAGtB, gC;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB ,OAAO,I;;MACrD,OAAO,K;K;IAGX,6B;MAOoB,Q;MADhB,YAAy,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;Q AAgB,yB;QAAM,oBAAmB,qBAAnB,EAAmB,KAAhB,E;;MACtB,OAAO,K;K;iFAGX,yB;MAAA,wE;MAAA,u C;QAOoB,Q;QADhB,YAAy,C;QACI,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,C AAJ,C;YAAwB,oBAAmB,qBAAnB,EAAmB,KAAhB,E;;QAC9C,OAAO,K;O;KARX,C;8EAWA,yC;MAOoB,Q; MADhB,kBAAkB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,O AAvB,C;;MACpC,OAAO,W;K;4FAGX,yB;MAAA,wE;MAAA,gD;QAWoB,UAAiD,M;QAFjE,YAAy,C;QACZ, kBAAkB,O;QACF,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,cAAc,UAAU,oBAAmB,cAAhB,EAAmB,s BAAnB,UAAV,EAAuC,WAAvC,EAAoD,OAAP,D,C;;QACpC,OAAO,W;O;KAZX,C;qFAeA,6B;MAMoB,Q;MA AA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;K;kGAG1B,yB;MAAA,wE;MAAA,oC; QASiB,UAAgC,M;QAD7C,YAAy,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAAM,OAAO,oBAAmB,cAAh B,EAAmB,sBAAnB,UAAP,EAAoC,IAAP,C,C;;O;KATvB,C;IAYA,2B;MASI,eAAe,oB;MACf,IAAI,CAAC,QAA S,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,IAAQ,QAAJ,GAAL,CAAR,C;QAAiB,OAAO,G; MACxB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAM,QAAF,CAAE,CAAN,C;UAAe,OAAO, C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2B;MASI,eAAe,oB;MACf,IAAI, CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,IAAQ,QAAJ,GAAL,CAAR,C;QAAi B,OAAO,G;MACxB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAM,QAAF,CAAE,CAAN,C;U AAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2B;MAMI,eAAe,oB ;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB ,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;iFAGX, +B;MAQI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,cAAc,QAAS,O;MACvB,IAA I,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,O;MACHC,eAAe,SAAS,OAAT,C;;QAEX,QAAQ,QAAS,O;QACjB,QA AQ,SAAS,CAAT,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,UAAU,C;UACV,WAAW,C;;MAED,QAAT,QA AS,W;MACIB,OAAO,O;K;IAGX,2C;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MA ChC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,UAAW,SAAQ,GA AR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,2B;MASI,eAAe,oB; MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,IAAQ,QAAJ,GAAL,CA AR,C;QAAiB,OAAO,G;MACxB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAM,QAAF,CAAE, CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2B;MA SI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,IAAQ,QA AJ,GAAL,CAAR,C;QAAiB,OAAO,G;MACxB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAM,Q AAF,CAAE,CAAN,C;UAAe,OAAO,C;QACtB,IAAI,MAAM,CAAV,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IA GX,2B;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACn B,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;QACjB,IAAI,sBAAM,CAAN,KAAJ,C;UAAa,MAAM,C;;MA EvB,OAAO,G;K;iFAGX,+B;MAQI,eAAe,oB;MACf,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,I;MACHC,cA Ac,QAAS,O;MACvB,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,O;MACHC,eAAe,SAAS,OAAT,C;;QAEX,Q AAQ,QAAS,O;QACjB,QAAQ,SAAS,CAAT,C;QACR,IAAI,2BAAW,CAAX,KAAJ,C;UACI,UAAU,C;UACV,W AAW,C;;MAED,QAAT,QAAS,W;MACIB,OAAO,O;K;IAGX,2C;MAMI,eAAe,oB;MACf,IAAI,CAAC,QAAS,U AAAd,C;QAAyB,OAAO,I;MACHC,UAAU,QAAS,O;MACnB,OAAO,QAAS,UAAhB,C;QACI,QAAQ,QAAS,O;Q ACjB,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G ;K;IAGX,4B;MAQI,OAAO,CAAC,oBAAW,U;K;+EAGvB,gC;MAQoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C ;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;IAUI,uC;MAAA,qB;Q ACP,eAAO,EAAP,C;QAAA,OACA,E;O;K;IATR,qC;MAOI,OAAO,kBAAI,qBAAJ,C;K;kFAMX,yB;MAAA,4F; MAAA,uC;QAQI,eAAe,SAAK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,mCAA8B,kCAA9B,C; QAC/B,kBAAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,WAAV,EAAuB,QAAS,OAAh C,C;;QAEIB,OAAO,W;O;KADx,C;gGaiBA,yB;MAAA,4F;MAAA,wE;MAAA,uC;QAgBmD,Q;QAL/C,eAAe,SA

AK,W;QACpB,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,MAAM,mCAA8B,kCAA9B,C;QAC/B,YAAy,C;QACZ,kB
AAqB,QAAS,O;QAC9B,OAAO,QAAS,UAAhB,C;UACI,cAAc,UAAU,oBAAmB,YAAAnB,EAAmB,oBAAnB,QA
AV,EAAuC,WAAvC,EAAoD,QAAS,OAA7D,C;;QAEIB,OAAO,W;O;KAlBX,C;8FAqBA,gC;MAUI,eAAe,SAA
K,W;MACpB,IAAI,CAAC,QAAS,UAAAd,C;QAAYB,OAAO,I;MACHc,kBAAqB,QAAS,O;MAC9B,OAAO,QAAS
,UAAhB,C;QACI,cAAc,UAAU,WAAV,EAAuB,QAAS,OAAhC,C;;MAEIB,OAAO,W;K;IAqBS,6H;MAAA,wC;
MAAA,6B;MAAA,yB;MAAA,8C;MAAA,kC;MAAA,kD;MAAA,wB;MAAA,+B;MAAA,kC;K;;;+CAAA,Y;;;c
ACZ,gB;8BAAA,iCAAM,0BAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;;uCACkB,0B;cACf,iD;cAAhB,gB;;;cAA
A,KAAgB,yBAAhB,C;gBAAA,gB;;;cAAgB,oC;cACZ,yBAAc,6BAAU,sBAAV,EAAuB,OAAvB,C;cACd,gB;8B
AAA,iCAAM,sBAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;;cAIJ,W;;;;;;K;IAPgB,0E;MAAA,yD;u
BAAA,iH;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAlBpB,+C;MAkBI,OAAO,SAAS,0CAAT,C;K;IA6BS,2I;MAAA
,wC;MAAA,6B;MAAA,yB;MAAA,8C;MAAA,gD;MAAA,kD;MAAA,wB;MAAA,yB;MAAA,+B;MAAA,kC;K;;;
;sDAAA,Y;;;kBAkMc,I;cAJ/C,gB;8BAAA,iCAAM,0BAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;;iCACy,C;u
CACM,0B;cACf,wD;cAAhB,gB;;;cAAA,KAAgB,yBAAhB,C;gBAAA,gB;;;cAAgB,oC;cACZ,yBAAc,6BAAU,o
BAAmB,uBAAnB,EAAmB,+BAAnB,QAAY,EAAuC,sBAAvC,EAAoD,OAApD,C;cACd,gB;8BAAA,iCAAM,sB
AAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;;cAIJ,W;;;;;;K;IARgB,wF;MAAA,yD;uBAAA,+H;YAA
A,S;iBAAA,Q;;iBAAA,uB;O;K;IAnBpB,sD;MAmBI,OAAO,SAAS,iDAAT,C;K;IA2BS,sH;MAAA,wC;MAAA,6
B;MAAA,yB;MAAA,8C;MAAA,kD;MAAA,4B;MAAA,+B;MAAA,kC;K;;;qDAAA,Y;;;oCACG,qC;cACf,IAAI
,mBAAS,UAAb,C;yCACyB,mBAAS,O;gBAC9B,gB;gCAAA,iCAAM,sBAAN,O;oBAAA,2C;yBAAA,yB;gBAA
A,Q;;gBAFJ,gB;;;cAGI,gB;;;cAAA,KAAO,mBAAS,UAAhB,C;gBAAA,gB;;;cACI,yBAAc,6BAAU,sBAAV,E
AAuB,mBAAS,OAAhC,C;cACd,gB;8BAAA,iCAAM,sBAAN,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;;cA
HJ,gB;;;cAQJ,W;;;;;;K;IAVgB,mE;MAAA,yD;uBAAA,0G;YAAA,S;iBAAA,Q;;iBAAA,uB;O;K;IAhBpB,4C
;MAgBI,OAAO,SAAS,uCAAT,C;K;IA8BS,oI;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,4D;MAAA,kD;MAAA,
4B;MAAA,+B;MAAA,yB;MAAA,kC;K;;;4DAAA,Y;;;cAOuC,Q;oCANpC,4C;cACf,IAAI,mBAAS,UAAb,C;yC
ACyB,mBAAS,O;gBAC9B,gB;gCAAA,iCAAM,sBAAN,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;;gBAFJ,gB;;;iC
AGgB,C;cACZ,gB;;;cAAA,KAAO,mBAAS,UAAhB,C;gBAAA,gB;;;cACI,yBAAc,6BAAU,oBAAmB,uBAAnB,E
AAmB,+BAAnB,QAAY,EAAuC,sBAAvC,EAAoD,mBAAS,OAA7D,C;cACd,gB;8BAAA,iCAAM,sBAAN,O;kB
AAA,2C;uBAAA,yB;cAAA,Q;;cAFJ,gB;;;cAJJ,gB;;;cASJ,W;;;;;;K;IAXgB,iF;MAAA,yD;uBAAA,wH;YAA
A,S;iBAAA,Q;;iBAAA,uB;O;K;IAjBpB,mD;MAiBI,OAAO,SAAS,8CAAT,C;K;gFACX,+B;MAOoB,Q;MADhB,
UAAe,C;MACC,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,YAAO,SAAS,OAAT,CAAP,I;MAEJ,OAAO
,G;K;4FAGX,+B;MAOoB,Q;MADhB,UAAkB,G;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QACZ,OAA
O,SAAS,OAAT,C;;MAEX,OAAO,G;K;IASI,oD;MAAA,qB;QAAE,e;UAAM,MAAM,gCAAYB,2BAAWB,mBAA
xB,MAAZB,C;SAAZ,S;O;K;IANjB,qC;MAMI,OAAO,kBAAL,gCAAJ,C;K;IAGX,oC;MAaI,OAAO,sBAAS,IAAT,
EAAe,IAAf,EAAc,IAAtC,C;K;IAGX,+C;MAkBI,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAc,IAAtC,EAAwD,SA
AxD,C;K;IASA,0D;MAAA,4B;MAAA,sC;K;IAG0B,+E;MAAA,qB;QAAE,IAAI,CAAC,iBAAD,IAAY,WAAM,e
AAN,CAAhB,C;UAAiC,oBAAU,I;UAA3C,OAAiD,K;;UAAjD,OAA8D,I;O;K;6CAF7F,Y;MACI,kBAAc,KAAd,
C;MACA,OAAkB,SAAX,eAAW,EAAO,kEAAp,CAA8E,W;K;;IAT5G,qC;MAMI,kD;K;IAqBO,6D;MAAA,wC;
MAAA,4B;K;IAG6B,8D;MAAA,qB;QAAE,OAAM,aAAN,mB;O;K;+CAFIC,Y;MACI,YAAqB,UAAT,qBAAS,C;
MACrB,OAAkB,YAAX,eAAW,EAAU,4CAAV,CAA0B,W;K;;IAhBxD,sC;MAYI,IAAI,QxBwIKG,YAAQ,CwBx
IKf,C;QAAwB,OAAO,S;MAC/B,qD;K;IAoBO,6D;MAAA,wC;MAAA,4B;K;IAMiC,8D;MAAA,qB;QAAE,OAA
M,aAAN,mB;O;K;+CALtC,Y;MACI,YAAqB,4BAAT,qBAAS,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAO,e
AAW,W;;QAEIB,OAAkB,YAAX,eAAW,EAAU,4CAAV,CAA0B,W;K;;IAIB5D,sC;MAYI,qD;K;IAuBO,6D;MA
AA,wC;MAAA,4B;K;IAMiC,8D;MAAA,qB;QAAE,OAAM,aAAN,mB;O;K;+CALtC,Y;MACI,YAAqB,YAAT,q
BAAS,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAO,eAAW,W;;QAEIB,OAAkB,YAAX,eAAW,EAAU,4CAA
V,CAA0B,W;K;;IAIB5D,sC;MAYI,qD;K;8FAWJ,yB;MAAA,4C;MAAA,qC;QAOI,OAAO,iBAAM,OAAN,C;O;K
APX,C;wFAUA,yB;MAAA,+D;MAAA,6B;MAAA,uC;QAuOB,Q;QAFhB,YAAy,gB;QACZ,aAAa,gB;QACG,2B
;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,UAAU,OAAV,CAAJ,C;YACI,KAAM,WAAI,OAAJ,C;;YA
EN,MAAO,WAAI,OAAJ,C;;QAGf,OAAO,cAAK,KAAL,EAAy,MAAZ,C;O;KAjBX,C;IAoBA,oC;MAMI,OAA6
C,UAAtC,YAAW,SAAX,EAAiB,YAAW,OAAx,EAAjB,EAAc,C;K;IAGjD,qC;MASI,OAAy,OAAL,SAAK,EA

AqB,gCAAT,QAAS,EAAGC,SAAhC,C;MACrB,IAAI,KAAM,UAAV,C;QACI,OAAy,QAAL,SAAK,C;MACHB,IAAI,yBAAJ,C;QACgB,kBAAy,sB;QNusBZ,Q;QAAA,OMvsBL,SNusBK,W;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CMvsBwB,qBNusBb,OMvsBa,CNusB5B,C;YAAyB,WAAY,WAAL,OAAJ,C;;QMvsBvD,ONwsBG,W;OMvsBP,aAAa,qBAAiB,SAAJB,C;MACb,MAAO,mBAAU,KAAV,C;MACP,OAAO,M;K;IAGX,uC;MASI,aAAa,qBAAiB,SAAJB,C;MACN,YAAP,MAAO,EAAU,QAAV,C;MACP,OAAO,M;K;gGAGX,yB;MAAA,8C;MAAA,qC;QAOI,OAAO,iBAAM,OAAN,C;O;KAPX,C;IAUA,qC;MAMI,aAAa,qBAAiB,YAAy,iBAAO,CAAP,IAAZ,CAAjB,C;MACb,MAAO,gBAAO,SAAP,C;MACP,MAAO,WAAL,OAAJ,C;MACP,OAAO,M;K;IAGX,sC;MAOI,aAAa,qBAAiB,YAAy,SAAK,KAAL,GAAY,QAAS,OAARB,IAAZ,CAAjB,C;MACb,MAAO,gBAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,sC;MAMuD,UAAT,M;MAA1C,aAAa,qBAAiB,YAAy,WAAS,4BAAT,QAAS,CAAT,YAA4C,cAAL,WAAvC,4BAA2D,SAAK,KAAL,GAAY,CAAZ,IAAvE,C AAjB,C;MACb,MAAO,gBAAO,SAAP,C;MACA,OAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;IAGX,sC;MAOI,aAAa,qBAAiB,YAAy,SAAK,KAAL,GAAY,CAAZ,IAAZ,CAAjB,C;MACb,MAAO,gBAAO,SAAP,C;MACA,SAAP,MAAO,EAAO,QAAP,C;MACP,OAAO,M;K;8FAGX,yB;MAAA,4C;MAAA,qC;QAOI,OAAO,gBAAK,OAAL,C;O;KAPX,C;IdhIA,oD;MAMuF,wC;K;IANvF,8CAOI,Y;MAAuC,8B;K;IAP3C,gF;ICCA,oD;MAQuF,wC;K;IARvF,8CASI,Y;MAAuC,8B;K;IAT3C,gF;gGccA,yB;MAAA,uD;MAAA,gC;MAAA,iD;QAOI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,qBAAI,KAAJ,CAAtC,GAAsD,uBAAa,KAAb,E;O;KAPjE,C;gGAUA,yB;MAAA,+C;MAAA,mC;QAOI,OAAy,UAAL,SAAK,EAAU,KAAV,C;O;KAPhB,C;0EAUA,yB;MA0CA,6C;MAAA,oC;MAAA,gC;MA1CA,uC;QAKW,sB;;UAyCS,Q;UAAA,0B;UAAhB,OAAGB,cAAhB,C;YAAgB,oC;YAAM,IAzCH,SAyCO,CAAU,oBAAV,CAAJ,C;cAAwB,qBAAO,O;cAAP,uB;;UAC9C,qBAAO,I,;;QA1CP,yB;O;KALJ,C;kFAQA,yB;MA8GA,mD;MAAA,+C;MAAA,oC;MA9GA,uC;QAKW,qB;;UA6GO,Q;UAAA,OAAa,SAAR,sBAAQ,CAAb,W;UAAAd,OAAC,cAAd,C;YAAc,uB;YACV,cAAc,qBAAK,KAAL,C;YACd,IA/Gc,SA+GV,CAAU,oBAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I,;;QAJHP,wB;O;KALJ,C;IAQA,6B;MAKI,ICwKgD,qBAAU,CDxK1D,C;QACI,MAAM,2BAAuB,yBAAvB,C;MACV,OAAO,qBAAK,CAAL,C;K;4EAGX,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,iE;MAAA,uC;QAKoB,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAuB,6DAAvB,C;O;KANV,C;IASA,mC;MAII,OCsJgD,qBAAU,CDtJnD,GAAe,IAAf,GAAYB,qBAAK,CAAL,C;K;wFAGpC,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAIoB,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,OAAO,I;O;KALX,C;mFAQA,yB;MAAA,uD;MAAA,gC;MAAA,iD;QAKI,OAAW,SAAS,CAAT,IAAc,SAAS,wBAA3B,GAAsC,qBAAI,KAAJ,CAAtC,GAAsD,uBAAa,KAAb,E;O;KALjE,C;IAQA,uC;MAII,OAAW,SAAS,CAAT,IAAc,SAAS,2BAA3B,GAAsC,qBAAI,KAAJ,CAAtC,GAAsD,I;K;0FAGjE,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAIkB,gC;QAAA,6B;QAAA,mB;QAAA,kB;QAAA,kB;QAAAd,0D;UACI,IAAI,UAAU,iCAAK,KAAL,EAAV,CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;wFAYA,yB;MAAA,mD;MAAA,+C;MAAA,oC;MAAA,uC;QAIkB,Q;QAAA,OAAQ,SAAR,sBAAQ,CAAR,W;QAAAd,OAAC,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,iCAAK,KAAL,EAAV,CAAJ,C;YACI,OAAO,K;;QAGf,OAAO,E;O;KATX,C;IAYA,4B;MAKI,IC+FgD,qBAAU,CD/F1D,C;QACI,MAAM,2BAAuB,yBAAvB,C;MACV,OAAO,qBAAK,2BAAAL,C;K;0EAGX,yB;MAAA,mD;MAAA,+C;MAAA,oC;MAAA,iE;MAAA,uC;QAKkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAAd,OAAC,cAAd,C;UAAc,uB;UACV,cAAc,qBAAK,KAAL,C;UACd,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,MAAM,gCAAuB,6DAAvB,C;O;KATV,C;IAYA,kC;MAII,OC0EgD,qBAAU,CD1EnD,GAAe,IAAf,GAAYB,qBAAK,mBAAS,CAAT,IAAL,C;K;sFAGpC,yB;MAAA,mD;MAAA,+C;MAAA,oC;MAAA,uC;QAIkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;QAAAd,OAAC,cAAd,C;UAAc,uB;UACV,cAAc,qBAAK,KAAL,C;UACd,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,O;;QAEnC,OAAO,I;O;KARX,C;8EAWA,yB;MAAA,mC;MAAA,yC;MAAA,4B;QAQI,OAAO,kBAAO,cAAP,C;O;KARX,C;IAWA,sC;MAOI,IC0CgD,qBAAU,CD1C1D,C;QACI,MAAM,2BAAuB,yBAAvB,C;MACV,OAAO,qBAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;0FAGX,yB;MAAA,mC;MAAA,qD;MAAA,4B;QAOI,OAAO,wBAAa,cAAb,C;O;KAPX,C;IAUA,4C;MAMI,ICqBgD,qBAAU,CDrB1D,C;QACI,OAAO,I;MACX,OAAO,qBAAI,MAAO,iBAAQ,gBAAR,CAAX,C;K;IAGX,8B;MAIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,MAAM,2BAAuB,yBAAvB,C;aACX,C;UAAK,4BAAK,CAAL,C;UAAL,K;gBACQ,MAAM,gCAAyB,0CAAzB,C;;MAHIB,W;K;8EAOJ,yB;MAAA,6C;MAAA,oC;MAAA,kF;MAAA,gC;MAAA,iE;MAAA,8B;MAAA,uC;QAMoB,UAST,M;QAXP,aAAoB

,I;QACpB,YAAY,K;QACI,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,IAAI,UAAU,oBAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,MAAM,8BAAyB,wDAazB,C;YACjB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,MAAM,gCAAuB,6DAAvB,C;QAEIB,OAAO,4E;O;KafX,C;IAkBA,oC;MAIL,OAAW,qBAAU,CAAd,GAAiB,qBAAK,CAAL,CAAjB,GAA8B,I;K;0FAGzC,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAFhB,aAAoB,I;QACpB,YAAY,K;QACI,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,IAAI,UAAU,oBAAV,CAAJ,C;YACI,IAAI,KAAJ,C;cAAW,OAAO,I;YACIB,SAAS,O;YACT,QAAQ,I;;QAGhB,IAAI,CAAC,KAAL,C;UAAy,OAAO,I;QACnB,OAAO,M;O;KAdX,C;IAiBA,+B;Mb3OI,IAAI,EamPI,KAAK,CbnPT,CAAJ,C;QACI,cakPc,wD;QbjPd,MAAM,gCAAyB,OAAQ,WAAjC,C;OakPV,OAAO,8BAAc,eAAF,CAAe,EAAa,gBAAb,CAAd,EAAoC,gBAApC,C;K;IAGX,+B;MbvPI,IAAI,Ea+PI,KAAK,Cb/PT,CAAJ,C;QACI,ca8Pc,wD;Qb7Pd,MAAM,gCAAyB,OAAQ,WAAjC,C;Oa8PV,OEhG6E,oBFgG1D,eAAF,CAAe,EAAa,gBAAb,CEhG0D,C;K;IFmGjF,kC;MbnQI,IAAI,Ea2QI,KAAK,Cb3QT,CAAJ,C;QACI,ca0Qc,wD;QbzQd,MAAM,gCAAyB,OAAQ,WAAjC,C;Oa0QV,OAAO,mBAAkB,gBAAZ,mBAAS,CAAT,IAAY,EAAc,CAAd,CAAIB,C;K;IAGX,mC;Mb/QI,IAAI,EauRI,KAAK,CbvRT,CAAJ,C;QACI,casRc,wD;QbrRd,MAAM,gCAAyB,OAAQ,WAAjC,C;OasRV,OAAO,mBAAkB,gBAAZ,mBAAS,CAAT,IAAY,EAAc,CAAd,CAAIB,C;K;2FAGX,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMl,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,iCAAk,KAAL,EAAV,CAAL,C;YACI,OAAO,8BAAAY,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;QACf,OAAO,E;O;KATX,C;4FAYA,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMl,iBAAc,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,iCAAk,KAAL,EAAV,CAAL,C;YACI,OE5IoF,oBF4InE,CE5ImE,EF4IhE,QAAQ,CAAR,IE5Ige,C;WF6I5F,OAAO,E;O;KATX,C;oFAYA,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAMuB,UAAAL,MAAK,EAAL,MAAK,EAAL,M;QAAK,mBAAL,SAAK,C;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,CAAC,UAAU,iCAAk,KAAL,EAAV,CAAL,C;YACI,OAAO,8BAAAY,KAAZ,EAAmB,gBAAAnB,C;QACf,OAAO,E;O;KATX,C;oFAYA,yB;MAAA,mD;MAAA,oC;MAAA,uC;QAMuB,UAAAL,MAAK,EAAL,MAAK,EAAL,M;QAAK,mBAAL,SAAK,C;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,CAAC,UAAU,iCAAk,KAAL,EAAV,CAAL,C;YACI,OEvKqE,oBFuKpD,KEvKoD,C;WFwK7E,OA AO,E;O;KATX,C;8EAYA,yB;MAAA,yD;MAkEA,oC;MAIEA,uC;QAIW,kBAAS,oB;QakEM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBAAl,KAAJ,C;UACd,IApE6B,SAoEzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAy,gBAAO,OAAP,C;;QApExC,OAsEO,W;O;KA1EX,C;8EAOA,yB;MAAA,yD;MA2DA,oC;MA3DA,uC;QAIW,kBAAS,oB;QA2DM,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBAAl,KAAJ,C;UACd,IA7D6B,SA6DzB,CAAU,oBAAV,CAAJ,C;YAAwB,WAAy,gBAAO,OAAP,C;;QA7DxC,OA+DO,WA/DqC,W;O;KAJhD,C;4FAOA,yB;MAAA,yD;MAkBA,gC;MAkpBA,6C;MAAA,oC;MAPqBA,uC;QAMW,kBAAgB,oB;QAqqBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAlpB/B,IAnBoC,SAmBhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YAA2C,2BAAO,kBAAP,C;;QAnB/C,OAqBO,W;O;KA3BX,C;4FASA,yB;MAAA,yD;MASA,gC;MAkpBA,6C;MAAA,oC;MA3pBA,uC;QAMW,kBAAgB,oB;QA4pBV,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAlpB/B,IAVOC,SAUhC,CAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YAA2C,2BAAO,kBAAP,C;;QAV/C,OAYO,WAZ4C,W;O;KANvD,C;gGASA,yB;MAAA,gC;MAkpBA,6C;MAAA,oC;MAlpBA,oD;QApBiB,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,eAAO,cAAP,EAAO,sBAAP,S;UAAA,cAAgB,iB;UAlpB/B,IAAI,UAAU,OAAV,EAAiB,OAAjB,CAAJ,C;YAA2C,2BAAO,kBAAP,C;;QAE/C,OAAO,W;O;KATX,C;oFAYA,yB;MAAA,yD;MAcA,6C;MAAA,oC;MAAA,gC;MAcA,uC;QAIW,kBAAY,oB;QAcH,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,CAdU,SAcT,CAAU,oBAAV,CAAL,C;YAAyB,WAAy,gBAAO,OAAP,C;;QAd3D,OAeO,W;O;KANBX,C;oFAOA,yB;MAAA,yD;MAOA,6C;MAAA,oC;MAAA,gC;MAPA,uC;QAIW,kBAAY,oB;QAOH,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,CAPU,SAOT,CAAU,oBAAV,CAAL,C;YAAyB,WAAy,gBAAO,OAAP,C;;QAP3D,OAQO,WARwC,W;O;KAJnD,C;wFAOA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oD;QAIoB,Q;QAAA,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,CAAC,UAAU,oBAAV,CAAL,C;YAAyB,WAAy,gBAAO,OAAP,C;;QAC3D,OAAO,W;O;KALX,C;kFAQA,yB;MAAA,oC;MAAA,oD;QAI0B,Q;QAAA,uB;QAAtB,iBAAc,CAAd,wB;UACI,cAAc,qBAAl,KAAJ,C;UACd,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,WAAy,gBAAO,OAAP,C;;QAExC,OAAO,W;O;KARX,C;IAWA,sC;MAIL,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,E;MAC9B,OAAO,yBAAY,OAAC,C;K;IAGX,sC;MAIL,IAAI,OAAQ,UAAZ,C;QAAuB,OAAO,E;MAC9B,OAAO,uBAAU,OAAV,C;K;IAGX,sC;MAOc,Q;MAHV,WAA

mB,wBAAR,OAAQ,EAAwB,EAAxB,C;MACnB,IAAI,SAAQ,CAAZ,C;QAAe,OAAO,E;MACtB,aAAa,mBAAC,I
AAd,C;MACH,yB;MAAV,OAAU,cAAV,C;QAAU,mB;QACN,MAAO,gBAAO,qBAAI,CAAJ,CAAP,C;;MAEX,
OAAO,M;K;4EAGX,yB;MAAA,8B;MAAA,uC;MAAA,qC;QAKY,Q;QAAR,OAA8B,MAAtB,2DAAsB,EAAM,O
AAN,CAAe,W;O;KALjD,C;IAQA,+B;Mb7bI,IAAI,EaqI,KAAK,CbrtT,CAAJ,C;QACI,caocc,wD;Qbncd,MAAM
,gCAAYB,OAAQ,WAAjC,C;OaocV,OAAO,8BAAY,CAAZ,EAAiB,eAAF,CAAe,EAAa,gBAAb,CAAjB,C;K;IAG
X,+B;Mbzcl,IAAI,EaidI,KAAK,CbjdT,CAAJ,C;QACI,cagdc,wD;Qb/cd,MAAM,gCAAYB,OAAQ,WAAjC,C;Oagd
V,OE/S4F,oBF+S3E,CE/S2E,EF+StE,eAAF,CAAe,EAAa,gBAAb,CE/SsE,C;K;IFkThG,kC;MbrdI,IAAI,Ea6dI,KA
AK,Cb7dT,CAAJ,C;QACI,ca4dc,wD;Qb3dd,MAAM,gCAAYB,OAAQ,WAAjC,C;Oa4dV,aAAa,gB;MACb,OAAO
,8BAAY,SAAW,eAAF,CAAe,EAAa,MAAb,CAAX,IAAZ,EAA6C,MAA7C,C;K;IAGX,mC;MbleI,IAAI,Ea0eI,K
AAK,Cb1eT,CAAJ,C;QACI,cayec,wD;Qbxed,MAAM,gCAAYB,OAAQ,WAAjC,C;OayeV,aAAa,gB;MACb,OE5U
6E,oBF4U5D,SAAW,eAAF,CAAe,EAAa,MAAb,CAAX,IE5U4D,C;K;2FF+UjF,yB;MAAA,uD;MAAA,oC;MAA
A,uC;QAMI,iBAAC,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAY,CAAL,C;YA
CI,OAAO,8BAAY,QAAQ,CAAR,IAAZ,EAAuB,gBAAvB,C;;QAGf,OAAO,8BAAY,CAAZ,EAAe,gBAAf,C;O;K
AXX,C;4FACa,yB;MAAA,uD;MAAA,oC;MAAA,uC;QAMI,iBAAC,wBAAd,WAA+B,CAA/B,U;UACI,IAAI,CA
AC,UAAU,iCAAK,KAAL,EAAY,CAAL,C;YACI,OE7WqE,oBFqWpD,QAAQ,CAAR,IErWoD,C;;QFwW7E,OA
AO,S;O;KAXX,C;oFACa,yB;MAAA,oC;MAAA,uC;QAM0B,Q;QAAA,uB;QAAtB,iBAAC,CAAd,wB;UACI,IAA
I,CAAC,UAAU,iCAAI,KA AJ,EAAY,CAAL,C;YACI,OAAO,8BAAY,CAAZ,EAAe,KAaf,C;WAEf,OAAO,8BA
AY,CAAZ,EAAe,gBAAf,C;O;KAVX,C;oFAAa,yB;MAAA,oC;MAAA,uC;QAM0B,Q;QAAA,uB;QAAtB,iBAAC,
CAAd,wB;UACI,IAAI,CAAC,UAAU,iCAAI,KA AJ,EAAY,CAAL,C;YACI,OE7XoF,oBF6XnE,CE7XmE,EF6Xh
E,KE7XgE,C;WF+X5F,OAAO,S;O;KAVX,C;IAAa,gC;MAII,OAAO,qBAAc,SAAd,CAAoB,U;K;kFAG/B,yB;MA
AA,8B;MAAA,6C;MAAA,4B;QAKY,Q;QAAR,OAA8B,SAAtB,2DAAsB,CAAW,W;O;KAL7C,C;oFAQA,yB;M
AAA,0D;MAAA,yD;MAAA,uE;MA4EA,6C;MAAA,oC;MAAA,gC;MA5EA,uC;QAWI,eAAmC,cAApB,YAAY,g
BAAZ,CAAoB,EAAC,EAAd,C;QAC5B,kBAAY,mBAAoB,QAAPB,C;QAYEH,Q;QAAA,0B;QAaHb,OAAgB,cA
AhB,C;UAAgB,oC;UACZ,WA1E8C,SA0E/B,CAAU,oBAAV,C;UnBxBnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,
OAArB,C;;QmBIDA,OA4EO,W;O;KAXFX,C;wFAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MA6BA,6C;MAAA,
oC;MAAA,gC;MA7BA,yC;QAWI,eAAmC,cAApB,YAAY,gBAAZ,CAAoB,EAAC,EAAd,C;QAC5B,kBAAC,mB
AAuB,QAaVb,C;QA2BL,Q;QAAA,0B;QAaHb,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAy,aA5BuC,WA4Bn
C,CAAY,oBAAZ,CAAJ,EAA0B,oBAA1B,C;;QA5BhB,OA8BO,W;O;KA1CX,C;wFAeA,yB;MAAA,0D;MAAA,y
D;MAAA,uE;MA8BA,6C;MAAA,oC;MAAA,gC;MA9BA,yD;QAUI,eAAmC,cAApB,YAAY,gBAAZ,CAAoB,EA
Ac,EAAd,C;QAC5B,kBAAC,mBAAoB,QAAPB,C;QA6BL,Q;QAAA,0B;QAaHb,OAAgB,cAAhB,C;UAAgB,oC;
UACZ,WAAy,aA9BoC,WA8BhC,CAAY,oBAAZ,CAAJ,EA9BiD,cA8BvB,CAAe,oBAAf,CAA1B,C;;QA9BhB,O
AgCO,W;O;KA3CX,C;4FACa,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sD;QAUoB,Q;QAAA,0B;QAaHb,O
AAgB,cAAhB,C;UAAgB,oC;UACZ,WAAy,aAAI,YAAY,oBAAZ,CAAJ,EAA0B,oBAA1B,C;;QAEhB,OAAO,W
;O;KAbX,C;4FAGBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sE;QAUoB,Q;QAAA,0B;QAaHb,OAAgB,c
AAhB,C;UAAgB,oC;UACZ,WAAy,aAAI,YAAY,oBAAZ,CAAJ,EAA0B,eAAe,oBAAf,CAA1B,C;;QAEhB,OAA
O,W;O;KAbX,C;wFAGBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oD;QASoB,Q;QAAA,0B;QAaHb,OAA
gB,cAAhB,C;UAAgB,oC;UACZ,WAAe,UAAU,oBAAV,C;UnBxBnB,wBAAI,IAAK,MAAT,EAAGB,IAAK,OAA
rB,C;;QmB0BA,OAAO,W;O;KAZX,C;2FAeA,yB;MAAA,0D;MAAA,yD;MAAA,uE;MAGBA,6C;MAAA,oC;MA
AA,gC;MAhBA,2C;QAYI,aAAa,mBAA2C,cAApB,YAAY,gBAAZ,CAAoB,EAAC,EAAd,CAA3C,C;QAcG,Q;QA
AA,0B;QAaHb,OAAgB,cAAhB,C;UAAgB,oC;UAbO,MAcP,aAAI,oBAAJ,EAd,eAAcF,CAAc,oBAAd,CAAb,C;;
QAdhB,OAAuB,M;O;KAb3B,C;8FAGBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,wD;QAUoB,Q;QAAA,0
B;QAaHb,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAy,aAAI,oBAAJ,EAAa,cAAc,oBAAd,CAAb,C;;QAEhB,O
AAO,W;O;KAbX,C;IAGBA,iD;MAIiB,Q;MAAA,4B;MAAb,OAAa,cAAb,C;QAAa,iC;QACT,WAAy,WAAI,iBA
AJ,C;;MAEhB,OAAO,W;K;IAGX,iC;MAII,OAAO,2BAAa,eAAc,YAAY,gBAAZ,CAAd,CAAb,C;K;IAGX,8B;M
AIiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,kB;UAAL,K;aACA,C;UAAK,cAAO,iCAAK,CAAL,EA
AP,C;UAAL,K;gBACa,wBAAL,SAAK,C;UAHV,K;;MAAP,W;K;IAOJ,qC;MAII,OAAO,2BAAa,iBAAGB,gBAA
hB,CAAb,C;K;IAGX,6B;MAMiB,IAAN,I;MAAA,QAAM,gBAAN,C;aACH,C;UAAK,iB;UAAL,K;aACA,C;UAA
K,aAAM,iCAAK,CAAL,EAAN,C;UAAL,K;gBACQ,kCAAa,qBAAoB,YAAY,gBAAZ,CAAPB,CAAb,C;UAHL,

K;;MAAP,W;K;gFAOJ,yB;MAAA,+D;MASA,6C;MAAA,oC;MAAA,gD;MAAA,gC;MATA,uC;QAMW,kBAAU,
gB;QAOD,Q;QAAA,0B;QAaHb,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAR6B,SAQIB,CAAU,oBAAV,C;UAC
C,OAAZ,WAAY,EAAO,IAAP,C;;QAThB,OAOW,W;O;KAjBX,C;oFASA,yB;MAAA,6C;MAAA,oC;MAAA,gD;
MAAA,gC;MAAA,oD;QAIoB,Q;QAAA,0B;QAaHb,OAAgB,cAAhB,C;UAAgB,oC;UACZ,WAAY,UAAU,oBA
AV,C;UACC,OAAZ,WAAY,EAAO,IAAP,C;;QAEhB,OAAO,W;O;KARX,C;gFAWA,yB;MAAA,wE;MAyBA,6C
;MAAA,oC;MAAA,+D;MAAA,gC;MAzBA,yC;QASW,kBAAU,oB;QAYBD,Q;QAAA,0B;QAaHb,OAAgB,cAAh
B,C;UAAgB,oC;UACZ,UA1BoD,WA0B1C,CAAY,oBAAZ,C;UnB9dP,U;UADP,YmBgee,WnBheH,WmBgewB,
GnBhexB,C;UACL,IAAI,aAAJ,C;YACH,amb8duC,gB;YAA5B,WnB7dX,amb6dgC,GnB7dhC,EAAS,MAAT,C;
YACA,e;;YAEA,c;;UmB0dA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QA5BT,OA8BO,W;O;KAvcX,C;gFAYA,yB;M
AAA,wE;MA8BA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MA9BA,yD;QAUW,kBAAU,oB;QA8BD,Q;QAAA,0B;
QAaHb,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UA/BiD,WA+BvC,CAAY,oBAAZ,C;UnBhfP,U;UADP,YmBkfe,
WnBlfH,WmBkfwB,GnBlfxB,C;UACL,IAAI,aAAJ,C;YACH,ambBgfuc,gB;YAA5B,WnB/eX,amb+egC,GnB/ehC,
EAAS,MAAT,C;YACA,e;;YAEA,c;;UmB4eA,iB;UACA,IAAK,WajCyD,cAiCrD,CAAe,oBAAf,CAAJ,C;;QAJCT
,OAmCO,W;O;KA7CX,C;oFAaA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sD;QASoB,Q;QAAA
,0B;QAaHb,OAAgB,cAAhB,C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;UnB9dP,U;UADP,YmBgee,WnBhe
H,WmBgewB,GnBhexB,C;UACL,IAAI,aAAJ,C;YACH,amb8duC,gB;YAA5B,WnB7dX,amb6dgC,GnB7dhC,EA
AS,MAAT,C;YACA,e;;YAEA,c;;UmB0dA,iB;UACA,IAAK,WAAI,oBAAJ,C;;QAET,OAAO,W;O;KAdX,C;oFAi
BA,yB;MAAA,6C;MAAA,oC;MAAA,+D;MAAA,gC;MAAA,sE;QAUoB,Q;QAAA,0B;QAaHb,OAAgB,cAAhB,
C;UAAgB,oC;UACZ,UAAU,YAAY,oBAAZ,C;UnBhfP,U;UADP,YmBkfe,WnBlfH,WmBkfwB,GnBlfxB,C;UAC
L,IAAI,aAAJ,C;YACH,ambBgfuc,gB;YAA5B,WnB/eX,amb+egC,GnB/ehC,EAAS,MAAT,C;YACA,e;;YAEA,c;;
UmB4eA,iB;UACA,IAAK,WAAI,eAAe,oBAAf,CAAJ,C;;QAET,OAAO,W;O;KafX,C;qFAkBA,yB;MAAA,6C;
MAAA,oC;MAAA,kC;MAAA,4C;MAAA,wE;QAQW,sC;QAAA,8C;O;MARX,oDASQ,Y;QAAgD,OAAgB,SAA
hB,oBAAGB,C;O;MATxE,iDAUQ,mB;QAAuC,gCAAY,oBAAZ,C;O;MAV/C,gF;MAAA,yC;QAQI,2D;O;KARJ,
C;wEAcA,yB;MAAA,gE;MAuEA,6C;MAAA,oC;MAAA,gC;MAvEA,uC;QAOW,kBAAM,eAAa,gBAAb,C;QAq
EA,Q;QAAA,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UACT,WAAY,WatEmB,SAsEf,CAAU,iBAAV,CAAJ,C;;QAt
EhB,OAuEO,W;O;KA9EX,C;sFAUA,yB;MAAA,gE;MA+BA,6C;MAAA,oC;MAAA,gC;MA/BA,uC;QAOW,kBA
Aa,eAAa,gBAAb,C;QAGCP,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UACT,WAAY,Waj
C0B,SAiCtB,EAAU,cAAV,EAAU,sBAAV,WAAmB,iBAAnB,CAAJ,C;;QajChB,OakCO,W;O;KazCX,C;mGAU
A,yB;MAAA,+D;MAUA,gC;MAkKA,6C;MAAA,oC;MA5KA,uC;QAOW,kBAAoB,gB;QA4Kd,gB;QADb,YAAY
,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAIKsB,U;UAAA,cAVQ,SAUR,EakKT,cAIKS,EakKT,sBAIKS,
WakKA,iBAIKA,W;YAA6C,6B;;QAVhF,OAOW,W;O;KAIBX,C;uGAUA,yB;MAAA,gC;MAkKA,6C;MAAA,o
C;MAIKA,oD;QAYKiB,gB;QADb,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAIKsB,U;UAAA,yBAK
KT,cAIKS,EakKT,sBAIKS,WakKA,iBAIKA,W;YAA6C,6B;;QACHF,OAAO,W;O;KARX,C;0FAWA,yB;MAAA
,6C;MAAA,oC;MAAA,gC;MAAA,oD;QAQiB,UACiB,M;QAF9B,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UA
Aa,iC;UACT,WAAY,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,iBAAnB,CAAJ,C;;QACHB,OAAO,W;O;K
AVX,C;qFAaA,yB;MAAA,+D;MAQA,gC;MA2HA,6C;MAAA,oC;MANIA,uC;QAKW,kBAaA,gB;QAKIJ,Q;QAA
A,0B;QAaHb,OAAgB,cAAhB,C;UAAgB,oC;UA1HK,U;UAAA,cARe,SAQf,CA0HQ,oBA1HR,W;YAAsC,6B;;Q
AR3D,OASO,W;O;KAdX,C;yFAQA,yB;MAAA,gC;MA2HA,6C;MAAA,oC;MA3HA,oD;QA+HoB,Q;QAAA,0B;
QAaHb,OAAgB,cAAhB,C;UAAgB,oC;UA1HK,U;UAAA,wBA0HQ,oBA1HR,W;YAAsC,6B;;QAC3D,OAAO,W
;O;KANX,C;4EASA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oD;QAKiB,Q;QAAA,0B;QAAb,OAAa,cAAb,
C;UAAa,iC;UACT,WAAY,WAAI,UAAU,iBAAV,CAAJ,C;;QACHB,OAAO,W;O;KAPX,C;IAe4B,4C;MAAA,mB
;QAAE,iC;O;K;IAL9B,iC;MAKI,OAAO,qBAaiB,6BAAjB,C;K;wEAGX,yB;MAAA,6C;MAAA,oC;MAAA,gC;M
AAA,uC;QAMoB,Q;QAAA,0B;QAaHb,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,CAAC,UAAU,oBAAV,CA
AL,C;YAAyB,OAAO,K;;QACTD,OAAO,I;O;KAPX,C;IAUA,2B;MAMI,OAAO,EChuByC,qBAAU,CDguBnD,C;
K;wEAGX,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;QAAA,0B;QAaHb,OAAgB,cAAhB,C;U
AAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,I;;QACrD,OAAO,K;O;KAPX,C;4EAU,qB;M
AKI,OAAO,gB;K;4EAGX,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAKoB,Q;QADhB,YAAY,C;QACI,
0B;QAaHb,OAAgB,cAAhB,C;UAAgB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,qB;;QAC9C,OAAO,

K;O;KANX,C;0EASA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,gD;QAKoB,Q;QADhB,kBAaKB,O;QACF,0
B;QAAhB,OAAGB,cAAhB,C;UAAGB,oC;UAAM,cAAc,UAAU,WAAV,EAAuB,oBAAvB,C;;QACpC,OAAO,W;
O;KANX,C;wFASA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,gD;QASoB,UAA8B,M;QAF9C,YAAY,C;QA
CZ,kBAaKB,O;QACF,0B;QAAhB,OAAGB,cAAhB,C;UAAGB,oC;UAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,
WAAmB,WAAhB,EAAgC,oBAAhC,C;;QACpC,OAAO,W;O;KAVX,C;mFAaA,yB;MAAA,uD;MAAA,oC;MAA
A,gD;QAOoC,Q;QAHhC,YAAY,wB;QACZ,kBAaKB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,kC
AAI,YAAJ,EAAI,oBAAJ,SAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KATX,C;iGAYA,yB;MAAA,uD;MA
AA,oC;MAAA,gD;QAOI,YAAY,wB;QACZ,kBAaKB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,K
AAV,EAAiB,iCAAI,KAAJ,EAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAbX,C;gFAgBA,yB;MA
AA,6C;MAAA,oC;MAAA,gC;MAAA,oC;QAIoB,Q;QAAA,0B;QAAhB,OAAGB,cAAhB,C;UAAGB,oC;UAAM,O
AAO,oBAAP,C;;O;KAJ1B,C;8FAOA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oC;QAOiB,UAAa,M;QAD1
B,YAAY,C;QACC,0B;QAAb,OAAa,cAAb,C;UAAa,iC;UAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,iBAAhB,C
;;O;KAPvB,C;IAUA,2B;MAMiB,Q;MAFb,ICr0BgD,qBAAU,CDq0B1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAA
K,CAAL,C;MACG,kC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;U
AAa,MAAM,C;;MAEvB,OAAO,G;K;4EAGX,yB;MAAA,uD;MAAA,oC;MAAA,sC;QAMI,ICp1BgD,qBAAU,C
Do1B1D,C;UAAe,OAAO,I;QACtB,cAAc,qBAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,
CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,
qBAAK,CAAL,C;UACR,QAAQ,SAAS,cAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,
WAAW,C;;QAGnB,OAAO,O;O;KAnBX,C;IAsBA,2C;MAMiB,Q;MAFb,ICx2BgD,qBAAU,CDw2B1D,C;QAAe,
OAAO,I;MACtB,UAAU,qBAAK,CAAL,C;MACG,kC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;
QACR,IAAI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,
G;K;IAGX,2B;MAMiB,Q;MAFb,ICr3BgD,qBAAU,CDq3B1D,C;QAAe,OAAO,I;MACtB,UAAU,qBAAK,CAAL,
C;MACG,kC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IAAI,MAAM,CAAV,C;UAAa,MA
AM,C;;MAEvB,OAAO,G;K;4EAGX,yB;MAAA,uD;MAAA,oC;MAAA,sC;QAMI,ICp4BgD,qBAAU,CDo4B1D,
C;UAAe,OAAO,I;QACtB,cAAc,qBAAK,CAAL,C;QACd,gBAAqB,cAAL,SAAK,C;QACrB,IAAI,cAAa,CAAjB,C
;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,oBAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M;UACI,QAAQ,qBAAK,
CAAL,C;UACR,QAAQ,SAAS,cAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C
;;QAGnB,OAAO,O;O;KAnBX,C;IAsBA,2C;MAMiB,Q;MAFb,ICx5BgD,qBAAU,CDw5B1D,C;QAAe,OAAO,I;
MACtB,UAAU,qBAAK,CAAL,C;MACG,kC;MAAb,aAAU,CAAV,iB;QACI,QAAQ,qBAAK,CAAL,C;QACR,IA
AI,UAAW,SAAQ,gBAAR,EAAa,cAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAG
X,4B;MAMI,OCv6BgD,qBAAU,C;K;0ED06B9D,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,uC;QAMoB,Q;Q
AAA,0B;QAAhB,OAAGB,cAAhB,C;UAAGB,oC;UAAM,IAAI,UAAU,oBAAV,CAAJ,C;YAAwB,OAAO,K;;QAC
rD,OAAO,I;O;KAPX,C;6EAUA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,oC;QAKmC,Q;QAAA,0B;QAAhB
,OAAGB,cAAhB,C;UAAGB,oC;UAAM,OAAO,oBAAP,C;;QAArC,gB;O;KALJ,C;8EAQA,yB;MAAA,4F;MAAA,
uD;MAAA,oC;MAAA,gC;MAAA,uC;QASqB,Q;QAHjB,ICl8BgD,qBAAU,CDk8B1D,C;UACI,MAAM,mCAA8B
,uCAA9B,C;QACV,kBAaKB,qBAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,wBA
AV,EAAuB,iCAAK,KAAL,EAAvB,E;;QAEIB,OAAO,W;O;KAZX,C;4FAeA,yB;MAAA,4F;MAAA,uD;MAAA,o
C;MAAA,gC;MAAA,uC;QAYqB,Q;QAHjB,ICp9BgD,qBAAU,CDo9B1D,C;UACI,MAAM,mCAA8B,uCAA9B,C
;QACV,kBAaKB,qBAAK,CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,KAAV,EAAiB,w
BAAjB,EAA8B,iCAAK,KAAL,EAA9B,E;;QAEIB,OAAO,W;O;KAFx,C;0FAkBA,yB;MAAA,uD;MAAA,oC;MA
AA,gC;MAAA,uC;QAWqB,Q;QAHjB,ICr+BgD,qBAAU,CDq+B1D,C;UACI,OAAO,I;QACX,kBAaKB,qBAAK,
CAAL,C;QACD,+B;QAAjB,iBAAc,CAAd,yB;UACI,cAAc,oBAAU,wBAAV,EAAuB,iCAAK,KAAL,EAAvB,E;;
QAEIB,OAAO,W;O;KAdX,C;uFAiBA,yB;MAAA,uD;MAAA,4F;MAAA,oC;MAAA,gC;MAAA,uC;QAAQ0B,UA
EU,M;QAJhC,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,uCAA9B,C;QACrB,kBAaKB,s
BAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,kCAAI,cAAJ,EAAI,sBAAJ,
WAAV,EAAwB,wBAAXB,E;;QAEIB,OAAO,W;O;KAZX,C;qGAeA,yB;MAAA,uD;MAAA,4F;MAAA,oC;MAA
A,gC;MAAA,uC;QAW0B,Q;QAFtB,YAAY,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,uCAA9B
,C;QACrB,kBAaKB,sBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,KAA

V,EAAiB,iCAAI,KAAJ,EAAjB,EAA6B,wBAA7B,E;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;mGAmBA,yB;MAAA,uD;MAAA,oC;MAAA,gC;MAAA,uC;QAU0B,UAEU,M;QAJhC,YAAy,wB;QACZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAAkB,sBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,oBAAU,kCAAI,cAAJ,EAAI,sBAAJ,WAAV,EAAwB,wBAAxB,E;;QAEIB,OAAO,W;O;KAdX,C;0EAiBA,yB;MAAA,gD;MAAA,gE;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,gD;QAIBoB,Q;QAHhB,IC/iCgD,qBAAU,CD+iC1D,C;UAAe,OAAO,OAAO,OAAP,C;QACgB,kBAAzB,eAAa,mBAAS,CAAT,IAAb,C;QAAiC,8B;QAA9C,aTtsCO,W;QSusCP,kBAAkB,O;QACF,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,cAAc,UAAU,WAAV,EAAuB,oBAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KArBX,C;wFAwBA,yB;MAAA,gD;MAAA,gE;MAAAA,mD;MAAA,oC;MAAA,gD;QAKbKB,gC;QAHd,ICxkCgD,qBAAU,CDwkC1D,C;UAAe,OAAO,OAAO,OAAP,C;QACgB,kBAAzB,eAAa,mBAAS,CAAT,IAAb,C;QAAiC,8B;QAA9C,aT/CO,W;QSguCP,kBAAkB,O;QACJ,6B;QAAA,mB;QAAA,kB;QAAA,kB;QAAAd,0D;UACI,cAAc,UAAU,KAAV,EAAiB,WAAjB,EAA8B,iCAAK,KAAL,EAA9B,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KATBX,C;sFAyBA,yB;MAAA,qD;MAAA,gE;MAAA,oC;MAAA,gC;MAAA,uC;QAIBoB,Q;QAHtB,IChmCgD,qBAAU,CDgmC1D,C;UAAe,OAAO,W;QACtB,sBAAkB,qBAAK,CAAL,CAAI,C;QACqC,kBAAxB,eAAgB,gBAAhB,C;QAAgC,sBAAI,0BAAJ,C;QAA7C,aTxvCO,W;QSyvCe,uB;QAAtB,iBAAC,CAAd,wB;UACI,gBAAC,oBAAU,0BAAV,EAAuB,iCAAK,KAAL,EAAvB,E;UACd,MAAO,WAAI,0BAAJ,C;;QAEX,OAAO,M;O;KArBX,C;oGAwBA,yB;MAAA,qD;MAAA,gE;MAAA,oC;MAAA,gC;MAAA,uC;QAKBoB,Q;QAHtB,ICznCgD,qBAAU,CDynC1D,C;UAAe,OAAO,W;QACtB,sBAAkB,qBAAK,CAAL,CAAI,C;QACqC,kBAAxB,eAAgB,gBAAhB,C;QAAgC,sBAAI,0BAAJ,C;QAA7C,aTjxCO,W;QSkxCe,uB;QAAtB,iBAAC,CAAd,wB;UACI,gBAAC,oBAAU,KAAV,EAAiB,0BAAjB,EAA8B,iCAAK,KAAL,EA A9B,E;UACd,MAAO,WAAI,0BAAJ,C;;QAEX,OAAO,M;O;KATBX,C;4EAyBA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sC;QAKoB,Q;QADhB,UAAe,C;QACC,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,YAAO,SAAS,oBAAT,CAAP,I;;QAEJ,OAAO,G;O;KARX,C;wFAWA,yB;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,sC;QAKoB,Q;QADhB,UAAkB,G;QACF,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,OAAO,SAAS,oBAAT,C;;QAEX,OAAO,G;O;KARX,C;IAWA,oC;MAWI,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAsC,IAAtC,C;K;IAGX,+C;MAGBI,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAsC,IAAtC,EAAwD,SAAXD,C;K;IAcsB,oC;MAAE,OAAA,EAAG,W;K;IAXtC,0C;MAWI,OAAO,6BAAgB,IAAhB,EAAsB,sBAAtB,C;K;IAGX,uD;MAGBI,OAAO,8BAAiB,IAAjB,EAAuB,IAAvB,EAA8C,IAA9C,EAAG,E,SAAhE,C;K;oFAGX,yB;MAAA,yD;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAy,oB;QACZ,aAAa,oB;QACG,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,IAAI,UAAU,oBAAV,CAAJ,C;YACI,KAAM,gBAAO,OAAP,C;;YAEN,MAAO,gBAAO,OAAP,C;;QAGf,OAAO,cAAK,KAAL,EAAY,MAAZ,C;O;KAFX,C;oFAkBA,yB;MAAA,yD;MAAA,6C;MAAA,oC;MAAA,gC;MAAA,6B;MAAA,uC;QAQoB,Q;QAFhB,YAAy,oB;QACZ,aAAa,oB;QACG,0B;QAAhB,OAAgB,cAAhB,C;UAAgB,oC;UACZ,IAAI,UAAU,oBAAV,CAAJ,C;YACI,KAAM,gBAAO,OAAP,C;;YAEN,MAAO,gBAAO,OAAP,C;;QAGf,OAAO,cAAK,KAAM,WAAx,EAAuB,MAAO,WAA9B,C;O;KAFX,C;IAmCgD,6B;MAAE,OAAA,EAAG,W;K;IAjBrD,2D;MAGB4C,oB;QAAA,OAAY,C;MAAG,8B;QAAA,iBAA0B,K;MACjF,OAAO,sBAAS,IAAT,EAAe,IAAf,EAAqB,cAArB,EAAqC,eAArC,C;K;IAGX,sE;MAkBgD,oB;QAAA,OAAY,C;MAAG,8B;QAAA,iBAA0B,K;MAQhE,Q;MAPrB,oBAAoB,IAApB,EAA0B,IAA1B,C;MACA,eAAe,SAAK,O;MACpB,qBAAqB,YAAW,IAAX,SAAsB,WAAW,IAAX,KAAMB,CAAvB,GAA0B,CAA1B,GAAiC,CAAnD,K;MACrB,aAAa,iBAAa,cAAb,C;MACb,YAAy,C;MACZ,OAAgB,CAAT,qBAAiB,QAAxB,C;QACI,UAAU,QAAQ,IAAR,I;QACO,IAALI,MAAM,CAAN,IAAW,MAAM,QAArB,C;UAAiC,IAAI,cAAJ,C;YAAoB,e;;YAAc,K;;UAAa,U;QAAjG,qB;QACA,MAAO,WAAI,UAAU,8BAAy,KAAZ,EAAMB,UAAAnB,CAAV,CAAJ,C;QACP,gBAAS,IAAT,I;;MAEJ,OAAO,M;K;IAoB6C,qC;MAAE,OAAA,EAAG,W;K;IAjB7D,iE;MAGBoD,oB;QAAA,OAAY,C;MAAG,8B;QAAA,iBAA0B,K;MACzF,OAAO,8BAAiB,IAAjB,EAAuB,IAAvB,EAA6B,cAA7B,EAA6C,uBAA7C,C;K;IAwByB,2F;MAAA,wB;QAC5B,UAAU,QAAQ,YAAR,I;QACV,iBAAqB,MAAM,CAAN,IAAW,MAAM,4BAArB,GAA6B,4BA A7B,GAAyC,G;QAD1D,OAEA,kBAAU,0CAAY,KAAZ,EAAMB,UAAAnB,CAAV,C;O;K;IAxBR,gF;MAkBWd,sB;QAAA,SAAY,C;MAAG,8B;QAAA,iBAA0B,K;MAC7F,oBAAoB,IAApB,EAA0B,MAA1B,C;MACA,cAAc,KAAK,cAAJ,GAAoB,yBAAPB,GAAiC,WAAQ,mBAAS,IAAT,GAAgB,CAAhB,IAAR,CAAI,C,EAaKE,MAAIE,C;MACd,OAA4B,OAAb,aAAR,OAQ,CAAa,EAAL,qDAAJ,C;K;IAOhC,kC;MAkBI,aRt6CO,MAAK,KQs6CY,gBRt6CZ,EQ25CD,KAW2B,ORt6C1B,C;MQu6CZ,WAAW,iBAAa,MAAb,C;MACX,aAAU,CAAV,MAAkB,MAAI

B,M;QACI,IAAK,WAdqB,GAcP,iCAAK,CAAL,EAdO,EAcE,YAdrB,KAcqB,YAAM,CAAN,EAdF,CAcrB,C;;M
AdT,OAgBO,I;K;wEAbX,yB;MAAA,gE;MAAA,oC;MRr6CA,iB;MQq6CA,8C;QAQI,aRt6CO,MAAK,KQs6CO,S
AAK,ORt6CZ,EQs6CoB,KAAM,ORt6C1B,C;QQu6CZ,WAAW,eAAa,MAAb,C;QACX,aAAU,CAAV,MAAkB,M
AAIB,M;UACI,IAAK,WAAI,UAAU,iCAAK,CAAL,EAAV,EAAmB,6BAAM,CAAN,EAAmB,CAAJ,C;;QAET,O
AAO,I;O;KAbX,C;IAgBA,kC;MASW,sB;;QAAp,WAAW,mBAAS,CAAT,I;QACX,IAAI,OAAO,CAAX,C;UAAc,
qBAAO,W;UAAP,uB;SACd,aAAa,iBAaA,IAAb,C;QACb,iBAAc,CAAd,UAAsB,IAAtB,U;UACI,MAAO,WAjBk
B,GAiBJ,iCAAK,KAAL,EAjBI,EAiBS,iCAAK,QAAQ,CAAR,IAAL,EAjBT,CAiBIB,C;;QAEX,qBAAO,M;;;MAN
BP,yB;K;uFAGJ,yB;MAAA,qD;MAAA,gE;MAAA,oC;MAAA,uC;QAUI,WAAW,mBAAS,CAAT,I;QACX,IAAI,
OAAO,CAAX,C;UAAc,OAAO,W;QACrB,aAAa,eAAa,IAAb,C;QACb,iBAAc,CAAd,UAAsB,IAAtB,U;UACI,M
AAO,WAAI,UAAU,iCAAK,KAAL,EAAV,EAAuB,iCAAK,QAAQ,CAAR,IAAL,EAAvB,CAAJ,C;;QAEX,OAA
O,M;O;KAhBX,C;IAwBoB,8C;MAAA,mB;QAAE,OAAK,WAAL,eAAK,C;O;K;IAL3B,kC;MAIQ,wC;MAAA,S;
QAAkB,OCj6C0B,qBAAU,C;ODi6C1D,S;QAAiC,OAAO,W;MACxC,oCAAgB,8BAAhB,C;K;IAQgB,8C;MAAA
,mB;QAAE,OAAK,WAAL,eAAK,C;O;K;IAL3B,kC;MAIQ,wC;MAAA,S;QAAkB,OCz6C0B,qBAAU,C;ODy6C1
D,S;QAAiC,OAAO,e;MACxC,oCAAgB,8BAAhB,C;K;IGxkDkC,yC;MAAA,wB;QAAW,OAAA,aAAK,KAAL,C
3B8FV,K;O;K;I4B9FH,wC;MAAA,wB;QAAW,OAAA,aAAK,KAAL,C3B0HV,K;O;K;I4B1HC,yC;MAAA,wB;Q
AAW,OAAA,aAAK,KAAL,CCqIV,K;O;K;ICrC,OC;MAAA,wB;QAAW,OAAA,aAAK,KAAL,C7ByGV,K;O;K;4
F8BhKzC,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,
OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;4FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,
C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAU
I,OAAO,sBAAI,CAAJ,C;K;4FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAA
J,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;4FAGX,qB;MA
UI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAA
J,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;4FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;M
AUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,CAAJ,C;K;6FAGX,qB;MAUI,OAAO,sBAAI,C
AAJ,C;K;uGAuCX,yB;MA8IGI,8D;MA9IGJ,iD;QASe,oBAAS,C;QAAT,S;UAAc,gBAqIGT,cAAR,iBAAQ,C;SAr
IGhB,OAAO,OAAc,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KATjE,C;uGAYA,yB;MA0IGI,8D;MA1IG
J,iD;QASe,oBAAS,C;QAAT,S;UAAc,gBAiIGT,cAAR,iBAAQ,C;SAjIGhB,OAAO,OAAc,sBAAI,KAAJ,CAAtC,
GAAsD,aAAa,KAAb,C;O;KATjE,C;uGAYA,yB;MA5IGI,8D;MATIGJ,iD;QASe,oBAAS,C;QAAT,S;UAAc,gBA6k
GT,cAAR,iBAAQ,C;SA7kGhB,OAAO,OAAc,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KATjE,C;uGAY
A,yB;MAKIGI,8D;MA1IGJ,iD;QASe,oBAAS,C;QAAT,S;UAAc,gBAYkGT,cAAR,iBAAQ,C;SAzkGhB,OAAO,OA
AsC,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KATjE,C;uGAYA,yB;MAAA,sD;MAAA,mC;QASI,OAAy
,UAAL,SAAK,EAAU,KAAV,C;O;KAThB,C;uGAYA,yB;MAAA,sD;MAAA,mC;QASI,OAAy,UAAL,SAAK,EAAU,
KAAV,C;O;KAThB,C;uGAYA,yB;MAAA,sD;MAAA,mC;QASI,OAAy,UAAL,SAAK,EAAU,KAAV,C;O;KAThB,C;
iFAYA,gC;MAOW,sB;;QAgNS,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UAAM,IAhNH,SAgNO,CAAU,OA
AV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;MAjNP,yB;K;iFAGJ,gC;MAOW,sB;;QAI
NS,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UAAM,IAjNH,SAiNO,CAAU,OAAV,CAAJ,C;YAAwB,qBA
AO,O;YAAP,uB;;QAC9C,qBAAO,I;;MAINP,yB;K;iFAGJ,gC;MAOW,sB;;QAKNS,Q;QAAA,2B;QAAhB,OAAG
B,cAAhB,C;UAAgB,yB;UAAM,IAiNH,SAkNO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,
qBAAO,I;;MANNP,yB;K;iFAGJ,gC;MAOW,sB;;QAmNS,Q;QAAA,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;
UAAM,IAAnNH,SAAnNO,CAAU,OAAV,CAAJ,C;YAAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;MApNP,yB;
K;yFAGJ,yB;MA4kBA,+C;MA02EI,0D;Mat7FJ,uC;QAOW,qB;;UA4kBO,Q;UAAA,OAAa,SAm2EX,YAAR,iBA
AQ,CAn2EW,CAAb,W;UAAd,OAAc,cAAc,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA9kBc,SA8kBV
,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;QAhlBP,wB;O;KAPJ,C;yFAUA,yB;M
AglBA,+C;MAo2EI,0D;MAp7FJ,uC;QAOW,qB;;UAgIBo,Q;UAAA,OAAa,SA61EX,YAAR,iBAAQ,CA71EW,C
AAb,W;UAAd,OAAc,cAAc,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA11Bc,SAk1BV,CAAU,OAAV,C
AAJ,C;cAAwB,oBAAO,O;cAAP,sB;;UAE5B,oBAAO,I;;QAplBP,wB;O;KAPJ,C;yFAUA,yB;MAo1BA,+C;MA81
EI,0D;MAI7FJ,uC;QAOW,qB;;UAo1Bo,Q;UAAA,OAAa,SAu1EX,YAAR,iBAAQ,Cav1EW,CAAb,W;UAAd,OA

Ac,cAAAd,C;YAAc,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IAtIbC,SAsIBV,CAAU,OAAV,CAAJ,C;cAAwB,oB
AAO,O;cAAP,sB;;UAE5B,oBAAO,I;;;QAxIBP,wB;O;KAPJ,C;yFAUA,yB;MAwIBA,+C;MAw1EI,0D;MAh7FJ,u
C;QAOW,qB;;UAwIBO,Q;UAAA,OAAa,Sai1EX,YAAR,iBAAQ,CAj1EW,CAAb,W;UAAAd,OAAc,cAAAd,C;YAA
c,uB;YACV,cAAc,sBAAK,KAAL,C;YACd,IA11Bc,SA01BV,CAAU,OAAV,CAAJ,C;cAAwB,oBAAO,O;cAAP,sB
;;UAE5B,oBAAO,I;;;QA5IBP,wB;O;KAPJ,C;mFAUA,yB;MAAA,8C;M/B5MA,6B;M+B4MA,4B;QAQI,O/B1M
mC,c+B0MpB,MAAR,iBAAQ,C/B1MoB,C;O;K+BkMvC,C;mFAWA,yB;MAAA,8C;MFxMA,+B;MEwMA,4B;Q
AQI,OFtMsC,eEsMvB,MAAR,iBAAQ,CfTmuB,C;O;KE8L1C,C;mFAWA,yB;MAAA,8C;MhCpQA,+B;MgCoQA
,4B;QAQI,OhClQsC,egCkQvB,MAAR,iBAAQ,ChClQuB,C;O;KgC0P1C,C;mFAWA,yB;MAAA,8C;M9B1QA,iC;
M8BkQA,4B;QAQI,O9BhQyC,gB8BgQ1B,MAAR,iBAAQ,C9BhQ0B,C;O;K8BwP7C,C;mFAWA,yB;MAAA,iE;
MAAA,uC;QAQoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;Y
AAwB,OAAO,O;;QACrD,MAAM,gCAAUb,mDAAvB,C;O;KATV,C;mFAYA,yB;MAAA,iE;MAAA,uC;QAQoB,
Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;Q
ACrD,MAAM,gCAAUb,mDAAvB,C;O;KATV,C;mFAYA,yB;MAAA,iE;MAAA,uC;QAQoB,Q;QAAA,2B;QAAh
B,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCA
AUb,mDAAvB,C;O;KATV,C;mFAYA,yB;MAAA,iE;MAAA,uC;QAQoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,
C;UAAgB,yB;UAAM,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QACrD,MAAM,gCAAUb,mDAAvB,C;O
;KATV,C;IAYA,mC;MAMI,OAAW,mBAAJ,GAAe,IAAf,GAAYB,sBAAK,CAAL,C;K;IAGpC,mC;MAMI,OAA
W,mBAAJ,GAAe,IAAf,GAAYB,sBAAK,CAAL,C;K;IAGpC,mC;MAMI,OAAW,mBAAJ,GAAe,IAAf,GAAYB,sB
AAK,CAAL,C;K;IAGpC,mC;MAMI,OAAW,mBAAJ,GAAe,IAAf,GAAYB,sBAAK,CAAL,C;K;+FAGpC,gC;MA
OoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAA
O,O;;MACrD,OAAO,I;K;+FAGX,gC;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAA
I,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAGX,gC;MAOoB,Q;MAAA,2B;MAAhB,OA
AgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,O;;MACrD,OAAO,I;K;+FAG
X,gC;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAGB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAA
wB,OAAO,O;;MACrD,OAAO,I;K;2FAGX,yB;MAkwFI,8D;MA1wFJ,iD;QAOe,oBAAS,C;QAAT,S;UAAc,gBA2v
FT,cAAR,iBAAQ,C;SA3vFhB,OAAO,OAAc,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KAPjE,C;2FAU
A,yB;MAGwFI,8D;MAhwFJ,iD;QAOe,oBAAS,C;QAAT,S;UAAc,gBAyvFT,cAAR,iBAAQ,C;SAzvFhB,OAAO,O
AAc,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KAPjE,C;2FAUA,yB;MA8vFI,8D;MA9vFJ,iD;QAOe,oB
AAS,C;QAAT,S;UAAc,gBAuvFT,cAAR,iBAAQ,C;SAvvFhB,OAAO,OAAc,sBAAI,KAAJ,CAAtC,GAAsD,aA
Aa,KAAb,C;O;KAPjE,C;2FAUA,yB;MA4vFI,8D;MA5vFJ,iD;QAOe,oBAAS,C;QAAT,S;UAAc,gBAqvFT,cAAR,
iBAAQ,C;SArvFhB,OAAO,OAAc,sBAAI,KAAJ,CAAtC,GAAsD,aAAa,KAAb,C;O;KAPjE,C;IAUA,wC;MAMe
,oBAAS,C;MAAT,S;QAAC,gBAotFT,gBAAR,iBAAQ,C;OApFhB,OAAO,OAAc,sBAAI,KAAJ,CAAtC,GAAsD
,I;K;IAGjE,wC;MAMe,oBAAS,C;MAAT,S;QAAC,gBAmtFT,gBAAR,iBAAQ,C;OAntFhB,OAAO,OAAc,sBAAI
,KAAJ,CAAtC,GAAsD,I;K;IAGjE,wC;MAMe,oBAAS,C;MAAT,S;QAAC,gBAktFT,gBAAR,iBAAQ,C;OAltFhB,
OAAO,OAAc,sBAAI,KAAJ,CAAtC,GAAsD,I;K;IAGjE,wC;MAMe,oBAAS,C;MAAT,S;QAAC,gBAitFT,gBAA
R,iBAAQ,C;OAJtFhB,OAAO,OAAc,sBAAI,KAAJ,CAAtC,GAAsD,I;K;uFAGjE,yB;MAAA,kD;MAAA,qC;QA
OI,OAAe,QAAR,iBAAQ,EAAQ,O/BtiBU,K+BsiBIB,C;O;KAPnB,C;uFAUA,yB;MAAA,kD;MAAA,qC;QAUI,OAAe,Q
AAR,iBAAQ,EAAQ,OFriBY,KEqiBpB,C;O;KAPnB,C;uFAUA,yB;MAAA,kD;MAAA,qC;QAUI,OAAe,QAAR
,iBAAQ,EAAQ,O9BrlBc,K8BqlBtB,C;O;KAPnB,C;IGAUA,yB;MAAA,sC;M/B5eA,6B;M+B4eA,0BAOGC,yB;Q/
BnfhC,6B;e+BmfgC,6B;UAAA,qB;YAAE,yB/BzeK,c+ByeK,E/BzeL,C+ByeL,C;W;S;OAAF,C;MAPhC,uC;QAO
mB,kBAAR,iB;QAAQ,uB;;UICswBf,0D;YACI,IkCzwB0B,U/BzeK,cHgvCjB,YAAK,KAAL,CGhvCiB,C+ByeL,C
ICuwB1B,C;cACI,sBAAO,K;cAAP,wB;;UAGR,sBAAO,E;;;QkC3wBP,0B;O;KAPJ,C;IGAUA,yB;MAAA,sC;MFv
eA,+B;MEueA,0BAOGC,yB;QF9ehC,+B;eE8egC,6B;UAAA,qB;YAAE,yBFpeQ,eEoeE,EFpeF,CEoeR,C;W;S;OA
AF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UICwwBf,0D;YACI,IkCzwB0B,UFpeQ,ehC6uCpB,YAAK,KA
AL,CgC7uCoB,CEoeR,CiCywB1B,C;cACI,sBAAO,K;cAAP,wB;;UAGR,sBAAO,E;;;QkC7wBP,0B;O;KAPJ,C;IG
AUA,yB;MAAA,sC;MhCliBA,+B;MgCkiBA,0BAOGC,yB;QhCziBhC,+B;egCyiBgC,6B;UAAA,qB;YAAE,yBhC/
hBQ,egC+hBE,EhC/hBF,CgC+hBR,C;W;S;OAAF,C;MAPhC,uC;QAOmB,kBAAR,iB;QAAQ,uB;;UIC0tBf,0D;Y

ACI,IkC3tB0B,UhC/hBQ,eF0vCpB,YAAK,KAAL,CE1vCoB,CgC+hBR,CIC2tB1B,C;cACI,sBAAO,K;cAAP,wB;;
UAGR,sBAAO,E;;;QkC/tBP,0B;O;KAPJ,C;iGAUA,yB;MAAA,sC;M9B/hBA,iC;M8B+hBA,0BAOgC,yB;Q9BtiB
hC,iC;e8BsiBgC,6B;UAAA,qB;YAAE,yB9B5hBW,gB8B4hBD,E9B5hBC,C8B4hBX,C;W;S;OAAF,C;MAPhC,uC
;QAOMb,kBAAR,iB;QAAQ,uB;;UIC4tBf,0D;YACI,IkC7tB0B,U9B5hBW,gBJyvCvB,YAAK,KAAL,CIZvCuB,C8
B4hBX,CIC6tB1B,C;cACI,sBAAO,K;cAAP,wB;;UAGR,sBAAO,E;;;QkCjuBP,0B;O;KAPJ,C;+FAUA,yB;MAAA,
sC;MIC60BA,0D;MAAA,+C;MGj2CA,6B;M+BohBA,yBAO+B,yB;Q/B3hB/B,6B;e+B2hB+B,6B;UAAA,qB;YA
AE,yB/BjhBM,c+BihBI,E/BjhBJ,C+BihBN,C;W;S;OAAF,C;MAP/B,uC;QAOMb,kBAAR,iB;QAAQ,sB;;UIC00B
D,Q;UAAA,OAAQ,SAAR,wBAAQ,CAAR,W;UAAAd,OAAC,cAAAd,C;YAAc,uB;YACV,IkC30ByB,U/BjhBM,cH4
1CjB,YAAK,KAAL,CG51CiB,C+BihBN,CIC20BzB,C;cACI,qBAAO,K;cAAP,uB;;UAGR,qBAAO,E;;;QkC/0BP,
yB;O;KAPJ,C;+FAUA,yB;MAAA,sC;MIC+0BA,0D;MAAA,+C;MgC91CA,+B;ME+gBA,yBAO+B,yB;QFthB/B,
+B;eEshB+B,6B;UAAA,qB;YAAE,yBF5gBS,eE4gBC,EF5gBD,CE4gBT,C;W;S;OAAF,C;MAP/B,uC;QAOMb,k
BAAR,iB;QAAQ,sB;;UIC40BD,Q;UAAA,OAAQ,SAAR,wBAAQ,CAAR,W;UAAAd,OAAC,cAAAd,C;YAAc,uB;YA
CV,IkC70ByB,UF5gBS,ehCy1CpB,YAAK,KAAL,CgCz1CoB,CE4gBT,CIC60BzB,C;cACI,qBAAO,K;cAAP,uB;;
UAGR,qBAAO,E;;;QkCj1BP,yB;O;KAPJ,C;+FAUA,yB;MAAA,sC;MICiyBA,0D;MAAA,+C;ME32CA,+B;MgC0
kBA,yBAO+B,yB;QhCj1B/B,+B;egCilB+B,6B;UAAA,qB;YAAE,yBhCvkBS,egCukBC,EhCvkBD,CgCukBT,C;W
;S;OAAF,C;MAP/B,uC;QAOMb,kBAAR,iB;QAAQ,sB;;UIC8xBD,Q;UAAA,OAAQ,SAAR,wBAAQ,CAAR,W;U
AAAd,OAAC,cAAAd,C;YAAc,uB;YACV,IkC/xByB,UhCvkBS,eFs2CpB,YAAK,KAAL,CEt2CoB,CgCukBT,CIC+xB
zB,C;cACI,qBAAO,K;cAAP,uB;;UAGR,qBAAO,E;;;QkCnyBP,yB;O;KAPJ,C;+FAUA,yB;MAAA,sC;MICmyBA,
0D;MAAA,+C;MI12CA,iC;M8BukBA,yBAO+B,yB;Q9B9kB/B,iC;e8B8kB+B,6B;UAAA,qB;YAAE,yB9BpkBY,
gB8BokBF,E9BpkBE,C8BokBZ,C;W;S;OAAF,C;MAP/B,uC;QAOMb,kBAAR,iB;QAAQ,sB;;UICgyBD,Q;UAAA
,OAAQ,SAAR,wBAAQ,CAAR,W;UAAAd,OAAC,cAAAd,C;YAAc,uB;YACV,IkCjyByB,U9BpkBY,gBJq2CvB,YA
AK,KAAL,CIf2CuB,C8BokBZ,CICiyBzB,C;cACI,qBAAO,K;cAAP,uB;;UAGR,qBAAO,E;;;QkCryBP,yB;O;KAP
J,C;iFAUA,yB;MAAA,4C;M/B5jBA,6B;M+B4jBA,4B;QAQI,O/B1jBmC,c+B0jBpB,KAAR,iBAAQ,C/B1jBoB,C;
O;K+BkjBvC,C;iFAWA,yB;MAAA,4C;MFxjBA,+B;MEwjBA,4B;QAQI,OFtjBsC,eEsjBvB,KAAR,iBAAQ,CFtjB
uB,C;O;KE8iB1C,C;iFAWA,yB;MAAA,4C;MhCpnBA,+B;MgConBA,4B;QAQI,OhClnBsC,egCknBvB,KAAR,iB
AAQ,ChClnBuB,C;O;KgC0mB1C,C;iFAWA,yB;MAAA,4C;M9BlnBA,iC;M8BknBA,4B;QAQI,O9BhnByC,gB8
BgnB1B,KAAR,iBAAQ,C9BhnB0B,C;O;K8BwmB7C,C;iFAWA,yB;MAAA,+C;MAAA,iE;MAk/EI,0D;MAI/EJ,u
C;QAQkB,Q;QAAA,OAAa,SA0+EX,YA1+EF,SA0+EN,QAAQ,CA1+EW,CAAb,W;QAAd,OAAC,cAAAd,C;UAAc
,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gC
AAuB,mDAAvB,C;O;KAZV,C;iFAeA,yB;MAAA,+C;MAAA,iE;MA2+EI,0D;MA3+EJ,uC;QAQkB,Q;QAAA,OA
Aa,SAm+EX,YAn+EF,SAm+EN,QAAQ,CAn+EW,CAAb,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,cAAc,sBA
AK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;O;
KAZV,C;iFAeA,yB;MAAA,+C;MAAA,iE;MAo+EI,0D;MAp+EJ,uC;QAQkB,Q;QAAA,OAAa,SA49EX,YA59EF,
SA49EN,QAAQ,CA59EW,CAAb,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAA
I,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;O;KAZV,C;iFAeA,yB;MAA
A,+C;MAAA,iE;MA69EI,0D;MA79EJ,uC;QAQkB,Q;QAAA,OAAa,SAq9EX,YAr9EF,SAq9EN,QAAQ,CAR9EW,
CAAb,W;QAAd,OAAC,cAAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;Y
AAwB,OAAO,O;;QAEEnC,MAAM,gCAAuB,mDAAvB,C;O;KAZV,C;+FAeA,yB;MAAA,0D;MAAA,qC;QAOL,O
AAe,YAAR,iBAAQ,EAAY,O/BtwBM,K+BswBIB,C;O;KAPnB,C;+FAUA,yB;MAAA,0D;MAAA,qC;QAOL,OAA
e,YAAR,iBAAQ,EAAY,OFrwBQ,KEqwBpB,C;O;KAPnB,C;+FAUA,yB;MAAA,0D;MAAA,qC;QAOL,OAAe,YA
AR,iBAAQ,EAAY,O9BrzBU,K8BqzBtB,C;O;KAPnB,C;IAUA,kC;MAMI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBA
AK,iBAAO,CAAP,IAAL,C;K;IAGpC,kC;MAMI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IA
AL,C;K;IAGpC,kC;MAMI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;K;IAGpC,kC;
MAMI,OAAW,mBAAJ,GAAe,IAAf,GAAyB,sBAAK,iBAAO,CAAP,IAAL,C;K;6FAGpC,yB;MAAA,+C;MA02E
I,0D;MA12EJ,uC;QAOKB,Q;QAAA,OAAa,SAm2EX,YAn2EF,SAm2EN,QAAQ,CAn2EW,CAAb,W;QAAd,OA
Ac,cAAAd,C;UAAc,uB;UACV,cAAc,sBAAK,KAAL,C;UACd,IAAI,UAAU,OAAV,CAAJ,C;YAAwB,OAAO,O;;QA
EnC,OAAO,I;O;KAXX,C;6FAcA,yB;MAAA,+C;MAo2EI,0D;MAp2EJ,uC;QAOKB,Q;QAAA,OAAa,SA61EX,Y

,I;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,gC;MASoB,Q;MAFhB,aAAqB,
I;MACrB,YAAY,K;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UAC
I,IAAI,KAJ,C;YAAW,OAAO,I;UACIB,SAAS,O;UACT,QAAQ,I;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAA
O,I;MACnB,OAAO,M;K;iGAGX,gC;MASoB,Q;MAFhB,aAAsB,I;MACtB,YAAY,K;MACI,2B;MAAhB,OAAgB,
cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,IAAI,KAJ,C;YAAW,OAAO,I;UACIB,SAAS,
O;UACT,QAAQ,I;MAGhB,IAAI,CAAC,KAAL,C;QAAY,OAAO,I;MACnB,OAAO,M;K;iGAGX,+B;MrBr9CI,IA
AI,EqB+9CI,KAAK,CrB/9CT,CAAJ,C;QACI,cqB89Cc,sD;QrB79Cd,MAAM,gCAAYB,OAAQ,WAAjC,C;OqB89
CV,OAAO,uBAAoB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,+B;MrBn+CI,IAAI,EqB6+
CI,KAAK,CrB7+CT,CAAJ,C;QACI,cqB4+Cc,sD;QrB3+Cd,MAAM,gCAAYB,OAAQ,WAAjC,C;OqB4+CV,OAA
O,uBAAoB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,+B;MrBj/CI,IAAI,EqB2/CI,KAAK,C
rB3/CT,CAAJ,C;QACI,cqB0/Cc,sD;QrBz/Cd,MAAM,gCAAYB,OAAQ,WAAjC,C;OqB0/CV,OAAO,uBAAoB,gB
AAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,+B;MrB//CI,IAAI,EqBygDI,KAAK,CrBzgDT,CAAJ
,C;QACI,cqBwgDc,sD;QrBvgDd,MAAM,gCAAYB,OAAQ,WAAjC,C;OqBwgDV,OAAO,uBAAoB,gBAAV,iBAA
AO,CAAP,IAAU,EAAC,CAAd,CAApB,C;K;IAGX,mC;MrB7gDI,IAAI,EqBuhDI,KAAK,CrBvhDT,CAAJ,C;QAC
I,cqBshDc,sD;QrBrhDd,MAAM,gCAAYB,OAAQ,WAAjC,C;OqBshDV,OAAO,mBAAgB,gBAAV,iBAAO,CAAP
,IAAU,EAAC,CAAd,CAAhB,C;K;IAGX,mC;MrB3hDI,IAAI,EqBqiDI,KAAK,CrBridT,CAAJ,C;QACI,cqBoiDc,s
D;QrBniDd,MAAM,gCAAYB,OAAQ,WAAjC,C;OqBoiDV,OAAO,mBAAgB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;
IAGX,mC;MrBziDI,IAAI,EqBmjDI,KAAK,CrBnjDT,CAAJ,C;QACI,cqBkjDc,sD;QrBjjDd,
MAAM,gCAAYB,OAAQ,WAAjC,C;OqBkjDV,OAAO,mBAAgB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;
IAGX,mC;MrBvjDI,IAAI,EqBikDI,KAAK,CrBjkDT,CAAJ,C;QACI,cqBgkDc,sD;QrB/jDd,MAAM,gC
AAYB,OAAQ,WAAjC,C;OqBgkDV,OAAO,mBAAgB,gBAAV,iBAAO,CAAP,IAAU,EAAC,CAAd,CAAhB,C;K;
mGAGX,yB;MAAA,4C;MAAA,qD;MAkzDI,8D;MALzDJ,uC;QASI,iBAyyDgB,cAAR,iBAAQ,CAzyDhB,WAA+
B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IA
AL,C;;QAGf,OAAO,W;O;KAdX,C;mGAiBA,yB;MAAA,4C;MAAA,qD;MAyyDI,8D;MAzyDJ,uC;QASI,iBAgyD
gB,cAAR,iBAAQ,CAhyDhB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YA
CI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,W;O;KAdX,C;mGAiBA,yB;MAAA,4C;MAAA,qD;MA
gyDI,8D;MAhyDJ,uC;QASI,iBAuxDgB,cAAR,iBAAQ,CAvxDhB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,
sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,W;O;KAdX,C;mG
AiBA,yB;MAAA,4C;MAAA,qD;MAuxDI,8D;MAvxDJ,uC;QASI,iBA8wDgB,cAAR,iBAAQ,CA9wDhB,WAA+B
,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAA
L,C;;QAGf,OAAO,W;O;KAdX,C;2FAiBA,yB;MAAA,+D;MAAA,uC;QAWiB,Q;QAFb,eAAe,K;QACf,WAAW,g
B;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAA
C,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QAEEnB,OAAO,I;O;KAlBX,C;2FAqBA,
yB;MAAA,+D;MAAA,uC;QAWiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,s
B;UACT,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,W
AAI,IAAJ,C;YACL,WAAW,I;;QAEEnB,OAAO,I;O;KAlBX,C;2FAqBA,yB;MAAA,+D;MAAA,uC;QAWiB,Q;QA
Fb,eAAe,K;QACf,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,QAAJ,C;YACI,IAAK,WA
AI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QAEEnB,O
AAO,I;O;KAlBX,C;2FAqBA,yB;MAAA,+D;MAAA,uC;QAWiB,Q;QAFb,eAAe,K;QACf,WAAW,gB;QACE,2B;
QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,QAAJ,C;YACI,IAAK,WAAI,IAAJ,C;eACJ,IAAI,CAAC,UAAU,IA
AV,CAAL,C;YACD,IAAK,WAAI,IAAJ,C;YACL,WAAW,I;;QAEEnB,OAAO,I;O;KAlBX,C;qFAqBA,yB;MAAA,
+D;MAAA,uC;QAOW,kBAAS,gB;QAwOA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAxOa,
SAwOT,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QAxO1D,OAYOO,W;O;KAhPX,C;qFAUA,yB
;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QAYOA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UAA
M,IAzOc,SAyOV,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QAzO1D,OA0OO,W;O;KAjPX,C;qF
AUA,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QA0OA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,y
B;UAAM,IA1Oc,SA0OV,CAAU,OAAV,CAAJ,C;YAAwB,WAAy,WAAI,OAAJ,C;;QA1O1D,OA2OO,W;O;KAl
PX,C;qFAUA,yB;MAAA,+D;MAAA,uC;QAOW,kBAAS,gB;QA2OA,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;U

AAgB,yB;UAAM,IA3Oe,SA2OX,CAAU,OAAV,CAAJ,C;YAAwB,WAAY,WAAI,OAAJ,C;;QA3O1D,OA400,
W;O;KAnPX,C;kGAUA,yB;MAAA,+D;MAAA,uC;QASW,kBAAGb,gB;QA6kGV,gB;QADb,YAAy,C;QACC,2B
;QAAb,OAAa,cAAb,C;UAAa,sB;UA5hGT,IAjDsC,SAiDIC,EA4hGkB,cA5hGIB,EA4hGkB,sBA5hGIB,WA4hG2
B,IA5hG3B,CAAJ,C;YAA2C,sBA4hGZ,IA5hGY,C;;QAJD/C,OAmDO,W;O;KA5DX,C;mGAYA,yB;MAAA,+D;
MAAA,uC;QASW,kBAAGb,gB;QA8kGV,gB;QADb,YAAy,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UA1h
GT,IApDuC,SAoDnC,EA0hGkB,cA1hGIB,EA0hGkB,sBA1hGIB,WA0hG2B,IA1hG3B,CAAJ,C;YAA2C,sBA0hG
Z,IA1hGY,C;;QApD/C,OASDO,W;O;KA/DX,C;mGAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAGb,gB;QA+kG
V,gB;QADb,YAAy,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UAXhGT,IAvDuC,SAuDnC,EAwhGkB,cAwhG
IB,EAwhGkB,sBAwhGIB,WAwhG2B,IAwhG3B,CAAJ,C;YAA2C,sBAwhGZ,IAwhGY,C;;QAvD/C,OAYDO,W;O;
KAIEEX,C;mGAYA,yB;MAAA,+D;MAAA,uC;QASW,kBAAGb,gB;QAglGV,gB;QADb,YAAy,C;QACC,2B;QA
Ab,OAAa,cAAb,C;UAAa,sB;UATHGT,IA1DwC,SA0DpC,EAshGkB,cAthGIB,EAshGkB,sBATHGIB,WASHG2B,IA
thG3B,CAAJ,C;YAA2C,sBAshGZ,IAthGY,C;;QA1D/C,OA4DO,W;O;KAREx,C;uGAYA,6C;MASiGiB,gB;MADb
,YAAy,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QA5hGT,IAAI,WA4hGkB,cA5hGIB,EA4hGkB,sBA5hGIB
B,WA4hG2B,IA5hG3B,CAAJ,C;UAA2C,sBA4hGZ,IA5hGY,C;;MAE/C,OAAO,W;K;uGAGX,6C;MAoiGiB,gB;
MADb,YAAy,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QA1hGT,IAAI,WA0hGkB,cA1hGIB,EA0hGkB,sB
A1hGIB,WA0hG2B,IA1hG3B,CAAJ,C;UAA2C,sBA0hGZ,IA1hGY,C;;MAE/C,OAAO,W;K;uGAGX,6C;MAkiGi
B,gB;MADb,YAAy,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAXhGT,IAAI,WAwhGkB,cAwhGIB,EAwhG
kB,sBAwhGIB,WAwhG2B,IAwhG3B,CAAJ,C;UAA2C,sBAwhGZ,IAwhGY,C;;MAE/C,OAAO,W;K;uGAGX,6C;
MAGiGiB,gB;MADb,YAAy,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QATHGT,IAAI,WASHGkB,cAthGIB,E
AshGkB,sBATHGIB,WASHG2B,IAthG3B,CAAJ,C;UAA2C,sBAshGZ,IAthGY,C;;MAE/C,OAAO,W;K;2FAGX,yB
;MAAA,+D;MAAA,uC;QAOW,kBAAY,gB;QAwCH,Q;QAAA,2B;QAAbB,OAAgB,cAAhB,C;UAAgB,yB;UAA
M,IAAI,CAxCY,SAwCX,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAXC3D,OAYCO,W;O;KAH
DX,C;2FAUA,yB;MAAA,+D;MAAA,uC;QAOW,kBAAY,gB;QAYCH,Q;QAAA,2B;QAAbB,OAAgB,cAAhB,C;
UAAgB,yB;UAAM,IAAI,CAzCa,SAyCZ,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;;QAZC3D,OA
0CO,W;O;KAjDX,C;2FAUA,yB;MAAA,+D;MAAA,uC;QAOW,kBAAY,gB;QA0CH,Q;QAAA,2B;QAAbB,OAA
gB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CA1Ca,SA0CZ,CAAU,OAAV,CAAL,C;YAAyB,WAAY,WAAI,OAAJ,C;
;QA1C3D,OA2CO,W;O;KAIDX,C;2FAUA,yB;MAAA,+D;MAAA,uC;QAOW,kBAAY,gB;QA2CH,Q;QAAA,2B;
QAAbB,OAAgB,cAAhB,C;UAAgB,yB;UAAM,IAAI,CA3Cc,SA2Cb,CAAU,OAAV,CAAL,C;YAAyB,WAAY,W
AAI,OAAJ,C;;QA3C3D,OA4CO,W;O;KAnDX,C;+FAUA,6C;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;
QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAC3D,OAAO,W;K
;+FAGX,6C;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,
CAAL,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;+FAGX,6C;MAOoB,Q;MAAA,2B;MAAhB,OA
AgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAC
3D,OAAO,W;K;+FAGX,6C;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,
UAAU,OAAV,CAAL,C;UAAyB,WAAY,WAAI,OAAJ,C;;MAC3D,OAAO,W;K;yFAGX,6C;MAOoB,Q;MAAA,2
B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAI,OAAJ,
C;;MAC1D,OAAO,W;K;yFAGX,6C;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI
,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;yFAGX,6C;MAOoB,Q;MAAA,
2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAI,OAAJ,
C;;MAC1D,OAAO,W;K;yFAGX,6C;MAOoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI
,UAAU,OAAV,CAAJ,C;UAAwB,WAAY,WAAI,OAAJ,C;;MAC1D,OAAO,W;K;IAGX,sC;MAMI,IAAI,OAAQ,
UAAZ,C;QAAuB,O5Bx8De,W;O4By8DtC,OAA4D,SAmvCrD,cAAkB,cAAR,iBAAQ,EAnvCN,OAAQ,MAmvCF
,EAnvCS,OAAQ,aAAR,GAAuB,CAAvB,IAmvCT,CAAIb,CAnvCqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ
,C;QAAuB,O5B19De,W;O4Bm9DtC,OAA4D,SAsvCrD,eAAmB,cAAR,iBAAQ,EAtvCP,OAAQ,MAsvCD,EAtvC
Q,OAAQ,aAAR,GAAuB,CAAvB,IAsvCR,CAAnB,CAtvCqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAA
uB,O5B59De,W;O4B69DtC,OAA4D,UAYvCrD,eAAmB,cAAR,iBAAQ,EAzvCP,OAAQ,MAyvCD,EAzvCQ,OAA
Q,aAAR,GAAuB,CAAvB,IAyvCR,CAAnB,CAzvCqD,C;K;IAGhE,sC;MAMI,IAAI,OAAQ,UAAZ,C;QAAuB,O5
Bt+De,W;O4Bu+DtC,OAA4D,UA4vCrD,gBAAoB,cAAR,iBAAQ,EA5vCR,OAAQ,MA4vCA,EA5vCO,OAAQ,a

C;OqBq0EV,IAAI,MAAK,CAAT,C;QAAY,OAAO,W;MACnB,WAAW,c;MACX,IAAI,KAAK,IAAT,C;QAAe,OAAO,mB;MACTb,IAAI,MAAK,CAAT,C;QAAY,OAAO,OAAO,sBAAK,OAAO,CAAP,IAAL,CAAP,C;MACnB,WAAW,iBAAkB,CAAIB,C;MACX,iBAAc,OAAO,CAAP,IAAd,UAA6B,IAA7B,U;QACI,IAAK,WAAI,sBAAK,KAAL,CAAJ,C;MACT,OAAO,I;K;mGAGX,yB;MAAA,4C;MAAA,gD;MAsiCI,8D;MATiCJ,uC;QASI,iBA6hCgB,cAAR,iBAAQ,CA7hChB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAdX,C;mGaiBA,yB;MAAA,4C;MAAA,gD;MA6hCI,8D;MA7hCJ,uC;QASI,iBAohCgB,cAAR,iBAAQ,CPhChB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAdX,C;mGaiBA,yB;MAAA,4C;MAAA,gD;MAohCI,8D;MAphCJ,uC;QASI,iBA2gCgB,cAAR,iBAAQ,CA3gChB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAdX,C;mGaiBA,yB;MAAA,4C;MAAA,gD;MA2gCI,8D;MA3gCJ,uC;QASI,iBAkgCgB,cAAR,iBAAQ,CAlgChB,WAA+B,CAA/B,U;UACI,IAAI,CAAC,UAAU,sBAAK,KAAL,CAAV,CAAL,C;YACI,OAAO,gBAAK,QAAQ,CAAR,IAAL,C;;QAGf,OAAO,iB;O;KAdX,C;2FAiBA,yB;MAAA,+D;MAAA,uC;QAUiB,Q;QADb,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,uC;QAUiB,Q;QADb,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KafX,C;2FAkBA,yB;MAAA,+D;MAAA,uC;QAUiB,Q;QADb,WAAW,gB;QACE,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,CAAC,UAAU,IAAV,CAAL,C;YACI,K;UACJ,IAAK,WAAI,IAAJ,C;;QAET,OAAO,I;O;KafX,C;sFAkBA,yB;MAAA,kD;MAAA,4B;QAOY,QAAR,iBAAQ,C;O;KAPZ,C;sFAUA,yB;MAAA,kD;MAAA,4B;QAOY,QAAR,iBAAQ,C;O;KAPZ,C;uFAUA,yB;MAAA,kD;MAAA,4B;QAOY,QAAR,iBAAQ,C;O;KAPZ,C;IAUA,gC;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,W;MACTb,WAAW,0B;MACN,WAAI,IAAK,C;MACL,OAAO,I;K;IAGX,gC;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,W;MACTb,WAAW,0B;MACN,WAAI,IAAK,C;MACL,OAAO,I;K;IAGX,gC;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,W;MACTb,WAAW,0B;MACN,WAAI,IAAK,C;MACL,OAAO,I;K;kGAGX,yB;MAAA,8D;MAAA,uC;MAAA,4B;QAOI,OAAO,oBAAmB,cAAR,iBAAQ,CAAnB,C;O;KAPX,C;mGAUA,yB;MAAA,8D;MAAA,yC;MAAA,4B;QAOI,OAAO,oBAAmB,cAAR,iBAAQ,CAAnB,C;O;KAPX,C;mGAUA,yB;MAAA,8D;MAAA,2C;MAAA,4B;QAOI,OAAO,qBAaob,cAAR,iBAAQ,CAApB,C;O;KAPX,C;IAUA,qC;MAMI,IAAI,iBAAO,CAAX,C;QACI,iB;QAhII,UAAR,iBAAQ,C;Q;IAqIZ,qC;MAMI,IAAI,iBAAO,CAAX,C;QACI,iB;QAI,UAAR,iBAAQ,C;Q;IAuIZ,sC;MAMI,IAAI,iBAAO,CAAX,C;QACI,iB;QApII,UAAR,iBAAQ,C;Q;IAyIZ,sC;MAMI,IAAI,iBAAO,CAAX,C;QACI,iB;QAtII,UAAR,iBAAQ,C;Q;IA2IZ,6B;MAMoB,kBA+eT,cAAU,iBpB35EO,QoB25EjB,C;MA/eiB,mB;MAAxB,OAAiC,SjBnmF1B,WiBmmF0B,C;K;IAGrC,8B;MAMoB,kBAkfT,eAAmB,UAAR,iBAAQ,CAAnB,C;MALfiB,mB;MAAxB,OAAiC,SjB5mF1B,WiB4mF0B,C;K;IAGrC,8B;MAMoB,kBAwfT,gBAAy,iBpBz8EK,QoBy8EjB,C;MAxfiB,mB;MAAxB,OAAiC,UjB9nF1B,WiB8nF0B,C;K;IAGrC,kC;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA0cd,cA1cA,SA0cU,QpB35EO,QoB25EjB,C;MA1csB,mB;MAA7B,OjBxoFO,W;K;IiB2oFX,kC;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA4cd,eAAmB,UA5cnB,SA4cW,QAAQ,CAAnB,C;MA5csB,mB;MAA7B,OjBlpFO,W;K;IiBqpFX,kC;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBA8cd,eA9cA,SA8cW,QpBv8EM,QoBu8EjB,C;MA9csB,mB;MAA7B,OjB5pFO,W;K;IiB+pFX,mC;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAgdd,gBAhdA,SAgdY,QpBz8EK,QoBy8EjB,C;MAhdsB,mB;MAA7B,OjBtqFO,W;K;IiByqFX,4C;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAkad,cAlaA,SAkaU,QpB35EO,QoB25EjB,C;MALasB,6B;MAA7B,OjBhrFO,W;K;IiBmrFX,4C;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAoad,eAAmB,UapanB,SAoaW,QAAQ,CAAnB,C;MAPasB,6B;MAA7B,OjB1rFO,W;K;IiB6rFX,4C;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAasad,eAtaA,SAsaW,QpBv8EM,QoBu8EjB,C;MAtasB,8B;MAA7B,OjBpsFO,W;K;IiBusFX,6C;MAMI,IAAI,mBAAJ,C;QAAe,OAAO,S;MACD,kBAwad,gBAxaA,S

AwaY,QpBz8EK,QoBy8EjB,C;MAxasB,8B;MAA7B,OjB9sFO,W;K;liBitFX,uC;MAQoB,kBAyXT,cAAU,iBpB35
EO,QoB25EjB,C;MAzXiB,mB;MAAxB,OAAiC,YjBztF1B,WiBytF0B,C;K;IAGrC,wC;MAQoB,kBA0XT,eAAmB
,UAAR,iBAAQ,CAAnB,C;MA1XiB,mB;MAAxB,OAAiC,YjBpuF1B,WiBouF0B,C;K;IAGrC,wC;MAQoB,kBA2
XT,eAAW,iBpBv8EM,QoBu8EjB,C;MA3XiB,mB;MAAxB,OAAiC,YjB/uF1B,WiB+uF0B,C;K;IAGrC,wC;MAQ
oB,kBA4XT,gBAAY,iBpBz8EK,QoBy8EjB,C;MA5XiB,mB;MAAxB,OAAiC,YjB1vF1B,WiB0vF0B,C;K;4FAGr
C,qB;MAQI,OAAO,iB;K;0FAGX,qB;MAQI,OAAO,iB;K;4FA+BX,qB;MAQI,OAAO,iB;K;8FAGX,qB;MAQI,O
AAO,iB;K;8FAGX,yB;MAAA,yC;MAAA,4B;QAQI,OAAO,oBAAW,SAAX,C;O;KARX,C;4FAWA,yB;MAAA,u
C;MAAA,4B;QAQI,OAAO,mBAAU,SAAV,C;O;KARX,C;8FAWA,yB;MAAA,yC;MAAA,4B;QAQI,OAAO,oB
AAW,SAAX,C;O;KARX,C;gGAWA,yB;MAAA,2C;MAAA,4B;QAQI,OAAO,qBAAY,SAAZ,C;O;KARX,C;IAW
A,2C;MAOI,OAAe,cAAR,iBAAQ,EAAC,KAAM,QAAPB,C;K;IAGnB,2C;MAOI,OAAe,cAAR,iBAAQ,EAAC,KA
AM,QAAPB,C;K;IAGnB,2C;MAOI,OAAe,cAAR,iBAAQ,EAAC,KAAM,QAAPB,C;K;IAGnB,2C;MAOI,OAAe,c
AAR,iBAAQ,EAAC,KAAM,QAAPB,C;K;IAGnB,sC;MAMI,OAAe,gBAAR,iBAAQ,C;K;IAGnB,sC;MAMI,OAA
e,gBAAR,iBAAQ,C;K;IAGnB,sC;MAMI,OAAe,gBAAR,iBAAQ,C;K;IAGnB,sC;MAMI,OAAe,gBAAR,iBAAQ,
C;K;IAGnB,oC;MAQI,OAAO,0BAAa,IAAb,EAAMB,GAAnB,EAawB,GAAXB,C;K;IAGX,sC;MAQI,OAAO,0B
AAa,IAAb,EAAMB,GAAnB,EAawB,GAAXB,C;K;IAGX,sC;MAQI,OAAO,0BAAa,IAAb,EAAMB,GAAnB,EA
awB,GAAXB,C;K;IAGX,sC;MAQI,OAAO,0BAAa,IAAb,EAAMB,GAAnB,EAawB,GAAXB,C;K;SfAGX,yB;MpB
v+EA,8C;MoBu+EA,kF;QAmB6D,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAakB,C;QAAG,wB;UAAA,WAAG
B,c;QpBt+E1H,UoBu+EA,iBpBv+EA,EoBu+EiB,WAAy,QpBv+E7B,EoBu+EsC,iBpBv+EtC,EoBu+EyD,UpBv+
EzD,EoBu+EqE,QpBv+ErE,C;QoBw+EA,OAAO,W;O;KArBX,C;wFAwBA,yB;MpBv+EA,8C;MoBu+EA,kF;QA
mB+D,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAakB,C;QAAG,wB;UAAA,WAAGB,c;QpBt+E5H,UoBu+EA,i
BpBv+EA,EoBu+EiB,WAAy,QpBv+E7B,EoBu+EsC,iBpBv+EtC,EoBu+EyD,UpBv+EzD,EoBu+EqE,QpBv+ErE,
C;QoBw+EA,OAAO,W;O;KArBX,C;wFAwBA,yB;MpBvkFA,8C;MoBukFA,kF;QAmB+D,iC;UAAA,oBAAYB,C
;QAAG,0B;UAAA,aAakB,C;QAAG,wB;UAAA,WAAGB,c;QpBtkF5H,UoBukFA,iBpBvkFA,EoBukFiB,WAAy,
QpBvkF7B,EoBukFsC,iBpBvkFtC,EoBukFyD,UpBvkFzD,EoBukFqE,QpBvkFrE,C;QoBwkFA,OAAO,W;O;KArB
X,C;wFAwBA,yB;MpBvkFA,8C;MoBukFA,kF;QAmBiE,iC;UAAA,oBAAYB,C;QAAG,0B;UAAA,aAakB,C;QA
AG,wB;UAAA,WAAGB,c;QpBtkF9H,UoBukFA,iBpBvkFA,EoBukFiB,WAAy,QpBvkF7B,EoBukFsC,iBpBvkFtC
,EoBukFyD,UpBvkFzD,EoBukFqE,QpBvkFrE,C;QoBwkFA,OAAO,W;O;KArBX,C;kFAwBA,yB;MAAA,uC;MA
AA,4B;QASI,OAAO,mBAAU,iBpB35EO,QoB25EjB,C;O;KATX,C;oFAYA,yB;MAAA,gD;MAAA,yC;MAAA,4
B;QASI,OAAO,oBAAMB,OAAR,iBAAQ,CAAnB,C;O;KATX,C;oFAYA,yB;MAAA,yC;MAAA,4B;QASI,OAAO
,oBAAW,iBpBv8EM,QoBu8EjB,C;O;KATX,C;oFAYA,yB;MAAA,2C;MAAA,4B;QASI,OAAO,qBAAY,iBpBz8
EK,QoBy8EjB,C;O;KATX,C;oFAYA,yB;MAAA,gD;MAAA,uC;MAAA,qC;QAWI,OAAO,mBAakB,OAAR,iBA
AQ,EAAO,OAAP,CAAIb,C;O;KAXX,C;oFAcA,yB;MAAA,gD;MAAA,yC;MAAA,qC;QAWI,OAAO,oBAAMB,
OAAR,iBAAQ,EAAO,OAAP,CAAnB,C;O;KAXX,C;oFAcA,yB;MAAA,+C;MAAA,yC;MAAA,qC;QAWI,OAA
O,oBAAMB,OAAR,iBAAQ,EAAO,OAAP,CAAnB,C;O;KAXX,C;oFAcA,yB;MAAA,gD;MAAA,2C;MAAA,qC;
QAWI,OAAO,qBAAoB,OAAR,iBAAQ,EAAO,OAAP,CAAPB,C;O;KAXX,C;4FAcA,yB;MAAA,0D;MAAA,uC;
MAAA,gD;QAUI,OAAO,mBAakB,YAAR,iBAAQ,EAAY,SAAZ,EAAuB,OAAvB,CAAIb,C;O;KAVX,C;8FAaA
,yB;MAAA,0D;MAAA,yC;MAAA,gD;QAUI,OAAO,oBAAMB,YAAR,iBAAQ,EAAY,SAAZ,EAAuB,OAAvB,C
AAnB,C;O;KAVX,C;8FAaA,yB;MAAA,0D;MAAA,yC;MAAA,gD;QAUI,OAAO,oBAAMB,YAAR,iBAAQ,EA
AY,SAAZ,EAAuB,OAAvB,CAAnB,C;O;KAVX,C;6FAaA,yB;MAAA,0D;MAAA,2C;MAAA,gD;QAUI,OAAO,qB
AAoB,YAAR,iBAAQ,EAAY,SAAZ,EAAuB,OAAvB,CAAPB,C;O;KAVX,C;IAaA,sD;MAWY,C;yB;QAAA,YAAi
B,C;MAAG,uB;QAAA,UAAe,c;MACH,E,OAAR,iBAAQ,EAAK,O/B/nGoB,K+B+nGzB,EAAsB,SAAtB,EAAiC,O
AAjC,C;K;IAGZ,wD;MAW2C,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACIE,OAAR,iBAAQ,EAAK,
OFnoGsB,KEmoG3B,EAAuB,SAAvB,EAAkC,OAAIC,C;K;IAGZ,wD;MAW2C,yB;QAAA,YAAiB,C;MAAG,uB;
QAAA,UAAe,c;MACIE,OAAR,iBAAQ,EAAK,OhCzrGsB,KgCyrG3B,EAAuB,SAAvB,EAAkC,OAAIC,C;K;IAG
Z,wD;MAW6C,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACpE,OAAR,iBAAQ,EAAK,O9B7rGwB,K8
B6rG7B,EAAwB,SAAXB,EAAmC,OAAnc,C;K;8FASR,yB;MAAA,0D;MAAA,4B;QAAQ,OAAQ,YAAR,iBAAQ
,C;O;KAAhB,C;8FAQA,yB;MAAA,0D;MAAA,4B;QAAQ,OAAQ,YAAR,iBAAQ,C;O;KAAhB,C;+FAQA,yB;M
AAA,0D;MAAA,4B;QAAQ,OAAQ,YAAR,iBAAQ,C;O;KAAhB,C;+FAQA,yB;MAAA,0D;MAAA,4B;QAAQ,O

G3B5qHxB,C;UACL,IAAI,aAAJ,C;YACH,a2B0qHuC,gB;YAA5B,W3BzqHX,a2ByqHgC,G3BzqHhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U2BsqHA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAjBX,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U3B9rHP,U;UADP,Y2BgsHe,W3BhsHH,W2BgsHwB,G3BhsHxB,C;UACL,IAAI,aAAJ,C;YACH,a2B8rHuC,gB;YAA5B,W3B7rHX,a2B6rHgC,G3B7rHhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U2B0rHA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAjBX,C;2FAoBA,yB;MAAA,+D;MAAA,sD;QAYoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U3BltHP,U;UADP,Y2BotHe,W3BptHH,W2BotHwB,G3BptHxB,C;UACL,IAAI,aAAJ,C;YACH,a2BktHuC,gB;YAA5B,W3BjtHX,a2BitHgC,G3BjtHhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U2B8sHA,iB;UACA,IAAK,WAAI,OAAJ,C;;QAET,OAAO,W;O;KAjBX,C;2FAoBA,yB;MAAA,+D;MAAA,sE;QAaoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U3BvuHP,U;UADP,Y2ByuHe,W3BzuHH,W2ByuHwB,G3BzuHxB,C;UACL,IAAI,aAAJ,C;YACH,a2BuuHuC,gB;YAA5B,W3BtuHX,a2BsuHgC,G3BtuHhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U2BmuHA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAIBX,C;2FAqBA,yB;MAAA,+D;MAAA,sE;QAaoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U3B5vHP,U;UADP,Y2B8vHe,W3B9vHH,W2B8vHwB,G3B9vHxB,C;UACL,IAAI,aAAJ,C;YACH,a2B4vHuC,gB;YAA5B,W3B3vHX,a2B2vHgC,G3B3vHhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U2BwvHA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAIBX,C;2FAqBA,yB;MAAA,+D;MAAA,sE;QAaoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U3BjxHP,U;UADP,Y2BmxHe,W3BnxHH,W2BmxHwB,G3BnxHxB,C;UACL,IAAI,aAAJ,C;YACH,a2BixHuC,gB;YAA5B,W3BhxHX,a2BgxHgC,G3BhxHhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U2B6wHA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAIBX,C;2FAqBA,yB;MAAA,+D;MAAA,sE;QAaoB,Q;QAAA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,UAAU,YAAY,OAAZ,C;U3BtyHP,U;UADP,Y2BwyHe,W3BxyHH,W2BwyHwB,G3BxyHxB,C;UACL,IAAI,aAAJ,C;YACH,a2BsyHuC,gB;YAA5B,W3BryHX,a2BqyHgC,G3BryHhC,EAAS,MAAT,C;YACA,e;;YAEA,c;;U2BkyHA,iB;UACA,IAAK,WAAI,eAAe,OAAf,CAAJ,C;;QAET,OAAO,W;O;KAIBX,C;+EAqBA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAM,eAAa,cAAb,C;QAsKA,Q;QAAA,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAy,WAvKiB,SAuKb,CAAU,IAAV,CAAJ,C;;QAvKhB,OAwKO,W;O;KAILX,C;+EAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAM,eAAa,cAAb,C;QAsKA,Q;QAAA,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAy,WAvKiB,SAuKb,CAAU,IAAV,CAAJ,C;;QAvKhB,OAwKO,W;O;KAILX,C;8EAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAAM,eAAa,cAAb,C;QAsKA,Q;QAAA,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAy,WAvKiB,SAuKb,CAAU,IAAV,CAAJ,C;;QAvKhB,OAwKO,W;O;KAILX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAaA,eAAa,cAAb,C;QAqDP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAy,WAtDwB,SAsDpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAtDhB,OAuDO,W;O;KAjEX,C;6FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAaA,eAAa,cAAb,C;QAwdp,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAy,WAZDwB,SAyDpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QAZDhB,OA0DO,W;O;KApEX,C;6FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAaA,eAAa,cAAb,C;QA2DP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAy,WA5DwB,SA4DpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA5DhB,OA6DO,W;O;KAvEX,C;4FAaA,yB;MAAA,gE;MAAA,uC;QAUW,kBAaA,eAAa,cAAb,C;QA8DP,gB;QADb,YAAY,C;QACC,2B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,WAAy,WA/DwB,SA+DpB,EAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;QA/DhB,OAgEO,W;O;KA1EX,C;iGAaA,6C;MAWiB,UACiB,M;MAF9B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;K;iGAGX,6C;MAWiB,UACiB,M;MAF9B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;K;iGAGX,6C;MAWiB,UACiB,M;MAF9B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WAAI,WAAU,cAAV,EAAU,sBAAV,WAAmB,IAAnB,CAAJ,C;;MACHB,OAAO,W;K;mFAGX,6C;MAQiB,Q;MAAA,2B;MAAb,OAAa,c

AAb,C;QAAa,sB;QACT,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K;mFAGX,6C;MAQiB,Q;M
AAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K;m
FAGX,6C;MAQiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,UAAU,IAAV,CAAJ,C;;
MACHB,OAAO,W;K;mFAGX,6C;MAQiB,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAY,WAAI,
UAAU,IAAV,CAAJ,C;;MACHB,OAAO,W;K;IAUiB,6C;MAAA,mB;QAAE,gC;O;K;IAP9B,iC;MAOI,OAAO,qB
AAiB,8BAAjB,C;K;IAUiB,6C;MAAA,mB;QAAE,gC;O;K;IAP9B,iC;MAOI,OAAO,qBAAiB,8BAAjB,C;K;IAUi
B,6C;MAAA,mB;QAAE,gC;O;K;IAP9B,iC;MAOI,OAAO,qBAAiB,8BAAjB,C;K;IAUiB,6C;MAAA,mB;QAAE,
gC;O;K;IAP9B,iC;MAOI,OAAO,qBAAiB,8BAAjB,C;K;+EAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAA
hB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;K;+EAGX,g
C;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;U
AAyB,OAAO,K;;MACtD,OAAO,I;K;+EAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;
QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;MACtD,OAAO,I;K;+EAGX,gC;MASoB,Q;MA
AA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,CAAC,UAAU,OAAV,CAAL,C;UAAyB,OAAO,K;;
MACtD,OAAO,I;K;+EAGX,yB;MAAA,0C;MAAA,4B;QASI,OAAe,IAAR,iBAAQ,C;O;KATnB,C;+EAYA,yB;M
AAA,0C;MAAA,4B;QASI,OAAe,IAAR,iBAAQ,C;O;KATnB,C;+EAYA,yB;MAAA,0C;MAAA,4B;QASI,OAAe,I
AAR,iBAAQ,C;O;KATnB,C;+EAYA,yB;MAAA,0C;MAAA,4B;QASI,OAAe,IAAR,iBAAQ,C;O;KATnB,C;+EA
YA,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UA
AwB,OAAO,I;;MACrD,OAAO,K;K;+EAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;
QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;K;+EAGX,gC;MASoB,Q;MAAA,2B;
MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,I;;MACrD,OAAO
,K;K;+EAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CA
AJ,C;UAAwB,OAAO,I;;MACrD,OAAO,K;K;mFAGX,gC;MAQoB,Q;MADhB,YAAy,C;MACI,2B;MAAhB,OA
AgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;mFAGX,gC;
MAQoB,Q;MADhB,YAAy,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,C
AAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;mFAGX,gC;MAQoB,Q;MADhB,YAAy,C;MACI,2B;MAAhB,OAAgB
,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,qB;;MAC9C,OAAO,K;K;mFAGX,gC;MA
QoB,Q;MADhB,YAAy,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,
C;UAAwB,qB;;MAC9C,OAAO,K;K;iFAGX,yC;MAQoB,Q;MADhB,kBAaKB,O;MACF,2B;MAAhB,OAAgB,cA
AhB,C;QAAgB,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;K;iFAGX,yC;MAQoB,
Q;MADhB,kBAaKB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,
OAAvB,C;;MACpC,OAAO,W;K;iFAGX,yC;MAQoB,Q;MADhB,kBAaKB,O;MACF,2B;MAAhB,OAAgB,cAAh
B,C;QAAgB,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;;MACpC,OAAO,W;K;iFAGX,yC;MAQoB,Q;
MADhB,kBAaKB,O;MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,cAAc,UAAU,WAAV,EAAuB,O
AAvB,C;;MACpC,OAAO,W;K;+FAGX,yC;MAYoB,UAA8B,M;MAF9C,YAAy,C;MACZ,kBAaKB,O;MACF,2B
;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAAgC
,OAAhC,C;;MACpC,OAAO,W;K;+FAGX,yC;MAYoB,UAA8B,M;MAF9C,YAAy,C;MACZ,kBAaKB,O;MACF,
2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,EAA
gC,OAAhC,C;;MACpC,OAAO,W;K;+FAGX,yC;MAYoB,UAA8B,M;MAF9C,YAAy,C;MACZ,kBAaKB,O;MA
CF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAnB,E
AAgC,OAAhC,C;;MACpC,OAAO,W;K;+FAGX,yC;MAYoB,UAA8B,M;MAF9C,YAAy,C;MACZ,kBAaKB,O;
MACF,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,cAAc,WAAU,cAAV,EAAU,sBAAV,WAAmB,WAAAn
B,EAAgC,OAAhC,C;;MACpC,OAAO,W;K;0FAGX,yB;MA1yCI,8D;MA0yCJ,gD;QAUoC,Q;QAHhC,YA
jzCgB,cAAR,iBAAQ,C;QakzChB,kBAaKB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,
YAAJ,EA
AI,oBAAJ,QAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAZX,C;2FAeA,yB;MAjzCI,8D;MAizCJ,gD;QAUo
C,Q;QAHhC,YAxzCgB,cAAR,iBAAQ,C;QAYzChB,kBAaKB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,U
AAU,uBAAI,YAAJ,EA
AI,oBAAJ,QAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAZX,C;2FAeA,yB;MAxzC
I,8D;MAwzCJ,gD;QAUoC,Q;QAHhC,YA/zCgB,cAAR,iBAAQ,C;QAg0ChB,kBAaKB,O;QACIB,OAAO,SAAS,C
AAhB,C;UACI,cAAc,UAAU,uBAAI,YAAJ,EA
AI,oBAAJ,QAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KAZ

X,C;2FAeA,yB;MA/zCI,8D;MA+zCJ,gD;QAUoC,Q;QAHhC,YAt0CgB,cAAR,iBAAQ,C;QAU0ChB,kBAAkB,O; QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,YAAJ,EAAI,oBAAJ,QAAV,EAAwB,WAAxB,C;;Q AEIB,OAAO,W;O;KAZX,C;yGAeA,yB;Mat2CI,8D;MA52CJ,gD;QAU1,YAh3CgB,cAAR,iBAAQ,C;QAI3ChB,k BAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,W AA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;yGAmBA,yB;MAj3CI,8D;MAi3CJ,gD;QAU1,YA33CgB,cAA R,iBAAQ,C;QA43ChB,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI, KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;yGAmBA,yB;MA53CI,8D;MA43CJ, gD;QAU1,YAt4CgB,cAAR,iBAAQ,C;QAU4ChB,kBAAkB,O;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAA U,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAhBX,C;yGAmBA, yB;MAv4CI,8D;MAu4CJ,gD;QAU1,YAj5CgB,cAAR,iBAAQ,C;QAK5ChB,kBAAkB,O;QACIB,OAAO,SAAS,CA AhB,C;UACI,cAAc,UAAU,KAAV,EAAiB,sBAAI,KAAJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W ;O;KAhBX,C;uFAmBA,6B;MAOoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP ,C;;K;uFAG1B,6B;MAOoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;K;uF AG1B,6B;MAOoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;K;uFAG1B,6 B;MAOoB,Q;MAAA,2B;MAAhB,OAAGB,cAAhB,C;QAAgB,yB;QAAM,OAAO,OAAP,C;;K;qGAG1B,6B;MAU iB,UAAa,M;MAD1B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,sBAAP ,WAAgB,IAAhB,C;;K;qGAGvB,6B;MAUiB,UAAa,M;MAD1B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAA a,sB;QAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;qGAGvB,6B;MAUiB,UAAa,M;MAD1B,YAAY, C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,EAAO,sBAAP,WAAgB,IAAhB,C;;K;qGAG vB,6B;MAUiB,UAAa,M;MAD1B,YAAY,C;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QAAM,QAAO,cAAP,E AAO,sBAAP,WAAgB,IAAhB,C;;K;IAGvB,2B;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACTB,UAA U,sBAAK,CAAL,C;MACG,OATHDG,gBAAR,iBAAQ,C;MAshDhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAA L,C;QACR,I/Br3J8D,Y+Bq3J1D,G/Br3J2E,KAAjB,E+Bq3JpD,C/Br3JiF,KAA7B,C+Bq3J1D,IAAJ,C;UAAa,MAA M,C;;MAEvB,OAAO,G;K;IAGX,2B;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACTB,UAAU,sBAAK, CAAL,C;MACG,OA7hDG,gBAAR,iBAAQ,C;MA6hDhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QAC R,IF53J+D,aE43J3D,GF53J6E,KAAIB,EE43JrD,CF53JmF,KAA9B,CE43J3D,IAAJ,C;UAAa,MAAM,C;;MAEvB, OAAO,G;K;IAGX,2B;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACTB,UAAU,sBAAK,CAAL,C;MAC G,OApiDG,gBAAR,iBAAQ,C;MAoiDhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IhCn6J4E,0Bg Cm6JxE,GhCnxJ8B,KAAL,GAAiB,GAhJ8B,EgCm6JIE,ChCnxJwB,KAAL,GAAiB,GAhJ8B,CgCm6JxE,IAAJ,C; UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2B;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACTB,UA AU,sBAAK,CAAL,C;MACG,OA3iDG,gBAAR,iBAAQ,C;MA2iDhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CA AL,C;QACR,I9B16J6E,0B8B06JzE,G9BjyJ8B,KAAL,GAAiB,KAZI+B,E8B06JnE,C9BjyJwB,KAAL,GAAiB,KA zi+B,C8B06JzE,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;mFAGX,yB;MA1kDI,8D;MA0kDJ,sC;QASI,IAA I,mBAAJ,C;UAAe,OAAO,I;QACTB,cAAc,sBAAK,CAAL,C;QACd,gBArIdgB,cAqIDA,SArIDR,QAAQ,C;QASiD hB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M; UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UA AU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KATBX,C;mFAyBA,yB;MA3IDI,8D;MA2IDJ,sC;QASI,IAAI,mB AAJ,C;UAAe,OAAO,I;QACTB,cAAc,sBAAK,CAAL,C;QACd,gBAtmDgB,cAsmDA,SAtmDR,QAAQ,C;QAumDh B,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M; UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UA AU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KATBX,C;mFAyBA,yB;MA5mDI,8D;MA4mDJ,sC;QASI,IAAI,m BAAJ,C;UAAe,OAAO,I;QACTB,cAAc,sBAAK,CAAL,C;QACd,gBAvnDgB,cAunDA,SAvnDR,QAAQ,C;QAwnD hB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M; UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UA AU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KATBX,C;mFAyBA,yB;MA7nDI,8D;MA6nDJ,sC;QASI,IAAI,mB AAJ,C;UAAe,OAAO,I;QACTB,cAAc,sBAAK,CAAL,C;QACd,gBAxoDgB,cAwoDA,SAxoDR,QAAQ,C;QAYoDh B,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAAV,OAAa,SAAb,M; UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,KAAJ,C;YACI,UA

AU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;IAyBA,2C;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OA
AO,I;MAcTb,UAAU,sBAAK,CAAL,C;MACG,OAtRDG,gBAAR,iBAAQ,C;MAsrDhB,aAAU,CAAV,iB;QACI,Q
AAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MA
AM,C;;MAE9C,OAAO,G;K;IAGX,2C;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MAcTb,UAAU,sBAAK
,CAAL,C;MACG,OAr7rDG,gBAAR,iBAAQ,C;MA6rDhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QAC
R,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;I
AGX,2C;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MAcTb,UAAU,sBAAK,CAAL,C;MACG,OAPsDG,g
BAAR,iBAAQ,C;MAosDhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAA
R,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,2C;MAQiB,Q;MAFb,I
AAI,mBAAJ,C;QAAe,OAAO,I;MAcTb,UAAU,sBAAK,CAAL,C;MACG,OAs3sDG,gBAAR,iBAAQ,C;MA2sDhB
,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6
B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,2B;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,
I;MAcTb,UAAU,sBAAK,CAAL,C;MACG,OAlvDG,gBAAR,iBAAQ,C;MAkvDhB,aAAU,CAAV,iB;QACI,QAA
Q,sBAAK,CAAL,C;QACR,I/BjlK8D,Y+BilK1D,G/BjlK2E,KAAjB,E+BilKpD,C/BjlKiF,KAA7B,C+BilK1D,IAAJ
,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2B;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MAcTb,
UAAU,sBAAK,CAAL,C;MACG,OAzvDG,gBAAR,iBAAQ,C;MAyvDhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK
,CAAL,C;QACR,IFxIK+D,aEwlK3D,GFxIK6E,KAAiB,EEwlKrD,CFxIKmF,KAA9B,CEwlK3D,IAAJ,C;UAAa,M
AAM,C;;MAEvB,OAAO,G;K;IAGX,2B;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MAcTb,UAAU,sBAA
K,CAAL,C;MACG,OAhwDG,gBAAR,iBAAQ,C;MAGwDhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;Q
ACR,IhC/nK4E,0BgC+nKxE,GhC/+J8B,KAAL,GAAiB,GAhJ8B,EgC+nKIE,ChC/+JwB,KAAL,GAAiB,GAhJ8B,
CgC+nKxE,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;IAGX,2B;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,O
AAO,I;MAcTb,UAAU,sBAAK,CAAL,C;MACG,OAvwDG,gBAAR,iBAAQ,C;MAuwDhB,aAAU,CAAV,iB;QAC
I,QAAQ,sBAAK,CAAL,C;QACR,I9BtoK6E,0B8BsoKzE,G9B7/J8B,KAAL,GAAiB,KAZI+B,E8BsoKnE,C9B7/Jw
B,KAAL,GAAiB,KAZI+B,C8BsoKzE,IAAJ,C;UAAa,MAAM,C;;MAEvB,OAAO,G;K;mFAGX,yB;MATyDI,8D;M
AsyDJ,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAjzDgB,cAizDA,SAj
zDR,QAAQ,C;QakzDhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,C
AAV,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAA
X,KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;mFAyBA,yB;MAvzDI,8D;MAuzD
J,sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAI0DgB,cAk0DA,SAI0DR,
QAAQ,C;QAm0DhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAA
V,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,
KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;mFAyBA,yB;MAx0DI,8D;MAw0DJ,
sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAn1DgB,cAm1DA,SAn1DR,
QAAQ,C;QAo1DhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAA
V,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,
KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;mFAyBA,yB;MAz1DI,8D;MAy1DJ,
sC;QASI,IAAI,mBAAJ,C;UAAe,OAAO,I;QACtB,cAAc,sBAAK,CAAL,C;QACd,gBAp2DgB,cAo2DA,SAP2DR,
QAAQ,C;QAq2DhB,IAAI,cAAa,CAAjB,C;UAAoB,OAAO,O;QAC3B,eAAe,SAAS,OAAT,C;QACf,aAAU,CAA
V,OAAa,SAAb,M;UACI,QAAQ,sBAAK,CAAL,C;UACR,QAAQ,SAAS,CAAT,C;UACR,IAAI,2BAAW,CAAX,
KAAJ,C;YACI,UAAU,C;YACV,WAAW,C;;QAGnB,OAAO,O;O;KAtBX,C;IAyBA,2C;MAQiB,Q;MAFb,IAAI,m
BAAJ,C;QAAe,OAAO,I;MAcTb,UAAU,sBAAK,CAAL,C;MACG,OAI5DG,gBAAR,iBAAQ,C;MAk5DhB,aAAU
,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CA
AjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,2C;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MA
cTb,UAAU,sBAAK,CAAL,C;MACG,OAz5DG,gBAAR,iBAAQ,C;MAy5DhB,aAAU,CAAV,iB;QACI,QAAQ,sB
AAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;
MAE9C,OAAO,G;K;IAGX,2C;MAQiB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MAcTb,UAAU,sBAAK,CAAL
,C;MACG,OAh6DG,gBAAR,iBAAQ,C;MAG6DhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI
,UAAW,SAAQ,GAAR,EAAa,CAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;IAGX,2

C;MAQIB,Q;MAFb,IAAI,mBAAJ,C;QAAe,OAAO,I;MACtB,UAAU,sBAAK,CAAL,C;MACG,OAv6DG,gBAAR,
iBAAQ,C;MAu6DhB,aAAU,CAAV,iB;QACI,QAAQ,sBAAK,CAAL,C;QACR,IAAI,UAAW,SAAQ,GAAR,EAAa
,CAAAb,CAAX,GAA6B,CAAjC,C;UAAoC,MAAM,C;;MAE9C,OAAO,G;K;iFAGX,qB;MASI,OAAO,mB;K;iFAG
X,qB;MASI,OAAO,mB;K;iFAGX,qB;MASI,OAAO,mB;K;iFAGX,qB;MASI,OAAO,mB;K;iFAGX,gC;MASoB,Q
;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;M
ACrD,OAAO,I;K;iFAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU
,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,gC;MASoB,Q;MAAA,2B;MAAhB,OAAgB,cA
AhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO,K;;MACrD,OAAO,I;K;iFAGX,gC;MA
SoB,Q;MAAA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QAAM,IAAI,UAAU,OAAV,CAAJ,C;UAAwB,OAAO
,K;;MACrD,OAAO,I;K;qFAGX,yB;MAAA,4F;MA1iEI,8D;MA0iEJ,uC;QAYqB,Q;QAHjB,IAAI,mBAAJ,C;UAC
I,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,sBAAK,CAAL,C;QACD,OA1jED,cAAR,iBAAQ,C;QAsjEhB,iB
AAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KafX,C;qF
AkBA,yB;MAAA,4F;MApjEI,8D;MAojEJ,uC;QAYqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BA
A9B,C;QACV,kBAakB,sBAAK,CAAL,C;QACD,OAhkED,cAAR,iBAAQ,C;QAgkEhB,iBAAc,CAAd,yB;UACI,
cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KafX,C;qFakBA,yB;MAAA,4F;
MA9jEI,8D;MA8jEJ,uC;QAYqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAak
B,sBAAK,CAAL,C;QACD,OA1kED,cAAR,iBAAQ,C;QA0kEhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,E
AAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KafX,C;qFakBA,yB;MAAA,4F;MAxkEI,8D;MAwkEJ,u
C;QAYqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,sBAAK,CAAL,C;Q
ACD,OAplED,cAAR,iBAAQ,C;QAolEhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,
CAAvB,C;;QAEIB,OAAO,W;O;KafX,C;mGakBA,yB;MAAA,4F;MAInEI,8D;MAknEJ,uC;QAeqB,Q;QAHjB,IA
AI,mBAAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,sBAAK,CAAL,C;QACD,OAjoED,cAAR,iB
AAQ,C;QAioEhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KA AV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B
,C;;QAEIB,OAAO,W;O;KAIBX,C;mGAqBA,yB;MAAA,4F;MA+nEI,8D;MA+nEJ,uC;QAeqB,Q;QAHjB,IAAI,mB
AAJ,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,sBAAK,CAAL,C;QACD,OA9oED,cAAR,iBAAQ,
C;QA8oEhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KA AV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;Q
AEIB,OAAO,W;O;KAIBX,C;mGAqBA,yB;MAAA,4F;MA5oEI,8D;MA4oEJ,uC;QAeqB,Q;QAHjB,IAAI,mBAAJ
,C;UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,sBAAK,CAAL,C;QACD,OA3pED,cAAR,iBAAQ,C;Q
A2pEhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KA AV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEI
B,OAAO,W;O;KAIBX,C;mGAqBA,yB;MAAA,4F;MAzpeI,8D;MAypEJ,uC;QAeqB,Q;QAHjB,IAAI,mBAAJ,C;
UACI,MAAM,mCAA8B,+BAA9B,C;QACV,kBAakB,sBAAK,CAAL,C;QACD,OAxqED,cAAR,iBAAQ,C;QAw
qEhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,KA AV,EAAiB,WAAjB,EAA8B,sBAAK,KAAL,CAA9B,C;;QAEIB,
OAAO,W;O;KAIBX,C;iGAqBA,yB;MAtsEI,8D;MAssEJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;Q
ACX,kBAakB,sBAAK,CAAL,C;QACD,OAntED,cAAR,iBAAQ,C;QAmEhB,iBAAc,CAAd,yB;UACI,cAAc,UA
AU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MAjtEI,8D;MAitEJ,
uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAakB,sBAAK,CAAL,C;QACD,OA9tED,cAAR,
iBAAQ,C;QA8tEhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,O
AAO,W;O;KAhBX,C;iGAmBA,yB;MA5tEI,8D;MA4tEJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;Q
ACX,kBAakB,sBAAK,CAAL,C;QACD,OAzuED,cAAR,iBAAQ,C;QAYuEhB,iBAAc,CAAd,yB;UACI,cAAc,UA
AU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEIB,OAAO,W;O;KAhBX,C;iGAmBA,yB;MAvuEI,8D;MAuu
EJ,uC;QAaqB,Q;QAHjB,IAAI,mBAAJ,C;UACI,OAAO,I;QACX,kBAakB,sBAAK,CAAL,C;QACD,OApyED,cA
AR,iBAAQ,C;QAovEhB,iBAAc,CAAd,yB;UACI,cAAc,UAAU,WAAV,EAAuB,sBAAK,KAAL,CAAvB,C;;QAEI
B,OAAO,W;O;KAhBX,C;+FamBA,yB;MAAA,4F;MA1xEI,8D;MAkxEJ,uC;QAW0B,UAEU,M;QAJhC,YA3xEg
B,cAAR,iBAAQ,C;QA4xEhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAakB,uB
AAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UA
AV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KafX,C;+FakBA,yB;MAAA,4F;MA5xEI,8D;MA4xEJ,uC;QAW0
B,UAEU,M;QAJhC,YAryEgB,cAAR,iBAAQ,C;QAsyEhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BA
A9B,C;QACrB,kBAakB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uB

AAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KafX,C;+FAkBA,yB;MAAA,4F;MAI
yEI,8D;MAyEJ,uC;QAW0B,UAEU,M;QAJhC,YA/yEgB,cAAR,iBAAQ,C;QAgzEhB,IAAI,QAAQ,CAAZ,C;UA
Ae,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAaKB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAh
B,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;QAEIB,OAAO,W;O;KafX,C;+
FAkBA,yB;MAAA,4F;MAhzEI,8D;MAGzEJ,uC;QAW0B,UAEU,M;QAJhC,YAZzEgB,cAAR,iBAAQ,C;QA0zEh
B,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAaKB,uBAAI,YAAJ,EAAI,oBAAJ,Q;
QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;Q
AEIB,OAAO,W;O;KafX,C;6GakBA,yB;MAAA,4F;MA11EI,8D;MA01EJ,uC;QAc0B,Q;QAFtB,YAt2EgB,cAAR
,iBAAQ,C;QAU2EhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAaKB,uBAAI,YA
AJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAaV,EAAiB,sBAAI,KAaJ,CAAjB,E
AA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAnBX,C;6GAsBA,yB;MAAA,4F;MAx2EI,8D;MAw2EJ,uC;Q
Ac0B,Q;QAFtB,YAp3EgB,cAAR,iBAAQ,C;QAq3EhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B
,C;QACrB,kBAaKB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAaV,
EAAiB,sBAAI,KAaJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;KAnBX,C;6GAsBA,yB;MAAA,
4F;MAT3EI,8D;MAS3EJ,uC;QAc0B,Q;QAFtB,YA14EgB,cAAR,iBAAQ,C;QAm4EhB,IAAI,QAAQ,CAAZ,C;UA
Ae,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAaKB,uBAAI,YAAJ,EAAI,oBAAJ,Q;QACIB,OAAO,SAAS,CAAh
B,C;UACI,cAAc,UAAU,KAaV,EAAiB,sBAAI,KAaJ,CAAjB,EAA6B,WAA7B,C;UACd,qB;;QAEJ,OAAO,W;O;
KAnBX,C;6GAsBA,yB;MAAA,4F;MAp4EI,8D;MAo4EJ,uC;QAc0B,Q;QAFtB,YAh5EgB,cAAR,iBAAQ,C;QAI5
EhB,IAAI,QAAQ,CAAZ,C;UAAe,MAAM,mCAA8B,+BAA9B,C;QACrB,kBAaKB,uBAAI,YAAJ,EAAI,oBAAJ,
Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,KAaV,EAAiB,sBAAI,KAaJ,CAAjB,EAA6B,WAA7B,C
;UACd,qB;;QAEJ,OAAO,W;O;KAnBX,C;2GAsBA,yB;MA17EI,8D;MAk7EJ,uC;QAY0B,UAEU,M;QAJhC,YA57
EgB,cAAR,iBAAQ,C;QA67EhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAaKB,uBAAI,YAAJ,EAAI,oB
AAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAx
B,C;;QAEIB,OAAO,W;O;KAhBX,C;2GAmBA,yB;MA77EI,8D;MA67EJ,uC;QAY0B,UAEU,M;QAJhC,YAv8Eg
B,cAAR,iBAAQ,C;QAw8EhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAaKB,uBAAI,YAAJ,EAAI,oB
AAJ,Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,
C;;QAEIB,OAAO,W;O;KAhBX,C;2GAmBA,yB;MAx8EI,8D;MAw8EJ,uC;QAY0B,UAEU,M;QAJhC,YA19EgB,c
AAR,iBAAQ,C;QAm9EhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAaKB,uBAAI,YAAJ,EAAI,oBAAJ,
Q;QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;
QAEIB,OAAO,W;O;KAhBX,C;2GAmBA,yB;MA99EI,8D;MAm9EJ,uC;QAY0B,UAEU,M;QAJhC,YA79EgB,cA
AR,iBAAQ,C;QA89EhB,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,kBAaKB,uBAAI,YAAJ,EAAI,oBAAJ,Q;
QACIB,OAAO,SAAS,CAAhB,C;UACI,cAAc,UAAU,uBAAI,cAAJ,EAAI,sBAAJ,UAAV,EAAwB,WAAxB,C;;Q
AEIB,OAAO,W;O;KAhBX,C;iFAmBA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ
,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,ajBt1LO,W
;QiBu1LP,kBAaKB,O;QACF,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,O
AAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MA
AA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CA
AP,IAAb,C;QAA+B,8B;QAA5C,ajBh3LO,W;QiBi3LP,kBAaKB,O;QACF,2B;QAAhB,OAAGB,cAAhB,C;UAAg
B,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvB
X,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QAHhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,
OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,ajB14LO,W;QiB24LP,kBAaKB,O;Q
ACF,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAAU,WAAV,EAAuB,OAAvB,C;UACd,MAAO,
WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;iFA0BA,yB;MAAA,gD;MAAA,gE;MAAA,gD;QAmBoB,Q;QA
HhB,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;QACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;
QAA5C,ajBp6LO,W;QiBq6LP,kBAaKB,O;QACF,2B;QAAhB,OAAGB,cAAhB,C;UAAgB,yB;UACZ,cAAc,UAA
U,WAAV,EAAuB,OAAvB,C;UACd,MAAO,WAAI,WAAJ,C;;QAEX,OAAO,M;O;KAvBX,C;+FA0BA,yB;MAA
A,gD;MAAA,gE;MAToFI,0D;MAsoFJ,gD;QAoBkB,gC;QAHd,IAAI,mBAAJ,C;UAAe,OAAO,OAAO,OAAP,C;Q
ACc,kBAAvB,eAAa,iBAAO,CAAP,IAAb,C;QAA+B,8B;QAA5C,ajB/7LO,W;QiBg8LP,kBAaKB,O;QACJ,OA1p

FE, YAAR, iBAAQ, C; QA0pFF, mB; QAAA, kB; QAAA, kB; QAAAd, 0D; UACI, cAAc, UAAU, KAAV, EAAiB, WAAjB, EAA8B, sBAAK, KAAL, CAA9B, C; UACd, MAAO, WAAI, WAAJ, C; QAEX, OAAO, M; O; KAxBX, C; +FA2BA, yB; MAAA, gD; MAAA, gE; MAzpFI, 0D; MAypFJ, gD; QAOBkB, gC; QAHd, IAAI, mBAAJ, C; UAAe, OAAO, OAAO, OAA P, C; QACc, kBAAvB, eAAa, iBAAO, CAAP, IAAb, C; QAA+B, 8B; QAA5C, ajB19LO, W; QiB29LP, kBAAkB, O; QACJ, OA7qFE, YAAR, iBAAQ, C; QA6qFF, mB; QAAA, kB; QAAA, kB; QAAAd, 0D; UACI, cAAc, UAAU, KAAV, EAAiB, W AAjB, EAA8B, sBAAK, KAAL, CAA9B, C; UACd, MAAO, WAAI, WAAJ, C; QAEX, OAAO, M; O; KAxBX, C; +FA2B A, yB; MAAA, gD; MAAA, gE; MA5qFI, 0D; MA4qFJ, gD; QAOBkB, gC; QAHd, IAAI, mBAAJ, C; UAAe, OAAO, OAAO , OAAP, C; QACc, kBAAvB, eAAa, iBAAO, CAAP, IAAb, C; QAA+B, 8B; QAA5C, ajBr/LO, W; QiBs/LP, kBAAkB, O; Q ACJ, OAhsFE, YAAR, iBAAQ, C; QAgsFF, mB; QAAA, kB; QAAA, kB; QAAAd, 0D; UACI, cAAc, UAAU, KAAV, EAAiB , WAAjB, EAA8B, sBAAK, KAAL, CAA9B, C; UACd, MAAO, WAAI, WAAJ, C; QAEX, OAAO, M; O; KAxBX, C; +FA 2BA, yB; MAAA, gD; MAAA, gE; MA/rFI, 0D; MA+rFJ, gD; QAOBkB, gC; QAHd, IAAI, mBAAJ, C; UAAe, OAAO, OAA O, OAAP, C; QACc, kBAAvB, eAAa, iBAAO, CAAP, IAAb, C; QAA+B, 8B; QAA5C, ajBhhMO, W; QiBihMP, kBAAkB, O; QACJ, OAntFE, YAAR, iBAAQ, C; QAmFF, mB; QAAA, kB; QAAA, kB; QAAAd, 0D; UACI, cAAc, UAAU, KAAV, E AAiB, WAAjB, EAA8B, sBAAK, KAAL, CAA9B, C; UACd, MAAO, WAAI, WAAJ, C; QAEX, OAAO, M; O; KAxBX, C ; 6FA2BA, yB; MAAA, qD; MAAA, gE; MAAA, uC; QAmB0B, Q; QAHtB, IAAI, mBAAJ, C; UAAe, OAAO, W; QACtB, s BAAkB, sBAAK, CAAL, CAAIB, C; QACmC, kBAAtB, eAAgB, cAAhB, C; QAA8B, sBAAI, aAAJ, C; QAA3C, ajB3iM O, W; QiB4iMe, qB; QAAtB, iBAAc, CAAd, wB; UACI, gBAAc, UAAU, aAAV, EAAuB, sBAAK, KAAL, CAAvB, C; UA Cd, MAAO, WAAI, aAAJ, C; QAEX, OAAO, M; O; KAvBX, C; 6FA0BA, yB; MAAA, qD; MAAA, gE; MAAA, uC; QAm B0B, Q; QAHtB, IAAI, mBAAJ, C; UAAe, OAAO, W; QACtB, sBAAkB, sBAAK, CAAL, CAAIB, C; QACoC, kBAAvB, e AAiB, cAAjB, C; QAA+B, sBAAI, aAAJ, C; QAA5C, ajBrkMO, W; QiBskMe, qB; QAAtB, iBAAc, CAAd, wB; UACI, gB AAc, UAAU, aAAV, EAAuB, sBAAK, KAAL, CAAvB, C; UACd, MAAO, WAAI, aAAJ, C; QAEX, OAAO, M; O; KAvB X, C; 6FA0BA, yB; MAAA, qD; MAAA, gE; MAAA, uC; QAmB0B, Q; QAHtB, IAAI, mBAAJ, C; UAAe, OAAO, W; QACt B, sBAAkB, sBAAK, CAAL, CAAIB, C; QACoC, kBAAvB, eAAiB, cAAjB, C; QAA+B, sBAAI, aAAJ, C; QAA5C, ajB/l MO, W; QiBgmMe, qB; QAAtB, iBAAc, CAAd, wB; UACI, gBAAc, UAAU, aAAV, EAAuB, sBAAK, KAAL, CAAvB, C; UACd, MAAO, WAAI, aAAJ, C; QAEX, OAAO, M; O; KAvBX, C; 6FA0BA, yB; MAAA, qD; MAAA, gE; MAAA, uC; Q AmB0B, Q; QAHtB, IAAI, mBAAJ, C; UAAe, OAAO, W; QACtB, sBAAkB, sBAAK, CAAL, CAAIB, C; QACqC, kBAAx B, eAAkB, cAAIB, C; QAAgC, sBAAI, aAAJ, C; QAA7C, ajBznMO, W; QiB0nMe, qB; QAAtB, iBAAc, CAAd, wB; UACI, gBAAc, UAAU, aAAV, EAAuB, sBAAK, KAAL, CAAvB, C; UACd, MAAO, WAAI, aAAJ, C; QAEX, OAAO, M; O; KA vBX, C; 2GA0BA, yB; MAAA, qD; MAAA, gE; MAAA, uC; QAOB0B, Q; QAHtB, IAAI, mBAAJ, C; UAAe, OAAO, W; QA CtB, sBAAkB, sBAAK, CAAL, CAAIB, C; QACmC, kBAAtB, eAAgB, cAAhB, C; QAA8B, sBAAI, aAAJ, C; QAA3C, ajB ppMO, W; QiBqpMe, qB; QAAtB, iBAAc, CAAd, wB; UACI, gBAAc, UAAU, KAAV, EAAiB, aAAjB, EAA8B, sBAAK, KAAL, CAA9B, C; UACd, MAAO, WAAI, aAAJ, C; QAEX, OAAO, M; O; KAxBX, C; 2GA2BA, yB; MAAA, qD; MAAA , gE; MAAA, uC; QAOB0B, Q; QAHtB, IAAI, mBAAJ, C; UAAe, OAAO, W; QACtB, sBAAkB, sBAAK, CAAL, CAAIB, C; QACoC, kBAAvB, eAAiB, cAAjB, C; QAA+B, sBAAI, aAAJ, C; QAA5C, ajB/qMO, W; QiBgrMe, qB; QAAtB, iBAAc, C AAd, wB; UACI, gBAAc, UAAU, KAAV, EAAiB, aAAjB, EAA8B, sBAAK, KAAL, CAA9B, C; UACd, MAAO, WAAI, a AAJ, C; QAEX, OAAO, M; O; KAxBX, C; 2GA2BA, yB; MAAA, qD; MAAA, gE; MAAA, uC; QAOB0B, Q; QAHtB, IAAI, mBAAJ, C; UAAe, OAAO, W; QACtB, sBAAkB, sBAAK, CAAL, CAAIB, C; QACoC, kBAAvB, eAAiB, cAAjB, C; QAA +B, sBAAI, aAAJ, C; QAA5C, ajB1sMO, W; QiB2sMe, qB; QAAtB, iBAAc, CAAd, wB; UACI, gBAAc, UAAU, KAAV, E AAiB, aAAjB, EAA8B, sBAAK, KAAL, CAA9B, C; UACd, MAAO, WAAI, aAAJ, C; QAEX, OAAO, M; O; KAxBX, C; 2 GA2BA, yB; MAAA, qD; MAAA, gE; MAAA, uC; QAOB0B, Q; QAHtB, IAAI, mBAAJ, C; UAAe, OAAO, W; QACtB, sB AAkB, sBAAK, CAAL, CAAIB, C; QACqC, kBAAxB, eAAkB, cAAIB, C; QAAgC, sBAAI, aAAJ, C; QAA7C, ajBruMO, W; QiBsuMe, qB; QAAtB, iBAAc, CAAd, wB; UACI, gBAAc, UAAU, KAAV, EAAiB, aAAjB, EAA8B, sBAAK, KAAL, CAA9B, C; UACd, MAAO, WAAI, aAAJ, C; QAEX, OAAO, M; O; KAxBX, C; mFA2BA, yB; MAAA, wB; MAAA, sC; Q AQoB, Q; QADhB, UAAgB, W; QACA, 2B; QAAhB, OAAgB, cAAhB, C; UAAgB, yB; UACZ, M/B1vMiD, S+B0vMjD, G/B1vM2D, KAAK, G+B0vMzD, SAAS, OAAT, C/B1vMoE, KAAX, IAaf, C; ; Q+B4vMrD, OAAO, G; O; KAXX, C; mF AcA, yB; MAAA, wB; MAAA, sC; QAQoB, Q; QADhB, UAAgB, W; QACA, 2B; QAAhB, OAAgB, cAAhB, C; UAAgB, y B; UACZ, M/BxwMiD, S+BwwMjD, G/BxwM2D, KAAK, G+BwwMzD, SAAS, OAAT, C/BxwMoE, KAAX, IAaf, C; ; Q+B0wMrD, OAAO, G; O; KAXX, C; mFACa, yB; MAAA, wB; MAAA, sC; QAQoB, Q; QADhB, UAAgB, W; QACA, 2B;

QAAhB, OAAgB, cAAhB, C; UAAgB, yB; UACZ, M/BtxMiD, S+BsxMjD, G/BtxM2D, KAAK, G+BsxMzD, SAAS, OA
AT, C/BtxMoE, KAAX, IAaf, C;; Q+BwxMrD, OAAO, G; O; KAXX, C; mFACa, yB; MAAA, wB; MAAA, sC; QAQoB, Q;
QADhB, UAAgB, W; QACA, 2B; QAAhB, OAAgB, cAAhB, C; UAAgB, yB; UACZ, M/BpyMiD, S+BoyMjD, G/BpyM2
D, KAAK, G+BoyMzD, SAAS, OAAT, C/BpyMoE, KAAX, IAaf, C;; Q+BsyMrD, OAAO, G; O; KAXX, C; 8FACa, +B; M
AQoB, Q; MADhB, UAAkB, G; MACF, 2B; MAAhB, OAAgB, cAAhB, C; QAAgB, yB; QACZ, OAAO, SAAS, OAAT, C;;
MAEX, OAAO, G; K; +FAGX, +B; MAQoB, Q; MADhB, UAAkB, G; MACF, 2B; MAAhB, OAAgB, cAAhB, C; QAAgB, y
B; QACZ, OAAO, SAAS, OAAT, C;; MAEX, OAAO, G; K; +FAGX, +B; MAQoB, Q; MADhB, UAAkB, G; MACF, 2B; MA
AhB, OAAgB, cAAhB, C; QAAgB, yB; QACZ, OAAO, SAAS, OAAT, C;; MAEX, OAAO, G; K; +FAGX, +B; MAQoB, Q;
MADhB, UAAkB, G; MACF, 2B; MAAhB, OAAgB, cAAhB, C; QAAgB, yB; QACZ, OAAO, SAAS, OAAT, C;; MAEX, O
AAO, G; K; IAGX, kC; MA2DI, WhBlzMO, MAAK, KgBkzMK, chBlzML, EgBgwMD, KAKDkB, OhBlzMjB, C; MgBmz
MZ, WAAW, iBAaA, IAAb, C; MACX, aAAU, CAAV, MAAkB, IAAlB, M; QACI, IAAK, WArDqB, GAqDP, sBAAK, C
AAL, CArDO, EAAnB, KAqDqB, CAAM, CAAN, CArDF, CAqDrB, C;; MArDT, OAuDO, I; K; IApDX, kC; MAkEI, Wh
Br0MO, MAAK, KgBq0MK, chBr0ML, EgB4wMD, KAyDkB, OhBr0MjB, C; MgBs0MZ, WAAW, iBAaA, IAAb, C; MA
CX, aAAU, CAAV, MAAkB, IAAlB, M; QACI, IAAK, WA5DqB, GA4DP, sBAAK, CAAL, CA5DO, EAAnB, KA4DqB,
CAAM, CAAN, CA5DF, CA4DrB, C;; MA5DT, OA8DO, I; K; IA3DX, kC; MAyEI, WhBx1MO, MAAK, KgBw1MK, chB
x1ML, EgBwxMD, KAqEkB, OhBx1MjB, C; MgBy1MZ, WAAW, iBAaA, IAAb, C; MACX, aAAU, CAAV, MAAkB, IA
AlB, M; QACI, IAAK, WAnEqB, GAmEP, sBAAK, CAAL, CAnEO, EAAnB, KAmEqB, CAAM, CAAN, CAnEF, CAmEr
B, C;; MAnET, OAqEO, I; K; IAlEX, kC; MAgFI, WhB32MO, MAAK, KgB22MK, chB32ML, EgBoyMD, KAUEk, OhB
32MjB, C; MgB42MZ, WAAW, iBAaA, IAAb, C; MACX, aAAU, CAAV, MAAkB, IAAlB, M; QACI, IAAK, WA1EqB, G
A0EP, sBAAK, CAAL, CA1EO, EAAnB, KA0EqB, CAAM, CAAN, CA1EF, CA0ErB, C;; MA1ET, OA4EO, I; K; +EAzE
X, yB; MAAA, gE; MhB9yMA, iB; MgB8yMA, 8C; QAWI, WhBlzMO, MAAK, KgBkzMK, chBlzML, EgBkzMW, KAA
M, OhBlzMjB, C; QgBmzMZ, WAAW, eAAa, IAAb, C; QACX, aAAU, CAAV, MAAkB, IAAlB, M; UACI, IAAK, WAAI,
UAAU, sBAAK, CAAL, CAAV, EAAM, MAAM, CAAN, CAAnB, CAAJ, C;; QAET, OAAO, I; O; KAxBX, C; +EAmBA
, yB; MAAA, gE; MhBj0MA, iB; MgBi0MA, 8C; QAWI, WhBr0MO, MAAK, KgBq0MK, chBr0ML, EgBq0MW, KAAM,
OhBr0MjB, C; QgBs0MZ, WAAW, eAAa, IAAb, C; QACX, aAAU, CAAV, MAAkB, IAAlB, M; UACI, IAAK, WAAI, UA
AU, sBAAK, CAAL, CAAV, EAAM, MAAM, CAAN, CAAnB, CAAJ, C;; QAET, OAAO, I; O; KAxBX, C; +EAmBA, yB
; MAAA, gE; MhBp1MA, iB; MgBo1MA, 8C; QAWI, WhBx1MO, MAAK, KgBw1MK, chBx1ML, EgBw1MW, KAAM,
OhBx1MjB, C; QgBy1MZ, WAAW, eAAa, IAAb, C; QACX, aAAU, CAAV, MAAkB, IAAlB, M; UACI, IAAK, WAAI, U
AAU, sBAAK, CAAL, CAAV, EAAM, MAAM, CAAN, CAAnB, CAAJ, C;; QAET, OAAO, I; O; KAxBX, C; +EAmBA, y
B; MAAA, gE; MhBv2MA, iB; MgBu2MA, 8C; QAWI, WhB32MO, MAAK, KgB22MK, chB32ML, EgB22MW, KAAM,
OhB32MjB, C; QgB42MZ, WAAW, eAAa, IAAb, C; QACX, aAAU, CAAV, MAAkB, IAAlB, M; UACI, IAAK, WAAI, U
AAU, sBAAK, CAAL, CAAV, EAAM, MAAM, CAAN, CAAnB, CAAJ, C;; QAET, OAAO, I; O; KAxBX, C; IAmBA, kC
; MA8DoB, gB; MAHhB, gBAAgB, c; MACHB, WAAW, iBhB/6MJ, MAAK, KgB+6MwB, wBAnDzB, KAmDyB, EAAw
B, EAAXB, ChB/6MxB, EgB+6MqD, ShB/6MrD, CgB+6MD, C; MACX, QAAQ, C; MACQ, OArDL, KAqDK, W; MAAh
B, OAAgB, cAAhB, C; QAAGB, yB; QACZ, IAAl, KAAK, SAAT, C; UAAoB, K; QACpB, IAAK, WAvDqB, GAuDP, uBA
AK, UAAL, EAAK, kBAAL, UA vDO, EAuDI, OA vDJ, CAuDrB, C;; MA vDT, OA yDO, I; K; IA tDX, kC; MAuEoB, gB; M
AHhB, gBAAgB, c; MACHB, WAAW, iBhBp8MJ, MAAK, KgBo8MwB, wBA5DzB, KA4DyB, EAAwB, EAAXB, ChBp
8MxB, EgBo8MqD, ShBp8MrD, CgBo8MD, C; MACX, QAAQ, C; MACQ, OA9DL, KA8DK, W; MAAhB, OAAgB, cAA
hB, C; QAAGB, yB; QACZ, IAAl, KAAK, SAAT, C; UAAoB, K; QACpB, IAAK, WAhEqB, GAyEP, uBAAK, UAAL, EAA
K, kBAAL, UA hEO, EA gEI, OA hEJ, CA gErB, C;; MA hET, OA kEO, I; K; IA /DX, kC; MA gFoB, gB; MAHhB, gBAAgB, c;
MACHB, WAAW, iBhBz9MJ, MAAK, KgBy9MwB, wBArEzB, KAqEyB, EAAwB, EAAXB, ChBz9MxB, EgBy9MqD,
ShBz9MrD, CgBy9MD, C; MACX, QAAQ, C; MACQ, OA vEL, KAUEK, W; MAAhB, OAAgB, cAAhB, C; QAAGB, yB; Q
ACZ, IAAl, KAAK, SAAT, C; UAAoB, K; QACpB, IAAK, WAzEqB, GAyEP, uBAAK, UAAL, EAAK, kBAAL, UA zEO,
EA yEI, OA zEJ, CA yErB, C;; MA zET, OA 2EO, I; K; IA xEX, kC; MA yFoB, gB; MAHhB, gBAAgB, c; MACHB, WAAW, iB
hB9+MJ, MAAK, KgB8+MwB, wBA9EzB, KA8EyB, EAAwB, EAAXB, ChB9+MxB, EgB8+MqD, ShB9+MrD, CgB8+
MD, C; MACX, QAAQ, C; MACQ, OA hFL, KA gFK, W; MAAhB, OAAgB, cAAhB, C; QAAGB, yB; QACZ, IAAl, KAAK,
SAAT, C; UAAoB, K; QACpB, IAAK, WAIFqB, GAkFP, uBAAK, UAAL, EAAK, kBAAL, UAIFO, EAkFI, OAIFJ, CAkF
rB, C;; MAIFT, OA oFO, I; K; +EA jFX, yB; MAAA, kF; MAAA, gE; MhB16MA, iB; MgB06MA, 8C; QAcOB, UAEY, M; QA

B0jNvC,C;+EAUA,yB;MAAA,0C;MF/jNA,+B;ME+jNA,4B;QAOI,OF5jNsC,eE4jNvB,IAAR,iBAAQ,CF5jNuB,C ;O;KEqjN1C,C;+EAUA,yB;MAAA,sC;MA5hBA,wB;MA4hBA,iBAOiB,yB;QhCzqNb,6B;egCyqNa,c;UAAE,OhC hqNoB,cgCgqNpB,EhChqN8B,KAAL,GAAiB,GAAtB,C;S;OgCgqNtB,C;MAPjB,4B;QAphBoB,Q;QADhB,UAAg B,W;QACA,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,M/BtxMiD,S+BsxMjD,G/BtxM2D,KAAK,GAAW ,CDgJ5C,SgCsoMf,OhCtoMyB,KAAL,GAAiB,GAAtB,CChJ4C,MAAX,IAAf,C;;Q+BgzNrD,OAxhBO,G;O;KAih BX,C;+EAUA,yB;MAAA,sC;MAxhBA,wB;MAwhBA,iBAOiB,yB;Q9BlrNb,6B;e8BkrNa,c;UAAE,O9BzqNoB,c8 ByqNpB,E9BzqN8B,KAAL,GAAiB,KAAtB,C;S;O8ByqNtB,C;MAPjB,4B;QAhhBoB,Q;QADhB,UAAgB,W;QAC A,2B;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UACZ,M/BpyMiD,S+BoyMjD,G/BpyM2D,KAAK,GAAW,CCiJ5C, S8BmpMf,O9BnpMyB,KAAL,GAAiB,KAAtB,CDjJ4C,MAAX,IAAf,C;;Q+B0zNrD,OaphBO,G;O;KA6gBX,C;I C/2NA,mC;MAQoB,UACL,M;MAHX,aAAa,gBAAW,cAAX,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cA AhB,C;QAAgB,yB;QACZ,oBAAO,cAAP,EAAO,sBAAP,WAAkB,OAAIB,C;;MACJ,OAAO,M;K;IAGX,kC;MA QoB,UACL,M;MAHX,aAAa,eAAU,cAAV,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB ;QACZ,oBAAO,cAAP,EAAO,sBAAP,WAAkB,OAAIB,C;;MACJ,OAAO,M;K;IAGX,mC;MAQoB,UACL,M;MA HX,aAAa,gBAAW,cAAX,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,oBAAO, cAAP,EAAO,sBAAP,WAAkB,OAAIB,C;;MACJ,OAAO,M;K;IAGX,oC;MAQoB,UACL,M;MAHX,aAAa,iBAA Y ,cAAZ,C;MACb,YAAY,C;MACI,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,oBAAO,cAAP,EAAO,sBAA P,WAAkB,OAAIB,C;;MACJ,OAAO,M;K;IAGX,2B;MAQoB,Q;MADhB,UAAgB,W;MACA,2B;MAAhB,OAAgB ,cAAhB,C;QAAgB,yB;QACZ,MhCDiD,SgCCjD,GhCD2D,KAAK,GgCCzD,OhCDoE,KAAX,IAAf,C;;MgCGrD, OAAO,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAiB,2B;MACD,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ ,MHZmD,UGYnD,GHZ8D,KAAK,KGy5D,OHZuE,KAAX,CAAhB,C;;MGcvD,OAAO,G;K;IAGX,2B;MAQoB,Q ;MADhB,UAAgB,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MhC7BiD,SgC6BjD,GhC7B2D, KAAK,GAAW,CDgJ5C,SiCnHxB,OjCmHkC,KAAL,GAAiB,GAAtB,CChJ4C,MAAX,IAAf,C;;MgC+BrD,OAAO ,G;K;IAGX,2B;MAQoB,Q;MADhB,UAAgB,W;MACA,2B;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QACZ,MhC3 CiD,SgC2CjD,GhC3C2D,KAAK,GAAW,CCiJ5C,S+BtGxB,O/BsGkC,KAAL,GAAiB,KAAtB,CDjJ4C,MAAX,IA Af,C;;MgC6CrD,OAAO,G;K;IC3GX,uB;MAMI,OjCsCkE,YiCtCvD,CjCsCwE,KAAjB,EiCtCiD,CjCsC+E,KAA7 B,CiCtCvD,KAAJ,GAAY,CAAZ,GAAMb,C;K;IAG9B,uB;MAMI,OjCmE,alrCxD,CJqC0E,KAAIB,ElrCnD,CJq CiF,KAA9B,CirCxD,KAAJ,GAAY,CAAZ,GAAMb,C;K;IAG9B,uB;MAMI,OiCgF,0BkCjErE,CiCoJ2B,KAAL,G AAiB,GAhJ8B,EkCjHe,CiCoJsB,KAAL,GAAiB,GAhJ8B,CkCjErE,KAAJ,GAAY,CAAZ,GAAMb,C;K;IAG9B,uB; MAMI,OhCGiF,0BgCHtE,ChC4I2B,KAAL,GAAiB,KazI+B,EgCHjE,ChC4IsB,KAAL,GAAiB,KazI+B,CgCHtE, KAAJ,GAAY,CAAZ,GAAMb,C;K;kFAG9B,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MA AM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;kFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN, EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;kFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAA M,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;kFAUA,yB;MAAA,8C;MAAA,0B;QAOI,O AAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C;IAUA,uB;MAMI,OjCtCkE,YiCs CvD,CjCtCwE,KAAjB,EiCsCiD,CjCtC+E,KAA7B,CiCsCvD,KAAJ,GAAY,CAAZ,GAAMb,C;K;IAG9B,uB;MA MI,OjvCmE,aIuCXD,CJvC0E,KAAIB,EluCnD,CJvCiF,KAA9B,CIuCXD,KAAJ,GAAY,CAAZ,GAAMb,C;K;IAG 9B,uB;MAMI,OiCxEGF,0BkCwErE,CiCwE2B,KAAL,GAAiB,GAhJ8B,EkCwEhE,CiCwEsB,KAAL,GAAiB,GAh J8B,CkCwErE,KAAJ,GAAY,CAAZ,GAAMb,C;K;IAG9B,uB;MAMI,OhCzEiF,0BgCyEtE,ChCgE2B,KAAL,GAA iB,KazI+B,EgCyEjE,ChCgEsB,KAAL,GAAiB,KazI+B,CgCyEtE,KAAJ,GAAY,CAAZ,GAAMb,C;K;kFAG9B,y B;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C;O;KAPX,C ;kFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT,CAAT,C; O;KAPX,C;kFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EAAS,CAAT ,CAAT,C;O;KAPX,C;kFAUA,yB;MAAA,8C;MAAA,0B;QAOI,OAAO,MAAM,CAAN,EAAS,MAAM,CAAN,EA AS,CAAT,CAAT,C;O;KAPX,C;gFC9IA,yB;MAAA,mC;MAAA,2C;MAAA,4B;QASI,OAAO,kBAAO,cAAP,C;O; KATX,C;gFAYA,yB;MAAA,mC;MAAA,2C;MAAA,4B;QASI,OAAO,kBAAO,cAAP,C;O;KATX,C;IAYA,sC;;Q ASQ,OAAc,WAAP,MAAO,EAAS,SAAT,C;;QACHb,+C;UACE,MAAM,2BAAUb,CAAE,QAazB,C;;UAHV,O;; K;IAOJ,sC;;QASQ,OAAc,YAAP,MAAO,EAAU,SAAV,C;;QACHb,+C;UACE,MAAM,2BAAUb,CAAE,QAazB, C;;UAHV,O;;K;4FAOJ,yB;MAAA,mC;MAAA,uD;MAAA,4B;QAQI,OAAO,wBAAa,cAAb,C;O;KARX,C;4FAW

A,yB;MAAA,mC;MAAA,uD;MAAA,4B;QAQI,OAAO,wBAAa,cAAb,C;O;KARX,C;IAWA,4C;MAOI,IAAI,mB
AAJ,C;QACI,OAAO,I;MACX,OAAc,WAAP,MAAO,EAAS,SAAT,C;K;IAGlB,4C;MAOI,IAAI,mBAAJ,C;QACI,
OAAO,I;MACX,OAAc,YAAP,MAAO,EAU,SAAV,C;K;oFAGlB,8B;MASI,OAAO,WAAW,IAAX,IAAmB,2B
AAS,OAAT,C;K;oFAG9B,8B;MASI,OAAO,WAAW,IAAX,IAAmB,2BAAS,OAAT,C;K;IAG9B,uC;MAMI,OAA
O,2BnC4E4B,SmC5EnB,KnC4E6B,KAAL,GAAiB,GAAtB,CmC5E5B,C;K;IAGX,uC;MAMI,OAAO,2BnC6E8B,
UAAW,oBmC7EhC,KnC6E2B,KAAK,CAAL,UAAN,CmC7E9B,C;K;IAGX,uC;MAMI,OAAO,2BIC4E8B,UA
W,oBkC5EhC,KIC4E2B,KAAK,CAAL,iBAAN,CkC5E9B,C;K;IAGX,uC;MAMY,Q;MAAD,cAAC,OLtB4C,UKs
B5C,KLlBkD,yBKsBxC,ELtBwC,CAAN,CKsB7C,wBAA8B,2BAA9B,Q;MAAA,W;QAAqC,oCICwIR,SkCxliB,
KLiElB,K7BuEW,QAAV,CkCxIQ,C;OAA5C,a;K;IAGJ,uC;MAMI,OAAO,2BjCyC4B,SiCzCnB,KjCyC6B,KAAL,
GAAiB,KAAtB,CiCzC5B,C;K;IAGX,uC;MAMI,OAAO,2BjC0C8B,UAAW,oBiC1ChC,KjC0C2B,KAAK,CAAL,
YAAN,CiC1C9B,C;K;IAGX,kC;MASI,OAAO,uCAAgB,yBnCmBY,SmCnBI,SnCmBM,KAAL,GAAiB,GAAtB,C
mCnBZ,EnCmBY,SmCnBmB,EnCmBT,KAAL,GAAiB,GAAtB,CmCnBZ,EAA4C,EAA5C,C;K;IAG3B,kC;MASI,
OAAO,uCAAgB,yBAAgB,SAAhB,EAAsB,EAAtB,EAA0B,EAA1B,C;K;IAG3B,kC;MASI,OAAO,wCAAiB,yBA
AgB,SAAhB,EAAsB,EAAtB,M;K;IAG5B,kC;MASI,OAAO,uCAAgB,yBjChBY,SiCgBI,SjChBM,KAAL,GAAiB,
KAAtB,CiCgBZ,EjChBY,SiCgBmB,EjChBT,KAAL,GAAiB,KAAtB,CiCgBZ,EAA4C,EAA5C,C;K;IAG3B,gC;M
AMI,OAAO,uCAAgB,yBAAgB,cAAhB,EAAsB,eAAtB,EAA6B,CAAC,cAAD,IAA7B,C;K;IAG3B,gC;MAMI,O
AAO,wCAAiB,yBAAgB,cAAhB,EAAsB,eAAtB,EAA8B,cAAD,AA7B,C;K;IAG5B,iC;MAMI,oBAAoB,OAAO,
CAA3B,EAA8B,IAA9B,C;MACA,OAAO,uCAAgB,yBAAgB,eAAhB,EAAuB,cAAvB,EAAiC,SAAK,KAAL,GA
AY,CAAhB,GAAmB,IAAnB,GAA6B,CAAC,IAAD,IAA1D,C;K;IAG3B,iC;MAMI,oBAAoB,kBAAO,CAA3B,E
AA8B,IAA9B,C;MACA,OAAO,wCAAiB,yBAAgB,eAAhB,EAAuB,cAAvB,EAAiC,SAAK,KAAL,cAAY,CAAh
B,GAAmB,IAAnB,GAA8B,IAAD,AA1D,C;K;IAG5B,iC;MAQI,InCpPgF,0BmCoP5E,EnCpGkC,KAAL,GAAiB,
GAhJ8B,EmCoPtE,6BAAM,UnCpGsB,KAAL,GAAiB,GAhJ8B,CmCoP5E,KAAJ,C;QAA2B,OAAO,iCAAU,M;M
AChC,WnCnEuB,SmCmE5B,SnCnEsC,KAAL,GAAiB,GAAtB,C;MmCmEV,YAAK,W;MAA9B,OICjJ6D,oBarD
P,SAAU,CDmI7B,SmCmEV,EnCnEoB,KAAL,GAAiB,GAAtB,CCnI6B,MAAK,GDAK,KCAO,KAAZ,IAAf,CAq
DO,C;K;IkCoJjE,iC;MAQI,IChPkE,YkCgP9D,EiChP+E,KAAjB,EkCgPxD,4BAAK,UlChPgF,KAA7B,CkCgP9D,
KAAJ,C;QAA0B,OAAO,iCAAU,M;MAC3C,OIC7J6D,ckC6JtD,SIC7JsD,EarDP,SkCkNtC,EiCINgD,KAAK,GA
AY,CkCkN5D,WICIN4D,MAAZ,IAAf,CAqDO,C;K;IkCgKjE,iC;MAQI,ILpPmE,aKoP/D,ELpPiF,KAAIB,EKoPz
D,6BAAM,ULpPiF,KAA9B,CKoP/D,KAAJ,C;QAA2B,OAAO,kCAAU,M;MAC7C,OLzK+D,iBKyKxD,SLzKwD
,EAIDP,UK2Nx,C,EL3NmD,KAAK,UAAY,C7BkJ/C,UAAW,oBAAL,CkCyEtB,WICzEsB,MAAK,CAAL,iBAAN,
C6BlJ+C,MAAZ,CAAhB,CAKDO,C;K;IK4KnE,iC;MAQI,IjChRiF,0BiCgR7E,EjCvIkC,KAAL,GAAiB,KAZI+B,E
iCgRvE,8BAAO,UjCvIqB,KAAL,GAAiB,KAZI+B,CiCgR7E,KAAJ,C;QAA4B,OAAO,iCAAU,M;MACjC,WjCtG
uB,SiCsG5B,SjCtGsC,KAAL,GAAiB,KAAtB,C;MiCsGV,YAAK,W;MAA9B,OICtL6D,oBarDP,SAAU,CCoI7B,
SiCsGV,EjCtGoB,KAAL,GAAiB,KAAtB,CDpI6B,MAAK,GCAK,KDAO,KAAZ,IAAf,CAqDO,C;K;IkCwLjE,kD
;MAUI,OICtRkE,YkCsRvD,SICtRwE,KAAjB,EkCsRhD,YICtR6E,KAA7B,CkCsRvD,IAAJ,GAAyB,YAAzB,GA
A2C,S;K;IAGtD,kD;MAUI,OL3RmE,aK2RxD,SL3R0E,KAAIB,EK2RjD,YL3R+E,KAA9B,CK2RxD,IAAJ,GAAy
B,YAAzB,GAA2C,S;K;IAGtD,kD;MAUI,OnChUgF,0BmCgUrE,SnChL2B,KAAL,GAAiB,GAhJ8B,EmCgU9D,Y
nChLoB,KAAL,GAAiB,GAhJ8B,CmCgUrE,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,kD;MAUI,OjCrUiF,0BiC
qUtE,SjC5L2B,KAAL,GAAiB,KAZI+B,EiCqU/D,YjC5LoB,KAAL,GAAiB,KAZI+B,CiCqUtE,IAAJ,GAAyB,YA
AzB,GAA2C,S;K;IAGtD,iD;MAUI,OIC1UkE,YkC0UvD,SIC1UwE,KAAjB,EkC0UhD,YIC1U6E,KAA7B,CkC0U
vD,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,OL/UmE,aK+UxD,SL/U0E,KAAIB,EK+UjD,YL/U+E,K
AA9B,CK+UxD,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,iD;MAUI,OnCpXgF,0BmCoXrE,SnCpO2B,KAAL,G
AAiB,GAhJ8B,EmCoX9D,YnCpOoB,KAAL,GAAiB,GAhJ8B,CmCoXrE,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IA
GtD,iD;MAUI,OjCzXiF,0BiCyXtE,SjChP2B,KAAL,GAAiB,KAZI+B,EiCyX/D,YjChPoB,KAAL,GAAiB,KAZI+B
,CiCyXtE,IAAJ,GAAyB,YAAzB,GAA2C,S;K;IAGtD,4D;MAUI,IIC9XkE,YkC8X9D,YIC9X+E,KAAjB,EkC8X/C
,YIC9X4E,KAA7B,CkC8X9D,IAAJ,C;QAAiC,MAAM,gCAAyB,oDAAiD,YAAjD,8BAAoF,YAApF,MAAzB,C;
MACvC,IIC/XkE,YkC+X9D,SIC/X+E,KAAjB,EkC+XvD,YIC/XoF,KAA7B,CkC+X9D,IAAJ,C;QAAyB,OAAO,Y
;MACHC,IICHykE,YkCgY9D,SiChY+E,KAAjB,EkCgYvD,YIChYoF,KAA7B,CkCgY9D,IAAJ,C;QAAyB,OAAO,
Y;MACHC,OAAO,S;K;IAGX,4D;MAUI,ILtYmE,aKsY/D,YLTYIF,KAAIB,EKsYhD,YLTY8E,KAA9B,CKsY/D,IA

,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,OAAM,OAAK,UAAM,IAAX,UAAqB,SAAK,IAA1B,KAAN,SAAC,C,SAAC3C,I;K;yCAE5B,Y;MAAkC,OAAI,YAAO,CAAX,GAAc,oBAAE,UAAF,+BAAU,SAAV,eAAqB,SAANc,GAA8C,oBAAE,UAAF,qCAAqB,SAAhB,gBAA4B,CAAC,SAAD,IAA5B,C;K;IAEHf,qC;MAAA,yC;K;kEACI,sC;MAQ2F,2BAAgB,UAAhB,EAA4B,QAA5B,EAA5C,IAATc,C;K;;;IAT/F,iD;MAAA,gD;QAAA,+B;OAAA,yC;K;;IAiBA,mD;MAwCA,sC;MAjCI,IAAI,SAAQ,CAAZ,C;QAAe,MAAa,gCAAyB,wBAAzB,C;MAC5B,IAAI,SAAQ,WAAZ,C;QAA2B,MAAa,gCAAyB,wEAAzB,C;MAG5C,aAGwB,K;MAExB,YAG4F,0BAArC,KAAqC,EAAf,YAAe,EAAN,IAAM,C;MAE5F,YAGuB,I;K;wCAEvB,Y;MAAuC,kCAAuB,UAAvB,EAA8B,SAA9B,EAAoC,SAAPc,C;K;uCAEvC,Y;MACqC,OAAI,YAAO,CAAX,GAAc,aAAQ,SAAtB,GAAgC,aAAQ,S;K;sCAE7E,iB;MACI,gDAA4B,kBAAa,KAAM,UAAAnB,KAC5B,eAAS,KAAM,MAAf,IAAwB,cAAQ,KAAM,KAATc,IAA8C,cAAQ,KAAM,KADhC,CAA5B,C;K;wCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,OAAM,MAAK,UAAAL,QAAa,SAAb,IAAN,SAAB,SAAB3B,I;K;wCAE5B,Y;MAAkC,OAAI,YAAO,CAAX,GAAgB,UAAF,qBAAU,SAAV,cAAqB,SAANc,GAAgD,UAAF,2BAAgB,SAAhB,eAA4B,CAAC,SAAD,IAA5B,C;K;IAEHf,oC;MAAA,wC;K;iEACI,sC;MAQwF,0BAAe,UAAf,EAA2B,QAA3B,EAAqC,IAArC,C;K;;;IAT5F,gD;MAAA,+C;QAAA,8B;OAAA,wC;K;;IAiBA,oD;MAwCA,uC;MAjCI,IAAI,gBAAJ,C;QAAgB,MAAa,gCAAyB,wBAAzB,C;MAC7B,IAAI,sCAAJ,C;QAA4B,MAAa,gCAAyB,yEAAzB,C;MAG7C,aAGyB,K;MAEzB,YAG+F,4BAAvC,KAAuC,EAAhB,YAAgB,EAAN,IAAM,C;MAE/F,YAGwB,I;K;yCAExB,Y;MAAwC,mCAAwB,UAAxB,EAA+B,SAA/B,EAAqC,SAArC,C;K;wCAExC,Y;MACqC,OAAI,uBAAO,CAAX,GAAc,2BAAQ,SAAR,KAAc,GAAgC,2BAAQ,SAAR,K;K;uCAErE,iB;MACI,iDAA6B,kBAAa,KAAM,UAAAnB,KAC7B,mBAAS,KAAM,MAAf,KAAwB,kBAAQ,KAAM,KAAc,CAAxB,IAA8C,kBAAQ,KAAM,KAAc,CADjB,CAA7B,C;K;yCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,iCAAM,iCAAM,eAAW,8BAAW,EAAX,CAAX,CAAN,MAAoC,cAAU,6BAAU,EAAV,CAAV,CAAPc,CAAN,MAAuE,cAAU,6BAAU,EAAV,CAAV,CAAvE,CAAiG,Q;K;yCAE7H,Y;MAAkC,OAAI,uBAAO,CAAX,GAAgB,UAAF,qBAAU,SAAV,yBAAqB,SAArB,WAAc,GAAgD,UAAF,2BAAgB,SAAhB,yBAA6B,SAAD,aAA5B,W;K;IAEHf,qC;MAAA,yC;K;kEACI,sC;MAQ4F,2BAAgB,UAAhB,EAA4B,QAA5B,EAA5C,IAATc,C;K;;;IAThG,iD;MAAA,gD;QAAA,+B;OAAA,yC;K;;;6CCnJA,iB;MAGkD,+BAAS,UAAT,UAAkB,wBAAS,iBAAT,M;K;oCAEpE,Y;MAGgC,oCAAQ,iBAAR,K;K;;ItCIBd,wC;MAiBIB,iC;MAjBsD,2BAAgB,KAAhB,EAAuB,YAAvB,EAAqC,CAArC,C;K;8DAC7B,Y;MAAQ,8B;K;qEACD,Y;MAAQ,6B;K;2CAExC,iB;MAA8C,qBAAS,KAAT,IAAkB,SAAS,S;K;kCAEzE,Y;MAAkC,oBAAQ,S;K;iCAE1C,iB;MACI,2CAAuB,kBAAa,KAAM,UAAAnB,KACvB,eAAS,KAAM,MAAf,IAAwB,cAAQ,KAAM,KADf,CAAvB,C;K;mCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,OAAK,UAAM,IAAX,UAAqB,SAAK,IAA1B,K;K;mCAE5B,Y;MAAkC,2BAAE,UAAF,+BAAU,SAAV,C;K;IAEIC,+B;MAAA,mC;MACI,aAC8B,cAAy,OAAF,CAAE,CAAZ,EAAwB,OAAF,CAAE,CAAxB,C;K;;;IAFIC,2C;MAAA,0C;QAAA,yB;OAAA,mC;K;;IASiB,uC;MAiBjB,gC;MAjBmD,0BAAe,KAAf,EAAS,YAATB,EAAoC,CAAPc,C;K;6DAC3B,Y;MAAQ,iB;K;oEACD,Y;MAAQ,gB;K;0CAEvC,iB;MAA6C,qBAAS,KAAT,IAAkB,SAAS,S;K;iCAExE,Y;MAAkC,oBAAQ,S;K;gCAE1C,iB;MACI,0CAASB,kBAAa,KAAM,UAAAnB,KACtB,eAAS,KAAM,MAAf,IAAwB,cAAQ,KAAM,KADhB,CAATB,C;K;kCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,MAAK,UAAAL,QAAa,SAAb,I;K;kCAE5B,Y;MAAkC,OAAE,UAAF,qBAAU,S;K;IAE5C,8B;MAAA,kC;MACI,aAC6B,aAAS,CAAT,EAAY,CAAZ,C;K;;;IAFjC,0C;MAAA,yC;QAAA,wB;OAAA,kC;K;;IASkB,wC;MAiBIB,iC;MAjBsD,2BAAgB,KAAhB,EAAuB,YAAvB,K;K;8DAC7B,Y;MAAQ,iB;K;qEACD,Y;MAAQ,gB;K;2CAExC,iB;MAA8C,kCAAS,KAAT,UAAkB,sBAAS,SAAT,M;K;kCAEHf,Y;MAAkC,kCAAQ,SAAR,K;K;iCAEIC,iB;MACI,2CAAuB,kBAAa,KAAM,UAAAnB,KACvB,mBAAS,KAAM,MAAf,KAAwB,kBAAQ,KAAM,KAAc,CADD,CAAvB,C;K;mCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,iCAAM,eAAW,8BAAW,EAAX,CAAX,CAAN,MAAoC,cAAU,6BAAU,EAAV,CAAV,CAAPc,CAA8D,Q;K;mCAE1F,Y;MAAkC,OAAE,UAAF,qBAAU,SAAV,W;K;IAEIC,+B;MAAA,mC;MACI,aAC8B,qB;K;;;IAFIC,2C;MAAA,0C;QAAA,yB;OAAA,mC;K;;IuC/DJ,gB;MAAA,oB;K;8BAII,Y;MAA0B,oB;K;;;IAJ9B,4B;MAAA,2B;QAAA,U;OAAA,oB;K;ICEA,yC;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,uC;MAAA,0C;O;MAII,KE;MAEA,wF;MAEA,oF;MAEA,wE;MAEA,kE;MAEA,oF;MAEA,sF;MAEA,8E;MAEA,wE;MAEA,sF;MAEA,uF;MAEA,iE;MAEA,6E;MAEA,iE;MAEA,2E;K;;IA5BA,8C;MAAA,6B;MAAA,sC;K;;IAEA,yD;MAAA,6B;MAAA,iD;K;;IAEA,uD;MAAA,6B;MAAA,+C;K;;IAEA,iD;MAAA,6B;MAAA,yC;K;;IAEA,8C;MAAA,6B;MAAA,sC;K;;IAEA,uD;MAAA,6B;MAAA,+C;K;;IAEA,wD;MAAA,6B;MAAA,gD;K;;IAEA,oD;MAAA,6B;MAAA,4C;K;;IAEA,iD;MAAA,6B;MAAA,yC;K;;IAEA,wD;MAAA,6B;MAAA,gD;K;;IAEA,wD;MAA

AI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAyB,U
AAF,WAAvB,C;K;;IAJfF,mC;MACqD,kD;K;IAOF,wD;MAAA,kC;MAAS,uB;MACxD,aAAY,C;K;wDACZ,Y;M
AAyB,oBAAQ,kBAAM,O;K;yDACvC,Y;MAAwD,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,
mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAyB,UAAF,WAAvB,C;K;;IAJhF,kC;MACmD,iD;K;I
AOF,uD;MAAA,kC;MAAS,sB;MACtD,aAAY,C;K;uDACZ,Y;MAAyB,oBAAQ,kBAAM,O;K;uDACvC,Y;MAAu
D,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MA
AM,2BAAyB,UAAF,WAAvB,C;K;;IAJ/E,iC;MACiD,gD;K;IAOI,yD;MAAA,kC;MAAS,wB;MAC1D,aAAY,C;K;
yDACZ,Y;MAAyB,oBAAQ,kBAAM,O;K;2DACvC,Y;MAAyD,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAA
A,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAyB,UAAF,WAAvB,C;K;;IAJfF,mC;MA
CqD,kD;K;IAOE,0D;MAAA,kC;MAAS,yB;MAC5D,aAAY,C;K;0DACZ,Y;MAAyB,oBAAQ,kBAAM,O;K;6DA
CvC,Y;MAA0D,Q;MAA9B,IAAI,aAAQ,kBAAM,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O
;;QAAoB,MAAM,2BAAyB,UAAF,WAAvB,C;K;;IAJfF,mC;MACuD,mD;K;IAOJ,wD;MAAA,kC;MAAS,uB;MA
CxD,aAAY,C;K;wDACZ,Y;MAAyB,oBAAQ,kBAAM,O;K;yDACvC,Y;MAAwD,Q;MAA9B,IAAI,aAAQ,kBAA
M,OAAIB,C;QAAA,OAAwB,mBAAM,iBAAN,EAAM,yBAAN,O;;QAAoB,MAAM,2BAAyB,UAAF,WAAvB,C;
K;;IAJhF,kC;MACmD,iD;K;IAOpB,gC;MAAC,wB;K;;IAEHc,+B;MAC8C,MAAM,mC;K;IAEpD,8C;MAEI,IAAI
,qBAAJ,C;QACI,OAAO,CxB2GfF,WwB3GrE,UxB2GqE,EwB3GzD,QxB2GyD,C;;QwBzGxF,OAAS,CAAY,qBA
AsB,UAAtB,EAakC,QAAIC,C;;K;IAI7B,2C;MAEI,IAAI,KAAY,kBAAhB,C;QACI,KAAY,mBAakB,QAAIB,E
AA4C,sCAAhB,QAAgB,EAA5C,C;;QAEH,QAAT,SAA+C,CAAlB,IAAjC,KAAiC,EAakB,O;;K;IAIvD,sC;MAG
wB,Q;MADpB,gBAAgB,IAAhB,KAAGB,E;MACI,IAAI,OCjGkB,ODiGT,OAAT,EAAqB,WAArB,CAAJ,C;QAC
hB,OAAI,aAAJ,GAAMB,KAAM,WAAzB,GAAYC,I;;QAEzC,c;;MAHJ,wB;MAKA,kBAakB,K;MACIB,iBAAiB,
W;MACjB,OAAO,S;K;IAIa,sB;MAAC,U;K;iCACrB,iB;MACI,OAAO,mCAAsB,WAAK,KAAM,E;K;mCAG5C,
Y;MACI,OAAO,M;K;mCAGX,Y;MACI,OAAuC,oBAAnB,UAA5B,IAAe,EAAa,CAAmB,C;K;0CAG3C,iB;MAC
I,OAAR,IAAI,EAAW,GAAN,K;K;kCAGL,Y;MAEI,OAAO,M;K;;+DAIf,gB;MAEI,YAAY,MAAY,IAAK,OAAjB
,C;MACZ,sBAAU,IAAV,a;QACI,UAAU,KAak,CAAL,C;QACV,IAAI,oBAAJ,C;UACI,MAAM,CAAN,IAAW,E
AAS,MAAM,MAAK,GAAL,C;;UAE1B,MAAM,CAAN,IAAW,G;;;MAGnB,OAAO,EAAS,OAAO,OAAM,EA
AN,EAAGB,KAAhB,C;K;IAG3B,2B;MAMW,WAAO,S;MAIBd,YAAY,MAAY,IAAK,OAAjB,C;MACZ,sBAAU,I
AAV,a;QACI,UAAU,KAak,CAAL,C;QACV,IAAI,oBAAJ,C;UACI,MAAM,CAAN,IAAW,EAAS,MAAM,MAA
K,GAAL,C;;UAE1B,MAAM,CAAN,IAAW,G;;;MAYnB,OATO,EAAS,OAAO,OAAM,EAAN,EAAGB,KAAhB,C
;K;IAY3B,oC;MAWI,WAAqB,S;MACrB,IAAI,qBAAmB,CAAY,OAAAd,KAA2B,SAAhD,C;QAJCA,YAAY,MAK
CM,IAICW,OAAjB,C;QACZ,sBAiCkB,IAjCIB,a;UACI,UAGCc,IAhCJ,CAAK,CAAL,C;UACV,IAAI,oBAAJ,C;Y
ACI,MAAM,CAAN,IAAW,EAAS,MAAM,MAAK,GAAL,C;;YAE1B,MAAM,CAAN,IAAW,G;;;QA4Bf,OAzBG,
EAAS,OAAO,OAAM,EAAN,EAAGB,KAAhB,C;;QA2BnB,WAAW,C;QACX,0BAAU,IAAV,e;UACY,IAAoB,I;
UAA5B,eAAQ,QAAoB,OAAPB,IAAQ,CAAH,GAAG,CAAY,OAAPB,oCAAR,K;;QAEJ,aAAa,IAAjB,CAAC,YA
AgB,CAAH,IAAG,C;QEzFjB,IF0FyB,CE1FhB,OAAL,KAAkB,SAATB,C;UF0F4B,MEzFxB,UFyFqB,CEzFF,O;S
F0FnB,OAAO,C;QACP,0BAAU,IAAV,e;UAE0B,YACX,M;UAFX,YAAU,IAAQ,CAAH,GAAG,C;UACI,SAAJ,
KAAI,O;UAAtB,aAAU,CAAV,kB;YACI,OAAO,aAAP,EAAO,qBAAP,YAAiB,MAAI,CAAJ,C;;QAGzB,OAAO,
M;;K;IAIf,0B;MACgC,WAAS,c;MAAT,YAAhC,EAAE,MAAM,KAAiD,CAA3C,SAA2C,C;MAWrD,eAAiB,I;M
AXW,OAYrB,K;K;IAVX,uB;MAC6B,WAAS,W;MAAT,YAAsB,IAA/C,WAA+C,CAAnC,EAAE,MAAM,KAak
,CAAC,SAAD,CAAsB,C;MAQ/C,eAAiB,I;MARQ,OASIB,K;K;IAPX,uB;MAC6B,WAAS,W;MAAT,YAA7B,EA
AE,MAAM,KAA2C,CAArC,SAAqC,C;MAK/C,eAAiB,I;MALQ,OAMIB,K;K;2DAJX,uB;MAGI,eAAiB,I;MACj
B,OAAO,K;K;IGxM0B,2C;MAAC,8C;MACIC,eAAsB,C;MACtB,wBAA+B,C;MAC/B,gBAA6B,I;MAC7B,mBA
AsC,I;MACtC,qBAAYC,I;MAEzC,yBAAGD,yBAAMB,Q;MAEnE,sBAAGD,I;K;oEAFhD,Y;MAAA,6B;K;0CAIA,
Y;MAEY,kBADr,M;MAAA,U;MAAA,2C;QAAA,e;;QAES,gBADD,2CAAQ,yCAAR,gDAAwD,IAAxD,6BAAiE
,I;QACzD,sBtCwEd,S;QsC1EF,StC2EG,S;;MsC3EH,a;K;iDAIJ,kB;MACI,kBAAc,IAAd,C;MACiC,oB;MCqBrB,
Q;MADR,IDpBsB,MCoBtB,W;QADJ,mBACiB,I;;QADjB,mBAEY,QDrBc,MCqBd,+D;;MDrBZ,yC;MACA,2BA
AmC,MAAO,kBAA1C,C;MAGA,OAAO,IAAP,C;QtCoCY,gBsCnCH,S;;QACD,iBAAiB,8B;QAGjB,IAAI,0BAAJ
,C;UACI,qBAAC,e;;UAEd,oBAAQ,0B;UACR,wBAAy,kB;;UAIZ,cAAc,oB;UACd,IAAI,YAAY,yBAAhB,C;YA
AqC,M;UACrC,kBAAGB,O;UACHB,qBAAMB,I;;UAEnB,kBAAGB,I;UACHB,qBAAMB,S;;QAGvB,gC;QAEA,IA

AI,wCAAJ,C;UAEI,YAAU,U;;UAGV,U;UAAA,0C;YEVhB,8BD2CQ,WAAO,qBAAP,CC3CR,C;YFUgB,a;;YAA
A,a;UAAA,mB;YAEK,UeRBrB,oBD6CQ,WDxB+B,eCwB/B,CC7CR,C;WFsBgB,M;;;K;mDAMhB,Y;MACI,kBA
AkB,mB;MACIB,IAAI,uBAAuB,gBAAgB,IAA3C,C;QACI,uCAAQ,yCAAR,EAAMc,wCAA+B,WAA/B,C;OAE
vC,sBAAoB,mC;K;;IAM5B,iC;MAAA,qC;K;4EAEQ,Y;M1C0DyC,MAAM,6B0C1DjC,uC1C0D+D,WAA9B,C;K
;yD0CxDnD,kB;M1CwD6C,MAAM,6B0CvDzC,uC1CuDuE,WAA9B,C;K;+C0CpDnD,Y;MAAkC,8C;K;;IARtC,
6C;MAAA,4C;QAAA,2B;OAAA,qC;K;IGmDA,mG;IAAA,yH;IAAA,6F;MAKW,kC;MAAS,4C;K;IALpB,sEAM
Q,Y;MACI,Q;MAAA,sC;QAAiB,U;OACjB,OAAO,oB;K;IARnB,6G;sJA3HA,iC;MAGBU,OAAK,SAAL,CAAiB,
UAAjB,EAA6B,KAA7B,C;K;wJAEV,2C;MAiBU,OAAK,SAAL,CAAiB,QAAjB,EAA2B,UAA3B,EAAuC,KAav
C,C;K;IAiC6C,oG;MAAA,mB;QAC3C,OAAK,iCAAL,CAAiB,kBAAjB,C;O;K;IA/BZ,6D;MA0BI,IAAS,SAAY,O
AAjB,IAA2B,CAA/B,C;QAAA,OAES,SAAL,CAAiB,UAAjB,EAA6B,IAA7B,C;;QA8D0B,Q;QAhE9B,4DAImD,
0DAJnD,EAgE8B,qBA5DS,UA4DT,qCAhE9B,C;;K;IAwCmD,wH;MAAA,mB;QAC3C,OAAK,iCAAL,CAAiB,g
BAAjB,EAA2B,kBAA3B,C;O;K;IAhCZ,yE;MA2BI,IAAS,SAAY,OAAjB,IAA2B,CAA/B,C;QAAA,OAES,SAAL
,CAAiB,QAAjB,EAA2B,UAA3B,EAAuC,IAAvC,C;;QA0B0B,Q;QA5B9B,4DAImD,sEAJnD,EA4B8B,qBAxBS,
UAWBT,qCA5B9B,C;;K;IASJ,gC;MAWK,kBAAD,M;MAAA,kBAAC,qEAAD,4DAA2C,S;K;6CAG/C,yB;MAA
A,mG;MAAA,yH;MAAA,6F;QAKW,kC;QAAS,4C;O;MALpB,sEAMQ,Y;QACI,Q;QAAA,sC;UAAiB,U;SACjB,
OAAO,oB;O;MARnB,6G;MAAA,oC;QAKkC,Q;QAA9B,mEAA8B,oEAA9B,C;O;KALJ,C;IFCxHA,a;MAA6C,O
AAA,MAAa,YAAW,CAAX,C;K;6FCH1D,yB;MAEI,OAAG,GAAG,CAAC,QAAD,C;K;mFAGV,oB;MAEI,OAA
J,GAAL,GAAE,G;K;6EPVN,a;MAK8C,cAAvC,C;K;6EChP,Y;MAG+C,S;K;IA6B/C,2B;MAG4D,0BAAe,WAAf,
C;K;IAE5D,mC;MAIwF,0BAAe,WAAf,C;K;IAExF,mC;MAKwE,0BAAe,WAAf,C;K;IAGxE,4B;MAI8D,Q;MAH
ID,aAAkB,GAAL,O;MACtB,aAAkB,GAAL,O;MACtB,YAAiB,C;MACjB,OAAO,QAAQ,MAAR,IAAkB,QAAQ,
MAAjC,C;QAAyC,IAAI,KAAJ,IAAa,IAAI,YAAJ,EAAL,oBAAJ,O;;MACtD,OAAO,G;K;IAIX,wD;MAMuC,Q;M
ALnC,aAAa,MAAO,OAAM,CAAN,EAAS,OAAT,C;MA0BpB,IAzBc,MAyBL,OAAL,KAakB,SAAtB,C;QAZBs
B,MA0BIB,UA1BU,MA0BS,O;OAzBvB,YAAiB,MAAO,O;MACxB,IAAI,UAAU,KAAd,C;QACI,gBAAgB,O;Q
AChB,OAAO,QAAQ,OAaf,C;UAAwB,OAAO,YAAP,EAAO,oBAAP,UAAkB,Y;;OAE9C,OAAO,M;K;IAGX,gD
;MAKoB,UAAmB,M;MAJnC,aAAa,KAAM,Q;MACnB,MAAO,OAAP,IAAiB,UAAW,K;MAc5B,IAbc,KAaL,OA
AL,KAakB,SAAtB,C;QAbqB,MAcjB,UAdU,KAcS,O;OAbvB,YAAiB,KAAM,O;MACP,4B;MAAhB,OAAGB,cA
AhB,C;QAAgB,yB;QAAy,OAAO,cAAP,EAAO,sBAAP,YAAkB,O;;MAC9C,OAAO,M;K;IAGX,yD;MAEoB,UA
AgB,M;MADhC,YAAy,U;MACI,4B;MAAhB,OAAGB,cAAhB,C;QAAgB,yB;QAAy,IAAI,cAAJ,EAAL,sBAAJ,Y
AAe,O;;MAC3C,OAAO,G;K;oFAGX,oB;MACI,IAAI,IAAK,OAAL,KAakB,SAAtB,C;QACI,YAAc,IAAK,O;Q;0
EAI3B,wB;MAA+D,OAAA,MAAa,QAAO,GAAP,EAAY,OAAZ,C;K;IO/F5E,mC;MAOI,kBAakB,MAAa,eAAc,
SAAd,C;MAC/B,iBAAiB,MAAa,eAAc,IAAd,C;MAC9B,OAAW,gBAAe,UAAAnB,GAA+B,SAAB,GAAyC,CAA
C,S;K;0ECURd,2B;MAKyE,OAAA,MAAa,gBAAe,IAAf,C;K;4EAyBtF,2B;MAKsE,OAAA,MAAa,eAAc,IAAd,C
;K;kEAGnF,qB;MAAgD,OAAA,MAAa,KAAK,UAAS,GAAT,EAAC,IAAd,C;K;wEACHC,qB;MAAQ,OAAK,SA
AY,a;K;0EACxB,qB;MAAQ,OAAK,SAAY,c;K;IC1D5D,sC;MAMsD,OAAA,SAAY,UAAS,WAAW,KAAx,CAA
T,C;K;ljdKIE,uC;MdqnBW,Q;MAAA,Ic/mBgB,Kd+mBZ,IAAS,CAAT,Ic/mBY,Kd+mBE,IAAS,wBAA3B,C;QA
AA,OAAc,Uc/mBtB,Kd+mBsB,C;;Qc/mBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAG
J,uC;MdsnBW,Q;MAAA,IchnBgB,KdgnBZ,IAAS,CAAT,IchnBY,KdgnBE,IAAS,0BAA3B,C;QAAA,OAAc,Uch
nBtB,KdgnBsB,C;;QchnBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;MdunBW,Q;
MAAA,IcjbBgB,KdinBZ,IAAS,CAAT,IcjbBY,KdinBE,IAAS,0BAA3B,C;QAAA,OAAc,UcjbBtB,KdinBsB,C;;Q
cjbBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;MdynBW,Q;MAAA,IcnnBgB,KdmnBZ,IAAS,CAAT,
IcnnBY,KdmnBE,IAAS,0BAA3B,C;QAAA,OAAc,UcnnBtB,KdmnBsB,C;;QcnnBb,MAAM,8BAA0B,iCAAuB,g
BAAvB,MAA1B,C;;MAAtC,W;K;IAGJ,uC;Md0nBW,Q;MAAA,IcnpBgB,KdonBZ,IAAS,CAAT,IcnpBY,KdonBE
,IAAS,0BAA3B,C;QAAA,OAAc,UcnpBtB,KdonBsB,C;;QcnpBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,
C;;MAAtC,W;K;IAGJ,uC;Md2nBW,Q;MAAA,IcrnBgB,KdqnBZ,IAAS,CAAT,IcrnBY,KdqnBE,IAAS,0BAA3B,C
;QAAA,OAAc,UcrnBtB,KdqnBsB,C;;QcrnBb,MAAM,8BAA0B,iCAAuB,gBAAvB,MAA1B,C;;MAAtC,W;K;IA
GJ,uC;Md4nBW,Q;MAAA,IctnBgB,KdsnBZ,IAAS,CAAT,IctnBY,KdsnBE,IAAS,0BAA3B,C;QAAA,OAAc,Uct

C;MAII,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAA5D,SAAK,OAA3D, EAAiE,QAAjE,C;K;IAGX,sC;MAII,OAAO,oBAAoB,SAAPB,EAA0B,QAA1B,C;K;IAGX,sC;MAII,OAAO,mBA AwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAA5D,SAAK,OAA3D,EAAiE,QAAjE,C;K;I AGX,sC;MAII,OAAO,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAA5D,SAAK,O AA3D,EAAiE,QAAjE,C;K;IAGX,sC;MAII,OAAO,oBAAoB,SAAPB,EAA0B,QAA1B,C;K;IAGX,sC;MAII,OAA O,mBAAwB,UAAL,SAAK,EAAO,mBAAO,QAAS,KAAhB,IAAP,CAAxB,EAA5D,SAAK,OAA3D,EAAiE,QAAj E,C;K;iFAGX,+B;MAKI,OAAy,SAAY,QAAO,QAAP,C;K;iFAG5B,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBA AqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EA A2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C; O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFA QA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,i D;MAAA,sC;QAKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;Q AKI,OAAO,qBAAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;iFAQA,yB;MAAA,iD;MAAA,sC;QAKI,OAAO,qB AAqB,SAArB,EAA2B,QAA3B,C;O;KALX,C;8FAQA,8B;MAKI,OAAy,SAAY,QAAO,CAAQ,OAAR,CAAP,C; K;IAmBL,2B;MAAsB,OAAA,CAAE,iBAAU,CAAV,C;K;IAN/C,2B;MAMI,IAAI,mBAAO,CAAX,C;QAsGY,eAt GO,WAsGP,C;Q;IAjDhB,2B;MAQI,IAAI,mBAAO,CAAX,C;QAAC,UAAU,SAAV,C;K;IAGiB,uC;MAMI,IAAI, mBAAO,CAAX,C;QAAC,cAAc,SAAd,EAAoB,UAApB,C;K;gFAGiB,iC;MAKI,SAAY,MAAK,UAAL,C;K;gFAG hB,iC;MAKI,SAAY,MAAK,UAAL,C;K;gFAGhB,iC;MAKI,SAAY,MAAK,UAAL,C;K;iFAGhB,iC;MAKI,SAAY ,MAAK,UAAL,C;K;iFAGhB,iC;MAKI,SAAY,MAAK,UAAL,C;K;iFAGhB,iC;MAKI,SAAY,MAAK,UAAL,C;K; iFAGhB,iC;MAKI,SAAY,MAAK,UAAL,C;K;IAGhB,yC;MAMI,IAAI,mBAAO,CAAX,C;QAAC,gBAAC,SAAd,E AAoB,UAApB,C;K;IAGiB,mC;MAII,OAAO,EAAS,MAAM,MAAK,SAAL,C;K;IAG1B,mC;MAII,OAAO,EAAS, MAAM,MAAK,SAAL,C;K;IAG1B,mC;MAII,OAAO,EAAS,MAAM,MAAK,SAAL,C;K;IAG1B,mC;MAII,OAA O,EAAS,MAAM,MAAK,SAAL,C;K;IAG1B,mC;MAII,OAAO,EAAS,MAAM,MAAK,SAAL,C;K;IAOH ,kD;MAAA,wB;QAAW,qCAAK,KAAL,E;O;K;IAJIC,oC;MAII,OAAO,iBAAM,gBAAN,EAAY,gCAAZ,C;K;IkDt kDX,+B;MAII,eAAe,CAAC,iBAAO,CAAP,IAAD,IAAa,CAAb,I;MACf,IAAI,WAAW,CAAF,C;QAaKB,M;MACI B,mBAAmB,2B;MACnB,iBAAC,CAAd,WAAiB,QAAjB,U;QACI,UAAU,sBAAK,KAAL,C;QACV,sBAAK,KAA L,EAAC,sBAAK,YAAL,CAAd,C;QACA,sBAAK,YAAL,EAAqB,GAARB,C;QACA,mC;;K;I9CbR,uB;MAMI,OA AW,oBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAMB,C;K;mFAG9B,yB;MAAA,iB;MAAA,uB;QAOI,OAAO,MAA K,KAAM,CAAN,EAAiB,CAAjB,C;O;KAPhB,C;mFAUA,yB;MAAA,iB;MAAA,uB;QAOI,OAAO,MAAK,KAA I,CAAJ,EAAO,CAAP,C;O;KAPhB,C;mFAUA,yB;MAAA,iB;MAAA,uB;QAOI,OAAO,MAAK,KAAI,CAAJ, EAAO,CAAP,C;O;KAPhB,C;mFAUA,gB;MAMI,OAAW,kBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAMB,C;K;mF AG9B,yB;MAAA,iB;MAAA,uB;QAOI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,C;O;KAPhB,C;mFAUA,yB;M AAA,iB;MAAA,uB;QAOI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,C;O;KAPhB,C;IAUA,2B;MAKI,OAAO,Q AAM,CAAN,EAAS,QAAM,CAAN,EAAS,CAAT,CAAT,C;K;mFAGX,yB;MAAA,iB;MAAA,0B;QAOI,OAAO, MAAK,KAAM,CAAN,EAAiB,CAAjB,EAA4B,CAA5B,C;O;KAPhB,C;mFAUA,yB;MAAA,iB;MAAA,0B;QAOI, OAAO,MAAK,KAAM,CAAN,EAAiB,CAAjB,EAA4B,CAA5B,C;O;KAPhB,C;mFAUA,yB;MAAA,iB;MAAA,0 B;QAOI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;O;KAPhB,C;mFAUA,mB;MAMW,UAAe,C AnEX,iBAmeC,CAnEd,MAAJ,GAmEe,CAnEf,GAmEkB,C;MAAzB,OAAa,CAnEf,iBAAK,GAAL,MAAJ,GAmE M,CAnEN,GAAMB,G;K;mFAsE9B,yB;MAAA,iB;MAAA,0B;QAOI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP, EAAU,CAAV,C;O;KAPhB,C;mFAUA,yB;MAAA,iB;MAAA,0B;QAOI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAA P,EAAU,CAAV,C;O;KAPhB,C;IAUA,uB;MAMI,OAAW,oBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAMB,C;K;mF AG9B,yB;MAAA,iB;MAAA,uB;QAOI,OAAO,MAAK,KAAM,CAAN,EAAiB,CAAjB,C;O;KAPhB,C;mFAUA,y B;MAAA,iB;MAAA,uB;QAOI,OAAO,MAAK,KAAM,CAAN,EAAiB,CAAjB,C;O;KAPhB,C;mFAUA,yB;MAA A,iB;MAAA,uB;QAOI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,C;O;KAPhB,C;mFAUA,gB;MAMI,OAAW,kB AAK,CAAL,MAAJ,GAAY,CAAZ,GAAMB,C;K;mFAG9B,yB;MAAA,iB;MAAA,uB;QAOI,OAAO,MAAK,KAA I,CAAJ,EAAO,CAAP,C;O;KAPhB,C;mFAUA,yB;MAAA,iB;MAAA,uB;QAOI,OAAO,MAAK,KAAI,CAAJ,EA AO,CAAP,C;O;KAPhB,C;IAUA,2B;MAKI,OAAO,QAAM,CAAN,EAAS,QAAM,CAAN,EAAS,CAAT,CAAT,C;

K;mFAGX,yB;MAAA,iB;MAAA,0B;QAOI,OAAO,MAAK,KAAM,CAAN,EAAiB,CAAjB,EAA4B,CAA5B,C;O;KAPhB,C;mFAUA,yB;MAAA,iB;MAAA,0B;QAOI,OAAO,MAAK,KAAM,CAAN,EAAiB,CAAjB,EAA4B,CAA5B,C;O;KAPhB,C;mFAUA,yB;MAAA,iB;MAAA,0B;QAOI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,EAAU,C AAV,C;O;KAPhB,C;mFAUA,mB;MAMW,UAAe,CAnEX,iBAmEc,CAnEd,MAAJ,GAmEe,CAnEf,GAmEkB,C; MAAzB,OAAa,CAnEF,iBAAK,GAAL,MAAJ,GAmEM,CAnEN,GAAMb,G;K;mFAsE9B,yB;MAAA,iB;MAAA,0 B;QAOI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;O;KAPhB,C;mFAUA,yB;MAAA,iB;MAAA ,0B;QAOI,OAAO,MAAK,KAAI,CAAJ,EAAO,CAAP,EAAU,CAAV,C;O;KAPhB,C;I+CpQA,wC;MvCiBW,Q;M AAA,IuCXgB,KvCWZ,IAAS,CAAT,IuCXy,KvCWE,IAAS,2BAA3B,C;QAAA,OAAc,qBuCXtB,KvCWSb,C;;Q uCXb,MAAM,8BAA0B,mCAAyB,gBAAzB,MAA1B,C;;MAAtC,W;K;ICJJ,wC;MhCqTe,WgC7SY,KhC6SZ,IAA S,C;MAAT,S;QAAC,OgC7SF,KhC6SE,IAqlGT,gBAAR,iBAAQ,C;OArIGT,U;MAAA,S;QAAA,SAAsC,sBgC7St B,KhC6SsB,C;;QgC7Sb,MAAM,8BAA0B,iCAAuB,cAAvB,MAA1B,C;;MAAtC,a;K;IAGJ,wC;MhCsTe,WgC9SY ,KhC8SZ,IAAS,C;MAAT,S;QAAC,OgC9SF,KhC8SE,IAilGT,gBAAR,iBAAQ,C;OAJIGT,U;MAAA,S;QAAA,SA AsC,sBgC9StB,KhC8SsB,C;;QgC9Sb,MAAM,8BAA0B,iCAAuB,cAAvB,MAA1B,C;;MAAtC,a;K;IAGJ,wC;MhC uTe,WgC/SY,KhC+SZ,IAAS,C;MAAT,S;QAAC,OgC/SF,KhC+SE,IA6kGT,gBAAR,iBAAQ,C;OA7kGT,U;MAA A,S;QAAA,SAAsC,sBgC/StB,KhC+SsB,C;;QgC/Sb,MAAM,8BAA0B,iCAAuB,cAAvB,MAA1B,C;;MAAtC,a;K;I AGJ,wC;MhCwTe,WgChTY,KhCgTZ,IAAS,C;MAAT,S;QAAC,OgChTF,KhCgTE,IAykGT,gBAAR,iBAAQ,C;O AzkGT,U;MAAA,S;QAAA,SAAsC,sBgChTtB,KhCgTsB,C;;QgChTb,MAAM,8BAA0B,iCAAuB,cAAvB,MAA1B ,C;;MAAtC,a;K;IASO,6C;MAAA,8B;MAAS,uB;K;0EACW,Y;MAAQ,OAAA,gBAAY,K;K;+CAC3C,Y;MAAkC, OAAA,gBAAY,U;K;sDAC9C,mB;MAAgD,OAAA,gBAAY,gBAAS,OAAT,C;K;mDAC5D,iB;MACI,oCAAa,2B AAkB,KAAIB,EAAyB,SAAzB,C;MACb,OAAO,6BAAY,KAAZ,C;K;qDAEX,mB;MACS,Q;MAAL,IAAI,eAAC, 0EAAD,OAAJ,C;QAAgC,OAAO,E;MACvC,OhC+pBO,UgC/pBA,gBhC+pBR,QAAQ,EgC/pBoB,O/DyHF,K+Bsi BIB,C;K;yDgC7pBX,mB;MACS,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,E;MACvC,OhC23BO,c gC33BA,gBhC23BR,QAAQ,EgC33BwB,O/DqHN,K+BswBIB,C;K;;Igc/4BnB,6B;MAMI,4C;K;IAyBO,6C;MAA A,8B;MAAS,uB;K;0EACW,Y;MAAQ,OAAA,gBAAY,K;K;+CAC3C,Y;MAAkC,OAAA,gBAAY,U;K;sDAC9C, mB;MAAiD,OAAA,gBAAY,gBAAS,OAAT,C;K;mDAC7D,iB;MACI,oCAAa,2BAAkB,KAAIB,EAAyB,SAAzB, C;MACb,OAAO,6BAAY,KAAZ,C;K;qDAEX,mB;MACS,Q;MAAL,IAAI,eAAC,0EAAD,QAAJ,C;QAAiC,OAA O,E;MACxC,OhCgpBO,UgChpBA,gBhCgpBR,QAAQ,EgChpBoB,OIC2GA,KEqiBpB,C;K;yDgC9oBX,mB;MAC S,Q;MAAL,IAAI,eAAC,0EAAD,QAAJ,C;QAAiC,OAAO,E;MACxC,OhC42BO,cgC52BA,gBhC42BR,QAAQ,Eg C52BwB,OICuGJ,KEqwBpB,C;K;;Igc4BnB,6B;MAMI,4C;K;IAyBO,6C;MAAA,8B;MAAS,uB;K;0EACW,Y;M AAQ,OAAA,gBAAY,K;K;+CAC3C,Y;MAAkC,OAAA,gBAAY,U;K;sDAC9C,mB;MAAiD,OAAA,gBAAY,gBA AS,OAAT,C;K;mDAC7D,iB;MACI,oCAAa,2BAAkB,KAAIB,EAAyB,SAAzB,C;MACb,OAAO,6BAAY,KAAZ, C;K;qDAEX,mB;MACS,Q;MAAL,IAAI,eAAC,0EAAD,QAAJ,C;QAAiC,OAAO,E;MACxC,OhCioBO,UgCjoBA, gBhCioBR,QAAQ,EgCjoBoB,OhE2CA,KgCslBpB,C;K;yDgC/nBX,mB;MACS,Q;MAAL,IAAI,eAAC,0EAAD,Q AAJ,C;QAAiC,OAAO,E;MACxC,OhC61BO,cgC71BA,gBhC61BR,QAAQ,EgC71BwB,OhEuCJ,KgCsZpB,C;K;; Igcj3BnB,8B;MAMI,4C;K;IAyBO,6C;MAAA,8B;MAAS,uB;K;0EACW,Y;MAAQ,OAAA,gBAAY,K;K;+CAC3 C,Y;MAAkC,OAAA,gBAAY,U;K;sDAC9C,mB;MAAkD,OAAA,gBAAY,gBAAS,OAAT,C;K;mDAC9D,iB;MA CI,oCAAa,2BAAkB,KAAIB,EAAyB,SAAzB,C;MACb,OAAO,6BAAY,KAAZ,C;K;qDAEX,mB;MACS,Q;MAAL ,IAAI,eAAC,0EAAD,SAAJ,C;QAAC,OAAO,E;MACzC,OhCknBO,UgClnBA,gBhCknBR,QAAQ,EgClnBoB,O9 D6BE,K8BqlBtB,C;K;yDgChnBX,mB;MACS,Q;MAAL,IAAI,eAAC,0EAAD,SAAJ,C;QAAC,OAAO,E;MACzC, OhC80BO,cgC90BA,gBhC80BR,QAAQ,EgC90BwB,O9DyBF,K8BqzBtB,C;K;;Igc12BnB,8B;MAMI,4C;K;+ECrI J,qB;MAC+C,OAAA,SAAY,Y;K;yEAE3D,qB;MAC4C,OAAA,SAAY,S;K;2EAExD,6B;MACwD,OAAA,SAAY, QAAO,MAAP,C;K;2EAEPe,kC;MACqE,OAAA,SAAY,QAAO,IAAP,EAAa,KAAb,C;K;2EAEJf,2B;MACwD,O AAA,SAAY,QAAO,IAAP,C;K;0EAEPe,yC;MACoF,OAAA,SAAY,QAAO,IAAP,EAAa,KAAb,EAAoB,KAApB, C;K;yEAEhg,qB;MAC4C,OAAA,SAAY,S;K;+EAExD,qB;MAC+C,OAAA,SAAY,Y;K;+EAE3D,6B;MAC2D,O AAA,SAAY,WAAU,MAAV,C;K;iFAEvE,qB;MACgD,OAAA,SAAY,a;K;;;gFnDvB5D,yB;MAAA,kC;MAAA,o C;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MAAA, 6B;QAAsG,+C;O;KAAAtG,C;IoDF8B,sB;MAAC,oB;QAAA,OAA0B,E;MAA1B,gB;K;;IAE/B,wB;K;;IAIA,wB;K;; IAIA,wB;K;;IAKiC,uB;MAAC,oB;QAAA,OAA0B,E;MAA1B,gB;K;;IAEiC,kB;K;;IAqCqC,sB;MAAC,gB;K;;IAG

CN,4B;MAAC,sB;K;;IAEjC,uB;K;;IA8DmC,4B;MAAC,kB;K;;IAEpC,gC;K;;IAeA,oB;K;;ICvKA,oB;K;;IAIA,wB;K;;oFjDLA,qB;MAEqE,uCkCAtB,E;K;IGICE/C,yB;MAAA,kD;MAAA,4B;QACsE,mBAAY,SAAZ,C;O;KADtE,C;IAGA,iC;MAGI,OAAsB,UAAy,QAAvB,KAAmC,SAA9C,GACe,UAAy,UAD3B,GAGI,gBAAgB,UAAhB,C;K;IAGR,qC;MAEI,YkChB2C,E;MICiB3C,eAAe,UAAW,W;MAC1B,OAAO,QAAS,UAAhB,C;QACU,KAAy,M AAK,QAAS,OAA d,C;MACtB,OAAO,K;K;IAGX,8C;MAQc,Q;MANV,IAAI,KAAM,OAA N,GAAa,UAAW,KAA 5B,C;QACI,OAAO,gBAAgB,UAAhB,C;OAEX,eAAe,UAAW,W;MAC1B,YAAy,C;MACZ,OAAO,QAAS,UAAh B,C;QACI,MAAM,YAAN,EAAM,oBAAN,UAAiB,QAAS,O;;MAE9B,IAAI,QAAQ,KAAM,OAAIB,C;QACI,MA AM,KAAN,IAAe,I;OAE nB,OAAO,K;K;IAGX,yB;MAG6C,sBAAY,OAAZ,E;K;IAE7C,wB;MAG2C,oBAAU,OA AV,E;K;IAE3C,qB;MAIuD,oBAAU,IAAV,E;K;IAEvD,mC;MAOqB,Q;MAAA,kC;MAAjB,iBAAc,CAAd,yB;QA CI,sBAAK,KAAL,EAAC,KAAd,C;;K;IAIR,4B;MAMuD,qBAAQ,4BAAR,C;K;IAEvD,6B;MAIwE,kBAAhB,0B; MAAwB,oB;MAAxB,OHR7C,W;K;IGUX,4B;MAMI,gBAAgB,SAAhB,EAAsB,cAAtB,C;K;IAGJ,2C;MAMI,gB AAgB,SAAhB,EAAsB,UAAtB,C;K;IAGJ,2C;MACI,IAAI,IAAK,KAAL,IAAa,CAAjB,C;QAAoB,M;MAEpB,YA AY,YAAy,IAAZ,C;MACZ,gBAAc,KAAd,EAaqB,UAArB,C;MAEA,AAAU,CAAV,MAAkB,KAAM,OAAxB,M; QACI,iBAAK,CAAL,EA AU,MAAM,CAAN,CAAV,C;;K;IAIR,uC;MACI,OAAO,gBAAkB,IAAIB,O;K;IAGX,iF; MAIL,oCAAA,2BAAkB,UAAIB,EAAsB,QAA9B,EAawC,MAAO,OAA/C,C;MACb,gBAAgB,WAAW,UAAx,I; MACHB,oCAAA,2BAAkB,iBAaIB,EAaqC,oBAAoB,SAApB,IAArC,EAaoE,WAAy,OAAhF,C;MAEb,IAAI,WA AkB,QAAO,WAAP,CAAIB,IAAyC,WAAkB,QAAO,MAAP,CAA/D,C;QACI,eAAsB,MAAY,UAAS,UAAT,EAa qB,QAArB,C;QACtB,WAAy,KAAI,QAAJ,EAAC,iBAAd,C;;QAExB,IAAI,WAAW,WAAx,IAA0B,qBAAqB,UA AnD,C;UACI,iBAAc,CAAd,UAAsB,SAAtB,U;YACI,YAAy,oBAAoB,KAApB,IAAZ,IAAyC,OAAO,aAAa,KAA b,IAAP,C;;UAG7C,mBAAc,YAAy,CAAZ,IAAd,aAAmC,CAAnC,Y;YACI,YAAy,oBAAoB,OAApB,IAAZ,IAA yC,OAAO,aAAa,OAAb,IAAP,C;;;K;8GAMzD,qB;MAEgF,gB;K;kGAehF,yB;MAAA,4D;MAAA,4B;QAC8E,O AAK,aAAL,SAAK,C;O;KADnF,C;sGAIA,gC;MAEI,OAAI,SAAJ,GAEL,SAFJ,GAIL,SNwkBoB,Q;K;IMpkB5B,m C;MAEI,IAAI,QAAQ,CAAZ,C;QACI,oB;OAEJ,OAAO,K;K;IAGX,mC;MAEI,IAAI,QAAQ,CAAZ,C;QACI,oB;O AEJ,OAAO,K;K;IAIX,mC;MAIqD,mB;K;IAErD,wC;MP5JI,IAAI,EOoKI,YAAy,CPPkHb,CAAJ,C;QACI,cOmK qB,gC;QPIKrB,MAAM,gCAAYB,OAAQ,WAAjC,C;Q;IyDzB4C,qC;MAAiC,6B;K;uDAlvF,mB;MACI,eAAe,e;M ACf,OAAO,QAAS,UAAhB,C;QACI,IAAI,OAAA,QAAS,OAA T,EAAMB,OAA nB,CAAJ,C;UACI,QAAS,S;UAC T,OAAO,I;;MAGf,OAAO,K;K;yDAGX,oB;MAEoB,Q;MADhB,eAAe,K;MACC,0B;MAAhB,OAAgB,cAAhB,C; QAAgB,yB;QACZ,IAAI,eAAI,OAAJ,CAAJ,C;UAAkB,WAAW,I;;MAEjC,OAAO,Q;K;IAG8F,sE;MAAA,qB;QA AE,OAAM,gBAAN,mB;O;K;4DAA3G,oB;MAAmE,Q;MAAD,OAA6B,YAA5B,iEAA4B,EA AU,oDAAV,C;K;IA CU,sE;MAAA,qB;QAAE,QAAO,gBAAP,mB;O;K;4DAA3G,oB;MAAmE,Q;MAAD,OAA6B,YAA5B,iEAA4B,E AAU,oDAAV,C;K;gDAE/F,Y;MACI,eAAe,IAAK,W;MACpB,OAAO,QAAS,UAAhB,C;QACI,QAAS,O;QACT,Q AAS,S;;K;iDAIjB,Y;MACyB,OAAA,IAAK,U;K;;IC9BkB,+B;MAAiC,oC;MACjF,gBAA8B,C;K;8CAM9B,mB;M AMI,iBAAI,SAAJ,EA AU,OAAV,C;MACA,OAAO,I;K;mDAGX,2B;MAGc,UACF,M;MAHR,aAAa,K;MACb,cA Ac,K;MACJ,0B;MAAV,OAAU,cAAV,C;QAAU,mB;QACN,kBAAI,eAAJ,EAAL,uBAAJ,WAAc,CAAd,C;QACA, UAAU,I;;MAEd,OAAO,O;K;0CAGX,Y;MACI,yBAAY,CAAZ,EA Ae,SAAf,C;K;IAGwE,gE;MAAA,qB;QAAE,O AAM,gBAAN,mB;O;K;sDAA9E,oB;MAAkE,yBAAU,8CAAV,C;K;IACU,gE;MAAA,qB;QAAE,QAAO,gBAAP, mB;O;K;sDAA9E,oB;MAAkE,yBAAU,8CAAV,C;K;6CAGIE,Y;MAAqD,iD;K;mDAErD,mB;MAAoD,0BAAQ,O AAR,KAAoB,C;K;kDAExE,mB;MACqB,Q;MAAA,6B;MAAjB,iBAAc,CAAd,yB;QACI,IAAI,wBAAL,KA AJ,GA Ac,OAA d,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,E;K;sDAGX,mB;MACI,iBAAc,sBAAd,WAA+B,CAA/B,U;Q ACI,IAAI,wBAAL,KA AJ,GA Ac,OAA d,CAAJ,C;UACI,OAAO,K;;MAGf,OAAO,E;K;iDAGX,Y;MAA6D,iCAAA, CAAb,C;K;yDAC7D,iB;MAAuE,sDAAiB,KAAjB,C;K;oDAGvE,8B;MAA4E,uCAAQ,IAAR,EAAC,SAAd,EAAY B,OAAzB,C;K;wDAE5E,8B;MAII,eAAe,0BAAa,SAAb,C;MACf,YAAO,UAAU,SAAV,I;MtDgEX,iBAAc,CAAd, UAAsB,KAAtB,U;QsD/DiB,e;QACA,iB;;K;2CAIjB,iB;MAMI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,I AAI,2BAAJ,C;QAAuB,OAAO,K;MAE9B,OAAO,oCAAA,uBAAC,IAAd,EAoB,KAApB,C;K;6CAGxB,Y;MAG+ B,OAAA,oCAAA,yBAAGB,IAAhB,C;K;IAG5C,kD;MAAA,oB;MACI,eACsB,C;MACtB,cAlqB,E;K;yDAErB,Y; MAAkC,sBAAQ,gB;K;sDAE1C,Y;MAEW,Q;MADP,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;MACtB,eAAO,m BAAP,EA AO,2BAAP,O;MACA,OAAO,wBAAL,WAAJ,C;K;wDAGX,Y;M1D/BJ,IAAI,E0DgCU,gBAAQ,E1DhC IB,CAAJ,C;QACI,c0D+BwB,sE;Q1D9BxB,MAAM,6BAAsB,OAAQ,WAA9B,C;00DgCF,6BAAS,WAA T,C;MA

CA,eAAQ,W;MACR,cAAO,E;K;;IAOqB,6D;MAHpC,oB;MAGmD,wD;MAG3C,oCAAa,4BAAmB,KAAAnB,EAA
0B,WAAyB,KAAAnD,C;MACb,eAAa,K;K;iEAGjB,Y;MAAsC,sBAAQ,C;K;+DAE9C,Y;MAAgC,mB;K;8DAEhC,
Y;MACI,IAAI,CAAC,kBAAL,C;QAAoB,MAAM,6B;MAE1B,eAAO,mCAAP,EAAO,YAAP,C;MACA,OAAO,w
BAAI,WAAJ,C;K;mEAGX,Y;MAAoC,sBAAQ,CAAR,I;K;+DAEpC,mB;MACI,wBAAI,YAAJ,EAAW,OAAx,C;
MACA,mC;MACA,cAAO,E;K;+DAGX,mB;M1DrEJ,IAAI,E0DsEU,gBAAQ,E1DtEIB,CAAJ,C;QACI,c0DqEwB,
4E;Q1DpExB,MAAM,6BAAsB,OAAQ,WAA9B,C;O0DqEF,wBAAYB,WAAzB,EAAiC,OAAjC,C;K;;IAIgb,+D;
MAAuF,8B;MAAtF,kB;MAA0C,4B;MAC/D,eAAyB,C;MAGrB,oCAAa,2BAAkB,gBAAIB,EAA6B,OAA7B,EAA
sC,WAAK,KAA3C,C;MACb,eAAa,UAAU,gBAAV,I;K;wDAGjB,0B;MACI,oCAAa,4BAAmB,KAAAnB,EAA0B,
YAA1B,C;MAEb,WAAK,aAAI,mBAAY,KAAZ,IAAJ,EAAuB,OAAvB,C;MACL,mC;K;wDAGJ,iB;MACI,oCAA
a,2BAAkB,KAAIB,EAAyB,YAAzB,C;MAEb,OAAO,wBAAK,mBAAY,KAAZ,IAAL,C;K;6DAGX,iB;MACI,oC
AAa,2BAAkB,KAAIB,EAAyB,YAAzB,C;MAEb,aAAa,WAAK,kBAAS,mBAAY,KAAZ,IAAT,C;MACIB,mC;M
ACA,OAAO,M;K;wDAGX,0B;MACI,oCAAa,2BAAkB,KAAIB,EAAyB,YAAzB,C;MAEb,OAAO,WAAK,aAAI,
mBAAY,KAAZ,IAAJ,EAAuB,OAAvB,C;K;+EAGO,Y;MAAQ,mB;K;;IC1Le,8B;MAAiC,sB;MA4BnF,uBAAoC,
I;MA2CpC,yBAA6C,I;K;IAIER,oD;MAAC,wB;MAGIC,gBAAqB,K;K;iFAHa,Y;MAAA,yB;K;mFAKZ,Y;MAAQ
,oB;K;8DAE9B,oB;MACI,eAAe,IAAK,S;MACpB,gBAAc,Q;MACd,OAAO,Q;K;wDAGX,Y;MAA+B,iEAc,IAA
d,C;K;wDAC/B,Y;MAAKC,iEAAc,IAAd,C;K;sDACIC,iB;MAA4C,+DAAY,IAAZ,EAakB,KAAIB,C;K;;IAd5C,8
E;MAAA,wE;MAAsC,2CAAK,KAAM,IAAX,EAAGB,KAAM,MAAtB,C;MAAtC,Y;K;yCAkBJ,Y;MACI,YAAQ,
Q;K;IAOQ,+F;MAAA,sD;MAAS,6B;K;uFACb,mB;MAAwC,MAAM,qCAA8B,8BAA9B,C;K;mFAC9C,Y;MACI,
4BAAwB,Q;K;4FAG5B,mB;MAAsD,sDAAY,OAAZ,C;K;IAI3C,oH;MAAA,kD;K;4GACH,Y;MAAKC,OAAA,0
BAAc,U;K;yGACHd,Y;MAAYB,OAAA,0BAAc,OAAO,I;K;2GAC9C,Y;MAAwB,0BAAc,S;K;;sFAL9C,Y;MACI
,oBAAoB,oCAAQ,W;MAC5B,6G;K;0FAOJ,mB;MACI,IAAI,+CAAY,OAAZ,CAAJ,C;QACI,4BAAwB,cAAO,O
AAP,C;QACxB,OAAO,I;OAEX,OAAO,K;K;gHAGY,Y;MAAQ,OAAA,4BAAwB,K;K;;sEA3BnE,Y;MACI,IAAI,
4BAAJ,C;QACI,6F;OA4BJ,OAAO,mC;K;kDAKf,gB;MACyB,Q;MAAA,OAAA,IjEqR2D,QAAQ,W;MiErRxF,O
AAqB,cAArB,C;QAAqB,wB;QAAf,UjEwMsD,U;QiExMjD,YjEqNiD,Y;QiEpNxD,iBAAI,GAJJ,EAAS,KAAT,C;
;K;IAQc,iG;MAAA,sD;MAAS,oC;K;yFACf,mB;MAAwC,MAAM,qCAA8B,gCAA9B,C;K;qFAC9C,Y;MAAuB,4
BAAwB,Q;K;8FAE/C,mB;MAAsD,wDAAc,OAAo,C;K;IAI3C,sH;MAAA,kD;K;8GACH,Y;MAAKC,OAAA,0BA
Ac,U;K;2GACHd,Y;MAAYB,OAAA,0BAAc,OAAO,M;K;6GAC9C,Y;MAAwB,0BAAc,S;K;;wFAL9C,Y;MACI,
oBAAoB,oCAAQ,W;MAC5B,+G;K;kHAOmB,Y;MAAQ,OAAA,4BAAwB,K;K;sFAEvD,iB;MAEI,IAAI,SAAS,
KAAb,C;QAAoB,OAAO,I;MAC3B,IAAI,iCAAJ,C;QAA6B,OAAO,K;MACpC,OAAO,oCAAa,uBAAc,IAAd,EA
AoB,KAApB,C;K;wFAGxB,Y;MAA+B,OAAA,oCAAa,yBAAGB,IAAhB,C;K;;wEA1BxD,Y;MACI,IAAI,8BAAJ,
C;QACI,iG;OA2BJ,OAAO,qC;K;gDAGf,e;MACI,WAAW,YAAQ,W;MACnB,OAAO,IAAK,UAAZ,C;QACI,YA
AY,IAAK,O;QACjB,QAAQ,KAAM,I;QACd,IAAI,YAAO,CAAP,CAAJ,C;UACI,YAAY,KAAM,M;UACIB,IAA
K,S;UACL,OAAO,K;;MAGf,OAAO,I;K;;IC5HoC,8B;MAAiC,oC;K;0CAEHf,iB;MAMI,IAAI,UAAU,IAAd,C;QA
AoB,OAAO,I;MAC3B,IAAI,0BAAJ,C;QAAsB,OAAO,K;MAC7B,OAAO,mCAAY,mBAAU,IAAV,EAAGB,KAA
hB,C;K;4CAGvB,Y;MAG+B,OAAA,mCAAY,2BAAkB,IAAIB,C;K;;ICbT,0B;MAAuD,8B;MAAIC,4B;K;qCAmB
vD,Y;K;iDAGA,uB;K;6DAG8B,Y;MAAQ,OAAA,oBAAM,O;K;sCAC5C,iB;MACyC,Q;MAAA,oCAAM,0BAA
W,KAAX,CAAN,4D;K;sCACzC,0B;MAGW,IAAa,I;MAFpB,0BAAW,KAAX,C;MAEoB,gBAAb,qBAAM,KAA
N,C;MAAQb,qC;MAA5B,OAAO,CAAa,OzDsCjB,SyDtCI,2D;K;oCAGX,mB;MACU,oBAAY,MAAK,OAAAL,C;
MACIB,qC;MACA,OAAO,I;K;sCAGX,0B;MACU,oBAAY,QAAO,mCAAoB,KAApB,CAAP,EAAMC,CAANc,E
AAsC,OAAAtC,C;MACIB,qC;K;yCAGJ,oB;MACI,IAAI,QAAS,UAAb,C;QAAwB,OAAO,K;MAE/B,uBAAA,oB5
D8vCoB,QM7yC0C,YsD+CrD,QtD/CqD,CN6yC1C,C;M4D7vCpB,qC;MACA,OAAO,I;K;yCAGX,2B;MACI,mC
AAoB,KAApB,C;MAEA,IAAI,UAAAS,SAAb,C;QAAMb,OAAO,oBAAO,QAAP,C;MAC1B,IAAI,QAAS,UAAb,C
;QAAwB,OAAO,K;MAE3B,IADE,KACF,e;QAAQ,OAAO,oBAAO,QAAP,C;WACf,IAFE,KAef,O;QAAK,uBtD
3DqD,YsD2D7C,QtD3D6C,CN6yC1C,Q4DlvC6B,oB5DkvC7B,C;;Q4DjvCR,uBAAoC,cAA5B,oBAA4B,EAAV,
CAAU,EAAP,KAAO,CAAY,QtD5DE,YsD4DK,QtD5DL,CsD4DF,EAA4C,cAAN,oBAAM,EAAY,KAAZ,EAAM
B,SAANB,CAA5C,C;;MAG5D,qC;MACA,OAAO,I;K;2CAGX,iB;MACI,0BAAW,KAAX,C;MACA,qC;MACA,O
AAW,UAAAS,sBAAb,GACG,oBAAY,MADf,GAGG,oBAAY,QAAO,KAAP,EAAC,CAAd,CAAIB,CAAMC,CAAN
C,C;K;uCAGR,mB;MACkB,Q;MAAA,2B;MAAd,mD;QACI,IAAI,4BAAM,KAAN,GAAgB,OAAhB,CAAJ,C;UA

CU,oBAAY,QAAO,KAAP,EAAC,CAAd,C;UACIB,qC;UACA,OAAO,I;;MAGf,OAAO,K;K;8CAGX,8B;MACI,q
C;MACM,oBAAY,QAAO,SAAP,EAAB,UAAU,SAAV,IAAIB,C;K;gCAGtB,Y;MACI,uBpBhGuC,E;MoBiGvC,
qC;K;wCAIJ,mB;MAA+C,OAAM,QAAN,oBAAM,EAAQ,OAAR,C;K;4CAErD,mB;MAAmD,OAAM,YAAN,oB
AAM,EAAy,OAaz,C;K;mCAEzD,Y;MAA0B,qBAAC,oBAAD,C;K;kCAC1B,Y;MAAsC,OAAA,EAAS,MAAM,
MAAK,oBAAL,C;K;+CAGrD,iB;MACI,oCAAa,kCAAYB,SAazB,C;MADoB,Y;K;wDAIrC,iB;MACI,oCAAa,mC
AA0B,SAA1B,C;MAD6B,Y;K;;IA7G9C,+B;MAAA,mD;MAG8B,sBpBPpA,EoBOb,C;MAH9B,Y;K;IAKA,kD;MA
K0B,+B;QAAA,kBAAuB,C;MALjD,mD;MAKsD,sBpBdX,EoBcW,C;MALtD,Y;K;IAOA,2C;MAAA,mD;MAGq
D,sBtDhBa,YsDgBR,QtDhBQ,CsDgBb,C;MAHrD,Y;K;I1DfJ,sD;MAAsG,4C;K;IAAtG,6CACI,gB;MAAwC,+BA
AW,CAAX,EAAC,CAAd,C;K;IAD5C,kF;I2DNA,0C;MACI,IAAI,6BAAJ,C;QACU,KAAy,MAAK,UAAL,C;;QA
EIB,UAAU,KAAV,EAawC,CAAxC,EAAiD,cAAN,KAAM,CAAjD,+BAAuE,UAAvE,E;;K;IAMiB,kD;MAAA,u
B;QAAgB,OAAA,kBAAW,SAAQ,CAAR,EAaw,CAAX,C;O;K;IAFpD,4C;MACI,IAAI,6BAAJ,C;QACI,iBAAiB
,gC;QACX,KAAy,MAAK,UAAL,C;;QAEIB,UAAU,KAAV,EAawC,CAAxC,EAAiD,cAAN,KAAM,CAAjD,EA
A4D,UAA5D,C;;K;IAMiB,gC;MAAgB,OAAE,iBAAF,CAAE,EAU,CAAV,C;K;IAF3C,0B;MACI,IAAI,6BAAJ,
C;QACI,iBAAiB,gB;QACX,KAAy,MAAK,UAAL,C;;QAEIB,UAAU,KAAV,EAawC,CAAxC,EAAiD,cAAN,K
AAM,CAAjD,EAA4D,cAA5D,C;;K;;IAaa,kD;MAAoB,QAAC,IAAM,CAAP,KAAa,IAAM,CAAnB,K;K;IARzC,u
C;MACI,sC;QAAiC,OAAjC,yB;OACA,4BAA4B,K;MAE5B,YAAy,E;MAGZ,iBAAC,CAAd,UAAsB,GAAtB,U;Q
AAiC,KAAy,MAAK,KAAL,C;MAC7C,iBAAiB,kC;MACX,KAAy,MAAK,UAAL,C;MACIB,mBAAC,CAAd,Y
AAsB,KAAM,OAA5B,Y;QACI,QAAQ,MAAM,UAAQ,CAAR,IAAN,C;QACR,QAAQ,MAAM,OAAN,C;QACR,
IAAI,CAAC,IAAM,CAAP,OAAc,IAAM,CAAPB,KAA0B,KAAC,CAAnC,C;UAAsC,OAAO,K;;MAEjD,4BAA4
B,I;MAC5B,OAAO,I;K;IAIX,2D;MACI,aAAa,gBAAmB,KAAM,OAAzB,O;MACb,aAAa,YAAU,KAAV,EAaiB,
MAAjB,EAAYB,KAAzB,EAAGC,YAAhC,EAA8C,UAA9C,C;MACb,IAAI,WAAW,KAAf,C;Q3EgqWa,gB;QAD
b,YAAy,C;QACZ,wB2E/pWI,M3E+pWJ,gB;UAAa,W2E/pWT,M3E+pWJ,M;U2E/pWoC,M3E+pWV,c2E/pWU,
E3E+pWV,sB2E/pWU,Y3E+pWD,I;;Q;I2E3pWvC,4D;MAEI,IAAI,UAA5,GAAb,C;QACI,OAAO,K;OAGX,aAA
a,CAAC,QAAQ,GAAR,IAAD,IAAgB,CAAhB,I;MACb,WAAW,YAAU,KAAV,EAaiB,MAAjB,EAAYB,KAAzB,
EAAGC,MAAhC,EAawC,UAAxC,C;MACX,YAAy,YAAU,KAAV,EAaiB,MAAjB,EAAYB,SAAS,CAAT,IAAz
B,EAaqC,GAAR,C,EAa0C,UAA1C,C;MAEZ,aAAiB,SAAS,MAAb,GAAqB,KAArB,GAAgC,M;MAG7C,gBAAg
B,K;MACb,iBAAiB,SAAS,CAAT,I;MACjB,aAAU,KAAV,OAAiB,GAAjB,M;QAEQ,iBAaA,MAAb,IAAuB,cA
Ac,GAAR,C;UACI,gBAAgB,KAAK,SAAL,C;UACb,iBAAiB,MAAM,UAAAN,C;UAEjB,IAAI,UAAW,SAAQ,S
AAR,EAAMB,UAAANB,CAAX,IAA6C,CAAjD,C;YACI,OAAO,CAAP,IAAY,S;YACZ,6B;;YAEA,OAAO,CAAP,I
AAY,U;YACZ,+B;;eAGR,iBAaA,MAAb,C;UACI,OAAO,CAAP,IAAY,KAAK,SAAL,C;UACZ,6B;;UAGA,OAA
O,CAAP,IAAY,MAAM,UAAAN,C;UACZ,+B;;MAMZ,OAAO,M;K;IC/FX,4C;MAKoB,UACM,M;MAFtB,aAAa,
C;MACb,wBAAgB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAEQ,oB;UAAmB,U;;UACnB,IjBHiC,MAAa,YiBGn
C,OjBHmC,CiBG9C,C;YAAwD,iCAAhC,OAAGC,C;iBAExD,uC;YAAmC,2BAAR,OAAQ,C;eACnC,wC;YAAm
C,2BAAR,OAAQ,C;eACnC,sC;YAAmC,2BAAR,OAAQ,C;eACnC,uC;YAAmC,2BAAR,OAAQ,C;;YAEA,kBAA
R,OAAQ,C;;QATvC,wB;QAYA,SAAS,MAAK,MAAL,QAAC,WAAAd,I;;MAEb,OAAO,M;K;;ICRP,uC;MAAA,2
C;K;2DACI,0B;MAA2D,sBAAU,MAAV,C;K;gEAE3D,iB;MAA6C,Q;MAAA,wEAAqB,C;K;;IAHtE,mD;MAAA
,kD;QAAA,iC;OAAA,2C;K;;MCuBA,iC;MAKA,8B;MA8CA,0BAAMe,I;;IA1EnE,kC;MAAA,oB;MAA+B,6B;K;
2CAE3B,mB;MAAyD,MAAM,qCAA8B,iCAA9B,C;K;uCAC/D,Y;MACI,WAAa,Q;K;gDAGjB,mB;MAAuE,yCA
Ac,OAAc,C;K;0CAEvE,Y;MAAwE,OAAA,iCAAY,W;K;8CAEpF,mB;MACI,IAAI,oBAAS,OAAT,CAAJ,C;QAC
I,WAAa,cAAO,OAAQ,IAAf,C;QACb,OAAO,I;OAEX,OAAO,K;K;oEAGY,Y;MAAQ,OAAA,WAAa,K;K;;8BA8
ChD,Y;MACI,0BAAY,Q;K;0CAIhB,e;MAAmD,OAAA,0BAAY,gBAAS,GAAT,C;K;4CAE/D,iB;MAAmE,gBAA
Z,0B;MAAY,c;;Q3Dk7CnD,Q;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,K;UAAp,e;SACrB,2B;QAAh
B,OAAGB,cAAhB,C;UAAgB,yB;UAAm,I2D17CmD,uBAAS,gB3Dk7C9C,O2D17CwD,MAAV,Q3Dk7C5D,C;YA
AwB,aAAO,I;YAAP,e;;QAC9C,aAAO,K;;M2Dn7CgD,iB;K;8DAInD,Y;MACI,IAAI,+BAAJ,C;QACI,0BAAW,q
B;OAEf,OAAO,sC;K;uCAGf,Y;MAAiF,iC;K;kCAEjF,e;MAA+C,OAAA,0BAAY,WAAI,GAAJ,C;K;oCAE3D,sB;
MAAGD,OAAA,0BAAY,aAAI,GAJJ,EAAS,KAAT,C;K;qCAE5D,e;MAAyC,OAAA,0BAAY,cAAO,GAAP,C;K;
2DAEvB,Y;MAAQ,OAAA,0BAAY,K;K;;IA7DID,0C;MAAA,iD;MAAuD,8B;MArC3D,mB;MAcQ,8BAAMB,W
;MACnB,2BAAGB,WAAy,S;MAFhC,Y;K;IAKA,+B;MAAA,iD;MAGuB,aAAK,kEAL,Q;MAHvB,Y;K;IAKA,4

D;MASyC,0B;QAAA,aAAoB,G;MAT7D,iD;MASqE,qB;MjElCrE,IAAI,EiEoCQ,mBAAmB,CjEpC3B,CAAJ,C;Q
ACI,ciEmCgC,+C;QjElChC,MAAM,gCAAYB,OAAQ,WAAjC,C;OAFV,IAAI,EiEqCQ,cAAc,CjErCtB,CAAJ,C;Q
ACI,gBiEoC2B,yC;QjEnC3B,MAAM,gCAAYB,SAAQ,WAAjC,C;OiEuBV,Y;K;IAeA,gD;MAAA,iD;MAA2C,eA
AK,eAAL,EAAaB,GAAtB,Q;MAA3C,Y;K;IAGA,yC;MAAA,iD;MAG8C,qB;MAC1C,KAAK,gBAAO,QAAP,C;
MAJT,Y;K;IAqCJ,4B;MAK8E,gBAAnE,aAAmB,gEAAAnB,C;MAA2E,wB;MAAIF,O7DrCO,S;K;;M8DnEP,yB;;k
CAOCA,mB;MACI,UAAU,kBAAI,aAAI,OAAJ,EAAa,IAAb,C;MACd,OAAO,W;K;8BAGX,Y;MACI,kBAAI,Q;K
;uCAOR,mB;MAA6D,OAAA,kBAAI,mBAAY,OAAZ,C;K;gCAEjE,Y;MAAYC,OAAA,kBAAI,U;K;iCAE7C,Y;
MAAqD,OAAA,kBAAI,KAAK,W;K;qCAE9D,mB;MAAkD,OAAA,kBAAI,cAAO,OAAP,CAAJ,Q;K;2DAEPB,Y
;MAAQ,OAAA,kBAAI,K;K;;IA7D1C,6B;MAAA,iD;MAGoB,8B;MAVxB,mB;MAWQ,sBAAM,gB;MAJV,Y;K;I
AOA,yC;MAAA,iD;MAG2C,8B;MAjB/C,mB;MAkBQ,sBAAM,eAAgB,QAAS,KAAzB,C;MACN,qBAAO,QAA
P,C;MALJ,Y;K;IAQA,4D;MASyC,0B;QAAA,aAAoB,G;MAT7D,iD;MASkE,8B;MA/BtE,mB;MAGCQ,sBAAM,e
AAgB,eAAhB,EAAiC,UAAjC,C;MAVV,Y;K;IAaA,gD;MAAA,iD;MAA2C,eAAK,eAAL,EAAaB,GAAtB,Q;MA
A3C,Y;K;IAEA,oC;MAAA,iD;MAM0C,8B;MA3C9C,mB;MA4CQ,sBAAW,G;MAPf,Y;K;IAmCJ,+B;MAKuC,g
BAA5B,eAAQ,eAAR,C;MAAoC,6B;MAA3C,O9DLO,S;K;I+DzD6B,uC;MAAC,kC;MAErC,oBAaKc,kB;MACI
C,sBAAyB,C;K;2EAHY,Y;MAAA,8B;K;uEAGrC,Y;MAAA,0B;K,OAAA,gB;MAAA,0B;K;gDAGA,sB;MACI,e
AAe,aAAS,qBAAy,GAAZ,C;MACxB,mBAAmB,6BAAsB,QAAtB,C;MACnB,IAAI,oBAAJ,C;QAEI,kBAAW,Q
AAX,IAAuB,mCAAY,GAAZ,EAAiB,KAAjB,C;;QAEvB,IAAI,6BAAJ,C;UAEI,YAA+B,Y;UAC/B,IAAI,aAAS,g
BAAO,KAAM,IAAb,EAAkB,GAAIB,CAAb,C;YACI,OAAO,KAAM,gBAAS,KAAT,C;;YAEb,kBAAW,QAAX,I
AAuB,CAAQ,KAAR,EAAe,mCAAY,GAAZ,EAAiB,KAAjB,CAAf,C;YACvB,6B;YACA,OAAO,I;;UAIX,YAAu
C,Y;UACvC,cAAkB,wBAAN,KAAM,EAAiB,GAAjB,C;UACIB,IAAI,eAAJ,C;YACI,OAAO,OAAM,gBAAS,KA
AT,C;WAEX,KAAy,MAAK,mCAAY,GAAZ,EAAiB,KAAjB,CAAL,C;;MAG1B,6B;MAEA,OAAO,I;K;iDAGX,
e;MAEuB,Q;MADnB,eAAe,aAAS,qBAAy,GAAZ,C;MACL,oCAAsB,QAAtB,C;MAAA,iB;QAAmC,OAAO,I;O
AA7D,mBAAmB,I;MACnB,IAAI,6BAAJ,C;QACI,YAAgC,Y;QACHC,IAAI,aAAS,gBAAO,KAAM,IAAb,EAAk
B,GAAIB,CAAb,C;UpBzDR,OoB0D6B,iBpB1DvB,CoB0DmC,QpB1DnC,C;UoB2DM,6B;UACA,OAAO,KAAM,
M;;UAEb,OAAO,I;;QAGX,YAAuC,Y;QACvC,8BAAc,KAAiB;UACI,cAAy,MAAM,KAAN,C;UACZ,IAAI,a
AAS,gBAAO,GAAP,EAAy,OAAM,IAAIB,CAAb,C;YACI,IAAI,KAAM,OAAN,KAAc,CAAIB,C;cACU,KAAN,
UAA2B,C;cpBtE/C,OoBwEqC,iBpBxE/B,CoBwE2C,QpBxE3C,C;;coB2EoB,KAAy,QAAO,KAAP,EAAc,CAAd,
C;;YAEtB,6B;YAEA,OAAO,OAAM,M;;MAIzB,OAAO,I;K;0CAGX,Y;MACI,oBAAa,kB;MACb,YAAO,C;K;m
DAGX,e;MAAYC,uBAAS,GAAT,S;K;8CAEzC,e;MAA+B,Q;MAAA,+BAAS,GAAT,8B;K;+CAE/B,e;MACuB,Q;
MAAA,oCAAsB,aAAS,qBAAy,GAAZ,CAA/B,C;MAAA,iB;QAAoD,OAAO,I;OAA9E,mBAAmB,I;MACnB,IA
AI,6BAAJ,C;QACI,YAAgC,Y;QACHC,IAAI,aAAS,gBAAO,KAAM,IAAb,EAAkB,GAAIB,CAAb,C;UACI,OAA
O,K;;UAEP,OAAO,I;;QAGX,YAAuC,Y;QACvC,OAAa,wBAAN,KAAM,EAAiB,GAAjB,C;;K;uDAlrB,0B;MAC
IsB;;QhFujCY,Q;QAAhB,iD;UAAgB,cAAhB,e;UAAaB,IgFvjCK,aAAS,gBhFujCA,OgFvjCa,IAAb,MhFujCd,C;Y
AAwB,qBAAO,O;YAAP,uB;;QAC9C,qBAAO,I;;MgFvjCH,yB;K;IAIO,8E;MAAA,wD;MACH,aAAy,E;MAEZ,
YAA0B,MAAA,MAAK,qCAAL,C;MACvC,gBAAe,E;MAEf,oBAA4B,I;MAC5B,eAAc,K;MACd,iBAAgB,E;MA
ChB,iBAAqC,I;K;yEAER,C;Y;MACI,IAAI,6BAAwB,YAA5B,C;QACI,gBAAqB,iBAAqD,O;QAC1E,IAAI,4DAAc
,SAAIB,C;UACI,OAAO,C;OAGf,IAAI,yDAAa,SAAK,OAAtB,C;QACI,oBAAe,2CAAW,UAAK,aAAL,CAAX,C;
QACf,eAAU,iC;QACV,iBAAy,C;QACZ,OAAO,C;;QAEp,oBAAe,I;QACf,OAAO,C;;K;mEAlf,Y;MACI,IAAI,eA
AS,EAAb,C;QACI,aAAQ,oB;MACZ,OAAO,eAAS,C;K;gEAGpB,Y;MAEoB,Q;MADhB,IAAI,CAAC,cAAL,C;Q
AAgB,MAAM,6B;MACN,IAAI,YAAJ,C;QACZ,yBAAqD,cAArD,C;;QAEa,OAAb,iB;;MAHJ,oB;MAKA,iBAAi
B,S;MACjB,aAAQ,E;MACR,OAAO,S;K;KEAGX,Y;MnE/CR,ImEgDyB,cnEhDrB,QA AJ,C;QACI,cAhByB,0B;Q
AiBzB,MAAM,6BAAsB,OAAQ,WAA9B,C;OmE+CE,6BAAyB,cAAO,6BAAy,IAAnB,C;MACzB,iBAAy,I;MA
EZ,uC;K;;6CAtdZ,Y;MAEI,2D;K;4DAyDJ,oB;MACI,mBAAmB,kBAAW,QAAX,C;MACnB,OA AW,iBAAiB,SA
ArB,GAAgC,IAAhC,GAA0C,Y;K;;;wCCtKrD,Y;MACI,aAAR,MAAM,OAAe,CAAP,IAAO,C;MAEb,OAAO,KA
AP,IAAgB,C;MrBXpB,OqBYqB,MrBZf,CqBYuB,KrBZvB,C;MqBaF,OAAO,M;K;;ICNuB,qC;MAAC,kC;MAEn
C,oBAAkC,kB;MACIC,sBAAyB,C;K;yEAHU,Y;MAAA,8B;K;qEAGnC,Y;MAAA,0B;K,OAAA,gB;MAAA,0B;K
;iDAWA,e;MACI,IAAI,0BAAJ,C;QAAoB,OAAO,K;MAC3B,OAAO,kBAAW,GAAX,MAAoB,S;K;4CAG/B,e;M
ACI,IAAI,0BAAJ,C;QAAoB,OAAO,I;MAC3B,YAAy,kBAAW,GAAX,C;MACZ,OAAW,UAAU,SAArB,GAAG

C,KAAhC,GAA2D,I;K;8CAI/D,sB;MrEVA,IAAI,EqEWQ,uBrEXR,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAA
yB,OAAQ,WAAjC,C;OqEUN,eAAe,kBAAW,GAAX,C;MACf,kBAAW,GAAX,IAAkB,K;MAEIB,IAAI,aAAa,SA
AjB,C;QACI,6B;QAEA,OAAO,I;QAGP,OAAO,Q;K;+CAIf,e;MACI,IAAI,0BAAJ,C;QAAoB,OAAO,I;MAC3B,
YAAAY,kBAAW,GAAX,C;MACZ,IAAI,UAAU,SAAd,C;QtBnDJ,OsBoDyB,iBtBpDnB,CsBoD+B,GtBpD/B,C;Qs
BqDE,6B;QAEA,OAAO,K;QAGP,OAAO,I;K;wCAKf,Y;MACI,oBAAa,kB;MACb,YAAO,C;K;IAKA,0E;MAA
A,oD;MACH,cAAkC,MAAA,MAAK,mCAAL,C;MAC/C,kBAA4B,qBAAL,WAAK,C;MAC5B,iBAA+B,I;K;iEAE
/B,Y;MAAkC,OAAA,eAAS,U;K;8DAE3C,Y;MAIuB,gB;MAHnB,UAAU,eAAS,O;MACnB,iBAAU,G;MAES,+E;
MAAnB,OAAO,iD;K;gEAGX,Y;MAEKc,UAA9B,M;MAAA,oC;MAA8B,YAAa,c;MrEchD,uB;MAeP,IAfoB,KA
ehB,QAAJ,C;QACI,cAhByB,0B;QAIbZB,MAAM,6BAAsB,OAAQ,WAA9B,C;QAEN,sBAnBgB,K;MqEde,oBA
AO,sFAAP,C;K;2CAjBnC,Y;MACI,yD;K;IAqBkD,0F;MAAA,8B;MAAA,oD;K;8FAC9B,Y;MAAQ,uB;K;gGAC
N,Y;MAAQ,6CAAuB,gBAAvB,C;K;2EAE9B,oB;MAAwC,OAAA,2BAAuB,aAAI,gBAAJ,EAAS,QAAT,C;K;qE
AE/D,Y;MAA+B,OAAA,mCAAY,uBAAc,IAAd,C;K;qEAC3C,Y;MAAkC,OAAA,mCAAY,uBAAc,IAAd,C;K;m
EAC9C,iB;MAA4C,OAAA,mCAAY,qBAAY,IAAZ,EAakB,KAAIB,C;K;gDAR5D,e;MAAsD,iE;K;MCNtD,sB
AOsC,I;MA6CtC,yB;IArH8B,8C;MAAqB,0CAAqC,GAArC,EAA0C,KAA1C,C;MAC/C,oBAAuC,I;MACvC,oB
AAuC,I;K;IAG3C,wC;MAAA,oB;MAA+B,6B;K;IAE3B,sD;MAAA,oB;MACI,cACsC,I;MAEtC,cACsC,I;MAGI
C,cAAO,iC;K;6DAIX,Y;MACI,OAAO,gBAAS,I;K;0DAGpB,Y;MAEI,IAAI,CAAC,cAAL,C;QAAGB,MAAM,6B;
MAEtB,cAAc,0B;MACd,cAAO,O;MACa,gBAAb,OAAQ,a;MAAf,cIE8DS,SkE9DoB,KAAO,iCIE8DzC,GAAqB,
SAArB,GAA+B,I;MkE7D1B,OAAO,O;K;4DAGX,Y;MtE8BR,IAAI,EsE7Bc,eAAQ,ItE6BtB,CAAJ,C;QACI,cAd
W,e;QAeX,MAAM,6BAAsB,OAAQ,WAA9B,C;OsE5BS,oCAAP,0BAAO,C;MACP,gCAAI,cAAO,0BAAO,IAAd
,C;MAEJ,cAAO,I;K;iDAIf,mB;MAAyD,MAAM,qCAA8B,iCAA9B,C;K;6CAC/D,Y;MACI,WAAmB,Q;K;sDAG
vB,mB;MAAuE,yCAAc,OAAAd,C;K;gDAEvE,Y;MAAwE,qD;K;oDAExE,mB;MACI,IAAI,oBAAS,OAAT,CAAJ,
C;QACI,WAAmB,cAAO,OAAQ,IAAf,C;QACnB,OAAO,I;OAEX,OAAO,K;K;0EAGY,Y;MAAQ,OAAA,WAAm
B,K;K;iDAatD,qB;MtEXA,IAAI,EsEgBM,0BAAQ,IAAR,IAAgB,0BAAQ,ItEhB9B,CAAJ,C;QACI,cAdW,e;QAe
X,MAAM,6BAAsB,OAAQ,WAA9B,C;OsEgBN,YAAAY,mB;MACZ,IAAI,SAAS,IAAb,C;QACI,sBAAO,S;QACP,
yBAAO,S;QACP,yBAAO,S;QAGK,YAAa,KAAM,a;QtERhC,uB;QAeP,IAfoB,KAehB,QAAJ,C;UACI,gBAhByB
,0B;UAIbZB,MAAM,6BAAsB,SAAQ,WAA9B,C;UAEN,sBAnBgB,K;QsEQZ,+B;QAEA,yBAAO,K;QACP,yBA
AO,K;QAEP,qBAAa,S;QACb,qBAAa,S;K;+CAIrB,qB;MAII,IAAI,SAAK,aAAL,KAAC,SAIIB,C;QAEL,sBAAO,
I;QAEP,IAAI,wBAAS,SAAb,C;UAEL,sBAAO,sB;SAEX,qDAAc,sB;QACd,qDAAc,sB;MAEIB,yBAAO,I;MACP
,yBAAO,I;K;oCA6CX,Y;MACI,kBAAI,Q;MACJ,sBAAO,I;K;gDASX,e;MAAmD,OAAA,kBAAI,mBAAY,GAAZ
,C;K;kDAEvD,iB;MACiC,Q;MAAA,0B;MAAA,iB;QAAQ,OAAO,K;OAA5C,WAA6B,I;QAEzB,IAAI,OAAA,IA
AK,MAAL,EAAC,KAAd,CAAJ,C;UACI,OAAO,I;SAEX,OAAO,cAAA,IAAK,aAAL,C;MACF,iBAAS,mBAAT,
C;MACT,OAAO,K;K;6CAIX,Y;MAA2E,uC;K;wCAE3E,e;MAAmD,Q;MAAJ,QAAL,OAAJ,kBAAI,WAAI,GAJJ
,CAAJ,6B;K;0CAE/C,sB;MACI,UAAU,kBAAI,WAAI,GAJJ,C;MACd,IAAI,OAAO,IAAX,C;QACI,eAAe,6BAA
W,GAAX,EAAGB,KAhB,C;QACf,kBAAI,aAAI,GAJJ,EAAS,QAAT,C;QACK,wBAAT,QAAS,C;QACT,OAA
O,I;QAEP,OAAO,GAAL,gBAAS,KAAT,C;K;2CAInB,e;MACI,YAAAY,kBAAI,cAAO,GAAP,C;MACHB,IAAI,S
AAS,IAAb,C;QACU,sBAAN,KAAM,C;QACN,OAAO,KAAM,M;OAEjB,OAAO,I;K;iEAGmB,Y;MAAQ,OAAA,
kBAAI,K;K;IArF1C,mC;MAAA,uD;MAGuB,qB;MAnJ3B,yB;MAoJQ,sBAAM,gB;MAJV,Y;K;IAOA,iD;MAAA,
uD;MAAoD,qB;MAvJxD,yB;MAyJc,Q;MAAN,sBAAM,+D;MAFV,Y;K;IAKA,KE;MASyC,0B;QAAA,aAAoB,G;
MAT7D,uD;MASqE,eAAM,eAAN,EAAuB,UAAvB,Q;MArKzE,yB;MASkQ,sBAAM,gB;MAVV,Y;K;IAAa,sD;
MAAA,uD;MAA2C,qBAAK,eAAL,EAAsB,GAAtB,Q;MAA3C,Y;K;IAEA,+C;MAAA,uD;MAG2C,qB;MA9K/C,
yB;MA+KQ,sBAAM,gB;MACN,KAak,gBAAO,QAAP,C;MALT,Y;K;IA8DJ,kC;MAKwD,gBAA7C,qBAAYB,e
AAzB,C;MAAqD,wB;MAA5D,OIEvKO,S;K;ImEjEP,wC;MAAA,uD;MAAmD,eAAM,GAAN,Q;MAPvD,yB;M
AOI,Y;K;IAEA,qC;MAAA,uD;MAGuB,eAAM,oBAAN,Q;MAZ3B,yB;MASI,Y;K;IAKA,+C;MAAA,uD;MAG8C
,eAAM,oBAAN,Q;MAjBID,yB;MAkBQ,qBAAO,QAAP,C;MAJJ,Y;K;IAOA,KE;MASyC,0B;QAAA,aAAoB,G;M
AT7D,uD;MASqE,eAAM,qBAAsB,eAAtB,EAAuC,UAAvC,CAAN,Q;MA9BzE,yB;MAqBI,Y;K;IAWA,sD;MAA
A,uD;MAA2C,qBAAK,eAAL,EAAsB,GAAtB,Q;MAA3C,Y;K;IAQJ,qC;MAKMD,gBAAXC,mBAAC,qBAAd,C;M
AAgD,6B;MAAvD,OnE2BO,S;K;K;FoEnEX,uB;MAKI,OAAO,O;K;ICdX,sB;K;mCACI,Y;MACI,mBAAM,IAA
N,C;K;2CAGJ,mB;MACI,mBAAM,OAAN,C;MACA,c;K;iCAKJ,Y;K;IAKuB,oC;MAA8B,qB;MAA7B,gC;K;2C

ACxB,mB;MAEI,oBA+DyC,OA/Dd,OA+Dc,C;MA9DzC,iBAAa,OAAM,aAN,C;K;;IAIrB,8B;MAEoC,qB;K;iD
AChC,mB;MACI,OAAQ,KAAI,OAAJ,C;K;mDAGZ,mB;MACI,OAAQ,KAAI,OAAJ,C;K;2CAGZ,Y;MACI,OAA
Q,KAAI,EAAJ,C;K;;IAIhB,0B;MAEqC,qB;MACjC,cAAa,E;K;6CAEb,mB;MACI,eAoCyC,OApCxB,OAoCwB,C;
K;qCAjC7C,Y;MACI,cAAS,E;K;;IAIjB,sC;MAE4C,yB;K;yDACxC,mB;MACI,QAwByC,OAxB1B,OAwB0B,C;
MAvBzC,QAAQ,C1DuHoF,a0DvHhE,I1DuHgE,E0DvH1D,C1DuH0D,C;M0DtH5F,IAAI,KAAK,CAAT,C;QACI,
4BAAU,C1DiI0E,W0DjI9D,C1DiI8D,E0DjI3D,C1DiI2D,C;Q0DhIpf,Y;QACA,IAAI,C1D4HiE,W0D5HrD,IAAI,
CAAJ,I1D4HqD,C;O0D1HzE,4BAAU,C;K;iDAGd,Y;MACI,OAAQ,KAAI,WAAJ,C;MACR,cAAS,E;K;;IAWjB,
yB;MACiD,cAAa,KAAb,C;K;IAEjD,mB;MAEI,MAAO,U;K;IAGX,4B;MAEI,MAAO,iBAAQ,OAAR,C;K;IAGX,
wB;MAEI,MAAO,eAAM,OAAN,C;K;IC3FX,mD;MACI,0B;MASA,gBAA2B,a;K;uEAFvB,Y;MAAQ,OAAA,eA
AS,Q;K;oDAIrB,kB;MACI,UAAU,IAAK,S;MAEX,YAAQ,2CAAR,C;QACI,gBAAc,MAAO,M;WAEzB,YAAQ,y
BAAR,C;QACI,gBAAc,yC;QACd,eAAS,oBAAW,MAAX,C;;QAEI,MAAM,6BAAsB,iBAAtB,C;K;4CAItB,Y;M
AOW,Q;MALP,IAAI,kBAAW,2CAAf,C;QACI,gBAAS,yB;QACT,OAAO,yB;OAEX,aAAa,IAAK,S;MAEd,eAA
W,yCAAX,C;QAAsB,gC;WACtB,0C;QAA4B,MAAM,MAAO,U;;QACjC,a;MAHZ,W;K;;IA7BJ,gD;MAAA,0D;
MACyD,6BAAK,QAAL,EAAe,2CAAf,C;MADzD,Y;K;I9BsCJ,yE;MASI,sC;MAAA,4C;K;IATJ,6EAWY,Y;MA
AQ,2B;KAXpB,E;IAAA,0DAaQ,kB;MACI,wBAAW,MAAX,C;K;IAdZ,sF;I+B3C2E,0C;MhC4JhE,Q;MADP,egC
IJA,MhC0JA,C;MACO,QgC3JP,MhC2JO,+D;MgC1JX,W;K;;+FCuHA,gB;MACI,aAAa,IAAb,MAAa,E;MACb,K
AAK,MAAL,C;MACA,OAAO,M;K;IC/HX,8C;MAKyG,kBAApB,wBAAc,IAAd,C;MAA0B,IzEoE3G,a;MyEpEiF
,OzEqE1E,W;K;IyEnEX,8C;MAM8C,kBAA1B,cAAhB,sCAAgB,EAAc,IAAd,EAAoB,IAApB,C;MAAiC,sBzE2E
3C,WyE3E2C,C;MAAjD,OzE4EO,W;K;I0EzFX,uC;MACkD,8B;MAAA,OCIN,aDJwB,yBAAa,QAAb,mCCIxB,C
jE+rBgC,sB;K;IgejsB5E,yC;M3FywHW,kBAAY,gB;MA8EH,Q;MAAhB,wB2Fj1HqB,U3Fi1HrB,gB;QAAGB,c2F
j1HK,U3Fi1HrB,M;QAAsB,IAAI,C2Fj1HkB,oB3Fi1HP,O2Fj1HO,C3Fi1HtB,C;UAAyB,WAAy,WAAI,OAAJ,C;;
M2Fj1H3D,qB3Fk1HO,W;M2Fj1HP,IrFqMwD,CqFrMpD,crFqMqD,UqFrMzD,C;QhEoGuC,U;QgEnGnC,qBhEm
GyD,OAAtB,+BgEnGd,mBhEmGc,uBAAsB,CAAO,W;QkE2RpD,kBAAhB,sB;QF5XQ,0C;QACA,IAAI,EhEkNo
C,0BAAU,CgEIN9C,CAAJ,C;UACI,2BAAO,GAAP,C;SAEW,sCAAa,GAAb,C;QALnB,sB1E8DG,W4E+T8B,W;
QFtXjC,OAAO,I;OAGX,OAAO,K;K;IAGX,4C;MAMmB,c;;Q3F47UC,Q;QAaHb,wB2F57UI,U3F47UI,gB;UAA
gB,c2F57UZ,U3F47UI,M;UAAsB,I2F57UD,oB3F47Ue,O2F57Uf,C3F47UC,C;YAAwB,aAAO,I;YAAP,e;;QAC9
C,aAAO,K;;M2F77UP,e;QACI,kBAA6B,MAAX,UAAW,C;QhE8EM,U;QgE7Eb,ahE6EmC,OAAtB,+BgE7EvB,
mBhE6EuB,uBAAsB,CAAO,W;QgE7EX,kBC5BjB,aD4BD,MC5BC,CjE6uC6C,uBAAzB,CAAyB,C;QR5jB9E,k
BAAS,gB;QAYEA,U;QAAA,+B;QAaHb,OAAGB,gBAAhB,C;UAAgB,6B;UAAM,IwE9tB4C,4BxE8tB9B,SwE9t
B8B,CxE8tB5C,C;YAAwB,WAAy,WAAI,SAAJ,C;;QwE9tBtD,sBAAMf,exE+tBhF,WwE/tBgF,EAAa,GAAb,C;
QACnF,OAAO,I;OAGX,OAAO,K;K;IGjCP,+B;MAAQ,8BAAY,IAAK,UAAjB,IAA8B,uBAAY,IAAK,mB;K;IA
MvD,kC;MAAQ,8BAAY,IAAK,a;K;ICZ7B,gC;MAAOe,gCAAqB,OAARb,C;K;IAEIC,uC;MAAC,wB;K;iDAC/B,
iB;MACI,eAAQ,KAAR,C;K;8CAGJ,Y;MAAYC,iCAAuB,cAAvB,M;K;;ICCO,6C;MAAA,8B;MAAS,uB;K;0EACI
C,Y;MAAQ,OAAA,gBAAY,O;K;mDAE3C,iB;MACI,IADoC,KACpC,IAAG,CAAH,IADoC,KACpC,IAAM,sBA
AN,C;QAD8B,OACX,gBAAY,MAAK,KAAL,C;;QACvB,MAAM,8BAA0B,WAAQ,KAAR,6BAAMc,sBAANc,
MAA1B,C;K;;IARtB,8B;MAGoD,4C;K;ICNpD,0B;MAEI,OAAO,yBAAP,C;QACI,sBAAY,mCAAZ,C;;K;IAIR,q
C;MAMI,sBAAY,sCAAgB,gBAAE,IAAf,CAA5B,C;MACA,OAAO,S;K;+EChBX,qB;MAI8C,gB;K;iFAE9C,qB;
MAIsE,OAAS,S;K;kFAE3E,qB;MAMyE,gB;K;IAEzE,6B;MAiBa,UAPF,M;MAFP,QAAc,S;MAGV,cAAK,UAA
L,U;QACI,mBAAK,UAAAL,G;;QACJ,IvC3BqC,MAAa,YuC2BvC,CvC3BuC,CuC2BID,C;UAC6B,8BAAzB,CAAY
B,C;;UAGN,UAAIB,uDAAKB,Y;;MAP3B,a;K;IC9BJ,2B;MAEI,MAAM,yBAAGB,OAARb,C;K;IAGV,sB;MAEI,
MAAM,uBAAMb,cAAnB,C;K;IAGV,2B;MAEI,MAAM,6BAAsB,OAAtB,C;K;IAGV,iC;MAEI,MAAM,4CAAqC
,uBAAGB,YAArB,8BAARc,C;K;ICFqB,iC;;MAA6E,Q;MAAA,+BAAS,I;sCAAIB,O,2DAAA,O;;;K;;;IAC/F,2
B;MAAA,iD;MAAuB,oBAAK,IAAL,EAAW,IAAX,C;MACH,0BAAY,MAAK,KAAL,EAAW,IAAX,EAAiB,IAA
jB,C;MADhC,Y;K;IAIA,sC;MAAA,iD;MAAuC,oBAAK,OAAL,EAAc,IAAd,C;MACnB,0BAAY,MAAK,KAAL,
EAAW,OAAX,EAAoB,IAApB,C;MADhC,Y;K;IAIA,oC;MAAA,iD;MAAwC,oBAAK,SAAL,EAAgB,KAaHb,C;
MACpB,0BAAY,MAAK,KAAL,EAAW,SAAX,EAAsB,KAAtB,C;MADhC,Y;K;IAM+B,mC;;MAA6E,Q;MAAA,
+BAAS,I;sCAAIB,O,2DAAA,O;;;K;;;IACnG,+B;MAAA,mD;MAAuB,sBAAK,IAAL,EAAW,IAAX,C;MACC
,4BAAY,MAAK,KAAL,EAAW,IAAX,EAAiB,IAAjB,C;MADpC,Y;K;IAIA,0C;MAAA,mD;MAAuC,sBAAK,OA

AL,EAAc,IAAd,C;MACf,4BAAY,MAAK,KAAL,EAAW,OAAX,EAAoB,IAApB,C;MADpC,Y;K;IAIA,wC;MAA
A,mD;MAAwC,sBAAK,SAAL,EAAGB,KAAhB,C;MACHb,4BAAY,MAAK,KAAL,EAAW,SAAX,EAAsB,KAAt
B,C;MADpC,Y;K;IAKsC,0C;MAA0D,qBAAU,OAaV,EAaMB,KAAhB,C;;K;;IACHG,sC;MAAA,0D;MAAuB,6B
AAK,IAAL,EAAW,IAAX,C;MAAvB,Y;K;IACA,iD;MAAA,0D;MAAuC,6BAAK,OAAL,EAAc,IAAd,C;MAAvC
,Y;K;IACA,+C;MAAA,0D;MAAwC,6BAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAG8C,kD;MAA0D,4BAA
iB,OAAjB,EAA0B,KAA1B,C;;K;;IACxG,8C;MAAA,kE;MAAuB,qCAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;K;I
ACA,yD;MAAA,kE;MAAuC,qCAAK,OAAL,EAAc,IAAd,C;MAAvC,Y;K;IACA,uD;MAAA,kE;MAAwC,qCAA
K,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAG2C,+C;MAA0D,4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IACrG,2
C;MAAA,+D;MAAuB,kCAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;K;IACA,sD;MAAA,+D;MAAuC,kCAAK,OA
AL,EAAc,IAAd,C;MAAvC,Y;K;IACA,oD;MAAA,+D;MAAwC,kCAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;
IAG+C,4C;8BAAwD,O;;K;;IACvG,+C;MAAA,mE;MAAuB,sCAAK,IAAL,C;MAAvB,Y;K;IAGqD,yD;MAA0D,
4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IAC/G,qD;MAAA,yE;MAAuB,4CAAK,IAAL,EAAW,IAAX,C;MAAvB,
Y;K;IACA,gE;MAAA,yE;MAAuC,4CAAK,OAAL,EAAc,IAAd,C;MAAvC,Y;K;IACA,8D;MAAA,yE;MAAwC,4
CAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAGmD,uD;MAA0D,4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IA
C7G,mD;MAAA,uE;MAAuB,0CAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;K;IACA,8D;MAAA,uE;MAAuC,0CAA
K,OAAL,EAAc,IAAd,C;MAAvC,Y;K;IACA,4D;MAAA,uE;MAAwC,0CAAK,SAAL,EAAGB,KAAhB,C;MAAxC
,Y;K;IAI2C,wC;sCAAGe,O;;K;;IAC3G,2C;MAAA,+D;MAAuB,kCAAK,IAAL,C;MAAvB,Y;K;IAI0C,uC;8BAA
wD,O;;K;;IACIG,0C;MAAA,8D;MAAuB,iCAAK,IAAL,C;MAAvB,Y;K;IAGwC,qC;8BAAwD,O;;K;;IACHg,wC;
MAAA,4D;MAAuB,+BAAK,IAAL,C;MAAvB,Y;K;IAGoC,wC;MAA2D,mBAAM,OAAN,EAAe,KAaf,C;;K;;IA
C/F,oC;MAAA,wD;MAAuB,sBAAK,IAAL,Q;MAAvB,Y;K;IACA,+C;MAAA,wD;MAAGC,2BAAK,OAAL,EAA
c,IAAd,C;MAAhC,Y;K;IACA,+C;MAAA,wD;MAAiD,IAAY,I;MAAzB,2BAAa,SAAR,OAAQ,CAAb,EAAYB,sD
AAzB,C;MAApC,Y;K;IAG4C,yC;8BAAwD,O;;K;;IACpG,4C;MAAA,gE;MAAuB,mCAAK,IAAL,C;MAAvB,Y;
K;IAIyC,sC;8BAAwD,O;;K;;IACjG,yC;MAAA,6D;MAAuB,gCAAK,IAAL,C;MAAvB,Y;K;IAGkD,sD;MAA0D,
4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IAC5G,kD;MAAA,sE;MAAuB,yCAAK,IAAL,EAAW,IAAX,C;MAAvB,
Y;K;IACA,6D;MAAA,sE;MAAuC,yCAAK,OAAL,EAAc,IAAd,C;MAAvC,Y;K;IACA,2D;MAAA,sE;MAAwC,y
CAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y;K;IAG0D,8D;MAA0D,4BAAiB,OAAjB,EAA0B,KAA1B,C;;K;;IAC
pH,0D;MAAA,8E;MAAuB,iDAAK,IAAL,EAAW,IAAX,C;MAAvB,Y;K;IACA,qE;MAAA,8E;MAAuC,iDAAK,
OAAL,EAAc,IAAd,C;MAAvC,Y;K;IACA,mE;MAAA,8E;MAAwC,iDAAK,SAAL,EAAGB,KAAhB,C;MAAxC,Y
;K;ICrHJ,8B;MC8CW,kB/FqBiD,oB;M+FM9C,Q;MAAA,OAAK,0B;MAAf,OAAU,cAAV,C;QAAU,mB;QACN,
UAAU,sBAAM,CAAN,C;QACV,kBAakB,sBAAY,GAAZ,C;QAKFiD,U;QAJFnE,W/F6JJ,a+F7JgB,G/F6JhB,E8Fl
OoB,CCqEkC,uBAaUB,CAAC,WAAy,mBAAY,GAAZ,CaIFhD,GdtJrC,CCsJqC,GAA6B,UajFjC,WaIFiC,6DD
tJnD,IAAM,CAAN,I9FkOpB,C;;M8FIOA,OCuEO,W;K;;;ICUX,iC;MAK8C,OAAI,kBAAK,CAAL,MAAJ,GAAY
,CAAZ,GAAMB,C;K;IAEjE,iC;MAK8C,OAAI,kBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAMB,C;K;ICvDjE,qB;M
AK0B,Q;MADtB,UAAmB,E;MACnB,wBAAsB,KAAtB,gB;QAAsB,aAAA,KAAtB,M;QAAK,IAAC,0BAAD,EA
AO,2B;QACR,IAAI,IAAJ,IAAY,K;;MAEHb,OAAG,G;K;IAGX,+B;MAMgB,Q;MADZ,WAA0B,MAAA,MAAK,
KAAL,C;MACvC,wBAAY,IAAZ,gB;QAAY,UAAA,IAAZ,M;QACI,IAAU,KAAY,gBAaE,GAaf,CAATB,C;UAC
I,UAAK,GAAL,IAAY,MAAM,GAAN,C;;MAGpB,OAAO,S;K;qEC3DX,yB;MAAA,iB;MAAA,oB;QAOkD,OAA
A,MAAW,KAAI,CAAJ,C;O;KAP7D,C;qEASA,yB;MAAA,iB;MAAA,oB;QAOkD,OAAA,MAAW,KAAI,CAAJ,
C;O;KAP7D,C;qEASA,yB;MAAA,iB;MAAA,oB;QAOkD,OAAA,MAAW,KAAI,CAAJ,C;O;KAP7D,C;uEASA,y
B;MAAA,iB;MAAA,oB;QASmD,OAAA,MAAW,MAAK,CAAL,C;O;KAT9D,C;uEAWA,yB;MAAA,iB;MAAA,
oB;QASmD,OAAA,MAAW,MAAK,CAAL,C;O;KAT9D,C;uEAWA,yB;MAAA,iB;MAAA,oB;QASmD,OAAA,
MAAW,MAAK,CAAL,C;O;KAT9D,C;yEAWA,yB;MAAA,iB;MAAA,uB;QAKB+D,OAAA,MAAW,OAAM,CA
AN,EAAS,CAAT,C;O;KAIB1E,C;uEAoBA,yB;MAAA,iB;MAAA,oB;QAUmD,OAAA,MAAW,MAAK,CAAL,C;
O;KAV9D,C;uEAYA,yB;MAAA,iB;MAAA,oB;QASmD,OAAA,MAAW,MAAK,CAAL,C;O;KAT9D,C;uEAWA,
yB;MAAA,iB;MAAA,oB;QAUmD,OAAA,MAAW,MAAK,CAAL,C;O;KAV9D,C;yEAYA,yB;MAAA,iB;MAAA
oB;QAYoD,OAAA,MAAW,OAAM,CAAN,C;O;KAZ/D,C;yEAcA,yB;MAAA,iB;MAAA,oB;QAYoD,OAAA,M
AAW,OAAM,CAAN,C;O;KAZ/D,C;yEAcA,yB;MAAA,iB;MAAA,oB;QAaoD,OAAA,MAAW,OAAM,CAAN,C;
O;KAb/D,C;yEAeA,yB;MAAA,iB;MAAA,uB;QAS+D,OAAA,MAAW,OAAM,CAAN,EAAS,CAAT,C;O;KAT1E

,C;uEAWA,yB;MAAA,iB;MAAA,oB;QAQmD,OAAA,MAAW,MAAK,CAAL,C;O;KAR9D,C;qEAUA,yB;MAA A,iB;MAAA,oB;QAUkD,OAAA,MAAW,KAAI,CAAJ,C;O;KAV7D,C;yEAYA,yB;MAAA,iB;MAAA,oB;QAcoD ,OAAA,MAAW,OAAM,CAAN,C;O;KAd/D,C;IAGBA,sB;MAcI,IAAI,QAAQ,GAAR,IAAe,SAAQ,GAA3B,C;QA AgC,OAAO,wCAA0,I;MAC9C,OAAO,IAAW,KAAI,CAAJ,CAAX,GAAoB,IAAW,KAAI,IAAJ,C;K;mEAG1C,y B;MAAA,iB;MAAA,oB;QAWiD,OAAA,MAAW,KAAI,CAAJ,C;O;KAX5D,C;yEAaA,yB;MAAA,iB;MAAA,oB; QAOoD,OAAA,MAAW,OAAM,CAAN,C;O;KAP/D,C;uEASA,yB;MAAA,iB;MAAA,oB;QAOmD,OAAA,MAA W,MAAK,CAAL,C;O;KAP9D,C;uEASA,yB;MAAA,iB;MAAA,oB;QAgBmD,OAAA,MAAW,OAAM,CAAN,C; O;KAhB9D,C;uEAkBA,yB;MAAA,iB;MAAA,oB;QAUmD,OAAA,MAAW,MAAK,CAAL,C;O;KAV9D,C;yEAY A,yB;MAAA,iB;MAAA,oB;QAUoD,OAAA,MAAW,OAAM,CAAN,C;O;KAV/D,C;+EAYA,yB;MAAA,iB;MAA A,oB;QAUuD,OAAA,MAAW,OAAM,CAAN,C;O;KAVIE,C;IAYA,kB;MAQI,IAAI,IAAI,GAAJ,KAAW,GAaf,C ;QACI,OAAO,IAAW,OAAM,CAAN,C;OAEtB,YAzBgD,MAAW,OAYBzC,CAzByC,C;MA0B3D,OAAW,QAAQ ,CAAR,KAAa,GAAxB,GAA6B,KAA7B,GAtC+C,MAAW,MAcCb,CAtCa,C;K;qEAyC9D,yB;MAAA,iB;MAAA, oB;QAUkD,OAAA,MAAW,KAAI,CAAJ,C;O;KAV7D,C;uEAYA,yB;MAAA,iB;MAAA,oB;QAWmD,OAAA,M AAW,MAAK,CAAL,C;O;KAX9D,C;wEAca,yB;MAAA,iB;MAAA,uB;QAO6D,OAAA,MAAW,KAAI,CAAJ,EA AO,CAAP,C;O;KAPxE,C;wEASA,yB;MAAA,iB;MAAA,uB;QAO6D,OAAA,MAAW,KAAI,CAAJ,EA AO,CAAP ,C;O;KAPxE,C;qEAWA,yB;MAAA,iB;MAAA,+B;QAayD,OAAA,MAAW,KAAI,SAAJ,EAAU,CAAV,C;O;KAb pE,C;uEAeA,yB;MAAA,iB;MAAA,+B;QAOsD,OAAA,MAAW,KAAI,SAAJ,EAAU,CAAV,C;O;KAPjE,C;iGAm BsD,yB;MAAA,iB;MAAA,4B;QAAQ,OAAA,MAAW,KAAI,SAAJ,C;O;KAAAnB,C;+EAAT,yB;MAAA,iB;MAAA ,4B;QAAQ,OAAA,MAAW,MAAK,SAAL,C;O;KAAAnB,C;iFAE7C,yB;MAAA,6C;MAAA,kC;QAK8D,OAAK,SA AL,SAAK,EAAC,IAAd,C;O;KALnE,C;IAkBqC,4B;MACjC,gBAAO,CAAP,C;QADyC,OACrB,QAAP,CAAC,SA AM,C;WACpB,IAAK,QAAL,SAAK,CAAL,IAAgB,cAAQ,wCAA0,kBAA/B,C;QAFyC,OAeW,S;WACpD,kBA AQ,wCAA0,UAAf,C;QAHyC,OAGb,YAAy,SAAL,SAAK,C;QAHc,OAI5B,OAAL,SAAK,CAAL,GAAgB,S;K; IAG5B,2B;MAKI,IAAK,QAAL,SAAK,CAAL,IAAgB,cAAQ,wCAA0,kBAA/B,C;QADwC,OACY,S;WACpD,kB AAQ,GAAR,C;QAFwC,OAeZB,wCAA0,U;QACP,WAAc,UAAAL,SAAK,CAAL,yBAAuB,YAAO,CAAX,GAAc, CAAd,GAAqB,EAAxC,E;QAHgB,O3Cjb6B,MAAa,gBAaE,IAAf,C;K;I2CubtF,6B;MAKI,IAAK,QAAL,SAAK,C AAL,IAAgB,cAAQ,wCAA0,kBAA/B,C;QAD0C,OACU,S;WACpD,kBAAQ,GAAR,C;QAF0C,OAe3B,CAAC,w CAA0,U;QACR,WAAc,UAAAL,SAAK,CAAL,yBAAuB,YAAO,CAAX,GAAc,EAAd,GAASB,CAAzC,E;QAHkB, O3C3b2B,MAAa,gBAaE,IAAf,C;K;I2CkctF,oC;MAUI,IAAK,QAAL,SAAK,CAAL,IAAmB,QA AH,EAAG,CAA nB,C;QADuD,OACzB,wCAA0,I;WACrC,WAAM,SAAN,C;QAFuD,OAeZC,E;WACd,SAAK,SAAL,C;QAHuD, OAGrC,OAAL,SAAK,C;QAHqC,OAI1B,SAAL,SAAK,C;K;IAIjC,+B;MAYI,uB;QAAW,MAAM,gCAAYB,yBA AzB,C;WACjB,gBAAO,UAAp,C;QAFyC,OAeJb,U;WACxB,gBAAO,WAAP,C;QAHyC,OAGjB,W;QAHiB,OAI W,YAA5C,IAAW,OAAM,SAAN,CAAiC,C;K;IAGxD,gC;MAYI,uB;QAAW,MAAM,gCAAYB,yBAAzB,C;WAC jB,oD;QAF2C,+B;WAG3C,oD;QAH2C,+B;QAAA,OAI5,uBAA5C,IAAW,OAAM,SAAN,CAAiC,C;K;uEASxD, yB;MAAA,iB;MAAA,oB;QAOgD,OAAA,MAA6B,KAAZ,CAAY,C;O;KAP7E,C;uEASA,yB;MAAA,iB;MAAA,o B;QAOgD,OAAA,MAA6B,KAAZ,CAAY,C;O;KAP7E,C;uEASA,yB;MAAA,iB;MAAA,oB;QAOgD,OAAA,MA A6B,KAAZ,CAAY,C;O;KAP7E,C;yEASA,yB;MAAA,iB;MAAA,oB;QASiD,OAAA,MAA8B,MAAZ,CAAY,C;O ;KAT/E,C;yEAWA,yB;MAAA,iB;MAAA,oB;QASiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAT/E,C;yEAWA,yB; MAAA,iB;MAAA,oB;QASiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAT/E,C;2EAWA,yB;MAAA,iB;MAAA,uB; QAkB4D,OAAA,MAA6C,OAA1B,CAA0B,EA AZ,CAAY,C;O;KAlBzG,C;yEAoBA,yB;MAAA,iB;MAAA,oB;Q AUiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAV/E,C;yEAYA,yB;MAAA,iB;MAAA,oB;QASiD,OAAA,MAA8B, MA AZ,CAAY,C;O;KAT/E,C;yEAWA,yB;MAAA,iB;MAAA,oB;QAUiD,OAAA,MAA8B,MAAZ,CAAY,C;O;K AV/E,C;2EAYA,yB;MAAA,iB;MAAA,oB;QAYkD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAZjF,C;2EAca,yB;M AAA,iB;MAAA,oB;QAYkD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAZjF,C;2EAca,yB;MAAA,iB;MAAA,oB;QA akD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAbjF,C;2EAeA,yB;MAAA,iB;MAAA,uB;QAS4D,OAAA,MAA6C,OA A1B,CAA0B,EA AZ,CAAY,C;O;KATzG,C;yEAWA,yB;MAAA,iB;MAAA,oB;QAQiD,OAAA,MAA8B,MAAZ,C AAY,C;O;KAR/E,C;uEAUA,yB;MAAA,iB;MAAA,oB;QAUgD,OAAA,MAA6B,KAAZ,CAAY,C;O;KAV7E,C;2 EAYA,yB;MAAA,iB;MAAA,oB;QAcKd,OAAA,MAA+B,OAAZ,CAAY,C;O;KAdjF,C;uEAgaB,yB;MAAA,mC; MAAA,0B;QAc6D,OAAmC,IAA7B,CAA6B,EA AZ,IAAY,C;O;KAdhG,C;qEAgaB,yB;MAAA,iB;MAAA,oB;Q

AW+C,OAAA,MAA6B,KAAZ,CAAY,C;O;KAX5E,C;2EAaA,yB;MAAA,iB;MAAA,oB;QAOkD,OAAA,MAA+
B,OAAZ,CAAY,C;O;KAPjF,C;yEASA,yB;MAAA,iB;MAAA,oB;QAOiD,OAAA,MAA8B,MAAZ,CAAY,C;O;K
AP/E,C;yEASA,yB;MAAA,iB;MAAA,oB;QAgBiD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAhBhF,C;yEakBA,yB;
MAAA,iB;MAAA,oB;QAUiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAV/E,C;2EAYA,yB;MAAA,iB;MAAA,oB;
QAUkD,OAAA,MAA+B,OAAZ,CAAY,C;O;KAVjF,C;iFAYA,yB;MA3gBA,iB;MA2gBA,oB;QAUqD,OA3gBE,
MAAW,OA2gBF,CA3gBE,C;O;KAigBIE,C;2EAYA,yB;MAAA,uC;MAAA,oB;QAQkD,OAAoB,MAAZ,CAAY,
C;O;KARtE,C;uEAWA,yB;MAAA,iB;MAAA,oB;QAUgD,OAAA,MAA6B,KAAZ,CAAY,C;O;KAV7E,C;yEAY
A,yB;MAAA,iB;MAAA,oB;QAWiD,OAAA,MAA8B,MAAZ,CAAY,C;O;KAX/E,C;wEAeA,yB;MAAA,iB;MAA
A,uB;QAO0D,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;O;KAPrE,C;wEASA,yB;MAAA,iB;MAAA,uB;QAO
0D,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;O;KAPrE,C;sEAYA,yB;MAAA,iB;MAAA,+B;QAAsD,OAAA,
MAA8C,KAA1B,SAA0B,EAAZ,CAAY,C;O;KAbpG,C;uEAeA,yB;MAAA,iB;MAAA,+B;QAOoD,OAAA,MAA8
C,KAA1B,SAA0B,EAAZ,CAAY,C;O;KAPIG,C;kGAmBoD,yB;MAAA,iB;MAAA,4B;QAAQ,OAAA,MAAgC,K
AAZ,SAAY,C;O;KAAxC,C;gFAaT,yB;MAAA,iB;MAAA,4B;QAAQ,OAAA,MAAiC,MAAZ,SAAY,C;O;KAAzC
,C;gFAE3C,yB;MAAA,6C;MAAA,kC;QAO8D,OAA0C,SAArC,SAAqC,EAAZ,IAAY,C;O;KAPxG,C;iFASA,yB;
MAAA,6C;MAAA,kC;QAK4D,OAA0C,SAArC,SAAqC,EAAZ,IAAY,C;O;KALtG,C;oFAQA,yB;MAAA,iD;MA
AA,4B;QAYmD,OAAW,WAAx,SAAW,C;O;KAZ9D,C;sFAcA,yB;MAAA,mD;MAAA,4B;QAYqD,OAAW,YA
AX,SAAW,C;O;KAZhE,C;IAoBA,kB;MAUqC,OAAI,IAAI,CAAR,GAAY,CAAC,CAAD,OAAM,CAAIB,GAA0
B,C;K;wEAE/D,yB;MAAA,iB;MAAA,uB;QAKoD,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;O;KAL/D,C;wE
AOA,yB;MAAA,iB;MAAA,uB;QAKoD,OAAA,MAAW,KAAI,CAAJ,EAAO,CAAP,C;O;KAL/D,C;mGAIbGd,y
B;MAAA,mC;MAAA,4B;QAAQ,WAAI,SAAJ,C;O;KAAR,C;IAShB,+B;MAC5B,gBAAO,CAAP,C;QADoC,OA
CxB,E;WACZ,gBAAO,CAAP,C;QAFoC,OAExB,C;;QAFwB,OAG5B,C;K;IAKZ,kB;MASuC,OAAI,eAAI,CAAR
,GAAY,CAAD,aAAX,GAAMB,C;K;wEAE1D,gB;MAKuD,OAAI,kBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAMB,
C;K;wEAE1E,gB;MAKuD,OAAI,kBAAK,CAAL,MAAJ,GAAY,CAAZ,GAAMB,C;K;mGAYxB,yB;MAAA,mC;
MAAA,4B;QAAQ,WAAI,SAAJ,C;O;KAAR,C;IASjB,+B;MAC7B,2BAAO,CAAP,C;QADqC,OACzB,E;WACZ,2
BAAO,CAAP,C;QAFqC,OAezB,C;;QAFyB,OAG7B,C;K;IC3kCZ,4B;MAI4C,qBAAQ,S;K;IAEpD,4B;MAI2C,q
BAAQ,S;K;IAEnD,+B;MAGiD,qBAAQ,wCAAo,kBAaf,IAAoC,cAAQ,wCAAo,kB;K;IAEpG,iC;MAGgD,qBA
AQ,uCAAM,kBAAd,IAAmC,cAAQ,uCAAM,kB;K;IAEjG,6B;MAG+C,QAAC,qBAAD,IAAiB,CAAC,kB;K;IAEj
E,+B;MAG8C,QAAC,uBAAD,IAAiB,CAAC,kB;K;IAGhE,iC;MAOI,QAAQ,S;MACR,IAAI,CAAC,IAAM,UAAP
,KAAsB,CAAE,KAAK,CAAP,GAAC,UAApC,K;MACJ,IAAI,CAAC,IAAM,SAAP,KAAsB,CAAE,KAAK,CAAP,
GAAC,SAApC,K;MACJ,IAAI,CAAC,IAAM,SAAP,KAAsB,CAAE,KAAK,CAAP,GAAC,SAApC,K;MACJ,IAAI,
CAAC,IAAM,QAAP,KAAsB,CAAE,KAAK,CAAP,GAAC,QAAPC,K;MACJ,IAAI,CAAC,IAAM,KAAP,KAAsB,
CAAE,KAAK,EAA7B,K;MACJ,OAAO,C;K;kGAGX,yB;MAAA,iB;MAAA,4B;QAO2D,OAAe,aAAM,SAAN,C;
O;KAPIE,C;IASA,0C;MAOI,YATsE,aAStC,EAAf,aAAQ,CAAC,SAAD,IAAR,CAAE,CATsC,CAStE,I;K;IAEJ,s
C;MAOI,OAAI,cAAQ,CAAZ,GAAC,CAAF,GAAsB,CAAE,IAAI,EAAJ,GAIB8C,uB;K;IAoB1E,qC;MAQI,oBAA
S,CAAC,SAAD,IAAT,C;K;IAEJ,yC;MAaI,oBAAI,QA AJ,GA AiB,cAAK,EAAL,GA AQ B,Q;K;IAG1C,0C;MAaI,o
BAAI,EAAJ,GA AoB,QA ApB,GA AiC,cAAK,Q;K;IAG1C,mC;MAMI,OAAK,a5CIEmD,uB4CkEnD,CAAL,GA A0
B,a5CnE6B,sB4CmE7B,CAA1B,I;K;IAEJ,2C;MAMU,WAAW,S5C1EuC,c;M4C2EpD,e;QADJ,OACS,KA7E6D,a
5CCf,sB4CDe,CA6E7D,I;;QADT,OA5EsE,aA8E1D,IA9E0D,C;;K;IAiF1E,4C;MAMU,UAAU,S5CtFuC,a;M4CuF
nD,c;QADJ,OACS,KAAqB,sB5CtF0B,uB4CsF1B,CAArB,I;;QADT,OAEGb,sBAAJ,GA AI,C;K;IAGpB,wC;MAO
U,WAAW,S5CjGuC,c;M4CkGpD,e;QAAK,UAA S,kB5CnGqC,sB4CmGrC,C;QADIB,O5CnG4C,MAAa,KAAK,U
AAS,GAAT,E4CoGvB,C5CpGuB,C;;Q4CqGID,aAAa,kBAAL,IAAK,C;QAFzB,O5CnG4C,MAAa,KAAK,U4CqG
7C,C5CrG6C,EAAc,MAAd,C;;K;I4CwGIE,uC;MAOU,UAAU,S5C9GuC,a;M4C+GnD,c;QAAK,WAAa,iB5C9Gk
C,uB4C8GIC,C;QADtB,O5C/G4C,MAAa,KAAK,U4CgHhD,C5ChHgD,EAAc,IAAd,C;;Q4CiHID,YAAS,iBAAJ,
GA AI,C;QAFrB,O5C/G4C,MAAa,KAAK,UAA S,KAAT,E4CiHrB,C5CjHqB,C;;K;I4CoHIE,2C;MAaI,IAAI,CAA
C,WAAa,EAA d,MAAqB,CAAzB,C;QACI,UAAU,S5CjIyC,a;Q4CkInD,WAAW,S5CjIyC,c;Q4CkIpD,aAAa,GAA
I,IAAI,QAAR,GA AQ B,IAAK,MAAK,CAAC,QAAD,IAAL,C;QACvC,cAAc,IAAK,IAAI,QAAT,GAAsB,GA AI,M
AAK,CAAC,QAAD,IAAL,C;QACxC,OAAW,CAAC,WAAa,EAA d,MAAqB,CAAhC,G5CtIwC,MAAa,KAAK,U4
CsIIB,M5CtIkB,E4CsIV,O5CtIU,C4CsIID,G5CtIwC,MAAa,KAAK,U4CsIS,O5CtIT,E4CsIkB,M5CtIIB,C;;Q4CwI

nD,Q;QAAA,IAAI,CAAC,WAAa,EAAd,MAAqB,CAAzB,C;UAAA,OAA4B,S;;uB5CtliB,uB;U4CsIP,a5CvIM,sB
;U4CuI5C,O5CxliC,MAAa,KAAK,kBAAc,MAAd,C;;Q4CwI1D,W;;K;kFAKR,yB;MAAA,4C;MAAA,sC;QAaiE,
6BAAW,CAAC,QAAD,IAAX,C;O;KAbjE,C;qEC1KA,kC;MAII,OAAO,SAA8B,MAAK,WAAL,C;K;uEAGzC,8C
;MAII,OAAO,SAA8B,MAAK,WAAL,EAaKB,UAA1B,C;K;ICpCzC,iC;MACI,gBAAH,IAAI,OAAO,EAAG,GAA
E,IAAI,IAAI,CAAC,CAAD,EAAl,EAAJ,CAAd,GAAyB,CAAhC,C;K;;IAKJ,sC;MACI,cAAO,QAAP,GAaKB,Q
AAQ,Q;K;ICU1B,gC;MAAQ,QxDdkC,OwDcnB,SAAf,C;aACJ,Q;UADI,OACQ,M;aACZ,Q;UAFI,OAEQ,M;aAC
Z,S;UAHI,OAGS,O;gBAHT,OAI,MAAa,gBAaE,SAAf,CAAqB,Y;;K;IAO9C,2B;MAAS,Q;MAAD,OAAwB,CA
AvB,iEAAuB,Q;K;IAMhC,+B;MAAQ,iBAAU,SAAV,C;K;ICIC+B,4B;MACvC,8B;K;gEAAA,Y;MAAA,4B;K;qE
AGI,Y;M7FQ4B,MAAM,yB;K;sE6FNIC,Y;M7FM4B,MAAM,yB;K;oE6FJIC,Y;M7FI4B,MAAM,yB;K;qE6FFIC,
Y;M7FE4B,MAAM,yB;K;gE6FAIC,Y;M7FA4B,MAAM,yB;K;iE6FEIC,Y;M7FF4B,MAAM,yB;K;iE6FIIC,Y;M7
FJ4B,MAAM,yB;K;gE6FMIC,Y;M7FN4B,MAAM,yB;K;ke6FQIC,Y;M7FR4B,MAAM,yB;K;iE6FUIC,Y;M7FV4
B,MAAM,yB;K;uE6FYIC,Y;M7FZ4B,MAAM,yB;K;wE6FclC,Y;M7Fd4B,MAAM,yB;K;uE6FgBIC,Y;M7FhB4B,
MAAM,yB;K;oE6FkBIC,Y;M7FIB4B,MAAM,yB;K;wE6FoBIC,Y;M7FpB4B,MAAM,yB;K;0E6FsBIC,Y;M7FtB4
B,MAAM,yB;K;oE6FwBIC,Y;M7FxB4B,MAAM,yB;K;kC6F0tC,iB;MACI,OAAO,oCAA0B,oBAAU,KAAM,O
AAhB,C;K;oCAGrC,Y;MAC+B,gB;MAAA,8FAA0B,C;K;oCAEzD,Y;MAEI,OAAO,oBAAQ,eAAR,C;K;;IAIyB,
kC;MAAuB,sBAAc,MAAd,C;MACL,Q;MAAtD,4BAAmC,CAAmB,OAAZ,MAAY,WAAnB,kC;K;0EAAnc,Y;M
AAA,gC;K;oDAEA,iB;MACW,cAAgB,W;MAAvB,OxDqCuD,MAAa,QwDrCpD,KxDqCoD,EAAY,OAAZ,C;K;;
IwDjCjC,0E;MAIvC,sBAAc,MAAd,C;MAFA,wC;MACA,8C;K;2CAEA,iB;MACI,IAAI,0CAAJ,C;QAAsC,OAA
O,K;MAC7C,OAAa,uCAA0,KAAP,CAAN,IAAuB,+BAAmB,KAAM,kBAAzB,C;K;6EAGD,Y;MAAQ,6B;K;uD
AEzC,iB;MACI,OAAO,0BAAmB,KAAnB,C;K;;IAIf,6B;MAAA,iC;MAAoC,sBAAoB,MAApB,C;MAChC,4BAA
kC,S;K;2EAAIC,Y;MAAA,gC;K;qDAEA,iB;MAAgD,Y;K;uEAG5C,Y;MAAQ,MAAM,qCAA8B,6CAA9B,C;K;y
CAEIB,iB;MAA4C,iBAAU,I;K;2CAEtD,Y;MAA+B,Q;K;;IAVnC,yC;MAAA,wC;QAAA,uB;OAAA,iC;K;ICxEA
,gE;MAMI,qBAAU,UAAV,EAAGC,OAAV,WAAU,CAAhC,EAA0C,gBAA1C,C;K;IAEJ,8B;MAC2C,iC;K;IAE3
C,kC;MAC+C,qBAAU,cAAA,KAAM,WAAN,CAAV,EAA8B,KAAM,UAApC,EAA+C,IAA/C,C;K;IAE/C,2D;M
AM0B,IAAN,I;MAAA,QAAM,QAAN,C;aACZ,I;;UAAA,K;aACA,K;;UAAA,K;;UAFY,K;;MAAhB,oB;MAMA,
OAAO,uBAAmB,IAAnB,EAAqC,OAAZ,WAAY,CAArC,EAA+C,SAA/C,EAA0D,KAA1D,C;K;IAGX,kC;MAEI,
OAAA,uCAAgB,K;K;IAEpB,8C;MAEI,OAAA,uCAAgB,mBAAU,IAAV,C;K;IAEpB,8C;MAEI,OAAA,uCAAgB,
mBAAU,IAAV,C;K;IAEpB,kD;MAEI,OAAA,uCAAgB,uBAAc,IAAd,C;K;IC/CI,8D;MACpB,sC;MACA,sC;MA
CA,kD;K;mEAFA,Y;MAAA,gC;K;KEACA,Y;MAAA,+B;K;yEACA,Y;MAAA,sC;K;oEAGI,Y;MAAQ,kB;K;iCA
EZ,iB;MACI,0CACQ,wBAAc,KAAM,WAAP,CADR,IAC0C,uBAAa,KAAM,UAAAnB,CAD1C,IAC0E,0BAAoB,
KAAM,iB;K;mCAExG,Y;MACI,SAAC,CAAW,SAAX,eAAW,CAAX,GAAwB,EAAxB,QAAuC,SAAV,cAAU,C
AAvC,IAAD,IAAsD,EAAtD,QAA4E,SAAjB,qBAAiB,CAA5E,I;K;IAYgD,mD;MAAA,qB;QAAE,OAAAG,0BAA
H,EAAG,C;O;K;mCAVzD,Y;MACkB,UACO,M;MADrB,aAAc,2D;MAEV,cAAU,IAAV,C;QAA6B,SAAX,eAA
W,W;WAC7B,IAAA,MAAO,WAAP,S;QAAoC,SAAP,MAAO,W;;QAC5B,+B;MAHZ,2B;MAMA,WACQ,cAAU,
UAAAd,GAAyB,EAzB,GACe,eAAV,cAAU,EAAa,IAAb,EAAMB,GAAAnB,EAAwB,GAAxB,kBAA6B,+BAA7B,
C;MACnB,eAAmB,qBAAJ,GAAsB,GAAtB,GAA+B,E;MAE9C,OAAO,iBAAiB,IAAjB,GAAwB,Q;K;qCAGnC,q
B;MAEI,IAAI,sBAAy,IAAhB,C;QAAsB,OAAO,G;MAC7B,OAAgB,aAAT,kBAAS,CAAT,GAA+B,SAAL,cAA
K,C;K;;IAI9C,wB;MAAA,4B;MACI,4BAAwC,I;MACxC,2BAAgD,W;MAChD,kCAAyC,K;MACzC,6BAA6C,W
;K;sEAH7C,Y;MAAA,gC;K;qEACA,Y;MAAA,+B;K;4EACA,Y;MAAA,sC;K;uEACA,Y;MAAA,iC;K;sCACA,Y;
MAAkC,gB;K;;IALtC,oC;MAAA,mC;QAAA,kB;OAAA,4B;K;IAQA,iC;MACI,QAAM,SAAN,M;aACI,W;UADJ
,OAC2B,E;aACvB,I;UAFJ,OAEoB,K;aAchB,K;UAHJ,OAGqB,M;gBAHrB,mC;;K;IC/CkC,oE;MACIC,0B;MAC
A,wC;MACA,kC;MACA,oC;K;sEAHA,Y;MAAA,0B;K;6EACA,Y;MAAA,iC;K;0EACA,Y;MAAA,8B;K;2EACA
,Y;MAAA,+B;K;4CAEA,Y;MAAkC,gB;K;;8CANtC,Y;MACI,gB;K;8CADJ,Y;MAEI,uB;K;8CAFJ,Y;MAGI,oB;K
;8CAHJ,Y;MAIL,qB;K;gDAJJ,kD;MAAA,8BACI,kCADJ,EAEL,uDAFJ,EAGI,8CAHJ,EAIL,iDAJ,C;K;4CAAA,Y;
MAAA,c;MACI,qD;MACA,4D;MACA,yD;MACA,0D;MAJJ,a;K;0CAAA,iB;MAAA,4IACI,oCADJ,IAEI,kDAFJ,
IAGI,4CAHJ,IAII,8CAJJ,I;K;ICAA,4B;MAAA,gC;MAEI,gBACe,wBAAoB,MAApB,EAA6D,KAA7D,EAAoE,g
CAApE,C;MAEf,mBACkB,wBAAoB,MAApB,EAAgE,QAAhE,EAA0E,mCAA1E,C;MAEIB,oBACmB,+B;MAE
nB,oBACmB,wBAAoB,OAApB,EAAkE,SAAIE,EAA6E,oCAA7E,C;MAEnB,iBACgB,wBAAoB,MAApB,EAA8

D,MAA9D,EAASe,iCAAtE,C;MAEhB,kBACiB,wBAAoB,MAApB,EAA+D,OAA/D,EAAwE,kCAAxE,C;MAEjB ,gBACe,wBAAoB,MAApB,EAA6D,KAA7D,EAAoE,gCAApE,C;MAEf,kBACiB,wBAAoB,MAApB,EAA+D,OA A/D,EAAwE,kCAAxE,C;MAEjB,mBACkB,wBAAoB,MAApB,EAAgE,QAAhE,EAA0E,mCAA1E,C;MAEiB,kB ACiB,wBAAoB,KAApB,EAAiE,OAAjE,EAA0E,kCAA1E,C;MAEjB,mBACkB,wBAAoB,MAApB,EAAgE,QA A hE,EAA0E,mCAA1E,C;MAEiB,sBACqB,wBAAoB,KAApB,EAAkE,WAAIE,EAA+E,sCAA/E,C;MAErB,yBAC wB,wBAAoB,KAApB,EAAqE,cAArE,EAAqF,yCAArF,C;MAExB,sBACqB,wBAAoB,WAApB,EAAwE,WAAxE ,EAAqF,sCAArF,C;MAErB,sBACqB,wBAAoB,SAApB,EAASe,WAAIE,EAAmF,sCAAnF,C;MAErB,uBACsB,w BAAoB,UAApB,EAAwE,YAAxE,EAAfE,uCAAtF,C;MAEtB,qBACoB,wBAAoB,UAApB,EAASe,UAAIE,EAAk F,qCAAI,F,C;MAEpB,sBACqB,wBAAoB,KAApB,EAAkE,WAAIE,EAA+E,sCAA/E,C;MAErB,uBACsB,wBAAo B,YAApB,EAA0E,YAA1E,EAAwF,uCAAxF,C;MAEtB,wBACuB,wBAAoB,YAApB,EAA2E,aAA3E,EAA0F,wC AA1F,C;K;IAMkB,qE;MAAA,qB;QAAE,O7D/DD,O6D+DU,EAAT,KAAiB,UAAjB,IAAkC,EAAY,OAAf,KAA0 B,a;O;K;+CAJpG,iB;MAE2B,Q;MAAhB,U;MAAA,KAAgB,OAAhB,eAAgB,CAAI,KAAJ,CAAhB,U;QAAA,a;Q ACH,aAAa,wBAAoB,QAApB,EAA+D,kBAA/D,EACoB,mDADpB,C;QAEg,eAAhB,UAAqC,M;QAHIC,SAIH, M;MAJJ,a;K;IA7D+E,8C;MAAE,6B;K;IAGO,iD;MAAE,0B;K;IAME,kD;MAAE,8B;K;IAGZ,+C;MAAE,6B;K;I AGC,gD;MAAE,6B;K;IAGR,8C;MAAE,6B;K;IAGI,gD;MAAE,6B;K;IAGC,iD;MAAE,6B;K;IAGH,gD;MAAE,y B;K;IAGD,iD;MAAE,6B;K;IAGM,oD;MAAE,mC;K;IAGO,uD;MAAE,gC;K;IAGL,oD;MAAE,6B;K;IAGJ,oD;M AAE,6B;K;IAGE,qD;MAAE,8B;K;IAGR,mD;MAAE,4B;K;IAGJ,oD;MAAE,6B;K;IAGQ,qD;MAAE,8B;K;IAGC, sD;MAAE,+B;K;IA5DvH,wC;MAAA,uC;QAAA,sB;OAAA,gC;K;ICCA,2B;MACkE,yBAAkB,MAAiB,C;K;IA EIE,oC;MAEU,IAAN,I;MAAA,Q9DH0C,O8DG3B,CAAf,C;aACI,Q;UAA6B,OAAjB,8BAAiB,Y;UAA7B,K;aAC A,Q;UAAy,OAAI,CAAY,CvDAhC,GuDAmC,CAAf,MAAkC,CAAtC,GAAYC,8BAAiB,SAAI,D,GAAwE,8BAAi B,Y;UAArG,K;aACA,S;UAA8B,OAAjB,8BAAiB,a;UAA9B,K;aACA,U;UAA+B,OAAjB,8BAAiB,eAAgB,CAA Y,OAA5B,C;UAA/B,K;gBAGQ,6B;YAAcC,OAAjB,8BAAiB,kB;eACtC,0B;YAAmC,OAAjB,8BAAiB,e;eACn C,0B;YAAmC,OAAjB,8BAAiB,e;eACnC,2B;YAAoC,OAAjB,8BAAiB,gB;eACpC,yB;YAAkC,OAAjB,8BAAiB,c;e ACIC,0B;YAAmC,OAAjB,8BAAiB,e;eACnC,2B;YAAoC,OAAjB,8BAAiB,gB;eACpC,4B;YAAqC,OAAjB,8B AAiB,iB;eACrC,6B;eACA,sB;YAAkC,OAAjB,8BAAiB,W;YAE9B,kBAAkB,MAAA,gBAAE,CAAf,CAAkB,Y;Y AE7C,oBAAgB,MAAhB,C;CAAI,D,OAAjB,8BAAiB,S;IBACjD,oBAAgB,KAAhB,C;CAAgD,OAAjB,8BAAiB,e; cAE5C,cAA0B,W;CAC1B,yBAAkB,OAAI,B,C;;;UAXBxK,K;MAAA,W;K;IAGCJ,mC;MAKW,Q;MAJP,IAAI,WA AW,MAAf,C;QAA6B,OAAO,8BAAiB,Y;OAErD,eAAsB,MAAY,W;MAE3B,IAAI,gBAAJ,C;QACH,IAAI,QAAS ,SAAT,QAAJ,C;UACI,aAAa,qBAAiB,MAAjB,C;UACb,oBAAsB,M;UACtB,a;UAES,OAAT,QAAS,S;;;QAGb,4 BAAiB,MAAjB,C;MATJ,W;K;ICvBJ,0B;MAII,sBAAY,C;K;qEAChB,4B;MAIkE,iBAAY,KAAZ,C;K;2EAEIE,q B;MAI8D,gB;K;ICIDb,2C;MAC7C,qBAAwC,Q;K;iDAExC,Y;MACmB,Q;MAAA,yB;MAAA,iB;QAAe,MAAM,6 BAAsB,0CAAtB,C;OAApC,eAAe,I;MACf,qBAAc,I;MACd,OAAO,QAAS,W;K;ICDyB,2C;uBAA+B,O;K;IA C5E,8C;MAAA,kE;MAAuB,qCAAK,IAAL,C;MAAvB,Y;K;ICD8B,gC;MAgB9B,gBAAiC,YAAy,SAAhB,GAA2 B,OAA3B,GAAwC,E;K;mEAGjE,Y;MAAQ,OAAO,aAAY,O;K;yCAE/B,iB;MACW,gBAAP,a;M7FiEG,Q;MAA A,I6FjEc,K7FiEV,IAAS,CAAT,I6FjEU,K7FiEI,IAAS,2BAA3B,C;QAAA,OAAsC,qB6FjExB,K7FiEwB,C;Q6FjE f,MAAM,8BAA0B,mCAAYB,WAAzB,MAA1B,C;MAAhC,W;K;kDAEJ,gC;MAAGF,OAAA,a3FkKY,W2FIKK, U3FkKL,E2FIKiB,Q3FkKjB,C;K;6C2FhK5F,iB;MACI,qCAAU,KAAV,C;MACA,OAAO,I;K;6CAGX,iB;MACI,i BAAgB,SAAN,KAAM,C;MACHB,OAAO,I;K;6CAGX,uC;MACkG,OAAA,IAAK,qBAAY,KAAZ,EAAmB,UAA nB,EAA+B,QAA/B,C;K;sCAEvG,Y;MAayB,UAEK,M;MAL1B,eAAe,E;MACf,YAAy,aAAO,OAAP,GAAGB,CA AhB,I;MACZ,OAAO,SAAS,CAAhB,C;QACI,UAAU,0BAAO,YAAP,EAAO,oBAAP,Q;QACV,IAAQ,eAAJ,GAA I,CAAJ,IAAwB,SAAS,CAArC,C;UACI,WAAW,0BAAO,cAAP,EAAO,sBAAP,U;UACX,IAAS,gBAAL,IAAK,C AAT,C;YACI,WAAW,+BAAW,iBAAX,wBAAkB,gBAAlB,C;YAEX,WAAW,+BAAW,gBAAX,wBAAiB,iBAAj B,C;;;UAGf,gCAAY,GAAZ,C;;;MAGR,gBAAS,Q;MACT,OAAO,I;K;6CAGX,iB;MAOI,iBAAgB,SAAN,KAAM, C;MACHB,OAAO,I;K;6CAGX,iB;MASI,iBAAU,K;MACV,OAAO,I;K;6CAGX,iB;MAQI,iBAAGB,eAAN,KAAM ,C;MACHB,OAAO,I;K;6CAGX,iB;MAMI,gBAAA,IAAK,SAAL,GAAe,K;MACf,OAAO,I;K;uCAGX,Y;MAS6B, OAAS,IAAY,UAAjB,KAA+B,SAAnC,GrGrFtB,MAAK,KqGqF0E,IAAY,UrGrFtF,EqGqFiG,WrGrFjG,CqGqFiB, GAA6F,W;K;qDAE1H,2B;MAYI,IAAI,kBAAkB,eAAtB,C;QACS,IAAL,aAA6B,e;Q;8CAIrC,kB;MAO0C,OAAA ,IAAY,SAAY,SAAQ,MAAR,C;K;8CAEIE,8B;MAQ2D,OAAA,IAAY,SAAY,SAAQ,MAAR,EAAgB,UAAhB,C;

K;kDAEnF,kB;MAQ8C,OAAA,IAAY,SAAY,aAAY,MAAZ,C;K;kDAEtE,8B;MASI,IAAI,M5FyCwC,YAAU,C4FzCID,IAAoB,aAAa,CAArC,C;QAAwC,OAAO,E;MAC/C,OAAO,IAAY,SAAY,aAAY,MAAZ,EAAoB,UAApB,C;K;4CAGnC,wB;MAWI,oCAAA,4BAAmB,KAAAnB,EAA0B,WAA1B,C;MAEb,gBAAS,a3FX+E,W2FW9D,C3FX8D,E2FW3D,K3FX2D,C2FW/E,YAA6B,KAA7B,IAAqC,a3Fd2B,W2FcV,K3FdU,C;M2FezE,OAAO,I;K;6CAGX,wB;MAQI,oCAAA,4BAAmB,KAAAnB,EAA0B,WAA1B,C;MAEb,gBAAS,a3FzB+E,W2FyB9D,C3FzB8D,E2FyB3D,K3FzB2D,C2FyB/E,uBAA6B,kBAA7B,IAAqC,a3F5B2B,W2F4BV,K3F5BU,C;M2F6BzE,OAAO,I;K;6CAGX,wB;MAUI,oCAAA,4BAAmB,KAAAnB,EAA0B,WAA1B,C;MAEb,gBAAS,a3FzC+E,W2FyC9D,C3FzC8D,E2FyC3D,K3FzC2D,C2FyC/E,GAAmC,eAAN,KAAM,CAAnC,GAAAsD,a3F5CU,W2F4CO,K3F5CP,C;M2F6CzE,OAAO,I;K;6CAGX,wB;MAaI,oCAAA,4BAAmB,KAAAnB,EAA0B,WAA1B,C;MAEb,gBAAS,a3F5D+E,W2F4D9D,C3F5D8D,E2F4D3D,K3F5D2D,C2F4D/E,GAAmC,SAAN,KAAM,CAAnC,GAAgD,a3F/DgB,W2F+DC,K3F/DD,C;M2FgEzE,OAAO,I;K;6CAGX,wB;MAWI,oCAAA,4BAAmB,KAAAnB,EAA0B,WAA1B,C;MAEb,gBAAS,a3F7E+E,W2F6E9D,C3F7E8D,E2F6E3D,K3F7E2D,C2F6E/E,GAAmC,SAAN,KAAM,CAAnC,GAAgD,a3FhFgB,W2FgFC,K3FhFD,C;M2FiFzE,OAAO,I;K;6CAGX,wB;MAQI,oCAAA,4BAAmB,KAAAnB,EAA0B,WAA1B,C;MAEb,gBAAC,IAAK,S3F3FqE,W2F2FpD,C3F3FoD,E2F2FjD,K3F3FiD,C2F2F1E,GAAkC,KAAIC,GAA0C,IAAK,S3F9FY,W2F8FK,K3F9FL,C;M2F+FzE,OAAO,I;K;gDAGX,qB;MAcI,IAAI,YAAY,CAAhB,C;QACI,MAAM,gCAAYB,0BA AuB,SAAvB,MAAzB,C;OAGV,IAAI,aAAa,WAAjB,C;QACI,gBAAS,a3FIH2E,W2FkH1D,C3FIH0D,E2FkHvD,S3FIHuD,C;;Q2FoHpF,aAAU,WAAV,MAAuB,SAAvB,M;UACI,qCAAU,CAAV,C;;;K;gDAKZ,sB;MAQI,oCAAA,4BAAmB,UAAAnB,EAA+B,WAA/B,C;MAEb,OAAO,a3FvIkE,W2FuJjD,U3FvIiD,C;K;gD2F0I7E,gC;MAQI,oCAAA,4BAAmB,UAAAnB,EAA+B,QAA/B,EAAyC,WAAzC,C;MAEb,OAAO,a3FjJiF,W2FiJhE,U3FjJgE,E2FiJpD,Q3FjJoD,C;K;yC2FoJ5F,Y;MAYI,IAAS,IAAY,UAAjB,KAA+B,SAAnC,C;QACS,IAAL,aAA6B,W;Q;uCAiRC,Y;M AAKC,oB;K;oCAEIC,Y;MAOI,gBAAS,E;MACT,OAAO,I;K;0CAGX,wB;MAQI,oCAAA,2BAaKB,KAAIB,EAAyB,WAAzB,C;MAEb,gBAAS,a3F5L+E,W2F4L9D,C3F5L8D,E2F4L3D,K3F5L2D,C2F4L/E,uBAA6B,kBAA7B,IAAqC,a3F/L2B,W2F+LV,QAAQ,CAAR,I3F/LU,C;K;+C2FkM7E,uC;MAYI,yBAaKB,UAAIB,EAA8B,QAA9B,EA AwC,WAAxC,C;MAEA,gBAAC,IAAK,S3F7MqE,W2F6MpD,C3F7MoD,E2F6MjD,U3F7MiD,C2F6M1E,GAAuC ,KAAvC,GAA+C,IAAK,S3FhNO,W2FgNU,Q3FhNV,C;M2FiNzE,OAAO,I;K;kDAGX,wC;MACI,IAAI,aAAa,CA Ab,IAAkB,aAAa,MAAnC,C;QACI,MAAM,8BAA0B,iBAAC,UAAAd,kBAAmC,MAA7D,C;OAEV,IAAI,aAAa,QA AjB,C;QACI,MAAM,gCAAYB,gBAaA,UAAb,qBAaQc,QAARc,MAAzB,C;Q;+CAId,iB;MAYI,oCAAA,2BAaKB ,KAAIB,EAAyB,WAAzB,C;MAEb,gBAAS,a3FxO+E,W2FwO9D,C3FxO8D,E2FwO3D,K3FxO2D,C2FwO/E,GA A6B,a3F3OmC,W2F2OIB,QAAQ,CAAR,I3F3OkB,C;M2F4OzE,OAAO,I;K;kDAGX,gC;MAWI,yBAaKB,UAAIB ,EAA8B,QAA9B,EAAwC,WAAxC,C;MAEA,gBAAS,a3FzP+E,W2FyP9D,C3FzP8D,E2FyP3D,U3FzP2D,C2FyP/ E,GAAkC,a3F5P8B,W2F4Pb,Q3F5Pa,C;M2F6PzE,OAAO,I;K;kDAGX,gE;MAc+C,iC;QAAA,oBAAYB,C;MAAG ,0B;QAAA,aAAKB,C;MAAG,wB;QAAA,WAAgB,IAAK,O;MAKIF,IACf,I;MALhB,oCAAA,4BAAmB,UAAAnB,E AA+B,QAA/B,EAAyC,WAAzC,C;MACb,oCAAA,4BAAmB,iBAAnB,EAAc,oBAAoB,QAAPB,GAA+B,UAA/B ,IAATC,EAAiF,WAAy,OAA7F,C;MAEb,eAAe,iB;MACf,iBAAC,UAAAd,UAA+B,QAA/B,U;QACI,YAAY,eAAZ, EAAy,uBAAZ,UAA0B,yBAAO,KAAP,C;;K;kDAIIC,uC;MAcI,iBAAGB,iBAAN,KAAM,EAAe,UAAf,EAA2B,Q AA3B,C;MACbB,OAAO,I;K;kDAGX,uC;MAaI,gBAASB,SAAN,KAAM,C;MACtB,oCAAA,4BAAmB,UAAAnB,E AA+B,QAA/B,EAAyC,SAAU,OAAAnD,C;MAEb,iBAAU,S3FvT8E,W2FuT1D,U3FvT0D,E2FuT9C,Q3FvT8C,C; M2FwTxF,OAAO,I;K;kDAGX,8C;MAGBI,oCAAA,4BAAmB,KAAAnB,EAA0B,IAAK,OAA/B,C;MAEb,gBAAS,a 3F7U+E,W2F6U9D,C3F7U8D,E2F6U3D,K3F7U2D,C2F6U/E,GAAmC,iBAAN,KAAM,EAAe,UAAf,EAA2B,QA A3B,CAAnC,GAA0E,a3FhVV,W2FgV2B,K3FhV3B,C;M2FiVzE,OAAO,I;K;kDAGX,8C;MAiBi,oCAAA,4BAA mB,KAAAnB,EAA0B,WAA1B,C;MAEb,gBAASB,SAAN,KAAM,C;MACtB,oCAAA,4BAAmB,UAAAnB,EAA+B,Q AA/B,EAAyC,SAAU,OAAAnD,C;MAEb,gBAAS,a3FvW+E,W2FuW9D,C3FvW8D,E2FuW3D,K3FvW2D,C2FuW/ E,GAA6B,S3FvWkD,W2FuW9B,U3FvW8B,E2FuWIB,Q3FvWkB,C2FuW/E,GAAyE,a3F1WT,W2F0W0B,K3F1 W1B,C;M2F2WzE,OAAO,I;K;;IAjiBX,6C;MAAA,uD;MAKoC,2B;MAC3B,KAAL,aAA6B,Q;MANjC,Y;K;IASA ,8C;MAAA,uD;MAC4C,0BAAK,OAAQ,WAAb,C;MAD5C,Y;K;IAGA,qC;MAAA,uD;MACuB,0BAAK,EAAL,C ;MADvB,Y;K;2EA0hBJ,qB;MAOgE,OAAA,SAAK,Q;K;uEAERe,mC;MAQ+E,SAAK,aAAI,KAAJ,EAAW,KAA X,C;K;+EAEPf,kD;MAaI,OAAA,SAAK,kBAAS,UAAAT,EAAqB,QAARb,EAA+B,KAA/B,C;K;+EAET,4B;MAY 6E,OAAA,SAAK,kBAAS,KAAT,C;K;qFAEIF,2C;MAWOG,OAAA,SAAK,qBAAY,UAAZ,EAAwB,QAAXB,C;K;

uFAEzG,2E;MAe2E,iC;QAAA,oBAAyB,C;MAAG,0B;QAAA,aAAkB,C;MAAG,wB;QAAA,WAAgB,SAAK,O;
MAC7I,SAAK,qBAAY,WAAZ,EAAYB,iBAAzB,EAA4C,UAA5C,EAawD,QAAXD,C;K;qFAET,kD;MAeI,OAA
A,SAAK,qBAAY,KAAZ,EAAMB,UAAAnB,EAA+B,QAA/B,C;K;uFAET,kD;MAcI,OAAA,SAAK,qBAAY,KAAZ
,EAAMB,UAAAnB,EAA+B,QAA/B,C;K;qFAET,yD;MAiBI,OAAA,SAAK,qBAAY,KAAZ,EAAMB,KAAAnB,EAA
0B,UAA1B,EAAsC,QAAtC,C;K;uFAET,yD;MAkBI,OAAA,SAAK,qBAAY,KAAZ,EAAMB,KAAAnB,EAA0B,UA
A1B,EAAsC,QAAtC,C;K;ICjsBT,iC;MACiD,OAAW,QAAX,8BAAW,EAAQ,YAAR,C;K;qFAE5D,yB;MAAA,0
B;MAAA,4B;QACoD,OAAiF,OAArI,MAAoD,cAA0B,aAA1B,CAAmC,cAAc,YAAW,CAAX,CAAgC,C;O;KAD
rI,C;qFAGA,yB;MAAA,0B;MAAA,4B;QACoD,OAAiF,OAArI,MAAoD,cAA0B,aAA1B,CAAmC,cAAc,YAAW,
CAAX,CAAgC,C;O;KADrI,C;IAGA,oC;MAGoD,QAAQ,cAAA,sCAAK,mBAAL,EAAYB,sCAAK,mBAA9B,CA
AR,6B;K;IAEpD,mC;MAGmD,QAAQ,cAAA,sCAAK,kBAAL,EAawB,sCAAK,kBAA7B,CAAR,6B;K;IChBnD,8
B;MAGgD,c7FyKoB,uB6FzKpB,EAaiB,MAAjB,C;K;IAEHd,6B;MAI0C,Q;MAAA,yDAakB,kBAakB,SAaIB,C
;K;IAE5D,oC;MAKoD,Q;MAAA,yCAAA,KAAb,oBAAuB,kBAakB,SAaIB,C;K;IAG3E,8B;MAI4C,Q;MAAA,0
DAAmB,kBAakB,SAaIB,C;K;IAE/D,qC;MAKsD,Q;MAAA,0CAAc,KAAd,oBAAwB,kBAakB,SAaIB,C;K;IAE
9E,0B;MAIwC,Q;MAAA,wDAaiB,kBAakB,SAaIB,C;K;IAEzD,mC;MAKkD,Q;MAAA,wCAAY,KAAZ,oBAAs
B,kBAakB,SAaIB,C;K;IAExE,2B;MAI0C,Q;MAAA,yDAakB,kBAakB,SAaIB,C;K;IAE5D,oC;MAKoD,Q;MA
AA,yCAAA,KAAb,oBAAuB,kBAakB,SAaIB,C;K;IAE3E,6B;MAIyF,kBAA1C,CAAO,S;MACID,IAAO,QxG0B
D,WwG1BC,CAAH,IAAc,CAAM,kBAApB,KxG0BE,WwG1B6B,KAAM,GAAN,IAakB,kBAajD,CAAJ,C;QAC
I,4B;MAFsC,OxG4BnC,W;K;6EwGvBX,yB;MAAA,6C;MAAA,4B;QAKmD,0B;O;KALnD,C;IAOA,mC;MAIgg,
kBAA1C,CAAO,S;MAAR,OACjD,EAak,QxGoCgB,WwGpChB,CAAH,IAAc,CAAM,kBAApB,KxGoCmB,Ww
GpCY,KAAM,GAAN,IAakB,kBAajD,CAAF,CxGoCO,GAAqB,WAArB,GAA+B,I;K;yFwGjC1C,yB;MAAA,yD
;MAAA,4B;QAK0D,gC;O;KAL1D,C;ifAOA,yB;MAAA,6C;MAAA,mC;QAO6D,OAAa,SAAR,SAAQ,EAAS,KA
AT,C;O;KAP1E,C;ifASA,yB;MAAA,6C;MAAA,mC;QAO8D,OAAa,SAAR,SAAQ,EAAS,KAAT,C;O;KAP3E,C;
IASA,sC;MAMqD,OAAA,SAAY,UAAS,WAAW,KAAX,CAAT,C;K;IAEjE,4B;MAAsC,QAAM,S7FyDwB,c6Fz
D9B,C;aAClC,K;aAAA,M;aAAA,M;UADkC,OACT,I;gBADs,OAE1B,K;K;IAGZ,2B;MAKI,IAAI,EAAU,CAAV
,sBAAa,EAAb,CAAJ,C;QACI,MAAM,gCAAYB,WAAQ,KAAR,kCAAzB,C;OAEV,OAAO,K;K;IAGX,8B;MAA2
D,Q;MACvD,YAAQ,EAAR,IAAe,QAAQ,EAavB,C;QAA8B,cAAO,E;WACrC,YAAQ,EAAR,IAAe,QAAQ,EA
vB,C;QAA8B,cAAO,EAAP,GAAa,EAAb,I;WAC9B,YAAQ,EAAR,IAAe,QAAQ,GAAvB,C;QAA8B,cAAO,EA
P,GAAa,EAAb,I;QACtB,S;MxGhCD,a;MwG4BgD,OAK/C,WAAJ,GAAiB,EAajB,GAAyB,E;K;ICpIG,2C;MAH
pC,e;MAGqC,kB;MAHrC,iB;MAAA,uB;K;IAAA,kC;MAAA,qC;O;MAII,qEACY,GADZ,C;MAEA,iEAIU,GAJV,
C;K;;IAFA,+C;MAAA,wB;MAAA,uC;K;;IAEA,6C;MAAA,wB;MAAA,qC;K;;IANJ,8B;MAAA,mF;K;;IAAA,mC
;MAAA,a;aAAA,a;UAAA,4C;aAAA,W;UAAA,0C;gBAAA,4D;;K;;IAmBmC,2B;MAAC,kB;K;;sCALpC,Y;MAK
oC,iB;K;wCALpC,iB;MAAA,sBAKoC,qCALpC,C;K;oCAAA,Y;MAAA,OAKoC,iDALpC,M;K;oCAAA,Y;MAA
A,c;MAKoC,sD;MALpC,a;K;kCAAA,iB;MAAA,2IAKoC,sCALpC,G;K;IAiB0B,iC;MAMItB,6B;MA1HA,eACoC
,O;MACpC,eACsD,QAAR,OAAQ,C;MvG2xC/C,kBAAM,iBAAa,wBuG1xC0B,OvG0xC1B,EAawB,EAAXB,CA
Ab,C;MAqEA,Q;MAAA,OuG/1CuC,OvG+1CvC,W;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WAAc,IuGh
2CuC,MvGg2CrD,C;;MuGh2ChB,uBAAoC,WAAO,OAAP,EAAYC,evGi2CtE,WuGj2CsE,EAAYB,EAazB,CAAz
B,GAAwD,GAAxE,C;K;sCAEpC,iB;MAEkB,MAAd,oBAAc,C;MACd,YAAy,oBAAc,MAAK,KAAM,WAAx,C;
MAC1B,OAAO,iBAaiB,KAAM,MAAN,KAAe,CAAhC,IAAQ,C,oBAAc,UAAAd,KAA2B,KAAM,O;K;8CAGjF,iB;
MAEkB,MAAd,oBAAc,C;MACd,OAAO,oBAAc,MAAK,KAAM,WAAx,C;K;mCAGzB,6B;MAM4C,0B;QAAA,
aAAkB,C;MAAMB,OAAc,SAAd,oBAAc,EAAS,KAAM,WAAf,EAA2B,UAA3B,C;K;IAS1E,6E;MAAA,mB;QA
AE,+BAAK,aAAL,EAAY,kBAAZ,C;O;K;IAA2B,uC;MAAW,OAAA,KAAM,O;K;sCAPnE,6B;MAM+C,0B;QAA
A,aAAkB,C;MAC7D,0BAAiB,6CAAjB,EAA8C,sBAA9C,C;K;0CAEJ,iB;MAMI,IAAY,aAAR,YAAQ,EAAW,EA
AX,CAAR,IAAmC,WAAW,YAAQ,EAAS,EAAT,CAAvC,C;QACI,OAAO,kBAAK,KAAL,C;;QAEp,OAAkE,CA
A3D,UAAAM,MAA2B,UAAf,YAAR,YAAQ,qBAAU,EAAY,EAae,qBAAQ,EAAR,EA3B,MAAN,EAakD,YAA
ID,CAA2D,eAAK,KAAL,C;K;sCAG1E,8B;MAK8E,OAAA,KAAM,W9F4Ga,S8F5GY,oB9F4GZ,E8F5G2B,W9F
4G3B,C;K;uG8F1GjG,yB;MAAA,iE;MAAA,wC;MAAA,mC;QAMI,YAAy,kBAAK,KAAL,C;QACZ,IAAI,AAAJ,
C;UAAmB,OAAO,KAAM,W;QAEhC,gBAAGB,C;QACHb,aAAa,KAAM,O;QACnB,SAAS,mBAAc,MAAd,C;;U
AEL,iBAaiB,oB;UACjB,EAAG,gBAAO,KAAP,EAAC,SAAd,EAAYB,UAAW,MAAM,MAA1C,C;UACH,EAAG,

gBAAO,UAAU,UAAV,CAAP,C;UACH,YAAY,UAAW,MAAM,AAaJB,GAAGC,CAAhC,I;UACZ,QAAQ,UAAW ,O;;QACd,oBAAY,MAAZ,IAAsB,aAAtB,C;QAET,IAAI,YAAY,MAAhB,C;UACI,EAAG,gBAAO,KAAP,EAAC, SAAd,EAAYB,MAAZB,C;SAGP,OAAO,EAAG,W;O;KAXBd,C;2CA2BA,8B;MAMmC,gBAAR,Y;MvGssCpB,kB AAM,iBAAa,mCAAwB,EAAXB,CAAb,C;MAqEA,Q;MAAA,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAA Y ,WAAc,IuG5wCc,MvG4wC5B,C;;MuG5wCZ,uBAAgD,evG6wC7C,WuG7wC6C,EAAYB,EAAZB,C;MACHD,OA AO,KAAM,W9FwEgF,S8FxEvD,WAAO,YAAP,EAAGB,gBAAhB,C9FwEuD,E8FxEpB,W9FwEoB,C;K;oC8FrEj G,wB;MAO6C,qB;QAAA,QAAa,C;MAMx C,Q;M7GvHIB,IAAI,E6GkHQ,SAAS,C7GIHjB,CAAJ,C;QACI,c6GiH sB,8C;Q7GhHtB,MAAM,gCAAYB,OAAQ,WAAjC,C;OI0EH,SyGuCW,qBAAQ,KAAR,C;MAAd,cAAuC,UAA S, CAAb,GAAgB,EAAbB,GAA2B,OAAH,EAAG,EAAK,QAAQ,CAAR,IAAL,C;MAC9D,apH7DgD,gB;MoH8DhD ,gBAAgB,C;MAEF,yB;MAAd,OAAc,cAAd,C;QAAC,uB;QACV,MAAO,WAAU,mBAAN,KAAM,EAAY,SAAZ, EAAuB,KAAM,MAAM,MAAnC,CAA0C,WAApD,C;QACP,YAAY,KAAM,MAAM,AAAZ,GAA2B,CAA3B,I;; MAEhB,MAAO,WAAU,mBAAN,KAAM,EAAY,SAAZ,EAAuB,KAAM,OAA7B,CAAqC,WAA/C,C;MACP,OA AO,M;K;+BAIX,Y;MAMyC,OAAA,oBAAc,W;K;IAEvD,2B;MAAA,+B;MAMBI,uBAA4B,WAAO,wBAAP,EA AkC,GAAlC,C;MAC5B,2BAAGC,WAAO,KAAP,EAAbB,GAAjB,C;K;oDAnBhC,mB;MAIwD,oBAAM,oBAAO, OAAP,CAAN,C;K;+CAExD,mB;MAIoD,OAAA,O9F4ByC,S8F5BnB,oB9F4BmB,E8F5BJ,M9F4BI,C;K;0D8F1B 7F,mB;MAI+D,OAAA,O9FsB8B,S8FtBR,wB9FsBQ,E8FtBW,M9FsBX,C;K;;;I8FvCjG,uC;MAAA,sC;QAAA,qB; OAAA,+B;K;;IAjIA,4C;MAAA,+C;MACkE,kBAAK,OAAL,EAAC,MAAM,MAAN,CAAd,C;MADIE,Y;K;IAGA, sC;MAAA,+C;MAC6C,kBAAK,OAAL,EAAC,UAAAd,C;MAD7C,Y;K;IAsJJ,kC;MAGkE,iBAAM,OAAN,EAAe,M AAM,MAAN,CAAf,C;K;IAEIE,0B;MAG6C,iBAAM,OAAN,EAAe,UAAf,C;K;IAWIC,4F;MAAA,kC;MAAA,kC; MAAA,kC;MAAA,kC;MACH,uBAA+B,a;MAI/B,sF;MAOA,sBAA0C,I;K;2EAX1C,Y;MAAA,2B;K;2EAEI,Y;M AAQ,qBAAA,kBNtK8C,CMsKxC,CNtKwC,CMsK9C,C;K;4EAEZ,Y;MAAA,4B;K;IAY2B,oG;MAAA,kC;MAA S,uB;K;+HACG,Y;MAAQ,OAAA,kBAAM,O;K;wGACrC,iB;MAAuC,Q;MAAA,eAAA,kBNtLG,CMsLG,KNtLH ,CMsLH,mBAAGB,E;K;;iFAJnE,Y;MACI,IAAI,2BAAJ,C;QACI,yH;OAKJ,OAAO,kC;K;4CAGf,Y;MAAOc,OAA c,SAAd,kBAAC,EAAS,kBAAT,EAAoB,kBAAM,UAAV,GAAqB,kBAAM,MAAN,GAAC,CAAd,IAArB,GAA0C, kBAAM,aAAN,GAAqB,CAArB,IAA1D,C;K;IApBN,oE;MAAA,kC;MAA+B,6B;K;+FAChD,Y;MAAQ,OAAA,k BAAM,O;K;IACqC,4E;MAAA,qB;QAAE,yBAAK,EAAL,C;O;K;qEAA5E,Y;MAAiD,OAAqB,OAAb,aAAR,oBA AQ,CAAa,EAAL,iEAAJ,CAAiB,W;K;wEACvF,iB;MAA4C,Q;MAAA,eAAA,kBN3KU,CM2KJ,KN3KI,CM2KV, YAAoB,oBAAPB,O;K;;;IAdxD,0C;MACI,sBAAiB,I;MACjB,YAAY,eAAK,KAAL,C;MACZ,IAAI,aAAJ,C;QAA mB,OAAO,I;MAC1B,YAAY,aAAA,KAAM,MAAN,EAAa,sBAAY,CAAZ,IAAb,C;MAEZ,iE;K;IIGzMJ,wD;MA AsG,4C;K;IAAtG,+CACI,gB;MAAwC,+BAAW,CAAX,EAAC,CAAd,C;K;IAD5C,oF;IYJA,yB;MAMiB,Q;MADb ,aAAa,E;MACb,wBAAa,KAAb,gB;QAAa,WAAb,UAAa,KAAb,O;QACI,8BAAU,IAAV,C;;MAEJ,OAAO,M;K;I AGX,yC;MAW+B,Q;MAH3B,IAAI,SAAS,CAAT,IAAc,SAAS,CAAvB,IAA4B,CAA,KAAM,OAAN,GAAa,MA Ab,QAAsB,MAAtD,C;QACI,MAAM,8BAA0B,WAAS,KAAM,OAAf,kBAA+B,MAA/B,kBAAGD,MAA1E,C;M ACV,aAAa,E;MACc,gBAAS,MAAT,I;MAA3B,iBAAC,MAAd,wB;QACI,8BAAU,MAAM,KAAN,CAAV,C;;MA EJ,OAAO,M;K;IAGX,mC;MAOiB,Q;MADb,aAAa,E;MACb,wBAAa,SAAb,gB;QAAa,WAAb,UAAa,SAAb,O;Q ACI,8BAAU,IAAV,C;;MAEJ,OAAO,M;K;IAGX,2D;MAY2C,0B;QAAA,aAAkB,C;MAAG,wB;QAAA,WAAgB, SAAK,O;MACjF,oCAAa,4BAAmB,UAAAnB,EAA+B,QAA/B,EAAYC,SAAK,OAA9C,C;MACb,aAAa,E;MACb,i BAAC,UAAAd,UAA+B,QAA/B,U;QACI,8BAAU,UAAK,KAAL,CAAV,C;;MAEJ,OAAO,M;K;IASkB,gD;MAAA, qB;QAAE,+CAAL,EAJ,E;O;K;IAN/B,kC;MAMI,OAAO,kBAAU,gBAAV,EAAB,+BAAI B,C;K;IAiBiC,oE;MA AA,qB;QAAE,+CAAL,qBAAa,EAAb,IAAJ,E;O;K;IAD9C,wD;MAYqC,0B;QAAA,aAAkB,C;MAAG,wB;QAAA, WAAgB,SAAK,O;MAC3E,oCAAa,4BAAmB,UAAAnB,EAA+B,QAA/B,EAAYC,gBAAzC,C;MACb,OAAO,kBAA U,WAAW,UAA X,IAAV,EAAC,2CAAjC,C;K;IAGX,mC;MAQI,OAAO,WAAW,SAAX,EAAB,CAAjB,EAAoB, gBAAPB,EAA0B,KAA1B,C;K;IAGX,mF;MAeI,0B;QAAA,aAAkB,C;MACIB,wB;QAAA,WAAgB,SAAK,O;MA CrB,sC;QAAA,yBAAkC,K;MAEIC,oCAAa,4BAAmB,UAAAnB,EAA+B,QAA/B,EAAYC,SAAK,OAA9C,C;MACb ,OAAO,WAAW,SAAX,EAAB,UAAjB,EAA6B,QAA7B,EAAuC,sBAAvC,C;K;IAGX,sC;MAQI,OAAO,WAAW, SAAX,EAAB,CAAjB,EAAoB,gBAAPB,EAA4B,KAA5B,C;K;IAGX,sF;MAeI,0B;QAAA,aAAkB,C;MACIB,wB; QAAA,WAAgB,SAAK,O;MACrB,sC;QAAA,yBAAkC,K;MAEIC,oCAAa,4BAAmB,UAAAnB,EAA+B,QAA/B,EA AYC,gBAAzC,C;MACb,OAAO,WAAW,SAAX,EAAB,UAAjB,EAA6B,QAA7B,EAAuC,sBAAvC,C;K;uFAGX,q

B;MAMwD,OAAA,SAAY,c;K;uFAEpE,qB;MAMwD,OAAA,SAAY,c;K;yFAEpE,qC;MACoF,OAAA,SAAY,SA
AQ,GAAR,EAAa,SAAb,C;K;iGAehG,qC;MACwF,OAAA,SAAY,aAAY,GAAZ,EAAiB,SAAjB,C;K;+FAEpG,kC
;MACiF,OAAA,SAAY,YAAW,CAAX,EAAc,QAAc,C;K;2FAE7F,wB;MACgE,OAAA,SAAY,UAAS,CAAT,C;K
;iFAE5E,iC;MACqE,OAAA,SAAY,WAAU,UAAV,C;K;mFAEjF,2C;MACoF,OAAA,SAAY,WAAU,UAAV,EAA
sB,QAAtB,C;K;4EAehG,0B;MACuD,OAAA,SAAY,QAAO,GAAP,C;K;wEAEnE,4B;MACgE,OAAA,SAAY,OA
AM,KAAN,C;K;yFAK5E,2C;MACyF,OAAA,SAAY,SAAQ,OAAR,EAAiB,WAAjB,C;K;IAErG,iD;MAEKd,0B;
QAAA,aAAsB,K;MACpE,IAAI,UAAJ,C;QACI,SAAS,SAAK,O;QACd,SAAS,KAAM,O;QACf,UVjCG,MAAK,K
UiCQ,EVjCR,EUiCY,EVjCZ,C;QUkCR,IAAI,QAAO,CAAX,C;UAAc,OAAO,KAAK,EAAL,I;QACrB,YAAY,C;
QACZ,OAAO,IAAP,C;UACI,UVrCD,MAAK,KUqCY,QAAQ,EAAR,IVrCZ,EUqCwB,GVrCxB,C;UUsCJ,SAAS,
SAzB2E,WAyB5D,KAzB4D,EAyBrD,GazBqD,C;UA0BpF,SAAS,KA1B2E,WA0B3D,KA1B2D,EA0BpD,GA1B
oD,C;UA2BpF,IAAI,YAAM,EAAN,CAAJ,C;YACI,KAAK,EAiD+C,c;YAuDpD,KAAK,EAvD+C,c;YAwDpD,IA
AI,YAAM,EAAN,CAAJ,C;cACI,KAAK,EAjD2C,c;cAkDhD,KAAK,EAID2C,c;cAmDhD,IAAI,YAAM,EAAN,C
AAJ,C;gBACI,OAAU,iBAAH,EAAG,EAAU,EAAY,C;iBAItB,IAAI,QAAO,GAAX,C;YAAgB,K;UACHb,QAAQ,
G;;QAEZ,OAAO,KAAK,EAAL,I;;QAEp,OAAO,4BAAU,KAAV,C;;K;IAKgD,oD;MAAU,OAAE,UAAF,CAAE,
EAAU,CAAV,EAA0B,IAA1B,C;K;;IAIvE,+C;MAAQ,oC;K;2F+FjPZ,oC;MACiF,O/F6Ke,kB+F7KE,oBAAH,EA
AG,C/F6KF,E+F7Kc,S/F6Kd,C;K;mG+F3KhG,oC;MACqF,O/F6Ke,sB+F7KM,oBAAH,EAAG,C/F6KN,E+F7Kk
B,S/F6KIB,C;K;I+F3KpG,mD;MAIoD,0B;QAAA,aAAsB,K;MACtE,IAAI,CAAC,UAAL,C;QACI,O/FwKqF,qB+
FxF7D,M/FwK6D,E+FxKrD,C/FwKqD,C;;Q+FtKrF,OAAO,yBAAc,CAAd,EAAiB,MAAjB,EAAYB,CAAZB,EA
A4B,MAAO,OAAnc,EAA2C,UAA3C,C;K;IAGf,iE;MAIqE,0B;QAAA,aAAsB,K;MACvF,IAAI,CAAC,UAAL,C;
QACI,O/F6JqF,qB+F7J7D,M/F6J6D,E+F7JrD,U/F6JqD,C;;Q+F3JrF,OAAO,yBAAc,UAAAd,EAA0B,MAA1B,EA
kC,CAAIC,EAAqC,MAAO,OAA5C,EAAoD,UAApD,C;K;IAGf,iD;MAIkD,0B;QAAA,aAAsB,K;MACpE,IAAI,C
AAC,UAAL,C;QACI,O/FqJoE,mB+FrJ9C,M/FqJ8C,C;;Q+FnJpE,OAAO,yBAAc,mBAAS,MAAO,OAAhB,IAAd,
EAAc,MAAiC,EAA8C,CAA9C,EAAiD,MAAO,OAAxD,EAAG,E,UAAhE,C;K;IAIf,mC;MACI,aAAa,S/F0J2D,O
+F1JhD,K/F0JgD,C;M+FzJxE,OAAO,kBAaKb,MAAO,OAAp,KAAe,C;K;IAG5C,4B;MAAoD,4BAAU,CAAV,I
AA+D,QAA3C,6BAAJ,GAAoB,SAApB,GAA8B,SAAK,WAAy,EAAQ,eAAR,C;K;IAEnH,gD;MACiD,0B;QAA
A,aAAsB,K;MACnE,Q;MAAA,IAAI,iBAAJ,C;QAAA,OACI,a;;QACC,U;QAAA,IAAI,CAAC,UAAL,C;UAAA,S
ACD,kBAAQ,KAAR,C;;UAEA,0B;UAAA,W;YAAiB,gBAAA,S/FqH2C,c+FrH3C,EAAcB,K/FqHqB,c+FrH3C,C;
WAHhB,e;;QAFI,a;;MAAA,W;K;IAQJ,sF;MACkH,0B;QAAA,aAAsB,K;MACpI,oCAAKb,UAAIB,EAA8B,KAA
9B,EAAqC,WAArC,EAakD,MAAID,EAA0D,UAA1D,C;K;IAGJ,+B;MAOI,OhGmKmD,mBAAS,CgGnK5D,G/F
wH4F,oB+FxHzD,C/FwHyD,E+FxHtD,C/FwHsD,CA1B5B,c+F9FvC,G/FqHoD,oB+FrHV,C/FqHU,C+FrH7E,GA
A2E,S;K;IAG/E,iC;MAOI,OhGyJmD,mBAAS,CgGzJ5D,G/F8G4F,oB+F9GzD,C/F8GyD,E+F9GtD,C/F8GsD,CAI
B5B,c+F5FvC,G/F2GoD,oB+F3GV,C/F2GU,C+F3G7E,GAA2E,S;K;IAG/E,8B;MAMiB,IAAN,I;M9G9DP,IAAI,
E8G6DI,KAAK,C9G7DT,CAAJ,C;QACI,c8G4Dc,oD;Q9G3Dd,MAAM,gCAAYB,OAAQ,WAAjC,C;O8G4DH,Q
AAM,CAAN,C;aACH,C;UAAK,S;UAAL,K;aACA,C;UAAU,OAAL,SAAK,W;UAAV,K;gBAEI,aAAa,E;UACb,I
AAI,EhGmIoC,qBAAU,CgGnI9C,CAAJ,C;YACI,QAAQ,SAAK,W;YACb,YAAY,C;YACZ,OAAO,IAAP,C;cACI
,IAAI,CAAC,QAAU,CAAX,MAAiB,CAArB,C;gBACI,UAAU,C;eAEd,QAAQ,UAAW,C;cACnB,IAAI,UAAS,C
AAb,C;gBACI,K;eAEJ,KAAK,C;;UAGb,OAAO,M;;MAnBf,W;K;IAwBJ,4D;MACqE,0B;QAAA,aAAsB,K;MAC
vF,O/FuFiG,kB+FvFnF,WAAO,6BAAM,gBAAO,QAAP,CAAb,EAAMC,UAAJ,GAAgB,IAAhB,GAA0B,GAAzD
,C/FuFmF,E+FvFpB,6BAAM,2BAaKb,QAAIB,C/FuFc,C;K;I+FrFrG,4D;MAC+D,0B;QAAA,aAAsB,K;MACjF,O
/FmFiG,kB+FvFnF,WAAO,6BAAM,gBAAe,oBAAR,OAAQ,CAAf,CAAb,EAA6C,UAAJ,GAAgB,IAAhB,GAA0
B,GAAne,C/FmFmF,E+FvFF,oBAAR,OAAQ,C/FmFE,C;K;I+FjFrG,iE;MAC0E,0B;QAAA,aAAsB,K;MAC5F,O/
F+EIg,kB+F/EnF,WAAO,6BAAM,gBAAO,QAAP,CAAb,EAAMC,UAAJ,GAAgB,GAAhB,GAAyB,EAAXD,C/F
+EmF,E+F/EtB,6BAAM,2BAaKb,QAAIB,C/F+EgB,C;K;I+F7ErG,iE;MACoE,0B;QAAA,aAAsB,K;MACtF,O/F2
EIg,kB+F3EnF,WAAO,6BAAM,gBAAe,oBAAR,OAAQ,CAAf,CAAb,EAA6C,UAAJ,GAAgB,GAAhB,GAAyB,
EAAIE,C/F2EmF,E+F3EJ,oBAAR,OAAQ,C/F2EI,C;K;Ilg3MrG,kD;MAGI,IAAI,gBAAJ,C;QAAsB,MAAM,6BA
AyB,qCAaKc,QAAQ,CAAR,IAAIC,CAAZB,C;MAC5B,OAAO,CAAC,IAAD,I;K;IAGX,iF;MAQI,IAAI,EAAS,K
AAT,oBAAiB,KAAjB,KAA2B,SAAS,QAAxC,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAAPB,C;
OAEX,UAAU,kBAAO,KAAP,CAAc,I;MACxB,IAAI,EAAQ,KAAR,kBAAGB,KAAhB,CAAJ,C;QACI,OAAO,U

AAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,OAAO,SAAW,CAAC,OAAS,IAAV,KAAqB,EAAhC,IAA
wC,MAAQ,I;K;IAG3D,yE;MAQI,IAAI,SAAU,EAAV,MAAkB,CAAIB,IAAuB,SAAS,QAApC,C;QACI,OAAO,U
AAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,YAAY,KAAa,CAAP,KAAO,C;MACzB,IAAI,SAAU,GAA
V,MAAkB,GAAtB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,OAAQ,SAAU,CAA
X,GAAkB,KAAIB,GAA4B,I;K;IAGvC,yE;MASI,IAAI,SAAS,QAAb,C;QACI,OAAO,UAAU,CAAV,EAAa,KAA
b,EAAoB,gBAApB,C;OAGX,YAAY,KAAa,CAAP,KAAO,C;MACzB,IAAI,SAAU,EAAV,MAAiB,CAArB,C;QA
CI,IAAI,SAAU,GAAV,MAAkB,GAAtB,C;UAEI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;gBAE
R,IAAI,SAAU,EAAV,MAAiB,EAARb,C;QACH,IAAI,SAAU,GAAV,MAAkB,GAAtB,C;UAEI,OAAO,UAAU,C
AAV,EAAa,KAAb,EAAoB,gBAApB,C;gBAER,IAAI,SAAU,GAAV,MAAkB,GAAtB,C;QACH,OAAO,UAAU,C
AAV,EAAa,KAAb,EAAoB,gBAApB,C;OAGX,IAAI,SAAQ,CAAR,UAAa,QAAjB,C;QACI,OAAO,UAAU,CAA
V,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,YAAY,KAAiB,CAAX,QAAQ,CAAR,IAAW,C;MAC7B,IAAI,SAAU
,GAAV,MAAkB,GAAtB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAGX,OAAQ,SAAU
,EAAx,GAAoB,SAAU,CAA9B,GAAqC,KAArC,GAA+C,O;K;IAG1D,yE;MASI,IAAI,SAAS,QAAb,C;QACI,UA
AU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAGJ,YAAY,KAAa,CAAP,KAAO,C;MACzB,IAAI,SAAU,EAAV,
MAAiB,CAArB,C;QACI,IAAI,SAAU,GAAV,KAAkB,GAAtB,C;UAEI,OAAO,UAAU,CAAV,EAAa,KAAb,EAA
oB,gBAApB,C;gBAER,IAAI,SAAU,EAAV,MAAiB,CAArB,C;QACH,IAAI,SAAU,GAAV,MAAkB,GAAtB,C;U
AEI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;gBAER,IAAI,SAAU,EAAV,IAAgB,CAApB,C;QA
CH,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;aACJ,IAAI,SAAU,GAAV,MAAkB,GAAtB,C;QAC
H,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAGX,IAAI,SAAQ,CAAR,UAAa,QAAjB,C;QACI,O
AAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,YAAY,KAAiB,CAAX,QAAQ,CAAR,IAAW,C;M
AC7B,IAAI,SAAU,GAAV,MAAkB,GAAtB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;O
AGX,IAAI,SAAQ,CAAR,UAAa,QAAjB,C;QACI,OAAO,UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAE
X,YAAY,KAAiB,CAAX,QAAQ,CAAR,IAAW,C;MAC7B,IAAI,SAAU,GAAV,MAAkB,GAAtB,C;QACI,OAAO,
UAAU,CAAV,EAAa,KAAb,EAAoB,gBAApB,C;OAEX,OAAQ,SAAU,EAAx,GAAoB,SAAU,EAA9B,GAAuC,S
AAU,CAAjD,GAAwD,KAAxD,GAAkE,O;K;;IAmB7E,oE;MAkB0B,UAGJ,MAHI,EAKJ,MALI,EAMJ,MANI,E
ASJ,MATI,EAUJ,MAVI,EAUJ,MAXI,EAjBA,MAhBA,EAiBA,MAjBA,EAKBA,MAIBA,EAoBA,MApBA,EAq
BA,OArBA,EAsBA,OAAtBA,EAuBA,O;M/G/JtB,IAAI,E+GiII,cAAc,CAAd,IAAmB,YAAY,MAAO,OAAtC,IAAg
D,cAAc,Q/GjIII,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAYB,OAAQ,WAAjC,C;O+GiIV,YAAY,cAAU,CAA
C,WAAW,UAAx,IAAD,IAA0B,CAA1B,IAAV,C;MACZ,gBAAgB,C;MACHB,gBAAgB,U;MAEhB,OAAO,YAA
Y,QAAAnB,C;QACI,WAAW,mBAAO,gBAAP,EAAO,wBAAP,QAAoB,I;QAE3B,WAAO,GAAP,C;UACI,MAAM
,kBAAN,EAAM,0BAAN,YAA0B,OAAL,IAAK,C;eAC9B,WAAO,IAAP,C;UACI,MAAM,kBAAN,EAAM,0BA
AN,YAA4C,OAARb,QAAS,CAAV,GAAgB,GAAM,C;UAC5C,MAAM,kBAAN,EAAM,0BAAN,YAA+C,OAAXb,
OAAS,EAAV,GAAMb,GAAM,C;eAEnD,WAAO,KAAP,IAAiB,QAAQ,KAAzB,C;UACI,MAAM,kBAAN,EAAM,0BA
AN,YAA6C,OAAtB,QAAS,EAAV,GAAiB,GAAM,C;UAC7C,MAAM,kBAAN,EAAM,0BAAN,YAAuD,
OAA/B,QAAS,CAAV,GAAiB,EAIB,GAA2B,GAAM,C;UACvD,MAAM,kBAAN,EAAM,0BAAN,YAA+C,OA
AxB,OAAS,EAAV,GAAMb,GAAM,C;;UAG/C,gBAAgB,uBAAuB,MAAvB,EAA+B,IAA/B,EAAqC,SAArC,EA
AgD,QAAd,EAA0D,gBAA1D,C;UACHB,IAAI,aAAa,CAAjB,C;YACI,MAAM,kBAAN,EAAM,0BAAN,YAAq
B,0BAA0B,CAA1B,C;YACrB,MAAM,kBAAN,EAAM,0BAAN,YAAqB,0BAA0B,CAA1B,C;YACrB,MAAM,kB
AAN,EAAM,0BAAN,YAAqB,0BAA0B,CAA1B,C;;YAErB,MAAM,kBAAN,EAAM,0BAAN,YAAkD,OAA3B,a
AAc,EAaf,GAAsB,GAAM,C;YACID,MAAM,mBAAN,EAAM,2BAAN,aAA6D,OAARc,aAAc,EAaf,GAAuB,E
AAxB,GAAiC,GAAM,C;YAC7D,MAAM,mBAAN,EAAM,2BAAN,aAA4D,OAAPc,aAAc,CAAf,GAAsB,EAAv
B,GAAgC,GAAM,C;YAC5D,MAAM,mBAAN,EAAM,2BAAN,aAAoD,OAA7B,YAAc,EAaf,GAAwB,GAAM,C
;YACpD,6B;;;MAMhB,OAAW,KAAM,OAAN,KAAc,SAIb,GAA6B,KAA7B,GAA8C,UAAN,KAAM,EAAO,S
AAP,C;K;;IAQzD,mE;MAiByB,Q;M/G/LrB,IAAI,E+GyLI,cAAc,CAAd,IAAmB,YAAY,KAAM,OAARc,IAA6C,c
AAc,Q/GzL/D,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAYB,OAAQ,WAAjC,C;O+GyLV,gBAAgB,U;MACHB
,oBAAoB,sB;MAEpB,OAAO,YAAY,QAAAnB,C;QACI,WAAW,KAAmB,CAAb,gBAAa,EAAb,wBAAa,O;QAE1
B,YAAQ,CAAR,C;UACI,aAAc,gBAAy,OAAL,IAAK,CAAZ,C;aACIB,YAAS,CAAT,KAAc,EAAd,C;UACI,WA
AW,eAAe,KAAf,EAAsB,IAAtB,EAA4B,SAAS5B,EAAuC,QAAvC,EAAiD,gBAAjD,C;UACX,IAAI,QAAQ,CAA

Z,C;YACI,aAAc,gBAAO,gBAAP,C;YACd,yBAAa,CAAC,IAAD,IAAb,K;;YAEA,aAAc,gBAAY,OAAL,IAAK,C
AAZ,C;YACd,wBAAa,CAAb,I;;eAGR,YAAS,CAAT,KAAC,EAAd,C;UACI,aAAW,eAAe,KAAf,EAAsB,IAAtB,E
AA4B,SAA5B,EAAuC,QAAvC,EAAiD,gBAAjD,C;UACX,IAAI,UAAQ,CAAZ,C;YACI,aAAc,gBAAO,gBAAP,
C;YACd,yBAAa,CAAC,MAAD,IAAb,K;;YAEA,aAAc,gBAAY,OAAL,MAAK,CAAZ,C;YACd,wBAAa,CAAb,I;
;eAGR,YAAS,CAAT,KAAC,EAAd,C;UACI,aAAW,eAAe,KAAf,EAAsB,IAAtB,EAA4B,SAA5B,EAAuC,QAAvC
,EAAiD,gBAAjD,C;UACX,IAAI,UAAQ,CAAZ,C;YACI,aAAc,gBAAO,gBAAP,C;YACd,yBAAa,CAAC,MAAD,
IAAb,K;;YAEA,WAAy,MAAD,GAAQ,KAAR,IAAqB,EAAR,B,GAA2B,K;YACtC,UAAW,SAAS,IAAV,GAAoB,
K;YAC9B,aAAc,gBAAY,OAAL,IAAK,CAAZ,C;YACd,aAAc,gBAAW,OAAJ,GAAI,CAAX,C;YACd,wBAAa,C
AAb,I;;;UAIJ,UAAU,CAAV,EAAa,SAAb,EAAwB,gBAAxB,C;UACA,aAAc,gBAAO,gBAAP,C;;;MAK1B,OAA
O,aAAc,W;K;ICrQY,4C;MAFrC,e;MAEsC,0B;MAFtC,iB;MAAA,uB;K;IAAA,mC;MAAA,sC;O;MAGI,uEAGY,
GAHZ,C;MAIA,yEAGa,MAHb,C;MAIA,yEAGa,SAHb,C;MAIA,+DAGQ,KAHR,C;MAIA,+DAGQ,MAHR,C;M
AIA,2DAGM,MAHN,C;MAIA,yDAGK,OAHL,C;K;;IAXBA,gD;MAAA,yB;MAAA,wC;K;;IAIA,iD;MAAA,yB;
MAAA,yC;K;;IAIA,iD;MAAA,yB;MAAA,yC;K;;IAIA,4C;MAAA,yB;MAAA,oC;K;;IAIA,4C;MAAA,yB;MAAA
,oC;K;;IAIA,0C;MAAA,yB;MAAA,kC;K;;IAIA,yC;MAAA,yB;MAAA,iC;K;;IA3BJ,+B;MAAA,4Q;K;;IAAA,oC;
MAAA,a;aAAA,a;UAAA,6C;aAAA,c;UAAA,8C;aAAA,c;UAAA,8C;aAAA,S;UAAA,yC;aAAA,S;UAAA,yC;aA
AA,O;UAAA,uC;aAAA,M;UAAA,sC;gBAAA,6D;;K;;IAiCA,4D;MAIW,Q;MADP,0BAA2C,iBAAjB,UAAW,cA
AM,EAAU,UAAW,cAAR,B,C;MAEvC,0BAAsB,CAAtB,C;QAA2B,gBAAS,UAAW,cAAX,GAAmB,UAAW,cAA
vC,C;WAC3B,0BAAsB,CAAtB,C;QAA2B,gBAAS,UAAW,cAAX,GAAmB,UAAW,cAAvC,C;;QACnB,Y;MAHZ
,W;K;IClCJ,+B;MAAA,mC;MAUuB,wB;MALf,aAAR,OAAO,OAAQ,KAAI,WAAy,IAAG,OAAO,SAAX,IAAw
B,CAAC,CAAC,OAAO,SAAS,K;MADpE,sBAGQ,MAHR,GAIQ,iBAAa,OAAb,CAJR,GAMQ,qBAAW,OAAx,I
AAA,4GACO,+B;K;4CAIf,Y;MAAmC,OAAA,mBAAa,U;K;;IAfpD,2C;MAAA,0C;QAAA,yB;OAAA,mC;K;IA
wB2B,+B;MAAC,sB;K;IAEW,+D;MAAA,0C;MAAS,mB;MACxC,iBAAGB,yBAAQ,S;K;8DACxB,Y;M7GyEG,Q
6GxEC,8BAAQ,QAAO,cAAP,C;MAAyB,c9HZIC,EAAI,CAAJ,C;M8HY2C,Y9HuF3C,EAAI,CAAJ,C;M8HvFC,
OAA4D,cAAR,OAAQ,CAAR,aAAwB,kBAAN,KAAM,CAAxB,C;K;;qCAH5D,Y;MAAmC,mD;K;sCAMnC,Y;M
AAkC,qC;K;;IAKF,4C;MAAiC,4E;MAAhC,8B;K;2CACjC,Y;MAA8B,OAAA,gBAAY,M;K;+CAC1C,Y;MAAkC
,2C;K;;IAGtC,6B;MAAA,iC;MAEoC,4E;K;uCACHC,Y;MAA8B,OAAe,U;K;2CAC7C,Y;MAAkC,+B;K;;IAJtC,y
C;MAAA,wC;QAAA,uB;OAAA,iC;K;IC1CA,gD;MACkB,Q;MAAA,IAAI,aAAY,CAAhB,C;QACV,Y;;QAEA,Ut
ByY8C,MAAW,KsBzY/C,ItByY+C,EsBzYtC,QtByYsC,C;QsBvYzD,OAAe,WtB6U2B,MAAW,KsB7U5B,KtB6U
4B,CsB7UhC,GAAa,GAAhB,CAAf,GAAyC,GAAzC,GtB0V2C,MAAW,MsB1VF,KtB0VE,C;;MsB/V1D,kB;MA
OA,OAAe,OAAy,SAAQ,QAAR,C;K;IAG/B,6C;MACI,OAAa,KAAy,eAAc,CAAd,C;K;ICdzB,4B;MAAQ,mB;K;IACR,mC;
MACI,eAAO,K;K;IAKX,4B;MAAQ,mB;K;IACR,mC;MACI,eAAO,K;K;iHCKf,sJ;MACyC,qB;QAAA,QAakB,I
;MAAM,qB;QAAA,QAakB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,yB;QAAA,YAAsB,I;MAAM,kC;QAAA,qB
AA+B,I;MAAM,qC;QAAA,wBAakC,K;MAAO,+C;QAAA,kCAA4C,K;MAAO,4C;QAAA,+BAAyC,K;MACtT,
QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE
,WAAF,IAAiB,S;MACjB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,uBAAF,IAA6B,qB;MAC7B,EAAE,iCAAF,I
AAuC,+B;MACvC,EAAE,8BAAF,IAAoC,4B;MACpC,OAAO,C;K;+GAw0BX,wD;MACwC,6B;QAAA,gBAAYB
,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/I,QAAQ,E;M
ACR,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF
,IAAgB,Q;MACHB,OAAO,C;K;6EA6CX,4B;MAC6D,iBAAY,KAAZ,C;K;6EAE7D,mC;MACoE,UAAy,KAAZ,I
AAqB,K;K;6EAuBzF,4B;MAC8D,iBAAY,KAAZ,C;K;6EAE9D,mC;MACqE,UAAy,KAAZ,IAAqB,K;K;6EAuB1
F,4B;MACqE,iBAAY,KAAZ,C;K;6EAERe,mC;MAC4E,UAAy,KAAZ,IAAqB,K;K;6EAuBjG,4B;MAC+D,iBAA
Y,KAAZ,C;K;6EAE/D,mC;MACsE,UAAy,KAAZ,IAAqB,K;K;6EAuB3F,4B;MACgE,iBAAY,KAAZ,C;K;6EAE
hE,mC;MACuE,UAAy,KAAZ,IAAqB,K;K;6EAuB5F,4B;MAC6D,iBAAY,KAAZ,C;K;6EAE7D,mC;MACoE,UA
AY,KAAZ,IAAqB,K;K;6EAuBzF,4B;MAC8D,iBAAY,KAAZ,C;K;6EAE9D,mC;MACqE,UAAy,KAAZ,IAAqB,
K;K;6EAuB1F,4B;MACiE,iBAAY,KAAZ,C;K;6EAEjE,mC;MACwE,UAAy,KAAZ,IAAqB,K;K;6EAuB7F,4B;M
ACkE,iBAAY,KAAZ,C;K;6EAEIE,mC;MACyE,UAAy,KAAZ,IAAqB,K;K;6GCxnC9F,wD;MACqC,6B;QAAA,g
BAA+B,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACpJ,Q

AAQ,E;MACR,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EA
AE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;mIAiCX,+B;MACgD,mC;QAAA,sBAAGC,K;MAC5E,QAAQ,E;MAC
R,EAAE,qBAAF,IAA2B,mB;MAC3B,OAAO,C;K;4EC3CX,4B;MACgE,iBAAy,KAAZ,C;K;4EAgChE,4B;MAC
yE,iBAAy,KAAZ,C;K;4EaiBzE,4B;MACmE,iBAAy,KAAZ,C;K;4EAyYnE,4B;MAC0E,iBAAy,KAAZ,C;K;4F
C7a1E,uD;MAC8B,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SA Ae,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;Q
AAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACHj,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,Q
AAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MA
ChB,OAAO,C;K;kGAuBX,sE;MACiC,6B;QAAA,gBAA8B,I;MAAM,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SA
Ae,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACvL,QAAQ,
E;MACR,EAAE,eAAF,IAAqB,a;MACrB,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SA
AF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;kGA8DX,8U;
MACiC,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UA
AgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,sB;QA
AA,SAAkB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAA
O,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAA
uB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;Q
AAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;
MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SA Ae,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAu
B,K;MAAO,wB;QAAA,WAAqB,K;MAC3wB,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,
O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,I
AAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,
UAAF,IAAgB,Q;MACHb,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;
MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBAAF,IAAsB,c;MACtB,E
AAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,I
AAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MA
CZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IA
AgB,Q;MACHb,OAAO,C;K;wGAgDX,kQ;MACoC,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO
,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6
B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAA
A,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MA
AO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SA Ae,C;MAAG,uB;QAAA,UAAoB,
K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC7IB,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;
MACf,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAA
F,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBAAF,IAAs
B,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,
EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAA
F,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,E
AAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;kGAsCX,iX;MACiC,sB;QAAA,SAAkB,G;MAAK,sB;QAAA,SAAk
B,G;MAAK,sB;QAAA,SAAkB,G;MAAK,yB;QAAA,YAAkB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA
,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;
QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,sB;QAAA,SAAkB,I;MAAM,uB;QAAA,UAAoB,K;MA
AO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBA
A6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;Q
AAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;
MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SA
Ae,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACr2B,QA
AQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,QAAF,IAAc,M;MACd,EAAE,QAAF,IAAc,M;MACd,EAAE,
WAAF,IAAiB,S;MACjB,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,

EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;
MACrB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QA
AF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;
MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE
,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IA
AsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,E
AAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;kGA2
BX,0E;MACiC,oB;QAAA,OAAgB,E;MAAI,2B;QAAA,cAAwB,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAA
A,SA Ae,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACtM,Q
AAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,aAAF,IAAmB,W;MACnB,EAAE,MAAF,IAAY,I;MACZ,E
AAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,
Q;MACHB,OAAO,C;K;wGAmDX,4S;MACoC,mB;QAAA,MAAe,E;MAAI,oB;QAAA,OAAgB,E;MAAI,wB;QA
AA,WAAiB,C;MAAG,sB;QAAA,SAAmB,K;MAAO,2B;QAAA,cAAwB,K;MAAO,uB;QAAA,UAAoB,K;MAAO
,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B
,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAA
A,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MA
AO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SA Ae,
C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjtB,QAAQ,E;
MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,MAAF,IAAY,I;MACZ,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,Q
AAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MA
ChB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBA
AF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;
MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EA
AE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IA
Ac,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OA
AO,C;K;8GAuBX,6D;MACuC,oB;QAAA,OAAgB,E;MAAI,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SA Ae,C;M
AAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC7K,QAAQ,E;MAC
R,EAAE,MAAF,IAAY,I;MACZ,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,
O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;wECvbX,4B;MACyE,iB
AAY,KAAZ,C;K;wEAEzE,2B;MACgG,iBAAY,IAAZ,C;K;wEAwBhG,oC;MAC+F,UAAAY,KAAZ,IAAqB,M;K;w
EAmFpH,2B;MACqE,iBAAY,IAAZ,C;K;wEAErE,kC;MAC2E,UAAAY,IAAZ,IAAoB,K;K;wEAkC/F,4B;MACyE
,iBAAY,KAAZ,C;K;wEAyBzE,4B;MACyE,iBAAY,KAAZ,C;K;wEAqBzE,4B;MACuE,iBAAY,KAAZ,C;K;wEA
wBvE,4B;MAC6E,iBAAY,KAAZ,C;K;2FA4C7E,gD;MACiC,qB;QAAA,QAAiD,I;MAAM,uB;QAAA,UAAoB,K;
MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACIK,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;M
ACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;
uEA+UX,4B;MACuE,iBAAY,KAAZ,C;K;wEAEvE,2B;MAC6F,iBAAY,IAAZ,C;K;wEAqN7F,4B;MACyE,iBAA
Y,KAAZ,C;K;wEAEzE,oC;MAC2F,UAAAY,KAAZ,IAAqB,M;K;+FAuehH,wD;MACmC,6B;QAAA,gBAA8B,I;M
AAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjJ,QAAQ,E;MAC
R,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IA
AgB,Q;MACHB,OAAO,C;K;uGAuIX,mB;MACuC,uB;QAAA,UAAoB,K;MACvD,QAAQ,E;MACR,EAAE,SAAF
,IAAe,O;MACf,OAAO,C;K;+HAyCX,iB;MACmD,qB;QAAA,QAAkB,I;MACjE,QAAQ,E;MACR,EAAE,OAAF,IA
AAa,K;MACb,OAAO,C;K;+FA0MX,sE;MACmC,oB;QAAA,OAAgB,I;MAAM,wB;QAAA,WAAo7G4B,S;OAp7G
wB,kB;QAAA,KAAc,E;MAAI,wB;QAAA,WAAoB,I;MAAM,sB;QAAA,SAAkB,S;MAAW,uB;QAAA,UAAoB,I;
MAAM,qB;QAAA,QAAiB,I;MAAM,oB;QAAA,OAAgB,I;MACnP,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MAC
Z,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,IAAF,IAAU,E;MACV,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QAAF,
IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,OAAF,IAAa,K;MACb,EAAE,MAAF,IAAY,I;MACZ,OAAO,
C;K;qIAGDX,iB;MACsD,qB;QAAA,QAAkB,I;MACpE,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,OAAO,C;
K;+GAKBX,qB;MAC2C,yB;QAAA,YAAmB,S;MAC1D,QAAQ,E;MACR,EAAE,SAAF,IAAe,S;MACf,OAAO,C;

K;wEakCX,4B;MACqF,iBAAY,KAAZ,C;K;yFAgCrF,4V;MACgC,4B;QAAA,eAA8B,I;MAAM,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,sB;QAAA,SAAkB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SAAE,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC9yB,QAAQ,E;MACR,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,eAAF,IAAqB,a;MACrB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MACrB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;wEawEX,2B;MAC+D,iBAAY,IAAZ,C;K;iGA2D/D,gD;MACoC,qB;QAAA,QAAC,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACII,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;qGA2BX,yD;MACsC,sB;QAAA,SAAkB,E;MAAI,sB;QAAA,SAAkB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC5J,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;6GAuBX,oD;MAC0C,yB;QAAA,YAAsB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjJ,QAAQ,E;MACR,EAAE,WAAF,IAAiB,S;MACjB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;2FAoFX,kF;MACiC,uB;QAAA,UAAmB,E;MAAI,wB;QAAA,WAAoB,E;MAAI,sB;QAAA,SAAE,C;MAAG,qB;QAAA,QAAC,C;MAAG,qB;QAAA,QAAC,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjN,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;iHA2BX,oD;MACqE,sB;QAAA,SAAE,S;MAAW,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACzK,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;wEakXX,4B;MACkE,iBAAY,KAAZ,C;K;wEAEIE,2B;MACoE,iBAAY,IAAZ,C;K;wEAUPE,4B;MACsE,iBAAY,KAAZ,C;K;wEAEtE,2B;MACwE,iBAAY,IAAZ,C;K;wEAaxE,4B;MAC+D,iBAAY,KAAZ,C;K;wEAE/D,2B;MACiE,iBAAY,IAAZ,C;K;mGA0CjE,8G;MACqC,gC;QAAA,mBASIF8C,M;OAtlFe,gC;QAAA,mBAomFT,S;OApMfyE,oC;QAAA,uBA8mFjE,S;OA9mF6I,2B;QAAA,cAAoB,S;MAAW,4B;QAAA,eAAqB,S;MAAW,6B;QAAA,gBAwnFIO,K;OAvnFvE,QAAQ,E;MACR,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,sBAAF,IAA4B,oB;MAC5B,EAAE,aAAF,IAAmB,W;MACnB,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,eAAF,IAAqB,a;MACrB,OAAO,C;K;+FAwCX,mF;MACmC,oB;QAAA,OAAa,I;MAAM,sB;QAAA,SAAkB,E;MAAI,2B;QAAA,cAAuB,E;MAAI,sB;QAAA,SAAYC,I;MAAM,qB;QAAA,QAA6B,E;MAAW,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACxQ,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;6FA4BX,2B;MACkC,+B;QAAA,kBAA4B,K;MAC1D,QAAQ,E;MACR,EAAE,iBAAF,IAAuB,e;MACvB,OAAO,C;K;2FA2DX,iE;MACiC,wB;QAAA,WAAqB,K;MAAO,oB;QAAA,OAAe,C;MAAG,sB;QAAA,SAAkB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/K,QAAQ,E;MACR,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,

EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;yFA8FX,6B;MACgC,oB;QAAA,OAg5E6C,S;OAh5EL,2B;QAAA,cChzHe,M;ODizHnF,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,aAAAF,IAAmB,W;MACnB,OAAO,C;K;wEAoDX,0B;MAC+D,iBAAY,GAAZ,C;K;wEAE/D,iC;MACqE,UAAAY,GAAZ,IAAmB,K;K;+FAoDxF,oF;MACmC,mB;QAAA,MAAe,I;MAAM,wB;QAAA,WAAoB,I;MAAM,wB;QAAA,WAAoB,I;MAAM,mB;QAAA,MAAe,E;MAAI,2B;QAAA,cAAwB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACvO,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,KAAF,IAAW,G;MACX,EAAE,aAAF,IAAmB,W;MACnB,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;iFAwNX,yC;MAC4B,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACtG,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;6FAwBX,iD;MACkC,sB;QAAA,SAaE,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjI,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;uGASX,mB;MACuC,uB;QAAA,UAAoB,K;MACvD,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;6GAYX,kC;MAC0C,uB;QAAA,UAAoB,K;MAAO,oB;QAAA,OAAiB,K;MAAO,uB;QAAA,UAAoB,K;MAC7G,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,MAAF,IAAY,I;MACZ,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;wEAkEX,4B;MAC6D,iBAAY,KAAZ,C;K;wEAU7D,4B;MACsE,iBAAY,KAAZ,C;K;wEAETe,2B;MACwE,iBAAY,IAAZ,C;K;uGAsCxE,oH;MACuC,yB;QAAA,YAAsB,K;MAAO,0B;QAAA,aAAuB,S;MAAW,6B;QAAA,gBAA0B,S;MAAW,uB;QAAA,UAAoB,K;MAAO,iC;QAAA,oBAA8B,S;MAAW,qC;QAAA,wBAAkC,S;MAAW,+B;QAAA,kBAAkC,S;MAC1R,QAAQ,E;MACR,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MACIB,EAAE,eAAF,IAAqB,a;MACrB,EAAE,SAAF,IAAe,O;MACf,EAAE,mBAAF,IAAY,iB;MACzB,EAAE,uBAAF,IAA6B,qB;MAC7B,EAAE,iBAAF,IAAuB,e;MACvB,OAAO,C;K;mGAgFX,oB;MACqC,wB;QAAA,WAAqB,K;MACtD,QAAQ,E;MACR,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;wEA+MX,2B;MACiE,iBAAY,IAAZ,C;K;2GakCjE,c;MACyC,kB;QAAA,KAAgB,S;MACrD,QAAQ,E;MACR,EAAE,IAAF,IAAU,E;MACV,OAAO,C;K;2FAyMX,gB;MAEL,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;wEAgBX,4B;MACiE,iBAAY,KAAZ,C;K;wEAejE,oC;MAC4E,iBAAY,aAAZ,C;K;wEAuT5E,4B;MACmE,iBAAY,KAAZ,C;K;uFA2CnE,sB;MAC+B,iB;QAAA,IAAa,G;MAAK,iB;QAAA,IAAa,G;MAAK,iB;QAAA,IAAa,G;MAAK,iB;QAAA,IAAa,G;MAC9F,QAAQ,E;MACR,EAAE,GAAF,IAAS,C;MACT,EAAE,GAAF,IAAS,C;MACT,EAAE,GAAF,IAAS,C;MACT,EAAE,GAAF,IAAS,C;MACT,OAAO,C;K;qFA0CX,+B;MAC8B,iB;QAAA,IAAa,G;MAAK,iB;QAAA,IAAa,G;MAAK,qB;QAAA,QAaiB,G;MAAK,sB;QAAA,SAAkB,G;MACtG,QAAQ,E;MACR,EAAE,GAAF,IAAS,C;MACT,EAAE,GAAF,IAAS,C;MACT,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,OAAO,C;K;wEAOX,4B;MACmE,iBAAY,KAAZ,C;K;yFAiHnE,oB;MACgC,wB;QAAA,WA40B+C,M;OA30B3E,QAAQ,E;MACR,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;6FAeX,+B;MACkC,oB;QAAA,OAAGB,S;MAAW,mB;QAAA,MAAe,S;MAAW,wB;QAAA,WAYzBR,M;OAxzB3E,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,KAAF,IAAW,G;MACX,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;6GAwCX,yD;MAC0C,qB;QAAA,QAAiB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACpK,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;yGaiCX,mC;MACwC,qB;QAAA,QAgvByD,Q;OAhvBK,sB;QAAA,SAgvBL,Q;OAhvBoE,wB;QAAA,WakuBfF,M;OajuB3E,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,UAAF,IAAgB,Q;MACHB,OAAO,C;K;2FAYX,2B;MACiC,mB;QAAA,MA4uB0C,Q;OA5uBJ,0B;QAAA,aAAsB,S;MACzF,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,YAAF,IAAkB,U;MACIB,OAAO,C;K;+GAYX,0B;MAC2C,uB;QAAA,UA2tBgC,Q;OA3tBU,qB;QAAA,QA2tBV,Q;OA1tBvE,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,OAAF,IAAa,K;MACb,OAAO,C;K;wEAgCX,4B;MAC+D,iBAAY,KAAZ,C;K;qFAsaY,qB;MAAQ,OAAU,S;K;6FAEd,qB;MAAQ,OAAc,a;K;uFAEzB,qB;MAAQ,OAAW,U;K;iFAQxB,qB;MAAQ,OAAG,E;K;iFAEX,qB;MAAQ,OAAQ,O;K;uFAEb,qB;MAAQ,OAAW,U;K;uFAAQ3B,qB;MAAQ,OAAW,U;K;mFAErB,qB;MAAQ,OAAS,Q;K;qFAEhB,qB;MAAQ,OAAU,S;K;yFAQhB,qB;MAAQ,OAAW,U;K;uFAErB,qB;MAAQ,OAAW,U;K;+FAEf,qB;MAAQ,OAAe,c;K;uFAE3B,qB;MAAQ,OAAW,U;K;uFAEnB,qB;MAAQ,OAAW,U;K;mFAQrB,qB;MAAQ,OAAS,Q;K;iFAEiB,qB;MAAQ,OAAQ,O;K;6EAEiB,q

B;MAAQ,OAAM,K;K;uFAET,qB;MAAQ,OAAW,U;K;qFAQIB,qB;MAAQ,OAAU,S;K;qFAEIB,qB;MAAQ,OA
AU,S;K;6EAQR,qB;MAAQ,OAAM,K;K;mFAEX,qB;MAAQ,OAAS,Q;K;+EAEnB,qB;MAAQ,OAAO,M;K;+EA
Q/B,qB;MAAQ,OAAO,M;K;iFAEd,qB;MAAQ,OAAQ,O;K;mFAEf,qB;MAAQ,OAAS,Q;K;mFAQhB,qB;MAAQ,
OAAQ,O;K;iFAEhB,qB;MAAQ,OAAQ,O;K;iFAEhB,qB;MAAQ,OAAQ,O;K;mFAQd,qB;MAAQ,OAAQ,O;K;+E
AEIB,qB;MAAQ,OAAM,K;K;+EAEB,qB;MAAQ,OAAO,M;K;iFAEd,qB;MAAQ,OAAQ,O;K;mFAEf,qB;MAAQ,
OAAS,Q;K;6EAQd,qB;MAAQ,OAAM,K;K;qFAEV,qB;MAAQ,OAAU,S;K;mFAEnB,qB;MAAQ,OAAS,Q;K;2F
AEb,qB;MAAQ,OAAa,Y;K;6FAEpB,qB;MAAQ,OAAc,a;K;mFAE3B,qB;MAAQ,OAAS,Q;K;6EAQ1B,qB;MAA
Q,OAAM,K;K;6EAEd,qB;MAAQ,OAAM,K;K;qFAEV,qB;MAAQ,OAAU,S;K;+EAQjB,qB;MAAQ,OAAO,M;K;
mFAEb,qB;MAAQ,OAAS,Q;K;+EAQRb,qB;MAAQ,OAAO,M;K;iFAEd,qB;MAAQ,OAAQ,O;K;iFAQjB,qB;MA
AQ,OAAO,M;K;6FAER,qB;MAAQ,OAAc,a;K;qFAE1B,qB;MAAQ,OAAU,S;K;iFAQb,qB;MAAQ,OAAO,M;K;u
FAEZ,qB;MAAQ,OAAU,S;K;yFAQ9B,qB;MAAQ,OAAy,W;K;+EAE1B,qB;MAAQ,OAAM,K;K;qFAEX,qB;M
AAQ,OAAS,Q;K;iFAEnB,qB;MAAQ,OAAO,M;K;+EAQRb,qB;MAAQ,OAAO,M;K;6FAER,qB;MAAQ,OAAc,a;
K;qFAQ1B,qB;MAAQ,OAAU,S;K;mFAEnB,qB;MAAQ,OAAS,Q;K;+EAQX,qB;MAAQ,OAAO,M;K;mFAEb,qB
;MAAQ,OAAS,Q;K;iFAQnB,qB;MAAQ,OAAO,M;K;qFAEZ,qB;MAAQ,OAAU,S;K;mFAEnB,qB;MAAQ,OAA
S,Q;K;kFAQJ,qB;MAAQ,OAAQ,O;K;oFAEf,qB;MAAQ,OAAS,Q;K;8EAEPB,qB;MAAQ,OAAM,K;K;oFAEV,q
B;MAAQ,OAAU,S;K;mFAQzC,qB;MAAQ,OAAS,Q;K;mFAEjB,qB;MAAQ,OAAS,Q;K;qFAEhB,qB;MAAQ,OA
AU,S;K;qFAEIB,qB;MAAQ,OAAU,S;K;wIE73M7E,wM;MACiD,qB;QAAA,QAakB,I;MAAM,sB;QAAA,SAAM
B,I;MAAM,2B;QAAA,cAAwB,I;MAAM,yB;QAAA,YAAsB,I;MAAM,0B;QAAA,aAAuB,I;MAAM,0B;QAAA,a
AAuB,I;MAAM,sB;QAAA,SAAMB,I;MAAM,0B;QAAA,aAAuB,I;MAAM,0B;QAAA,aAAuB,I;MAAM,gC;QAA
A,mBAA6B,I;MAAM,+B;QAAA,kBAA4B,I;MAAM,gC;QAAA,mBAA6B,I;MAAM,uB;QAAA,UAAoB,I;MAA
M,4B;QAAA,eAAyB,I;MAAM,wB;QAAA,WAAqB,I;MAAM,uB;QAAA,UAAoB,I;MACrf,QAAQ,E;MACR,EA
AE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,
S;MACjB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,QAAF,IAAc,M;MACd,EAAE
,YAAF,IAAkB,U;MACiB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IA
AuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB
,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;wHAsDX,wM;MACyC,qB;QAAA,Q
AAqB,S;MAAW,sB;QAAA,SAAsB,S;MAAW,2B;QAAA,cAA4B,S;MAAW,yB;QAAA,YAA0B,S;MAAW,0B;Q
AAA,aAA6B,S;MAAW,0B;QAAA,aAA6B,S;MAAW,sB;QAAA,SAAuB,S;MAAW,0B;QAAA,aAA0B,S;MAAW
,0B;QAAA,aAA0B,S;MAAW,gC;QAAA,mBAAoC,S;MAAW,+B;QAAA,kBAAmC,S;MAAW,gC;QAAA,mBAA
oC,S;MAAW,uB;QAAA,UAAwB,S;MAAW,4B;QAAA,eAA4B,S;MAAW,wB;QAAA,WAAoB,S;MAAW,uB;QA
AA,UAAmB,S;MACtnB,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aA
AF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,YAAF,IAAkB,U
;MACiB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MACiB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,
kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IA
Ae,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,SAAF,IAAe,O;MACf,OA
AO,C;K;sHAYX,kN;MACwC,wB;QAAA,WAA4C,S;MAAW,qB;QAAA,QAAiB,S;MAAW,sB;QAAA,SAakB,S;
MAAW,2B;QAAA,cAAuB,S;MAAW,yB;QAAA,YAAqB,S;MAAW,0B;QAAA,aAsB,S;MAAW,0B;QAAA,aA
AsB,S;MAAW,sB;QAAA,SAakB,S;MAAW,0B;QAAA,aAsB,S;MAAW,0B;QAAA,aAsB,S;MAAW,gC;QAA
A,mBAA4B,S;MAAW,+B;QAAA,kBAA2B,S;MAAW,gC;QAAA,mBAA4B,S;MAAW,uB;QAAA,UAAmB,S;M
AAW,4B;QAAA,eAAwB,S;MAAW,wB;QAAA,WAAoB,S;MAAW,uB;QAAA,UAAmB,S;MAC9IB,QAAQ,E;M
ACR,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,
IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,YAAF,IAAkB,U;M
ACiB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MACiB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,kB
AAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IA
Ae,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MACHB,EAAE,SAAF,IAAe,O;MACf,OA
AO,C;K;0HAsDX,wM;MAC0C,qB;QAAA,QAAiB,S;MAAW,sB;QAAA,SAakB,S;MAAW,2B;QAAA,cAAuB,S;M
AAW,yB;QAAA,YAAqB,S;MAAW,0B;QAAA,aAsB,S;MAAW,0B;QAAA,aAsB,S;MAAW,sB;QAAA,SAak
B,S;MAAW,0B;QAAA,aAsB,S;MAAW,0B;QAAA,aAsB,S;MAAW,gC;QAAA,mBAA4B,S;MAAW,+B;QAA

A,kBAA2B,S;MAAW,gC;QAAA,mBAA4B,S;MAAW,uB;QAAA,UAAmB,S;MAAW,4B;QAAA,eAAwB,S;MAAW,wB;QAAA,WAAoB,S;MAAW,uB;QAAA,UAAmB,S;MACziB,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MACiB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;gHAyDX,wM;MACqC,qB;QAAA,QAAc,S;MAAW,sB;QAAA,SA Ae,S;MAAW,2B;QAAA,cAAuB,S;MAAW,yB;QAAA,YAAqB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,0B;QAAA,aAAsB,S;MAAW,sB;QAAA,SAAkB,S;MAAW,0B;QAAA,aAAmB,S;MAAW,0B;QAAA,aAAmB,S;MAAW,gC;QAAA,mBAA6B,S;MAAW,+B;QAAA,kBAA4B,S;MAAW,gC;QAAA,mBAA6B,S;MAAW,uB;QAAA,UAAmB,S;MAAW,4B;QAAA,eAAqB,S;MAAW,wB;QAAA,WAAoB,S;MAAW,uB;QAAA,UAAmB,S;MACxhB,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,QAAF,IAAc,M;MACd,EAAE,YAAF,IAAkB,U;MACiB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,kBAAF,IAAwB,gB;MACxB,EAAE,SAAF,IAAe,O;MACf,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,UAAF,IAAgB,Q;MAChB,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;8HAuBX,gD;MACsE,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAChJ,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACiB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;sIAoBX,gD;MACgD,qB;QAAA,QAAiB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACjJ,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACiB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;wHawCX,wB;MACyC,qB;QAAA,QAAiB,K;MAAO,qB;QAAA,QAAiB,K;MAC9E,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,OAAO,C;K;kGAYBX,oB;MAC8B,mB;QAAA,MAAe,S;MAAW,mB;QAAA,MAAe,S;MACnE,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MACX,OAAO,C;K;oHAYX,kC;MACuC,qB;QAAA,QAAiB,S;MAAW,qB;QAAA,QAAiB,S;MAAW,mB;QAAA,MAAe,S;MAAW,mB;QAAA,MAAe,S;MACpI,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,KAAF,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MACX,OAAO,C;K;gGAYX,oB;MAC6B,mB;QAAA,MAAY,S;MAAW,mB;QAAA,MAAY,S;MAC5D,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MACX,OAAO,C;K;kHAYX,kC;MACsC,qB;QAAA,QAAc,S;MAAW,qB;QAAA,QAAc,S;MAAW,mB;QAAA,MAAY,S;MAAW,mB;QAAA,MAAY,S;MACvH,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,KAAF,IAAW,G;MACX,EAAE,KAAF,IAAW,G;MACX,OAAO,C;K;gIAeX,wB;MAC6C,qB;QAAA,QAAkB,S;MAAW,qB;QAAA,QAAkB,S;MACxF,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,OAAO,C;K;oIAeX,wB;MAC+C,qB;QAAA,QAAiB,S;MAAW,qB;QAAA,QAAiB,S;MACxF,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,OAAO,C;K;4FAKX,Y;MAEI,QAAQ,E;MACR,OAAO,C;K;oFAKX,Y;MAEI,QAAQ,E;MACR,OAAO,C;K;8FAKX,Y;MAEI,QAAQ,E;MACR,OAAO,C;K;kGASX,oB;MAC8B,wB;QAAA,WAAkC,S;MAC5D,QAAQ,E;MACR,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;4FASmE,qB;MAAQ,OAAO,M;K;8FAEd,qB;MAAQ,OAAQ,O;K;4FAQrB,qB;MAAQ,OAAO,M;K;0GAER,qB;MAAQ,OAAc,a;K;8FAE7B,qB;MAAQ,OAAO,M;K;gGAEd,qB;MAAQ,OAAQ,O;K;8FAQjB,qB;MAAQ,OAAO,M;K;gHAEL,qB;MAAQ,OAAiB,gB;K;wGAQRc,qB;MAAQ,OAAa,Y;K;0GAEPB,qB;MAAQ,OAAc,a;K;wGAEvB,qB;MAAQ,OAAa,Y;K;6GctoB7F,mb;MACmC,yB;QAAA,YAAkB,C;MAAG,qB;QAAA,QAAiB,G;MAAK,sB;QAAA,SAAkB,G;MAAK,wB;QAAA,WAAmB,G;MAAI,kC;QAAA,qBAA6B,G;MAAI,qB;QAAA,QAAc,C;MAAG,qB;QAAA,QAAc,C;MAAG,qB;QAAA,QAAc,C;MAAG,2B;QAAA,cAAuB,E;MAAI,yB;QAAA,YAAsB,K;MAAO,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,uB;QAAA,UAAgB,C;MAAG,sB;QAAA,SAAiB,C;MAAG,uB;QAAA,UAAkB,C;MAAG,6B;QAAA,gBAA8B,I;MAAM,sB;QAAA,SAAkB,I;MAAM,uB;QAAA,UAAoB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,gC;QAAA,mBAA6B,K;MAAO,0B;QAAA,aAAuB,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,+B;QAAA,kBAA4B,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,6B;QAAA,gBAA0B,K;MAAO,8B;QAAA,iBAA2B,K;MAAO,kC;QAAA,qBAA+B,

K;MAAO,oB;QAAA,OAAgB,I;MAAM,sB;QAAA,SA Ae,C;MAAG,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aA
AuB,K;MAAO,wB;QAAA,WAAqB,K;MACl/B,QAAQ,E;MACR,EAAE,WAAF,IAAiB,S;MACjB,EAAE,OAAF,I
AAa,K;MACb,EAAE,QAAF,IAAc,M;MACd,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,oBAAF,IAA0B,kB;MAC1
B,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,aAAF,IAAm
B,W;MACnB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,
SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,E
AAE,eAAF,IAAqB,a;MACrB,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,
Q;MACHb,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,kBAAF,IAAwB,gB;MACxB,EAA
E,kBAAF,IAAwB,gB;MACxB,EAAE,YAAF,IAAkB,U;MACiB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,eAAF,IA
AqB,a;MACrB,EAAE,iBAAF,IAAuB,e;MACvB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,eAAF,IAAqB,a;MAC
rB,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,MAAF,IAAY,I;MACZ,EAAE,QA
AF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACiB,EAAE,UAAF,IAAgB,Q;MACH
B,OAAO,C;K;6GCzBX,0C;MACwC,oB;QAAA,OAAiB,I;MAAM,sB;QAAA,SAAmB,K;MAAO,uB;QAAA,UAA
oB,K;MAAO,uB;QAAA,UAAoB,K;MACpI,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,
M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;4EAmIX,4B;MACkE,iBAAY,K
AAZ,C;K;4EAEIE,qC;MAC2E,UAA Y,KAAZ,IAAqB,O;K;4EAIbhG,4B;MACuE,iBAAY,KAAZ,C;K;4EAEvE,q
C;MAC+E,UAA Y,KAAZ,IAAqB,O;K;4EAIbP G,4B;MACuE,iBAAY,KAAZ,C;K;4EAEvE,qC;MAC+E,UAA Y,K
AAZ,IAAqB,O;K;4EAIgP G,4B;MACoE,iBAAY,KAAZ,C;K;2EAEpE,qC;MAC4E,UAA Y,KAAZ,IAAqB,O;K;4E
AkcjG,4B;MAC6E,iBAAY,KAAZ,C;K;4EAE7E,qC;MACqF,UAA Y,KAAZ,IAAqB,O;K;4EAgP1G,4B;MACqE,i
BAAY,KAAZ,C;K;4EAErE,qC;MAC6E,UAA Y,KAAZ,IAAqB,O;K;uFH/6BIG,+H;MAC8B,sB;QAAA,SAAkB,S;
MAAW,uB;QAAA,UAAmB,S;MAAW,oB;QAAA,OAAgB,S;MAAW,wB;QAAA,WAAoB,S;MAAW,8B;QAAA,i
BAA0B,S;MAAW,oB;QAAA,OAAqB,S;MAAW,2B;QAAA,cAAmC,S;MAAW,qB;QAAA,QAAuB,S;MAAW,w
B;QAAA,WAA6B,S;MAAW,yB;QAAA,YAAqB,S;MAAW,yB;QAAA,YAAsB,S;MAAW,wB;QAAA,WAAe,S;
MAC5Z,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,MAAF,IAAY,I;MA
CZ,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,gBAAF,IAAsB,c;MACtB,EAAE,MAAF,IAAY,I;MACZ,EAAE,aAA
F,IAAmB,W;MACnB,EAAE,OAAF,IAAa,K;MACb,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,WAAF,IAAiB,S;M
ACjB,EAAE,WAAF,IAAiB,S;MACjB,EAAE,QAAF,IAAc,Q;MACd,OAAO,C;K;yFA0CX,uC;MAC+B,sB;QAAA
,SAAiB,G;MAAK,0B;QAAA,aAAsB,I;MAAM,uB;QAAA,UAAmB,S;MACHg,QAAQ,E;MACR,EAAE,QAAF,I
AAc,M;MACd,EAAE,YAAF,IAAkB,U;MACiB,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;qFASgD,qB;MAAQ,O
AAG,E;K;mFAEX,qB;MAAQ,OAAQ,O;K;iFAEjB,qB;MAAQ,OAAO,M;K;mFAEd,qB;MAAQ,OAAQ,O;K;qFA
Ef,qB;MAAQ,OAAS,Q;K;mFAEiB,qB;MAAQ,OAAQ,O;K;mFAEhB,qB;MAAQ,OAAQ,O;K;mFAEhB,qB;MAA
Q,OAAQ,O;K;qFAQF,qB;MAAQ,OAAG,E;K;yFAER,qB;MAAQ,OA AW,U;K;mFAEtB,qB;MAAQ,OAAQ,O;K;
mFAEjB,qB;MAAQ,OAAO,M;K;qFAEd,qB;MAAQ,OAAQ,O;K;yFAEb,qB;MAAQ,OA AW,U;K;mFAEtB,qB;M
AAQ,OAAQ,O;K;qFAEf,qB;MAAQ,OAAS,Q;K;qFAEjB,qB;MAAQ,OAAS,Q;K;uFAEjB,qB;MAAQ,OAAS,Q;K
;mGAEV,qB;MAAQ,OAAgB,e;K;iGAEzB,qB;MAAQ,OAAe,c;K;qFAE9B,qB;MAAQ,OAAQ,O;K;qFAEf,qB;M
AAQ,OAAS,Q;K;iFAEnB,qB;MAAQ,OAAO,M;K;yFAQzB,qB;MAAQ,OA AW,U;K;+FAEhB,qB;MAAQ,OAac,
a;K;uFAE1B,qB;MAAQ,OA AU,S;K;iFAErB,qB;MAAQ,OAAO,M;K;iFAQD,qB;MAAQ,OAAO,M;K;iGAER,qB;
MAAQ,OAac,a;K;uFAE1B,qB;MAAQ,OA AU,S;K;yFAQ9B,qB;MAAQ,OA AU,S;K;yFAEjB,qB;MAAQ,OA AW,
U;K;qFAErB,qB;MAAQ,OAAS,Q;K;yFAEf,qB;MAAQ,OA AW,U;K;+FAEhB,qB;MAAQ,OAac,a;K;qGAEnB,qB
;MAAQ,OA AiB,gB;K;qFAQ3B,qB;MAAQ,OAAS,Q;K;mFAEiB,qB;MAAQ,OAAQ,O;K;uFAEf,qB;MAAQ,OA
S,Q;K;mFAQxB,qB;MAAQ,OAAQ,O;K;mFAEjB,qB;MAAQ,OAAO,M;K;yFAEZ,qB;MAAQ,OA AU,S;K;qFAEp
B,qB;MAAQ,OAAQ,O;K;qFAEf,qB;MAAQ,OAAS,Q;K;qGAET,qB;MAAQ,OA AiB,gB;K;+FI3Q/F,gB;MACkC,
oB;QAAA,OAAgB,E;MAC9C,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;+FAiBX,8B;MACkC,
4B;QAAA,eAAqB,S;MAAW,oB;QAAA,OAAgB,E;MAC9E,QAAQ,E;MACR,EAAE,cAAF,IAAoB,Y;MACpB,E
AAE,MAAF,IAAY,I;MACZ,OAAO,C;K;0EAUX,4B;MAC6D,iBAAY,KAAZ,C;K;+GCiC7D,sJ;MACsC,mB;QA
AA,MA6GuD,M;OA7GG,oB;QAAA,OAAgB,E;MAAI,oB;QAAA,OAAgB,E;MAAI,mB;QAAA,MAAe,E;MAAI,
qB;QAAA,QAAiB,S;MAAW,oB;QAAA,OAAgB,S;MAAW,qB;QAAA,QAAiB,S;MAAW,qB;QAAA,QAAiB,S;
MAAW,uB;QAAA,UAAmB,S;MAAW,yB;QAAA,YAAqB,S;MAAW,wB;QAAA,WAAqB,K;MAAO,sB;QAAA,

SAAmB,K;MAAO,wB;QAAA,WAAqB,K;MAAO,kC;QAAA,qBAA+B,K;MAAO,sB;QAAA,SAAmB,K;MAAO,
oB;QAAA,OAAa,I;MAAM,uB;QAAA,UAAcS,E;MAC/gB,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,EA
AE,MAAF,IAAY,I;MACZ,EAAE,MAAF,IAAY,I;MACZ,EAAE,KAAF,IAAW,G;MACX,EAAE,OAAF,IAAa,K;
MACb,EAAE,MAAF,IAAY,I;MACZ,EAAE,OAAF,IAAa,K;MACb,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,I
AAe,O;MACf,EAAE,WAAF,IAAiB,S;MACjB,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,QAAF,IAAc,M;MACd,E
AAE,UAAF,IAAgB,Q;MACHb,EAAE,oBAAF,IAA0B,kB;MAC1B,EAAE,QAAF,IAAc,M;MACd,EAAE,MAAF,I
AAAY,I;MACZ,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;6GAeX,+B;MACsE,oB;QAAA,OAAgB,S;MACIF,QAA
Q,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;
K;qHASX,e;MACyC,mB;QAAA,MAAe,E;MACpD,QAAQ,E;MACR,EAAE,KAAF,IAAW,G;MACX,OAAO,C;K
;mHA2BX,+D;MACqE,sB;QAAA,SAAkB,E;MAAI,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,
wB;QAAA,WAAqB,K;MACrK,QAAQ,E;MACR,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,QAAF,IAAc,M;MACd,
EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;iGAS
wE,qB;MAAQ,OAAU,S;K;6FAEnB,qB;MAAQ,OAAS,Q;K;+FAEhB,qB;MAAQ,OAAU,S;K;2FAQvB,qB;MAA
Q,OAAO,M;K;yFAEhB,qB;MAAQ,OAAM,K;K;yFAEd,qB;MAAQ,OAAM,K;K;yGCvJ3F,uB;MACsC,qB;QAAA
,QAAiB,S;MAAW,oB;QAAA,OPq3MW,S;OOp3MzE,QAAQ,E;MACR,EAAE,OAAF,IAAa,K;MACb,EAAE,MA
AF,IAAY,I;MACZ,OAAO,C;K;6HAuCX,mF;MACgD,oB;QAAA,OAAa,S;MAAW,sB;QAAA,SAAkB,S;MAAW,
2B;QAAA,cAAuB,S;MAAW,sB;QAAA,SAA2C,S;MAAW,qB;QAAA,QAA6B,S;MAAW,uB;QAAA,UAAoB,K;
MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/S,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MA
CZ,EAAE,QAAF,IAAc,M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,
IAAa,K;MACb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,O
AAO,C;K;uGA2DX,qC;MACqC,mC;QAAA,sBAAGC,K;MAAO,oB;QAAA,OA2UD,Q;OA1UvE,QAAQ,E;MAC
R,EAAE,qBAAF,IAA2B,mB;MAC3B,EAAE,MAAF,IAAY,I;MACZ,OAAO,C;K;yGAmbX,yC;MACsC,uB;QAA
A,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MACHH,QAAQ,E;MACR,EAAE,SA
AF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;yGA0BX,2B;MA
EI,QAAQ,E;MACR,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,OAAO,C;K;+FAgCX,sE;MACo
D,wB;QAAA,WAAoB,I;MAAM,wB;QAAA,WAAqB,K;MAAO,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB
,K;MAAO,wB;QAAA,WAAqB,K;MACpL,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,
Q;MACHb,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE
,UAAF,IAAgB,Q;MACHb,OAAO,C;K;6GAyBX,0D;MAC2D,sB;QAAA,SAAkB,M;MAAQ,uB;QAAA,UAAoB,K
;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC/J,QAAQ,E;MACR,EAAE,SAAF,IAAe,O;MA
Cf,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IA
AgB,Q;MACHb,OAAO,C;K;2GAeX,qC;MAC4D,sB;QAAA,SAAkB,S;MAAW,uB;QAAA,UAA0B,S;MAC/G,QA
AQ,E;MACR,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,QAAF,IAAc,M;MACd,EAAE,SAAF,IAAe,O;MACf,OAA
O,C;K;uHAuCX,mF;MAC6C,oB;QAAA,OAAa,S;MAAW,sB;QAAA,SAAkB,S;MAAW,2B;QAAA,cAAuB,S;MA
AW,sB;QAAA,SAAmD,S;MAAW,qB;QAAA,QAA6B,S;MAAW,uB;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAu
B,K;MAAO,wB;QAAA,WAAqB,K;MACpT,QAAQ,E;MACR,EAAE,MAAF,IAAY,I;MACZ,EAAE,QAAF,IAAc,
M;MACd,EAAE,aAAF,IAAmB,W;MACnB,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,S
AAF,IAAe,O;MACf,EAAE,YAAF,IAAkB,U;MACIB,EAAE,UAAF,IAAgB,Q;MACHb,OAAO,C;K;qGA+BX,6D;
MACoC,4B;QAAA,eAAyB,K;MAAO,4B;QAAA,eAAyB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,yB;QAAA,YA
AqB,S;MACnJ,QAAQ,E;MACR,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,cAAF,IAAoB,Y;MACpB,EAAE,YAAF,
IAAkB,U;MACIB,EAAE,WAAF,IAAiB,S;MACjB,OAAO,C;K;yGakBX,4C;MACsC,oB;QAAA,OAAgB,S;MAA
W,uB;QAAA,UAAoB,S;MAAW,wB;QAAA,WAAcS,S;MAAW,uB;QAAA,UAA8B,S;MAC3J,QAAQ,E;MACR,
EAAE,MAAF,IAAY,I;MACZ,EAAE,SAAF,IAAe,O;MACf,EAAE,UAAF,IAAgB,Q;MACHb,EAAE,SAAF,IAAe,
O;MACf,OAAO,C;K;+FAiCmE,qB;MAAQ,OAAa,Y;K;6FAEtB,qB;MAAQ,OAAy,W;K;+FAEnB,qB;MAAQ,OA
Aa,Y;K;6FAEtB,qB;MAAQ,OAAy,W;K;6FAEpB,qB;MAAQ,OAAy,W;K;6FAQtC,qB;MAAQ,OAAy,W;K;6FA
EpB,qB;MAAQ,OAAy,W;K;uFAEvB,qB;MAAQ,OAAS,Q;K;qFAEnB,qB;MAAQ,OAAO,M;K;uFAQX,qB;MAA
Q,OAAS,Q;K;yFAEjB,qB;MAAQ,OAAS,Q;K;qGAEX,qB;MAAQ,OAAe,c;K;iFAEhC,qB;MAAQ,OAAM,K;K;iG
C3ZrE,0E;MACoC,gC;QAAA,mBAA6B,K;MAAO,sB;QAAA,SAAkB,C;MAAG,qB;QAAA,QAAiB,C;MAAG,uB

;QAAA,UAAoB,K;MAAO,0B;QAAA,aAAuB,K;MAAO,wB;QAAA,WAAqB,K;MAC3L,QAAQ,E;MACR,EAAE ,kBAAF,IAAwB,gB;MACxB,EAAE,QAAF,IAAc,M;MACd,EAAE,OAAF,IAAa,K;MACb,EAAE,SAAF,IAAe,O; MACf,EAAE,YAAF,IAAkB,U;MACiB,EAAE,UAAF,IAAgB,Q;MAChB,OAAO,C;K;mFAS8E,qB;MAAQ,OAA G,E;K;+FAEL,qB;MAAQ,OAAc,a;K;iFAE7B,qB;MAAQ,OAAO,M;K;yFAEX,qB;MAAQ,OAAW,U;K;+EAEvB, qB;MAAQ,OAAO,M;K;+EAEf,qB;MAAQ,OAAO,M;K;ICvHnE,6B;MAAC,qB;QAAA,8C;MAAA,kB;K;IACjC,2 C;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,yC;MAAA,4C;O;MAKI,0E;MAEA,sE;K;;IAFA,kD;MAAA,+B;MAA A,0C;K;;IAEA,gD;MAAA,+B;MAAA,wC;K;;IAPJ,qC;MAAA,yF;K;;IAAA,0C;MAAA,a;aAAA,S;UAAA,+C;aA AA,O;UAAA,6C;gBAAA,8D;;K;;;IAyBmC,sC;MACnC,8B;K;;IAMqC,sC;MACrC,8B;K;;IC1DJ,iC;K;;ICMA,4B; K;;ICCA,qC;K;;IA4BA,+B;K;;ICRqC,uC;MACjC,uB;QAAA,UAAsB,E;MACtB,qB;QAAA,+C;MADA,sB;MACA ,kB;K;IAEA,4C;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,0C;MAAA,6C;O;MAKI,4E;MAGA,wE;K;;IAHA,mD; MAAA,gC;MAAA,2C;K;;IAGA,iD;MAAA,gC;MAAA,yC;K;;IARJ,sC;MAAA,2F;K;;IAAA,2C;MAAA,a;aAAA, S;UAAA,gD;aAAA,O;UAAA,8C;gBAAA,+D;;K;;;IAyByB,4B;MACzB,8B;K;;IC/C4C,8B;K;kDAI5C,mB;MAA6 D,c;;QhI4/C7C,Q;QADhB,IAAI,mCAAsB,cAA1B,C;UAAqC,aAAO,K;UAAP,e;SACrB,sB;QAAhB,OAAgB,cAA hB,C;UAAgB,2B;UAAM,IgI5/C6C,OhI4/C/B,SgI5/C+B,UhI4/C7C,C;YAAwB,aAAO,I;YAAP,e;;QAC9C,aAAO, K;;MgI7/CsD,iB;K;uDAE7D,oB;MACa,c;;QhIo+CG,Q;QADhB,IAAI,cgIn+CA,QhIm+CA,iBgIn+CA,QhIm+CsB ,UAA1B,C;UAAqC,aAAO,I;UAAP,e;SACrB,OgIp+CZ,QhIo+CY,W;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UA AM,IAAI,CgIp+CP,oBhIo+CkB,OgIp+CIB,ChIo+CG,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;MgIr+CH,i B;K;2CAEJ,Y;MAAkC,qBAAQ,C;K;IAEqB,qE;MAAA,qB;QAC3D,OAAI,OAAO,uBAAX,GAAiB,mBAAjB,GA A6C,SAAH,EAAG,C;O;K;4CADjD,Y;MAAkC,4BAAa,IAAb,EAAMB,GAAnB,EAABW,GAAxB,kBAA6B,wCA A7B,C;K;2CAIIC,Y;MAI4C,uBAAgB,IAAhB,C;K;mDAE5C,iB;MAI4D,yBAAgB,IAAhB,EAAsB,KAAtB,C;K;;I C/BhE,8B;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,4B;MAAA,+B;O;MACI,4C;MACA,kD;MACA,0C;MACA,8 C;K;;IAHA,mC;MAAA,kB;MAAA,2B;K;;IACA,sC;MAAA,kB;MAAA,8B;K;;IACA,kC;MAAA,kB;MAAA,0B;K ;IACA,oC;MAAA,kB;MAAA,4B;K;;IAJJ,wB;MAAA,sH;K;;IAAA,6B;MAAA,a;aAAA,O;UAAA,gC;aAAA,U;U AAA,mC;aAAA,M;UAAA,+B;aAAA,Q;UAAA,iC;gBAAA,6D;;K;;IAOA,4B;MAKI,mD;MACA,2BAA4B,I;K;yC AE5B,Y;MAEiB,IAAN,I;MvIUX,IAAI,EUlXQ,mDvIWR,CAAJ,C;QACI,cAda,qB;QAEB,MAAM,gCAAYB,OAA Q,WAAjC,C;OUZC,QAAM,oBAAN,M;aACH,M;UAAc,Y;UAAAd,K;aACA,O;UAAe,W;UAAf,K;gBACQ,wC;UA HL,K;;MAAP,W;K;sCAOJ,Y;MAIW,Q;MAHP,IAAI,CAAC,cAAL,C;QAAGB,MAAM,6B;MACtB,mD;MAEA,O AAO,2F;K;4DAGX,Y;MACI,iD;MACA,kB;MACA,OAAO,kD;K;+CAeX,iB;MAII,2BAAY,K;MACZ,gD;K;sCA GJ,Y;MAII,+C;K;;ICIDkC,wB;MAoFtC,oC;MAPfGe,6B;K;sCAIhE,Y;MAAuC,0C;K;2CAEvC,mB;MAAwD,uB;; QII6R3C,Q;QADb,YAAY,C;QACC,sB;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IkI9RmE,OII8RrD,IkI9RqD,UII8 RnE,C;YACI,sBAAO,K;YAAP,wB;WACJ,qB;;QAEJ,sBAAO,E;;MkIISiD,0B;K;+CAExD,mB;MAA4D,sB;;QII s T5D,eAAoB,0BAAa,SAAb,C;QACpB,OAAO,QAAS,cAAhB,C;UACI,IkIxTsE,OIIwTxD,QAAS,WkIxT+C,UIIwT tE,C;YACI,qBAAO,QAAS,Y;YAAhB,uB;;QAGR,qBAAO,E;;MkI5TqD,yB;K;0CAE5D,Y;MAA+C,+CAAiB,CA AjB,C;K;kDAE/C,iB;MAAYD,+CAAiB,KAAjB,C;K;6CAEzD,8B;MAA8D,gCAAQ,IAAR,EAAc,SAAd,EAAYB, OAAzB,C;K;IAEIC,wD;MAAGf,uB;MAA/E,kB;MAAMC,4B;MAC5D,eAAyB,C;MAGrB,+DAAkB,gBAAIB,EA A6B,OAA7B,EAAsC,WAAK,KAA3C,C;MACA,eAAa,UAAU,gBAAV,I;K;iDAGjB,iB;MACI,+DAAkB,KAAIB, EAAYB,YAAzB,C;MAEA,OAAO,wBAAK,mBAAY,KAAZ,IAAL,C;K;wEAGY,Y;MAAQ,mB;K;;oCAGnC,iB;M AMI,IAAI,UAAU,IAAd,C;QAAoB,OAAO,I;MAC3B,IAAI,2BAAJ,C;QAAuB,OAAO,K;MAE9B,OAAO,2DAAC, IAAd,EAAoB,KAApB,C;K;sCAGX,Y;MAG+B,oEAAgB,IAAhB,C;K;IAE/B,2C;MAAA,oB;MACI,eACsB,C;K;k DAEtB,Y;MAAkC,sBAAQ,gB;K;+CAE1C,Y;MAEe,gB;MADX,IAAI,CAAC,cAAL,C;QAAGB,MAAM,6B;MAC X,iE;MAAX,OAAO,+B;K;;IAO0B,sD;MAHzC,oB;MAGwD,iD;MAGhD,gEAAmB,KAAAnB,EAA0B,WAAkB,KA A5C,C;MACA,eAAa,K;K;0DAGjB,Y;MAAsC,sBAAQ,C;K;wDAE9C,Y;MAAGC,mB;K;uDAEhC,Y;MACI,IAAI, CAAC,kBAAL,C;QAAoB,MAAM,6B;MAC1B,OAAO,yBAAI,mCAAJ,EAAL,YAAJ,E;K;4DAGX,Y;MAAoC,sB AAQ,CAAR,I;K;;IAGxC,kC;MAAA,sC;K;;IEACI,uB;MACI,IAAI,QAAQ,CAAR,IAAa,SAAS,IAA1B,C;QACI,M AAM,8BAA0B,YAAS,KAAT,gBAAuB,IAAJD,C;Q;kEAIId,uB;MACI,IAAI,QAAQ,CAAR,IAAa,QAAQ,IAAZB,C ;QACI,MAAM,8BAA0B,YAAS,KAAT,gBAAuB,IAAJD,C;Q;iEAIId,oC;MACI,IAAI,YAAY,CAAZ,IAAiB,UAA U,IAA/B,C;QACI,MAAM,8BAA0B,gBAAa,SAAb,mBAAkC,OAAIC,gBAAkD,IAA5E,C;OAEV,IAAI,YAAY,O AAhB,C;QACI,MAAM,gCAAYB,gBAAa,SAAb,oBAAmC,OAA5D,C;Q;kEAIId,sC;MACI,IAAI,aAAa,CAAb,IAA

kB, WAAW, IAAjC, C; QACI, MAAM, 8BAA0B, iBAAc, UAAAd, oBAAqC, QAArC, gBAAsD, IAaHF, C; OAEV, IAAI, aAAa, QAAjB, C; QACI, MAAM, gCAAyB, iBAAc, UAAAd, qBAAsC, QAA/D, C; Q; +DAId, a; MAEc, UACsB, M; MAFhC, iBA Ae, C; MACL, mB; MAAV, OAAU, cAAV, C; QAAU, mB; QACN, aAAW, MAAK, UAAL, SAAiB, 6DAAiB, CAAI, C, K; MAEf, OAAO, U; K; 6DAGX, oB; MAIiB, Q; MAHb, IAAI, CAAE, KAAF, KAAU, KAAM, KAApB, C; QAA0B, OAAO, K; MAEjC, oBAAoB, KAAM, W; MACb, mB; MAAb, OAAa, cAAb, C; QAAa, sB; QACT, gBAAGb, aAAc, O; QAC9B, IAAI, cAAQ, SAAR, CAAJ, C; UACI, OAAO, K; MAGf, OAAO, I; K; IAjDf, 8C; MAAA, 6C; QAAA, 4B; OAAA, sC; K; ICnFwC, uB; MAyHxC, mC; MAzCA, uBAC6B, I; MAMc7B, yBACsC, I; K; 8CAnHtC, e; MACI, OAAO, 6BAAc, GAAAd, S; K; gDAGX, iB; MAAwE, gBAAR, Y; MAAQ, c; QnIo/CxD, Q; QADhB, IAAI, wCAAsB, mBAA1B, C; UAAqC, aAAO, K; UAAP, e; SACrB, 2B; QAAhB, OAAgB, cAAhB, C; UAAgB, yB; UAAM, ImIp/CwD, OnIo/C1C, OmIp/C6C, MAAH, QnIo/CxD, C; YAAwB, aAAO, I; YAAP, e; QAC9C, aAAO, K; MmIr/CyD, iB; K; kDAEhE, iB; MAEI, IAAI, gCAAJ, C; QAA+B, OAAO, K; MACtC, UAAU, KAAM, I; MACHb, YAAy, KAAM, M; M/TwMO, Q; M+IvMzB, e/IuM4C, CAAnB, mDAAmB, Y+IvMzB, G/IuMyB, C; M+IrM5C, IAAI, eAAS, QAAT, CAAJ, C; QACI, OAAO, K; OAIp, 6B; MAAA, W; Q/IiNqB, U; Q+IjND, U/IiNoB, CAAnB, uDAAmB, oB+IjNP, G/IiNO, C; O+IjN5C, W; QACI, OAAO, K; OAGX, OAAO, I; K; mCAIX, iB; MAMI, IAAI, UAAU, IAAd, C; QAAoB, OAAO, I; MAC3B, IAAI, 0BAAJ, C; QAAyB, OAAO, K; MACHc, IAAI, cAAQ, KAAM, KAAIB, C; QAAwB, OAAO, K; MAEV, gBAAd, KAAM, Q; MAAQ, c; QnI+7CT, Q; QADhB, IAAI, wCAAsB, mBAA1B, C; UAAqC, aAAO, I; UAAP, e; SACrB, 2B; QAAhB, OAAgB, cAAhB, C; UAAgB, yB; UAAM, IAAI, CmI/7CK, 2BnI+7CM, OmI/7CN, CnI+7CT, C; YAAyB, aAAO, K; YAAP, e; QAC/C, aAAO, I; MmIh8CH, iB; K; sCAGJ, e; MAAwC, Q; MAAA, 4CAAc, GAAd, 8B; K; qCAGx, C, Y; MAK+B, OAAQ, SAAR, YAAQ, C; K; oCAEvC, Y; MAAkC, qBAAQ, C; K; +DACnB, Y; MAAQ, OAAA, YAAQ, K; K; IAWnB, 0E; MAAA, wC; MAAS, sB; K; 8EACb, mB; MAASD, +CAAY, OAAZ, C; K; IAI3C, sG; MAAA, kD; K; 8FACH, Y; MAAkC, OAAA, 0BAAc, U; K; 2FACHd, Y; MAAYB, OAAA, 0BAAc, OAAO, I; K; wEAJtD, Y; MACI, oBAAoB, 6BAAQ, W; MAC5B, +F; K; kGAMmB, Y; MAAQ, OAAA, qBAAiB, K; K; +DAb5D, Y; MACI, IAAI, 4BAAJ, C; QACI, +E; OAcJ, OAAO, mC; K; IAOWD, uD; MAAA, qB; QAAE, 2CAAS, EAAT, C; O; K; qCAAzE, Y; MAAkC, OAAQ, eAAR, YAAQ, EAAa, IAAb, EAAMb, GAAnB, EAAwB, GAAxB, kBAA6B, iCAA7B, C; K; +CAE1C, iB; MAAuD, +BAAS, KAAM, IAaf, IAAsB, GAAtB, GAA4B, wBAAS, KAAM, MAaf, C; K; +CAEnF, a; MAAwC, OAAI, MAAM, IAAV, GAAgB, YAAhB, GAAoC, SAAF, CAAE, C; K; IAWtD, 4E; MAAA, wC; MAAS, 6B; K; gFACf, mB; MAAsE, iDAAc, OAAAd, C; K; IAI3D, wG; MAAA, kD; K; gGACH, Y; MAAkC, OAAA, 0BAAc, U; K; 6FACHd, Y; MAAYB, OAAA, 0BAAc, OAAO, M; K; 0EAJtD, Y; MACI, oBAAoB, 6BAAQ, W; MAC5B, iG; K; oGAMmB, Y; MAAQ, OAAA, qBAAiB, K; K; iEAb5D, Y; MACI, IAAI, 8BAAJ, C; QACI, mF; OAcJ, OAAO, qC; K; oDAMf, e; MAA8D, gBAAR, Y; MAAQ, sB; QnI8G9C, Q; QAAA, 2B; QAAhB, OAAgB, cAAhB, C; UAAgB, yB; UAAM, ImI9GsD, OnI8GxC, OmI9G2C, IAAH, MnI8GtD, C; YAAwB, qBAAO, O; YAAP, uB; QAC9C, qBAAO, I; MmI/G+C, yB; K; IAEtD, iC; MAAA, qC; K; 4DAEI, a; MAAiE, gC; MAAX, OAAU, CAAC, kBAAAN, CAAM, 0DAAmB, CAAPb, KAA4B, oBAAjC, CAAiC, 8DAAqB, CAAjD, C; K; 4DACHe, a; MAAyD, OAAU, SAAL, CAAO, IAaf, mBAAL, CAAY, MAAP, C; K; 0DACnE, oB; MACI, IAAI, gCAAJ, C; QAA+B, OAAO, K; MACtC, OAAO, OAAA, CAAE, IAaf, EAAS, KAAM, IAaf, KAAAsB, OAAA, CAAE, MAaf, EAAW, KAAM, MAAjB, C; K; IANrC, 6C; MAAA, 4C; QAAA, 2B; OAAA, qC; K; IC/HqC, uB; MakBrC, mC; MAIB+D, 6B; K; mCAE/D, iB; MAMI, IAAI, UAAU, IAAd, C; QAAoB, OAAO, I; MAC3B, IAAI, 0BAAJ, C; QAAsB, OAAO, K; MAC7B, OAAO, sDAAU, IAAV, EAAgB, KAAhB, C; K; qCAGX, Y; MAG+B, qEAAkB, IAAIB, C; K; IAE/B, iC; MAAA, qC; K; gEACI, a; MAEoB, Q; MADhB, iBA Ae, C; MACC, mB; MAAhB, OAAgB, cAAhB, C; QAAgB, yB; QACC, U; QAAb, 2BAAa, yEAAuB, CAAPc, K; MAEJ, OAAO, U; K; wDAGX, oB; MACI, IAAI, CAAE, KAAF, KAAU, KAAM, KAApB, C; QAA0B, OAAO, K; MACjC, OAAO, CAAE, qBAAY, KAAZ, C; K; IAXjB, 6C; MAAA, 4C; QAAA, 2B; OAAA, qC; K; MCPA, cAAwB, C; MACxB, yB; MAEA, sBAAYB, C; 8DAAzB, Y; MAAA, 0B; K; OAAA, gB; MAAA, 0B; K; 4CA8BA, uB; MAOI, IAAI, cAAc, CAAIB, C; QAAqB, MAAM, 6BAAsB, mBAAtB, C; MAC3B, IAAI, eAAe, kBAAy, OAA/B, C; QAAqC, M; MACrC, IAAI, uBAAgB, gBAAPb, C; QACI, qBAAc, gBAAYb, gBAAZ, WAAY, EAAC, EAAd, CAAzB, O; QACd, M; OAGJ, kBAAkB, yBAAY, kBAAy, OAAxB, EAA8B, WAA9B, C; MACIB, oBAAa, WAAb, C; K; +CAGJ, oC; MAGI, kBAAkB, eAAe, eAAgB, CAA/B, K; MACIB, IAAI, eAAc, WAAd, QAA4B, CAAhC, C; QACI, cAAc, W; MACIB, IAAI, eAAc, UAAAd, QAA6B, CAAjC, C; QACI, cAAkB, cAAc, UAAIB, GAAgC, UAAhC, GAAMd, U; MACrE, OAAO, W; K; 0CAGX, uB; MAII, kBAAkB, gBAAMb, WAAAnB, O; MIIscT, UOIrcI, kB1IqcJ, EOIrcyB, W1IqcZ, EOIrcsC, C1IqctC, EOIrcyC, W1IqcZ, EOIrc+C, kBAAy, O1Iqc3D, C; MAAA, UOIpcI, kB1IocJ, EOIpcyB, W1IocZ, EOIpcsc, kBAAy, OAAZ, GAAMb, WAAAnB, I1IoctC, EOIpc+D, C1Ioc/D, EOIpckE, W1IocIE, C; M0Inc

I,cAAO,C;MACP,qBAAc,W;K;yCAGIB,yB;MAGW,Q;MAAP,OAAO,2BAAY,aAAZ,4D;K;yCAGX,iB;MAA2C,
OAAI,SAAS,kBAAY,OAAzB,GAA+B,QAAQ,kBAAY,OAApB,IAA/B,GAA6D,K;K;yCAExG,iB;MAA2C,OAAI
,QAAQ,CAAZ,GAAe,QAAQ,kBAAY,OAApB,IAAf,GAA6C,K;K;2CAExF,iB;MACoD,0BAAY,cAAO,KAAP,IA
AZ,C;K;yCAEpD,iB;MAA2C,OAAI,UAAqB,cAAZ,kBAAY,CAAzB,GAAoC,CAApC,GAA2C,QAAQ,CAAR,I;
K;yCAEtF,iB;MAA2C,OAAI,UAAS,CAAb,GAA4B,cAAZ,kBAAY,CAA5B,GAA2C,QAAQ,CAAR,I;K;mCAEtF
,Y;MAAkC,qBAAQ,C;K;iCAE1C,Y;MAGwB,IAAI,cAAJ,C;QAe,MAAM,2BAAuB,sBAAvB,C;;QAnBIC,Q;QA
mBa,OAnBb,2BAmBkG,WAnBlG,4D;;K;uCAGBX,Y;MAG+B,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAxBn
C,U;QAwBoB,OAxBpB,6BAwByD,WAxBzD,gE;;MAwBoB,W;K;gCAE/B,Y;MAGuB,IAAI,cAAJ,C;QAe,MA
AM,2BAAuB,sBAAvB,C;;QA7BjC,Q;QA6BY,OA7BZ,2BAQyC,mBAAY,cAqB0D,sBArB1D,IAAZ,CARzC,4D;;
K;sCA+BX,Y;MAG8B,Q;MAAA,IAAI,cAAJ,C;QAAA,OAAe,I;;QAICIC,U;QAKcMB,OAlCnB,6BAQyC,mBAA
Y,cA0BiB,sBA1BjB,IAAZ,CARzC,gE;;MAkCmB,W;K;0CAE9B,mB;MAII,sBA Ae,YAAO,CAAP,IAAf,C;MAEA
,cAAO,mBAAY,WAAZ,C;MACP,mBAAY,WAAZ,IAAoB,O;MACpB,wBAAQ,CAAR,I;K;yCAGJ,mB;MAII,sB
AAe,YAAO,CAAP,IAAf,C;MAEA,mBA7CgD,mBAAY,cA6CIC,SA7CkC,IAAZ,CA6ChD,IAAmC,O;MACnC,w
BAAQ,CAAR,I;K;uCAGJ,Y;MAII,IAAI,cAAJ,C;QAe,MAAM,2BAAuB,sBAAvB,C;MA7Dd,Q;MA+DP,cA/DO
,2BA+DmB,WA/DnB,4D;MAGeP,mBAAY,WAAZ,IAAoB,I;MACpB,cAAO,mBAAY,WAAZ,C;MACP,wBAAQ,
CAAR,I;MACA,OAAO,O;K;6CAGX,Y;MAGqC,OAAI,cAAJ,GAAe,IAAf,GAAYB,kB;K;sCAE9D,Y;MAII,IAAI,
cAAJ,C;QAe,MAAM,2BAAuB,sBAAvB,C;MAErB,wBAzEgD,mBAAY,cAyEtB,sBAzEsB,IAAZ,C;MARzC,Q;
MAkFP,cAlFO,2BAkFmB,iBAIFnB,4D;MAmFP,mBAAY,iBAAZ,IAAiC,I;MACjC,wBAAQ,CAAR,I;MACA,OA
AO,O;K;4CAGX,Y;MAGoC,OAAI,cAAJ,GAAe,IAAf,GAAYB,iB;K;qCAE7D,mB;MAEI,mBAAQ,OAAR,C;MA
CA,OAAO,I;K;uCAGX,0B;MACI,oCAAA,4BAAmB,KAAAnB,EAA0B,SAA1B,C;MAEb,IAAI,UAAS,SAAb,C;QA
CI,mBAAQ,OAAR,C;QACA,M;aACG,IAAI,UAAS,CAAb,C;QACH,oBAAS,OAAT,C;QACA,M;OAGJ,sBA Ae,Y
AAO,CAAP,IAAf,C;MA2BA,oBAjIgd,mBAAY,cAiI1B,KAjI0B,IAAZ,C;MAmIhD,IAAI,QAAS,SAAD,GAAQ,C
AAR,IAAe,CAA3B,C;QAEI,+BAA+B,mBAAY,aAAZ,C;QAC/B,sBAAsB,mBAAY,WAAZ,C;QAEtB,IAAI,4BA
A4B,WAAhC,C;UACI,mBAAY,eAAZ,IAA+B,mBAAY,WAAZ,C;U1I2S3C,U0I1SY,kB1I0SZ,E0I1SiC,kB1I0SjC
,E0I1S8C,W1I0S9C,E0I1SoD,cAAO,CAAP,I1I0SpD,E0I1S8D,2BAA2B,CAA3B,I1I0S9D,C;;UAAA,U0IxSY,kB1
IwSZ,E0IxSiC,kB1IwSjC,E0IxS8C,cAAO,CAAP,I1IwS9C,E0IxSwD,W1IwSxD,E0IxS8D,kBAAY,O1IwS1E,C;U
0IvSY,mBAAY,kBAAY,OAAZ,GAAMB,CAAnB,IAAZ,IAAoC,mBAAY,CAAZ,C;U1IuShD,U0ItSY,kB1IsSZ,E0
ItSiC,kB1IsSjC,E0ItS8C,C1IsS9C,E0ItSiD,C1IsSjD,E0ItSoD,2BAA2B,CAA3B,I1IsSpD,C;;Q0InSQ,mBAAY,wB
AAZ,IAAwC,O;QACxC,cAAO,e;;QAGP,WArJ4C,mBAAY,cAqJ/B,SArJ+B,IAAZ,C;QAUJ5C,IAAI,gBAAGB,IA
ApB,C;U1I6RR,U0I5RY,kB1I4RZ,E0I5RiC,kB1I4RjC,E0I5R8C,gBAAGB,CAAhB,I1I4R9C,E0I5RiE,a1I4RjE,E0I
5RgF,I1I4RhF,C;;UAAA,U0I1RY,kB1I0RZ,E0I1RiC,kB1I0RjC,E0I1R8C,C1I0R9C,E0I1RiD,C1I0RjD,E0I1RoD,I
1I0RpD,C;U0IzRY,mBAAY,CAAZ,IAAiB,mBAAY,kBAAY,OAAZ,GAAMB,CAAnB,IAAZ,C;U1IyR7B,U0IxR
Y,kB1IwRZ,E0IxRiC,kB1IwRjC,E0IxR8C,gBAAGB,CAAhB,I1IwR9C,E0IxRiE,a1IwRjE,E0IxRgF,kBAAY,OAA
Z,GAAMB,CAAnB,I1IwRhF,C;;Q0IrRQ,mBAAY,aAAZ,IAA6B,O;;MAEjC,wBAAQ,CAAR,I;K;oDAGJ,mC;MA
GkD,UAIxB,M;MANtB,eAAe,QAAS,W;MAEsB,OAAZ,kBAAY,O;MAA9C,iBAAc,aAAAd,wB;QACI,IAAI,CAA
C,QAAS,UAAAd,C;UAAyB,K;QACzB,mBAAY,KAAZ,IAAqB,QAAS,O;;MAEZ,oB;MAAtB,mBAAc,CAAd,8B;
QACI,IAAI,CAAC,QAAS,UAAAd,C;UAAyB,K;QACzB,mBAAY,OAAZ,IAAqB,QAAS,O;;MAGIC,wBAAQ,QA
AS,KAAjB,I;K;0CAGJ,oB;MACI,IAAI,QAAS,UAAAb,C;QAAwB,OAAO,K;MAC/B,sBA Ae,IAAK,KAAL,GAAY,
QAAS,KAArB,IAAf,C;MACA,8BAAtLgD,mBAAY,cAsLvB,SAtLuB,IAAZ,CAsLhD,EAA4C,QAA5C,C;MACA,O
AAO,I;K;0CAGX,2B;MACI,oCAAA,4BAAmB,KAAAnB,EAA0B,SAA1B,C;MAEb,IAAI,QAAS,UAAAb,C;QACI,O
AAO,K;aACJ,IAAI,UAAS,SAAb,C;QACH,OAAO,oBAAO,QAAP,C;OAGX,sBA Ae,IAAK,KAAL,GAAY,QAAS
,KAArB,IAAf,C;MAEA,WArMgD,mBAAY,cAqMnC,SArMmC,IAAZ,C;MAmMhD,oBAAtMgD,mBAAY,cAsM1B,
KAtM0B,IAAZ,C;MAuMhD,mBAAmB,QAAS,K;MAE5B,IAAI,QAAS,SAAD,GAAQ,CAAR,IAAe,CAA3B,C;Q
AGI,kBAAkB,cAAO,YAAP,I;QAEIB,IAAI,iBAAiB,WAArB,C;UACI,IAAI,eAAe,CAAnB,C;Y1IqOZ,U0IpOgB,k
B1IoOhB,E0IpOqC,kB1IoOrC,E0IpOkD,W1IoOId,E0IpO+D,W1IoO/D,E0IpOqE,a1IoOrE,C;;Y0IIogB,4BA Ae,k
BAAY,OAA3B,I;YACA,sBAAsB,gBAAGB,WAAhB,I;YACtB,kBAAkB,kBAAY,OAAZ,GAAMB,WAAAnB,I;YA
EIB,IAAI,eAAe,eAAnB,C;c1I8NhB,U0I7NoB,kB1I6NpB,E0I7NyC,kB1I6NzC,E0I7NsD,W1I6NtD,E0I7NmE,W1I
6NnE,E0I7NyE,a1I6NzE,C;;cAAA,U0I3NoB,kB1I2NpB,E0I3NyC,kB1I2NzC,E0I3NsD,W1I2NtD,E0I3NmE,W1I

2NnE,E0I3NyE,cAAO,WAAP,I1I2NzE,C;cAAA,U0I1NoB,kB1I0NpB,E0I1NyC,kB1I0NzC,E0I1NsD,C1I0NtD,E0I1NyD,cAAO,WAAP,I1I0NzD,E0I1N6E,a1I0N7E,C;;;UAAA,U0ItNY,kB1IsNZ,E0ItNiC,kB1IsNjC,E0ItN8C,W1IsN9C,E0ItN2D,W1IsN3D,E0ItNiE,kBAAY,O1IsN7E,C;U0IrNY,IAAI,gBAAGB,aAApB,C;Y1IqNZ,U0IpNgB,kB1IoNhB,E0IpNqC,kB1IoNrC,E0IpNkD,kBAAY,OAAZ,GAAMb,YAAnB,I1IoNID,E0IpNmF,C1IoNnF,E0IpNsF,a1IoNtF,C;;YAAA,U0IInGB,kB1IkNhB,E0IInqC,kB1IkNrC,E0IInkD,kBAAY,OAAZ,GAAMb,YAAnB,I1IkNID,E0IInmF,C1IkNnF,E0IInSf,Y1IkNtF,C;YAAA,U0IjNgB,kB1IiNhB,E0IjNqC,kB1IiNrC,E0IjNkD,C1IiNID,E0IjNqD,Y1IiNrD,E0IjNmE,a1IiNnE,C;;;Q0I9MQ,cAAO,W;QACP,8BAAuB,mBAAY,gBAAGB,YAAhB,IAAZ,CAAvB,EAaKe,QAAIE,C;;QAIA,2BAA2B,gBAAGB,YAAhB,I;QAE3B,IAAI,gBAAGB,IAApB,C;UACI,IAAI,QAAO,YAAP,SAAuB,kBAAY,OAAvC,C;Y1IsMZ,U0IrMgB,kB1IqMhB,E0IrMqC,kB1IqMrC,E0IrMkD,oB1IqMID,E0IrMwE,a1IqMxE,E0IrMuF,I1IqMvF,C;;Y0InMgB,IAAI,wBAAwB,kBAAY,OAAxC,C;c1ImMhB,U0IImoB,kB1IkMpB,E0IImyC,kB1IkMzC,E0IImSd,uBAAuB,kBAAY,OAAnc,I1IkMtD,E0IIm+F,a1IkM/F,E0IIm8G,I1IkM9G,C;;c0IhMoB,mBAAMb,OAAO,YAAP,GAASb,kBAAY,OAAIC,I;c1IgmVc,U0I/LoB,kB1I+LpB,E0I/LyC,kB1I+LzC,E0I/LsD,C1I+LtD,E0I/LyD,OAAO,YAAP,I1I+LzD,E0I/L8E,I1I+L9E,C;cAAA,U0I9LoB,kB1I8LpB,E0I9LyC,kB1I8LzC,E0I9LsD,oB1I8LtD,E0I9L4E,a1I8L5E,E0I9L2F,OAAO,YAAP,I1I8L3F,C;;;UAAA,U0I1LY,kB1I0LZ,E0I1LiC,kB1I0LjC,E0I1L8C,Y1I0L9C,E0I1L4D,C1I0L5D,E0I1L+D,I1I0L/D,C;U0IzLY,IAAI,wBAAwB,kBAAY,OAAxC,C;Y1IyLZ,U0IxLgB,kB1IwLhB,E0IxLqC,kB1IwLrC,E0IxLkD,uBAAuB,kBAAY,OAAnc,I1IwLID,E0IxL2F,a1IwL3F,E0IxLOG,kBAAY,O1IwLhH,C;;YAAA,U0ItLgB,kB1IsLhB,E0ItLqC,kB1IsLrC,E0ItLkD,C1IsLID,E0ItLqD,kBAAY,OAAZ,GAAMb,YAAnB,I1IsLrD,E0ItLsF,kBAAY,O1IsLjG,C;YAAA,U0IrLgB,kB1IqLhB,E0IrLqC,kB1IqLrC,E0IrLkD,oB1IqLID,E0IrLwE,a1IqLxE,E0IrLuF,kBAAY,OAAZ,GAAMb,YAAnB,I1IqLvF,C;;;Q0IILQ,8BAAuB,aAAvB,EAAsC,QAAcC,C;;MAGJ,OAAO,I;K;uCAGX,iB;MACI,oCAAA,2BAaKB,KAAIB,EAAYB,SAAZB,C;MAjRN,Q;MAmRP,OAnRO,2BAQyC,mBAAY,cA2Q3B,KA3Q2B,IAAZ,CARzC,4D;K;uCAAsRX,0B;MACI,oCAAA,2BAaKB,KAAIB,EAAYB,SAAZB,C;MAEb,oBAjRgD,mBAAY,cAiR1B,KAjR0B,IAAZ,C;MARzC,Q;MA0RP,iBA1RO,2BA0RsB,aA1RtB,4D;MA2RP,mBAAY,aAAZ,IAA6B,O;MAE7B,OAAO,U;K;0CAGX,mB;MAAoD,0BAAQ,OAAR,MAAoB,E;K;yCAExE,mB;MAIsB,IAIA,IAJA,EAIuB,M;MAPzC,WA3RgD,mBAAY,cA2RnC,SA3RmC,IAAZ,C;MA6RhD,IAAI,cAAO,IAAX,C;QACI,iBAAc,WAAAd,UAAyB,IAAZB,U;UACI,IAAI,gBAAW,mBAAY,KAAZ,CAAX,CAAJ,C;YAAmC,OAAO,QAAQ,WAAAR,I;;QAE9C,mBAAc,CAAd,YAAsB,IAAtB,Y;UACI,IAAI,gBAAW,mBAAY,OAAZ,CAAX,CAAJ,C;YAAmC,OAAO,UAAQ,WAAAR,I;;QAE3C,IAAI,cAAO,IAAX,C;QACH,mBAAc,OAAO,CAAP,IAAd,aAA8B,CAA9B,Y;UACI,IAAI,gBAAW,mBAAY,OAAZ,CAAX,CAAJ,C;YAAmC,OAAO,UAAQ,kBAAY,OAApB,GAA2B,WAA3B,I;;OAIID,OAAO,E;K;6CAGX,mB;MAIsC,UAOJ,MAPI,EAOa,M;MAV/C,WA9SgD,mBAAY,cA8SnC,SA9SmC,IAAZ,C;MAGThD,IAAI,cAAO,IAAX,C;QACkC,kB;QAA9B,iBAAc,OAAO,CAAP,IAAd,yB;UACI,IAAI,gBAAW,mBAAY,KAAZ,CAAX,CAAJ,C;YAAmC,OAAO,QAAQ,WAAAR,I;;aAE3C,IAAI,cAAO,IAAX,C;QACH,mBAAc,OAAO,CAAP,IAAd,aAA8B,CAA9B,Y;UACI,IAAI,gBAAW,mBAAY,OAAZ,CAAX,CAAJ,C;YAAmC,OAAO,UAAQ,kBAAY,OAApB,GAA2B,WAA3B,I;;QAEpB,uBAAZ,kBAAY,C;QAAiB,oB;QAA3C,wD;UACI,IAAI,gBAAW,mBAAY,OAAZ,CAAX,CAAJ,C;YAAmC,OAAO,UAAQ,WAAAR,I;;OAIID,OAAO,E;K;wCAGX,mB;MACI,YAAy,mBAAQ,OAAR,C;MACZ,IAAI,UAAS,EAAb,C;QAAiB,OAAO,K;MACxB,sBAAS,KAAT,C;MACA,OAAO,I;K;4CAGX,iB;MACI,oCAAA,2BAaKB,KAAIB,EAAYB,SAAZB,C;MAEb,IAAI,UAAS,sBAAb,C;QACI,OAAO,iB;aACJ,IAAI,UAAS,CAAb,C;QACH,OAAO,kB;OAGX,oBAhVgD,mBAAY,cAgV1B,KAhV0B,IAAZ,C;MARzC,Q;MAyVP,cAzVO,2BAyVmB,aZVnB,4D;MA2VP,IAAI,QAAQ,aAAS,CAArB,C;QAEI,IAAI,iBAAiB,WAArB,C;U1I+FR,U0I9FY,kB1I8FZ,E0I9FiC,kB1I8FjC,E0I9F8C,cAAO,CAAP,I1I8F9C,E0I9FwD,W1I8FxD,E0I9F8D,a1I8F9D,C;;UAAA,U0I5FY,kB1I4FZ,E0I5FiC,kB1I4FjC,E0I5F8C,C1I4F9C,E0I5FiD,C1I4FjD,E0I5FoD,a1I4FpD,C;U0I3FY,mBAAY,CAAZ,IAAiB,mBAAY,kBAAY,OAAZ,GAAMb,CAAnB,IAAZ,C;U1I2F7B,U0I1FY,kB1I0FZ,E0I1FiC,kB1I0FjC,E0I1F8C,cAAO,CAAP,I1I0F9C,E0I1FwD,W1I0FxD,E0I1F8D,kBAAY,OAAZ,GAAMb,CAAnB,I1I0F9D,C;;Q0IvFQ,mBAAY,WAAZ,IAAoB,I;QACpB,cAAO,mBAAY,WAAZ,C;;QAGP,wBAjW4C,mBAAY,cAiWIB,sBAjWkB,IAAZ,C;QAmW5C,IAAI,iBAAiB,iBAArB,C;U1IiFR,U0IhFY,kB1IgfZ,E0IhFiC,kB1IgfjC,E0IhF8C,a1Igf9C,E0IhF6D,gBAAGB,CAAhB,I1Igf7D,E0IhFgF,oBAAoB,CAApB,I1IgfHf,C;;UAAA,U0I9EY,kB1I8EZ,E0I9EiC,kB1I8EjC,E0I9E8C,a1I8E9C,E0I9E6D,gBAAGB,CAAhB,I1I8E7D,E0I9EgF,kBAAY,O1I8E5F,C;U0I7EY,mBAAY,kBAAY,OAAZ,GAAMb,CAAnB,IAAZ,IAAoC,mBAAY,CAAZ,C;U1I6EhD,U0I5EY,kB1I4EZ,E0I5EiC,kB1I4EjC,E0I5E8C,C1I4E9C,E0I5EiD,C1I4E

jD,E0I5EoD,oBAAoB,CAApB,II4EpD,C;;Q0IzEQ,mBAAY,iBAAZ,IAAiC,I;;MAErC,wBAAQ,CAAR,I;MAEA,
OAAO,O;K;6CAGX,oB;MAAkE,0B;;QAA5C,wD;QART,aAAL,IAAK,U;QAAL,Y;UAA8B,SAAZ,kBxJ2sMnB,Y
AAQ,C;SwJ3sMX,W;UACI,yBAAO,K;UAAP,2B;SAEJ,WA1XgD,mBAAY,cA0XnC,SA1XmC,IAAZ,C;QA2Xh
D,cAAc,W;QACd,eAAe,K;QAEf,IAAI,cAAO,IAAX,C;UACI,iBAAc,WAAd,UAAyB,IAAzB,U;YACI,cAAc,mB
AAy,KAAZ,C;YAGd,IAjBsE,CAAU,wBAiBIE,0EAjBkE,CAiBhF,C;cACI,mBAAY,gBAAZ,EAAY,wBAAZ,YA
AyB,O;;cAEzB,WAAW,I;;UAGP,OAAZ,kBAAY,EAAC,IAAL,EAAY,OAAZ,EAAY,IAApB,C;;UAGE,oB;UA
AuB,SAAZ,kBAAY,O;UAArC,uD;YACI,gBAAc,mBAAY,OAAZ,C;YACd,mBAAY,OAAZ,IAAqB,I;YAGrB,IA/
BsE,CAAU,wBA+BlE,kFA/BkE,CA+BhF,C;cACI,mBAAY,gBAAZ,EAAY,wBAAZ,YAAyB,S;;cAEzB,WAAW,I
;;UAGnB,UAAU,mBAAY,OAAZ,C;UAEV,mBAAc,CAAd,YAAsB,IAAtB,Y;YACI,gBAAc,mBAAY,OAAZ,C;Y
ACd,mBAAY,OAAZ,IAAqB,I;YAGrB,IA5CsE,CAAU,wBA4CIE,kFA5CkE,CA4ChF,C;cACI,mBAAY,OAAZ,IA
AuB,S;cACvB,UAAU,mBAAY,OAAZ,C;;cAEV,WAAW,I;;;QAIvB,IAAI,QAAl,C;UACI,YAAO,mBAAY,UAA
U,WAAV,IAAZ,C;QAEX,yBAAO,Q;;MAvDuD,6B;K;6CAEIE,oB;MAAkE,0B;;QAW5C,wD;QART,aAAL,IAA
K,U;QAAL,Y;UAA8B,SAAZ,kBxJ2sMnB,YAAQ,C;SwJ3sMX,W;UACI,yBAAO,K;UAAP,2B;SAEJ,WA1XgD,m
BAAY,cA0XnC,SA1XmC,IAAZ,C;QA2XhD,cAAc,W;QACd,eAAe,K;QAEf,IAAI,cAAO,IAAX,C;UACI,iBAAc,
WAAd,UAAyB,IAAzB,U;YACI,cAAc,mBAAY,KAAZ,C;YAGd,IAf+E,wBAejE,0EAfiE,CAe/E,C;cACI,mBAAY
,gBAAZ,EAAY,wBAAZ,YAAyB,O;;cAEzB,WAAW,I;;UAGP,OAAZ,kBAAY,EAAC,IAAL,EAAY,OAAZ,EAAY,
oB,IAApB,C;;UAGE,oB;UAAuB,SAAZ,kBAAY,O;UAArC,uD;YACI,gBAAc,mBAAY,OAAZ,C;YACd,mBAAY
,OAAZ,IAAqB,I;YAGrB,IA7B+E,wBA6BjE,kFA7BiE,CA6B/E,C;cACI,mBAAY,gBAAZ,EAAY,wBAAZ,YAAy
B,S;;cAEzB,WAAW,I;;UAGnB,UAAU,mBAAY,OAAZ,C;UAEV,mBAAc,CAAd,YAAsB,IAAtB,Y;YACI,gBAA
c,mBAAY,OAAZ,C;YACd,mBAAY,OAAZ,IAAqB,I;YAGrB,IA1C+E,wBA0CjE,kFA1CiE,CA0C/E,C;cACI,mB
AAy,OAAZ,IAAuB,S;cACvB,UAAU,mBAAY,OAAZ,C;;cAEV,WAAW,I;;;QAIvB,IAAI,QAAl,C;UACI,YAAO
,mBAAY,UAAU,WAAV,IAAZ,C;QAEX,yBAAO,Q;;MArDuD,6B;K;2CAEIE,qB;MASsB,IAII,IAJJ,EAKM,MA
LN,EAaA,MAbA,EAauB,MAbvB,EAkBI,MAIBJ,EAmBM,MANBN,EA+BI,M;MAvCb,aAAL,IAAK,U;MAAL,Y;
QAA8B,SAAZ,kBxJ2sMnB,YAAQ,C;OwJ3sMX,W;QACI,OAAO,K;MAEX,WA1XgD,mBAAY,cA0XnC,SA1X
mC,IAAZ,C;MA2XhD,cAAc,W;MACd,eAAe,K;MAEf,IAAI,cAAO,IAAX,C;QACI,iBAAc,WAAd,UAAyB,IAAz
B,U;UACI,cAAc,mBAAY,KAAZ,C;UAGd,IAAI,UAAU,0EAAV,CAAJ,C;YACI,mBAAY,gBAAZ,EAAY,wBAA
Z,YAAyB,O;;YAEzB,WAAW,I;;QAGP,OAAZ,kBAAY,EAAC,IAAL,EAAY,OAAZ,EAAY,IAApB,C;;QAGE,o
B;QAAuB,SAAZ,kBAAY,O;QAArC,uD;UACI,gBAAc,mBAAY,OAAZ,C;UACd,mBAAY,OAAZ,IAAqB,I;UAGr
B,IAAI,UAAU,kFAAV,CAAJ,C;YACI,mBAAY,gBAAZ,EAAY,wBAAZ,YAAyB,S;;YAEzB,WAAW,I;;QAGnB,
UAAU,mBAAY,OAAZ,C;QAEV,mBAAc,CAAd,YAAsB,IAAtB,Y;UACI,gBAAc,mBAAY,OAAZ,C;UACd,mBA
AY,OAAZ,IAAqB,I;UAGrB,IAAI,UAAU,kFAAV,CAAJ,C;YACI,mBAAY,OAAZ,IAAuB,S;YACvB,UAAU,mB
AAy,OAAZ,C;;YAEV,WAAW,I;;;MAIvB,IAAI,QAAl,C;QACI,YAAO,mBAAY,UAAU,WAAV,IAAZ,C;MAE
X,OAAO,Q;K;iCAGX,Y;MACI,WA7agD,mBAAY,cA6anC,SA7amC,IAAZ,C;MA8ahD,IAAI,cAAO,IAAX,C;QA
CgB,OAAZ,kBAAY,EAAC,IAAL,EAAY,WAAW,EAAbB,IAAjB,C;;QACT,IIJrU6C,CAAC,ckJqU9C,C;UACS,O
AAZ,kBAAY,EAAC,IAAL,EAAY,WAAW,EAAbB,kBAAY,OAA7B,C;UACA,OAAZ,kBAAY,EAAC,IAAL,EA
AW,CAAX,EAAC,IAAd,C;;MAEHb,cAAO,C;MACP,YAAO,C;K;qDAGX,qB;MAEI,WA1bgD,mBAAY,cA0bnC,
SA1bmC,IAAZ,C;MA4bhD,IAAI,cAAJ,C;QACI,UAAU,WAAV,ElG9hBmC,EkG8hBnC,C;QACA,M;OAGJ,eAA
e,gBAAmB,SAAnB,O;MACf,IAAI,cAAO,IAAX,C;Q1IdJ,U0IeQ,kB1IfR,E0Ie6B,Q1If7B,EAD+F,CAC/F,E0IeoD,
W1IfpD,E0IeqE,I1IfR,C;Q0IgbQ,UAAU,WAAV,EAAGB,QAaHb,C;;QAEY,gBAAZ,kB;Q1IIBR,UAAU,SAAV,
E0Ik6B,Q1IIB7B,EAD+F,CAC/F,E0IkBoD,W1IIBpD,EADuI,gBACvI,C;QAAA,U0ImBQ,kB1InBR,E0ImB6B,Q
1InB7B,E0ImBuC,kBAAY,OAAZ,GAAmB,WAAAnB,I1InBvC,E0ImB6E,C1InB7E,E0ImB2F,I1InB3F,C;Q0IoBQ,
UAAU,cAAO,kBAAY,OAAAnB,IAAV,EAAMC,QAAnC,C;;K;;IathBR,iD;MAAA,oD;MAGwC,+B;MAPB5C,sB;
MAqBsB,Q;MACV,wBAAmB,CAAnB,C;QAAwB,uB;WACxB,sBAaKB,CAAIb,C;QAAuB,uBAaA,eAAb,O;;QA
Cf,MAAM,gCAAYB,uBAaOb,eAA7C,C;MAHIB,0B;MAJJ,Y;K;IAWA,kC;MAAA,oD;MAGoB,+B;MA/BxB,sB;
MAGCQ,sBAAc,gB;MAJIB,Y;K;IAOA,4C;MAAA,oD;MAG2C,+B;MATC/C,sB;MAuCQ,sBpItC8D,YoIsChD,QpI
tCgD,C;MoIuC9D,aAAO,mBAAY,O;MACnB,IAAI,mBxJwnND,YAAQ,CwJxnNX,C;QAA2B,sBAAc,gB;MAN7
C,Y;K;ICnJ,4B;MAMoB,Q;MzJqlcA,U;MADhB,UAAe,C;MACf,uD;QAAgB,cAAhB,iB;QACI,YAAgB,OyJvci
B,OzJulcJ,I;;MyJvclJ,aAAa,iBzJylcN,GyJzlcM,C;MACb,wBAAGB,SAAhB,gB;QAAgB,gBAAA,SAAhB,M;QA

CW,SAAP,MAAO,EAAO,SAAP,C;;MAEX,OAAO,M;K;IAGX,0B;MASiB,Q;MAFb,YAAY,iBAAa,gBAAb,C;M
ACZ,YAAY,iBAAa,gBAAb,C;MACZ,wBAAa,SAAb,gB;QAAa,WAAA,SAAb,M;QACI,KAAM,WAAI,IAAK,M
AAT,C;QACN,KAAM,WAAI,IAAK,OAAT,C;;MAEV,OAAO,UAAS,KAAT,C;K;gGAGX,qB;MAWW,4B;MAA
A,U;QAAqB,OAAL,SzJ0nNhB,YAAQ,C;OyJ1nNf,W;K;oFAGJ,mC;MAUI,OzJ6mNO,qBAAQ,CyJ7mNf,GA Ae,c
AAf,GAAMC,S;K;IAGvC,iD;MAMI,IAAI,cAAS,KAAb,C;QAAoB,OAAO,I;MAC3B,IAAI,SAAK,OAAL,KAAa,
KAAM,OAAb,C;QAA6B,OAAO,K;MAEpC,4C;QACI,SAAS,UAAK,CAAL,C;QACT,SAAS,MAAM,CAAN,C;
QAET,IAAI,OAAO,EAAX,C;UACI,Q:eACG,IAAI,cAAc,UAAIB,C;UACH,OAAO,K;SAIP,0BAAsB,kBAAtB,C;
UAA4C,IAAI,CAAI,kBAAH,EAAG,EAAb,EAAlB,CAAR,C;YAA+B,OAAO,K;eACIF,8BAAsB,sBAAtB,C;UA
A4C,IAAI,CAAI,cAAH,EAAG,EAAC,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,+BAAsB,uBAAtB,C;UAA4C,I
AAI,CAAI,cAAH,EAAG,EAAC,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,6BAAsB,qBAAtB,C;UAA4C,IAAI,C
AAI,cAAH,EAAG,EAAC,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,8BAAsB,sBAAtB,C;UAA4C,IAAI,CAAI,cA
AH,EAAG,EAAC,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,+BAAsB,uBAAtB,C;UAA4C,IAAI,CAAI,cAAH,EA
AG,EAAC,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,gCAAsB,wBAAtB,C;UAA4C,IAAI,CAAI,cAAH,EAAG,E
AAc,EAAd,CAAR,C;YAA2B,OAAO,K;eAC9E,8BAAsB,sBAAtB,C;UAA4C,IAAI,CAAI,cAAH,EAAG,EAAC,E
AAd,CAAR,C;YAA2B,OAAO,K;eAC9E,iCAAsB,yBAAtB,C;UAA4C,IAAI,CAAI,cAAH,EAAG,EAAC,EAAd,C
AAR,C;YAA2B,OAAO,K;eAE9E,qCAAsB,6BAAtB,C;UAA4C,IAAI,CAAI,gBAAH,EAAG,EAAC,EAAd,CAAR,
C;YAA2B,OAAO,K;eAC9E,sCAAsB,8BAAtB,C;UAA4C,IAAI,CAAI,gBAAH,EAAG,EAAC,EAAd,CAAR,C;YA
A2B,OAAO,K;eAC9E,oCAAsB,4BAAtB,C;UAA4C,IAAI,CAAI,gBAAH,EAAG,EAAC,EAAd,CAAR,C;YAA2B,
OAAO,K;eAC9E,qCAAsB,6BAAtB,C;UAA4C,IAAI,CAAI,gBAAH,EAAG,EAAC,EAAd,CAAR,C;YAA2B,OAA
O,K;eAEtE,IAAI,YAAM,EAAN,CAAJ,C;UAAc,OAAO,K;;MAIrc,OAAO,I;K;IAGX,4C;MAKI,aAAa,CAAK,eA
AL,gBAAK,EAAa,SAAb,CAAL,GAA6C,CAA7C,QAAiD,CAAjD,I;M5DuSW,kBAAXB,mB4DtSmB,M5DsSnB,
C;M4DrSI,oDnJ5BgD,gBmJ4BhD,C;MADJ,OxIICO,W4EwUsC,W;K;I4DjSjD,mE;MAEI,IAAY,SAAR,0BAAJ,C;
QACI,MAAO,gBAAO,OAAP,C;QACP,M;OAEJ,SAAU,WAAI,SAAJ,C;MACV,MAAO,gBAAO,EAAP,C;MAEP,
4C;QACI,IAAI,MAAK,CAAT,C;UACI,MAAO,gBAAO,IAAP,C;SAEX,cAAc,UAAK,CAAL,C;QAEV,IADE,OA
CF,S;UAAmB,MAAO,gBAAO,MAAP,C;aAC1B,mBAFE,OAFe,E;UAA2B,4BAAR,OAAQ,EAA4B,MAA5B,EA
AoC,SAAP,C;aAC3B,uBAHE,OAGF,E;UAAmB,MAAO,gBAAe,cAAR,OAAQ,CAAF,C;aAC1B,wBAJE,OAIF,
E;UAAmB,MAAO,gBAAe,cAAR,OAAQ,CAAF,C;aAC1B,sBALE,OAKF,E;UAAmB,MAAO,gBAAe,cAAR,OAA
Q,CAAF,C;aAC1B,uBANE,OAMF,E;UAAmB,MAAO,gBAAe,cAAR,OAAQ,CAAF,C;aAC1B,wBAPE,OAOF,E;U
AAmB,MAAO,gBAAe,cAAR,OAAQ,CAAF,C;aAC1B,yBARE,OAQF,E;UAAmB,MAAO,gBAAe,cAAR,OAAQ,
CAAF,C;aAC1B,uBATE,OASF,E;UAAmB,MAAO,gBAAe,cAAR,OAAQ,CAAF,C;aAC1B,0BAVE,OAUF,E;UAA
mB,MAAO,gBAAe,cAAR,OAAQ,CAAF,C;aAE1B,kBAZE,OAYF,c;UAAmB,MAAO,gBAAe,kBAAR,OAAQ,CA
Af,C;aAC1B,kBAbE,OAaF,e;UAAmB,MAAO,gBAAe,kBAAR,OAAQ,CAAF,C;aAC1B,kBAdE,OAcf,a;UAAmB,
MAAO,gBAAe,gBAAR,OAAQ,CAAF,C;aAC1B,kBAFe,OAef,c;UAAmB,MAAO,gBAAe,kBAAR,OAAQ,CAAF,
C;;UAEP,MAAO,gBAAO,OAAQ,WAAf,C;;MAIIC,MAAO,gBAAO,EAAP,C;MACP,SAAU,kBAAmB,iBAAV,S
AAU,CAAnB,C;K;InJjJd,yB;MAAA,6B;K;sCACI,Y;MAAkC,Y;K;OCACIC,Y;MAAsC,Y;K;wCACtC,Y;MAAgC,
Q;K;4CACChC,Y;MAAoC,S;K;mCACpC,Y;MAA+B,MAAM,6B;K;uCACrC,Y;MAAmC,MAAM,6B;K;;IAN7C,q
C;MAAA,oC;QAAA,mB;OAAA,6B;K;IASA,qB;MAAA,yB;MACI,+C;K;iCAEA,iB;MAA4C,qCAAoB,KAAM,U
;K;mCACtE,Y;MAA+B,Q;K;mCAC/B,Y;MAAkC,W;K;6DAEX,Y;MAAQ,Q;K;kCAC/B,Y;MAAkC,W;K;yCACI
C,mB;MAAmD,Y;K;8CACnD,oB;MAAmE,OAAA,QAAS,U;K;sCAE5E,iB;MAAwC,MAAM,8BAA0B,iDAA8C,
KAA9C,MAA1B,C;K;wCAC9C,mB;MAA8C,S;K;4CAC9C,mB;MAAkD,S;K;mCAEID,Y;MAA6C,kC;K;uCAC7
C,Y;MAAqD,kC;K;+CACrD,iB;MACI,IAAI,UAAS,CAAb,C;QAAgB,MAAM,8BAA0B,YAAS,KAAnC,C;MACT
B,OAAO,2B;K;0CAGX,8B;MACI,IAAI,cAAa,CAAb,IAAkB,YAAW,CAAjC,C;QAAoC,OAAO,I;MAC3C,MAA
M,8BAA0B,gBAAa,SAAb,mBAAkC,OAA5D,C;K;wCAGV,Y;MAAiC,8B;K;;IA5BrC,iC;MAAA,gC;QAAA,e;O
AAA,yB;K;IA+BA,iC;MAA8D,6BAAbB,SAAlB,EAAoC,KAApC,C;K;IAE5B,8C;MAAC,oB;MAA0B,0B;K;qEA
CIC,Y;MAAQ,OAAA,WAAO,O;K;0CACtC,Y;MAAkC,OAAA,WNSnN3B,YAAQ,C;K;iDMrnNf,mB;MAA6C,O
AAO,SAAP,WAAO,EAAS,OAAT,C;K;sDACpD,oB;MAAsE,c;;Qa87CtD,Q;QADhB,IAAI,Cb77CyD,Qa67CzD,iB
b77CyD,Qa67CnC,UAA1B,C;UAAqC,aAAO,I;UAAP,e;SACrB,Ob97C6C,Qa87C7C,W;QAAbB,OAAGB,cAAhB,
C;UAAgB,yB;UAAM,IAAI,Cb97CkD,oBa87CvC,Ob97CuC,Ca87CtD,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAA

O,I;;;Mb/7CsD,iB;K;2CAC7D,Y;MAAuC,OAAO,qBAAP,WAAO,C;K;0CAC9C,Y;MAC+C,gBAAP,W;MAAA,O
AAwB,cAAxB,GcoGpC,SdpGoC,GcsGpC,SNwkBoB,Q;K;;IR3qB5B,qB;MAIsC,8B;K;IAEtC,4B;MAIqD,OAAI,
QAAS,OAAT,GAAgB,CAApB,GAAgC,OAAT,QAAS,CAAhC,GAA8C,W;K;mFAEnG,yB;MAAA,qD;MAAA,m
B;QAK0C,kB;O;KAL1C,C;+FAOA,yB;MAAA,+D;MAAA,mB;QAMwD,uB;O;KANxD,C;2FAQA,yB;MAAA,+
D;MAAA,mB;QAMoD,uB;O;KANpD,C;IAQA,mC;MAKI,OAAI,QAAS,OAAT,KAAiB,CAArB,GAAwB,gBAAx
B,GAAyC,iBAAU,sBAAkB,QAAiB,EAAwC,IAAxC,CAAV,C;K;IAE7C,iC;MAKI,OAAI,QAAS,OAAT,KAAiB,
CAArB,GAAwB,gBAAxB,GAAyC,iBAAU,sBAAkB,QAAiB,EAAwC,IAAxC,CAAV,C;K;IAE7C,gC;MAI2D,OA
AI,eAAJ,GAAqB,OAAO,OAAP,CAArB,GAA0C,W;K;IAErG,mC;MAImE,OAAAS,cAAT,QAAS,C;K;gFAE5E,yB
;MAaA,gE;MAbA,6B;QAYBI,WAAW,eAduE,IAcvE,C;QWFX,iBAAC,CAAd,UXZkF,IWYIF,U;UXG6B,eAf2D,I
AevD,CWFtB,KXESB,CAAJ,C;;QAFyC,OAGB/D,I;O;KA3BX,C;8FAaA,yB;MAAA,gE;MAAA,6B;QAYI,WAAW
,eAAa,IAAb,C;QWFX,iBAAC,CAAd,UXGO,IWHP,U;UXG6B,eAAI,KWFtB,KXESB,CAAJ,C;;QAC7B,OAAO,I;
O;KAdX,C;wFAiBA,yB;MAAA,+D;MAAA,gC;QAc0B,gBAAf,gB;QAAqB,aWx5B,W;QXwFA,OWvFO,S;O;K
XyEX,C;yFAiBA,yB;MAAA,4E;MAAA,gE;MAAA,0C;QAKBI,qBAAqB,QAArB,C;QAC8B,gBAAvB,eAAa,QA
Ab,C;QAA6B,aW9GpC,W;QX8GA,OW7GO,S;O;KX0FX,C;IA4BI,mC;MAAQ,uBAAG,iBAAO,CAAP,IAAH,C;
K;IAQR,qC;MAAQ,OAAA,SAAK,KAAL,GAA Y,CAAZ,I;K;4FAEZ,qB;MAK4D,QAAC,mB;K;kGAE7D,qB;MA
WI,OAAO,qBAAGB,SAAK,U;K;sFAGhC,yB;MAAA,qD;MAAA,4B;QAKgE,uCAAQ,W;O;KALxE,C;sFAOA,yB
;MAAA,qD;MAAA,4B;QAKoD,uCAAQ,W;O;KAL5D,C;sFAOA,mC;MASI,OAAI,mBAAJ,GAAe,cAAf,GAAm
C,S;K;4FAGvC,+B;MAQoH,OAAA,SAAK,qBAA Y,QA AZ,C;K;IAEzH,yC;MAAKD,QAAM,cAAN,C;aAC9C,C;
UAD8C,OACzC,W;aACL,C;UAF8C,OAEzC,OAAO,sBAAK,CAAL,CAAP,C;gBAFyC,OAGtC,S;;K;IAGZ,8D;M
AgBkE,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,c;MACjG,WAAW,cAAX,EAAiB,SAAjB,EAA4B,OAA5
B,C;MAEA,UAAU,S;MACV,WAAW,UAAU,CAAV,I;MAEX,OAAO,OAAO,IAAd,C;QACI,UAAW,GAA Y,GA
AN,IAAM,KAAK,C;QAC5B,aAAa,sBAAI,GAAJ,C;QACb,UAAU,cAAc,MAAd,EAA sB,OAA tB,C;QAEV,IAAI,
MAAM,CAAV,C;UACI,MAAM,MAAM,CAAN,I;aACL,IAAI,MAAM,CAAV,C;UACD,OAAO,MAAM,CAAN,I;
;UAEP,OAAO,G;;MAEf,OAAO,EAAE,MAAM,CAAN,IAAF,K;K;IAGX,4E;MAe8E,yB;QAAA,YAAiB,C;MAA
G,uB;QAAA,UAAe,c;MAC7G,WAAW,cAAX,EAAiB,SAAjB,EAA4B,OAA5B,C;MAEA,UAAU,S;MACV,WAA
W,UAAU,CAAV,I;MAEX,OAAO,OAAO,IAAd,C;QACI,UAAW,GAA Y,GAAN,IAAM,KAAK,C;QAC5B,aAAa,s
BAAI,GAAJ,C;QACb,UAAU,UAAW,SAAQ,MAAR,EAAgB,OAAhB,C;QAErB,IAAI,MAAM,CAAV,C;UACI,M
AAM,MAAM,CAAN,I;aACL,IAAI,MAAM,CAAV,C;UACD,OAAO,MAAM,CAAN,I;UAEP,OAAO,G;;MAEf,O
AAO,EAAE,MAAM,CAAN,IAAF,K;K;kGAGX,yB;MAAA,8D;MAAA,4D;MASBqC,8D;QAAA,qB;UAAE,qBA
Ac,iBAAS,EAAT,CAAd,EAA4B,WAA5B,C;S;O;MatBvC,+D;QAKBI,yB;UAAA,YAAiB,C;QACjB,uB;UAAA,U
AAe,c;QAGf,+BAAa,SAAb,EAAwB,OAAxB,EAAiC,oCAAjC,C;O;KAtBJ,C;IA6BA,mE;MAMBoC,yB;QAAA,Y
AAiB,C;MAAG,uB;QAAA,UAAe,c;MACnE,WAAW,cAAX,EAAiB,SAAjB,EAA4B,OAA5B,C;MAEA,UAAU,S;
MACV,WAAW,UAAU,CAAV,I;MAEX,OAAO,OAAO,IAAd,C;QACI,UAAW,GAA Y,GAAN,IAAM,KAAK,C;Q
AC5B,aAAa,sBAAI,GAAJ,C;QACb,UAAU,WAAW,MAAX,C;QAEV,IAAI,MAAM,CAAV,C;UACI,MAAM,MA
AM,CAAN,I;aACL,IAAI,MAAM,CAAV,C;UACD,OAAO,MAAM,CAAN,I;UAEP,OAAO,G;;MAEf,OAAO,EA
AE,MAAM,CAAN,IAAF,K;K;IAGX,8C;MAMQ,gBAA Y,OAAZ,C;QAAuB,MAAM,gCAAyB,gBAAa,SAAb,mC
AAkD,OAAID,OAAzB,C;WAC7B,gBAA Y,CAAZ,C;QAAiB,MAAM,8BAA0B,gBAAa,SAAb,yBAA1B,C;WACv
B,cAAU,IAAV,C;QAAkB,MAAM,8BAA0B,cAAW,OAA X,gCAA2C,IAA3C,OAA1B,C;K;IAChC,8B;MAEoC,M
AAM,wBAAoB,8BAApB,C;K;IAE1C,8B;MAEoC,MAAM,wBAAoB,8BAApB,C;K;;;wFgG3Z1C,yB;MFgCA,w
E;M+FhCA,uC;QAmBW,kB/FqBiD,oB;Q+FM9C,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN
,UAAU,sBAAM,CAAN,C;UACV,kBAAkB,sBAAY,GAAZ,C;UACIB,W/F6JJ,a+F7JgB,G/F6JhB,E+F3LyC,SA8B
IB,CAAU,GAAV,EAAe,WAAf,EAA4B,CAA5B,EAA+B,uBAAuB,CAAC,WAA Y,mBAAY,GAAZ,CAAnE,C/F6
JvB,C;;Q+F3LA,OAGCO,W;O;KANDX,C;4FAsBA,6C;MAwBc,Q;MAAA,OAAA,SAAK,iB;MAAf,OAAU,cAAV
,C;QAAU,mB;QACN,UAAU,sBAAM,CAAN,C;QACV,kBAAkB,sBAAY,GAAZ,C;QACIB,W/F6JJ,a+F7JgB,G/F
6JhB,E+F7JuB,UAAU,GAAV,EAAe,WAAf,EAA4B,CAA5B,EAA+B,uBAAuB,CAAC,WAA Y,mBAAY,GAAZ,
CAAnE,C/F6JvB,C;;M+F3JA,OAAO,W;K;iFAGX,yB;MAAA,gB;MAAA,8B;M/FtBA,wE;M+F5BA,6D;QAnCW,
kB/FqBiD,oB;Q+FM9C,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,
C;UACV,kBAAkB,sBAAY,GAAZ,C;UA8BwE,U;UA7B1F,W/F6JJ,a+F7JgB,G/F6JhB,E+FhIkC,UA7BD,GA6BC,

EA7BoB,uBAAuB,CAAC,WAAY,mBAAY,GAAZ,CA6BzC,GAAW,qBA7B3B,GA6B2B,EA7BT,CA6BS,CAAX ,GAA6C,UA7BxD,WA6BwD,6DAA5D,EA7BiB,CA6BjB,C/FgIlC,C;;Q+FjIA,OA1BO,W;O;KAGX,C;kFA0BA,y B;MAAA,gB;MAAA,8B;MAAA,0E;QAIcC,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAA U,sBAAM,CAAN,C;UACV,kBA6DQ,WA7DU,WAAY,GAAZ,C;UA6DuF,U;UAAjG,W/FiGZ,a+F7JgB,G/F6JhB, E+FjGiD,UA5DhB,GA4DgB,EA5DK,uBAAuB,CA4DjE,WA5D8E,mBAAY,GAAZ,CA4D1B,GAAW,qBA5D1C, GA4D0C,EA5DxB,CA4DwB,CAAX,GAA6C,UA5DvE,WA4DuE,6DAA5D,EA5DE,CA4DF,C/FiGjD,C;;Q+FIGA ,OACY,W;O;KA7BhB,C;iFAgCA,yB;MAAA,gB;MAAA,8B;M/FhFA,wE;M+FgFA,qD;QA7FW,kB/FqBiD,oB;Q +FM9C,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAak B,sBAAY,GAAZ,C;UAKFiD,U;UAjFnE,W/F6JJ,a+F7JgB,G/F6JhB,E+F5EgC,UAjFsB,uBAAuB,CAAC,WAAY, mBAAY,GAAZ,CAiFhD,kBAA6B,UAjFjC,WaFiC,6DAAvC,EAjFmB,CAiFnB,C/F4EhC,C;;Q+F7EA,OA9EO, W;O;KA6DX,C;oFAoBA,yB;MAAA,gB;MAAA,8B;MAAA,kE;QAtFc,Q;QAAA,OAAK,0B;QAAf,OAAU,cAAV ,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBA2GQ,WA3GU,WAAY,GAAZ,C;UA2GgE,U;UAA1E ,W/FmDZ,a+F7JgB,G/F6JhB,E+FnD+C,UA1GO,uBAAuB,CA0GjE,WA1G8E,mBAAY,GAAZ,CA0GjC,kBAA6B ,UA1GhD,WA0GgD,6DAAvC,EA1GI,CA0GJ,C/FmD/C,C;;Q+FpDA,OACY,W;O;KAvBhB,C;qFA0BA,yB;MAA A,gB;MAAA,8B;M/F9HA,wE;M+F8HA,uC;QA3IW,kB/FqBiD,oB;Q+FM9C,Q;QAAA,OAAK,0B;QAAf,OAAU, cAAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBAakB,sBAAY,GAAZ,C;UACC,oB;UAKIc,U;U AAjC,IAIikD,uBAAuB,CAAC,WAAY,mBAAY,GAAZ,CAkItF,C;YADA,mBAjI+C,C;;YAI/C,mBACkB,UAIW, GAKIX,EAAe,UAIIC,WAKID,6DAAf,EAII6B,CAkI7B,C;;UAIIB,W/F6JJ,a+F7JgB,G/F6JhB,mB;;Q+F7BA,OA9 HO,W;O;KA2GX,C;sFAwBA,yB;MAAA,gB;MAAA,8B;MAAA,oD;QAxIc,Q;QAAA,OAAK,0B;QAAf,OAAU,c AAV,C;UAAU,mB;UACN,UAAU,sBAAM,CAAN,C;UACV,kBA6JQ,WA7JU,WAAY,GAAZ,C;UACC,oB;UA8J c,U;UAAjC,IA9JkD,uBAAuB,CA4JjE,WA5J8E,mBAAY,GAAZ,CA8JtF,C;YADA,mBA7J+C,C;;YA6J/C,mBACk B,UA9JW,GA8JX,EAAe,UA9JC,WA8JD,6DAAf,EA9J6B,CA8J7B,C;;UAFV,W/FCZ,a+F7JgB,G/F6JhB,mB;;Q+ FDA,OAAy,W;O;KAvBhB,C;IA6BA,6C;MArKc,Q;MAAA,OAAK,0B;MAAf,OAAU,cAAV,C;QAAU,mB;QAC N,UAAU,sBAAM,CAAN,C;QACV,kBA+KG,WA/Ke,WAAY,GAAZ,C;QA2GgE,U;QAOE/E,W/FjBP,a+F7JgB,G /F6JhB,E+FiBmC,CA9KmB,uBAAuB,CA8KtE,WA9KmF,mBAAY,GAAZ,CA0GjC,GAoErC,CApEqC,GAA6B,U A1GhD,WA0GgD,6DAoEnD,IAAM,CAAN,I/FjBnC,C;;M+FiBA,OAAO,W;K;IoDnP0B,oC;MAAC,kB;MAAuB,k B;K;;wCAN7D,Y;MAMsC,iB;K;wCANtC,Y;MAM6D,iB;K;0CAN7D,wB;MAAA,wBAMsC,qCANtC,EAM6D,q CAN7D,C;K;sCAA,Y;MAAA,OAMsC,mDANtC,IAM6D,wCAN7D,O;K;sCAA,Y;MAAA,c;MAMsC,sD;MA AuB,sD;MAN7D,a;K;oCAA,iB;MAAA,4IAMsC,sCANtC,IAM6D,sCAN7D,I;K;wF/IEA,yB;MAAA,kC;MAAA, 4C;MAAA,kD;QAMuF,wC;O;MANvF,4CAOI,Y;QAAuC,8B;O;MAP3C,8E;MAAA,2B;QAMuF,2C;O;KANvF,C; IAcsC,2C;MAAC,wC;K;0CACnC,Y;MAAqD,4BAAiB,wBAAjB,C;K;;IAIzD,yC;MAI4D,OAAI,oCAAJ,GAA2B, SAAK,KAAhC,GAA0C,I;K;IAEtG,uD;MAI0E,OAAI,oCAAJ,GAA2B,SAAK,KAAhC,GAA0C,S;K;IAEpH,uC;M ACqD,wBAAO,CAAP,IAAY,mC;K;IAEjE,4D;MAGQ,kBADE,SACF,O;QADJ,OACc,S;WACV,kBAFE,SAEF,c; QAEQ,yCAAwB,MAAO,KAAP,GAAc,CAAtC,C;UAJZ,OAIuD,S;;UAJvD,OAK6B,mBAAL,SAAK,CAAT,GAA +B,sBAA/B,GAAgD,S;;QALpE,OAoY,sB;K;IAGhB,gD;MAGQ,kBADE,SACF,O;QADJ,OACc,S;WACV,kBAF E,SAEF,c;QAFJ,OAe8B,mBAAL,SAAK,CAAT,GAA+B,sBAA/B,GAAgD,S;;QAFrE,OAGY,sB;K;IAIhB,8B;MA MoB,Q;MADhB,aAAa,gB;MACG,2B;MAAhB,OAAGB,cAAhB,C;QAAgB,yB;QACL,OAAP,MAAO,EAAO,OA AP,C;;MAEX,OAAO,M;K;IAGX,4B;MAUiB,Q;MAHb,mBAAmB,mCAAwB,EAAXB,C;MACnB,YAAY,iBAAa, YAAb,C;MACZ,YAAY,iBAAa,YAAb,C;MACC,2B;MAAb,OAaA,cAAAb,C;QAAa,sB;QACT,KAAM,WAAI,IAA K,MAAT,C;QACN,KAAM,WAAI,IAAK,OAAT,C;;MAEV,OAAO,UAAS,KAAT,C;K;wFU/EX,qB;MAKqE,gB; K;IAErE,iC;MAMoE,4BAAiB,SAAjB,C;K;uFAEpE,gC;MAKI,OAAGB,mBAAhB,C;QAAgB,8B;QAAM,UAAU, OAAV,C;;K;IAMY,oC;MAAC,0B;MACnC,eAAoB,C;K;yCACpB,Y;MAAwC,OAAA,eAAS,U;K;sCACjD,Y;MA A6E,Q;MAAhC,wBAAa,oBAAmB,mBAAnB,EAAMb,2BAAnB,QAAb,EAA0C,eAAS,OAAnD,C;K;;sFsI5BjD,y B;MAAA,4E;MAAA,gB;MAAA,8B;MAAA,+C;QAUiC,Q;QAA7B,OAA6B,wCAAqB,QAAS,aAA9B,0D;O;KAV jC,C;wFAYA,yB;MAAA,4E;MAAA,gB;MAAA,8B;MAAA,+C;QAWiC,Q;QAA7B,OAA6B,wCAAqB,QAAS,aA A9B,0D;O;KAXjC,C;wFAaA,yB;MAAA,4E;MAAA,gB;MAAA,8B;MAAA,+C;QAKiC,Q;QAA7B,OAA6B,wCA AqB,QAAS,aAA9B,0D;O;KALjC,C;sFAOA,+C;MAQI,SAAK,aAAI,QAAS,aAAb,EAAMb,KAAnB,C;K;IC1CT,8 C;MAUI,IAAI,wCAAJ,C;QACI,OAAO,SAAK,4BAAqB,GAARb,C;MAET,4B;MrJ0SI,Q;MALX,YAAY,oBqJrSa,

GrJqSb,C;MACZ,IAAI,iBAaIB,CAAC,4BqJtSG,GrJsSH,CAAtB,C;QqJtSgC,MAAM,2BAAuB,wCAAvB,C;;QrJ0
SIC,2BAAO,sE;;MqJ1SX,+B;K;IAGJ,8C;MAUQ,kBADE,SACF,kB;QADJ,OACkC,YAAT,SAAK,IAAI,EAAY,Y
AAZ,C;;QADIC,OAeY,uBAAmB,SAAnB,EAAYB,YAAZB,C;K;IAGhB,gD;MAWQ,kBADE,SACF,yB;QADJ,OA
CyC,cAAT,SAAK,IAAI,EAAY,YAAZ,C;;QADzC,OAeY,8BAA0B,SAA1B,EAAGC,YAAhC,C;K;,,,,,;IAC0B,4C;
MAAC,wB;MAAoC,0B;K;qEAApC,Y;MAAA,yB;K;0CACvC,iB;MAA4C,OAAI,OAAJ,QAAI,EAAO,KAAP,C;K
;4CACHd,Y;MAA+B,OAAI,SAAJ,QAAI,C;K;4CACnC,Y;MAAkC,OAAA,QAAI,W;K;sEAcF,Y;MAAQ,OAAA,
QAAI,K;K;2CACnC,Y;MAAkC,OAAA,QAAI,U;K;qDACtC,e;MAA4C,OAAA,QAAI,mBAAY,GAAZ,C;K;uDA
ChD,iB;MAAgE,OAAA,QAAI,qBAAc,KAAd,C;K;6CACpE,e;MAA+B,OAAA,QAAI,WAAI,GAAJ,C;K;sEACT,
Y;MAAQ,OAAA,QAAI,K;K;wEACH,Y;MAAQ,OAAA,QAAI,O;K;yEACJ,Y;MAAQ,OAAA,QAAI,Q;K;8DAEv
D,e;MAAmD,gBAAJ,Q;MAAI,4B;MrJkPxC,Q;MALX,YAAY,oBqJ7OyD,GrJ6OzD,C;MACZ,IAAI,iBAaIB,CAA
C,4BqJ9O+C,GrJ8O/C,CAAtB,C;QACI,2BqJ/OwE,mB;;QrJkPxE,2BAAO,sE;;MqJlPoC,+B;K;;IAGN,mD;MAAC,
wB;MAA2C,0B;K;4EAA3C,Y;MAAA,yB;K;iDAC1C,iB;MAA4C,OAAI,OAAJ,QAAI,EAAO,KAAP,C;K;mDAC
hD,Y;MAA+B,OAAI,SAAJ,QAAI,C;K;mDACnC,Y;MAAkC,OAAA,QAAI,W;K;6EACf,Y;MAAQ,OAAA,QAAI
,K;K;kDACnC,Y;MAAkC,OAAA,QAAI,U;K;4DACtC,e;MAA4C,OAAA,QAAI,mBAAY,GAAZ,C;K;8DACHd,i
B;MAAgE,OAAA,QAAI,qBAAc,KAAd,C;K;oDACpE,e;MAA+B,OAAA,QAAI,WAAI,GAAJ,C;K;6EACF,Y;MA
AQ,OAAA,QAAI,K;K;+EACH,Y;MAAQ,OAAA,QAAI,O;K;gFACU,Y;MAAQ,OAAA,QAAI,Q;K;sDAE5E,sB;
MAAyC,OAAA,QAAI,aAAI,GAAJ,EAAS,KAAT,C;K;uDAC7C,e;MAAkC,OAAA,QAAI,cAAO,GAAP,C;K;yD
ACtC,gB;MAA2C,QAAI,gBAAO,IAAP,C;K;gDAC/C,Y;MAAuB,QAAI,Q;K;qEAE3B,e;MAAmD,gBAAJ,Q;MA
AI,4B;MrJ6NxQ,Q;MALX,YAAY,oBqJxNyD,GrJwNzD,C;MACZ,IAAI,iBAaIB,CAAC,4BqJzN+C,GrJyN/C,CA
AtB,C;QACI,2BqJ1NwE,mB;;QrJ6NxE,2BAAO,sE;;MqJ7NoC,+B;K;;IrJvFnD,oB;MAAA,wB;MACI,8C;K;gCAE
A,iB;MAA4C,oCAAsB,KAAM,U;K;kCACxE,Y;MAA+B,Q;K;kCAC/B,Y;MAAkC,W;K;4DAEX,Y;MAAQ,Q;K;i
CAC/B,Y;MAAkC,W;K;2CAEIC,e;MAA+C,Y;K;6CAC/C,iB;MAAsD,Y;K;mCACtD,e;MAAwC,W;K;+DACy,Y;
MAAQ,6B;K;4DAC/B,Y;MAAQ,6B;K;8DACI,Y;MAAQ,8B;K;uCAEjD,Y;MAAiC,6B;K;;IAjBrC,gC;MAAA,+B
;QAAA,c;OAAA,wB;K;IAoBA,oB;MAMuE,Q;MAA7B,OAA6B,uE;K;IAEvE,wB;MAaI,OAAI,KAAM,OAAN,G
AAa,CAAjB,GAA0B,QAAN,KAAM,EAAM,qBAAc,YAAY,KAAM,OAAIB,CAAd,CAAN,CAA1B,GAA6E,U;K;
kFAEjF,yB;MAAA,oD;MAAA,mB;QA08C,iB;O;KAP9C,C;8FASA,yB;MAAA,wE;MAAA,mB;QAQ4D,2B;O;K
AR5D,C;IAUA,+B;MAyID,gBAA7C,qBAAoB,YAAY,KAAM,OAAIB,CAApB,C;MAAQd,wB;MAArD,OUJO,S;
K;wFVMX,yB;MAAA,4D;MAAA,mB;QA0sD,qB;O;KAPtD,C;IASA,4B;MAM8G,gBAAvC,eAAc,YAAY,KAA
M,OAAIB,CAAd,C;MAA+C,wB;MAA/C,OUrB5D,S;K;4FVuBX,yB;MAAA,wE;MAAA,mB;QAK8D,2B;O;KAL
9D,C;IAOA,8B;MAU+E,OAAM,QAAN,KAAM,EAAM,qBAAc,YAAY,KAAM,OAAIB,CAAd,CAAN,C;K;sFAE
rF,yB;MAAA,wE;MAAA,gC;QAgBiC,gBAAtB,oB;QAA4B,aU3DnC,W;QV2DA,OU1DO,S;O;KV0CX,C;uFAMb
A,yB;MAAA,4E;MAAA,0D;MAAA,uE;MAAA,0C;QAoBI,qBAAqB,QAArB,C;QACKd,gBAA3C,mBAAoB,YA
AY,QAAZ,CAApB,C;QAAiD,aUnFxD,W;QVmFA,OUIFO,S;O;KV6DX,C;4FAsCA,qB;MAE+D,QAAC,mB;K;k
GAehE,qB;MAWI,OAAO,qBAAgB,mB;K;sFAG3B,yB;MAAA,oD;MAAA,4B;QAM2D,uCAAQ,U;O;KANnE,C;
sFAQA,mC;MASI,OAAI,mBAAJ,GAAe,cAAf,GAAMC,S;K;yFAEvC,yB;MAuBA,kC;MAAA,8B;MAvBA,iC;QA
8BiC,Q;QAx2E,OAwBxD,CAAnB,wDAAmB,oBAXBoE,GAwBpE,C;O;KA9BpD,C;+EAQA,yB;MAAA,kC;MA
AA,8B;MAAA,iC;QAKiC,Q;QAA7B,OAAgD,CAAnB,wDAAmB,YAAI,GAAJ,C;O;KALpD,C;+EAOA,iC;MAK
IsBAAI,GAAJ,EAAS,KAAT,C;K;4FAGJ,yB;MAAA,kC;MAAA,8B;MAAA,iC;QAOiC,Q;QAA7B,OAAgD,CAA
nB,wDAAmB,oBAAY,GAAZ,C;O;KAPpD,C;gGASA,4B;MASsG,OAAA,SAAK,qBAAc,KAAd,C;K;kFAG3G,y
B;MAAA,gD;MAAA,8B;MAAA,iC;QASiC,Q;QAA7B,OAAuD,CAA1B,+DAA0B,eAAO,GAAP,C;O;KAT3D,C;
6FAWA,qB;MAWoE,oB;K;6FAEpE,qB;MAWoE,sB;K;kFAEpE,yB;MAAA,6B;MAAA,4B;QAIgE,qBAAK,aAA
L,EAAU,eAAV,C;O;KAJhE,C;2FAMA,wC;MAMiF,Q;MAAA,mCAAI,GAAJ,oBAAY,c;K;uGAG7F,yB;MAAA,
gB;MAAA,8B;MAAA,+C;QAMe,Q;QALX,YAAY,oBAAI,GAAJ,C;QACZ,IAAI,iBAaIB,CAAC,4BAAY,GAAZ,
CAAtB,C;UACI,OAAO,c;;UAGP,OAAO,sE;;O;KANf,C;IAUA,oC;MAUKD,uCAAqB,GAArB,C;K;sFAEID,wC;
MAUW,Q;MADP,YAAY,oBAAI,GAAJ,C;MACL,IAAI,aAAJ,C;QACH,aAAa,c;QACb,sBAAI,GAAJ,EAAS,MA
AT,C;QACA,a;;QAEA,Y;;MALJ,W;K;wFASJ,qB;MAMwF,OAAA,iBAAQ,W;K;wFAEHg,qB;MAMgH,OAAA,i
BAAQ,W;K;4FAExH,6C;MYkwBoB,Q;MAAA,OZ7vBT,iBY6vBS,W;MAAhB,OAAGB,cAAhB,C;QAAGB,yB;Q
Z7vBa,WY8vBb,aAAGB,OZ9vBe,IY8vB/B,EZ9vBsC,SY8vBZ,CAAe,OAAf,CAA1B,C;;MZ9vBhB,OAA6B,W;K;

wFAGjC,6C;MY0vBoB,Q;MAAA,OZlvBT,iBYkvBS,W;MAAhB,OAAgB,cAAhB,C;QAAgB,yB;QZlvBa,WYmvBb,aZnvB0B,SYmvBtB,CAAY,OAAZ,CAAJ,EAAYC,OZnvBC,MYmvB1C,C;;MZnvBhB,OAA6B,W;K;IAGjC,kC;MAIyB,Q;MAArB,wBAAqB,KAArB,gB;QAAqB,aAAA,KAArB,M;QAAK,IAAC,yBAAD,EAAM,2B;QACP,sBAAI,GAAJ,EAAS,KAAT,C;;K;IAIR,oC;MAIyB,Q;MAAA,uB;MAArB,OAAqB,cAArB,C;QAAqB,wB;QAAhB,IAAC,yBAAD,EAAM,2B;QACP,sBAAI,GAAJ,EAAS,KAAT,C;;K;IAIR,oC;MAIyB,Q;MAAA,uB;MAArB,OAAqB,cAArB,C;QAAqB,wB;QAAhB,IAAC,yBAAD,EAAM,2B;QACP,sBAAI,GAAJ,EAAS,KAAT,C;;K;wFAIR,yB;MAAA,0D;MAAA,uE;MAAA,uC;QASW,kBAAy,mBAAoB,YAAY,cAAZ,CAApB,C;QY2sBH,Q;QAAA,OZ7vBT,iBY6vBS,W;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UZ7vBa,WY8vBb,aAAgB,OZ9vBe,IY8vB/B,EZ5sB2C,SY4sBjB,CAAe,OAAf,CAA1B,C;;QZ5sBhB,OAlD6B,W;O;KAyCjC,C;oFAYA,yB;MAAA,0D;MAAA,uE;MAAA,uC;QAYW,kBAAU,mBAAoB,YAAY,cAAZ,CAApB,C;QY4rBD,Q;QAAA,OZlvBT,iBYkvBS,W;QAAhB,OAAgB,cAAhB,C;UAAgB,yB;UZlvBa,WYmvBb,aZ7rByC,SY6rBrC,CAAY,OAAZ,CAAJ,EAAYC,OZnvBC,MYmvB1C,C;;QZ7rBhB,OAtD6B,W;O;KA0CjC,C;oFAeA,yB;MAAA,wE;MAAA,uC;QAQkB,Q;QADd,aAAa,oB;QACC,OAAA,SA3FsE,QAAQ,W;QA2F5F,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,KAAM,IAAhB,CAAJ,C;YACI,MAAO,aAAI,KAAM,IAAV,EAAe,KAAM,MAArB,C;;QAGf,OAAO,M;O;KAbX,C;8FAGBA,yB;MAAA,wE;MAAA,uC;QAQkB,Q;QADd,aAAa,oB;QACC,OAAA,SA3GsE,QAAQ,W;QA2G5F,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,UAAU,KAAM,MAAhB,CAAJ,C;YACI,MAAO,aAAI,KAAM,IAAV,EAAe,KAAM,MAArB,C;;QAGf,OA AO,M;O;KAbX,C;yFAiBA,6C;MAOoB,Q;MAAA,OAAA,SA3HoE,QAAQ,W;MA2H5F,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,UAAU,OAAV,CAAJ,C;UACI,WAAY,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGpB,OAAO,W;K;qFAGX,yB;MAAA,wE;MAAA,uC;QAOW,kBAAS,oB;QAFa,Q;QAAA,OA3HoE,iBAAQ,W;QA2H5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAcM,SA dB,CAAU,OAAV,CAAJ,C;YACI,WAAY,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;QAapB,OAVO,W;O;KAGX,C;+FAUA,6C;MAOoB,Q;MAAA,OAAA,SApJoE,QA AQ,W;MAoJ5F,OAAgB,cAAhB,C;QAAgB,yB;QACZ,IAAI,CAAC,UAAU,OAAV,CAAL,C;UACI,WAAY,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;MAGpB,OAAO,W;K;2FAGX,yB;MAAA,wE;MAAA,uC;QAOW,kBAA Y,oB;QAFH,Q;QAAA,OApJoE,iBAAQ,W;QAoJ5F,OAAgB,cAAhB,C;UAAgB,yB;UACZ,IAAI,CACK,SA djC,C AAU,OAAV,CAAL,C;YACI,WAAY,aAAI,OAAQ,IAAZ,EAAiB,OAAQ,MAAzB,C;;QAapB,OAVO,W;O;KAGX ,C;IAUA,0B;MAQqB,IAAN,I;MADX,IAAI,oCAAJ,C;QACW,QAAM,cAAN,C;eACH,C;YAAK,iB;YAAL,K;eAC A,C;YAAK,aAAU,8BAAJ,GAakB,sBAAK,CAAL,CAAIB,GAA+B,oBAAW,OAAhD,C;YAAL,K;kBACQ,0BAA M,qBAAoB,YAAY,cAAZ,CAApB,CAAN,C;YAHL,K;;QAAP,W;OAMJ,OAAoC,oBAA7B,mBAAM,oBAAN,CA A6B,C;K;IAGxC,yC;MAIwB,SAApB,WAAoB,Y;MAApB,kB;K;IAEJ,4B;MAM6D,QAAM,gBAAN,C;aACzD,C; UADyD,OACpD,U;aACL,C;UAFyD,OAEPD,MAAM,UAAK,CAAL,CAAN,C;gBAFoD,OAGjD,mBAAM,qBAA oB,YAAY,gBAAZ,CAApB,CAAN,C;;K;IAGZ,yC;MAIwB,OAAPB,WAAoB,Y;MAApB,kB;K;IAEJ,4B;MAM4D ,OAA6B,oBAA7B,mBAAM,oBAAN,CAA6B,C;K;IAEzF,yC;MAIwB,SAApB,WAAoB,Y;MAApB,kB;K;IAEJ,4B ;MAMqD,QAAM,cAAN,C;aACjD,C;UADiD,OAC5C,U;aACL,C;UAFiD,Oalb8B,uB;gBbkb9B,OAGzC,uB;;K;IA GZ,iC;MAMmE,4BAAC,SAAd,C;K;IAEnE,yC;MAKI,WAAoB,0B;MAApB,kB;K;IAEJ,kC;MAOI,Q;MAAA,IAA I,SAAK,UAAT,C;QAAA,OAAoB,MAAM,IAAN,C;;QAAqC,kBAAPB,qBAAC,SAAd,C;QAA4B,wBAAS,UAAT, EAAqB,WAArB,C;QAAjE,OUthBO,W;;MVshBP,W;K;IAEJ,mC;MAOI,Q;MAAA,IAAI,SAAK,UAAT,C;QAAA, OAA0B,MAAN,KAAM,C;;QAAiC,kBAAPB,qBAAC,SAAd,C;QAA4B,4B;QAAAnE,OU/hBO,W;;MV+hBP,W;K;I AEJ,mC;MAOI,Q;MAAA,IAAI,SAAK,UAAT,C;QAAA,OAA0B,QAAN,KAAM,C;;QAAiC,kBAAPB,qBAAC,SA Ad,C;QAA4B,0B;QAAAnE,OUxiBO,W;;MVwiBP,W;K;IAEJ,mC;MAOWB,kBAAPB,qBAAC,SAAd,C;MAA4B,4B ;MAA5B,OAA4C,oBUjjBrC,WVijBqC,C;K;IAEhD,iC;MAOWB,kBAAPB,qBAAC,SAAd,C;MAA4B,+B;MAA5B, OUljBO,W;K;0FV6jBX,2B;MAKI,sBAAI,IAAK,MAAT,EAAgB,IAAK,OAArB,C;K;4FAGJ,yB;MAAA,gD;MA AA,mC;QAKI,kBAAO,KAAP,C;O;KALJ,C;4FAQA,yB;MAAA,gD;MAAA,mC;QAKI,kBAAO,KAAP,C;O;KALJ ,C;4FAQA,yB;MAAA,gD;MAAA,mC;QAKI,kBAAO,KAAP,C;O;KALJ,C;4FAQA,0B;MAKI,yBAAO,GAAP,C; K;IAGJ,kC;MAOWB,kBAAf,aAAL,SAAK,C;MASCL,6B;MAiCA,OAA+C,oBU5mBxC,WV4mBwC,C;K;IAEnD, mC;MAQwB,kBAAf,aAAL,SAAK,C;MAqCK,YAAL,gBAAK,O;MArCV,OAAgD,oBUtnBzC,WVsnByC,C;K;IA EpD,mC;MAQwB,kBAAf,aAAL,SAAK,C;MAoCK,YAAL,gBAAK,O;MApCV,OAAgD,oBUhoBzC,WVgoByC,C ;K;IAEPD,mC;MAQwB,kBAAf,aAAL,SAAK,C;MAmCK,YAAL,gBAAK,O;MAAnCV,OAAgD,oBU1oBzC,WV0o ByC,C;K;4FAEPD,0B;MAMI,uBAAO,GAAP,C;K;8FAGJ,yB;MAAA,sD;MAAA,kC;QAMc,UAAV,SAAK,KAA

K,EAAU,IAAV,C;O;KANd,C;8FASA,yB;MAAA,sD;MAAA,kC;QAMc,UAAV,SAAK,KAAK,EAAU,IAAV,C;O; KANd,C;8FASA,yB;MAAA,sD;MAAA,kC;QAMc,UAAV,SAAK,KAAK,EAAU,IAAV,C;O;KANd,C;IAUA,wC; MACsD,QAAM,cAAN,C;aACID,C;UADkD,OAC7C,U;aACL,C;UAFkD,gB;gBAAA,OAG1C,S;;K;oFsJ5vBZ,yB; MAAA,8D;MAAA,8B;MAAA,qC;QAUiC,Q;QAA7B,OAA2D,CAA9B,sEAA8B,eAAO,OAAP,C;O;KAV/D,C;wF AYA,yB;MAAA,8D;MAAA,8B;MAAA,sC;QASiC,Q;QAA7B,OAA2D,CAA9B,sEAA8B,oBAAU,QAAV,C;O;K AT/D,C;wFAWA,yB;MAAA,8D;MAAA,8B;MAAA,sC;QASiC,Q;QAA7B,OAA2D,CAA9B,sEAA8B,oBAAU,Q AAV,C;O;KAT/D,C;4FAWA,8B;MAKI,SAAK,WAAL,OAAJ,C;K;4FAGT,yB;MAAA,gD;MAAA,sC;QAKS,OAA L,SAAK,EAAO,QAAP,C;O;KALT,C;4FAQA,yB;MAAA,gD;MAAA,sC;QAKS,OAAAL,SAAK,EAAO,QAAP,C;O ;KALT,C;4FAQA,yB;MAAA,gD;MAAA,sC;QAKS,OAAAL,SAAK,EAAO,QAAP,C;O;KALT,C;8FAQA,8B;MAK I,SAAK,cAAO,OAAP,C;K;8FAGT,yB;MAAA,sD;MAAA,sC;QAKS,UAAL,SAAK,EAAU,QAAV,C;O;KALT,C; 8FAQA,yB;MAAA,sD;MAAA,sC;QAKS,UAAL,SAAK,EAAU,QAAV,C;O;KALT,C;8FAQA,yB;MAAA,sD;MA AAA,sC;QAKS,UAAL,SAAK,EAAU,QAAV,C;O;KALT,C;IAQA,qC;MAIU,IAIe,I;MAHjB,kBADE,QACF,c;QAA iB,OAAO,yBAAO,QAAP,C;;QAEpB,aAAsB,K;QACT,0B;QAAb,OAAa,cAAb,C;UAAa,sB;UACT,IAAI,oBAAI, IAAJ,CAAJ,C;YAAe,SAAS,I;;QAC5B,OAAO,M;;K;IAKnB,uC;MAKiB,Q;MADb,aAAsB,K;MACT,0B;MAAb,O AAa,cAAb,C;QAAa,sB;QACT,IAAI,oBAAI,IAAJ,CAAJ,C;UAAe,SAAS,I;;MAE5B,OAAO,M;K;IAGX,uC;MAII, OAAO,yBAAgB,OAAT,QAAS,CAAhB,C;K;IAGX,0C;MAIW,iBAAmB,gCAAT,QAAS,EAAgC,SAAhC,C;MAL HG,Q;MAKH7B,OAIH2D,CAA9B,sEAA8B,oBAAU,UAAV,C;K;IAqH/D,0C;MAII,UAAmB,YAAT,QAAS,C;M ACnB,OvJ6DwD,CuJ7DjD,GvJ6DkD,UuJ7DdD,IAAoB,4BAAU,GAAV,C;K;IAG/B,0C;MAII,07JqINO,E6JrlNA, Q7J6gNA,YAAQ,CAwER,C6JrlNA,IAAyB,4BAAmB,UAAT,QAAS,CAAnB,C;K;IAGpC,0C;MAIW,iBAAmB,g CAAT,QAAS,EAAgC,SAAhC,C;MA7HG,Q;MA6H7B,OA7H2D,CAA9B,sEAA8B,oBAAU,UAAV,C;K;IAGI/D,0 C;MAII,I7JukNO,E6JvkNH,Q7J+/MG,YAAQ,CAwER,C6JvkNP,C;QACI,OAAO,4BAAmB,UAAT,QAAS,CAAn B,C;;QAEp,OAAO,wB;K;IAGf,0C;MAII,UAAmB,YAAT,QAAS,C;MACnB,IvJ6BwD,CuJ7BpD,GvJ6BqD,UuJ7 BzD,C;QACI,OAAO,4BAAmB,GAAV,C;;QAEp,OAAO,wB;K;IAGf,kC;MACI,avJsBwD,CAAC,mB;MuJrBzD,iB; MACA,OAAO,M;K;IAIX,2C;MAKkF,gCAAc,SAAd,EAAyB,IAAzB,C;K;IAEIF,2C;MAKkF,gCAAc,SAAd,EAA yB,KAAzB,C;K;IAEIF,sE;MACI,iBAaAa,KAAb,C;M5IIJgB,kB4ImJX,oB;MACD,OAAO,qBAAP,C;QACI,IAAI,U AAU,kBAAV,6BAAJ,C;UACI,oB;UACA,WAAS,I;SAGrB,OAAO,Q;K;IAIX,uC;MAK+E,kBAAhB,0B;MAAwB, 8B;MAAxB,O5IrJpD,W;K;oF4IwJX,4B;MAM6D,kCAAS,KAAT,C;K;IAE7D,gC;MAKiD,IAAI,mBAAJ,C;QAAe ,MAAM,2BAAuB,gBAAvB,C;;QAArB,OAAmE,2BAAS,CAAT,C;K;IAEpH,sC;MAKwD,OAAI,mBAAJ,GAAe,I AAF,GAAyB,2BAAS,CAAT,C;K;IAEjF,+B;MAKgD,IAAI,mBAAJ,C;QAAe,MAAM,2BAAuB,gBAAvB,C;;QAA rB,OAAmE,2BAAS,2BAAT,C;K;IAEnH,qC;MAKuD,OAAI,mBAAJ,GAAe,IAAF,GAAyB,2BAAS,2BAAT,C;K;I AEhF,2C;MAK8E,kCAAc,SAAd,EAAyB,IAAzB,C;K;IAE9E,2C;MAK8E,kCAAc,SAAd,EAAyB,KAAzB,C;K;IA E9E,wE;MAEgB,UAGS,MAHT,EAcY,MAZ,EAc6B,M;MAfzC,IAAI,uCAAJ,C;QACI,OAAoC,cAA5B,sEAA4B, EAAC,SAAd,EAAyB,uBAAzB,C;MAExC,iBAAsB,C;MACD,oC;MAArB,qBAAkB,CAAIb,mC;QACI,cAAc,sBA AK,SAAL,C;QACd,IAAI,UAAU,OAAV,MAAsB,uBAA1B,C;UACI,Q;QAEJ,IAAI,eAAc,SAAIb,C;UACI,sBAA K,UAAL,EAAmB,OAAnB,C;QAEJ,+B;;MAEJ,IAAI,aAAa,cAAjB,C;QACwB,oC;QAAiB,mB;QAArC,oE;UACI, 2BAAS,WAAT,C;QAEJ,OAAO,I;;QAEp,OAAO,K;;K;IAIf,sC;MAOI,aAAU,2BAAV,OAA2B,CAA3B,M;QACI, QAAQ,MAAO,iBAAQ,IAAI,CAAJ,IAAR,C;QACf,WAAW,sBAAK,CAAL,C;QACX,sBAAK,CAAL,EAAU,sBA AK,CAAL,CAAV,C;QACA,sBAAK,CAAL,EAAU,IAAV,C;;K;ICvTsC,wC;MAAkC,uB;MAAjC,0B;K;wEACpB, Y;MAAQ,OAAA,eAAS,K;K;IDACxC,iB;MAAkC,mCAAS,0BAAoB,KAApB,CAAT,C;K;;IAGT,gC;MAAyC,8B; MAAxC,0B;K;gEACH,Y;MAAQ,OAAA,eAAS,K;K;yCACxC,iB;MAAkC,mCAAS,0BAAoB,KAApB,CAAT,C;K ;mCAEIC,Y;MAAuB,eAAS,Q;K;8CACCh,iB;MAAuC,OAAA,eAAS,kBAAS,0BAAoB,KAApB,CAAT,C;K;yCA EhD,0B;MAA8C,OAAA,eAAS,aAAI,0BAAoB,KAApB,CAAJ,EAAgC,OAAhC,C;K;yCACvD,0B;MACI,eAAS,a AAI,2BAAqB,KAArB,CAAJ,EAAiC,OAAjC,C;K;;IAIjB,+C;MACoB,Q;MAAA,kC;MAAhB,IAAa,CAAT,0BAAJ ,C;QAAA,OAA2B,8BAAy,KAAZ,I;;QAAuB,MAAM,8BAA0B,mBAAgB,KAAhB,2BAA0C,gBAAG,2BAAH,C AA1C,OAA1B,C;K;IAE5D,gD;MACoB,Q;MAAA,qB;MAAhB,IAAa,CAAT,0BAAJ,C;QAAA,OAAsB,iBAAO,K AAP,I;;QAAkB,MAAM,8BAA0B,oBAAiB,KAAjB,2BAA2C,gBAAG,cAAH,CAA3C,OAA1B,C;K;IAGID,+B;M AK+C,gCAAqB,SAArB,C;K;IAE/C,iC;MAM6D,wBAAa,SAAb,C;K;;;IIJtC7D,oD;MAQuF,wC;K;IARvF,8CASI, Y;MAAuC,8B;K;IAT3C,gF;ImJc8G,wC;MAAA,mB;QAAE,kBAAS,aAAT,C;O;K;IAThH,yB;MASqG,oCAAS,sB

AAT,C;K;8FAErG,yB;MAAA,kD;MnJhBA,kC;MAAA,0C;MAAA,kD;QAQuF,wC;O;MARvF,4CASI,Y;QAAuC,8B;O;MAT3C,8E;MmJmB2I,qD;QAAA,mB;UAAE,gBAAS,qBAAT,C;S;O;MAH7I,gC;QAGkI,kCAAS,mCAAT,C;O;KAHII,C;IAKA,2B;MAQI,eAAe,6B;MACf,oBAA0B,+BAAN,KAAM,EAAwC,QAAxC,EAA+D,QAA/D,C;MAC1B,OAAO,Q;K;8FAGX,yB;MAAA,kD;MAAA,gC;QAGkI,gBAAS,aAAT,C;O;KAHII,C;IAgB0C,yB;K;+CAoBtC,kC;MAOI,IAAI,uCAA0B,QAAS,UAAvC,C;QAAkD,M;MACID,OAAO,sBAAS,QAAS,WAAIB,e;K;+CAGX,kC;MAQqD,6BAAS,QAAS,WAAIB,e;K;,,,,,;IAezD,mC;MAA2C,wB;MACvC,eAAoB,C;MACpB,mBAA4B,I;MAC5B,sBAAyC,I;MACzC,gBAAoC,I;K;gDAEpC,Y;MACI,OAAO,IAAP,C;QACI,QAAM,YAAN,C;eACI,C;YAAA,K;eACA,C;YACI,IAAI,kCAAe,UAAAnB,C;cACI,eAAQ,C;cACR,OAAO,I;;cAEP,sBAAe,I;;YALvB,K;eAOA,C;YAAc,OAAO,K;eACrB,C;eAAA,C;YAAgC,OAAO,I;kBAC/B,MAAM,yB;;QAGIB,eAAQ,C;QACR,WAAW,4B;QACX,gBAAW,I;QACX,ItGhGR,oBD6CQ,WuGmDY,kBvGnDZ,CC7CR,C;;K;6CsGoGA,Y;MACU,IASe,I;MATrB,QAAM,YAAN,C;aACI,C;aAAA,C;UAAsC,OAAO,qB;aAC7C,C;UACI,eAAQ,C;UACR,OAAO,kCAAe,O;aAE1B,C;UACI,eAAQ,C;UACR,aACa,mF;UACb,mBAAy,I;UACZ,OAAO,M;gBAEH,MAAM,yB;;K;uDAlTB,Y;MACI,IAAI,CAAC,cAAL,C;QAAgB,MAAM,6B;;QAA8B,OAAO,W;K;2DAG/D,Y;MAA4C,QAAM,YAAN,C;aACx,C;UADwC,OAC1B,6B;aACd,C;UAFwC,OAExB,6BAAsB,sBAAtB,C;gBAFwB,OAGhC,6BAAsB,uCAAoC,YAA1D,C;;K;IAOqC,4E;MAAA,oB;QACzC,wCAAW,C;QAAX,OACA,yB;O;K;oDALR,+B;MACI,mBAAy,K;MACZ,eAAQ,C;MACR,OAA6C,0CAAtC,c;K;IAUsC,+E;MAAA,oB;QACzC,wCAAW,C;QAAX,OACA,yB;O;K;yDANR,kC;MACI,IAAI,CAAC,QAAS,UAAc,C;QAAyB,M;MACzB,sBAAe,Q;MACf,eAAQ,C;MACR,OAA6C,6CAAtC,c;K;2DAMX,kB;MvGvBO,Q;MADP,euG0BI,MvG1BJ,C;MACO,QuGyBH,MvGzBG,+D;MuG0BH,eAAQ,C;K;8EAIR,Y;MAAQ,0C;K;;InJ5LhB,oD;MAQuF,wC;K;IARvF,8CASI,Y;MAAuC,8B;K;IAT3C,gF;sFAAA,yB;MAAA,kC;MAAA,0C;MAAA,kD;QAQuF,wC;O;MARvF,4CASI,Y;QAAuC,8B;O;MAT3C,8E;MAAA,2B;QAQuF,2C;O;KARvF,C;IAiBgE,+C;MAAA,mB;QAAE,sB;O;K;IALIE,kC;MAKuD,OAakB,2CAAT,+BAAS,E;K;IAEzE,8B;MAK6D,OAAI,QZ6oNtD,YAAQ,CY7oN0C,GAAwB,eAAxB,GAAsD,WAAT,QAAS,C;K;IAEnH,yB;MAG8C,kC;K;IAE9C,yB;MAAA,6B;K;uCACI,Y;MAA6C,kC;K;2CAC7C,a;MAA4B,kC;K;2CAC5B,a;MAA4B,kC;K;;IAHhC,qC;MAAA,oC;QAAA,mB;OAAA,6B;K;oFAMA,yB;MAAA,2D;MAAA,4B;QAM4D,uCAAQ,e;O;KANpE,C;IAgB4F,mH;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,wC;MAAA,wD;MAAA,kC;K;;;kDAAA,Y;;;cACxF,eAAe,uBAAa,W;cAC5B,IAAI,QAAS,UAAb,C;gBACI,gB;gCAAA,sCAAS,QAAT,O;OBAAA,2C;yBAAA,yB;gBAAA,Q;;gBAEA,gB;gCAAA,sCAAS,iCAAT,O;OBAAA,2C;yBAAA,yB;gBAAA,Q;;;cAJJ,W;;cAAA,W;;;K;IADwF,gE;MAAA,yD;uBAAA,uG;YAAA,S;IBAAA,Q;;IBAAA,uB;O;K;IAP5F,4C;MAOmF,gBAAS,uCAAT,C;K;IACb,4B;MAAE,OAAA,EAAG,W;K;IAL3E,8B;MAK8D,4BAAQ,cAAR,C;K;IAQQ,8B;MAAE,OAAA,EAAG,W;K;IAN3E,8B;MAM8D,4BAAQ,gBAAR,C;K;IAM1B,8B;MAAE,S;K;IAJtC,wC;MAEgB,Q;MADZ,IAAI,8CAAJ,C;QACI,OAA4C,CAAPC,2EAAoC,kBAAQ,QAAR,C;OAEhD,OAAO,uBAAmB,SAAnB,EAAyB,gBAAzB,EAAiC,QAAjC,C;K;IAGX,4B;MAUiB,Q;MAFb,YAAy,gB;MACZ,YAAy,gB;MACC,2B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,KAAM,WAAI,IAAK,MAAT,C;QACN,KAAM,WAAI,IAAK,OAAT,C;;MAEV,OAAO,UAAAS,KAAT,C;K;IAUwB,0D;MAE/B,wB;QAAA,WAAgC,I;MADhC,0B;MACA,0B;MACA,4B;K;IAGuC,0E;MAAAA,oD;MACnC,gBAAe,iCAAS,W;MACxB,iBAAqB,E;MACrB,gBAAmB,I;K;oEAEnB,Y;MACI,OAAO,aAAS,UAAhB,C;QACI,WAAW,aAAS,O;QACpB,IAAI,wCAAU,IAAV,MAAmB,sCAAvB,C;UACI,gBAAW,I;UACX,iBAAy,C;UACZ,M;;MAGR,iBAAy,C;K;8DAGhB,Y;MASW,Q;MARP,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,IAAI,mBAAa,CAAjB,C;QACI,MAAM,6B;MACV,aAAa,a;MACb,gBAAW,I;MACX,iBAAy,E;MAEZ,OAAO,yE;K;iEAGX,Y;MACI,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,OAAO,mBAAa,C;K;;2CAhC5B,Y;MAAuC,yD;K;;IA2C3C,qD;MAAY,0B;MAAmC,gC;K;IACJ,gF;MAAA,0D;MACnC,gBAAe,oCAAS,W;K;iEACxB,Y;MACI,OAAO,6CAAy,aAAS,OAAR,B,C;K;oEAGX,Y;MACI,OAAO,aAAS,U;K;;8CAPxB,Y;MAAuC,4D;K;qDAWvC,oB;MACI,OAAO,uBAA4B,eAA5B,EAA5C,kBAAtC,EAAmD,QAAnD,C;K;;IAUf,4D;MAAY,0B;MAAmC,gC;K;IACJ,8F;MAAA,wE;MACnC,gBAAe,2CAAS,W;MACxB,aAAy,C;K;wEACZ,Y;MAC0C,Q;MAAtC,OAAO,oDAAY,oBAAmB,iBAAAnB,EAAmB,yBAAAnB,QAAs,EAAyC,aAAS,OAAlD,C;K;2EAGX,Y;MACI,OAAO,aAAS,U;K;;qDARxB,Y;MAAuC,mE;K;;IAkB3C,oC;MAAY,0B;K;IAC6C,wE;MACjD,gBAAe,gCAAS,W;MACxB,aAAy,C;K;6DACZ,Y;MAC2C,Q;MAAvC,OAAO,iBAAa,oBAAmB,iBAAAnB,EAAmB,yBAAAnB,QAAb,EAA0C,aAAS,OAAnD,C;K;gEAGX,Y;MACI,OAAO,aAAS,U;K;;0CARxB,Y;MAAqD,wD;K;;IAmBzD,0D;MACI,4B;MACA,4B;MACA,4B;K;IAEuC,sE;MAAA,gD;MACnC,iBAAgB,gCAAU,W;MAC1B,iBAAgB,gCAAU,W;K;4DAC1B,Y;MACI,

OAAO,sCAAU,cAAU,OAApB,EAA4B,cAAU,OAAtC,C;K;+DAGX,Y;MACI,OAAO,cAAU,UAAV,IAAuB,cAAU,U;K;;yCARhD,Y;MAAuC,uD;K;;IAc3C,6D;MACI,0B;MACA,gC;MACA,0B;K;IAEuC,4E;MAAA,sD;MACnC,gBA Ae,kCAAS,W;MACxB,oBAAiC,I;K;+DAEjC,Y;MACI,IAAI,CAAC,2BAAL,C;QACI,MAAM,6B;MACV,OAAO,gCA Ae,O;K;kEAG1B,Y;MACI,OAAO,2B;K;+EAGX,Y;MACQ,Q;MAAJ,IAAI,iEAA2B,KAA/B,C;QACI,oBAAe,I;MAEnB,OAAO,yBAAP,C;QACI,IAAI,CAAC,aAAS,UAA d,C;UACI,OAAO,K;;UAEP,cAAc,aAAS,O;UACvB,uBAAuB,wCAAS,2CAAY,OAAZ,CAAT,C;UACvB,IAAI,gBAAiB,UAArB,C;YACI,oBAAe,gB;YACf,OA AO,I;;MAInB,OAAO,I;K;;4CA9Bf,Y;MAAuC,0D;K;;IA+Cd,qD;MACzB,0B;MACA,8B;MACA,0B;MC5QA,IAAI,EDgRQ,qBAAc,CChRtB,CAAJ,C;QACI,cD+Q2B,+CAA4C,iB;QC9QvE,MAAM,gCAAyB,OAAQ,WAAjC,C;OAFV,IAAI,EDiRQ,mBAAY,CCjRpB,CAAJ,C;QACI,gBDgRyB,6CAA0C,e;QC/QnE,MAAM,gCAAyB,SAAQ,WAAjC,C;OAFV,IAAI,EDkRQ,mBAAY,iBCIRpB,CAAJ,C;QACI,gBDiRkC,0DAAuD,eAAvD,WAAmE,iB;QChRrG,MAAM,gCAAyB,SAAQ,WAAjC,C;Q;K;EDmRa,Y;MAAQ,yBAAW,iBAAX,I;K;yCAE/B,a;MAAyC,OAAI,KAAK,YAAT,GAAgB,eAAhB,GAAqC,gBAAY,eAAZ,EAASB,oBAAa,CAAb,IAAtB,EAAsC,eAAtC,C;K;yCAC9E,a;MAAyC,OAAI,KAAK,YAAT,GAAgB,IAAhB,GAA0B,gBAAY,eAAZ,EAASB,iBAAtB,EAAkC,oBAAa,CAAb,IAAIC,C;K;IAEzC,8D;MAAA,wC;MAEtB,gBA Ae,2BAAS,W;MACxB,gBA Ae,C;K;0DAEf,Y;MAEI,OAAO,gBAAW,kCAAX,IAAyB,aAAS,UAAzC,C;QACI,aAAS,O;QACT,qC;;K;2DAIR,Y;MACI,a;MACA,OAAQ,gBAAW,gCAAZ,IAAyB,aAAS,U;K;wDAG7C,Y;MACI,a;MACA,IAAI,iBAAY,gCAAhB,C;QACI,MAAM,6B;MACV,qC;MACA,OAAO,aAAS,O;K;;qCAvBxB,Y;MAA0B,mD;K;;IAgCA,uC;MAC1B,0B;MACA,oB;MC5TA,IAAI,EDgUQ,gBAAS,CChUjB,CAAJ,C;QACI,cD+TsB,yCAAsC,YAAtC,M;QC9TtB,MAAM,gCAAyB,OAAQ,WAAjC,C;Q;0CDiUV,a;MAAyC,OAAI,KAAK,YAAT,GAAgB,eAAhB,GAAqC,gBAAY,eAAZ,EAASB,CAAtB,EAAyB,YAAzB,C;K;0CAC9E,a;MAAyC,OAAI,KAAK,YAAT,GAAgB,IAAhB,GAA0B,iBAAa,eAAb,EAAuB,CAA vB,C;K;IAE5B,gE;MACnC,YAAW,yB;MACX,gBA Ae,4BAAS,W;K;yDAExB,Y;MACI,IAAI,cAAQ,CAAZ,C;QACI,MAAM,6B;MACV,6B;MACA,OAAO,aAAS,O;K;4DAGpB,Y;MACI,OAAO,YAAO,CAAP,IAAY,aAAS,U;K;;sCAZpC,Y;MAAuC,oD;K;;IASB3C,gD;MACI,0B;MACA,4B;K;IAEuC,0E;MAAA,oD;MACnC,gBA Ae,iCAAS,W;MACxB,iBAAqB,E;MACrB,gBAAmB,I;K;oEAEnB,Y;MACI,IAAI,aAAS,UAAb,C;QACI,WAAW,aAAS,O;QACpB,IAAI,wCAAU,IAAV,CAAJ,C;UACI,iBAAY,C;UACZ,gBAAW,I;UACX,M;UAGR,iBAAY,C;K;8DAGhB,Y;MAMiB,Q;MALb,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,IAAI,mBAAa,CAAjB,C;QACI,MAAM,6B;MACV,aACa,gF;MAGb,gBAAW,I;MACX,iBAAY,E;MACZ,OAAO,M;K;IEAGX,Y;MACI,IAAI,mBAAa,EAAjB,C;QACI,iB;MACJ,OAAO,mBAAa,C;K;;2CAIC5B,Y;MAAuC,yD;K;;IA2Cb,uC;MAC1B,0B;MACA,oB;MC7YA,IAAI,EDgZQ,gBAAS,CChZjB,CAAJ,C;QACI,cD+YsB,yCAAsC,YAAtC,M;QC9YtB,MAAM,gCAAyB,OAAQ,WAAjC,C;Q;0CDiZV,a;MKvUO,SLuUmC,eAAQ,CAAR,I;MAAD,OAA4B,KAAK,CAAT,GAA Y,yBAAZ,GAAuC,gBAAY,eAAZ,EAASB,YAAtB,EAA6B,EAA7B,C;K;IAEjE,gE;MACnC,gBA Ae,4BAAS,W;MACxB,YAAW,yB;K;2DAEX,Y;MAEI,OAAO,YAAO,CAAP,IAAY,aAAS,UAA5B,C;QACI,aAAS,O;QACT,6B;;K;yDAIR,Y;MACI,a;MACA,OAAO,aAAS,O;K;4DAGpB,Y;MACI,a;MACA,OAAO,aAAS,U;K;;sCAnBxB,Y;MAAuC,oD;K;;IA6B3C,gD;MACI,0B;MACA,4B;K;IAGuC,0E;MAAA,oD;MACnC,gBA Ae,iCAAS,W;MACxB,iBAAqB,E;MACrB,gBAAmB,I;K;gEAEnB,Y;MACI,OAAO,aAAS,UAAhB,C;QACI,WAAW,aAAS,O;QACpB,IAAI,CAAC,wCAAU,IAAV,CAAL,C;UACI,gBAAW,I;UACX,iBAAY,C;UACZ,M;;MAGR,iBAAY,C;K;8DAGhB,Y;MAMqB,Q;MALjB,IAAI,mBAAa,EAAjB,C;QACI,a;MAEJ,IAAI,mBAAa,CAAjB,C;QACI,aACa,gF;QACb,gBAAW,I;QACX,iBAAY,C;QACZ,OAAO,M;OAEX,OAAO,aAAS,O;K;IEAGpB,Y;MACI,IAAI,mBAAa,EAAjB,C;QACI,a;MACJ,OAAO,mBAAa,CAAb,IAAkB,aAAS,U;K;;2CAIC1C,Y;MAAuC,yD;K;;IAuCN,+C;MAAC,sB;MAAiC,gC;K;0CACnE,Y;MAAuC,4BAAiB,aAAO,WAAxB,EAAoC,kBAAP,C;K;;IAGP,+C;MAAuE,2B;MAAtE,sB;MAAiC,gC;MACIE,kBAAuB,c;K;6CAEvB,Y;MACI,OAAO,aAAO,UAA d,C;QACI,WAAW,aAAO,O;QACIB,UAAU,mBAAY,IAAZ,C;QAEV,IAAI,eAAS,WAAI,GAAJ,CAAb,C;UACI,mBAAQ,IAAR,C;UACA,M;;MAIR,W;K;;IAKgC,0D;MAAC,wC;MAAuC,kC;K;IACrC,0E;MAAA,oD;MACnC,gBAAmB,I;MACnB,iBAAqB,E;K;oEAErB,Y;MACI,gBA Ae,mBAAa,EAAjB,GAAqB,+CAArB,GAA4C,2CAAa,4BAAb,C;MACvD,iBAAgB,qBAAJ,GAASB,CAAtB,GAA6B,C;K;8DAG7C,Y;MAMiB,Q;MALb,IAAI,iBAAY,CAAhB,C;QACI,iB;MAEJ,IAAI,mBAAa,CAAjB,C;QACI,MAAM,6B;MACV,aAAa,8D;MAEb,iBAAY,E;MACZ,OAAO,M;K;IEAGX,Y;MACI,IAAI,iBAAY,CAAhB,C;QACI,iB;MACJ,OAAO,mBAAa,C;K;;2CAxB5B,Y;MAAuC,yD;K;;IA6B3C,kC;MAWI,OAAW,iDAAJ,GAAw

C,SAAXC,GAaKd,4BAAwB,SAAXB,C;K;IAeIB,uD;MAAA,qB;QAAE,6B;O;K;IAX7C,wC;MAWI,OAA2D,cAApD,sBAAkB,YAAIB,EAAgC,qCAAhC,CAAoD,C;K;IAqBrC,iD;MAAA,mB;QAAE,mB;O;K;IALB5B,gD;MAeI,OAAI,YAAJ,GACI,2BADJ,GAGI,sBAAkB,+BAAIB,EAA4B,YAA5B,C;K;IAER,wD;MAcI,6BAAkB,YAAIB,EAAgC,YAAhC,C;K;IJzmBJ,oB;MAAA,wB;MACI,8C;K;gCAEA,iB;MAA4C,oCAAmB,KAAM,U;K;kCACrE,Y;MAA+B,Q;K;kCAC/B,Y;MAAkC,W;K;4DAEX,Y;MAAQ,Q;K;iCAC/B,Y;MAAkC,W;K;wCACIC,mB;MAAmD,Y;K;6CACnD,oB;MAAmE,OAAA,QAAS,U;K;kCAE5E,Y;MAA6C,kC;K;uCAE7C,Y;MAAiC,6B;K;;IADrC,gC;MAAA,+B;QAAA,c;OAAA,wB;K;IAkBA,oB;MAIoC,6B;K;IAEpC,2B;MAMmD,OAAI,QAAS,OAAT,GAAgB,CAApB,GAAgC,MAAT,QAAS,CAAhC,GAA6C,U;K;iFAEHg,yB;MAAA,mD;MAAA,mB;QAKwC,iB;O;KALxC,C;6FAOA,yB;MAAA,uE;MAAA,mB;QAQsD,2B;O;KARtD,C;IAUA,kC;MAKiE,OAAS,aAAT,QAAS,EAAa,qBAAc,YAAY,QAAS,OAARb,CAAd,CAAb,C;K;uFAEIE,yB;MAAA,2D;MAAA,mB;QAGgD,qB;O;KAHhD,C;IAKA,+B;MAC2D,OAAS,aAAT,QAAS,EAAa,eAAQ,YAAY,QAAS,OAARb,CAAR,CAAb,C;K;2FAEpE,yB;MAAA,uE;MAAA,mB;QAMwD,2B;O;KANxD,C;IAQA,iC;MAKmE,OAAS,aAAT,QAAS,EAAa,qBAAc,YAAY,QAAS,OAARb,CAAd,CAAb,C;K;sFAE5E,yB;MAAA,uE;MAAA,gC;QAGb8B,gBAAnB,oB;QAAyB,aS1BhC,W;QT0BA,OSzBO,S;O;KTSX,C;wFamBA,yB;MAAA,4E;MAAA,0D;MAAA,wE;MAAA,0C;QAoBI,qBAAqB,QAARb,C;QAC+C,gBAAXC,mBAAiB,YAAY,QAAZ,CAAjB,C;QAA8C,aSIDrD,W;QTkDA,OSjDO,S;O;KT4BX,C;sFAyBA,yB;MAAA,mD;MAAA,4B;QAEkD,uCAAQ,U;O;KAFID,C;IAIA,wC;MAAgD,QAAM,cAAN,C;aAC5C,C;UAD4C,OACvC,U;aACL,C;UAF4C,OAEvC,MAAM,oBAAW,OAAjB,C;gBAFuC,OAGpC,S;;K;IlrIZ,oD;MAQuF,wC;K;IARvF,8CASI,Y;MAAUc,8B;K;IAT3C,gF;IoJHA,yC;MnJ4BI,IAAI,EmJ3BI,OAAO,CAAP,IAAY,OAAO,CnJ2BvB,CAAJ,C;QACI,cmJ3BI,aAAJ,GACI,yEADJ,GAGI,8C;QnJyBJ,MAAM,gCAAyB,OAAQ,WAAjC,C;Q;ImJnBM,mI;MAAA,mB;QAAE,wBAAiB,gCAAjB,EAA6B,YAA7B,EAAmC,YAAnC,EAAyC,sBAAzC,EAAyD,mBAAzD,C;O;K;IAFtB,gF;MACI,oBAAoB,IAApB,EAA0B,IAA1B,C;MACA,oCAAgB,6EAAhB,C;K;IAKyB,yL;MAAA,wC;MAAA,6B;MAAA,yB;MAAA,wC;MAAA,wC;MAAA,gD;MAAA,sD;MAAA,4D;MAAA,wB;MAAA,0B;MAAA,uB;MAAA,0B;MAAA,wB;MAAA,qB;MAAA,4B;MAAA,kC;K;;;2DAAA,Y;;;;cACrB,4BAAiC,eAAL,uBAAK,EAAa,IAAb,C;+BACvB,0BAAO,uBAAP,I;cACV,IAAI,kBAAO,CAAX,C;oCACiB,iBAAa,qBAAb,C;kCACF,C;gBACD,6C;gBAAV,iB;;;sCAaa,gBAAc,qBAAd,C;gBACH,+C;gBAAV,gB;;;;cAAA,KAAU,2BAAV,C;gBAAA,gB;;;cAAU,kC;cACN,mBAAO,WAAI,GAAJ,C;cACP,IAAI,mBAAO,SAAX,C;gBACI,IAAI,mBAAO,KAAP,GAAC,uBAAIB,C;kBAA0B,sBAAS,mBAAO,kBAAuB,uBAAvB,C;kBAA8B,gB;;;kBAAxE,gB;;;gBADJ,gB;;;cAGI,gB;8BAAA,iCAAU,8BAAJ,GAAiB,mBAAjB,GAA6B,iBAAU,mBAAV,CAAnC,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cACA,mBAAO,qBAAY,uBAAZ,C;cAJX,gB;;;cAFJ,gB;;;cASA,IAAI,iCAAJ,C;gBACI,gB;;;gBADJ,iB;;;cACI,IAAO,mBAAO,KAAAd,IAAqB,uBAARb,C;gBAAA,gB;;;cACI,gB;8BAAA,iCAAU,8BAAJ,GAAiB,mBAAjB,GAA6B,iBAAU,mBAAV,CAAnC,O;kBAAA,2C;uBAAA,yB;cAAA,Q;;cACA,mBAAO,qBAAY,uBAAZ,C;cAFX,gB;;;cAIA,I1J+J4C,C0J/JxC,mB1J+JyC,U0J/J7C,C;gBAAyB,iB;gCAAA,iCAAM,mBAAN,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;;gBAAzB,iB;;;cAjCR,W;;cA4BI,iB;;;cA1BJ,iB;;;cAGI,KAAU,yBAAV,C;gBAAA,iB;;;6BAAU,sB;cACN,IAAI,kBAAO,CAAX,C;gBAAgB,oCAAQ,CAAR,I;gBAAW,iB;;;gBAA3B,iB;;;cACA,iBAAO,WAAI,YAAJ,C;cACP,IAAI,iBAAO,KAAP,KAAe,uBAAAnB,C;gBACI,iB;gCAAA,iCAAM,iBAAN,O;oBAAA,2C;yBAAA,yB;gBAAA,Q;;gBADJ,iB;;;cAEL,IAAI,8BAAJ,C;gBAAiB,iBAAO,Q;;gBAAa,oBAAS,iBAAU,uBAAV,C;cAC9C,kBAAO,c;cAHX,iB;;;cAHJ,iB;;;cASA,I1JkLgD,C0JIL5C,iB1JkL6C,U0JILjD,C;gBACI,IAAI,qCAAkB,iBAAO,KAAP,KAAe,uBAARc,C;kBAA2C,iB;kCAAA,iCAAM,iBAAN,O;sBAAA,2C;2BAAA,yB;kBAAA,Q;;kBAA3C,iB;;;gBADJ,iB;;;cAdJ,W;;cAcI,iB;;;cAZJ,iB;;;cAkCJ,W;;;;K;IARCyB,sI;MAAA,yD;uBAAA,6K;YAAAS,iBAAA,Q;;iBAAA,uB;O;K;IAF7B,6E;MACI,IAAI,CAAC,QAAS,UAAAd,C;QAAyB,OAAO,2B;MACHC,OAAO,WAAkB,0EAAIB,C;K;IAwCwB,6B;MAA8B,uB;MAA7B,kB;MACHC,mBAA6B,C;MAC7B,eAAyB,C;K;2CAEZB,8B;MACI,+DAAkB,SAAlB,EAA6B,OAA7B,EAAc,WAAK,KAA3C,C;MACA,mBAAiB,S;MACjB,eAAa,UAAU,SAAV,I;K;0CAGjB,iB;MACI,+DAAkB,KAAIB,EAAyB,YAAzB,C;MAEA,OAAO,wBAAK,mBAAy,KAAZ,IAAL,C;K;IEAGY,Y;MAAQ,mB;K;;IASR,wC;MAAQD,uB;MAAPD,sB;MnJrDxB,IAAI,EmJuDQ,cAAc,CnJvDtB,CAAJ,C;QACI,cmJsD2B,wE;QnJrD3B,MAAM,gCAAyB,OAAQ,WAAjC,C;OAFV,IAAI,EmJwDQ,cAAc,aAAO,OnJxD7B,CAAJ,C;QACI,gBmJuDqC,wFAA+E,aAAO,O;QnJtD3H,MAAM,gCAAyB,SAAQ,WAAjC,C;OmJ2DV,kBAAuB,aAAO,O;MAC9B,oBAA8B,C;MAE9B,sBAAyB,U;K;8DAAzB,Y;MAAA,0B;K,OAAA,gB;MAAA,0B;K;uCAGA,iB;MAGW,Q;MAFP,+DAAkB,KAAIB,EAAyB,SAAZB,C;MAEA,OAAO,sBAmGmC,CAnG5B,iBA

mG6B,GAnGV,KAmGU,IAAD,IAAa,eAnGhD,4D;K;kCAGX,Y;MAAe,qBAAQ,e;K;IAEgB,4D;MAAA,sC;MAA S,2B;MAC5C,eAAoB,oB;MACpB,eAAoB,4B;K;8DAEpB,Y;MAKgB,Q;MAJZ,IAAI,iBAAS,CAAb,C;QACI,W;; QAGA,mBAAQ,sCAAO,YAAP,4DAAR,C;QACA,eAoFkC,CAPF1B,YAoF2B,GAPFb,CAoFa,IAAD,IAAa,+B;Q AnF/C,mC;;K;;oCAXZ,Y;MAAuC,kD;K;2CAgBvC,iB;MAGiE,UAQ1C,MAR0C,EAE1C,MAf0C,EAqBtD,M;MAAt BP,aACQ,KAAM,OAAN,GAAa,IAAK,KAAtB,GAaKc,UAAN,KAAM,EAAO,IAAK,KAAZ,CAAIC,GAAYD,kD ;MAE7D,WAAW,IAAK,K;MAEHb,WAAW,C;MACX,UAAU,iB;MAEV,OAAO,OAAO,IAAP,IAAe,MAAM,eA A5B,C;QACI,OAAO,IAAP,IAAe,wBAAO,GAAP,gE;QACf,mB;QACA,iB;;MAGJ,MAAM,C;MACN,OAAO,OA AO,IAAd,C;QACI,OAAO,IAAP,IAAe,wBAAO,GAAP,gE;QACf,mB;QACA,iB;;MAEJ,IAAI,MAAO,OAAP,GA Ac,IAAK,KAAvB,C;QAA6B,OAAO,IAAK,KAAZ,IAAoB,I;MAEjD,OAAO,uD;K;mCAGX,Y;MACI,OAAO,qB AAQ,gBAaA,SAAb,OAAR,C;K;4CAGX,uB;MAKI,kBAaOd,eAAjC,mBAAy,mBAaA,CAAZB,IAA8B,CAA9B,I AAiC,EAAa,WAAb,C;MACpD,gBAaOB,sBAAC,CAAIB,GAA4B,UAAP,aAAO,EAAO,WAAP,CAA5B,GAAqD, qBAAQ,gBAaA,WAAb,OAAR,C;MACrE,OAAO,eAAW,SAAX,EAA5B,SAAtB,C;K;qCAGX,mB;MAII,IAAI,aA AJ,C;QACI,MAAM,6BAAsB,qBAAtB,C;OAGV,cA6B0C,CA7BnC,iBA6BoC,GA7BjB,SA6BiB,IAAD,IAAa,eA7 BvD,IAAmC,O;MACnC,6B;K;+CAGJ,a;MnJhJA,IAAI,EmJoJQ,KAAK,CnJpJb,CAAJ,C;QACI,cmJmJkB,wC;QnJ lJIB,MAAM,gCAAYB,OAAQ,WAAjC,C;OAFV,IAAI,EmJqJQ,KAAK,SnJrJb,CAAJ,C;QACI,gBmJoJqB,wEAA8 D,S;QnJnJnF,MAAM,gCAAYB,SAAQ,WAAjC,C;OmJqJN,IAAI,IAAI,CAAR,C;QACI,YAAy,iB;QACZ,UAGBsC ,CAhB5B,KAgB6B,GAhBf,CAGBe,IAAD,IAAa,e;QAdnD,IAAI,QAAQ,GAAZ,C;UACW,OAAP,aAAO,EAAK,IA AL,EAAW,KAAX,EAAkB,eAAIB,C;UACA,OAAP,aAAO,EAAK,IAAL,EAAW,CAAX,EAAc,GAAd,C;;UAEA, OAAP,aAAO,EAAK,IAAL,EAAW,KAAX,EAAkB,GAAIB,C;;QAGX,oBAaA,G;QACb,wBAAQ,CAAR,I;Q;qCA KR,wB;MAC8C,QAAC,YAAO,CAAP,IAAD,IAAa,e;K;;IA9G3D,0C;MAAA,oD;MAA6B,uBAaK,gBAAmB,QA AnB,OAAL,EAAmC,CAAnC,C;MAA7B,Y;K;ICvFJ,0C;MAII,QAAQ,I;MACR,QAAQ,K;MACR,YAAy,kBAAM ,CAAC,OAAO,KAAP,IAAD,IAAiB,CAAjB,IAAN,C;MACZ,OAAO,KAAK,CAAZ,C;QACI,OJ8B4E,0B+J9BrE, kBAAM,CAAN,C/J8K2B,KAAL,GAAiB,GAhJ8B,E+J9B1D,K/J8KgB,KAAL,GAAiB,GAhJ8B,C+J9BrE,IAAP,C ;UACI,a;;QACJ,O/J4B4E,0B+J5BrE,kBAAM,CAAN,C/J4K2B,KAAL,GAAiB,GAhJ8B,E+J5B1D,K/J4KgB,KAA L,GAAiB,GAhJ8B,C+J5BrE,IAAP,C;UACI,a;;QACJ,IAAI,KAAK,CAAT,C;UACI,UAAU,kBAAM,CAAN,C;UA CV,kBAAM,CAAN,EAAW,kBAAM,CAAN,CAAX,C;UACA,kBAAM,CAAN,EAAW,GAAX,C;UACA,a;UACA, a;;MAGR,OAAO,C;K;IAGX,uC;MAGI,YAAy,aAAU,KAAV,EAAiB,IAAjB,EAAuB,KAAvB,C;MACZ,IAAI,QA AO,QAAQ,CAAR,IAAP,CAAJ,C;QACI,UAAU,KAAV,EAAiB,IAAjB,EAAuB,QAAQ,CAAR,IAAvB,C;MACJ,I AAI,QAAQ,KAAZ,C;QACI,UAAU,KAAV,EAAiB,KAAjB,EAAwB,KAAxB,C;K;IAGR,0C;MAII,QAAQ,I;MAC R,QAAQ,K;MACR,YAAy,kBAAM,CAAC,OAAO,KAAP,IAAD,IAAiB,CAAjB,IAAN,C;MACZ,OAAO,KAAK, CAAZ,C;QACI,O7JK6E,0B6JLtE,kBAAM,CAAN,C7J8I2B,KAAL,GAAiB,KAZI+B,E6JL3D,K7J8IgB,KAAL,GA AiB,KAZI+B,C6JLtE,IAAP,C;UACI,a;;QACJ,O7JG6E,0B6JHtE,kBAAM,CAAN,C7J4I2B,KAAL,GAAiB,KAZI+ B,E6JH3D,K7J4IgB,KAAL,GAAiB,KAZI+B,C6JHtE,IAAP,C;UACI,a;;QACJ,IAAI,KAAK,CAAT,C;UACI,UAA U,kBAAM,CAAN,C;UACV,kBAAM,CAAN,EAAW,kBAAM,CAAN,CAAX,C;UACA,kBAAM,CAAN,EAAW,G AAX,C;UACA,a;UACA,a;;MAGR,OAAO,C;K;IAGX,yC;MAGI,YAAy,aAAU,KAAV,EAAiB,IAAjB,EAAuB,K AA vB,C;MACZ,IAAI,QAAO,QAAQ,CAAR,IAAP,CAAJ,C;QACI,YAAU,KAAV,EAAiB,IAAjB,EAAuB,QAAQ, CAAR,IAAvB,C;MACJ,IAAI,QAAQ,KAAZ,C;QACI,YAAU,KAAV,EAAiB,KAAjB,EAAwB,KAAxB,C;K;IAG R,0C;MAII,QAAQ,I;MACR,QAAQ,K;MACR,YAAy,kBAAM,CAAC,OAAO,KAAP,IAAD,IAAiB,CAAjB,IAAN ,C;MACZ,OAAO,KAAK,CAAZ,C;QACI,O9JpB8D,Y8JoBvD,kBAAM,CAAN,C9JpBwE,KAAjB,E8JoB5C,K9Jp ByE,KAA7B,C8JoBvD,IAAP,C;UACI,a;;QACJ,O9JtB8D,Y8JsBvD,kBAAM,CAAN,C9JtBwE,KAAjB,E8JsB5C, K9JtByE,KAA7B,C8JsBvD,IAAP,C;UACI,a;;QACJ,IAAI,KAAK,CAAT,C;UACI,UAAU,kBAAM,CAAN,C;UAC V,kBAAM,CAAN,EAAW,kBAAM,CAAN,CAAX,C;UACA,kBAAM,CAAN,EAAW,GAAX,C;UACA,a;UACA,a; ;MAGR,OAAO,C;K;IAGX,yC;MAGI,YAAy,aAAU,KAAV,EAAiB,IAAjB,EAAuB,KAAvB,C;MACZ,IAAI,QA AO,QAAQ,CAAR,IAAP,CAAJ,C;QACI,YAAU,KAAV,EAAiB,IAAjB,EAAuB,QAAQ,CAAR,IAAvB,C;MACJ,IA AI,QAAQ,KAAZ,C;QACI,YAAU,KAAV,EAAiB,KAAjB,EAAwB,KAAxB,C;K;IAGR,0C;MAII,QAAQ,I;MACR ,QAAQ,K;MACR,YAAy,kBAAM,CAAC,OAAO,KAAP,IAAD,IAAiB,CAAjB,IAAN,C;MACZ,OAAO,KAAK,C AAZ,C;QACI,OjI7C+D,aiI6CxD,kBAAM,CAAN,CjI7C0E,KAAIB,EiI6C7C,KjI7C2E,KAA9B,CiI6CxD,IAAP,C; UACI,a;;QACJ,OjI/C+D,aiI+CxD,kBAAM,CAAN,CjI/C0E,KAAIB,EiI+C7C,KjI/C2E,KAA9B,CiI+CxD,IAAP,C;

UACI,a;;QACJ,IAAI,KAAK,CAAT,C;UACI,UAAU,kBAAM,CAAN,C;UACV,kBAAM,CAAN,EA AW,kBAAM, CAAN,CAAX,C;UACA,kBAAM,CAAN,EA AW,GAAX,C;UACA,a;UACA,a;;MAGR,OAAO,C;K;IAGX,yC;MA GI,YAAY,aAAU,KAAV,EAAiB,IAAjB,EAAuB,KAAvB,C;MACZ,IAAI,QAAO,QAAQ,CAAR,IAAP,CAAJ,C;Q ACI,YAAU,KAAV,EAAiB,IAAjB,EAAuB,QAAQ,CAAR,IAAvB,C;MACJ,IAAI,QAAQ,KAAZ,C;QACI,YAAU, KAAV,EAAiB,KAAjB,EAAwB,KAAxB,C;K;IAKR,4B;MAI+C,UAAU,KAAV,EAAiB,CAAjB,EAAoB,KAAM, KAAAN,GAAa,CAAb,IAApB,C;K;IAC/C,4B;MAC+C,YAAU,KAAV,EAAiB,CAAjB,EAAoB,KAAM,KAAN,GA Aa,CAAb,IAApB,C;K;IAC/C,4B;MAC+C,YAAU,KAAV,EAAiB,CAAjB,EAAoB,KAAM,KAAN,GAAa,CAAb,IA ApB,C;K;IAC/C,4B;MAC+C,YAAU,KAAV,EAAiB,CAAjB,EAAoB,KAAM,KAAN,GAAa,CAAb,IAApB,C;K; IjJI/C,wD;MAAsG,4C;K;IAAtG,+CACI,gB;MAAwC,+BAAW,CAAX,EAAC,CAAd,C;K;IAD5C,oF;IDJA,0C;M F0BI,IAAI,EEjBI,SAAU,OAAV,GAAiB,CFiBrB,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAYB,OAAQ,WAAj C,C;OEIBV,OAAO,oBAAoB,CAApB,EAAuB,CAAvB,EAA0B,SAA1B,C;K;IAGX,8C;MACe,Q;MAAX,wBAA W,SAAx,gB;QAAW,SAAA,SAAx,M;QACI,SAAS,GAAG,CAAH,C;QACT,SAAS,GAAG,CAAH,C;QACT,WA AW,cAAc,EAAd,EAakB,EAAiB,C;QACX,IAAI,SAAQ,CAAZ,C;UAAe,OAAO,I;;MAE1B,OAAO,C;K;sGAGX, yB;MAAA,8D;MAAA,iC;QASI,OAAO,cAAc,SAAS,CAAT,CAAd,EAA2B,SAAS,CAAT,CAA3B,C;O;KATX,C; sGAYA,sC;MASI,OAAO,UAAW,SAAQ,SAAS,CAAT,CAAR,EAAqB,SAAS,CAAT,CAArB,C;K;IAatB,6B;MA WY,Q;MALR,IAAI,MAAM,CAAV,C;QAAa,OAAO,C;MACpB,IAAI,SAAJ,C;QAAe,OAAO,E;MACtB,IAAI,SA AJ,C;QAAe,OAAO,C;MAGtB,OAA8B,iBAAtB,mDAAsB,EAAU,CAAV,C;K;IAaZ,6C;MAAA,uB;QAAU,2BAA oB,CAApB,EAAuB,CAAvB,EAA0B,iBAA1B,C;O;K;IAVhC,8B;MF7CI,IAAI,EEsDI,SAAU,OAAV,GAAiB,CFt DrB,CAAJ,C;QACI,cAda,qB;QAeb,MAAM,gCAAYB,OAAQ,WAAjC,C;OEqDV,sCAAKB,2BAAIB,C;K;0FAIJ,y B;MAAA,sC;MCjFA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EA AAc,CAAd,C;O;MAD5C,kF;MDiFA,uBAOe,yB;QArEf,8D;eAqEe,4B;UAAA,uB;YAAU,eAAsB,gB;YAAtB,OA5Dd, cAAc,SA4DgB,CA5DhB,CAAd,EAA2B,SA4DM,CA5DN,CAA3B,C;W;S;OA4DI,C;MAPf,2B;QAOI,oCAAW,0B AAX,C;O;KAPJ,C;0FASA,yB;MC1FA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+B AAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MDkGe,gE;QAAA,uB;UAAU,iBAAsB,kB;UAAtB,eAAkC,gB;UAAI C,OA1Dd,UAAW,SAAQ,SA0DW,CA1DX,CAAR,EAAqB,SA0DC,CA1DD,CAArB,C;S;O;MAkDtB,uC;QAQI,o CAAW,sCAAX,C;O;KARJ,C;4GAUA,yB;MAAA,sC;MCpGA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG, 6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MDoGA,iCAOe,yB;QAxFf,8D;eAwFe,4B;U AAA,uB;YAAU,eAAsB,gB;YAAtB,OA/Ed,cAAc,SA+EGb,CA/EhB,CAAd,EAA2B,SA+EM,CA/EN,CAA3B,C; W;S;OA+EI,C;MAPf,2B;QAOI,oCAAW,oCAAX,C;O;KAPJ,C;8GASA,yB;MC7GA,kC;MAAA,oC;MAAA,sD;Q AAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MDuHe,0E;QAAA,uB; UAAU,iBAAsB,kB;UAAtB,eAAkC,gB;UAAIC,OA/Ed,UAAW,SAAQ,SA+EW,CA/EX,CAAR,EAAqB,SA+EC,C A/ED,CAArB,C;S;O;MAqEtB,uC;QAUI,oCAAW,gDAAX,C;O;KAVJ,C;kFAYA,yB;MAAA,sC;MCzHA,kC;MA AA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;M DyHA,oBAQe,yB;QA9Gf,8D;eA8Ge,yC;UAAA,uB;YACP,sBAAsB,WAAy,SAAQ,CAAR,EA AW,CAAX,C;YACIC,Q;YAAA,IAAI,oBAAmB,CAAvB,C;cAAA,OAA0B,e;;cAAqB,eAAsB,gB;cAArE,OA vGG,cAAc,SAuG8C,C AvG9C,CAAd,EAA2B,SAuGoC,CAvGpC,CAA3B,C;;YAsGH,W;W;S;OADO,C;MARf,sC;QAQI,oCAAW,kCAA X,C;O;KARJ,C;oFAaA,yB;MCtIA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAA W,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MD8Ie,0E;QAAA,uB;UACP,sBAAsB,WAAy,SAAQ,CAAR,EA AW,CA AX,C;UACIC,Q;UAAA,IAAI,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAAtB,eAAkC,gB;Y AAjF,OA xGG,UAAW,SAAQ,SAwGyC,CAXGzC,CAAR,EAAqB,SAwG+B,CAXG/B,CAArB,C;;UAuGd,W;S;O; MATR,kD;QAQI,oCAAW,8CAAX,C;O;KARJ,C;sGAaA,yB;MAAA,sC;MCnJA,kC;MAAA,oC;MAAA,sD;QAAs G,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MAD5C,kF;MDmJA,8BAQe,yB;QAxIf, 8D;eAwIe,mD;UAAA,uB;YACP,sBAAsB,qBAAsB,SAAQ,CAAR,EA AW,CAAX,C;YAC5C,Q;YAAA,IAAI,oBA AmB,CAAvB,C;cAAA,OAA0B,e;;cAAqB,eAAsB,gB;cAArE,OAjIG,cAAc,SAiI8C,CAjI9C,CAAd,EAA2B,SAiIo C,CAjIpC,CAA3B,C;;YAgIH,W;W;S;OADO,C;MARf,sC;QAQI,oCAAW,4CAAX,C;O;KARJ,C;wGAaA,yB;MCh KA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,CAAX,EAAC,CAAd,C;O;MA D5C,kF;MDwKe,8F;QAAA,uB;UACP,sBAAsB,qBAAsB,SAAQ,CAAR,EA AW,CAAX,C;UAC5C,Q;UAAA,IAA I,oBAAmB,CAAvB,C;YAAA,OAA0B,e;;YAAqB,iBAAsB,kB;YAAtB,eAAkC,gB;YAAjF,OAII,G,UAAW,SAAQ,

SAkIyC,CAIIZC,CAAR,EAAqB,SAkI+B,CAII/B,CAArB,C;;UAIId,W;S;O;MATR,kD;QAQI,oCAAW,wDAAX,C;O;KARJ,C;kGAcA,yB;MC9KA,kC;MAAA,oC;MAAA,sD;QAAsG,4C;O;MAAtG,6CACI,gB;QAAwC,+BAAW,C AAX,EAAc,CAAd,C;O;MAD5C,kF;MDqLe,wE;QAAA,uB;UACP,sBAAsB,mBAAoB,SAAQ,CAAR,EAAW,CA AX,C;UAA1C,OACI,oBAAmB,CAAvB,GAA0B,eAA1B,GAA+C,mBAAW,CAAX,EAAc,CAAd,C;S;O;MATvD, wC;QAOI,oCAAW,4CAAX,C;O;KAPJ,C;IAmBe,oD;MAAA,uB;QACP,sBAAsB,SAAU,SAAQ,CAAR,EAAW,C AAX,C;QAAhC,OACI,oBAAmB,CAAvB,GAA0B,eAA1B,GAA+C,kBAAW,SAAQ,CAAR,EAAW,CAAX,C;O; K;IATIE,uC;MAOI,sCAAW,kCAAX,C;K;IAYc,wE;MAAA,uB;QACV,sBAAsB,mBAAoB,SAAQ,CAAR,EAAW, CAAX,C;QAA1C,OACI,oBAAmB,CAAvB,GAA0B,eAA1B,GAA+C,kBAAW,SAAQ,CAAR,EAAW,CAAX,C;O; K;IATIE,+C;MAOI,sCAAc,4CAAd,C;K;IAaW,+C;MAAA,uB;QAEH,UAAM,CAAN,C;UADJ,OACe,C;aACX,c; UAFJ,OAEiB,E;aACb,c;UAHJ,OAGiB,C;;UAHjB,OAIY,kBAAW,SAAQ,CAAR,EAAW,CAAX,C;O;K;IAZ/B,gC ;MAOI,sCAAW,6BAAX,C;K;4FASJ,yB;MAAA,4D;MAAA,wD;MAAA,mB;QAOqE,kBAAW,cAAX,C;O;KAPrE ,C;IAGBe,8C;MAAA,uB;QAEH,UAAM,CAAN,C;UADJ,OACe,C;aACX,c;UAFJ,OAEiB,C;aACb,c;UAHJ,OAGi B,E;;UAHjB,OAIY,kBAAW,SAAQ,CAAR,EAAW,CAAX,C;O;K;IAZ/B,+B;MAOI,sCAAW,4BAAX,C;K;0FASJ, yB;MAAA,4D;MAAA,sD;MAAA,mB;QAOoE,iBAAU,cAAV,C;O;KAPpE,C;IASA,wB;MAK4F,Q;MAA7B,OAA 6B,4F;K;IAE5F,wB;MAK4F,Q;MAA7B,OAA6B,4F;K;IAE5F,gC;MAK+D,IAEJ,IAFI,EAGJ,M;MAFvD,kBAD2 D,SAC3D,sB;QADqD,OAC5B,SAAK,W;WAC9B,WAF2D,SAE3D,wC;QAFqD,OAEe,4F;WACvD,WAH2D,SA G3D,wC;QAHqD,OAGE,gG;;QAHF,OAI7C,uBAAmB,SAAnB,C;K;IAIuB,wC;MAAC,4B;K;2CAChC,gB;MAAw C,OAAA,eAAW,SAAQ,CAAR,EAAW,CAAX,C;K;4CACnD,Y;MACgC,sB;K;;IAGpC,kC;MAAA,sC;K;+CACI,g B;MAAoE,OAAE,iBAAF,CAAE,EAAU,CAAV,C;K;gDACtE,Y;MAC8C,2C;K;;;IAHID,8C;MAAA,6C;QAAA,4 B;OAAA,sC;K;IAMA,kC;MAAA,sC;K;+CACI,gB;MAAoE,OAAE,iBAAF,CAAE,EAAU,CAAV,C;K;gDACtE,Y; MAC8C,2C;K;;;IAHID,8C;MAAA,6C;QAAA,4B;OAAA,sC;K;ImJ/SA,iC;K;;;oDA2DI,0C;MAiB+D,oB;QAAA,2 C;aAjB/D,kG;K;;IAoBJ,uC;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,qC;MAAA,wC;O;MASI,4E;MAMA,8E;MA OA,4E;MAOA,kE;K;;IApBA,mD;MAAA,2B;MAAA,2C;K;;IAMA,oD;MAAA,2B;MAAA,4C;K;;IAOA,mD;MA AA,2B;MAAA,2C;K;;IAOA,8C;MAAA,2B;MAAA,sC;K;;IA7BJ,iC;MAAA,+K;K;;IAAA,sC;MAAA,a;aAAA,c;U AAA,gD;aAAA,e;UAAA,iD;aAAA,c;UAAA,gD;aAAA,S;UAAA,2C;gBAAA,oE;;K;;oFAqCA,mB;K;;;;;;;;;;; IzGe0C,gD;MAAA,oB;QACIC,WAAW,sBAAmB,YAAF,CAAE,CAAnB,C;QACX,cAAM,IAAN,C;QADA,OAE A,IAAK,a;O;K;;;IArHb,+B;K;;iFAUA,yB;MAAA,4B;MAAA,mC;QAMI,6BD6CQ,WC7CkB,KD6CIB,CC7CR,C; O;KANJ,C;2GAQA,yB;MAAA,4B;MD6CQ,kD;MC7CR,uC;QAOI,6BD2CQ,WAAO,cC3CW,SD2CX,CAAP,CC3 CR,C;O;KAPJ,C;+FAUA,yB;MAAA,kC;MAAA,mD;MAAA,yE;QASI,sC;QAAA,4C;O;MATJ,6EAWY,Y;QAAQ ,2B;OAXpB,E;MAAA,0DAaQ,kB;QACI,wBAAW,MAAX,C;O;MADZ,sF;MAAA,sC;QASI,0D;O;KATJ,C;IAiBA, gD;MAaI,4BAA0D,YAAzC,wCAA6B,UAA7B,CAAYC,CAA1D,EAAyE,yBAAzE,C;K;IAEJ,4D;MAcI,4BAAoE, YAAAnD,0CAA6B,QAA7B,EAAuC,UAAvC,CAAmD,CAApE,EAAmF,yBAAnF,C;K;IAEJ,+C;MAU6C,YAAzC, wCAA6B,UAA7B,CAAYC,CAtEzC,oBD6CQ,WCyBsD,kBDzBtD,CC7CR,C;K;IAyEJ,2D;MAWuD,YAAAnD,0CA A6B,QAA7B,EAAuC,UAAvC,CAAmD,CApFnD,oBD6CQ,WCuCgE,kBDvChE,CC7CR,C;K;IAuFJ,+C;MAWI,O AAsC,8BAAtC,c;K;8EAXJ,yB;MAAA,oE;MAAA,6E;MAW0C,gD;QAAA,oB;UACIC,WAAW,sBAAmB,YAAF, CAAE,CAAnB,C;UACX,cAAM,IAAN,C;UADA,OAEA,IAAK,a;S;O;MAdB,sC;QAWI,mBAAsC,8BAAtC,6B;QA AA,yD;O;KAXJ,C;qGAwBI,yB;MAAA,2D;MAAA,mB;QACI,MAAM,6BAAoB,0BAApB,C;O;KADV,C;;M0GtI A,yC;;IAAA,uC;MAAA,2C;K;;IAAA,mD;MAAA,kD;QAAA,iC;OAAA,2C;K;+EAkBA,wB;K;oDAaA,e;MAK2C ,IAAI,IAAJ,EAGK,M;MAL5C,IAAI,+CAAJ,C;QAEI,OAAW,GAAl,kBAAS,IAAK,IAAd,CAAJ,IAA0B,GAAl,iBAAQ,I AAR,CAAJ,QAA9B,GAAyD,mCAAzD,GAAoF,I;OAE/F,OAAW,8CAA4B,GAAhC,GAAqC,mCAArC,GAAgE,I; K;;;ICtChD,oD;MACf,cAAc,GAAl,kBAAS,OAAQ,IAAjB,C;MACIB,IAAI,YAAy,mCAAhB,C;QADA,OACuC, O;;QAEnC,kBAABk,oBAAQ,yCAAR,C;QACIB,IAAI,mBAAJ,C;UAJJ,OAI6B,oBAAgB,OAAhB,EAAyB,OAAz B,C;;UACrB,WAAW,OAAQ,kBAAS,yCAAT,C;UAL3B,OAMY,SAAS,mCAAb,GAAoC,oBAAgB,OAAhB,EAA yB,WAAzB,CAApC,GACI,oBAAgB,oBAAgB,IAAhB,EAAhB,OAAhB,CAAhB,EAAgD,WAAhD,C;;K;8CAdxB, mB;MAKI,OAAI,YAAy,mCAAhB,GAAuC,IAAvC,GACI,OAAQ,cAAK,IAAL,EAAW,4BAAX,C;K;;;;qDAiCZ ,e;MAEyB,Q;MADrB,OACI,OAAA,IAAK,IAAL,EAAy,GAAZ,CAAJ,GAAqB,0EAArB,GAAoC,I;K;sDAExC,8

B;MACI,iBAAU,OAAV,EAAmB,IAAnB,C;K;0DAEJ,e;MACI,OAAI,OAAA,IAAK,IAAL,EAAY,GAAZ,CAAJ,GAAqB,mCAArB,GAAGD,I;K;;;IC1DP,8C;MAAC,wB;K;kFAAA,Y;MAAA,yB;K;;IAiCe,wD;MAEjE,kC;MAEA,4BAAqC,mDAAJ,GAakD,OAAQ,qBAA1D,GAA0E,O;K;4DAE3G,mB;MAA6C,+BAAS,OAAT,C;K;6DAC7C,e;MAA8C,eAAQ,IAAR,IAAgB,8BA Ae,G;K;;IAGjF,+C;MAW2C,IAAI,IAAJ,EAGV,M;MAL7B,IAAI,+CAAJ,C;QAEI,OAAW,GAAl,kBAAS,SAAK,IAAd,CAAR,GAA4B,cAAI,OAAJ,GAAl,iBAAQ,SAAR,CAAJ,yCAA5B,GAAyD,I;OAGpE,OAAW,SAAK,IAAL,KAAa,GAAjB,GAAsB,mFAAtB,GAAqC,I;K;IAGhD,6C;MAUI,IAAI,+CAAJ,C;QACI,OAAW,GAAl,kBAAS,SAAK,IAAd,CAAJ,IAA0B,GAAl,iBAAQ,SAAR,CAAJ,QAA9B,GAAyD,mCAAzD,GAAoF,S;OAE/F,OAAW,SAAK,IAAL,KAAa,GAAjB,GAAsB,mCAAtB,GAAiD,S;K;IAG5D,iC;MAAA,qC;MAKI,4B;K;oDACA,Y;MAAiC,0C;K;kDAEjC,e;MAAyD,W;K;mDACzD,8B;MAA4E,c;K;mDAC5E,mB;MAAW,E,c;K;uDACxE,e;MAA8D,W;K;+CAC9D,Y;MAAsC,Q;K;+CACtC,Y;MAAyC,8B;K;;;Iab7C,6C;MAAA,4C;QAAA,2B;OAAA,qC;K;IAqB8B,wC;MAC1B,kB;MACA,wB;K;4CAGA,e;MAGQ,Q;MAFJ,UAAU,I;MACV,OAAO,IAAP,C;QACI,YAAA,GAAl,UAAJ,aAAy,GAAZ,W;UAAwB,W;SACxB,WAAW,GAAl,O;QACf,IAAI,oCAAJ,C;UACI,MAAM,I;;UAEN,OAAO,iBAAK,GAAL,C;;;K;6CAKnB,8B;MACI,iBAAU,WAAK,cAAK,OAAL,EAAC,SAAd,CAAF,EAAyC,cAAzC,C;K;iDAEJ,e;UAGW,I;MAFP,+BAAQ,GAAR,U;QAAoB,OAAO,W;OAC3B,cAAc,WAAK,kBAAS,GAAT,C;MAEf,gBAAy,WAAZ,C;QAAoB,W;WACpB,gBAAy,mCAAZ,C;QAAqC,qB;;QAC7B,2BAAGB,OAaHb,EAAyB,cAAzB,C;MAHZ,W;K;uCAOJ,Y;MAIc,IAAI,IAAJ,Q;MAHV,UAAU,I;MACV,WAAW,C;MACX,OAAO,IAAP,C;QACU,uBAAI,OAAJ,GAAl,OAAJ,gC;QAAA,mB;UAAgC,OAAO,I;SAA7C,MAAM,M;QACN,mB;;K;2CAIR,mB;MACI,+BAAI,OAAQ,IAAZ,GAAoB,OAAPB,C;K;8CAEJ,mB;MAQ4B,Q;MAPxB,UAAU,O;MACV,OAAO,IAAP,C;QACI,IAAI,CAAC,gBAAS,GAAl,UAAb,CAAL,C;UAA4B,OAAO,K;QACnC,WAAW,GAAl,O;QACf,IAAI,oCAAJ,C;UACI,MAAM,I;;UAEN,OAAO,gBAAS,0EAAT,C;;;K;uCAKnB,iB;MACI,gBAAS,KAAT,KAAkB,yCAA4B,KAAM,SAAN,KAAgB,aAA5C,IAAsD,KAAM,eAAy,IAAZ,CAA9E,C;K;yCAEJ,Y;MAA+B,OA AK,SAAL,WAAK,CAAL,GAA0B,SAAR,cAAQ,CAA1B,I;K;IAGZ,uD;MACX,OAAI,G1I2DoC,YAAU,C0I3DID,GAAmB,OAAQ,WAA3B,GAA6C,GAAF,UAAQ,O;K;yCAF3D,Y;MACI,aAAM,kBAAK,EAAL,EAAS,+BAAT,CAAN,GAEl,G;K;IAMO,8E;MAAA,6B;QAAyB,Q;QAAT,iBAAS,sBAAT,EAAS,8BAAT,UAAoB,O;QAAQ,W;O;K;+CAJ3D,Y;MAOsB,Q;MANIB,QAAQ,a;MACR,eAAe,gBAA+B,CAA/B,O;MACf,gBAAy,CAAZ,C;MACA,kBAAK,kBAAL,EAAW,oDAAX,C;MxJtFJ,IAAI,EwJuFM,YAAS,CxJvFf,CAAJ,C;QACI,cAdW,e;QAeX,MAAM,6BAAsB,OAAQ,WAA9B,C;OwJuFN,OAAO,+BAAW,qDAAX,C;K;IAGa,8C;MACpB,kD;MADqB,wB;K;IACrB,gD;MAAA,oD;MACI,4B;K;;;IADJ,4D;MAAA,2D;QAAA,0C;OAAA,oD;K;yDAIA,Y;MAA0C,gBAAT,a;MrKshVrB,Q;MADhB,kBqKrhVmd,mC;MrKshVnD,wBAAGB,SAAhB,gB;QAAgB,cAAA,SAAhB,M;QAAsB,cAAwB,yBAAa,OAAb,C;;MqKthVT,OrKuhV9B,W;K;;;IsK1sVX,oE;MA2BI,MAAM,wBAAoB,sEAApB,C;K;8GA3BV,yB;MAAA,2D;MAAA,sC;QA2BI,MAAM,6BAAoB,sEAApB,C;O;KA3BV,C;IAwCoC,mC;MAAQ,4D;K;IAE5C,4C;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,0C;MAAA,6C;O;MAK0C,oG;MAAqB,gF;MAAW,4E;K;;IAAhC,+D;MAAA,gC;MAAA,uD;K;;IAAqB,qD;MAAA,gC;MAAA,6C;K;;IAAW,mD;MAAA,gC;MAAA,2C;K;;IALIE,sC;MAAA,sJ;K;;IAAA,2C;MAAA,a;aAAA,qB;UAAA,4D;aAAA,W;UAAA,kD;aAAA,S;UAAAgD,gBAAA,qF;;K;;6EChDA,yB;MAAA,0B;MAAA,mC;QAGsD,OAAiC,OAA3B,SAAL,GAAuB,KAAS,C;O;KAHvF,C;2EAKA,yB;MAAA,0B;MAAA,mC;QAGqD,OAAgC,OAA1B,SAAL,GAAsB,KAAS,C;O;KAHrF,C;6EAKA,yB;MAAA,0B;MAAA,mC;QAGsD,OAAiC,OAA3B,SAAL,GAAuB,KAAS,C;O;KAHvF,C;6EAKA,yB;MAAA,0B;MAAA,4B;QAGqC,OAAqB,OAAP,CAAR,SA Ae,C;O;KAH1D,C;+EAMA,yB;MAAA,4B;MAAA,mC;QAGyD,OAAiC,QAA3B,SAAL,GAAuB,KAAS,C;O;KAH1F,C;6EAKA,yB;MAAA,4B;MAAA,mC;QAGwD,OAAgC,QAA1B,SAAL,GAAsB,KAAS,C;O;KAHxF,C;+EAKA,yB;MAAA,4B;MAAA,mC;QAGyD,OAAiC,QAA3B,SAAL,GAAuB,KAAS,C;O;KAH1F,C;+EAKA,yB;MAAA,4B;MAAA,4B;QAGuC,OAAqB,QAAP,CAAR,SA Ae,C;O;KAH5D,C;ICpCA,qC;K;;ICAA,mB;K;;IAOA,iB;K;;IAOA,2C;K;;IAOA,wB;K;;IAQA,0B;K;;IAOA,sB;K;;IAOA,4B;K;;IAOA,6C;K;;IA+BuC,wE;MAEnC,uB;QAAA,UAAsB,E;MACTB,qB;QAAA,8B;MACA,2B;QAAA,qE;MACA,yB;QAAA,YAAqB,E;MAJrB,sB;MACA,sB;MACA,kB;MACA,8B;MACA,0B;K;;IAGJ,iD;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,+C;MAAA,kD;O;MAKI,wG;MACA,wG;MACA,8F;K;;IAFA,iE;MAAA,qC;MAAA,yD;K;;IACA,iE;MAAA,qC;MAAA,yD;K;;IACA,4D;MAAA,qC;MAAA,oD;K;;IAPJ,2C;MAAA,6K;K;;IAAA,gD;MAAA,a;aAAA,kB;UAAA,8D;aAAA,kB;UAAA,8D;aAAA,a;UAAA,yD;gBAAA,6E;;K;;IAUA,wB;K;;ICjGA,qB;MAAA,yB;K;0CAII,Y;MAO6D,uB;K;2HAE7D,yB;MAAA,+D;MAAA,kC;MAAA,0F;MAAA,6F;MAAA,8E;QAUI,wC;Q

AAS,6C;O;MAVb,mEAWQ,wC;QAA6E,sBAAS,QAAT,EAAMb,QAANb,EAA6B,QAA7B,C;O;MAXrF,oG;MAAA,yC;QAUI,wDAA+B,YAA/B,C;O;KAVJ,C;uHAcA,yB;MAAA,+D;MAAA,kC;MAAA,wF;MAAA,yF;MAAA,4E;QAcI,wC;QAAS,6C;O;MAdB,kEAeQ,wC;QAAuF,6BAAS,QAAT,EAAMb,QAANb,EAA6B,QAA7B,C;O;MAf/F,kG;MAAA,yC;QAcI,sDAA+B,YAA/B,C;O;KAdJ,C;;IA3BJ,iC;MAAA,gC;QAAA,e,OAAA,yB;K;IAGDiC,sB;MAC7B,eAAwB,I;K;4CAExB,6B;MACW,Q;MAAA,mB;MAAA,iB;QAAS,MAAM,6BAASb,cAAY,QAAS,aAArB,uCAAtB,C;OAAAtB,OAAO,I;K;4CAGX,oC;MACI,eAAa,K;K;;;;ICpDsB,OC;MACvC,uBAAoB,Y;K;wDAEPB,wC;MAM6F,W;K;uDAE7F,wC;K;oDAMA,6B;MACI,OAAO,oB;K;oDAGX,oC;MACI,eAAe,IAAK,gB;MACpB,IAAI,CAAC,0BAAa,QAAb,EAuB,QAavB,EAAiC,KAAjC,CAAL,C;QACI,M;OAEJ,uBAAa,K;MACb,yBAAAY,QAAZ,EAAb,QAAtB,EAAgC,KAaHc,C;K;;IC/BR,kB;MA+NI,4B;K;+BA1MA,Y;MAKiC,6BAAS,EAAT,C;K;uCAEjC,iB;MAS2C,4BAAQ,CAAR,EAAW,KAAX,C;K;uCAE3C,uB;MAWkB,Q;MAHd,iBAaiB,IAAjB,EAAuB,KAavB,C;MACA,QAAQ,QAAQ,IAAR,I;MACR,IAAI,IAAI,CAAJ,IAAS,MAAK,WAAIB,C;QACc,IAAI,MAAM,CAAC,CAAD,IAAN,OAAAY,CAAhB,C;UACN,eAAe,SAAS,CAAT,C;UACf,6BAAS,QAAT,C;;UAEA,K;;YAEI,WAAW,cAAU,KAAK,C;YAC1B,IAAI,OAAO,C;;UACN,gBAAO,CAAP,IAAY,CAAZ,GAAGb,CAAhB,SAaQb,CAArB,C;UACT,Q;;QATJ,c;QAWA,OAAO,OAAO,GAAP,I;;QAEp,OAAO,IAAP,C;UACI,YAAU,c;UACV,IAAW,IAAP,qBAakB,KAAtB,C;YAA6B,OAAO,K;;K;gCAKhD,Y;MAKmC,OAAU,oBAAV,cAAU,CAAS,WAAI,EAAJ,CAANb,yBAA6B,cAA7B,E;K;wCAEnC,iB;MAS8C,iCAAY,KAAZ,C;K;wCAE9C,uB;MAekB,Q;MAPd,mBAAiB,IAAjB,EAAuB,KAavB,C;MACA,QAAQ,eAAQ,IAAR,C;MACR,IAAI,eAAI,CAAR,C;QACI,O;QACA,IAAI,aAAO,CAAD,aAAN,GAAY,CAAZ,CAAJ,C;UACI,WAAW,CAAe,Q;UACb,YAAa,qBAAO,EAAP,CAAW,Q;UAEpB,aAAQ,CAAR,C;YACI,eAAe,SAAS,IAAT,C;YAEf,OAAmB,oBAANb,sBAAS,QAAT,CAAmB,CAANb,iB;iBAEJ,cAAS,CAAT,C;YAEI,OAAU,oBAAV,cAAU,CAAV,iB;;YAEA,iBAae,SAAS,KAAT,C;YACf,OAAmB,oBAANb,sBAAS,UAAT,CAAmB,CAAS,WAAI,EAAJ,CAA5B,yBAAsC,cAAtC,E;;UAXR,U;;UAeA,K;;YAEI,WAAW,eAAW,oBAAK,CAAL,C;YACtB,IAAI,YAAO,CAAP,C;;UACC,sBAAO,CAAP,MAAY,+BAAI,CAAJ,EAZ,eAAQb,CAArB,C;UACT,MAAM,C;;QAEV,OAAO,SAAO,GAAP,C;;QAEp,OAAO,IAAP,C;UACI,YAAU,e;UACV,IAAW,IAAP,0CAakB,KAaiB,CAAJ,C;YAA6B,OAAO,K;;K;mCAKhD,Y;MAGyC,6BAAS,CAAT,MAAe,C;K;kCAExD,Y;MAGuC,uBAAgB,sBAAS,EAAT,CAAhB,EAA8B,sBAAS,EAAT,CAA9B,C;K;0CAEvC,iB;MAOoD,+BAAW,GAAX,EAAGb,KAaHb,C;K;0CAEpD,uB;MAYY,Q;MAFR,mBAAiB,IAAjB,EAAuB,KAavB,C;MACA,WAAW,QAAQ,I;MACX,IAAS,WAAI,IAAK,CAAL,IAA0B,SAAL,IAAK,CAA1B,IAA8C,SAAN,KAAM,CAAI,D,C;QACJ,SAAS,qBAAGb,QAAQ,CAAR,GAAY,OAAO,CAANc,C;QACT,cAAO,EAAP,GAAY,E;;QAEZ,cAAO,oBAae,I;;MAJ1B,Y;MAMA,OAAW,KAAK,KAAT,GAAsB,SAAN,KAAM,CAAtB,GAAsC,C;K;iCAGjD,Y;MAGqC,6BAAS,EAAT,IAA0B,Q;K;IASK,oF;MAAA,mB;QAAE,uBAAa,iBAAb,sBAAqC,eAArC,+BAaQe,aAAM,OAA3E,M;O;K;iDAPtE,qC;M/JzJA,IAAI,E+JgKqB,CAAb,8BAAgB,KAAM,O/JhK9B,G+JgKiD,CAAX,0BAAc,KAAM,O/JhK1D,G+JgKsC,K/JhKtC,CAAJ,C;QACI,c+J+JgE,kD/J/JID,E;QACd,MAAM,gCAAYB,OAAQ,WAAjC,C;OAFV,IAAI,E+JiKQ,aAAa,O/JjKrB,CAAJ,C;QACI,gB+JgKgC,mF;Q/J/JhC,MAAM,gCAAYB,SAAQ,WAAjC,C;O+JiKN,YAAY,CAAC,UAAU,SAAV,IAAD,IAAwB,CAAxB,I;MAEZ,mBAAe,SAAf,C;M3JnDJ,iBAAc,CAAd,U2JoDW,K3JpDX,U;Q2JqDQ,QAAQ,c;QACR,MAAM,UAAN,IAAoB,OAAF,CAAe,C;QACpB,MAAM,aAAW,CAAX,IAAN,IAAgC,OAAV,CAAe,KAAK,CAAG,C;QAChC,MAAM,aAAW,CAAX,IAAN,IAAiC,OAAZ,CAAe,KAAK,EAAL,C;QACjC,0BAAAY,CAAZ,I;;MAGJ,gBAAGb,UAAU,UAAV,I;MACHB,SAAS,sBAAS,YAAY,CAAZ,IAAT,C;MACT,aAAU,CAAV,MAAkB,SAaIB,M;QACI,MAAM,aAAW,CAAX,IAAN,IAAqC,OAAf,EAAG,MAAK,IAAI,CAAJ,IAAL,CAAY,C;;MAGzC,OAAO,K;K;yCACX,uD;MAvB4C,yB;QAAA,YAAiB,C;MAAG,uB;QAAA,UAAe,KAAAM,O;aANrF,0H;K;yCA+BA,iB;MAKyD,8BAAU,KAavB,EAAiB,CAAjB,EAAoB,KAAM,OAA1B,C;K;yCAEzD,gB;MAGkD,8BAAU,cAAU,IAAV,CAAV,C;K;IAGID,0B;MAAA,8B;MAO2B,iB;MAEvB,uBAAoC,uB;MAuBpC,+C;K;gDARBA,oB;MAA4C,OAAA,oBAAc,kBAAS,QAAT,C;K;uCAC1D,Y;MAA8B,OAAA,oBAAc,U;K;+CAC5C,iB;MAAwC,OAAA,oBAAc,iBAAQ,KAAR,C;K;+CACtD,uB;MAAmD,OAAA,oBAAc,iBAAQ,IAAR,EAAC,KAAd,C;K;wCAEjE,Y;MAAgC,OAAA,oBAAc,W;K;gDAC9C,iB;MAA2C,OAAA,oBAAc,kBAAS,KAAT,C;K;gDACzD,uB;MAAuD,OAAA,oBAAc,kBAAS,IAAT,EAAe,KAAf,C;K;2CAErE,Y;MAAsC,OAAA,oBAAc,c;K;0CAEPD,Y;MAAoC,OAAA,oBAAc,a;K;kDACID,iB;MAAiD,OAAA,oBAAc,oBAAW,KAAX,C;K;kDAC/D,uB;MAA+D,OAAA,oBAAc,oBAAW,IAAX,EAAiB,KAajB,C;K;yCAE7E,Y;MAAkC,OAAA,oBAAc,Y;K;iDAEhD,iB;M

AA5D,OAAA,oBAAc,mBAAU,KAAV,C;K;iDACpE,gB;MAA+C,OAAA,oBAAc,mBAAU,IAAV,C;K;yDAC7D,q
C;MAAoF,OAAA,oBAAc,mBAAU,KAAV,EAAiB,SAAjB,EAA4B,OAA5B,C;K;;;IA9BtG,sC;MAAA,qC;QAAA,
oB;OAAA,8B;K;IA5CA,4B;MAAA,gC;MAC0B,iB;K;kDActB,oB;MAA4C,OAAA,4BAAQ,kBAAS,QAAT,C;K;;
;IAFxD,wC;MAAA,uC;QAAA,sB;OAAA,gC;K;;IAMJ,wB;MAWuC,yBAAa,IAAb,EAAMb,IAAK,IAAI,EAA5B,
C;K;IAEvC,wB;MAWwC,yBAAa,IAAK,QAAlB,EAA2B,IAAK,YAAI,EAAJ,CAAQ,QAAxC,C;K;IAIxC,mC;MA
UI,IAAA,KAAM,UAAN,C;QAAMb,MAAM,gCAAYb,uCAAoC,KAA7D,C;WACzB,IAAA,KAAM,KAAN,GAA
a,UAAb,C;QAF8C,OAeHb,0BAAQ,KAAM,MAAd,EAAqB,KAAM,KAAN,GAAa,CAAb,IAArB,C;WAC9B,IAA
A,KAAM,MAAN,GAAc,WAAd,C;QAH8C,OAGf,0BAAQ,KAAM,MAAN,GAAc,CAAd,IAAR,EAAYb,KAAM,
KAA/B,IAAuC,CAAvC,I;;QAHe,OAIc,mB;K;IAGZ,oC;MAUI,IAAA,KAAM,UAAN,C;QAAMb,MAAM,gCAA
yB,uCAAoC,KAA7D,C;WACzB,IAAA,KAAM,KAAN,+C;QAFiD,OAeIB,2BAAS,KAAM,MAAf,EAA5B,KAA
M,KAAN,yBAAa,CAAb,EAAtB,C;WAC/B,IAAA,KAAM,MAAN,+C;QAHiD,OAGjB,2BAAS,KAAM,MAAN,8
BAAc,CAAd,EAAT,EAA0B,KAAM,KAAhC,0BAAwC,CAAxC,E;;QAHiB,OAIzC,oB;K;IAOZ,yB;MACyC,YIEt
RiC,akEsR5B,KIEtR4B,CkEsRjC,I;K;IAEzC,4C;MAEI,OAAA,SAAK,KAAK,EAAL,GAAU,QAaf,GAAyC,CAA
X,CAAC,QAAD,IAAW,KAAI,E;K;IAEjD,uC;M/JxTI,IAAI,E+JwTuD,QAAQ,I/JxT/D,CAAJ,C;QACI,c+JuTuE,+
B;Q/JtTvE,MAAM,gCAAYb,OAAQ,WAAjC,C;Q;I+JuTd,yC;M/JzTI,IAAI,E+JyTyD,sBAAQ,IAAR,K/JzTzD,CA
AJ,C;QACI,c+JwTyE,+B;Q/JvTzE,MAAM,gCAAYb,OAAQ,WAAjC,C;Q;I+JwTd,yC;M/J1TI,IAAI,E+J0T6D,QA
AQ,I/J1TrE,CAAJ,C;QACI,c+JyT6E,+B;Q/JxT7E,MAAM,gCAAYb,OAAQ,WAAjC,C;Q;I+J0Td,yC;MAAYD,oC
AA0B,IAA1B,qBAaIC,KAAjC,kB;K;ICvVzD,6B;MAOqC,O1K2RE,S0K3RF,mB1K2RE,C;K;I0KzRvC,sC;MAS
gD,6BAAS,WAAT,EAAa,KAAb,C;K;IAEhD,4C;MAUI,qBAAqB,IAArB,EAA2B,KAA3B,C;MAEA,iBAAiB,I1K
6JgB,K0K7JhB,GAAiB,W;MACiC,kBAaKb,K1K4Je,K0K5Jf,GAaKb,W;MAEpC,mBAAMb,0BAAQ,UAAR,EA
AoB,WAAPb,IAAqC,W;MACxD,O1K8PmC,S0K9P5B,Y1K8P4B,C;K;I0K3PvC,sC;MAWI,IAAA,KAAM,UA
AN,C;QAAMb,MAAM,gCAAYb,uCAAoC,KAA7D,C;;QACzB,I1KEKe,Y0KFIE,KAAM,K1KE6E,KAAjB,E0KFr
D,4BAAK,U1KE6E,KAA7B,C0KFIE,K;UAFiD,OAeIB,sBAAS,KAAM,MAAf,E1KoBsB,S0KpBA,KAAM,K1Ko
BI,KAAK,GAAW,C0KpBb,W1KoBa,MAAX,IAAf,C0KpBtB,C;;UAC/B,I1KCKe,Y0KDIE,KAAM,M1KC6E,KA
AjB,E0KDpD,4BAAK,U1KC4E,KAA7B,C0KDIE,K;YAHiD,O1KsBI,S0KnBrB,sB1KgCsB,S0KhCb,KAAM,M1
KgCiB,KAAK,GAAy,C0KhC1B,W1KgC0B,MAAZ,IAAf,C0KhCtB,EAA2B,KAAM,KAAjC,C1KmB+B,KAAK,
GAAW,C0KnBN,W1KmBM,MAAX,IAAf,C;;Y0KtBJ,OAIzC,mB;;;K;IAGZ,8B;MAOuC,O7IkPG,U6IIPH,oB7Ik
PG,C;K;I6IhP1C,uC;MASmD,8BAAU,2BAAV,EAAe,KAAf,C;K;IAEnD,6C;MAUI,sBAAsB,IAAtB,EAA4B,KA
A5B,C;MAEA,iBAAiB,I7IghkB,K6IhHIB,8B;MACjB,kBAaKb,K7I+GiB,K6I/GjB,8B;MAEIB,mBAAMb,2BAA
S,UAAT,EAAqB,WAARb,+B;MACnB,O7IqNsC,U6IrN/B,Y7IqN+B,C;K;I6IIN1C,uC;MAWI,IAAA,KAAM,UA
AN,C;QAAMb,MAAM,gCAAYb,uCAAoC,KAA7D,C;;QACzB,I7I9CmE,a6I8CnE,KAAM,K7I9C+E,KAAIB,E6I8
CtD,6BAAM,U7I9C8E,KAA9B,C6I8CnE,K;UAFoD,OAEPb,uBAAU,KAAM,MAAhB,E7IjCuB,U6IiCA,KAAM,
K7IjCK,KAAK,KAAW,C7B+J7C,UAAW,oBAAL,C0K9HyB,W1K8HzB,MAAK,CAAL,iBAAN,C6B/J6C,MAA
X,CAAhB,C6IiCvB,C;;UACHC,I7I/CmE,a6I+CnE,KAAM,M7I/C+E,KAAIB,E6I+CrD,6BAAM,U7I/C6E,KAA9B,
C6I+CnE,K;YAHoD,O7I/BG,U6IkCtB,uB7IrBuB,U6IqBb,KAAM,M7IrBkB,KAAK,UAAy,C7BkJ/C,UAAW,oB
AAL,C0K7Hc,W1K6Hd,MAAK,CAAL,iBAAN,C6BIJ+C,MAAZ,CAAhB,C6IqBvB,EAA4B,KAAM,KAAIC,C7II
CiC,KAAK,KAAW,C7B+J7C,UAAW,oBAAL,C0K7HgC,W1K6HhC,MAAK,CAAL,iBAAN,C6B/J6C,MAAX,C
AAhB,C;;Y6I+BH,OAI5C,oB;;;K;IAGZ,sC;MAQI,4BAAU,K3IwtFH,Q2IxtFP,C;MACA,OAAO,K;K;IAGX,uC;M
AKsD,O3IuxF3C,e2IvxF2C,4BAAU,IAAV,C3IuxF3C,C;K;I2IrxFX,4D;MAOgD,yB;QAAA,YAAiB,C;MAAG,uB
;QAAA,UAAe,KAAM,K;MACrF,4BAAU,K3IqsFH,Q2IrsFP,EAA+B,SAA/B,EAA0C,OAA1C,C;MACA,OAAO,
K;K;IAIX,2C;MhKrHI,IAAI,EV0B8D,Y0K4FD,K1K5FkB,KAAjB,E0K4FO,I1K5FsB,KAA7B,C0K4FD,IhKtH7D
,CAAJ,C;QACI,cgKqH6E,+B;QhKpH7E,MAAM,gCAAYb,OAAQ,WAAjC,C;Q;IgKqHd,4C;MhKvHI,IAAI,EmB
kC+D,a6IsFC,K7ItFiB,KAAIB,E6IsFS,I7ItFqB,KAA9B,C6IsFC,IhKxHhE,CAAJ,C;QACI,cgKuHgF,+B;QhKtHhF
,MAAM,gCAAYb,OAAQ,WAAjC,C;Q;IiKnBd,6C;MAOI,iB;MANA,Y;MACA,Y;MACA,Y;MACA,Y;MACA,Y;
MACA,sB;MjKWA,IAAI,EiKJQ,CAAC,WAAC,QAAL,GAAU,QAAY,GAAe,QAaf,GAAoB,QAARb,MAA2B,Cj
KInC,CAAJ,C;QACI,ciKLwC,wD;QjKMxC,MAAM,gCAAYb,OAAQ,WAAjC,C;OIgHV,iBAAc,CAAd,U6JnHW,
E7JmHX,U;Q6JnHiB,c;;K;qCAGjB,Y;MAGI,QAAQ,Q;MACR,IAAI,IAAO,MAAO,C;MACIB,WAAI,Q;MACJ,W
AAI,Q;MACJ,WAAI,Q;MACJ,SAAS,Q;MACT,WAAI,E;MACJ,IAAK,IAAO,KAAM,CAAd,GAAsB,EAAtB,GA

A8B,MAAO,C;MACzC,WAAI,C;MACJ,gCAAU,MAAV,I;MACA,OAAO,IAAI,aAAJ,I;K;8CAGX,oB;MACI,OA
AU,cAAV,cAAU,EAAc,QAAAd,C;K;;IA3Bd,gD;MAAA,sD;MACQ,yBAAK,KAAL,EAAy,KAAZ,EAAmB,CAAn
B,EAAzB,CAAtB,EAA+B,CAAN,KAAzB,EAAuC,SAAU,EAAx,GAAoB,UAAW,CAArE,C;MADR,Y;K;ICdiD,
8C;MACjD,4B;MACA,0C;K;oEADA,Y;MAAA,2B;K;2EACA,Y;MAAA,kC;K;uCAGA,iB;MACI,OAAO,0CAAg
C,kBAAa,KAAM,UAAAnB,KAC/B,mBAAS,KAAM,MAAf,KAAwB,0BAAgB,KAAM,aAAtB,CADO,CAAhC,C;
K;yCAIX,Y;MACI,OAAW,cAAJ,GAAe,EAAf,GAAuB,MAAW,SAAN,UAAAM,CAAX,QAAqC,SAAb,iBAAa,CA
ArC,I;K;yCAGIC,Y;MAAkC,OAAE,UAAf,qBAAU,iB;K;;IAGhD,kC;MAM6E,2BAAgB,SAAhB,EAAzB,IAAtB,
C;K;;0DAYzE,iB;MAA2C,qCAAiB,UAAjB,EAAwB,KAAxB,KAAC,8BAAiB,KAAjB,EAAwB,iBAAxB,C;K;i
DAC7E,Y;MAAkC,QAAC,8BAAiB,UAAjB,EAAwB,iBAAxB,C;K;;IAcR,gD;MAI3B,gBAAqB,K;MACrB,uBAA
4B,Y;K;sEACD,Y;MAAQ,oB;K;6EACD,Y;MAAQ,2B;K;2DAE1C,gB;MAA+D,YAAK,C;K;mDAEPe,iB;MAAg
D,gBAAS,aAAT,IAAmB,SAAS,oB;K;0CAC5E,Y;MAAkC,SAAE,iBAAU,oBAAZ,C;K;yCAEIC,iB;MACI,OAA
O,4CAA+B,kBAAa,KAAM,UAAAnB,KAC9B,kBAAU,KAAM,SAAhB,IAA0B,yBAAiB,KAAM,gBADnB,CAA/B,
C;K;2CAIX,Y;MACI,OAAW,cAAJ,GAAe,EAAf,GAAuB,MAAY,SAAP,aAAO,CAAZ,QAAuC,SAAd,oBAAC,C
AAvC,I;K;2CAGIC,Y;MAAkC,OAAE,aAAf,qBAAW,oB;K;;IAGjD,oC;MAOqF,6BAAkB,SAAB,EAAwB,IAAx
B,C;K;IAQvD,+C;MAI1B,gBAAqB,K;MACrB,uBAA4B,Y;K;qEACF,Y;MAAQ,oB;K;4EACD,Y;MAAQ,2B;K;0
DAEzC,gB;MAA6D,YAAK,C;K;kDAEIE,iB;MAA+C,gBAAS,aAAT,IAAmB,SAAS,oB;K;yCAC3E,Y;MAAkC,S
AAE,iBAAU,oBAAZ,C;K;wCAEIC,iB;MACI,OAAO,2CAA8B,kBAAa,KAAM,UAAAnB,KAC7B,kBAAU,KAAM
,SAAhB,IAA0B,yBAAiB,KAAM,gBADpB,CAA9B,C;K;0CAIX,Y;MACI,OAAW,cAAJ,GAAe,EAAf,GAAuB,M
AAY,SAAP,aAAO,CAAZ,QAAuC,SAAd,oBAAC,CAAvC,I;K;0CAGIC,Y;MAAkC,OAAE,aAAf,qBAAW,oB;K;;
IAGjD,oC;MAOkF,4BAAiB,SAAjB,EAAuB,IAAvB,C;K;oFAGIF,8B;MAQI,0BAAmB,2BAAS,OAAT,C;K;IAGv
B,+C;MACI,IAAI,CAAC,UAAL,C;QAAiB,MAAM,gCAAYB,iCAA8B,IAA9B,iBAAzB,C;K;IC5I3B,gC;MAcW,
Q;MADP,IAAI,CAAC,6BAAW,KAAX,CAAL,C;QAAwB,MAAM,uBAAmB,sCAA0B,uBAA1B,CAAnB,C;MAC
9B,OAAO,sD;K;IAGX,oC;MAAkC,Q;MAA9B,OAAW,6BAAW,KAAX,CAAJ,GAAuB,sDAAvB,GAAuC,I;K;6E
CnCID,yB;MAAA,4F;MAAA,2B;QAOI,MAAM,mCAA8B,0EAA9B,C;O;KAPV,C;ICkCA,+D;MAcW,Q;MAAP,
OAAO,8CAA0,KAAP,EAAc,UAAAd,EAA0B,QAA1B,oC;K;IAGX,kC;MAIiB,Q;MAAb,wBAAa,KAAb,gB;QAAa
,WAAA,KAAb,M;QACI,yBAAO,IAAP,C;;MACJ,OAAO,S;K;IAIX,wD;MAEQ,sB;QAAqB,yBAAO,UAAU,OAA
V,CAAP,C;WACrB,sD;QAA4B,yBAAO,OAAP,C;WAC5B,2B;QAAmB,yBAAO,kBAAP,C;;QACX,yBAAe,SA
AR,OAAQ,CAAf,C;K;0EC/DhB,4B;MAM8D,OAAK,oBAAL,SAAK,CAAL,GAAkB,K;K;IAEHf,gD;MAYoC,0B;
QAAA,aAAsB,K;MACtD,IAAI,cAAQ,KAAZ,C;QAAmB,OAAO,I;MAC1B,IAAI,CAAC,UAAL,C;QAAiB,OAA
O,K;MAExB,I3DpBiI,OAARi,MAAoD,c2DoB5C,S3DpBsE,IAA1B,CAAmC,cAAc,YAAW,CAAX,CAAgC,C2Do
B7H,K3DpB6H,OAARi,MAAoD,c2DoBtB,K3DpBgD,IAA1B,CAAmC,cAAc,YAAW,CAAX,CAAgC,C2DoBjI,C;
QAA+C,OAAO,I;MACtD,I3DxBiI,OAARi,MAAoD,c2DwB5C,S3DxBsE,IAA1B,CAAmC,cAAc,YAAW,CAAX,C
AAgC,C2DwB7H,K3DxB6H,OAARi,MAAoD,c2DwBtB,K3DxBgD,IAA1B,CAAmC,cAAc,YAAW,CAAX,CAAg
C,C2DwBjI,C;QAA+C,OAAO,I;MACtD,OAAO,K;K;IAGX,gC;MAGyC,QAAQ,cAAA,sCAAK,cAAL,EAAoB,sC
AAK,cAAzB,CAAR,6B;K;IChCzC,6C;MAc6B,4B;QAAA,eAAuB,G;MACHd,wCAAsB,EAAtB,EAA0B,YAA1B,
C;K;IAEJ,mE;MAKwC,yB;QAAA,YAAoB,E;MAAI,4B;QAAA,eAAuB,G;MvKGNF,IAAI,Cc0N+C,CAAC,QyJ5
N5C,YzJ4N4C,Cd1NpD,C;QACI,cuKHiC,wC;QvKlJc,MAAM,gCAAYB,OAAQ,WAAjC,C;OuKHV,cAAY,gB;M
AEC,yBAAS,mBAAS,YAAA,SAAU,OAAV,EAAmB,OAAM,KAAzB,CAAT,I;MAAT,wBAAiD,kBAAkB,SAAl
B,C;MA0E9D,gBAAgB,iBA1ET,OA0ES,C;MjKqvCT,kBAAoB,gB;MAGrd,gB;MADb,YAAy,C;MACC,OiK/kD
N,OjK+kDM,W;kBAAb,OAAa,cAAb,C;QAAa,sB;QAtQsB,U;QAAA,cAsQT,oBAAmB,cAAnB,EAAmB,sBAAn
B,U;QiKhgDIB,kB;;YAHA,CAAC,YAAS,CAAT,IAAc,qBAAf,KAA4C,QjKmgDG,liKngDH,C;UAC5C,a;;UAEA
,4B;UA9E+B,uB;;Y1J4EzB,kC;YAAA,wBPkgDyC,IOlgDzC,C;YAAA,qB;YAAA,oB;YAAA,oB;YAAAd,gE;cACI,
IOJ7EkD,CAAI,aAAH,U1J6ErC,YPigDqC,IOjgDrC,YAAK,OAAL,E0J7EqC,CAAG,C1J6EtD,C;gBACI,sBAAO,
O;gBAAP,wB;;YAGR,sBAAO,E;;U0JjFH,iD;UAGI,gCAA2B,EAA3B,C;YAHJ,2BAGqC,I;IBACjC,IAAK,ajK0k
D0C,liK1kD1C,gBAAyB,uBAAzB,CAAL,C;YAJJ,2BjK8kDmD,Ish7CsB,WwJ1Jl,0BAAuC,mBAAvC,IxJ0JJ,C;;
YwJ9JzE,2BAKY,I;UAYER,iEnKJD,yBmKIC,4BjKggD+C,I;;QAtQpB,8B;UAA6C,6B;;MiKz0ChF,OAIkFk,SjKy
vCE,WiKzvCF,EAAO,mBAAc,kBAAd,CAAP,EAA0C,IAA1C,CACA,W;K;IAvET,+B;MAeyC,gCAAc,EAAAd,C;
K;IAEzC,6C;MAGgC,yB;QAAA,YAAoB,E;MAM3C,Q;MALL,cAAY,gB;MjK2nBL,kBAAS,gB;MAyEA,U;MA

AA,SiKIsBM,OjKksBN,W;MAAhB,OAAGB,gBAAhB,C;QAAgB,2B;QAAM,IQ3gB6B,CAAC,QR2gBhB,OQ3gB
gB,CR2gB9B,C;UAAwB,WAAy,WAAI,OAAJ,C;;MiKhsBrD,kBjKisBE,W;MAskBA,oBAAM,iBAAa,qCAAwB,
EAAxB,CAAb,C;MAqEA,U;MAAA,+B;MAAb,OAAa,gBAAb,C;QAAa,wB;QACT,aAAy,uBAAc,IAAd,E;;MiK/
0ChB,sBAAsB,CAGjB,cjK60CE,aiK70CF,CAHiB,mBAGR,C;MAED,yBAAS,mBAAS,YAAA,SAAU,OAAV,EA
AmB,OAAM,KAAzB,CAAT,I;MAAT,wBAAiD,kBAAkB,SAAIB,C;MAMc9D,gBAAGB,iBAnCT,OAmCS,C;Mj
KqvCT,oBAAoB,gB;MAGrd,kB;MADb,YAAy,C;MACC,SiKxiDN,OjKwiDM,W;MAAb,OAAa,gBAAb,C;QAAa
,0B;QAtQsB,U;QAAA,cAsQT,oBAAmB,cAAnB,EAAMB,sBAAnB,U;QiKhgDIB,kB;QjK0vC2B,ciK7vC3B,CAA
C,YAAS,CAAT,IAAc,qBAAf,KAA4C,QjKmgDG,MiKngDH,CjK6vCjB,GiK5vC3B,IjK4vC2B,GiK1vC3B,oBAx
CmG,QjKwiDpD,MiKxiDoD,kBAwCnG,YnKJD,yBmKIC,4BjKggD+C,MatQpB,U;UAA6C,+B;;MiKlyChF,OA0
CK,SjKyvCE,aiKzvCF,EAAO,mBAAc,kBAAd,CAAP,EAA0C,IAA1C,CACA,W;K;IAjCI,8C;MAAA,qB;QAEg,I
AAG,QAAH,EAAG,CAAH,C;UAEQ,IAAA,EAAG,OAAH,GAAY,cAAO,OAAAnB,C;YAHZ,OAGyC,c;;YAHZC,
OAIoB,E;;UAJpB,OAoy,iBAAS,E;O;K;IAfjC,0C;MAKgC,sB;QAAA,SAAiB,M;MAC7C,OAYK,eAXA,OADL,u
BACK,EAAI,4BAAJ,CAWA,EAAa,IAAb,C;K;IAET,gC;MAAwC,uB;;Q1JetB,gC;QAAA,gC;QAAA,mB;QAAA,
kB;QAAA,kB;QAAd,0D;UACI,I0JhB+C,CAAI,aAAH,U1JgBIC,iCAAK,KAAL,E0JhBkC,CAAG,C1JgBnD,C;YA
CI,sBAAO,K;YAAP,wB;;QAGR,sBAAO,E;;MTPA,4B;MmKb6B,OAA8C,OAAM,EAAY,GAAC,gBAAd,GAA0
B,E;K;IAGpF,wC;MAAkB,W;K;IAC9B,oD;MAAA,uB;QAAkB,wBAAS,I;O;K;IAFvC,mC;MACI,IAAA,MzJoIg
D,YAAU,CyJpI1D,C;QAD4C,OACxB,wB;;QADwB,OAEPc,kC;K;mBAGZ,yB;MjKmvCA,+D;MAGRA,wE;MiK
ngDA,sF;QAKI,gBAAGB,2B;QjKqvCT,kBAAoB,gB;QAGrd,gB;QADb,YAAy,C;QACC,2B;QAAb,OAAa,cAAb,
C;UAAa,sB;UAtQsB,U;UAAA,cAsQT,oBAAmB,cAAnB,EAAMB,sBAAnB,U;UiKhgDIB,kB;UjK0vC2B,ciK7vC
3B,CAAC,YAAS,CAAT,IAAc,qBAAf,KAA4C,QjKmgDG,liKngDH,CjK6vCjB,GiK5vC3B,IjK4vC2B,GiK1vC3B
,sCjKggD+C,liKhgD/C,anKJD,yBmKIC,4BjKggD+C,IAtQpB,U;YAA6C,6B;;QiK9vChF,OAMK,SjKyvCE,WiKz
vCF,EAAO,mBAAc,kBAAd,CAAP,EAA0C,IAA1C,CACA,W;O;KAbT,C;6EvF8RA,0B;MAGmE,OAAA,SAAK,
gBAAO,GAAP,C;K;qFAExE,yB;MAAA,yD;MAAA,gC;QAMoB,gBAAhB,oB;QAAsB,a5EhUtB,W;Q4EgUA,O5
E/TO,S4E+T8B,W;O;KANzC,C;uFAQA,yB;MAAA,iE;MAAA,0C;QAO4B,gBAAXB,mBAAc,QAAd,C;QAA8B,a
5EzU9B,W;Q4EyUA,O5ExUO,S4EwUsC,W;O;KAPjD,C;IASA,oC;MAIiB,Q;MAAb,wBAAa,KAAb,gB;QAAa,W
AAA,KAAb,M;QACI,yBAAO,IAAP,C;;MACJ,OAAO,S;K;IAGX,oC;MAIiB,Q;MAAb,wBAAa,KAAb,gB;QAAa,
WAAA,KAAb,M;QACI,yBAAO,IAAP,C;;MACJ,OAAO,S;K;IpFjaX,iC;MAK0C,iCAAqB,EAARb,C;K;IAE1C,0C
;MAQmB,Q;MAAA,qBAAL,SAAK,EAAY,KAAZ,C;MAAL,iB;QAA2B,OAAO,I;OAA5C,UAAU,I;MACV,IAAI,
MAAM,sCAAK,UAAx,IAAwB,MAAM,sCAAK,UAAvC,C;QAAkD,OAAO,I;MACzD,OAAW,OAAJ,GAAI,C;K
;IAGf,kC;MAK4C,kCAAsB,EAATB,C;K;IAE5C,2C;MAQmB,Q;MAAA,qBAAL,SAAK,EAAY,KAAZ,C;MAAL,i
B;QAA2B,OAAO,I;OAA5C,UAAU,I;MACV,IAAI,MAAM,uCAAM,UAAZ,IAAyB,MAAM,uCAAM,UAAzC,C;
QAAoD,OAAO,I;MAC3D,OAAW,QAAJ,GAAI,C;K;IAGf,gC;MAKwC,gCAAoB,EAAPB,C;K;IAExC,yC;MAQI,
WAAW,KAAX,C;MAEA,aAAa,SAAK,O;MACIB,IAAI,WAAU,CAAd,C;QAAiB,OAAO,I;MAExB,S;MACA,c;
MACA,S;MAEA,gBAAGB,qBAAK,CAAL,C;MACHb,IAAI,YAAy,EAHb,C;QACI,IAAI,WAAU,CAAd,C;UA
AiB,OAAO,I;QAExB,QAAQ,C;QAER,IAAI,cAAa,EAJb,C;UACI,aAAa,I;UACb,QAAQ,W;eACL,IAAI,cAAa,E
AAjB,C;UACH,aAAa,K;UACb,QAAQ,W;;UAER,OAAO,I;;QAEX,QAAQ,C;QACR,aAAa,K;QACb,QAAQ,W;;
MAIZ,uBAAuB,S;MAEvB,qBAAqB,gB;MACrB,aAAa,C;MACb,aAAU,KAAY,MAAsB,MAATB,M;QACI,YAAy
,QAAQ,qBAAK,CAAL,CAAR,EAaiB,KAAjB,C;QAEZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACTB,IAAI,SA
AS,cAAb,C;UACI,IAAI,mBAAkB,gBAATB,C;YACI,iBAAiB,QAAQ,KAAR,I;YAEjB,IAAI,SAAS,cAAb,C;cACI,
OAAO,I;;YAGX,OAAO,I;;SAIf,6BAAU,KAAY,C;QAEA,IAAI,UAAS,QAAQ,KAAR,IAAT,CAAJ,C;UAA4B,O
AAO,I;QAEnc,kBAAU,KAAY,I;;MAGJ,OAAW,UAAJ,GAAGB,MAAhB,GAA4B,CAAC,MAAD,I;K;IAGvC,iC;
MAK0C,iCAAqB,EAARb,C;K;IAE1C,0C;MAQI,WAAW,KAAX,C;MAEA,aAAa,SAAK,O;MACIB,IAAI,WAAU
,CAAd,C;QAAiB,OAAO,I;MAExB,S;MACA,c;MACA,S;MAEA,gBAAGB,qBAAK,CAAL,C;MACHb,IAAI,YAA
y,EAHb,C;QACI,IAAI,WAAU,CAAd,C;UAAiB,OAAO,I;QAExB,QAAQ,C;QAER,IAAI,cAAa,EAJb,C;UAC
I,aAAa,I;UACb,gC;eACG,IAAI,cAAa,EAJb,C;UACH,aAAa,K;UACb,6B;;UAEA,OAAO,I;;QAEX,QAAQ,C;Q
ACR,aAAa,K;QACb,6B;;MAIJ,2C;MAEA,qBAAqB,gB;MACrB,e;MACA,aAAU,KAAY,MAAsB,MAATB,M;QA
CI,YAAy,QAAQ,qBAAK,CAAL,CAAR,EAaiB,KAAjB,C;QAEZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACTB
,IAAI,uBAAS,cAAT,KAJ,C;UACI,IAAI,uBAAkB,gBAAIb,CAAJ,C;YACI,iBAAiB,8BAAQ,KAAR,E;YAEjB,I

AAI,uBAAS,cAAT,KAAJ,C;cACI,OAAO,I;;YAGX,OAAO,I;;SAIf,6CAAU,KAAV,E;QAEA,IAAI,uBAAS,8BAA
Q,KAAR,EAAT,KAAJ,C;UAA4B,OAAO,I;QAEEnC,6CAAU,KAAV,E;;MAGJ,OAAW,UAAJ,GAAGB,MAAhB,G
AA6B,MAAD,a;K;IAIvC,kC;MAAyD,MAAM,0BAAsB,6BAA0B,KAA1B,MAAtB,C;K;uEkB9L/D,yB;MAAA,o
C;MAAA,uC;QAIi,IBAAiB,C;QACjB,eAAe,mBAAS,CAAT,I;QACf,iBAAiB,K;QAEjB,OAAO,cAAc,QAARb,C;
UACI,YAAgB,CAAC,UAAL,GAAiB,UAAjB,GAAiC,Q;UAC7C,YAAY,UAAU,iCAAK,KAAL,EAAY,C;UAEZ,
IAAI,CAAC,UAAL,C;YACI,IAAI,CAAC,KAAL,C;cACI,aAAa,I;;cAEb,0BAAc,CAAd,I;;YAEJ,IAAI,CAAC,KA
AL,C;cACI,K;;cAEA,sBAAY,CAAZ,I;;;QAIz,OAAO,8BAAY,UAAZ,EAAwB,WAAW,CAAX,IAAxB,C;O;KAZ
BX,C;yEA4BA,yB;MAAA,8B;MA5BA,oC;MA4BA,uC;QAIK,Q;QAAsB,kBAAtB,2D;QA5BD,iBAAiB,C;QACj
B,eAAe,qBAAS,CAAT,I;QACf,iBAAiB,K;QAEjB,OAAO,cAAc,QAARb,C;UACI,YAAgB,CAAC,UAAL,GAAiB
,UAAjB,GAAiC,Q;UAC7C,YAsBwB,SAtBZ,CAAU,mCAAK,KAAL,EAAY,C;UAEZ,IAAI,CAAC,UAAL,C;YA
CI,IAAI,CAAC,KAAL,C;cACI,aAAa,I;;cAEb,0BAAc,CAAd,I;;YAEJ,IAAI,CAAC,KAAL,C;cACI,K;;cAEA,sBA
AY,CAAZ,I;;;QAWZ,OAPO,gCAAY,UAAZ,EAAwB,WAAW,CAAX,IAAxB,CAOGC,W;O;KAJ3C,C;iFAMA,yB
;MAAA,mD;MAAA,oC;MAAA,uC;QAIuB,UAAL,MAAK,EAAL,MAAK,EAAL,M;QAAK,mBAAL,SAAK,C;Q
AAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAY,CAAL,C;YACI,OA
AO,8BAAY,KAAZ,EAAMb,gBAAnB,C;QAEf,OAAO,E;O;KARX,C;mFAWA,yB;MAAA,8B;MAXA,mD;MAA
A,oC;MAWA,uC;QAIK,Q;QAAsB,kBAAtB,2D;QAAsB,oB;;UAXJ,kC;UAAA,qBAAL,WAAK,C;UAAL,qB;UA
AA,oB;UAAA,oB;UAAAd,0D;YACI,IAAI,CAUyB,SAVxB,CAAU,mCAAK,KAAL,EAAY,CAAL,C;cACI,mBAA
O,gCAAY,KAAZ,EAAMb,kBAAnB,C;cAAP,qB;aAER,mBAAO,E;;;QAOP,OAA4C,2B;O;KAJhD,C;6EAMA,yB
;MAAA,mD;MAAA,+C;MAAA,oC;MAAA,uC;QAIkB,Q;QAAA,OAAa,SAAR,YAAL,SAAK,CAAQ,CAAb,W;Q
AAd,OAAc,cAAd,C;UAAc,uB;UACV,IAAI,CAAC,UAAU,iCAAK,KAAL,EAAY,CAAL,C;YACI,OAAO,8BAA
Y,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;;QAEf,OAAO,E;O;KARX,C;+EAWA,yB;MAAA,8B;MAXA,mD;MAAA,
+C;MAAA,oC;MAWA,uC;QAIK,Q;QAAsB,kBAAtB,2D;QAAsB,kB;;UAXT,U;UAAA,SAAa,SAAR,YAAL,WA
AK,CAAQ,CAAb,W;UAAAd,OAAc,gBAAd,C;YAAc,yB;YACV,IAAI,CAUuB,SAVtB,CAAU,mCAAK,KAAL,EA
AV,CAAL,C;cACI,iBAAO,gCAAY,CAAZ,EAAe,QAAQ,CAAR,IAAf,C;cAAP,mB;;UAER,iBAAO,E;;;QAOP,O
AA0C,yB;O;KAJ9C,C;IAMA,kC;MAhEI,iBAAiB,C;MACjB,eAAe,mBAAS,CAAT,I;MACf,iBAAiB,K;MAEjB,O
AAO,cAAc,QAARb,C;QACI,YAAgB,CAAC,UAAL,GAAiB,UAAjB,GAAiC,Q;QAC7C,YA6DgE,4BA7D1C,iCA
AK,KAAL,EA6D0C,E;QA3DhE,IAAI,CAAC,UAAL,C;UACI,IAAI,CAAC,KAAL,C;YACI,aAAa,I;;YAEb,0BAA
c,CAAd,I;;UAEJ,IAAI,CAAC,KAAL,C;YACI,K;;YAEA,sBAAY,CAAZ,I;;;MAkDiD,OA9CtD,8BAAY,UAAZ,E
AAwB,WAAW,CAAX,IAAxB,C;K;IAgDX,kC;MAzCK,Q;MAAsB,kBAAtB,2D;MA5BD,iBAAiB,C;MACjB,eA
Ae,qBAAS,CAAT,I;MACf,iBAAiB,K;MAEjB,OAAO,cAAc,QAARb,C;QACI,YAAgB,CAAC,UAAL,GAAiB,UA
AjB,GAAiC,Q;QAC7C,YAkEoD,4BAIE9B,mCAAK,KAAL,EAkE8B,E;QAhEpD,IAAI,CAAC,UAAL,C;UACI,I
AAI,CAAC,KAAL,C;YACI,aAAa,I;;YAEb,0BAAc,CAAd,I;;UAEJ,IAAI,CAAC,KAAL,C;YACI,K;;YAEA,sBAA
Y,CAAZ,I;;;MAuDqC,OA9D1C,gCAAY,UAAZ,EAAwB,WAAW,CAAX,IAAxB,CAOGC,W;K;IA8C3C,uC;MAG
sE,oB;;QA3C/C,gC;QAAA,gC;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,CA0CsE,4BA1C3D,iCA
AK,KAAL,EA0C2D,EA1C1E,C;YACI,mBAAO,8BAAY,KAAZ,EAAMb,gBAAnB,C;YAAP,qB;;QAER,mBAAO
,E;;;MAuC2D,uB;K;IAEtE,uC;MAICK,Q;MAAsB,kBAAtB,2D;MAAsB,oB;;QAXJ,kC;QAAA,wBAAL,WAAK,C
;QAAL,qB;QAAA,oB;QAAA,oB;QAAd,0D;UACI,IAAI,CA+C0D,4BA/C/C,mCAAK,KAAL,EA+C+C,EA/C9D,
C;YACI,mBAAO,gCAAY,KAAZ,EAAMb,kBAAnB,C;YAAP,qB;;QAER,mBAAO,E;;;MA4C+C,OArCV,2B;K;I
AuChD,qC;MAGoE,kB;;QApCID,Q;QAAA,OAAa,WAAR,yBAAQ,CAAb,W;QAAd,OAAc,cAAd,C;UAAc,uB;U
ACV,IAAI,CAMcKE,4BAnCvD,iCAAK,KAAL,EAAMCuD,EAnCtE,C;YACI,iBAAO,8BAAY,CAAZ,EAAe,QAA
Q,CAAR,IAAf,C;YAAP,mB;;QAER,iBAAO,E;;;MAGCyD,qB;K;IAEpE,qC;MA3BK,Q;MAAsB,kBAAtB,2D;MA
AsB,kB;;QAXT,U;QAAA,SAAa,WAAR,eAAL,WAAK,CAAQ,CAAb,W;QAAd,OAAc,gBAAd,C;UAAc,yB;UAC
V,IAAI,CAwCsD,4BAxC3C,mCAAK,KAAL,EAwC2C,EAxC1D,C;YACI,iBAAO,gCAAY,CAAZ,EAAe,QAAQ,
CAAR,IAAf,C;YAAP,mB;;QAER,iBAAO,E;;;MAqC6C,OA9BV,yB;K;IAgC9C,2B;MA9FI,iBAAiB,C;MACjB,e
AAe,mBAAS,CAAT,I;MACf,iBAAiB,K;MAEjB,OAAO,cAAc,QAARb,C;QACI,YAAgB,CAAC,UAAL,GAAiB,U
AAjB,GAAiC,Q;QAC7C,mCAAsB,iCAAK,KAAL,EAAtB,E;QAEA,IAAI,CAAC,UAAL,C;UACI,IAAI,CAAC,K
AAL,C;YACI,aAAa,I;;YAEb,0BAAc,CAAd,I;;UAEJ,IAAI,CAAC,KAAL,C;YACI,K;;YAEA,sBAAY,CAAZ,I;;;
MAGf+B,OA5EpC,8BAAY,UAAZ,EAAwB,WAAW,CAAX,IAAxB,C;K;yEA8EX,yB;MAAA,8B;MAAA,qC;MA

AA,4B;QAI2C,Q;QAAD,OAAuB,KAAAtB,2DAAsB,CAAO,W;O;KAJxE,C;IAMA,gC;MAGoD,oB;;QA1E7B,gC;
QAAA,gC;QAAL,mB;QAAA,kB;QAAA,kB;QAAd,0D;UACI,IAAI,wBAAW,iCAAK,KAAL,EAAX,EA AJ,C;YA
CI,mBAAO,8BAAY,KAAZ,EAAMb,gBAAnB,C;YAAP,qB;;QAER,mBAAO,E;;;MAsEyC,uB;K;mFAEpD,yB;M
AAA,8B;MAAA,+C;MAAA,4B;QAIgD,Q;QAAD,OAAuB,UAAAtB,2DAAsB,CAAY,W;O;KAJIF,C;IAMA,8B;M
AGkD,kB;;QApEhC,Q;QAAA,OAAa,WAAR,yBAAQ,CAAb,W;QAAd,OAAc,cAAAd,C;UAAc,uB;UACV,IAAI,w
BAAW,iCAAK,KAAL,EAAX,EA AJ,C;YACI,iBAAO,8BAAY,CAAZ,EA Ae,QAAQ,CAAR,IAAf,C;YAAP,mB;;
QAER,iBAAO,E;;;MAGEuC,qB;K;+EAEID,yB;MAAA,8B;MAAA,2C;MAAA,4B;QAI8C,Q;QAAD,OAAuB,QA
AtB,2DAAsB,CAAU,W;O;KAJ9E,C;IAMA,8C;MAU8C,uB;QAAA,UAAgB,E;MAO5C,Q;MANd,IAAI,SAAS,C
AAb,C;QACI,MAAM,gCAAYB,oBAAiB,MAAjB,wBAAzB,C;MACV,IAAI,UAAU,SAAK,OAAAnB,C;QACI,OA
AY,mBAAL,SAAK,EAAY,CAAZ,EA Ae,SAAK,OAApB,C;MAEHb,SAAS,mBAAc,MAAd,C;MACK,gBAAS,SA
AK,OAAAd,I;MAAd,aAAU,CAAV,iB;QACI,EAAG,gBAAO,OAAP,C;MACP,EAAG,gBAAO,SAAP,C;MACH,O
AAO,E;K;IAGX,gD;MASwC,uB;QAAA,UAAgB,E;MACnD,Q;MAAD,OAAuB,SAAtB,6DAAsB,EAAS,MAAT,
EAAiB,OAAjB,CAA0B,W;K;IAErD,4C;MAU4C,uB;QAAA,UAAgB,E;MAQ1C,Q;MAPd,IAAI,SAAS,CAAb,C;
QACI,MAAM,gCAAYB,oBAAiB,MAAjB,wBAAzB,C;MACV,IAAI,UAAU,SAAK,OAAAnB,C;QACI,OAAAY,mB
AAL,SAAK,EAAY,CAAZ,EA Ae,SAAK,OAApB,C;MAEHb,SAAS,mBAAc,MAAd,C;MACT,EAAG,gBAAO,SA
AP,C;MACW,gBAAS,SAAK,OAAAd,I;MAAd,aAAU,CAAV,iB;QACI,EAAG,gBAAO,OAAP,C;MACP,OAAO,E;
K;IAGX,8C;MASsC,uB;QAAA,UAAgB,E;MACjD,Q;MAAD,OAAuB,OAAtB,6DAAsB,EAAO,MAAP,EA Ae,O
AAf,CAAwB,W;K;2FAEnD,qB;MAWI,OAAO,qBAAgB,SAAK,OAAAL,KAAe,C;K;+EAG1C,qB;MAMoD,4BAA
U,C;K;sFAE9D,qB;MAMuD,0BAAS,C;K;mFAMhE,yB;MAAA,2C;MAAA,4B;QAMuD,QAAC,kB;O;KANxD,C;
yFAQA,yB;MAAA,2C;MAAA,4B;QAWI,OAAO,qBAAqB,QAAL,SAAK,C;O;KAXhC,C;IAiB4D,+C;MAAA,kC;
MAAS,uB;MACjE,eAAoB,C;K;gDAEpB,Y;MAA2C,gB;MAAA,iE;MAAJ,4C;K;+CAEvC,Y;MAAyC,sBAAQ,yB
;K;;IARrD,+B;MAG4D,4C;K;+EAQ5D,qB;MAE8C,uCAAQ,E;K;+EAEtD,mC;MASI,OA5DgD,qBAAU,CA4D1D
,GAAe,cAAf,GAAMc,S;K;6EAEvC,yB;MAAA,2C;MAAA,0C;QASI,OAAI,kBAAJ,GAAe,cAAf,GAAMc,S;O;K
ATvC,C;IAeI,mC;MAAQ,uBAAG,mBAAS,CAAT,IAAH,C;K;IAMR,qC;MAAQ,OAAA,SAAK,OAAAL,GAAc,CA
Ad,I;K;IAEZ,8C;MAIuB,Q;MAAA,0BAAS,CAAT,I;MAAnB,OAAgB,CAAT,8BACgB,gBAAZ,qBAAK,KAAL,C
AAY,CADhB,IAEoB,eAAhB,qBAAK,QAAQ,CAAR,IAAL,CAAgB,C;K;IAG/B,uC;MAGuD,OCpIyC,oBDol/B,K
AAM,MCpIyB,EDoIB,KAAM,aAAN,GAAqB,CAArB,ICpIkB,C;K;IDslhG,yC;MAGqE,qCAAY,KAAM,MAAIB
,EAAYB,KAAM,aAAN,GAAqB,CAArB,IAAZB,C;K;uFAErE,iC;MAS2E,2BAAY,KAAZ,EAAMb,GAAnB,C;K;
mFAE3E,2C;MAO0D,wB;QAAA,WAAGB,gB;MAAkB,OAAA,8BAAY,UAAZ,EA AwB,QAAXB,CAAKC,W;K;I
AE9H,uC;MAG6D,OAAA,8BAAY,KAAM,MAAIB,EAAYB,KAAM,aAAN,GAAqB,CAArB,IAAZB,CAAiD,W;K
;IAE9G,sE;MAImD,qC;QAAA,wBAAGC,S;MAC/E,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAAPB,GA
AwB,qBAAXB,GC1K4F,oBD0K/B,CC1K+B,ED0K5B,KC1K4B,C;K;ID6KhG,wE;MAIqD,qC;QAAA,wBAAGC,S
;MACjF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAAPB,GA AwB,qBAAXB,GCnL4F,oBDmL/B,CCnL+
B,EDmL5B,KCnL4B,C;K;IDslhG,qE;MAIkD,qC;QAAA,wBAAGC,S;MAC9E,YAAY,sBAAQ,SAAR,C;MACZ,
OAAW,UAAS,EAAPB,GA AwB,qBAAXB,GC5L4F,oBD4L/B,QAAQ,CAAR,IC5L+B,ED4LpB,gBC5LoB,C;K;ID
+LhG,uE;MAIoD,qC;QAAA,wBAAGC,S;MACHF,YAAY,sBAAQ,SAAR,C;MACZ,OAAW,UAAS,EAAPB,GA
AwB,qBAAXB,GCrM4F,oBDqM/B,QAAQ,SAAU,OAAIB,ICrM+B,EDqML,gBCrMK,C;K;IDwMhG,0E;MAIuD,q
C;QAAA,wBAAGC,S;MACnF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAAPB,GA AwB,qBAAXB,GC9
M4F,oBD8M/B,CC9M+B,ED8M5B,KC9M4B,C;K;IDiNhG,4E;MAIyD,qC;QAAA,wBAAGC,S;MACrF,YAAY,0
BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAAPB,GA AwB,qBAAXB,GCvN4F,oBDuN/B,CCvN+B,EDuN5B,KCvN
4B,C;K;ID0NhG,yE;MAIsD,qC;QAAA,wBAAGC,S;MACIF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EA
APB,GA AwB,qBAAXB,GChO4F,oBDgO/B,QAAQ,CAAR,ICHo+B,EDgOpB,gBChOoB,C;K;IDmOhG,2E;MAIw
D,qC;QAAA,wBAAGC,S;MACpF,YAAY,0BAAY,SAAZ,C;MACZ,OAAW,UAAS,EAAPB,GA AwB,qBAAXB,G
CzO4F,oBDyO/B,QAAQ,SAAU,OAAIB,ICzO+B,EDyOL,gBCzOK,C;K;ID4OhG,oE;MAQI,IAAI,WA AW,UA Af,
C;QACI,MAAM,8BAA0B,gBAAa,QAAb,oCAAKD,UAAID,OAAIB,C;MACV,SAAS,sB;MACT,EAAG,qBAAY,
SAAZ,EA AkB,CAAIB,EA AqB,UAArB,C;MACH,EAAG,gBAAO,WAAP,C;MACH,EAAG,qBAAY,SAAZ,EA Ak
B,QA AIB,EA A4B,gBAA5B,C;MACH,OAAO,E;K;yFAGX,yB;MAAA,8B;MAAA,qD;MAAA,+D;QAOK,Q;QA
D,OAAuB,aAAtB,2DAAsB,EA Aa,UAAb,EAAYB,QA AZB,EAAMc,WA AnC,CAAGD,W;O;KAP3E,C;IASA,uD;

MAOI,+BAAa,KAAM,MAAnB,EAA0B,KAAM,aAAN,GAAqB,CAArB,IAA1B,EAAkD,WAAID,C;K;yFAEJ,yB; MAAA,8B;MAAA,qD;MAAA,gD;QAOK,Q;QAAD,OAAuB,aAAtB,2DAAsB,EAAa,KAAb,EAAoB,WAApB,CA AiC,W;O;KAP5D,C;IASA,sD;MAUI,IAAI,WAAW,UAAf,C;QACI,MAAM,8BAA0B,gBAAa,QAAb,oCAAkD,U AAlD,OAA1B,C;MAEV,IAAI,aAAY,UAAhB,C;QACI,OAAy,mBAAL,SAAK,EAAY,CAAZ,EAAe,gBAAf,C;M AEhB,SAAS,mBAAc,oBAAU,QAAV,GAAqB,UAArB,KAAc,C;MACT,EAAG,qBAAY,SAAZ,EAAkB,CAAIB,E AAqB,UAArB,C;MACH,EAAG,qBAAY,SAAZ,EAAkB,QAAIB,EAA4B,gBAA5B,C;MACH,OAAO,E;K;uFAGX ,yB;MAAA,8B;MAAA,mD;MAAA,kD;QASK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAY,UAAZ,EAAwB,QAAx B,CAAKC,W;O;KAT7D,C;IAWA,yC;MAKqE,8BAAY,KAAM,MAAIB,EAAYB,KAAM,aAAN,GAAqB,CAArB,I AAzB,C;K;uFAErE,yB;MAAA,8B;MAAA,mD;MAAA,mC;QAOK,Q;QAAD,OAAuB,YAAtB,2DAAsB,EAAY,K AAZ,CAAmB,W;O;KAP9C,C;IASA,yC;MAKI,IAAI,wBAAW,MAAX,CAAJ,C;QACI,OAAO,8BAAY,MAAO,O AAnB,EAA2B,gBAA3B,C;OAEX,OAAO,8BAAY,CAAZ,EAAe,gBAAf,C;K;IAGX,2C;MAKI,IAAI,wBAAW,M AAX,CAAJ,C;QACI,OC7VYyE,oBD6VxD,MAAO,OC7ViD,C;OD+V7E,OAAO,S;K;IAGX,yC;MAKI,IAAI,sBAA S,MAAT,CAAJ,C;QACI,OAAO,8BAAY,CAAZ,EAAe,mBAAS,MAAO,OAAhB,IAAf,C;OAEX,OAAO,8BAAY, CAAZ,EAAe,gBAAf,C;K;IAGX,2C;MAKI,IAAI,sBAAS,MAAT,CAAJ,C;QACI,OChXwF,oBDgXvE,CChXuE,E DgXpE,mBAAS,MAAO,OAAhB,IChXoE,C;ODkX5F,OAAO,S;K;IAGX,sD;MAMI,IAAK,qBAAU,MAAO,OAA P,GAAgB,MAAO,OAAvB,IAAV,CAAD,IAA6C,wBAAW,MAAX,CAA7C,IAAmE,sBAAS,MAAT,CAAvE,C;Q ACI,OAAO,8BAAY,MAAO,OAAhB,EAA2B,mBAAS,MAAO,OAAhB,IAA3B,C;OAEX,OAAO,8BAAY,CAAZ, EAAe,gBAAf,C;K;IAGX,wD;MAMI,IAAK,qBAAU,MAAO,OAAp,GAAgB,MAAO,OAAvB,IAAV,CAAD,IAA6 C,wBAAW,MAAX,CAA7C,IAAmE,sBAAS,MAAT,CAAvE,C;QACI,OCxYwF,oBDwYvE,MAAO,OCxYgE,ED wYxD,mBAAS,MAAO,OAAhB,ICxYwD,C;OD0Y5F,OAAO,S;K;IAGX,mD;MAKmf,oCAAKB,SAAlB,EAA6B, SAA7B,C;K;IAEnF,mD;MAKuE,sCAAKB,SAAlB,EAA6B,SAA7B,C;K;IAEvE,iF;MAIsE,qC;QAAA,wBAAGC,S; MACIG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QA7JvB,U;QA6JM ,OA7JgB,aAAtB,+DAAsB,EA6JyC,CA7JzC,EA6J4C,KA7J5C,EA6JmD,WA7JnD,CAAgD,W;;MA6JvE,W;K;IAG J,mF;MAIwE,qC;QAAA,wBAAGC,S;MACpG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C; QAAA,OAAiB,qB;;QAtKvB,U;QAsKM,OAtKgB,aAAtB,+DAAsB,EAsKyC,CAtKzC,EAsK4C,KAtK5C,EAsKm D,WAtKnD,CAAgD,W;;MAskvE,W;K;IAGJ,gF;MAIqE,qC;QAAA,wBAAGC,S;MACjG,YAAY,sBAAQ,SAAR, C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAA2B,iBAAa,QAAQ,CAAR,I;QAAb,eAAwB,gB ;QA/K1E,U;QA+KM,OA/KgB,aAAtB,+DAAsB,EAAa,UAAb,EAAYB,QAAzB,EA+K4D,WA/K5D,CAAgD,W;;M A+KvE,W;K;IAGJ,kF;MAIuE,qC;QAAA,wBAAGC,S;MACnG,YAAY,sBAAQ,SAAR,C;MACL,Q;MAAA,IAAI, UAAS,EAAb,C;QAAA,OAAiB,qB;;QAA2B,iBAAa,QAAQ,SAAU,OAAIB,I;QAAb,eAAuC,gB;QAxLzF,U;QAw LM,OAxLgB,aAAtB,+DAAsB,EAAa,UAAb,EAAYB,QAAzB,EAwL2E,WaxL3E,CAAgD,W;;MAwLvE,W;K;IA GJ,oF;MAI2E,qC;QAAA,wBAAGC,S;MACvG,YAAY,0BAAY,SAAZ,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C; QAAA,OAAiB,qB;;QAA2B,iBAAa,QAAQ,SAAU,OAAIB,I;QAAb,eAAuC,gB;QAjMzF,U;QAImm,OAjMgB,aA AtB,+DAAsB,EAAa,UAAb,EAAYB,QAAzB,EAiM2E,WAjM3E,CAAgD,W;;MAiMvE,W;K;IAGJ,sF;MAIyE,qC; QAAA,wBAAGC,S;MACrG,YAAY,0BAAY,SAAZ,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB ;QAA2B,iBAAa,QAAQ,CAAR,I;QAAb,eAAwB,gB;QA1M1E,U;QA0MM,OA1MgB,aAAtB,+DAAsB,EAAa,UA Ab,EAAYB,QAAzB,EA0M4D,WA1M5D,CAAgD,W;;MA0MvE,W;K;IAGJ,qF;MAI0E,qC;QAAA,wBAAGC,S;M ACtG,YAAY,0BAAY,SAAZ,C;MACL,Q;MAAA,IAAI,UAAS,EAAb,C;QAAA,OAAiB,qB;;QAnNvB,U;QAmN M,OAnNgB,aAAtB,+DAAsB,EAmNyC,CAnNzC,EAmN4C,KAnN5C,EAmNmD,WAnNnD,CAAgD,W;;MAmNv E,W;K;IAGJ,uF;MAI4E,qC;QAAA,wBAAGC,S;MACxG,YAAY,0BAAY,SAAZ,C;MACL,Q;MAAA,IAAI,UAAS ,EAAb,C;QAAA,OAAiB,qB;;QA5NvB,U;QA4NM,OA5NgB,aAAtB,+DAAsB,EA4NyC,CA5NzC,EA4N4C,KA5 N5C,EA4NmD,WA5NnD,CAAgD,W;;MA4NvE,W;K;+EAOJ,yC;MAQoF,OAAA,KAAM,iBAAQ,SAAR,EAAc, WAAd,C;K;+EAE1F,yB;M+F/kBI,iE;MAAA,wC;M+F/kBJ,8C;QAOU,yB;;U+FhlBF,Y/FglBJ,K+FhlBgB,c/FglBF ,S+FhlBE,C;UACZ,IAAI,aAAJ,C;YAAMb,wB/F+kBT,S+F/kBsB,W;YAAb,0B;WAEnB,gBAAgB,C;UACHb,a/F4 kBU,S+F5kBS,O;UACnB,SAAS,mBAAc,MAAd,C;;YAEL,iBAAiB,oB;YACjB,EAAG,gB/FwkBG,S+FxkBH,EA Ac,SAAd,EAAYB,UAAW,MAAM,MAA1C,C;YACH,EAAG,gB/FukBS,S+FvkBF,CAAU,UAAV,CAAP,C;YAC H,YAAY,UAAW,MAAM,aAAjB,GAAgC,CAAhC,I;YACZ,QAAQ,UAAW,O;;UACd,oBAAY,MAAZ,IAAsB,aA AtB,C;UAET,IAAI,YAAY,MAAhB,C;YACI,EAAG,gB/FikBG,S+FjkBH,EAAc,SAAd,EAAYB,MAAZB,C;WAGP

,wBAAO,EAAG,W;;;Q/F8jBd,4B;O;KAPJ,C;yFASA,yC;MAMyF,OAAA,KAAM,sBAAa,SAAb,EAAMb,WAAAn
B,C;K;+EAG/F,4B;MAIsE,OAAA,KAAM,iBAAQ,SAAR,C;K;IAE5E,0F;MAKI,IAAK,cAAc,CAAf,IAAsB,aAAa
,CAAnC,IAA0C,cAAa,SAAK,OAAL,GAAC,MAAd,IAAb,CAA1C,IAAiF,eAAc,KAAM,OAAN,GAAe,MAAf,IA
Ad,CAArF,C;QACI,OAAO,K;OAGX,iBAAc,CAAd,UAAAsB,MAAtB,U;QACI,IAAI,CAA0B,SAAzB,qBAAK,aA
Aa,KAAb,IAAL,CAAyB,EAAO,iBAAM,cAAc,KAAd,IAAN,CAAP,EAAMc,UAAnc,CAA9B,C;UACI,OAAO,K
;;MAEf,OAAO,I;K;IAGX,mD;MAG+C,0B;QAAA,aAAsB,K;MACjE,OAAA,SAAK,OAAL,GAAC,CAAd,IAA2B,
SAAR,qBAAK,CAAL,CAAQ,EAAO,IAAP,EAAa,UAAb,C;K;IAE/B,iD;MAG6C,0B;QAAA,aAAsB,K;MAC/D,O
AAA,SAAK,OAAL,GAAC,CAAd,IAAMc,SAAhB,qBAAK,2BAAL,CAAgB,EAAO,IAAP,EAAa,UAAb,C;K;IAE
vC,qD;MAGyD,0B;QAAA,aAAsB,K;MAC3E,IAAI,CAAC,UAAD,IAAe,6BAAf,IAAiC,0BAArC,C;QACI,OAAy
,WAAL,SAAK,EAAW,MAAX,C;;QAEZ,OAAO,6BAAkB,CAAIB,EAAqB,MAArB,EAA6B,CAA7B,EAAGC,MA
AO,OAAvC,EAA+C,UAA/C,C;K;IAGf,iE;MAG0E,0B;QAAA,aAAsB,K;MAC5F,IAAI,CAAC,UAAD,IAAe,6BA
Af,IAAiC,0BAArC,C;QACI,OAAy,aAAL,SAAK,EAAW,MAAX,EAAMb,UAAnc,C;;QAEZ,OAAO,6BAAkB,U
AAIB,EAA8B,MAA9B,EAAsC,CAAtC,EAAYC,MAAO,OAAd,EAAwD,UAAxD,C;K;IAGf,mD;MAGuD,0B;Q
AAA,aAAsB,K;MACzE,IAAI,CAAC,UAAD,IAAe,6BAAf,IAAiC,0BAArC,C;QACI,OAAy,SAAL,SAAK,EAAS,
MAAT,C;;QAEZ,OAAO,6BAAkB,mBAAS,MAAO,OAAd,IAAIB,EAA0C,MAA1C,EAAd,CAAID,EAAqD,M
AAO,OAA5D,EAAoE,UAApE,C;K;IAMf,wD;MAQ8D,0B;QAAA,aAAsB,K;MACHf,qBT5IBO,MAAK,KS4lBe,
SAAK,OT5IBpB,ES4IB4B,KAAM,OT5IBIC,C;MS8IBZ,QAAQ,C;MACR,OAAO,IAAI,cAAJ,IAA8B,SAAR,qBA
AK,CAAL,CAAQ,EAAO,iBAAM,CAAN,CAAP,EAA8B,UAA9B,CAArC,C;QACI,a;MAEJ,IAAS,mBAAL,SAA
K,EAAMb,IAAI,CAAJ,IAAnB,CAAL,IAAwC,mBAAN,KAAM,EAAMb,IAAI,CAAJ,IAAnB,CAA5C,C;QACI,a;
OAEJ,OAAO,8BAAY,CAAZ,EAAe,CAAf,CAAkB,W;K;IAG7B,wD;MAQ8D,0B;QAAA,aAAsB,K;MACHf,iBA
AiB,SAAK,O;MACtB,kBAAkB,KAAM,O;MACxB,qBTnnBO,MAAK,KSmnBe,UTnnBf,ESmnB2B,WTnnB3B,C;
MSqnBZ,QAAQ,C;MACR,OAAO,IAAI,cAAJ,IAA+C,SAAZB,qBAAK,aAAa,CAAb,GAAiB,CAAjB,IAAL,CAA
yB,EAAO,iBAAM,cAAc,CAAd,GAAB,CAAIB,IAAN,CAAP,EAAgD,UAAhD,CAAtD,C;QACI,a;MAEJ,IAAS,
mBAAL,SAAK,EAAMb,aAAa,CAAb,GAAiB,CAAjB,IAAnB,CAAL,IAAqD,mBAAN,KAAM,EAAMb,cAAc,C
AAd,GAAB,CAAIB,IAAnB,CAAZD,C;QACI,a;OAEJ,OAAO,8BAAY,aAAa,CAAb,IAAZ,EAA4B,UAA5B,CA
AwC,W;K;IAMnD,8D;MAQqD,0B;QAAA,aAAB,C;MAAG,0B;QAAA,aAAsB,K;MAMnE,UAAkB,M;MAL3C,
IAAI,CAAC,UAAD,IAAe,KAAM,OAAN,KAAC,CAA7B,IAAKC,6BAAtC,C;QACI,WAAiB,SAAN,KAAM,C;QA
CjB,OC/oBwF,kB+F7KE,oBhG4zBrE,IgG5zBqE,C/F6KF,ED+oB7D,UC/oB6D,C;ODkpBnE,uBAAX,UAAW,EA
Ac,CAAd,C;MAAkB,oC;kBAA3C,gD;QACI,kBAAkB,qBAAI,KAJ,C;QACR,c;;U3ByuTE,U;UAAhB,4B2BzuT
Q,K3ByuTR,kB;YAAgB,cAAhB,U2BzuTQ,K3ByuTR,S;YAAAsB,I2BzuTC,SAAH,U3ByuTgB,oB2BzuThB,CAA
G,0B3ByuTD,C;cAAwB,aAAO,I;cAAP,e;;UAC9C,aAAO,K;;;Q2B1uTH,e;UACI,OAAO,K;;MAEf,OAAO,E;K;IA
GX,kE;MASyD,0B;QAAA,aAAB,2B;MAAW,0B;QAAA,aAAsB,K;MACxG,IAAI,CAAC,UAAD,IAAe,KAAM,
OAAN,KAAC,CAA7B,IAAKC,6BAAtC,C;QACI,WAAiB,SAAN,KAAM,C;QACjB,OCnqB4F,sB+F7KM,oBhGg1
BzE,IgGh1ByE,C/F6KN,EDmqB7D,UCnqB6D,C;mBDuqBhG,iBAAYB,eAAX,UAAW,EAAa,2BAAb,CAAZB,W
AAwD,CAAXD,U;QACI,kBAAkB,qBAAI,KAJ,C;QACR,c;;U3BitTE,Q;UAAhB,wB2BjtTQ,K3BitTR,gB;YAAg
B,cAAhB,U2BjtTQ,K3BitTR,O;YAAAsB,I2BjtTC,SAAH,U3BitTgB,oB2BjtThB,CAAG,0B3BitTD,C;cAAwB,aAA
O,I;cAAP,e;;UAC9C,aAAO,K;;;Q2BltTH,e;UACI,OAAO,K;;MAGf,OAAO,E;K;IAIX,8E;MAA2G,oB;QAAA,OA
AgB,K;MAOrG,UAKA,M;MAXIB,cAAkB,CAAC,IAAL,GACV,aAAW,gBAAX,UAAW,EAAc,CAAd,CAAX,EA
AsC,eAAT,QAAS,EAAa,gBAAb,CAAtC,CADU,GAGV,SAAW,eAAX,UAAW,EAAa,2BAAb,CAAX,EAAMd,g
BAAT,QAAS,EAAc,CAAd,CAAnD,C;MAEJ,IAAI,iCAAkB,yBAAtB,C;QACkB,yB;QAAd,OAAC,cAAd,C;UAA
c,uB;UACV,IAAU,cAAN,KAAM,EAAc,CAAd,EAAiB,SAAJB,EAAuB,KAAvB,EAA8B,KAAM,OAAPC,EAA4
C,UAA5C,CAAV,C;YACI,OAAO,K;;;QAGD,2B;QAAd,OAAC,gBAAd,C;UAAc,2B;UACV,IAAU,kBAAN,KAA
M,EAAkB,CAAIB,EAAqB,SAArB,EAA2B,OAA3B,EAAkC,KAAM,OAAxC,EAAgD,UAAhD,CAAV,C;YACI,O
AAO,O;;;MAGnB,OAAO,E;K;IAGX,qE;MAUsB,UAMA,M;MAfIB,IAAI,CAAC,UAAD,IAAe,OAAQ,KAAR,KA
AgB,CAAnC,C;QACI,aAAqB,UAR,OAAQ,C;QACrB,YAAgB,CAAC,IAAL,GAAW,sBAAQ,MAAR,EAAGB,U
AAhB,CAAX,GAA4C,0BAAY,MAAZ,EAAoB,UAApB,C;QACxD,OAAW,QAAQ,CAAZ,GAAe,IAAf,GAAyB,
UAAS,MAAT,C;OAGpC,cAAkB,CAAC,IAAL,GAAW,aAAW,gBAAX,UAAW,EAAc,CAAd,CAAX,EAA6B,gB
AA7B,CAAX,GAAoD,SAAW,eAAX,UAAW,EAAa,2BAAb,CAAX,EAA0C,CAA1C,C;MAEIE,IAAI,6BAAJ,C;Q

ACkByB;oBAAd,OAAC,cAAAd,C;UAAc,yB;UACmB,sB;;YRjpBrB,U;YAAA,SQipBa,ORjpBb,W;YAAhB,OAAg
B,gBAAhB,C;cAAGB,2B;cAAM,IQipBgC,cRjpBIB,OQipBkB,EAAC,CAAd,sBRjpBIB,OQipBmD,OAAjC,aRjpBh
C,C;gBAAwB,qBAAO,O;gBAAP,uB;;YAC9C,qBAAO,I;;UQgpBC,uC;UACA,IAAI,sBAAJ,C;YACI,OAAO,YA
AS,cAAT,C;;QAGD,2B;oBAAd,OAAC,gBAAd,C;UAAc,2B;UACmB,wB;;YRvpBrB,U;YAAA,SQupBa,ORvpBb
,W;YAAhB,OAAgB,gBAAhB,C;cAAGB,6B;cAAM,IQupBgC,kBRvpBIB,SQupBkB,EAakB,CAAIB,sBRvpBIB,S
QupBuD,OAArC,aRvpBhC,C;gBAAwB,uBAAO,S;gBAAP,uB;;YAC9C,uBAAO,I;;UQspBC,2C;UACA,IAAI,wB
AAJ,C;YACI,OAAO,YAAS,gBAAT,C;;MAInB,OAAO,I;K;IAGX,iE;MAY+D,0B;QAAA,aAAkB,C;MAAG,0B;
QAAA,aAAsB,K;MACtG,4BAAU,OAAV,EAAMb,UAAAnB,EAA+B,UAA/B,EAakD,KAAID,C;K;IAEJ,mE;MA
YmE,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;MACIH,4BAAU,OAAV,EAAMb,UAAAnB,EAA+B,UA
A/B,EAakD,IAAID,C;K;IAEJ,kE;MAWgE,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MACvG,gB;MAA
A,8CAAU,OAAV,EAAMb,UAAAnB,EAA+B,UAA/B,EAakD,KAAID,mDAAMe,E;K;IAEvE,sE;MAYoE,0B;QA
AA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;MACnH,gB;MAAA,8CAAU,OAAV,EAAMb,UAAAnB,EAA+B,UA
A/B,EAakD,IAAID,mDAakE,E;K;IAKtE,6D;MAM4C,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MACn
F,OAAW,cAAc,gCAAZB,GACI,sBAAW,mBAAy,IAAZ,CAAX,EAA8B,UAA9B,EAA0C,UAA1C,CADJ,GCvYB
4F,kB+F7KE,oBhGu9B5E,IgGv9B4E,C/F6KF,ED0yBpE,UC1yBoE,C;K;ID6yBhG,+D;MAQgD,0B;QAAA,aAAk
B,C;MAAG,0B;QAAA,aAAsB,K;MACvF,OAAW,cAAc,gCAAZB,GACI,sBAAQ,MAAR,EAAGB,UAAhB,EAA4
B,gBAA5B,EAAoC,UAApC,CADJ,GCtzB4F,kBDyzB1E,MCzzB0E,EDyzBIE,UCzzBkE,C;K;ID4zBhG,iE;MAQg
D,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;MAC/F,OAAW,cAAc,gCAAZB,GACI,0BAAe,mBAAy,I
AAZ,CAAf,EAakC,UAAIC,EAA8C,UAA9C,CADJ,GCI0BgG,sB+F7KM,oBhGk/BhF,IgGI/BgF,C/F6KN,EDq0B
pE,UCr0BoE,C;K;IDw0BpG,mE;MAQoD,0B;QAAA,aAAkB,2B;MAAW,0B;QAAA,aAAsB,K;MACnG,OAAW,c
AAc,gCAAZB,GACI,sBAAQ,MAAR,EAAGB,UAAhB,EAA4B,CAA5B,EAA+B,UAA/B,EAakD,IAAID,CADJ,G
Cj1BgG,sBD01B1E,MCp1B0E,EDo1B1E,UCp1BkE,C;K;IDu1BpG,mD;MAM+D,0B;QAAA,aAAsB,K;MACjF,O
AAI,yBAAJ,GACI,sBAAQ,KAAR,UAA4B,UAA5B,KAA2C,CAD/C,GAGI,sBAAQ,KAAR,EAAe,CAAf,EAakB
,gBAAIB,EAA0B,UAA1B,KAAyC,C;K;IAIjD,kD;MAMsD,0B;QAAA,aAAsB,K;MACxE,6BAAQ,IAAR,UAA2B
,UAA3B,KAA0C,C;K;kFAE9C,4B;MAI0E,OAAA,KAAM,yBAAgB,SAAhB,C;K;IAM3C,yE;MACjC,oB;MACA,
8B;MACA,oB;MACA,kC;K;IAG8C,sF;MAAA,gE;MAC1C,iBAAqB,E;MACrB,yBAAwC,WAAx,yCAAW,EAA
S,CAAT,EAAY,oCAAM,OAAIB,C;MACxC,uBAA2B,sB;MAC3B,gBAA0B,I;MAC1B,eAAmB,C;K;0EAEnB,Y;
MACI,IAAI,uBAAkB,CAATB,C;QACI,iBAAy,C;QACZ,gBAAW,I;;QAEX,IAAI,4CAAQ,CAAR,IAAa,uDAaA,y
CAA1B,IAAmC,uBAAkB,yCAAM,OAA/D,C;UACI,gBAAW,qCAAyB,iBAAN,yCAAM,CAAZB,C;UACX,uBA
AkB,E;;UAEIB,YAAkB,iDAAN,yCAAM,EAAa,oBAAb,C;UACIB,IAAI,SAAS,IAAb,C;YACI,gBAAW,qCAAyB
,iBAAN,yCAAM,CAAZB,C;YACX,uBAAkB,E;;YAEIB,IAAK,QAAiB,KAAjB,aAAL,EAAY,SAAU,KAAV,a;Y
ACZ,gBAAW,gCAAwB,KAAxB,C;YACX,yBAAoB,QAAQ,MAAR,I;YACpB,uBAAkB,0BAAwB,WAAU,CAAd
,GAAiB,CAAjB,GAAwB,CAA5C,K;;QAG1B,iBAAy,C;;K;oEAIpB,Y;MAKiB,Q;MAJb,IAAI,mBAAa,EAajB,C
;QACI,iB;MACJ,IAAI,mBAAa,CAAjB,C;QACI,MAAM,6B;MACV,aAAa,mE;MAEb,gBAAW,I;MACX,iBAAy,
E;MACZ,OAAO,M;K;uEAGX,Y;MACI,IAAI,mBAAa,EAajB,C;QACI,iB;MACJ,OAAO,mBAAa,C;K;;iDA9C5B
,Y;MAA8C,+D;K;;IAGEU,0E;MAAA,0C;QV1gCjD,SU2gCH,sBAAW,kBAAX,EAAuB,YAAvB,EAakD,kBAAL
D,C;QAAA,OAAwE,KAAK,CAAT,GAAY,IAAZ,GAAsB,OAAM,CAAN,C;O;K;IAdIG,iF;MAUkE,0B;QAAA,a
AAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;Mdn1C7H,IAAI,EcolCI,SAAS,CdplCb,CAAJ,
C;QACI,ccmlCkB,oD;Qdl1CIB,MAAM,gCAAyB,OAAQ,WAAjC,C;OcolCV,OAAO,4BAAwB,SAAXB,EAA8B,U
AA9B,EAA0C,KAA1C,EAAiD,gDAAjD,C;K;IAwBiD,gF;MAAA,0C;QAAkB,Q;QAAA,oCAAU,sBAAV,EAA0
B,YAA1B,EAAqD,kBAArD,EAAwE,KAAxE,aAAsF,GAAG,UAAH,EAAe,WAAO,OAAtB,CAAtF,O;O;K;IAIB9
E,mF;MAC0E,0B;QAAA,aAAkB,C;MAAG,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;Mdl1mCrI,IAAI,Ec2
mCI,SAAS,Cd3mCb,CAAJ,C;QACI,cc0mCkB,oD;QdzmCIB,MAAM,gCAAyB,OAAQ,WAAjC,C;Oc0mCV,qBA
AgC,OAAx,UAAW,C;MAEHc,OAAO,4BAAwB,SAAXB,EAA8B,UAA9B,EAA0C,KAA1C,EAAiD,sDAAjD,C;
K;IAmBmE,sD;MAAA,qB;QAAE,yCAAU,EAAY,C;O;K;IAZhF,mE;MAWmE,0B;QAAA,aAAsB,K;MAAO,qB;
QAAA,QAAa,C;MACzG,OAASe,OAAtE,+BAakB,UAAIB,UAA2C,UAA3C,EAA+D,KAA/D,CAAsE,EAAl,iCA
AJ,C;K;IAE1E,yD;MAWyD,0B;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MAC/F,IAAI,UAAW,OAAx,KAA
mB,CAAvB,C;QACI,gBAAgB,WAAW,CAAX,C;QACHB,IAAI,EAAC,SA38BuC,YAAU,CA28BID,CAAJ,C;UA

CI,OAAO,mBAAM,SAAN,EAAiB,UAAjB,EAA6B,KAA7B,C;UAI2E,kBAAb,cAAAtE,+BAAkB,UAAIB,UAA2C,
UAA3C,EAA+D,KAA/D,CAAsE,C;MRsJtE,kBAAM,iBAAa,qCAAwB,EAAxB,CAAb,C;MAqEA,Q;MAAA,6B;
MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WQ5NgF,uBR4NIE,IQ5NkE,CR4NhF,C,;MQ5NhB,OR6NO,W;
K;IQINmE,wD;MAAA,qB;QAAE,yCAAU,EAAV,C;O;K;IARhF,qE;MAOiE,OB;QAAA,aAAsB,K;MAAO,qB;QA
AA,QAAa,C;MACvG,OAASe,OAAtE,6BAAkB,UAAIB,UAA2C,UAA3C,EAA+D,KAA/D,CAAsE,EAAI,mCAA
J,C;K;IAE1E,2D;MAOuD,OB;QAAA,aAAsB,K;MAAO,qB;QAAA,QAAa,C;MAC7F,IAAI,UAAW,OAAx,KAAm
B,CAAvB,C;QACI,OAAO,mBAAoB,oBAAd,WAAW,CAAX,CAAc,CAApB,EAAgC,UAAhC,EAA4C,KAA5C,C
;OAG+E,kBAAb,cAAAtE,6BAAkB,UAAIB,UAA2C,UAA3C,EAA+D,KAA/D,CAAsE,C;MR6HE,kBAAM,iBAAa
,qCAAwB,EAAxB,CAAb,C;MAqEA,Q;MAAA,6B;MAAb,OAAa,cAAb,C;QAAa,sB;QACT,WAAy,WQnMgF,u
BRmMIE,IQnMkE,CRmMhF,C,;MQnMhB,ORoMO,W;K;IQjMX,0D;MdlrCI,IAAI,Ec2rCI,SAAS,Cd3rCb,CAAJ,
C;QACI,cc0rCkC,oD;QdzrCIB,MAAM,gCAAYB,OAAQ,WAAjC,C;Oc2rCV,oBAAoB,C;MACpB,gBAAgB,sBA
AQ,SAAR,EAAmB,aAAnB,EAAkC,UAAIC,C;MACHB,IAAI,cAAa,EAAb,IAAmB,UAAS,CAAhC,C;QACI,OAA
O,OAAO,SAAK,WAAZ,C;OAGX,gBAAgB,QAAQ,C;MACxB,aAAa,iBAAsB,SAAJ,GAAqB,eAAN,KAAM,EA
Aa,EAAb,CAArB,GAA2C,EAA7D,C,;QAET,MAAO,WAt4B6E,8BAAs4B/D,aAt4B+D,EAs4BhD,SAt4BgD,CAAk
C,WAs4B/G,C;QACP,gBAAgB,YAAy,SAAU,OAAtB,I;QAEhB,IAAI,aAAa,MAAO,KAAP,MAAe,QAAQ,CAA
R,IAAf,CAAjB,C;UAA2C,K;QAC3C,YAAy,sBAAQ,SAAR,EAAmB,aAAnB,EAAkC,UAAIC,C,;MACP,sBAAa,
EAAb,C;MAET,MAAO,WA74BiF,8BA64BnE,aA74BmE,EA64BpD,gBA74BoD,CAAkC,WA64BnH,C;MACP,O
AAO,M;K;2EAGX,mC;MAOmD,qB;QAAA,QAAa,C;MAAmB,OAAA,KAAM,eAAM,SAAN,EAAY,KAAZ,C;K;
IAEzF,iC;MAK2D,mCAAgB,MAAhB,EAAwB,IAAxB,EAA8B,IAA9B,E;K;IAE3D,OB;MAKgD,OAAe,UAAf,uB
AAe,C;K;I0JlWC/D,sB;MAAA,OB;MAII,aAC+B,e;MAC/B,cACgC,e;MACHC,WAC6B,e;MAC7B,YAC8B,e;MAC
9B,eACiC,e;MACjC,YAC8B,gB;MAC9B,aAC+B,gB;MAC/B,YAC8B,gB;MAC9B,aAC+B,gB;MAC/B,eACiC,gB
;MACjC,iBACmC,gB;MACnC,sBACwC,gB;MACxC,uBACyC,gB;MACzC,kBACoC,gB;MACpC,cACgC,gB;MA
ChC,iBACmC,gB;MACnC,iBACmC,gB;MACnC,iBACmC,gB;MACnC,YAC8B,gB;MAC9B,aAC+B,iB;MAC/B,a
AC+B,iB;MAC/B,uBACyC,iB;MACzC,wBAC0C,iB;MAC1C,sBACwC,iB;MACxC,uBACyC,iB;MACzC,wBAC0
C,iB;MAC1C,sBACwC,iB;MACxC,cACgC,iB;MACHC,oBACsC,iB;MACtC,cACgC,iB;MACHC,gBACkC,iB;MA
CIC,aAC+B,iB;MAC/B,mBACqC,iB;MACrC,YAC8B,iB;MAC9B,UAC4B,iB;MAC5B,mBACqC,iB;MACrC,gBA
CkC,iB;MACIC,mBACqC,iB;MACrC,sBACwC,iB;K,;IAjF5C,kC;MAAA,iC;QAAA,gB;OAAA,OB;K,;,,,,,;uECu
E0C,Y;MAAQ,oCAAA,IAAb,C;K;IAiBpB,yC;MAAqB,kB;K;MIAC3C,Y;MACmD,OAAA,UAAM,YAAN,aAAkB
,CAAIB,C;K;MIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;MIACnD,Y;MACmD,OAAA,UA
AM,YAAN,aAAkB,CAAIB,C;K;MIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;MIACnD,Y;M
ACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;MIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,
C;K;MIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;MIACnD,Y;MACmD,OAAA,UAAM,YAA
N,aAAkB,CAAIB,C;K;MIACnD,Y;MACmD,OAAA,UAAM,YAAN,aAAkB,CAAIB,C;K;qIACnD,Y;MACmD,O
AAA,UAAM,YAAN,aAAkB,EAAIB,C;K;gDAEnD,Y;MAMoC,OAAA,UAAM,YAAy,iBAAQ,CAAR,EAAW,U
AAM,YAAy,KAA7B,C;K,;6E1FjH9D,yB;MAAA,iD;MAAA,4B;QAI4C,kBAAM,SAAN,C;O;KAJ5C,C,+EAMA
,yB;MAAA,gD;MAAA,oC;QAI+D,kBAAM,SAAN,EAAy,MAAZ,C;O;KAJ/D,C,+EAMA,yB;MAAA,oC;MAAA,
qC;QAIqE,sBAAM,SAAN,EAAy,OAAZ,C;O;KAJrE,C;I2FZ+B,2B;MAAQ,6C;K;IAmBV,yB;MAOzB,gC;MAP8
C,OB;K;IAO9C,8B;MAAA,kC;MACI,YAC4B,aAAS,GAAT,C;MAE5B,gBACgC,aAAS,wCAAO,kBAAhB,C;K;m
DAEHc,yC;MAEI,2BAAoB,KAAPB,EAA2B,UAA3B,EAAuC,UAAvC,C;K,;IATR,0C;MAAA,yC;QAAA,wB;O
AAA,kC;K;oCAcA,Y;MAC6C,oBAAS,CAAC,kBAAV,C;K;qCAE7C,iB;MACsD,oBAAS,qBAAQ,KAAM,cAAv
B,C;K;sCAEtD,iB;MACuD,oBAAS,qBAAQ,KAAM,cAAvB,C;K;uCAEvD,iB;MACkD,oBAAS,qBAAQ,KAAjB,
C;K;uCAEID,iB;MACqD,oBAAS,qBAAQ,KAAjB,C;K;qCAErD,iB;MACgD,oBAAS,qBAAQ,KAAjB,C;K;qCAE
hD,iB;MACmD,oBAAS,qBAAQ,KAAjB,C;K;oCAEnD,iB;MACmD,OAAA,IAAK,cAAL,GAAa,KAAM,c;K;oCA
EtE,Y;MACmC,4BAAQ,C;K;oCAE3C,Y;MACmC,4BAAQ,C;K;oCAE3C,Y;MACmC,OAAM,WAAN,kBAAM,C
;K;kCAEzC,Y;MACiC,OAAM,SAAN,kBAAM,C;K;qEAGJ,Y;MAAQ,OAAI,iBAAJ,GAAmB,IAAD,aAIB,GAA
6B,I;K;yCAExE,iB;MAA+C,OAAW,iBAAX,IAAK,cAAM,EAU,KAAM,cAAhB,C;K;uHAK1D,yB;MAAA,oC;
MAAA,yB;QAAI,cAAc,YAAP,WAAO,CAAd,EAuB,mBAAvB,EAuB,qBAAvC,EAAyD,qBAAzD,EAA2E,yB
AA3E,C;O;KAbJ,C;uHAeA,yB;MAAA,oC;MAAA,yB;QAYI,cAAe,YAAR,YAAQ,CAAf,EAAwB,qBAAxB,EAA

0C,qBAA1C,EAA4D,yBAA5D,C;O;KAZJ,C;uHAcA,yB;MAAA,oC;MAAA,yB;QAWI,cAAiB,YAAV,cAAU,CA
AjB,EAA0B,qBAA1B,EAA4C,yBAA5C,C;O;KAXJ,C;uHAaA,kB;MAUI,cAAiB,uBAAV,cAAU,CAAjB,EAA2B,
yBAA3B,C;K;sEAG6B,Y;MAAQ,OAAe,YAAAd,eAAU,EAAI,C;K;wEAERB,Y;MAAQ,OAAiB,YAAhB,iBAAy,E
AAI,C;K;wEAERzB,Y;MAAQ,OAAiB,YAAhB,iBAAy,EAAI,C;K;4EAERB,Y;MAAQ,OAAsB,YAArB,qBAAgB,
KAAK,C;K;0CAKrE,gB;MACkD,2BAAoB,kBAAPB,0CAAwC,IAAxC,C;K;wCAEID,gB;MAK8C,OAAe,uBAAf,
sBAAS,IAAT,CAAE,C;K;uCAE7D,gB;MAK4C,OAAe,YAAf,sBAAS,IAAT,CAAE,C;K;8DAGjC,Y;MAAQ,6D;K
;+DAGP,Y;MAAQ,8D;K;iEAGN,Y;MAAQ,gE;K;iEAGR,Y;MAAQ,gE;K;sEAGH,Y;MAAQ,qE;K;sEAGR,Y;MA
AQ,qE;K;qEAGT,Y;MAAQ,oE;K;2CAIzC,Y;MAOuC,kE;K;4CAEvC,Y;MAOwC,mE;K;kCAExC,Y;MAoBmB,U
AaX,M;MAnBJ,sB;QAD8B,OACd,kBAAM,W;WACtB,2BAAS,GAAT,C;QAF8B,OAEd,I;QAEZ,YAAy,kBAAc
,c;QAC1B,qBAAiB,KAajB,C;QACA,sBAakB,CAAI,C;QAEI,YAAQ,MAAR,C;UAAqC,kD;UAAO,eAAa,I;UA
ApB,OtK7I1C,S;esK8IK,YAAQ,CAAR,C;UAAsC,wD;UAAO,gBAAc,C;UAArB,OtK9I3C,W;esK+IK,YAAQ,MA
AR,C;;aACA,YAAQ,SAAR,C;;aACA,YAAQ,KAAR,C;;aACA,YAAQ,MAAR,C;;aACA,YAAQ,MAAR,C;;aACA
,YAAQ,MAAR,C;;aACA,YAAQ,UAAU,KAAI,C;;;UAC0B,iD;UAAO,eAAa,I;UAApB,OtKtJ/B,W;;QsK4IC,e;Q
AYA,YAAy,sBAAS,IAAT,C;QAER,iB;UAAc,0BAAiB,KAajB,C;aACd,oBAAc,CAAd,C;UAAmB,4BAAmB,K
AAnB,EAA0B,aaA1B,C;;UACX,+BAAsB,KAAtB,EAA6B,iB9E+FH,MAAW,K8E/FM,K9E+FN,C8E/FR,CAA7
B,C;;QAvBc,OAoB1B,SAIS,UAAI,IAAK,C;;K;qCAIjB,iB;MACI,YAAQ,CAAR,C;QADwC,OAC3B,C;WACb,Y
AAQ,EAAR,C;QAFwC,OAElB,C;WACd,YAAQ,GAAR,C;QAHwC,OAGzB,C;;QAHyB,OAIhC,C;K;0CAGZ,0B
;MAawC,wB;QAAA,WAAgB,C;MAI7C,Q;M1KxPX,IAAI,E0KqPQ,YAAy,C1KrPpB,CAAJ,C;QACI,c0KoPyB,o
D;Q1KnPzB,MAAM,gCAAyB,OAAQ,WAAjC,C;O0KoPN,IAAI,iBAAJ,C;QAakB,OAAO,kBAAM,W;MAC/B,a
AAa,sBAAS,IAAT,C;MAET,I9EiEsC,MAAW,K8EjE7C,M9EiE6C,C8EjEjD,GAAC,MAAd,C;QAAsB,6BAAsB,
MAAtB,EAAuC,eAAT,QAAS,EAAa,EAAb,CAAvC,C;;QACd,wBAAiB,MAAjB,C;MAFZ,OAAO,OAGE,UAAI,
IAAK,C;K;qCAIb,Y;M1FgHgB,gBAAhB,sB;M0FhGI,IAAI,iBAAJ,C;QAakB,yBAAO,EAAP,C;MACIB,yBAAO,
IAAP,C;MACc,YAAAd,kB;MA3LA,YAAe,YAAR,aaAQ,C;MAAf,cAAwB,sB;MAAxB,cAA0C,sB;MAA1C,kBA
A4D,0B;MA4LxD,eAAe,UAAAS,C;MACxB,iBAAiB,YAAW,CAAX,IAAgB,gBAAe,C;MACHd,iBAAiB,YAAW,
CAAX,KAAiB,cAAc,QAA/B,C;MACjB,IAAI,QAaj,C;QACI,yBAAO,KAAP,CAAc,gBAAO,EAAP,C;OAEIB,IA
AI,UAAJ,C;QACI,yBAAO,OAAP,CAAgB,gBAAO,EAAP,C;OAEpB,IAAI,eAAe,CAAC,QAAD,IAAa,CAAC,UA
A7B,CAAJ,C;QACI,yBAAO,OAAP,C;QACA,IAAI,gBAAe,CAAnB,C;UACI,yBAAO,EAAP,C;UACA,UAAiC,W
AAvB,WAAy,WAAW,EAAS,CAAT,EAAY,EAaz,C;UAE7B,kBAAc,OAAd,KAA2B,CAA3B,C;YAAgC,8BAA
Y,GAaz,EAAiB,CAAjB,EAAoB,CAApB,C;eAChC,kBAAc,IAAd,KAAuB,CAAvB,C;YAA4B,8BAAy,GAaz,E
AAiB,CAAjB,EAAoB,CAApB,C;;YACpB,yBAAO,GAAP,C;SAGhB,yBAAO,EAAP,C;OAXuB,OtK9N5B,S4E+
T8B,W;K;;kC0FtYzC,Y;MAAA,c;MAiBkD,8D;MAjBID,a;K;gCAAA,iB;MAAA,2IAiBkD,sDAjBID,G;K;IAuU
A,qC;MAG0D,OAAW,aAAx,SAAW,EAaw,IAAX,C;K;IAERe,uC;MAG2D,OAAW,aAAx,oBAAW,EAaw,IAA
X,C;K;IAERe,uC;MAG6D,oBAAAS,oBAAoB,SAAPB,EAA0B,IAA1B,yCAAT,C;K;IAQIC,oC;MAAQ,oE;K;IAKP,
sC;MAAQ,sE;K;IAKN,sC;MAAQ,sE;K;IAKV,qC;MAAQ,qE;K;IAKP,uC;MAAQ,uE;K;IAKN,uC;MAAQ,uE;K;I
AKX,qC;MAAQ,qE;K;IAKP,uC;MAAQ,uE;K;IAKN,uC;MAAQ,uE;K;IAKhB,gC;MAAQ,gE;K;IAKP,kC;MAAQ
,kE;K;IAKN,kC;MAAQ,kE;K;IAKX,gC;MAAQ,gE;K;IAKP,kC;MAAQ,kE;K;IAKN,kC;MAAQ,kE;K;IAKb,8B;
MAAQ,8D;K;IAKP,gC;MAAQ,gE;K;IAKN,gC;MAAQ,gE;K;IAKZ,6B;MAAQ,6D;K;IAKP,+B;MAAQ,+D;K;IA
KN,+B;MAAQ,+D;K;yEAG/B,+B;MAIqE,8BAAW,SAAX,C;K;2EAERe,+B;MAIwE,8BAAW,SAAX,C;K;IClaxE
,8B;MAEGD,QAAM,SAAN,M;aAC5C,a;UAD4C,OACHb,I;aAC5B,c;UAF4C,OAef,I;aAC7B,c;UAH4C,OAGf,I;a
AC7B,S;UAJ4C,OAIpB,G;aACxB,S;UAL4C,OKpB,G;aACxB,O;UAN4C,OAMtB,G;aActB,M;UAP4C,OAovB,
G;gBAPuB,mC;;K;IChDhD,4B;K;;MC4BI,kC;;IAXA,gC;MAAA,oC;MAM0B,2BAAc,iC;K;8CACpC,Y;MAAkC,
OAAA,iCAAoB,W;K;6CADhC,Y;MAAA,yC;K;;IAN1B,4C;MAAA,2C;QAAA,0B;OAAA,oC;K;IAWA,gC;MA
AA,oC;K;;IAAA,4C;MAAA,2C;QAAA,0B;OAAA,oC;K;;IAKJ,oB;K;qCAcI,oB;MAK8D,4BAAiB,IAAjB,EAAu
B,QAAvB,C;K;sCAE9D,oB;MAK+D,wBAAM,QAAD,aAAL,C;K;sCAG/D,Y;MAMqC,QAAC,iBAAa,a;K;yCAE
nD,Y;MAMwC,OAAA,iBAAa,a;K;;4EAIzD,yB;MAAA,4C;MAAA,mC;QAouE,MAAM,WAAM,0BAAN,C;O;K
AP7E,C;mFASA,yB;MAAA,4C;MAAA,mC;QAosE,MAAM,WAAM,0BAAN,C;O;KAP5E,C;IAW8B,4C;MAAi
D,mB;MAAhD,gB;MAAoB,4B;K;4CAC/C,Y;MAAsC,OAAA,SAAK,aAAL,cAAoB,eAApB,C;K;6CAEtC,oB;MA
AkD,4BAAiB,SAAjB,EAAuB,4BAAa,QAAb,CAAvB,C;K;;IC9FV,sC;MAAC,gB;K;IAOf,4E;MAA8G,mB;MAA

7G,4B;MAA6B,8B;MAAgD,sB;K;+DACpG,Y;MAAsC,OAAgC,aAA/B,iBAAW,OAAx,UAAoB,gBAApB,CAA+
B,EAAW,iBAAW,KAAtB,CAAhC,cAA8D,aaa9D,C;K;gEACtC,oB;MAAkD,+CAAA,gBAAb,EAAwB,iBAAxB,
EAAoC,0BAAS,QAAT,CAApC,C;K;+CAGtD,Y;MAAmC,+CAAA,WAAb,EAAqB,IAArB,EAA2B,gCAAS,KAA
pC,C;K;IAUO,wC;MAAC,gB;K;IAOf,gF;MAAKh,mB;MAAjH,4B;MAA+B,8B;MAAkD,sB;K;mEAC1G,Y;MA
AsC,OAAgC,aAA/B,iBAAW,OAAx,GAAoB,gBAAW,EAAW,iBAAW,KAAtB,CAAhC,cAA8D,aaa9D,C;K;oE
ACtC,oB;MAAkD,mDAAe,gBAAf,EAA0B,iBAA1B,EAA5C,0BAAS,QAAT,CAAtC,C;K;;iDAGtD,Y;MAAmC,m
DAAe,WAAf,EAAuB,IAAvB,EAA6B,gCAAS,KAAtC,C;K;;IAGvC,0B;MAGB8B,yE;MAC1B,mB;K;oCAEA,Y;
MAA4B,qB;K;iDAE5B,oB;MAYc,Q;MAFV,YAAY,QAAS,kBAAS,SAAT,C;MACrB,gBAAsB,uBAAN,KAAM,
C;MACZ,IAAI,gDAA+B,4CAAnC,C;QAEN,iBAAiB,mBAAU,SAAV,C;QACjB,IAAI,mBAAY,SAAZ,gBAAYB,
CAAzB,IAA8B,mBAAY,UAAZ,eAAyB,CAA3D,C;UAA8D,gBAAS,QAAT,C;QAC9D,iB;;QAGA,mBAAiB,4BA
AU,K;QAC3B,IAAI,sDAA+B,kDAAnC,C;UAAgE,gBAAS,QAAT,C;QACrD,8BAAX,YAAW,C;;MATf,qB;K;0C
AaJ,oB;MACI,MAAM,6BAAsB,iDAA+C,cAA/C,qCAA0E,QAA1E,MAAtB,C;K;;qFC7Fd,yB;MAAA,yC;MAAA,
wB;QA2BI,WAAW,8B;QAhB6B,KAiBxC,E;QAJBA,OAKBO,IAAK,a;O;KA7BhB,C;uFAeA,4B;MAYI,WAAW,
mB;MACX,O;MACA,OAAO,IAAK,a;K;IAYe,qC;MAAC,kB;MAAc,wB;K;;sCAR9C,Y;MAQgC,iB;K;sCARhC,
Y;MAQ8C,oB;K;wCAR9C,2B;MAAA,sBAQgC,qCARhC,EAQ8C,8CAR9C,C;K;oCAAA,Y;MAAA,OAQgC,iDA
RhC,IAQ8C,8CAR9C,O;K;oCAAA,Y;MAAA,c;MAQgC,sD;MAAc,yD;MAR9C,a;K;kCAAA,iB;MAAA,4IAQgC,
sCARhC,IAQ8C,4CAR9C,I;K;iGAUA,yB;MAAA,yC;MAGBA,8C;MAhBA,wB;QA6BI,WAAW,8B;QACX,aAjB8
C,KAiBjC,E;QAJBb,OAKBO,oBAAW,MAAX,EAAMB,IAAK,aAAxB,C;O;KA/BX,C;mGAgBA,yB;MAAA,8C;M
AAA,mC;QAaI,WAAW,mB;QACX,aAAa,O;QACb,OAAO,oBAAW,MAAX,EAAMB,IAAK,aAAxB,C;O;KAFX,
C;4EC1DA,yB;MAAA,8B;MAAA,4B;QA0yC,Q;QAAA,gFAAoB,C;O;KAP7D,C;ICM0B,4C;MA+CtB,qC;MA/C
uB,kB;MAAgB,kB;MAAgB,kB;MAMvD,iBAAsB,iBAAU,UAAV,EAAiB,UAAjB,EAAwB,UAAxB,C;K;0CAEtB
,+B;MjLWA,IAAI,EiLViB,CAAT,sBAAY,GAAZ,KAA4C,CAAT,sBAAY,GAA/C,MAA+E,CAAT,sBAAY,GAAI
F,CjLUR,CAAJ,C;QACI,ciLVI,2E;QjLWJ,MAAM,gCAAYB,OAAQ,WAAjC,C;OiLTN,OAAO,CAAA,KAAM,IA
AI,EAAV,KAAgB,KAAM,IAAI,CAA1B,IAA+B,KAA/B,I;K;uCAGX,Y;MAGkC,OAAE,UAAF,oBAAS,UAAAT,S
AAgB,U;K;qCAEID,iB;MAEWB,gB;MADpB,IAAI,SAAS,KAAb,C;QAAoB,OAAO,I;MACP,iE;MAAD,mB;QAA
6B,OAAO,K;OAAvD,mBAAMB,M;MACnB,OAAO,IAAK,UAAAL,KAAgB,YAAa,U;K;uCAGx,C,Y;MAA+B,qB;
K;8CAE/B,iB;MAAoD,wBAAU,KAAM,UAAhB,I;K;gDAEpD,wB;MAKI,OAAA,IAAK,MAAL,GAAa,KAAb,K
AAuB,IAAK,MAAL,KAAc,KAAAd,IACf,IAAK,MAAL,IAAc,KADtB,C;K;gDAGJ,+B;MAKI,OAAA,IAAK,MAA
L,GAAa,KAAb,KAAuB,IAAK,MAAL,KAAc,KAAAd,KACd,IAAK,MAAL,GAAa,KAAb,KAAsB,IAAK,MAAL,K
AAc,KAAAd,IACf,IAAK,MAAL,IAAc,KADrB,CADc,CAAvB,C;K;IAIJ,mC;MAAA,uC;MACI,2BAIuC,G;MAEv
C,eAIoC,kBAAc,CAAd,EAAiB,CAAjB,EAAoB,EAAPB,C;K;;IAXxC,+C;MAAA,8C;QAAA,6B;OAAA,uC;K;;I
A9CA,iD;MAAA,uD;MAG6C,0BAAK,KAAL,EAAy,KAAZ,EAAMB,CAAnB,C;MAH7C,Y;K;4FCKA,yB;MAA
A,2D;MAAA,4B;QAAQ,MAAM,6BAAoB,6BAAPB,C;O;KAAAd,C;;;ICSJ,uB;MAG2C,+BAAoB,KAAPB,C;K;4E
AE3C,wC;MAO4F,sB;K;IAE5F,6C;MAAA,e;MAAA,iB;MAAA,uB;K;IAAA,2C;MAAA,8C;O;MAKI,wF;MAKA
,sF;MAMA,wE;K;;IAXA,yD;MAAA,iC;MAAA,iD;K;;IAKA,wD;MAAA,iC;MAAA,gD;K;;IAMA,iD;MAAA,iC;
MAAA,yC;K;;IAhBJ,uC;MAAA,iJ;K;;IAAA,4C;MAAA,a;aAAA,c;UAAA,sD;aAAA,a;UAAA,qD;aAAA,M;UAA
A,8C;gBAAA,gE;;K;;IAyBA,+B;MAAA,mC;K;;IAAA,2C;MAAA,0C;QAAA,yB;OAAA,mC;K;IAGoC,qC;MAC
hC,qBAAsC,W;MACTC,gBAA2B,iC;K;mEAGvB,Y;MAMW,Q;MALP,IAAI,kBAAW,iCAAf,C;QACI,gBAAS,m
C;QACT,qBAAC,I;OAGIB,OAAO,gF;K;6CAGf,Y;MAAwC,yBAAW,iC;K;wCAEnD,Y;MAAkC,OAAI,oBAAJ,G
AA2B,SAAN,UAAAM,CAA3B,GAA2C,iC;K;8CAE7E,Y;MAAkC,+BAAoB,UAApB,C;K;;IAGG,oC;MAAC,4B;K
;wEAAA,Y;MAAA,2B;K;kDAEtC,Y;MAAwC,W;K;6CAExC,Y;MAAkC,OAAM,SAAN,UAAAM,C;K;;oFC2C5C,
yB;MAAA,gD;MAAA,4B;QAM6C,OAAmB,aAAIB,YAAY,GAAM,C;O;KANhE,C;oGAQA,yB;MvF7FA,iB;MuF
6FA,4B;QAMqD,OvF5FqB,auF4FpB,YAAY,GvF5FqC,CuF4FrB,GAA6C,EAA7C,I;O;KANrD,C;sGAQA,yB;MA
AA,kE;MAAA,4B;QAMsD,OAAmB,sBAAlB,YAAW,GAAO,C;O;KANzE,C;8FAQA,yB;MAAA,0D;MAAA,0B;
MAAA,4B;QAOMD,OAAuC,OAAPB,kBAAlB,YAAY,GAAM,CAAoB,C;O;KAP1F,C;4FASA,yB;MAAA,wD;M
AAA,0B;MAAA,4B;QAOKD,OAA2B,OAAnB,iBAAR,SAAQ,CAAMB,C;O;KAP7E,C;IAUA,2C;MAaI,OAA+E,
OAA9E,SAAQ,KAAI,WAAa,CAAjB,CAAR,GAakD,CAAIB,YAAY,GAAM,MAAK,CAAL,IAAU,WAAa,CAA
vB,CAA4B,C;K;IAEnF,4C;MAaI,OAA+E,OAA9E,SAAQ,IAAI,CAAJ,IAAS,WAAa,CAAtB,CAAR,GAAwD,CAA

IB,YAAY,GAAM,OAAK,WAAa,CAAIB,CAAsB,C;K;oFAEnF,yB;MAAA,gD;MAAA,4B;QAM8C,OAAqB,AAApB,YAAY,KAAQ,C;O;KANnE,C;oGAQA,yB;MvFtKA,iB;MuFsKA,4B;QAOI,OvFtKsE,auFsKrE,YAAY,KvFtKyD,CuFsKtE,GAA+C,EAA/C,I;O;KAPJ,C;sGASA,yB;MAAA,kE;MAAA,4B;QAMuD,OAAqB,sBAAPB,YAAW,KAAS,C;O;KAN5E,C;8FAQA,yB;MAAA,0D;MAAA,4B;MAAA,4B;QAOqD,OAAyC,QAApB,kBAAPB,YAAY,KAAQ,CAAOB,C;O;KAP9F,C;4FASA,yB;MAAA,wD;MAAA,4B;MAAA,4B;QAOoD,OAA2B,QAAAnB,iBAAR,SAAQ,CAAmB,C;O;KAP/E,C;IAUA,2C;MAaI,OAAoF,QAAAnF,SAAQ,KAAL,WAAa,EAAjB,CAAR,GAAqD,CAApB,YAAY,KAAQ,MAAK,EAAL,IAAW,WAAa,EAAxB,CAA8B,C;K;IAExF,4C;MAaI,OAAoF,QAAAnF,SAAQ,IAAI,EAAJ,IAAU,WAAa,EAAvB,CAAR,GAA4D,CAAPB,YAAY,KAAQ,OAAK,WAAa,EAAIB,CAAuB,C;K;0EpLIRxF,yB;MAaA,kF;MAbA,wB;QAUbI,IAAI,CAbI,KAAr,C;UACI,cAda,qB;UAeb,MAAM,8BAAyB,OAAQ,WAAjC,C;U;KAZbD,C;0EAaA,yB;MAAA,kF;MAAA,qC;QAUI,IAAI,CAAC,KAAL,C;UACI,cAAc,a;UACd,MAAM,8BAAyB,OAAQ,WAAjC,C;U;KAZd,C;sFAgBA,yB;MAWA,kF;MAXA,wB;QAQW,yB;QAEp,IAfsB,KAelB,QAAJ,C;UACI,cAhB2B,0B;UAIb3B,MAAM,8BAAyB,OAAQ,WAAjC,C;UAEN,wBanBkB,K;QAAtB,4B;O;KARJ,C;wFAWA,yB;MAAA,kF;MAAA,qC;QAYI,IAAI,AAAJ,C;UACI,cAAc,a;UACd,MAAM,8BAAyB,OAAQ,WAAjC,C;UAEN,OAAO,K;O;KAhBf,C;oEAoBA,yB;MAaA,4E;MAbA,wB;QAUbI,IAAI,CAbE,KAAr,C;UACI,cAdW,e;UAeX,MAAM,2BAAsB,OAAQ,WAA9B,C;U;KAZbD,C;sEAaA,yB;MAAA,4E;MAAA,qC;QAUI,IAAI,CAAC,KAAL,C;UACI,cAAc,a;UACd,MAAM,2BAAsB,OAAQ,WAA9B,C;U;KAZd,C;kFAgBA,yB;MAcA,4E;MAAdA,wB;QAWW,uB;QAEp,IAfoB,KAehB,QAAJ,C;UACI,cAhByB,0B;UAIbZB,MAAM,2BAAsB,OAAQ,WAA9B,C;UAEN,sBanBgB,K;QAAPB,0B;O;KAXJ,C;oFAcA,yB;MAAA,4E;MAAA,qC;QAYI,IAAI,AAAJ,C;UACI,cAAc,a;UACd,MAAM,2BAAsB,OAAQ,WAA9B,C;UAEN,OAAO,K;O;KAhBf,C;oEAqBA,yB;MAAA,4E;MAAA,0B;QAMiD,MAAM,2BAAsB,OAAQ,WAA9B,C;O;KANvD,C;I2CrHkC,uB;MA1D9B,8B;MA1DA,kB;K;+DAS8B,Y;MAAQ,iD;K;+DAMR,Y;MAAQ,gD;K;wFAItC,yB;MAAA,gB;MAAA,8B;MAAA,mB;QAWgB,Q;QADR,mB;UADJ,OACiB,I;UADjB,OAEY,2E;O;KAXhB,C;uCAcA,Y;MAQQ,kBADE,UACF,kB;QADJ,OACkB,UAAM,U;QADxB,OAEY,I;K;gCAGhB,Y;MAOQ,kBADE,UACF,kB;QADJ,OACkB,UAAM,W;QADxB,OAEY,sBAAU,UAaV,O;K;IAKhB,4B;MAAA,gC;K;wHAKI,yB;MAAA,iC;MAAA,wB;QAKI,uBAAO,KAAP,C;O;KALJ,C;wHAAO,yB;MAAA,kD;MAAA,iC;MAAA,4B;QAKI,uBAAO,cAAc,SAAd,CAAP,C;O;KALJ,C;IAZJ,wC;MAAA,uC;QAAA,sB;OAAA,gC;K;IAoBsB,mC;MACIB,0B;K;sCAGA,iB;MAA4C,+CAAOB,uBAAa,KAAM,UAAnB,C;K;wCACHe,Y;MAA+B,OAAU,SAaV,cAAU,C;K;wCACzC,Y;MAAkC,oBAAU,cAAV,M;K;gCA3F1C,Y;MAAA,c;MAOI,sD;MAPJ,a;K;8BAAA,iB;MAAA,2IAOI,sCAPJ,G;K;IA+FA,kC;MAOI,OAAO,mBAAQ,SAAR,C;K;IAEX,mC;MAQI,IAAI,8CAAJ,C;QAA6B,MAAM,eAAM,U;K;gFAG7C,yB;MAAA,4B;MAAA,qB;MAiCQ,kD;MAsCR,wB;QAOW,Q;UACI,OAhdH,WAgDW,OAhdX,C;UAIbDN,gC;YACS,OA3CH,WAAO,cA2CI,CA3CJ,CAAP,C;YAawCD,O;QAAP,W;O;KAPJ,C;kFAcA,yB;MAAA,4B;MAAA,qB;MApDQ,kD;MAoDR,mC;QAOW,Q;UACI,OA9DH,Wa8DW,gBA9DX,C;UA+DN,gC;YACS,OAzDH,WAAO,cAyDI,CAzDJ,CAAP,C;YAsDD,O;QAAP,W;O;KAPJ,C;8EAgBA,yB;MAAA,oD;MAAA,gB;MAAA,8B;MAAA,4B;QAUW,Q;QADP,yB;QACA,OAAO,gF;O;KAVX,C;+EAaA,yB;MAAA,gB;MAAA,8B;MAAA,uC;QAEgB,UADL,M;QAAM,gBAAGB,2B;QACzB,sB;UAAQ,yF;UACA,mBAAU,SAaV,C;QAFZ,a;O;KAdJ,C;kFAoBA,yB;MAAA,gB;MAAA,8B;MAAA,0C;QAUW,Q;QADP,IAAI,mBAAJ,C;UAAe,OAAO,Y;QACtB,OAAO,gF;O;KAVX,C;qEAaA,yB;MAAA,gB;MAAA,8B;MAAA,kD;QAIb0B,UADf,M;QAAM,gBAAGB,2B;QACzB,sB;UAAQ,mBAAU,gFAAV,C;UACA,mBAAU,SAaV,C;QAFZ,a;O;KAhBJ,C;mEAwBA,yB;MAAA,4B;MAAA,gB;MAAA,8B;MAAA,uC;YAE8C,I;YADnC,M;QACH,wB;UAAa,gB;UAAO,SA3JhB,WA2JwB,UAAU,gFAAV,CA3JxB,C;UA4JI,oBAAO,eAAP,C;QAFZ,a;O;KAdJ,C;gFAoBA,yB;MAAA,gB;MAAA,8B;MAAA,iC;MA1GA,qB;MApDQ,kD;MA8JR,uC;QAWW,Q;QACH,wB;UA/GG,U;YA+GkC,U;YA9G9B,SA9DH,gBA4KuB,UAAU,sFAAV,CA5KvB,C;YA+DN,gC;cACS,SAzDH,gBAAO,cAyDI,CAzDJ,CAAP,C;cAsDD,O;UA+GU,a;UACL,uBAAO,eAAP,C;QAFZ,W;O;KAXJ,C;wEAiBA,yB;MAAA,4B;MAAA,uC;QAcW,Q;QAAM,gBAAGB,2B;QACzB,sB;UAAQ,gB;UACO,OAjMX,WAIbMmB,UAAU,SAaV,CAjMnB,C;QA+LR,W;O;KAdJ,C;wFAoBA,yB;MA/IA,4B;MAAA,qB;MApDQ,kD;MAmMR,uC;QAYW,Q;QADP,YAAY,e;QACC,gBAAGB,2B;QACzB,sB;UAAQ,gB;UArJL,U;YACI,SA9DH,WAmNkB,oBanNIB,C;YA+DN,gC;cACS,SAzDH,WAAO,cAyDI,CAzDJ,CAAP,C;cAsDD,O;UAsJK,a;QAFZ,W;O;KAZJ,C;4EAoBA,6B;MAAUI,Q;MAAA,iD;QAAYB,Y;OACzB,OAAO,S;K;4EAGX,yB;MAAA,gB;MAAA,8B;MAAA,oC;QAU0B,Q;QAAtB,IAAI,mBAAJ,C;UAAe,OAAO,gFAAP,C;SACf,OAAO,S;O;KAXX,C;IvCjTgC,sC;MAAc,uB;QAAA,UAAkB,

kC;mBAA4C,O;;K;;0DAE/F,yB;MAAA,2D;MAAA,mB;QAKoC,MAAM,8B;O;KAL1C,C;oEAOA,yB;MAAA,2D ;MAAA,yB;QAMkD,MAAM,6BAAoB,sCAAmC,MAAvD,C;O;KANxD,C;gEAUA,iB;MAUI,OAAO,O;K;kEAG X,4B;MAUI,OAAO,gB;K;oEAGX,2B;MAUI,OAAgB,MAAT,QAAS,C;K;oEAGpB,4B;MAUI,gB;MACA,OAAO, S;K;kEAGX,4B;MAWI,MAAM,SAAN,C;MACA,OAAO,S;K;kEAGX,4B;MAUI,OAAO,MAAM,SAAN,C;K;sEA GX,gC;MASI,OAAW,UAAU,SAAV,CAAJ,GAAqB,SAArB,GAA+B,I;K;8EAG1C,gC;MASI,OAAW,CAAC,UA AU,SAAV,CAAL,GAAsB,SAAtB,GAAgC,I;K;wEAG3C,yB;MAWI,iBAAc,CAAd,UAAAsB,KAAAtB,U;QACI,OA AO,KAAP,C;;K;wEiL7IR,iB;MAIkF,Y;K;ICY9C,6B;MACHc,kB;MACA,oB;K;8BAGA,Y;MAGyC,aAAG,UAA H,UAAW,WAAx,M;K;;gCAvB7C,Y;MAGBI,iB;K;gCAhBJ,Y;MAiBI,kB;K;kCAjBJ,yB;MAAA,gBAGBI,qCAhBJ ,EAIbI,wCAjBJ,C;K;8BAAA,Y;MAAA,c;MAGBI,sD;MACA,uD;MAjBJ,a;K;4BAAA,iB;MAAA,4IAGBI,sCAhBJ, IAiBI,wCAjBJ,I;K;IA0BA,6B;MAMoD,gBAAK,SAAL,EAAW,IAAX,C;K;IAEpD,8B;MAI8C,iBAAO,eAAP,EA Ac,gBAAd,E;K;IAiBD,sC;MACzC,kB;MACA,oB;MACA,kB;K;gCAGA,Y;MAGyC,aAAG,UAAH,UAAW,WAA X,UAAoB,UAApB,M;K;;kCAxB7C,Y;MAGBI,iB;K;kCAhBJ,Y;MAiBI,kB;K;kCAjBJ,Y;MAkBI,iB;K;oCAIBJ,gC ;MAAA,kBAGBI,qCAhBJ,EAIbI,wCAjBJ,EAKBI,qCAIBJ,C;K;gCAAA,Y;MAAA,c;MAGBI,sD;MACA,uD;MAC A,sD;MAIBJ,a;K;8BAAA,iB;MAAA,4IAGBI,sCAhBJ,IAiBI,wCAjBJ,IAkBI,sCAIBJ,I;K;IA2BA,8B;MAImD,iBA AO,eAAP,EAAC,gBAAd,EAAsB,eAAtB,E;K;IjMnEzB,qB;MAEtB,6B;MAFyD,gB;K;IAEzD,2B;MAAA,+B;MA CI,iBAGoC,UAAAM,CAAN,C;MAEpC,iBAGoC,UAAAM,MAAN,C;MAEpC,kBAGmC,C;MAEnC,iBAGkC,C;K;;;I AnBtC,uC;MAAA,sC;QAAA,qB;OAAA,+B;K;kGAsBA,iB;MAOmE,OAAa,0BAgJ1C,SAAL,GAAiB,GAhJ8B,E AAU,KAgJpD,KAAL,GAAiB,GAhJ8B,C;K;sGAExE,yB;MA+JA,6B;MChKA,8C;MDCA,wB;QAMyD,OCAS,YAAiB, CDkKhD,cAAU,SAAL,GAAiB,GAAtB,CCIKgD,MAAJB,EDAe,KCAc,KAA7B,C;O;KDNIE,C;sGAQA,yB;MAiK A,WAS6D,wB;MAT7D,+B;M8BIKA,gD;M9BCA,wB;QAM0D,O8BAS,aAAkB,C9BoKhD,eAAW,oBAAL,SAAK ,CAAL,UAAAN,C8BpKgD,MAALB,E9BAgB,K8BAc,KAA9B,C;O;K9BNnE,C;4FAQA,yB;MA+IA,6B;MA/IA,wB; QAEsD,OCMD,cAAU,CDgJ5B,cAAU,SAAL,GAAiB,GAAtB,CChJ4B,MAAK,GAAW,CDgJ5C,cAtJsC,KAsJ5B, KAAL,GAAiB,GAAtB,CChJ4C,MAAX,IAAf,C;O;KDRrD,C;4FAGA,yB;MA4IA,6B;MA5IA,wB;QAEuD,OCGF, cAAU,CDgJ5B,cAAU,SAAL,GAAiB,GAAtB,CChJ4B,MAAK,GAAW,CCiJ5C,cFpJuC,KEoJ7B,KAAL,GAAiB,K AAAtB,CDjJ4C,MAAX,IAAf,C;O;KDLrD,C;4FAGA,yB;MAyIA,6B;MAzIA,wB;QAEqD,OCAA,cAAU,CDgJ5B,c AAU,SAAL,GAAiB,GAAtB,CChJ4B,MAAK,GDAI,KCAO,KAAZ,IAAf,C;O;KDFrD,C;4FAGA,yB;MAGJA,WA S6D,wB;MAT7D,+B;MAhJA,wB;QAEuD,O8BAA,eAAW,C9BuJ7B,eAAW,oBAAL,SAAK,CAAL,UAAAN,C8BvJ 6B,MAAK,K9BAI,K8BAO,KAAZ,CAAhB,C;O;K9BFvD,C;8FAIA,yB;MAkIA,6B;MAIIA,wB;QAEuD,OCMD,c AAU,CDmI7B,cAAU,SAAL,GAAiB,GAAtB,CCnI6B,MAAK,GAAY,CDmI9C,cAzIwC,KAyI9B,KAAL,GAAiB, GAAtB,CCnI8C,MAAZ,IAAf,C;O;KDRtD,C;8FAGA,yB;MA+HA,6B;MA/HA,wB;QAEwD,OCGF,cAAU,CDmI7 B,cAAU,SAAL,GAAiB,GAAtB,CCnI6B,MAAK,GAAY,CCoI9C,cFvIyC,KEuI/B,KAAL,GAAiB,KAAAtB,CDpI8C ,MAAZ,IAAf,C;O;KDLtD,C;8FAGA,yB;MA4HA,6B;MA5HA,wB;QAEsD,OCAA,cAAU,CDmI7B,cAAU,SAAL, GAAiB,GAAtB,CCnI6B,MAAK,GDAK,KCAO,KAAZ,IAAf,C;O;KDFtD,C;8FAGA,yB;MAmIA,WAS6D,wB;M AT7D,+B;MAhIA,wB;QAEwD,O8BAA,eAAW,C9B0I9B,eAAW,oBAAL,SAAK,CAAL,UAAAN,C8BII8B,MAAK ,U9BAK,K8BAO,KAAZ,CAAhB,C;O;K9BFxD,C;8FAIA,yB;MAqHA,6B;MArHA,wB;QAEuD,OCMD,cAAe,YA AL,CDsH7B,cAAU,SAAL,GAAiB,GAAtB,CCtH6B,MAAK,EAAY,CDsH9C,cA5HwC,KA4H9B,KAAL,GAAiB, GAAtB,CCtH8C,MAAZ,CAAf,C;O;KDRtD,C;8FAGA,yB;MAkHA,6B;MAIHA,wB;QAEwD,OCGF,cAAe,YAAL ,CDsH7B,cAAU,SAAL,GAAiB,GAAtB,CCtH6B,MAAK,EAAY,CCuH9C,cF1HyC,KE0H/B,KAAL,GAAiB,KAA AtB,CDvH8C,MAAZ,CAAf,C;O;KDLtD,C;8FAGA,yB;MA+GA,6B;MA/GA,wB;QAEsD,OCAA,cAAe,YAAL,CDs H7B,cAAU,SAAL,GAAiB,GAAtB,CCtH6B,MAAK,EDAK,KCAO,KAAZ,CAAf,C;O;KDFtD,C;8FAGA,yB;MA sHA,WAS6D,wB;MAT7D,+B;MAtHA,wB;QAEwD,O8BAA,eAAW,C9B6H9B,eAAW,oBAAL,SAAK,CAAL,UAA AN,C8B7H8B,MAAK,U9BAK,K8BAO,KAAZ,CAAhB,C;O;K9BFxD,C;0FAIA,yB;MAwGA,6B;MCIGA,4C;MD NA,wB;QAEqD,OCMD,WdyGjB,cAAU,SAAL,GAAiB,GAAtB,CCzGiB,EDyGjB,cA/GoC,KA+G1B,KAAL,GA AiB,GAAtB,CCzGiB,C;O;KDRpD,C;0FAGA,yB;MAqGA,6B;MCIGA,4C;MDHA,wB;QAEsD,OCGF,WdyGjB,c AAU,SAAL,GAAiB,GAAtB,CCzGiB,EC0GjB,cF7GqC,KE6G3B,KAAL,GAAiB,KAAAtB,CD1GiB,C;O;KDLpD,C ;0FAGA,yB;MAkGA,6B;MCIGA,4C;MDAA,wB;QAEoD,OCAA,WdyGjB,cAAU,SAAL,GAAiB,GAAtB,CCzGi B,EDAKB,KCAIB,C;O;KDFpD,C;0FAGA,yB;MAyGA,WAS6D,wB;MAT7D,+B;M8BzGA,8C;M9BAA,wB;QAE

sD,O8BAA,Y9BgHjB,eAAW,oBAAL,SAAK,CAAL,UAAN,C8BhHiB,E9BAmb,K8BAnB,C;O;K9BFtD,C;0FAIA,yB;MA2FA,6B;McrFA,kD;MDNA,wB;QAEqD,OCMD,cD4FjB,cAAU,SAAL,GAAiB,GAAtB,CC5FiB,ED4FjB,cAlGoC,KakG1B,KAAL,GAAiB,GAAtB,CC5FiB,C;O;KDRpD,C;0FAGA,yB;MAwFA,6B;McrFA,kD;MDHA,wB;QAEsD,OCGF,cD4FjB,cAAU,SAAL,GAAiB,GAAtB,CC5FiB,EC6FjB,cFhGqC,KEgG3B,KAAL,GAAiB,KAAtB,CD7FiB,C;O;KDLpD,C;0FAGA,yB;MAqFA,6B;McrFA,kD;MDAA,wB;QAEoD,OCAA,cD4FjB,cAAU,SAAL,GAAiB,GAAtB,CC5FiB,EDakB,KCAiB,C;O;KDFpD,C;0FAGA,yB;MA4FA,WAS6D,wB;MAT7D,+B;M8B5FA,oD;M9BAA,wB;QAEsD,O8BAA,e9BmGjB,eAAW,oBAAL,SAAK,CAAL,UAAN,C8BnGiB,E9BAmb,K8BAnB,C;O;K9BFtD,C;0EAlA,yB;MAAA,0B;MAAA,+B;MAAA,mB;QAE0C,sBAAW,OAAL,SAAK,KAAX,C;O;KAF1C,C;0EAGA,yB;MAAA,0B;MAAA,+B;MAAA,mB;QAE0C,sBAAW,OAAL,SAAK,KAAX,C;O;KAF1C,C;kGAlA,yB;MAAA,8C;MAuEA,6B;MAvEA,wB;QAE8D,0BA8E3B,cAAU,SAAL,GAAiB,GAAtB,CA9E2B,EA8E3B,cA9EoD,KA8E1C,KAAL,GAAiB,GAAtB,CA9E2B,C;O;KAF9D,C;0FAIA,yB;MAAA,+B;MqK5IJ,0B;MrK4II,wB;QAEmD,sBqK3IgC,OrK2I1B,IAAK,KqK3IX,GrK2IoB,KAAM,KqK3IM,CrK2IhC,C;O;KAFnD,C;wFAGA,yB;MAAA,+B;MqK1IJ,0B;MrK0II,wB;QAEkD,sBqKzI+B,OrKyIzB,IAAK,KqKzIX,GrKyImB,KAAM,KqKzIM,CrKyI/B,C;O;KAFID,C;0FAGA,yB;MAAA,+B;MqKxIJ,0B;MrKwII,wB;QAEmD,sBqKvIgC,OrKuI1B,IAAK,KqKvIX,GrKuIoB,KAAM,KqKvIM,CrKulhC,C;O;KAFnD,C;0EAGA,yB;MAAA,+B;MqKtIJ,0B;MrKsII,mB;QAEiC,sBqKrlqB,OAAP,CrKqIR,SqKrlE,CrKqIrB,C;O;KAFjC,C;gFAIA,Y;MASmC,gB;K;kFACnC,yB;MqK9IJ,4B;MrK8II,mB;QASqC,OqKpJiD,QrKoj5C,SqKpJY,GrKojE,GqKpJ8B,C;O;KrK2ItF,C;8EAUA,Y;MASiC,OAAK,SAAL,GAAiB,G;K;gFACID,yB;MAAA,WASqD,wB;MATrD,mB;QASmC,OAAK,oBAAL,SAAK,CAAL,U;O;KATnC,C;kFAWA,Y;MAEqC,W;K;oFACrC,yB;MAAA,iC;MqKhLJ,4B;MrKgLl,mB;QASuC,uBqKtL+C,QrKsLnC,SqKtLG,GrKsLW,GqKtLqB,CrKsL/C,C;O;KATvC,C;gFAUA,yB;MAAA,6B;MAAA,mB;QASmC,qBAAU,SAAL,GAAiB,GAAtB,C;O;KATnC,C;kFAUA,yB;MAAA,WAS6D,wB;MAT7D,+B;MAAA,mB;QASqC,sBAAW,oBAAL,SAAK,CAAL,UAAN,C;O;KATrC,C;kFAWA,Y;MAMqC,OApDC,SAAL,GAAiB,G;K;oFAqDID,Y;MAMuC,OA3DD,SAAL,GAAiB,G;K;+BA6DID,Y;MAAyC,OAAQ,CA7DX,SAAL,GAAiB,GA6DD,Y;K;+BA/OrD,Y;MAAA,c;MAG6D,qD;MAH7D,a;K;6BAAA,iB;MAAA,2IAG6D,oCAH7D,G;K;wEAmPA,yB;MAAA,+B;MAAA,4B;QAU0C,sBAAM,SAAN,C;O;KAV1C,C;0EAWA,yB;MAAA,0B;MAAA,+B;MAAA,4B;QAW2C,sBAAW,OAAL,SAAK,CAAX,C;O;KAX3C,C;0EAYA,yB;MAAA,0B;MAAA,+B;MAAA,4B;QAWyC,sBAAW,OAAL,SAAK,CAAX,C;O;KAXzC,C;0EAYA,yB;MAAA,0B;MAAA,+B;MAAA,4B;QAW0C,sBAAW,OAAL,SAAK,SAAX,C;O;KAX1C,C;I2BrRA,6B;MAEqB,sB;K;uCAKjB,iB;MAM6C,O3B+OP,U2B/OO,aAAQ,KAAR,C3B+OP,C;K;uC2B7OtC,wB;MAOI,aAAQ,KAAR,IAAiB,K3BuIc,K;K;8D2BnIL,Y;MAAQ,OAAA,YAAQ,O;K;oCAE9C,Y;MACyD,+BAAS,YAAT,C;K;IAEnC,oC;MAAiC,wB;MAAhC,oB;MACnB,eAAoB,C;K;4CACpB,Y;MAAyB,sBAAQ,YAAM,O;K;8CACvC,Y;MAAyD,Q;MAA9B,IAAI,eAAQ,YAAM,OAAIB,C;QAAA,O3B0NO,U2B1NiB,aAAM,mBAAN,EAAM,2BAAAN,O3B0NjB,C;;Q2B1N+C,MAAM,2BAAuB,YAAM,WAA7B,C;K;;0CAG3F,mB;MAGS,Q;MAAL,IAAI,eAAC,0EAAD,QAAJ,C;QAAiC,OAAO,K;MAExC,OAAe,WAAR,YAAQ,EAAS,O3BmHO,K2BnHhB,C;K;+CAGnB,oB;MACY,Q;MAA2B,gBAA3B,gE;MAA2B,c;;QV+7CvB,U;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,I;UAAP,e;SACrB,6B;QAAhB,OAAGB,gBAAhB,C;UAAGB,2B;UU/7C6B,2BV+7CR,OU/7CQ,Q;UAAA,W;YAAuB,oBAAR,YAAQ,EV+7C/B,OjBh1CF,K2B/GiC,C;WV+7C9C,IAAI,OAAJ,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;MUh8CH,iB;K;mCAGJ,Y;MAAkC,OAAA,IAAK,QAAQ,OAAb,KAAqB,C;K;;IA7CvD,sC;MAAA,oD;MACgC,uBAAK,cAAU,IAAV,CAAL,C;MADhC,Y;K;;oCAPJ,Y;MAAA,OAKqB,qDALrB,M;K;oCAAA,Y;MAAA,c;MAKqB,wD;MALrB,a;K;kCAAA,iB;MAAA,2IAKqB,0CALrB,G;K;gFAuDA,yB;MAAA,yC;MAWsC,yC;QAAA,wB;UAAW,OAAA,aAAK,KAAL,C3B8FV,K;S;O;M2BzGvC,6B;QAWI,OAAO,oBAAW,+BAAU,IAAV,GAAGB,uBAAhB,CAAX,C;O;KAXX,C;kFACa,oB;MAGqE,e;K;I1BnE5C,oB;MAErB,4B;MAFwD,gB;K;IAExD,0B;MAAA,8B;MAcI,iBAGmC,SAAK,CAAL,C;MAEnC,iBAGmC,SAAK,EAAL,C;MAEnC,kBAGmC,C;MAEnC,iBAGkC,E;K;;IANtC,sC;MAAA,qC;QAAA,oB;OAAA,8B;K;oGAsBA,yB;MDgLA,6B;MChKA,8C;MAhBA,wB;QAM0D,OAIbQ,YAAy,IAAK,KAAjB,EAA6B,CDkK5D,cCnLsC,KDmL5B,KAAL,GAAiB,GAAtB,CCIK4D,MAA7B,C;O;KAvBIE,C;oGAQA,yB;MCyKA,6B;MDjKA,8C;MARA,wB;QAM2D,OASO,YAAy,IAAK,KAAjB,EAA6B,CCmK5D,cD5KuC,KC4K7B,KAAL,GAAiB,KAAtB,CDnK4D,MAA7B,C;O;KAFIE,C;gGAQA,yB;MAAA,8C;MAAA,wB;QAOKE,mBAAy,IAAK,KAAjB,EAAuB,KAAM,KAA7B,C;O;KAPIE,C;oGASA,yB;MAyKA,kBAS6D,sB;MAT7D,+B;M6B1KA,gD;M7BCA,wB;QAM0D,O6BAS,aAAkB,C7B4KhD,eAAW,oBAAL,SAAK,

CAAL,iBAAN,C6B5KgD,MAAIB,E7BAgB,K6BAc,KAA9B,C;O;K7BNnE,C;0FAQA,yB;MD+IA,6B;MC/IA,wB; QAEsD,OAMD,cAAK,IAAK,KAAK,GAAW,CDgJ5C,cCtJ6B,KDsJnB,KAAL,GAAiB,GAAtB,CChJ4C,MAAX,I Aaf,C;O;KARrD,C;0FAGA,yB;MC6IA,6B;MD7IA,wB;QAEuD,OAGF,cAAK,IAAK,KAAK,GAAW,CCiJ5C,cD pJ8B,KCoJpB,KAAL,GAAiB,KAAtB,CDjJ4C,MAAX,IAaf,C;O;KALrD,C;0FAGA,yB;MAAA,6B;MAAA,wB;Q AEqD,qBAAK,IAAK,KAAK,GAAK,KAAM,KAAX,IAaf,C;O;KAFrD,C;0FAGA,yB;MAwJA,kBAS6D,sB;MAT 7D,+B;MAxJA,wB;QAEuD,O6BAA,eAAW,C7B+J7B,eAAW,oBAAL,SAAK,CAAL,iBAAN,C6B/J6B,MAAK,K 7BAI,K6BAO,KAAK,CAAhB,C;O;K7BFvD,C;4FAIA,yB;MDkIA,6B;MCIIA,wB;QAEuD,OAMD,cAAK,IAAK, KAAK,GAAW,CDmI9C,cCzI+B,KDyIrB,KAAL,GAAiB,GAAtB,CCnI8C,MAAZ,IAaf,C;O;KARtD,C;4FAGA,y B;MCgIA,6B;MDhIA,wB;QAEwD,OAGF,cAAK,IAAK,KAAK,GAAW,CCoI9C,cDvIgC,KCuItB,KAAL,GAAiB, KAAtB,CDpI8C,MAAZ,IAaf,C;O;KALtD,C;4FAGA,yB;MAAA,6B;MAAA,wB;QAEsD,qBAAK,IAAK,KAAK, GAAM,KAAM,KAAZ,IAaf,C;O;KAFtD,C;4FAGA,yB;MA2IA,kBAS6D,sB;MAT7D,+B;MA3IA,wB;QAEwD,O 6BAA,eAAW,C7BkJ9B,eAAW,oBAAL,SAAK,CAAL,iBAAN,C6BIJ8B,MAAK,U7BAK,K6BAO,KAAZ,CAAhB ,C;O;K7BFxD,C;4FAIA,yB;MDqHA,6B;MCrHA,wB;QAEuD,OAMD,cAAe,YAAV,IAAK,KAAK,EAAY,CDsH9 C,cC5H+B,KD4HrB,KAAL,GAAiB,GAAtB,CCtH8C,MAAZ,CAAf,C;O;KARtD,C;4FAGA,yB;MCmHA,6B;MDn HA,wB;QAEwD,OAGF,cAAe,YAAV,IAAK,KAAK,EAAY,CCuH9C,cD1HgC,KC0HtB,KAAL,GAAiB,KAAtB,C DvH8C,MAAZ,CAAf,C;O;KALtD,C;4FAGA,yB;MAAA,6B;MAAA,wB;QAEsD,qBAe,YAAV,IAAK,KAAK,E AAM,KAAM,KAAZ,CAAf,C;O;KAFtD,C;4FAGA,yB;MA8HA,kBAS6D,sB;MAT7D,+B;MA9HA,wB;QAEwD, O6BAA,eAAW,C7BqI9B,eAAW,oBAAL,SAAK,CAAL,iBAAN,C6BrI8B,MAAK,U7BAK,K6BAO,KAAZ,CAAh B,C;O;K7BFxD,C;wFAIA,yB;MDwGA,6B;MCIGA,4C;MANA,wB;QAEqD,OAMD,WAAW,IAAX,EDyGjB,cC/ G2B,KD+GjB,KAAL,GAAiB,GAAtB,CCzGiB,C;O;KARpD,C;wFAGA,yB;MCsGA,6B;MDnGA,4C;MAHA,wB; QAEsD,OAGF,WAAW,IAAX,EC0GjB,cD7G4B,KC6GIB,KAAL,GAAiB,KAAtB,CD1GiB,C;O;KALpD,C;wFAG A,yB;MAAA,4C;MAAA,wB;QAEoD,kBAAW,IAAX,EAAiB,KAAjB,C;O;KAFpD,C;wFAGA,yB;MAiHA,kBAS 6D,sB;MAT7D,+B;M6BjHA,8C;M7BAA,wB;QAEsD,O6BAA,Y7BwHjB,eAAW,oBAAL,SAAK,CAAL,iBAAN, C6BxHiB,E7BAmB,K6BAnB,C;O;K7BFtD,C;wFAIA,yB;MD2FA,6B;MCrFA,kD;MANA,wB;QAEqD,OAMD,cA Ac,IAAd,ED4FjB,cCIG2B,KDkGjB,KAAL,GAAiB,GAAtB,CC5FiB,C;O;KARpD,C;wFAGA,yB;MCyFA,6B;MDt FA,kD;MAHA,wB;QAEsD,OAGF,cAAc,IAAd,EC6FjB,cDhG4B,KCgGIB,KAAL,GAAiB,KAAtB,CD7FiB,C;O;K ALpD,C;wFAGA,yB;MAAA,kD;MAAA,wB;QAEoD,qBAAc,IAAd,EAAoB,KAApB,C;O;KAFpD,C;wFAGA,yB; MAoGA,kBAS6D,sB;MAT7D,+B;M6BpGA,oD;M7BAA,wB;QAEsD,O6BAA,e7B2GjB,eAAW,oBAAL,SAAK,C AAL,iBAAN,C6B3GiB,E7BAmB,K6BAnB,C;O;K7BFtD,C;wEIA,yB;MAAA,6B;MAAA,mB;QAEyC,qBAAK, SAAK,QAAV,C;O;KAFzC,C;wEAGA,yB;MAAA,6B;MAAA,mB;QAEyC,qBAAK,SAAK,QAAV,C;O;KAFzC,C; gGAIA,yB;MAAA,8C;MAAA,wB;QAE6D,0BAAU,IAAV,EAAGB,KAAhB,C;O;KAF7D,C;wFAIA,yB;MAAA,6 B;MAAA,2B;QAEmD,qBAAK,aAAS,QAAAd,C;O;KAFnD,C;wFAGA,yB;MAAA,6B;MAAA,2B;QAEmD,qBAA K,cAAU,QAAf,C;O;KAFnD,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEiD,qBAAK,IAAK,KAAL,GAAc,KAAM, KAAzB,C;O;KAFjD,C;wFAGA,yB;MAAA,6B;MAAA,wB;QAEgD,qBAAK,IAAK,KAAL,GAAc,KAAM,KAAzB,C;O;K AFhD,C;wFAGA,yB;MAAA,6B;MAAA,mB;QAEgC,qBAAU,CAAL,SAAL,C;O;KAFhC,C;8EAIA,yB;MAAA,0B ;MAAA,mB;QAUmC,OAAK,OAAL,SAAK,C;O;KAVxC,C;gFAWA,yB;MAAA,4B;MAAA,mB;QAUqC,OAAK, QAAL,SAAK,C;O;KAV1C,C;4EAWA,Y;MASiC,gB;K;8EACjC,yB;MAAA,kBASqD,sB;MATrD,mB;QASmC,O AAK,oBAAL,SAAK,CAAL,iB;O;KATnC,C;gFAWA,yB;MDoEJ,0B;MAAA,+B;MCPeI,mB;QASqC,ODsEA,eA AW,OCtEX,SDsEW,CAAX,C;O;KC/ErC,C;kFAUA,yB;MC2DJ,4B;MAAA,iC;MD3DI,mB;QASuC,OC6DA,gBA AY,QD7DZ,SC6DY,CAAZ,C;O;KDtEvC,C;8EAUA,Y;MAEmC,W;K;gFACnC,yB;MAAA,kBAS6D,sB;MAT7D, +B;MAAA,mB;QASqC,sBAAW,oBAAL,SAAK,CAAL,iBAAN,C;O;KATrC,C;gFAWA,yB;MASA,gD;MATA,m B;QAQqC,OAoe,aAAa,SAAb,C;O;KAFvC,C;kFASA,yB;MAAA,gD;MAAA,mB;QAMuC,oBAAa,SAAb,C;O;KA NvC,C;8BAQA,Y;MAAyC,OArDD,oBAAL,SAAK,CAAL,iBAqDe,W;K;;;8BAzPtD,Y;MAAA,c;MAG4D,qD;M AH5D,a;K;4BAAA,iB;MAAA,2IAG4D,oCAH5D,G;K;sEA6PA,yB;MAAA,6B;MAAA,4B;QAWwC,qBAAU,SA AV,C;O;KAXxC,C;wEAYA,yB;MAAA,6B;MAAA,4B;QAWyC,qBAAU,SAAV,C;O;KAXzC,C;wEAYA,yB;MA AA,6B;MAAA,4B;QAUuC,qBAAK,SAAL,C;O;KAVvC,C;wEAWA,yB;MAAA,6B;MAAA,4B;QAWwC,qBAAK ,SAAK,QAAV,C;O;KAXxC,C;uEAaA,yB;MAAA,gD;MAAA,4B;QASyC,oBAakB,SAaIB,C;O;KATzC,C;wEA

UA,yB;MAAA,gD;MAAA,4B;QAS0C,oBAAa,SAAb,C;O;KAT1C,C;I2BtTA,4B;MAEqB,sB;K;sCAKjB,iB;MAM
4C,O3BiRT,S2BjRS,aAAQ,KAAR,C3BiRT,C;K;sC2B/QnC,wB;MAOI,aAAQ,KAAR,IAAiB,K3BmKY,K;K;6D2
B/JH,Y;MAAQ,OAAA,YAAQ,O;K;mCAE9C,Y;MACwD,8BAAS,YAAT,C;K;IAEIC,mC;MAAgC,uB;MAA/B,o
B;MACnB,eAAoB,C;K;2CACpB,Y;MAAyB,sBAAQ,YAAM,O;K;4CACvC,Y;MAAwD,Q;MAA9B,IAAI,eAAQ,
YAAM,OAAIB,C;QAAA,O3B4PK,S2B5PmB,aAAM,mBAAN,EAAM,2BAAN,O3B4PnB,C;;Q2B5PgD,MAAM,2
BAAuB,YAAM,WAA7B,C;K;;yCAGzF,mB;MAGS,Q;MAAL,IAAI,eAAC,0EAAD,OAAJ,C;QAAgC,OAAO,K;
MAEvC,OAAe,WAAR,YAAQ,EAAS,O3B+IK,K2B/Id,C;K;8CAGnB,oB;MACY,Q;MAA2B,gBAA3B,gE;MAA2
B,c;;QX+7CvB,U;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,I;UAAP,e;SACrB,6B;QAAhB,OAAgB,gB
AAhB,C;UAAgB,2B;UW/7C6B,2BX+7CR,OW/7CQ,O;UAAA,W;YAAsB,oBAAR,YAAQ,EX+7C9B,OhBpzCJ,
K2B3IkC,C;WX+7C7C,IAAI,OAAJ,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;MWh8CH,iB;K;kCAGJ,Y;M
AAkC,OAAA,IAAK,QAAQ,OAAb,KAAqB,C;K;;IA7CvD,qC;MAAA,mD;MACgC,sBAAK,eAAS,IAAT,CAAL,
C;MADhC,Y;K;;;mCAPJ,Y;MAAA,OAKqB,oDALrB,M;K;mCAAA,Y;MAAA,c;MAKqB,wD;MALrB,a;K;iCAA
A,iB;MAAA,2IAKqB,0CALrB,G;K;8EAuDA,yB;MAAA,uC;MAWoC,wC;QAAA,wB;UAAW,OAAA,aAAK,KA
AL,C3B0HV,K;S;O;M2BrIrC,6B;QAWI,OAAO,mBAAU,gCAAS,IAAT,GAAe,sBAAf,CAA V,C;O;KAXX,C;gFA
cA,oB;MAGkE,e;K;IsK/D5C,wC;MAiBIB,iC;MAjBsD,2BAAgB,KAAhB,EAAuB,YAAvB,EAAqC,CAArC,C;K;8
DAC7B,Y;MAAQ,iB;K;qEACD,Y;MAAQ,gB;K;2CAExC,iB;MAA8C,WjMuCoB,YiMvCpB,UjMuCqC,KAAjB,E
iMvCX,KjMuCwC,KAA7B,CiMvCpB,K;MAAA,S;QAAkB,OjMuCE,YiMvCF,KjMuCmB,KAAjB,EiMvCO,SjMu
CsB,KAA7B,CiMvCF,K;OAAIB,W;K;kCAE9C,Y;MAAkC,OjMqCgC,YiMrChC,UjMqCiD,KAAjB,EiMrCxB,Sj
MqCqD,KAA7B,CiMrChC,I;K;iCAEIC,iB;MAEY,UAAwB,M;MADhC,2CAAuB,kBAAa,KAAM,UAAAnB,KACf,
2CAAS,KAAM,MAAf,cAAwB,6CAAQ,KAAM,KAAd,QAAxB,CADe,CAA vB,C;K;mCAGJ,Y;MACI,OAAI,cA
AJ,GAAe,EAAf,GAAwB,MAAK,UjMsKA,KiMtKL,QAAqB,SjMsKhB,KiMtKL,I;K;mCAE5B,Y;MAAkC,OAAE
,UAAF,qBAAU,S;K;IAE5C,+B;MAAA,mC;MACI,aAC8B,cAAU,4BAAK,UAAF,EAA0B,4BAAK,UAA/B,C;K;;
IAFIC,2C;MAAA,0C;QAAA,yB;OAAA,mC;K;;IAYJ,oD;MAuCI,uC;MAjCI,IAAI,SAAQ,CAAZ,C;QAAuB,MAA
a,gCAAyB,wBAAzB,C;MACpC,IAAI,SAAQ,WAAZ,C;QAA2B,MAAa,gCAAyB,wEAAzB,C;MAG5C,aAGyB,K
;MAEzB,YAGwB,4BAA0B,KAA1B,EAAiC,YAAjC,EAA+C,IAA/C,C;MAExB,YAGuB,I;K;yCAEvB,Y;MAAw
C,mCAAwB,UAAxB,EAA+B,SAA/B,EAAqC,SAArC,C;K;wCAExC,Y;MACqC,OAAI,YAAO,CAAX,GjMd6B,Y
iMcf,UjMdgC,KAAjB,EiMcp,SjMdoC,KAA7B,CiMcf,IAAd,GjMd6B,YiMcG,UjMdc,KAAjB,EiMcW,SjMdkB,K
AA7B,CiMcG,I;K;uCAErE,iB;MAEY,UAAwB,M;MADhC,iDAA6B,kBAAa,KAAM,UAAAnB,KACrB,2CAAS,K
AAM,MAAf,cAAwB,6CAAQ,KAAM,KAAd,QAAxB,KAA8C,cAAQ,KAAM,KADvC,CAA7B,C;K;yCAGJ,Y;M
ACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,OAAAM,MAAK,UjMmHN,KiMnHC,QAAqB,SjMmHtB,KiMnHC,IAAN,
SAAgD,SAAhD,I;K;yCAE5B,Y;MAAkC,OAAI,YAAO,CAAX,GAAgB,UAAF,qBAAU,SAAV,cAAqB,SAAnC,G
AAgD,UAAF,2BAAgB,SAAhB,eAA4B,CAAC,SAAD,IAA5B,C;K;IAEHf,qC;MAAA,yC;K;kEACI,sC;MAQ2F,2
BAAgB,UAAhB,EAA4B,QAA5B,EAA5C,IAAtC,C;K;;IAT/F,iD;MAAA,gD;QAAA,+B;OAAA,yC;K;;IAoBiC,o
D;MAAuC,uB;MACxE,sBAA2B,I;MAC3B,iBAAmC,OAAO,CAA1C,GjM/CkE,YiM+CrB,KjM/CsC,KAAjB,EiM
+CZ,IjM/CyC,KAA7B,CiM+CrB,KAA7C,GjM/CkE,YiM+CF,KjM/CmB,KAAjB,EiM+CO,IjM/CsB,KAA7B,CiM
+CF,K;MACHe,cjM6LmC,SiM7LhB,IjM6LgB,C;MiM5LnC,cAAuB,cAAJ,GAAa,KAAb,GAAwB,mB;K;gDAE3C
,Y;MAAkC,qB;K;iDAEIC,Y;MACI,YAAY,W;MACZ,IAAI,6BAAS,mBAAT,QAAJ,C;QACI,IAAI,CAAC,cAAL,
C;UAAc,MAAa,6B;QAC3B,iBAAU,K;;QAEV,cjMzC6C,SiMyC7C,WjMzCuD,KAAK,GiMyCpD,WjMzC+D,KA
AX,IAAf,C;;MiM2CjD,OAAO,K;K;;ICjHf,yB;K;mCAII,Y;MAA4B,uB;K;;IAMhC,0B;K;oCAII,Y;MAA4B,wB;K;
;IAMhC,wB;K;kCAII,Y;MAA4B,sB;K;;IAMhC,yB;K;mCAII,Y;MAA4B,uB;K;;IrK7BN,qB;MAEtB,6B;MAFyD,
gB;K;IAEzD,2B;MAAA,+B;MACI,iBAGoC,a;MAEpC,iBAGoC,c;MAEpC,kBAGmC,C;MAEnC,iBAGkC,E;K;;I
AnBtC,uC;MAAA,sC;QAAA,qB;OAAA,+B;K;sGAsBA,yB;M9B0LA,WAS6D,wB;MAT7D,+B;M8B1KA,gD;MA
xBa,wB;QAM0D,OAYBS,aAAa,IAAK,KAAIB,EAA8B,C9BoK5D,eAAW,oB8B7LyB,K9B6L9B,KAAK,CAAL,
UAAN,C8BpK4D,MAA9B,C;O;KA/BnE,C;sGAQA,yB;M5BmLA,aAS6D,0B;MAT7D,+B;M4BnKA,gD;MAHBA,
wB;QAM2D,OAIbQ,aAAa,IAAK,KAAIB,EAA8B,C5BqK5D,eAAW,oB4BtL0B,K5BsL/B,KAAK,CAAL,YAAN,
C4BrK4D,MAA9B,C;O;KA vBnE,C;sGAQA,yB;M7BkLA,kBAS6D,sB;MAT7D,+B;M6B1KA,gD;MARA,wB;QA
MyD,OASU,aAAa,IAAK,KAAIB,EAA8B,C7B4K5D,eAAW,oB6BrLwB,K7BqL7B,KAAK,CAAL,iBAAN,C6B5
K4D,MAA9B,C;O;KAFnE,C;kGAQA,yB;MAAA,gD;MAAA,wB;QAOmE,oBAAa,IAAK,KAAIB,EAAwB,KAA

M,KAA9B,C;O;KAPnE,C;4FASA,yB;M9ByJA,WAS6D,wB;MAT7D,+B;M8BzJA,wB;QAEuD,OASA,eAAM,IAAK,KAAC,KAAL,C9BuJ7C,eAAW,oB8BhKiB,K9BgKtB,KAAC,CAAL,UAAN,C8BvJ6C,MAAX,CAAhB,C;O;KAXvD,C;4FAGA,yB;M5BuJA,aAS6D,0B;MAT7D,+B;M4BvJA,wB;QAEwD,OAMD,eAAM,IAAK,KAAC,KAAL,C5BwJ7C,eAAW,oB4B9JkB,K5B8JvB,KAAC,CAAL,YAAN,C4BxJ6C,MAAX,CAAhB,C;O;KARvD,C;4FAGA,yB;M7B2JA,kBAS6D,sB;MAT7D,+B;M6B3JA,wB;QAEsD,OAGC,eAAM,IAAK,KAAC,KAAL,C7B+J7C,eAAW,oB6BIKGB,K7BkKrB,KAAC,CAAL,iBAAN,C6B/J6C,MAAX,CAAhB,C;O;KALvD,C;4FAGA,yB;MAAA,+B;MAAA,wB;QAEuD,sBAAM,IAAK,KAAC,KAAL,KAAM,KAAX,CAAhB,C;O;KAFvD,C;8FAIA,yB;M9B4IA,WAS6D,wB;MAT7D,+B;M8B5IA,wB;QAEwD,OASA,eAAM,IAAK,KAAC,UAAY,C9B0I/C,eAAW,oB8BnJmB,K9BmJxB,KAAC,CAAL,UAAN,C8B1I+C,MAAZ,CAAhB,C;O;KAXxD,C;8FAGA,yB;M5B0IA,aAS6D,0B;MAT7D,+B;M4B1IA,wB;QAEyD,OAMD,eAAM,IAAK,KAAC,UAAY,C5B2I/C,eAAW,oB4BjJoB,K5BiJzB,KAAC,CAAL,YAAN,C4B3I+C,MAAZ,CAAhB,C;O;KARxD,C;8FAGA,yB;M7B8IA,kBAS6D,sB;MAT7D,+B;M6B9IA,wB;QAEuD,OAGC,eAAM,IAAK,KAAC,UAAY,C7BkJ/C,eAAW,oB6BrJkB,K7BqJvB,KAAC,CAAL,iBAAN,C6BIJ+C,MAAZ,CAAhB,C;O;KALxD,C;8FAGA,yB;MAAA,+B;MAAA,wB;QAEwD,sBAAM,IAAK,KAAC,UAAM,KAAM,KAAC,CAAhB,C;O;KAFxD,C;8FAIA,yB;M9B+HA,WAS6D,wB;MAT7D,+B;M8B/HA,wB;QAEwD,OASA,eAAM,IAAK,KAAC,UAAY,C9B6H/C,eAAW,oB8BtImB,K9BsIxB,KAAC,CAAL,UAAN,C8B7H+C,MAAZ,CAAhB,C;O;KAXxD,C;8FAGA,yB;M5B6HA,aAS6D,0B;MAT7D,+B;M4B7HA,wB;QAEyD,OAMD,eAAM,IAAK,KAAC,UAAY,C5B8H/C,eAAW,oB4BpIoB,K5BoIzB,KAAC,CAAL,YAAN,C4B9H+C,MAAZ,CAAhB,C;O;KARxD,C;8FAGA,yB;M7BiIA,kBAS6D,sB;MAT7D,+B;M6BjIA,wB;QAEuD,OAGC,eAAM,IAAK,KAAC,UAAY,C7BqI/C,eAAW,oB6BxIkB,K7BwIvB,KAAC,CAAL,iBAAN,C6BrI+C,MAAZ,CAAhB,C;O;KALxD,C;8FAGA,yB;MAAA,+B;MAAA,wB;QAEwD,sBAAM,IAAK,KAAC,UAAM,KAAM,KAAC,CAAhB,C;O;KAFxD,C;0FAIA,yB;M9BkHA,WAS6D,wB;MAT7D,+B;M8BzGA,8C;MATA,wB;QAEsD,OASA,YAAY,IAAZ,E9BgHjB,eAAW,oB8BzHe,K9ByHpB,KAAC,CAAL,UAAN,C8BhHiB,C;O;KAXtD,C;0FAGA,yB;M5BgHA,aAS6D,0B;MAT7D,+B;M4B1GA,8C;MANA,wB;QAEuD,OAMD,YAAY,IAAZ,E5BiHjB,eAAW,oB4BvHgB,K5BuHrB,KAAC,CAAL,YAAN,C4BjHiB,C;O;KARtD,C;0FAGA,yB;M7BoHA,kBAS6D,sB;MAT7D,+B;M6BjHA,8C;MAHA,wB;QAEqD,OAGC,YAAY,IAAZ,E7BwHjB,eAAW,oB6B3Hc,K7B2HnB,KAAC,CAAL,iBAAN,C6BxHiB,C;O;KALtD,C;0FAGA,yB;MAAA,8C;MAAA,wB;QAEsD,mBAA,YIAAZ,EAakB,KAAIB,C;O;KAFtD,C;0FAIA,yB;M9BqGA,WAS6D,wB;MAT7D,+B;M8B5FA,oD;MATA,wB;QAEsD,OASA,eAAe,IAAf,E9BmGjB,eAAW,oB8B5Ge,K9B4GpB,KAAC,CAAL,UAAN,C8BnGiB,C;O;KAXtD,C;0FAGA,yB;M5BmGA,aAS6D,0B;MAT7D,+B;M4B7FA,oD;MANA,wB;QAEuD,OAMD,eAAe,IAAf,E5BoGjB,eAAW,oB4B1GgB,K5B0GrB,KAAC,CAAL,YAAN,C4BpGiB,C;O;KARtD,C;0FAGA,yB;M7BuGA,kBAS6D,sB;MAT7D,+B;M6BpGA,oD;MAHA,wB;QAEqD,OAGC,eAAe,IAAf,E7B2GjB,eAAW,oB6B9Gc,K7B8GnB,KAAC,CAAL,iBAAN,C6B3GiB,C;O;KALtD,C;0FAGA,yB;MAAA,oD;MAAA,wB;QAEsD,sBA Ae,IAAf,EAAqB,KAArB,C;O;KAFtD,C;0EAIA,yB;MAAA,+B;MAAA,mB;QAE0C,sBAAM,SAAK,MAAX,C;O;KAF1C,C;0EAGA,yB;MAAA,+B;MAAA,mB;QAE0C,sBAAM,SAAK,MAAX,C;O;KAF1C,C;kGAIA,yB;MAAA,gD;MAAA,wB;QAE+D,2BAAW,IAAX,EAAiB,KAAjB,C;O;KAF/D,C;0FAIA,yB;MAAA,+B;MAAA,2B;QAEoD,sBAAM,oBAAS,QAAT,CAAN,C;O;KAFpD,C;0FAGA,yB;MAAA,+B;MAAA,2B;QAEoD,sBAAM,6BAAU,QA AV,CAAN,C;O;KAFpD,C;0FAGA,yB;MAAA,+B;MAAA,wB;QAE mD,sBAAM,IAAK,KAAL,KAAC,KAAM,KAAPB,CAAN,C;O;KAFnD,C;wFAGA,yB;MAAA,+B;MAAA,wB;QAEkD,sBAAM,IAAK,KAAL,IAAa,KAAM,KAAnB,CAAN,C;O;KAFID,C;0FAGA,yB;MAAA,+B;MAAA,wB;QAE mD,sBAAM,IAAK,KAAL,KAAC,KAAM,KAAPB,CAAN,C;O;KAFnD,C;0EAGA,yB;MAAA,+B;MAAA,mB;QAEiC,sBAAM,SAAK,MAAX,C;O;KAFjC,C;gFAIA,yB;MAAA,0B;MAAA,mB;QAUmC,OAAK,OAAL,SAAK,S;O;KAVxC,C;kFAWA,yB;MAAA,4B;MAAA,mB;QAUqC,OAAK,QAAL,SAAK,S;O;KAV1C,C;8EAWA,Y;MAUiC,OAAA,SAAK,Q;K;gFACtC,Y;MASmC,gB;K;kFAEnC,yB;M9B+EJ,0B;MAAA,+B;M8B/EI,mB;QASqC,O9BiFC,eAAW,O8BjFZ,S9BiFY,SAAX,C;O;K8B1FtC,C;oFAUA,yB;M5BsEJ,4B;MAAA,iC;M4BtEI,mB;QASuC,O5BwEC,gBAAAY,Q4BxEb,S5BwEa,SAAZ,C;O;K4BjFxC,C;gFAUA,yB;M7BqEJ,6B;M6BrEI,mB;QASmC,O7BuEC,c6BvED,S7BuEW,QA AV,C;O;K6BhFpC,C;kFAUA,Y;MAEqC,W;K;kFAErC,yB;MASA,kD;MATA,mB;QAQqC,OASE,cAAc,SAAd,C;O;KAjBvC,C;oFASA,yB;MAAA,kD;MAAA,mB;QAQuC,qBAAC,SAAd,C;O;KARvC,C;+BAUA,Y;MAAyC,qBAAC,SAAd,C;K;+;+BA5P7C,Y;MAAA,c;MAG6D,qD;MAH7D,a;K;6BAAA,iB;MAAA,2IAG6D,oCAH7D,G;K;wEAgQA,yB;MAAA,+B;MAAA,4B;QAW0C,sBAAW,oBAAL,SAAK,CAAX,C;O;KAX1C,C;0EAY

A,yB;MAAA,+B;MAAA,4B;QAW2C,sBAAW,oBAAL,SAAK,CAAX,C;O;KAX3C,C;0EAYA,yB;MAAA,+B;M
AAA,4B;QAWyC,sBAAW,oBAAL,SAAK,CAAX,C;O;KAXzC,C;0EAYA,yB;MAAA,+B;MAAA,4B;QAU0C,sB
AAM,SAAN,C;O;KAV1C,C;yEAYA,yB;MAAA,kD;MAAA,4B;QAS2C,qBAAmB,SAAnB,C;O;KAT3C,C;0EAY
A,yB;MAAA,kD;MAAA,4B;QAS4C,qBAAc,SAAd,C;O;KAT5C,C;IDzTA,6B;MAEqB,sB;K;uCAKjB,iB;MAM6
C,OCgSP,UDhSO,aAAQ,KAAR,CCgSP,C;K;uCD9RtC,wB;MAOI,aAAQ,KAAR,IAAiB,KC8Kc,K;K;8DD1KL,Y
;MAAQ,OAAA,YAAQ,O;K;oCAE9C,Y;MACyD,+BAAS,YAAT,C;K;IAEnC,oC;MAAiC,wB;MAAhC,oB;MACn
B,eAAoB,C;K;4CACpB,Y;MAAyB,sBAAQ,YAAM,O;K;8CACvC,Y;MAAyD,Q;MAA9B,IAAI,eAAQ,YAAM,O
AAIB,C;QAAA,OC2QO,UD3QiB,aAAM,mBAAN,EAAM,2BAAN,OC2QjB,C;;QD3Q+C,MAAM,2BAAuB,YAA
M,WAA7B,C;K;;0CAG3F,mB;MAGS,Q;MAAL,IAAI,eAAC,0EAAD,QAAJ,C;QAAiC,OAAO,K;MAExC,OAAe,
WAAR,YAAQ,EAAS,OC0JO,KD1JhB,C;K;+CAGnB,oB;MACY,Q;MAA2B,gBAA3B,gE;MAA2B,c;;QZ+7CvB,
U;QADhB,IAAI,wCAAsB,mBAA1B,C;UAAqC,aAAO,I;UAAP,e;SACrB,6B;QAAhB,OAGB,gBAAhB,C;UAAg
B,2B;UY/7C6B,2BZ+7CR,OY/7CQ,Q;UAAA,W;YAAuB,oBAAR,YAAQ,EZ+7C/B,OazyCF,KDtJiC,C;WZ+7C9
C,IAAI,OAAJ,C;YAAyB,aAAO,K;YAAP,e;;QAC/C,aAAO,I;;MYh8CH,iB;K;mCAGJ,Y;MAAkC,OAAA,IAAK,
QAAQ,OAAb,KAAqB,C;K;;IA7CvD,sC;MAAA,oD;MACgC,uBAAK,iBAAU,IAAV,CAAL,C;MADhC,Y;K;;;oC
APJ,Y;MAAA,OAKqB,qDALrB,M;K;oCAA,Y;MAAA,c;MAKqB,wD;MALrB,a;K;kCAA,iB;MAAA,2IAKqB
,0CALrB,G;K;gFAuDA,yB;MAAA,yC;MAWSc,yC;QAAA,wB;UAAW,OAAA,aAAK,KAAL,CCqIV,K;S;O;MDh
JvC,6B;QAWI,OAAO,oBAAW,kBAAU,IAAV,EAAGB,uBAAhB,CAAX,C;O;KAXX,C;kFAcA,oB;MAGqE,e;K;I
uK/D9C,2C;MAiBnB,kC;MAjByD,4BAAiB,KAAjB,EAAwB,YAAxB,K;K;iEAC/B,Y;MAAQ,iB;K;wEACD,Y;M
AAQ,gB;K;8CAEzC,iB;MAA+C,WtK+CoB,asK/CpB,UtK+CcC,KAAIB,EsK/CX,KtK+CyC,KAA9B,CsK/CpB,K;
MAAA,S;QAAkB,OtK+CE,asK/CF,KtK+CoB,KAAIB,EsK/CO,StK+CuB,KAA9B,CsK/CF,K;OAAIB,W;K;qCAE
/C,Y;MAAkC,OtK6CiC,asK7CjC,UtK6CmD,KAAIB,EsK7CzB,StK6CuD,KAA9B,CsK7CjC,I;K;oCAEIC,iB;MA
EY,UAAwB,M;MADhC,8CAAwB,kBAAa,KAAM,UAAAnB,KACHB,2CAAS,KAAM,MAAf,cAAwB,6CAAQ,KA
AM,KAAd,QAAxB,CADgB,CAAxB,C;K;sCAGJ,Y;MACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,MtKuKK,CArCkB
,UsKIIjB,UtKkI4B,KAAL,KAAoB,CATzB,UsKzHP,UtKyHa,yBsKzHH,EtKyHG,CAAN,CASyB,MAApB,CAAN,
CAqCIB,MAAK,QsKvKV,QtKuKK,CArCkB,UsKIIoB,StKkIT,KAAL,KAAoB,CATzB,UsKzH6B,StKyHvB,yBsK
zHgC,EtKyHhC,CAAN,CASyB,MAApB,CAAN,CAqCIB,MAAK,QsKvKV,I;K;sCAE5B,Y;MAAkC,OAAE,UAA
F,qBAAU,S;K;IAE5C,gC;MAAA,oC;MACI,aAC+B,iBAAW,6BAAM,UAAjB,EAA4B,6BAAM,UAAIC,C;K;;;IA
FnC,4C;MAAA,2C;QAAA,0B;OAAA,oC;K;;IAYJ,qD;MAuCI,wC;MAjCI,IAAI,gBAAJ,C;QAAwB,MAAa,gCAA
yB,wBAAzB,C;MACrC,IAAI,sCAAJ,C;QAA4B,MAAa,gCAAyB,yEAAzB,C;MAG7C,aAG0B,K;MAE1B,YAGy
B,4BAA0B,KAA1B,EAAiC,YAAjC,EAA+C,IAA/C,C;MAEzB,YAGwB,I;K;0CAExB,Y;MAAyC,oCAAyB,UAA
zB,EAAgC,SAAhC,EAAsC,SAATC,C;K;yCAEzC,Y;MACqC,OAAI,uBAAO,CAAX,GtKN8B,asKMhB,UtKNkC,
KAAIB,EsKMR,StKNsC,KAA9B,CsKMhB,IAAd,GtKN8B,asKME,UtKNgB,KAAIB,EsKMU,StKNoB,KAA9B,C
sKME,I;K;wCAErE,iB;MAEY,UAAwB,M;MADhC,kDAA8B,kBAAa,KAAM,UAAAnB,KACtB,2CAAS,KAAM,M
AAf,cAAwB,6CAAQ,KAAM,KAAd,QAAxB,KAA8C,kBAAQ,KAAM,KAAd,CADxB,CAA9B,C;K;0CAGJ,Y;M
ACI,OAAI,cAAJ,GAAe,EAAf,GAAwB,OAAM,MtKoHD,CArCkB,UsK/EX,UtK+EsB,KAAL,KAAoB,CATzB,Us
KtED,UtKsEO,yBsKtEG,EtKsEH,CAAN,CASyB,MAApB,CAAN,CAqCIB,MAAK,QsKpHJ,QtKoHD,CArCkB,U
sK/E0B,StK+Ef,KAAL,KAAoB,CATzB,UsKtEmC,StKsE7B,yBsKtEsC,EtKsEtC,CAAN,CASyB,MAApB,CAAN,
CAqCIB,MAAK,QsKpHJ,IAAN,SAAqF,cAAU,6BAAU,EAUV,CAAV,CAAyB,QAA9G,I;K;0CAE5B,Y;MAAkC
,OAAI,uBAAO,CAAX,GAAgB,UAAF,qBAAU,SAAV,cAAqB,SAArB,WAAd,GAAgD,UAAF,2BAAgB,SAAhB,
cAA6B,SAAD,aAA5B,W;K;IAEHF,sC;MAAA,0C;K;mEACI,sC;MAQ+F,4BAAiB,UAAjB,EAA6B,QAA7B,EAA
uC,IAAvC,C;K;;;IATnG,kD;MAAA,iD;QAAA,gC;OAAA,0C;K;;IAoBkC,qD;MAA0C,wB;MAC5E,sBAA2B,I;M
AC3B,iBAAmC,kBAAO,CAA1C,GtKvCmE,asKuCtB,KtKvCwC,KAAIB,EsKuCb,ItKvC2C,KAA9B,CsKuCtB,K
AA7C,GtKvCmE,asKuCH,KtKvCqB,KAAIB,EsKuCM,ItKvCwB,KAA9B,CsKuCH,K;MACHe,ctK4MsC,UsK5M
nB,ItK4MmB,C;MsK3MtC,cAAuB,cAAJ,GAAa,KAAb,GAAwB,mB;K;iDAE3C,Y;MAAkC,qB;K;mDAEIC,Y;M
ACI,YAAY,W;MACZ,IAAI,6BAAS,mBAAT,QAAJ,C;QACI,IAAI,CAAC,cAAL,C;UAAc,MAAa,6B;QAC3B,iB
AAU,K;;QAEV,ctKtC+C,UsKsC/C,WtKtC0D,KAAK,KsKsCvD,WtKtCkE,KAAx,CAAhB,C;;MsKwCnD,OAAO,
K;K;;wECnHf,yB;MAAA,8C;MAAA,uB;QAOI,OAAO,MAAM,CAAN,EAAS,CAAT,C;O;KAPX,C;wEAUA,yB;
MAAA,8C;MAAA,uB;QAOI,OAAO,MAAM,CAAN,EAAS,CAAT,C;O;KAPX,C;wEAUA,yB;MAAA,8C;MAAA

,uB;QAOI,OAAO,MAAM,CAAN,EAAS,CAAT,C;O;KAPX,C;wEAUA,yB;MAAA,8C;MAAA,uB;QAOI,OAAO,MAAM,CAAN,EAAS,CAAT,C;O;KAPX,C;oFC7BA,yB;MAAA,gD;MAAA,4B;QAO6C,OAAQ,arMsLhB,cqMtlgB,C;O;KAPrD,C;oGASA,yB;M9FuCA,iB;M8FvCA,4B;QAOqD,O9FuCqB,avGsIrC,cuGtlqC,C;O;K8F9C1E,C;sGASA,yB;MAAA,kE;MAAA,4B;QAOsD,OAAQ,sBrMoKzB,cqMpKyB,C;O;KAP9D,C;8FASA,yB;MAAA,0D;MrM6PA,6B;MqM7PA,4B;QAQmD,OrM+PZ,cqM/PoB,kBrM0JtB,cqM1JsB,CrM+PpB,C;O;KqMvQvC,C;4FAUA,yB;MAAA,wD;MrMmPA,6B;MqMnPA,4B;QAQkD,OrMqPX,cqMrPmB,iBrMgJrB,cqMhJqB,CrMqPnB,C;O;KqM7PvC,C;gFAUA,yB;MAAA,4C;MrMyOA,6B;MqMzOA,sC;QAcyD,OrMqOIB,cqMrO0B,WrMgl5B,cqMhI4B,EAAW,QAAX,CrMqO1B,C;O;KqMnPVc,C;kFAiBA,yB;MAAA,8C;MrMwNA,6B;MqMxNA,sC;QAc0D,OrMoNnB,cqMpN2B,YrM+G7B,cqM/G6B,EAAy,QAAZ,CrMoN3B,C;O;KqMIOvC,C;oFAiBA,yB;MAAA,gD;MAAA,4B;QAO8C,OAAS,axKgHhB,cwKhHgB,C;O;KAPvD,C;oGASA,yB;MAAA,gE;MAAA,4B;QAOsD,OAAS,qBxKuGxB,cwKvGwB,C;O;KAP/D,C;sGASA,yB;MAAA,kE;MAAA,4B;QAOuD,OAAS,sBxK8FzB,cwK9FyB,C;O;KAPhE,C;8FASA,yB;MAAA,0D;MxK2LA,+B;MwK3LA,4B;QAQqD,OxK6LX,ewK7LoB,kBxKoFvB,cwKpFuB,CxK6LpB,C;O;KwKrM1C,C;4FAUA,yB;MAAA,wD;MxKiLA,+B;MwKjLA,4B;QAQoD,OxKmlV,ewKnLmB,iBxK0EtB,cwK1EsB,CxKmlnB,C;O;KwK3L1C,C;+EAUA,yB;MAAA,4C;MxKuKA,+B;MwKvKA,sC;QAc2D,OxKmkjB,ewKnK0B,WxK0D7B,cwK1D6B,EAAW,QAAX,CxKmk1B,C;O;KwKjL1C,C;iFagBA,yB;M9FoDA,4C;M1EmGA,+B;MwKvJA,sC;QAc4D,OxKmjB,e0EhGuB,W1ET1B,c0ES0B,EAAW,C8FnDK,Q9FmDL,IAAX,C1EgGvB,C;O;KwKjK1C,C;oFagBA,yB;MtM8CI,6B;MsM9MJ,gD;MAGKA,4B;QAO8C,OAhKO,arMsLhB,CD0BE,cAAU,cAAL,GAAiB,GAAtB,CC1BF,MqMtlgB,C;O;KAYJrD,C;oGASA,yB;M9FzHA,iB;M8FyHA,4B;QAOsD,O9FzHoB,axG0GnC,c+Lde,GAAy,GvF5FQ,CuF4FrB,GAA6C,EAA7C,I;O;KOsBrD,C;sGASA,yB;MP7BA,kE;MO6BA,4B;QAOuD,OP9BkB,sB/LMIC,c+LNgB,GAAW,GAAO,C;O;KOUbzE,C;8FASA,yB;MAAA,0D;MtMkFA,0B;MAAA,+B;MsMIFA,4B;QAQqD,OtMqFZ,eAAW,OsMrFS,kBtMdnB,cAAL,GAAiB,GsMcO,CtMqFT,CAAX,C;O;KsM7FzC,C;4FAUA,yB;MAAA,wD;MtMwEA,0B;MAAA,+B;MsMxEA,4B;QAQoD,OtM2EX,eAAW,OsM3EQ,iBtMxBIB,cAAL,GAAiB,GsMwBM,CtM2ER,CAAX,C;O;KsMnFzC,C;gFAWA,yB;MAAA,4C;MtMsCA,+B;MsMtCA,sC;QAc2D,OtMkCjB,esMIC0B,WtM7D7B,csM6D6B,EAAW,QAAX,CtMkC1B,C;O;KsMhD1C,C;kFagBA,yB;MAAA,8C;MtMsBA,+B;MsMtBA,sC;QAc4D,OtMkBiB,esMIB2B,YtM7E9B,csM6E8B,EAAy,QAAZ,CtMk3B,C;O;KsMhC1C,C;oFagBA,yB;MpMjCI,6B;MoM/MJ,gD;MAGPA,4B;QAO+C,OAhPM,arMsLhB,CC2BE,cAAU,cAAL,GAAiB,KAAtB,CD3BF,MqMtlgB,C;O;KAYOrD,C;oGASA,yB;M9FzMA,iB;M8FyMA,4B;QAOuD,O9FzMmB,atGqHjC,c6LiDpC,GAAy,KvFtKyD,CuFsKtE,GAA+C,EAA/C,I;O;KO4BJ,C;sGASA,yB;MPnCA,kE;MOmCA,4B;QAOwD,OPpCoB,sB7LzDnC,c6LyDe,GAAW,KAAS,C;O;KO6B5E,C;8FASA,yB;MAAA,0D;MpMGA,4B;MAAA,iC;MoMHA,4B;QAQuD,OpMMZ,gBAAy,QoMNQ,kBpM7FrB,cAAL,GAAiB,KoM6FS,CpMMR,CAAZ,C;O;KoMd3C,C;4FAUA,yB;MAAA,wD;MpMPA,4B;MAAA,iC;MoMOA,4B;QAQsD,OpMJX,gBAAy,QoMIO,iBpMvGpB,cAAL,GAAiB,KoMuGQ,CpMJP,CAAZ,C;O;KoMJ3C,C;gFAWA,yB;MAAA,4C;MpM7BA,iC;MoM6BA,sC;QAc6D,OpMjChB,gBoMiC0B,WpMII9B,coMkI8B,EAAW,QAAX,CpMjC1B,C;O;KoMmB7C,C;kFagBA,yB;MAAA,8C;MpM7CA,iC;MoM6CA,sC;QAc8D,OpMjDjB,gBoMiD2B,YpMIJ/B,coMkJ+B,EAAy,QAAZ,CpMjD3B,C;O;KoMmC7C,C;IChTA,qC;MAEI,StMyHoD,csMzH3C,CtMyH2C,EsMzHvC,CtMyHuC,C;MsMxHpD,StMwHoD,csMxH3C,CtMwH2C,EsMxHvC,CtMwHuC,C;MsMvHpD,OtMiDkE,YsMjDvD,EtMiDwE,KAAjB,EsMjDjD,EtMiD8E,KAA7B,CsMjDvD,KAAX,GtMgFsD,SsMhFjC,EtMgF2C,KAAK,GsMhF3C,EtMgFuD,KAAZ,IAAf,CsMhFtD,GtMmEqD,SAAU,CAAT,SsMhFpB,EtMgF8B,KAAK,GsMhF9B,EtMgF0C,KAAZ,IAAf,CABs,MAAK,GsMnExB,CtMmEmC,KAAX,IAAf,C;K;IsMhEzD,qC;MACI,SzKsHsD,eyKtH7C,CzKsH6C,EyKtHzC,CzKsHyC,C;MyKrHtD,SzKqHsD,eyKrH7C,CzKqH6C,EyKrHzC,CzKqHyC,C;MyKpHtD,OzKmdmE,ayKnDxD,EzKmd0E,KAAiB,EyKnDiD,EzKmdgF,KAA9B,CyKnDxD,KAAX,GzK6EwD,UyK7EnC,EzK6E8C,KAAK,UyK7E9C,EzK6E0D,KAAZ,CAAhB,CyK7ExD,GzKgEuD,UAAW,CAAV,UyK7EtB,EzK6EiC,KAAK,UyK7EjC,EzK6E6C,KAAZ,CAAhB,CABU,MAAK,KyKhE3B,CzKgEsC,KAAX,CAAhB,C;K;IyK7D3D,uD;MAmBI,WAAO,CAAP,C;QAD8E,OtMsBZ,YsMrBID,KtMqBmE,KAAjB,EsMrBzC,GtMqBsE,KAA7B,CsMrBID,KAD8D,GACHD,GADgD,GtMqDxB,SsMpDf,GtMoDyB,KAAK,GsMpDxB,mBAAiB,GAAjB,EAAsB,KAAtB,EtMkQV,SsMIQuC,ItMkQvC,CsMIQU,CtMoDoC,KAAZ,IAAf,C;asMnDtD,WAAO,CAAP,C;QAF8E,OtMsBZ,YsMpBID,KtMoBmE,KAAjB,EsMpBzC,GtMoBsE,KAA7B,CsMpBID,KAF8D,GAehD,GAfgD,GtMwCzB,SsMtCd,GtMsCwB,KAAK,GsMtCvB,mBAAiB,KAAjB,EAAwB,GAAXB,EtMiQV,SsMjQwC,CAAC,IAAD,ItMiQxC,CsMjQU,CtMsCkC,KAA

X,IAAf,C;;QsMrC7C,MAAA,gCAAYB,eAAzB,C;K;IAGzB,uD;MAMBI,sBAAO,CAAP,C;QADkF,OzKMf,ayKLn
D,KzKKqE,KAAIB,EyKL1C,GzKKwE,KAA9B,CyKLnD,KADkE,GACpD,GADoD,GzKgC1B,UyK/BjB,GzK+B
4B,KAAK,UyK/B3B,mBAAiB,GAAjB,EAAsB,KAAtB,EzKyPP,UyKzPoC,IzKyPpC,CyKzPO,CzK+BuC,KAAZ,
CAAhB,C;ayK9BxD,sBAAO,CAAP,C;QAFkF,OzKMf,ayKJnD,KzKIqE,KAAIB,EyKJ1C,GzKIwE,KAA9B,CyKJ
nD,KAFkE,GAEPD,GAFOd,GzKmB3B,UyKjBhB,GzKiB2B,KAAK,KyKjB1B,mBAAiB,KAAjB,EAAwB,GAAx
B,EzKwPP,UyKxPsC,IAAD,azKwPrC,CyKxPO,CzKiBqC,KAAAX,CAAhB,C;;QyKhB/C,MAAA,gCAAYB,eAAzB,
C;K;IrMpDE,sB;MAEvB,8B;MAF0D,gB;K;IAE1D,4B;MAAA,gC;MACI,iBAGqC,WAAO,CAAP,C;MAErC,iBA
GqC,WAAO,MAAP,C;MAErC,kBAGmC,C;MAEnC,iBAGkC,E;K;;IANBtC,wC;MAAA,uC;QAAA,sB;OAAA,g
C;K;wGAsBA,iB;MAM0D,OAAa,0BAkJjC,SAAL,GAAiB,KAIJqB,EAAU,KFiJ3C,KAAL,GAAiB,GEjJqB,C;K;o
GAEvE,iB;MAOoE,OAAa,0BAyI3C,SAAL,GAAiB,KAZI+B,EAAU,KAYIrD,KAAL,GAAiB,KAZI+B,C;K;wGAE
jF,yB;MAGKA,6B;MDjKA,8C;MCCA,wB;QAMyD,ODAS,YAAiB,CCmKhD,cAAU,SAAL,GAAiB,KAAtB,CDn
KgD,MAAJB,ECAe,KDAc,KAA7B,C;O;KCNIE,C;wGAQA,yB;MAkKA,aAS6D,0B;MAT7D,+B;M4BnKA,gD;M
5BCA,wB;QAM0D,O4BAS,aAAkB,C5BqKhD,eAAW,oBAAL,SAAK,CAAL,YAAN,C4BrKgD,MAAIB,E5BAGB
,K4BAc,KAA9B,C;O;K5BNnE,C;8FAQA,yB;MAGJA,6B;MAhJA,wB;QAEsD,ODMD,cAAU,CCiJ5B,cAAU,SA
AL,GAAiB,KAAtB,CDjJ4B,MAAK,GAAW,CDgJ5C,cEtJsC,KFsJ5B,KAAL,GAAiB,GAAtB,CChJ4C,MAAX,IA
Af,C;O;KCRrD,C;8FAGA,yB;MA6IA,6B;MA7IA,wB;QAEuD,ODGF,cAAU,CCiJ5B,cAAU,SAAL,GAAiB,KAAt
B,CDjJ4B,MAAK,GAAW,CCiJ5C,cApJuC,KAOJ7B,KAAL,GAAiB,KAAtB,CDjJ4C,MAAX,IAAf,C;O;KCLrD,C;
8FAGA,yB;MA0IA,6B;MA1IA,wB;QAEqD,ODAA,cAAU,CCiJ5B,cAAU,SAAL,GAAiB,KAAtB,CDjJ4B,MAAK
,GCAI,KDAO,KAAZ,IAAf,C;O;KCFrD,C;8FAGA,yB;MAiJA,aAS6D,0B;MAT7D,+B;MAjJA,wB;QAEuD,O4BA
A,eAAW,C5BwJ7B,eAAW,oBAAL,SAAK,CAAL,YAAN,C4BxJ6B,MAAK,K5BAI,K4BAO,KAAZ,CAAhB,C;O
;K5BFvD,C;gGAIA,yB;MAMIA,6B;MANIA,wB;QAEuD,ODMD,cAAU,CCoI7B,cAAU,SAAL,GAAiB,KAAtB,C
DpI6B,MAAK,GAAY,CDmI9C,cEzIwC,KFyI9B,KAAL,GAAiB,GAAtB,CCnI8C,MAAZ,IAAf,C;O;KCRtD,C;gG
AGA,yB;MAGIA,6B;MAhIA,wB;QAEwD,ODGF,cAAU,CCoI7B,cAAU,SAAL,GAAiB,KAAtB,CDpI6B,MAAK,
GAAY,CCoI9C,cAvIyC,KAuI/B,KAAL,GAAiB,KAAtB,CDpI8C,MAAZ,IAAf,C;O;KCLtD,C;gGAGA,yB;MA6H
A,6B;MA7HA,wB;QAEsD,ODAA,cAAU,CCoI7B,cAAU,SAAL,GAAiB,KAAtB,CDpI6B,MAAK,GCAK,KDAO,
KAAZ,IAAf,C;O;KCFtD,C;gGAGA,yB;MAoIA,aAS6D,0B;MAT7D,+B;MApIA,wB;QAEwD,O4BAA,eAAW,C5
B2I9B,eAAW,oBAAL,SAAK,CAAL,YAAN,C4B3I8B,MAAK,U5BAK,K4BAO,KAAZ,CAAhB,C;O;K5BFxD,C;
gGAIA,yB;MASHA,6B;MATHA,wB;QAEuD,ODMD,cAAe,YAAL,CCuH7B,cAAU,SAAL,GAAiB,KAAtB,CDvH
6B,MAAK,EAAY,CDsH9C,cE5HwC,KF4H9B,KAAL,GAAiB,GAAtB,CCtH8C,MAAZ,CAAf,C;O;KCRtD,C;gG
AGA,yB;MAMHA,6B;MANHA,wB;QAEwD,ODGF,cAAe,YAAL,CCuH7B,cAAU,SAAL,GAAiB,KAAtB,CDvH6
B,MAAK,EAAY,CCuH9C,cA1HyC,KA0H/B,KAAL,GAAiB,KAAtB,CDvH8C,MAAZ,CAAf,C;O;KCLtD,C;gGA
GA,yB;MAGHA,6B;MAhHA,wB;QAEsD,ODAA,cAAe,YAAL,CCuH7B,cAAU,SAAL,GAAiB,KAAtB,CDvH6B,
MAAK,ECAK,KDAO,KAAZ,CAAf,C;O;KCFtD,C;gGAGA,yB;MAuHA,aAS6D,0B;MAT7D,+B;MAvHA,wB;Q
AEwD,O4BAA,eAAW,C5B8H9B,eAAW,oBAAL,SAAK,CAAL,YAAN,C4B9H8B,MAAK,U5BAK,K4BAO,KA
AZ,CAAhB,C;O;K5BFxD,C;4FAIA,yB;MAyGA,6B;MDnGA,4C;MCNA,wB;QAEqD,ODMD,WC0GjB,cAAU,S
AAL,GAAiB,KAAtB,CD1GiB,EDyGjB,cE/GoC,KF+G1B,KAAL,GAAiB,GAAtB,CCzGiB,C;O;KCRpD,C;4FAG
A,yB;MASGA,6B;MDnGA,4C;MCHA,wB;QAEsD,ODGF,WC0GjB,cAAU,SAAL,GAAiB,KAAtB,CD1GiB,EC0
GjB,cA7GqC,KA6G3B,KAAL,GAAiB,KAAtB,CD1GiB,C;O;KCLpD,C;4FAGA,yB;MAMGA,6B;MDnGA,4C;M
CAA,wB;QAEoD,ODAA,WC0GjB,cAAU,SAAL,GAAiB,KAAtB,CD1GiB,ECAkB,KDAIB,C;O;KCFpD,C;4FAG
A,yB;MA0GA,aAS6D,0B;MAT7D,+B;M4B1GA,8C;M5BAA,wB;QAEsD,O4BAA,Y5BiHjB,eAAW,oBAAL,SA
AK,CAAL,YAAN,C4BjHiB,E5BAmB,K4BAnB,C;O;K5BFtD,C;4FAIA,yB;MA4FA,6B;MDtFA,kD;MCNA,wB;
QAEqD,ODMD,cC6FjB,cAAU,SAAL,GAAiB,KAAtB,CD7FiB,ED4FjB,cElGoC,KFkG1B,KAAL,GAAiB,GAAtB
,CC5FiB,C;O;KCRpD,C;4FAGA,yB;MAyFA,6B;MDtFA,kD;MCHA,wB;QAEsD,ODGF,cC6FjB,cAAU,SAAL,G
AAiB,KAAtB,CD7FiB,EC6FjB,cAhGqC,KAG3B,KAAL,GAAiB,KAAtB,CD7FiB,C;O;KCLpD,C;4FAGA,yB;M
AsFA,6B;MDtFA,kD;MCAA,wB;QAEoD,ODAA,cC6FjB,cAAU,SAAL,GAAiB,KAAtB,CD7FiB,ECAkB,KDAIB
,C;O;KCFpD,C;4FAGA,yB;MA6FA,aAS6D,0B;MAT7D,+B;M4B7FA,oD;M5BAA,wB;QAEsD,O4BAA,e5BoGjB
,eAAW,oBAAL,SAAK,CAAL,YAAN,C4BpGiB,E5BAmB,K4BAnB,C;O;K5BFtD,C;4EAIA,yB;MAAA,4B;MAA
A,iC;MAAA,mB;QAE2C,uBAAY,QAAL,SAAK,KAAZ,C;O;KAF3C,C;4EAGA,yB;MAAA,4B;MAAA,iC;MAA

A,mB;QAE2C,uBAAY,QAAL,SAAK,KAAZ,C;O;KAF3C,C;oGAIA,yB;MAAA,8C;MAwEA,6B;MAxEA,wB;QA
E+D,0BA+E5B,cAAU,SAAL,GAAiB,KAAtB,CA/E4B,EA+E5B,cA/EqD,KA+E3C,KAAL,GAAiB,KAAtB,CA/E4
B,C;O;KAF/D,C;4FAIA,yB;MAAA,iC;MmKvHJ,4B;MnKuHI,wB;QAEqD,uBmKtHiC,QnKsH1B,IAAK,KmKtH
X,GnKsHoB,KAAM,KmKtHM,CnKsHjC,C;O;KAFrD,C;0FAGA,yB;MAAA,iC;MmKrHJ,4B;MnKqHI,wB;QAEo
D,uBmKpHgC,QnKoHzB,IAAK,KmKpHX,GnKoHmB,KAAM,KmKpHM,CnKoHhC,C;O;KAFpD,C;4FAGA,yB;
MAAA,iC;MmKnHJ,4B;MnKmHI,wB;QAEqD,uBmKIHiC,QnKkH1B,IAAK,KmKIHX,GnKkHoB,KAAM,KmKI
HM,CnKkHjC,C;O;KAFrD,C;4EAGA,yB;MAAA,iC;MmKjHJ,4B;MnKiHI,mB;QAEkC,uBmKhHsB,QAAP,CnKg
HR,SmKhHe,CnKgHtB,C;O;KAFIC,C;kFAIA,yB;MAAA,0B;MAAA,mB;QAUmC,OAAK,OAAAL,SAAK,C;O;KA
VxC,C;oFAWA,Y;MASqC,gB;K;gFACrC,Y;MASiC,OAAK,SAAL,GAAiB,K;K;kFACID,yB;MAAA,aASqD,0B;
MATrD,mB;QASmC,OAAK,oBAAL,SAAK,CAAL,Y;O;KATnC,C;oFAWA,yB;MF+DJ,0B;MAAA,+B;ME/DI,m
B;QASqC,OFiEE,eAAW,OEjEb,SFiEa,CAAX,C;O;KE1EvC,C;sFAUA,Y;MAEuC,W;K;kFACvC,yB;MAAA,6B;
MAAA,mB;QASmC,qBAAU,SAAL,GAAiB,KAAtB,C;O;KATnC,C;oFAUA,yB;MAAA,aAS6D,0B;MAT7D,+B;
MAAA,mB;QASqC,sBAAW,oBAAL,SAAK,CAAL,YAAN,C;O;KATrC,C;oFAWA,Y;MAMqC,OApDC,SAAL,G
AAiB,K;K;sFAqDID,Y;MAMuC,OA3DD,SAAL,GAAiB,K;K;gCA6DID,Y;MAAyC,OAAQ,CA7DX,SAAL,GAAi
B,KA6DD,Y;K;gCAhPrD,Y;MAAA,c;MAG8D,qD;MAH9D,a;K;8BAAA,iB;MAAA,2IAG8D,oCAH9D,G;K;0
EAoPA,yB;MAAA,iC;MAAA,4B;QAW4C,uBAAY,SAAZ,C;O;KAX5C,C;4EAYA,yB;MAAA,iC;MAAA,4B;QA
U6C,uBAAO,SAAP,C;O;KAV7C,C;4EAWA,yB;MAAA,4B;MAAA,iC;MAAA,4B;QAW2C,uBAAY,QAAL,SA
AK,CAAZ,C;O;KAX3C,C;4EAYA,yB;MAAA,4B;MAAA,iC;MAAA,4B;QAW4C,uBAAY,QAAL,SAAK,SAAZ,C;
O;KAX5C,C;I6BtRA,8B;MAEqB,sB;K;wCAKjB,iB;MAM8C,07B4PL,W6B5PK,aAAQ,KAAR,C7B4PL,C;K;wC
6B1PzC,wB;MAOI,aAAQ,KAAR,IAAiB,K7BkJgB,K;K;+D6B9IP,Y;MAAQ,OAAA,YAAQ,O;K;qCAE9C,Y;MA
C0D,gCAAS,YAAT,C;K;IAEpC,qC;MAAkC,yB;MAAjC,oB;MACnB,eAAoB,C;K;6CACpB,Y;MAAyB,sBAAQ,
YAAM,O;K;gDACvC,Y;MAA0D,Q;MAA9B,IAAI,eAAQ,YAAM,OAAIB,C;QAAA,07BuOS,W6BvOe,aAAM,m
BAAN,EAAM,2BAAN,07BuOf,C;;Q6BvO8C,MAAM,2BAAuB,YAAM,WAA7B,C;K;;2CAG7F,mB;MAGS,Q;
MAAL,IAAI,eAAC,0EAAD,SAAJ,C;QAakC,OAAO,K;MAEzC,OAAe,WAAR,YAAQ,EAAS,07B8HS,K6B9HI
B,C;K;gDAGnB,oB;MACY,Q;MAA2B,gBAA3B,gE;MAA2B,c;;Qd+7CvB,U;QADhB,IAAI,wCAAsB,mBAA1B,
C;UAAqC,aAAO,I;UAAP,e;SACrB,6B;QAAhB,OAAgB,gBAAhB,C;UAAgB,2B;Uc/7C6B,2Bd+7CR,Oc/7CQ,S;
UAAA,W;YAAwB,oBAAR,YAAQ,Ed+7ChC,Ofr0CA,K6B1HgC,C;Wd+7C/C,IAAI,OAAJ,C;YAAyB,aAAO,K;Y
AAP,e;;QAC/C,aAAO,I;;Mch8CH,iB;K;oCAGJ,Y;MAAkC,OAAA,IAAK,QAAQ,OAAb,KAAqB,C;K;;IA7CvD,u
C;MAAA,qD;MACgC,wBAAK,eAAW,IAAX,CAAL,C;MADhC,Y;K;;qCAPJ,Y;MAAA,OAKqB,sDALrB,M;K;
qCAAA,Y;MAAA,c;MAKqB,wD;MALrB,a;K;mCAAA,iB;MAAA,2IAKqB,0CALrB,G;K;kFAuDA,yB;MAAA,2
C;MAWwC,0C;QAAA,wB;UAAW,OAAA,aAAK,KAAL,C7ByGV,K;S;O;M6BpHzC,6B;QAWI,OAAO,qBAAY,
gCAAW,IAAX,GAAiB,wBAAjB,CAAZ,C;O;KAXX,C;oFAcA,oB;MAGwE,e;K;IyKxExE,sC;MAQ2D,OAAa,W
AAb,SxM4KjB,KAAL,GAAiB,GwM5KkB,EAAS,KAAT,C;K;IAExE,sC;MAQ4D,OAAa,WAAb,StMmKIB,KAA
L,GAAiB,KsMnKmB,EAAS,KAAT,C;K;IAGzE,sC;MAQ0D,OAAc,WvMyK5B,oBuMzKc,SvMyKnB,KAAK,CA
AL,iBuMzKiC,EAAS,KAAT,C;K;IAExE,sC;MAOgD,uBAAc,S1KiKvB,K0KjKS,EAA6B,WAAW,KAAX,CAA7
B,C;K;IAGhD,8B;MAMqC,Q;MAAA,0DAAmB,kBAAkB,SAAlB,C;K;IAExD,qC;MAO+C,Q;MAAA,0CAAc,KA
Ad,oBAAwB,kBAAkB,SAAlB,C;K;IAGvE,+B;MAMuC,Q;MAAA,2DAAoB,kBAAkB,SAAlB,C;K;IAE3D,sC;M
AOiD,Q;MAAA,2CAAe,KAAf,oBAAyB,kBAAkB,SAAlB,C;K;IAE1E,6B;MAMmC,Q;MAAA,yDAaKB,kBAaK
B,SAAlB,C;K;IAErD,oC;MAO6C,Q;MAAA,yCAAa,KAAb,oBAAuB,kBAAkB,SAAlB,C;K;IAEpE,8B;MAMqC,
Q;MAAA,0DAAmB,kBAAkB,SAAlB,C;K;IAExD,qC;MAO+C,Q;MAAA,0CAAc,KAAAd,oBAAwB,kBAaKB,SA
AlB,C;K;IAMvE,kC;MAM4C,kCAAsB,EAAtB,C;K;IAE5C,2C;MASmB,Q;MAAA,sBAAL,SAAK,EAAa,KAAb,
C;MAAL,iB;QAA4B,OAAO,I;OAA7C,UAAU,I;MACV,IvMhFkE,YuMgF9D,GvMhF+E,KAAjB,EAA6B,CDkK5
D,SwMIFzB,6BAAM,UxMkF6B,KAAL,GAAiB,GAAtB,CCIK4D,MAA7B,CuMgF9D,IAAJ,C;QAA2B,OAAO,I;
MACIC,OxMkJqC,UAAW,OwMIJzC,GvM4E8B,KDsEW,CAAX,C;K;IwM/IzC,mC;MAM8C,mCAAuB,EAAvB,
C;K;IAE9C,4C;MASmB,Q;MAAA,sBAAL,SAAK,EAAa,KAAb,C;MAAL,iB;QAA4B,OAAO,I;OAA7C,UAAU,I;
MACV,IvMtGkE,YuMsG9D,GvMtG+E,KAAjB,EAA6B,CCmK5D,SsM7DzB,8BAAO,UtM6D4B,KAAL,GAAiB,
KAAtB,CDnK4D,MAA7B,CuMsG9D,IAAJ,C;QAA4B,OAAO,I;MACnC,OtM6HuC,WAAy,QsM7H5C,GvMgEg
C,KC6DY,CAAZ,C;K;IsM1H3C,iC;MAM0C,iCAAqB,EAArB,C;K;IAE1C,0C;MASI,WAAW,KAAX,C;MAEA,a

AAa,SAAK,O;MACIB,IAAI,WAAU,CAAd,C;QAAiB,OAAO,I;MAExB,YAAkB,4BAAK,U;MACvB,S;MAEA,g
BAAgB,qBAAK,CAAL,C;MAChB,IAAI,YAAy,EAAhB,C;QACI,IAAI,WAAU,CAAV,IAAe,cAAa,EAhC,C;U
AAqC,OAAO,I;QAC5C,QAAQ,C;;QAER,QAAQ,C;;MAGZ,uBAAuB,mB;MAEvB,qBAAqB,gB;MACrB,avM+F
mC,SuM/FtB,KvM+Fsb,C;MuM9FnC,aAAa,W;MACb,aAAU,KAAV,MAAsB,MAAtB,M;QACI,YAAy,QAAQ,q
BAAK,CAAL,CAAR,EAAiB,KAAjB,C;QAEZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,IvMpJ8D,YuMoJ1
D,MvMpJ2E,KAAjB,EUmoJjD,cvMpJ8E,KAA7B,CuMoJ1D,IAAJ,C;UACI,IAAI,+CAAkB,gBAAIB,QAAJ,C;YA
CI,iBvM7FwC,WuM6FvB,KvM7FuB,EUm6Ff,MvM7Fe,C;YuM+FxC,IvMxJsD,YuMwJID,MvMxJmE,KAAjB,EU
MwJzC,cvMxJsE,KAA7B,CuMwJID,IAAJ,C;cACI,OAAO,I;;YAGX,OAAO,I;;SAIf,SvMpHkD,SAAE,YuMoHjE,
MvMpH4D,KAAK,EUmoHvD,MvMpHmE,KAAZ,CAAF,C;QuMsHID,mBAAmB,M;QACnB,SvMjJiD,SuMiJjD,
MvMjJ2D,KAAK,GAAW,CA2N5C,SuM1ErB,KvM0EqB,CA3N4C,MAAX,IAAf,C;QuMkJjD,IvMpK8D,YuMoK
1D,MvMpK2E,KAAjB,EUmoKjD,YvMpK8E,KAA7B,CuMoK1D,IAAJ,C;UAA2B,OAAO,I;;MAGtC,OAAO,M;K
;IAGX,kC;MAM4C,kCAAsB,EAAtB,C;K;IAE5C,2C;MASI,WAAW,KAAx,C;MAEA,aAAa,SAAK,O;MACIB,IA
AI,WAAU,CAAd,C;QAAiB,OAAO,I;MAExB,YAAmB,6BAAM,U;MACzB,S;MAEA,gBAAgB,qBAAK,CAAL,C
;MAChB,IAAI,YAAy,EAAhB,C;QACI,IAAI,WAAU,CAAV,IAAe,cAAa,EAhC,C;UAAqC,OAAO,I;QAC5C,Q
AAQ,C;;QAER,QAAQ,C;;MAIZ,uBAAuB,gD;MAEvB,qBAAqB,gB;MACrB,a1KkCqC,UAAW,oB0KICnC,K1Kk
CmC,CAAX,C;M0KjCrC,aAAa,2B;MACb,aAAU,KAAV,MAAsB,MAAtB,M;QACI,YAAy,QAAQ,qBAAK,CAA
L,CAAR,EAAiB,KAAjB,C;QAEZ,IAAI,QAAQ,CAAZ,C;UAAe,OAAO,I;QACtB,I1K7M+D,a0K6M3D,M1K7M6
E,KAAIB,E0K6MID,c1K7MgF,KAA9B,C0K6M3D,IAAJ,C;UACI,IAAI,+CAAkB,gBAAIB,QAAJ,C;YACI,iB1K
3J0C,Y0K2JzB,K1K3JyB,E0K2JjB,M1K3JiB,C;Y0K6J1C,I1KjNuD,a0KiNnD,M1KjNqE,KAAIB,E0KiN1C,c1Kj
NwE,KAA9B,C0KiNnD,IAAJ,C;cACI,OAAO,I;;YAGX,OAAO,I;;SAIf,S1KILoD,U0KkLpD,M1KIL+D,KAAK,U
0KkL1D,M1KILsE,KAAZ,CAAhB,C;Q0KoLpD,mBAAmB,M;QACnB,S1K/MmD,U0K+MnD,M1K/M8D,KAAK
,KAAW,C7B+J7C,UAAW,oBAAL,CAYDR,SuMTrB,KvMSqB,CazDQ,MAAK,CAAL,iBAAN,C6B/J6C,MAAX,
CAAhB,C;Q0KgNnD,I1K7N+D,a0K6N3D,M1K7N6E,KAAIB,E0K6NID,Y1K7NgF,KAA9B,C0K6N3D,IAAJ,C;
UAA2B,OAAO,I;;MAGtC,OAAO,M;K;IhM7RX,6B;MACkD,OAAuB,0BAAtB,KAAO,WAAe,EAAU,KAAO,W
AAjB,C;K;IACzE,8B;MACqD,OAAC,gCAAuB,iBAAU,gCAAV,C;K;IAE7E,4B;MACoD,OPwSZ,SAvGI,oBOjM
S,EPiMd,KAAK,CAAL,iBOjMc,KPiMT,oBOjMuB,EPiM5B,KAAK,CAAL,iBOjMc,CPwSH,QAAV,C;K;IOvSxC,
+B;MACuD,OPsSf,SAvGI,oBO/LY,EP+LjB,KAAK,CAAL,iBO/LiB,QP+LZ,oBO/L0B,EP+L/B,KAAK,CAAL,iB
O/LiB,CPsSN,QAAV,C;K;IOjSxC,6B;MAEI,eAAe,EsByLoB,K;MtBxLnC,cAAc,EsBwLqB,K;MtBvLnC,IAAI,qB
AAU,CAAd,C;QACI,OsB2C+D,atB3CpD,EsB2CsE,KAAIB,EtB3C/C,EsB2C6E,KAA9B,CtB3CpD,IAAJ,GAAa,a
AAb,GAA2B,a;OAIc,IAAI,uBAAy,CAAhB,C;QACI,OAAO,UAAm,aAAW,OAAX,CAAN,C;OAIx,eAAiB,4B
AAc,CAAd,CAAD,KAAoB,OAAPB,CAAD,WAAkC,CAAIC,C;MACf,UAAU,kBAAW,kBAAW,OAAX,CAAX,
C;MACV,OAAO,UAAm,iCsBgCsD,aAAkB,CtBhCzD,UAAm,GAAN,CsBgCyD,MAAIB,EAA8B,CtBhCvD,UA
AM,OAAN,CsBgCuD,MAA9B,CtBhCvC,KAAJ,GAAC,CAAIC,GAAYC,CAAPD,EAAN,C;K;IAIX,gC;MAKe,Q
;MAHX,eAAe,EsBqKoB,K;MtBpKnC,cAAc,EsBoKqB,K;MtBnKnC,IAAI,qBAAU,CAAd,C;QACW,IsBuBwD,at
BvBpD,EsBuBsE,KAAIB,EtBvB/C,EsBuB6E,KAA9B,CtBvBpD,IAAJ,C;UACH,S;;UAEA,OsB8CgD,UtB9ChD,E
sB8C2D,KAAK,UtB9C3D,EsB8CuE,KAAZ,CAAhB,C;;QtBjDpD,W;OAQJ,IAAI,uBAAy,CAAhB,C;QACI,OAA
O,UAAm,gBAAW,OAAX,CAAN,C;OAIx,eAAiB,4BAAc,CAAd,CAAD,KAAoB,OAAPB,CAAD,WAAkC,CAAL
C,C;MACf,UAAU,kBAAW,kBAAW,OAAX,CAAX,C;MACV,OAAO,UAAm,asBQsD,aAAkB,CtBR9D,UAAm,
GAAN,CsBQ8D,MAAIB,EAA8B,CtBR5D,UAAm,OAAN,CsBQ4D,MAA9B,CtBR5C,KAAJ,GAAC,OAAC,K
AAN,CAAN,C;K;IAGX,yB;MAEI,IAAE,QAAF,CAAe,CAAF,C;QADyC,OAC5B,W;;QACb,SP+LuC,aO/LiC,4B
AAK,UP+L0C,KAAb,CO/LvC,C;UAFyC,OAEP,4BAAK,U;;UACvC,SP8LuC,aO9LIC,4BAAK,UP8L0C,KAAb,C
O9LvC,C;YAHyC,OAGP,4BAAK,U;eACvC,SAAK,UAAAL,C;YAJyC,OPyON,SoROX,YAAF,CAAe,CPqOW,C;;
YOzOM,OPeY,SAAU,CA2N5B,SOpOP,YAAAnB,IAAI,UAAe,CPoOO,CA3N4B,MAAK,GAAW,CA2N5C,SOpO
Y,UPoOZ,CA3N4C,MAAX,IAAf,C;;;K;IONzD,0B;MAEI,IAAE,QAAF,CAAe,CAAF,C;QAD2C,OAC9B,2B;;Q
ACb,SsByLuC,ctBzLIC,6BAAM,UsByL0C,KAAAd,CtBzLvC,C;UAF2C,OAER,6BAAM,U;;UACzC,SsBwLuC,ctB
xLIC,6BAAM,UsBwL0C,KAAAd,CtBxLvC,C;YAH2C,OAGR,6BAAM,U;eACzC,4C;YAJ2C,OsB+OL,UtB3Od,uB
AAF,CAAe,CsB2Oc,C;;YtB/OK,OsBQY,UAAW,CAuO5B,UtBxOF,uBAA3B,IAAI,oBAAuB,CsBwOE,CAvO4B,
MAAK,KAAW,CtBDzB,gCsBCyB,MAAX,CAAhB,C;;;K;ItBG3D,yB;MAC4C,QAAC,CAAqB,GAAf,UAAP,IA

,OAI6B,oBAAgB,OAAhB,EAAyB,OAAzB,C;;UACrB,WAAW,OAAQ,kBAAS,yCAAT,C;UAL3B,OAMY,SAAS,mCAAb,GAAoC,oBAAgB,OAAhB,EAAyB,WAAzB,CAApC,GACI,oBAAgB,oBAAgB,IAAhB,EAAhB,OAAhB,CAAhB,EAAgD,WAAhD,C;;;K;8CAdxB,mB;MAKI,OAAI,YAAY,mCAAhB,GAAuC,IAAvC,GACI,OAAQ,cAAK,IAAL,EAAW,4BAAX,C;K;;;qDA6BZ,e;MAE0B,Q;MAAtB,OAAI,IAAK,IAAL,KAAa,GAAjB,GAAsB,wEAAtB,GAAqC,I;K;sDAEzC,8B;MACI,iBAAU,OAAV,EAAmB,IAAnB,C;K;0DAEJ,e;MACI,OAAI,IAAK,IAAL,KAAa,GAAjB,GAAsB,mCAAtB,GAAiD,I;K;;;;;ICzDR,8C;MAAC,wB;K;kFAAA,Y;MAAA,yB;K;;IAEtD,iC;MAAA,qC;K;kDAKI,e;MAAYD,W;K;mDACzD,8B;MAA4E,c;K;mDAC5E,mB;MAAwE,c;K;uDACxE,e;MAA8D,W;K;+CAC9D,Y;MAAsC,Q;K;+CACtC,Y;MAAYC,8B;K;;;IAV7C,6C;MAAA,4C;QAAA,2B;OAAA,qC;K;IAiB8B,wC;MAAC,gB;MAA4B,sB;K;4CACvD,e;MAGQ,Q;MAFJ,UAAU,I;MACV,OAAO,IAAP,C;QACI,YAAA,GAAI,QA AJ,aAAY,GAAZ,W;UAAwB,W;SACxB,WAAW,GAAL,K;QACf,IAAI,oCAAJ,C;UACI,MAAM,I;;UAEN,OAAO,iBAAK,GAAL,C;;;K;6CAKnB,8B;MACI,iBAAU,SAAK,cAAK,OAAL,EAAc,SAAd,CAAf,EAAyC,YAAzC,C;K;iDAEJ,e;UAGW,I;MAFP,6BAAQ,GAAR,U;QAAoB,OAAO,S;OAC3B,cAAc,SAAK,kBAAS,GAAT,C;MAEf,gB AAY,SAAZ,C;QAAoB,W;WACpB,gBAAy,mCAAZ,C;QAAqC,mB;;QAC7B,2BAAGB,OAAhB,EAAyB,YAAzB,C;MAHZ,W;K;uCAOJ,Y;MACI,OAAI,yCAAJ,GAA6B,SAAK,SAAL,GAAC,CAAd,IAA7B,GAAKD,C;K;2CAEt D,mB;MACI,+BAAI,OAAQ,IAAZ,GAAoB,OAApB,C;K;8CAEJ,mB;MAQ4B,Q;MAPxB,UAAU,O;MACV,OAA O,IAAP,C;QACI,IAAI,CAAC,gBAAS,GAAI,QAAb,CAAL,C;UAA4B,OAAO,K;QACnC,WAAW,GAAL,K;QACf ,IAAI,oCAAJ,C;UACI,MAAM,I;;UAEN,OAAO,gBAAS,wEAAT,C;;;K;uCAKnB,iB;MACI,gBAAS,KAAT,KAA kB,yCAA4B,KAAM,SAAN,KAAgB,aAA5C,IAAsD,KAAM,eAAY,IAAZ,CAA9E,C;K;yCAEJ,Y;MAA+B,OAA K,SAAL,SAAK,CAAL,GAA0B,SAAR,YAAQ,CAA1B,I;K;IAGZ,uD;MACX,OAAI,GvLoJoC,YAAU,CuLpJID,G AAmB,OAAQ,WAA3B,GAA2C,MAAM,IAAN,YAAa,OAAb,C;K;yCAFnd,Y;MACI,aAAM,kBAAK,EAAL,EA AS,+BAAT,CAAN,GAEL,G;K;;;;;ICzDZ,+B;K;;ICI0C,wD;MAAA,uB;QAAU,qBAAM,IAAK,OAAX,C;O;K;INg DvB,gD;MAAA,oB;QACrB,WAAW,sBAAiB,CAAjB,C;QACX,cAAM,IAAN,C;QADA,OAEA,IAAK,Y;O;K;IAR Eb,yD;MAWI,oCAAYB,QAazB,EAAmC,UAAnc,CAA+C,cAAO,IAAP,C;K;IAGnd,iD;MAUI,sCAAYB,UAAzB, CAAqC,cAAO,IAAP,C;K;IAGzC,0D;MAawB,4BAAiB,oCAAYB,QAazB,EAAmC,UAAnc,CAAjB,EAAiE,mBA AjE,C;K;IAExB,kD;MAYwB,4BAAiB,sCAAYB,UAAzB,CAAjB,EAAuD,mBAAvD,C;K;IAExB,+C;MAUI,OMh DsC,gCNgDb,8BMhDa,CAAtC,c;K;2FNsCJ,yB;MAAA,0F;MMtC0C,wD;QAAA,uB;UAAU,qBAAM,IAAK,OAA X,C;S;O;MNgDvB,gD;QAAA,oB;UACrB,WAAW,sBAAiB,CAAjB,C;UACX,cAAM,IAAN,C;UADA,OAEA,IAA K,Y;S;O;MABb,sC;QMtCI,mBAAsC,gCNgDb,8BMhDa,CAAtC,6B;QNgDA,yD;O;KAVJ,C;kHA4BI,yB;MAAA,g E;MAAA,mB;QACI,MAAM,6BAAoB,0BAApB,C;O;KADV,C;4IAMJ,yB;MAAA,yF;MAAA,gE;MAAA,8B;MA AA,qB;MAAA,oC;QAMa,Q;;UAHL,aAAa,O;UACb,IAAI,WAAW,mBAAf,C;YAEuC,CAAlC,kEAAkC,eAAO,M AAP,C;;UAEzC,gC;YACE,UAAW,6BAAoB,CAApB,C;;YAPf,O;;O;KAFJ,C;IIM/FA,kD;MAQuF,wC;K;IARvF,4 CASI,Y;MAAuC,8B;K;IAT3C,8E;IwMuB0C,0D;MAAA,uB;QAAU,qBAAM,IAAK,OAAX,C;O;K;ICVYe,qD;M AAA,mB;QAAE,qBAAc,qBAAd,C;O;K;IAT/H,sC;MASoH,OzML7B,2ByMKsC,mCzMLiC,C;K;IyMOvF,sC;MA SI,eAAe,6B;MACf,oBAAkC,yBAAd,aAAc,EAAoC,QAAPC,EAA2D,QAA3D,C;MACIC,OAAO,Q;K;IAciC,2B;K ;iDAaxC,kC;MAII,IAAI,uCAA0B,QAAS,UAAvC,C;QAAkD,M;MACID,OAAO,sBAAS,QAAS,WAAIB,e;K;iDA GX,kC;MAKqD,6BAAS,QAAS,WAAIB,e;K;;;;;IAYzD,mC;MAA2C,0B;MACvC,eAAoB,C;MACpB,mBAA4B, I;MAC5B,sBAAYC,I;MACzC,gBAAoC,I;K;gDAEpC,Y;MACI,OAAO,IAAP,C;QACI,QAAM,YAAN,C;eACI,C;Y AAA,K;eACA,C;YACI,IAAI,kCAAE,UAAnc,C;cACI,eAAQ,C;cACR,OAAO,I;;cAEP,sBAAE,I;;YALvB,K;eAO A,C;YAAc,OAAO,K;eACrB,C;eAAA,C;YAAgC,OAAO,I;kBAC/B,MAAM,yB;;QAGIB,eAAQ,C;QACR,WAAW ,4B;QACX,gBAAW,I;QACX,IAAK,cAAO,IAAP,C;;K;6CAIb,Y;MACU,IASe,I;MATrB,QAAM,YAAN,C;aACI,C ;aAAA,C;UAAsC,OAAO,qB;aAC7C,C;UACI,eAAQ,C;UACR,OAAO,kCAAE,O;aAE1B,C;UACI,eAAQ,C;UACR ,aACa,iF;UACb,mBAAy,I;UACZ,OAAO,M;gBAEH,MAAM,yB;;K;uDAlTb,Y;MACI,IAAI,CAAC,cAAL,C;QAA gB,MAAM,6B;;QAA8B,OAAO,W;K;2DAG/D,Y;MAA4C,QAAM,YAAN,C;aACxC,C;UADwC,OAC1B,6B;aAC d,C;UAFwC,OAExB,2BAAsB,sBAAtB,C;gBAFwB,OAGhC,2BAAsB,uCAAoC,YAA1D,C;;K;IAOwB,4E;MAAA ,oB;QAC5B,wCAAW,C;QAAX,OACA,mB;O;K;oDALR,+B;MACI,mBAAy,K;MACZ,eAAQ,C;MACR,ODpHk C,kCCoHF,0CDpHE,CAAtC,c;K;IC8HoC,+E;MAAA,oB;QAC5B,wCAAW,C;QAAX,OACA,mB;O;K;yDANR,k C;MACI,IAAI,CAAC,QAAS,UAAc,C;QAAYB,M;MACzB,sBAAE,Q;MACf,eAAQ,C;MACR,OD9HkC,kCC8HF, 6CD9HE,CAAtC,c;K;qDCoIA,iB;MAEI,eAAQ,C;K;oEAGZ,qB;MACI,MAAM,S;K;8EAIN,Y;MAAQ,0C;K;;ID9I

0B,0D;MAAA,uB;QAAU,qBAAM,IAAK,OAAX,C;O;K;IArBpD,uD;MAqBI,OAAsC,wCAAtC,c;K;8GArBJ,yB; MAqB0C,wD;QAAA,uB;UAAU,qBAAM,IAAK,OAAX,C;S;O;MArBpD,sC;QAqBI,mBAAsC,sCAAtC,6B;QAA A,yD;O;KArBJ,C;IAuBA,oE;MAUI,MAAM,wBAAoB,sEAApB,C;K;2HAVV,yB;MAAA,gE;MAAA,sC;QAUI,M AAM,6BAAoB,sEAApB,C;O;KAVV,C;mHAYA,yB;MAAA,gE;MAAA,4B;QAMI,MAAM,6BAAoB,4CAApB,C; O;KANV,C;,,gBPR8B,S;cACF,S;0BEGiB,sC;qBMsCH,C;yBACI,C;sBACH,C;kBACJ, C;iBACD,C;mBACE,C;,,,C;CIO3EvC,E;"}
Found in path(s):
* /opt/cola/permits/1175636870_1624449445.69/0/kotlin-1-3-70-tgz/package/kotlin.js.map

1.45 metrics-jvm 4.1.29

1.45.1 Available under license :

Apache-2.0

1.46 hystrix-core 1.5.12

1.47 txw2 20110809

1.47.1 Available under license :

Found license 'General Public License 2.0' in 'Copyright (c) 2005-2010 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2005-2010 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License // This class is in the Public Domain. NO WARRANTY! * Public Domain, and comes with NO

WARRANTY.'

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original

Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct

or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained

within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or

new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach.

Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH

LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. § 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or

shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

Found license 'General Public License 2.0' in '* Copyright (c) 2005-2010 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License // NO WARRANTY! This class is in the public domain.'

Found license 'Common Development and Distribution License (CDDL) 1.1' in 'Copyright (c) 2005-2010 Oracle and/or its affiliates. All rights reserved. The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2005-2010 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2005-2010 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU
* General Public License Version 2 only ("GPL") or the Common Development

* and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can

* obtain a copy of the License at

* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html

* or packager/legal/LICENSE.txt. See the License for the specific

* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each

* file and include the License file at packager/legal/LICENSE.txt.

*

* GPL Classpath Exception:

* Oracle designates this particular file as subject to the "Classpath"

* exception as provided by Oracle in the GPL Version 2 section of the License

* file that accompanied this code.

*

- * Modifications:
- * If applicable, add the following below the License Header, with the fields enclosed by brackets [] replaced by your own identifying information:
- * "Portions Copyright [year] [name of copyright owner]"
- *
- * Contributor(s):
- * If you wish your version of this file to be governed by only the CDDL or only the GPL Version 2, indicate your decision by adding "[Contributor] elects to include this software in this distribution under the [CDDL or GPL Version 2] license." If you don't indicate a single choice of license, a recipient has the option to distribute your version of this file under either the CDDL, the GPL Version 2 or to extend the choice of license to its licensees as provided above. However, if you add GPL Version 2 code and therefore, elected the GPL Version 2 license, then the option applies only if the new code is made subject to such option by the copyright holder.
- */

1.48 jackson-jaxrs-base 2.15.0

1.48.1 Available under license :

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

1.49 jaxb-core 2.2.6

1.49.1 Available under license :

Apache CXF
Copyright 2006-2010 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. **Grant of Copyright License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.50 groovy-test 3.0.9

1.50.1 Available under license :

No license file was found, but licenses were detected in source scan.

Licensed to the Apache Software Foundation (ASF) under one
or more contributor license agreements. See the NOTICE file
distributed with this work for additional information
regarding copyright ownership. The ASF licenses this file
to you under the Apache License, Version 2.0 (the
"License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing,
software distributed under the License is distributed on an
"AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
KIND, either express or implied. See the License for the
specific language governing permissions and limitations
under the License.

Found in path(s):

* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-
jar/groovy/mock/interceptor/package.html

No license file was found, but licenses were detected in source scan.

/*

* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing,
* software distributed under the License is distributed on an
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
* KIND, either express or implied. See the License for the

- * specific language governing permissions and limitations
- * under the License.
- */

Found in path(s):

- * /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/test/NotYetImplemented.java
- * /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/lang/GroovyLogTestCase.groovy
- * /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/test/GroovyShellTestCase.groovy
- * /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/test/GroovyAssert.java
- * /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/org/apache/groovy/test/transform/NotYetImplementedLegacyASTTransformation.java
- * /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/mock/interceptor/Demand.groovy
- * /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/test/JavadocAssertionTestBuilder.groovy
- * /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/util/GroovyTestSuite.java
- * /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/test/AllTestSuite.java
- * /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/util/JavadocAssertionTestSuite.groovy
- * /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/org/apache/groovy/test/ScriptTestAdapter.java
- * /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/test/GroovyTestCase.java
- * /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/test/StringTestUtil.groovy
- * /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/util/AllTestSuite.java
- * /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/test/JavadocAssertionTestSuite.groovy
- * /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/test/GroovyLogTestCase.groovy
- * /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/mock/interceptor/Ignore.groovy
- * /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/transform/NotYetImplemented.java
- * /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/mock/interceptor/MockProxyMetaClass.java
- * /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/util/GroovyTestCase.java
- * /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/util/StringTestUtil.groovy
- * /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/mock/interceptor/MockFor.groovy
- * /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/mock/interceptor/LooseExpectation.groovy
- * /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/mock/interceptor/StubFor.groovy
- * /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/test/GroovyTestSuite.java
- * /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/mock/interceptor/StrictExpectation.groovy


```

* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-
jar/groovy/util/GroovyShellTestCase.groovy
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-jar/groovy/util/GroovyAssert.java
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-
jar/groovy/util/JavadocAssertionTestBuilder.groovy
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-
jar/org/codehaus/groovy/runtime/ScriptTestAdapter.java
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-
jar/groovy/mock/interceptor/MockInterceptor.groovy
* /opt/cola/permits/1268276839_1644387313.67/0/groovy-test-3-0-9-sources-
jar/org/apache/groovy/test/transform/NotYetImplementedASTTransformation.java

```

1.51 snake-yaml 2.0

1.51.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/**
 * Copyright (c) 2008, SnakeYAML
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */

```

Found in path(s):

```

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/representer/SafeRepresenter.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/parser/Parser.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/env/EnvScalarConstructor.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/nodes/ScalarNode.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/tokens/ValueToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/events/StreamEndEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/constructor/AbstractConstruct.java

```

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/CollectionEndEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/emitter/ScalarAnalysis.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/AliasEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/ScalarEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/emitter/EmitterState.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/DirectiveToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/StreamStartEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/CommentEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/AliasToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/constructor/Construct.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/ImplicitTuple.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/constructor/CustomClassLoaderConstructor.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/Property.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/parser/Production.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/resolver/ResolverTuple.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/scanner/Scanner.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/composer/ComposerException.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/MappingNode.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/emitter/Emitable.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/FlowMappingEndToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/DumperOptions.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/FlowSequenceEndToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/AnchorNode.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/representer/Represent.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/Node.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/FlowMappingStartToken.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/reader/ReaderException.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/constructor/SafeConstructor.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/scanner/Constant.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/NodeId.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/serializer/AnchorGenerator.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/DocumentEndToken.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/parser/ParserImpl.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/ScalarToken.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/MethodProperty.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/CollectionStartEvent.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/util/UriEncoder.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/reader/UnicodeReader.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/BlockMappingStartToken.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/CollectionNode.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/StreamStartToken.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/DocumentStartToken.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/BlockSequenceStartToken.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/constructor/ConstructorException.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/SequenceStartEvent.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/representer/BaseRepresenter.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/SequenceEndEvent.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/util/PlatformFeatureDetector.java

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/parser/VersionTagsTuple.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/Yaml.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/inspector/UnTrustedTagInspector.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/parser/ParserException.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/error/MarkedYAMLException.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/representer/Representer.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/nodes/NodeTuple.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/inspector/TrustedTagInspector.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/serializer/Serializer.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/emitter/EmitterException.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/FieldProperty.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/BeanAccess.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/comments/CommentLine.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/LoaderOptions.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/CommentToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/extensions/compactnotation/PackageCompactConstructor.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/inspector/TrustedPrefixesTagInspector.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/BlockEndToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/serializer/SerializerException.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/error/Mark.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/util/ArrayUtils.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/error/YAMLException.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/DocumentEndEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/emitter/Emitter.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-

jar/org/yaml/snakeyaml/events/MappingEndEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/util/ArrayStack.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/util/EnumUtils.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/TypeDescription.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/scanner/ScannerException.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/tokens/FlowSequenceStartToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/nodes/SequenceNode.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/resolver/Resolver.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/inspector/TagInspector.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/constructor/Constructor.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/scanner/SimpleKey.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/events/DocumentStartEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/tokens/FlowEntryToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/comments/CommentEventsCollector.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/tokens/TagToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/tokens/Token.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/serializer/NumberAnchorGenerator.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/tokens/AnchorToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/error/MissingEnvironmentVariableException.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/constructor/BaseConstructor.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/tokens/StreamEndToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/composer/Composer.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/extensions/compactnotation/CompactData.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/introspector/PropertyUtils.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-

jar/org/yaml/snakeyaml/nodes/Tag.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/NodeEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/PropertySubstitute.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/reader/StreamReader.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/internal/Logger.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/MappingStartEvent.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/scanner/ScannerImpl.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/KeyToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/TagTuple.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/tokens/BlockEntryToken.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/MissingProperty.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/events/Event.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/constructor/DuplicateKeyException.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/extensions/compactnotation/CompactConstructor.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/comments/CommentType.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/org/yaml/snakeyaml/introspector/GenericProperty.java
No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>
<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-jar/META-INF/maven/org.yaml/snakeyaml/pom.xml
No license file was found, but licenses were detected in source scan.

/*
* Copyright (c) 2008 Google Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>

*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/external/com/google/gdata/util/common/base/Escaper.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/external/com/google/gdata/util/common/base/PercentEscaper.java
* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/external/com/google/gdata/util/common/base/UnicodeEscaper.java

No license file was found, but licenses were detected in source scan.

```
// This module is multi-licensed and may be used under the terms
// EPL, Eclipse Public License, V1.0 or later, http://www.eclipse.org/legal
// LGPL, GNU Lesser General Public License, V2.1 or later, http://www.gnu.org/licenses/lgpl.html
// GPL, GNU General Public License, V2 or later, http://www.gnu.org/licenses/gpl.html
// AL, Apache License, V2.0 or later, http://www.apache.org/licenses
// BSD, BSD License, http://www.opensource.org/licenses/bsd-license.php
/**
 * A Base64 encoder/decoder.
 *
 * <p>
 * This class is used to encode and decode data in Base64 format as described in RFC 1521.
 *
 * <p>
 * Project home page: <a href="http://www.source-code.biz/base64coder/java/">www.
 * source-code.biz/base64coder/java</a><br>
 * Author: Christian d'Heureuse, Inventec Informatik AG, Zurich, Switzerland<br>
 * Multi-licensed: EPL / LGPL / GPL / AL / BSD.
 */
```

Found in path(s):

* /opt/cola/permits/1584157893_1677999786.1262538/0/snakeyaml-2-0-sources-
jar/org/yaml/snakeyaml/external/biz/base64Coder/Base64Coder.java

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and

limitations under the License.

1.52 annotations 13.0

1.53 jboss-logging 3.3.2.Final

1.53.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]"

replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.54 groovy 3.0.9

1.54.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
# Licensed to the Apache Software Foundation (ASF) under one or more
# contributor license agreements. See the NOTICE file distributed with
# this work for additional information regarding copyright ownership.
# The ASF licenses this file to You under the Apache License, Version 2.0
# (the "License"); you may not use this file except in compliance with
# the License. You may obtain a copy of the License at
#
# http://www.apache.org/licenses/LICENSE-2.0
#
# Unless required by applicable law or agreed to in writing, software
# distributed under the License is distributed on an "AS IS" BASIS,
# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
# See the License for the specific language governing permissions and
# limitations under the License.

# Format: one extension on each line without the leading "*"
# Listed below are default groovy source file extensions.

# NOTE: This implementation of supporting multiple file extensions is experimental and
# the exact implementation details may vary when modularization gets introduced in
# groovy 2.0. However, in terms of the behavior, this support will remain intact.
```


groovy

Found in path(s):

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/META-INF/groovy/org.codehaus.groovy.source.Extensions

No license file was found, but licenses were detected in source scan.

```
# Licensed to the Apache Software Foundation (ASF) under one or more
# contributor license agreements. See the NOTICE file distributed with
# this work for additional information regarding copyright ownership.
# The ASF licenses this file to You under the Apache License, Version 2.0
# (the "License"); you may not use this file except in compliance with
# the License. You may obtain a copy of the License at
#
# http://www.apache.org/licenses/LICENSE-2.0
#
# Unless required by applicable law or agreed to in writing, software
# distributed under the License is distributed on an "AS IS" BASIS,
# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
# See the License for the specific language governing permissions and
# limitations under the License.
```

```
# global transformation to handle @Grab annotation
groovy.grape.GrabAnnotationTransformation
```

Found in path(s):

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/META-INF/services/org.codehaus.groovy.transform.ASTTransformation

No license file was found, but licenses were detected in source scan.

```
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at
* http://www.apache.org/licenses/LICENSE-2.0
* software distributed under the License is distributed on an
* Based on an original grammar released in the PUBLIC DOMAIN
```

Found in path(s):

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/java/java.g
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/groovy.g

No license file was found, but licenses were detected in source scan.

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance

with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v5/package.html
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/package.html
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/package.html
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/io/package.html
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/xml/package.html
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/typehandling/package.html
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/stmt/package.html
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/package.html
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/javac/package.html
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/package.html
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/treewalker/package.html
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/syntax/package.html
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/package.html
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/wrappers/package.html
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/grape/defaultGrapeConfig.xml
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/package.html
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/package.html
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/overview.html
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/package.html
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/package.html

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/io/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/overviewj.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/messages/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/inspect/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/security/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/time/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/package.html
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/package.html
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2011 Google Inc. All Rights Reserved.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/util/concurrent/concurrentlinkedhashmap/package-info.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/util/concurrent/concurrentlinkedhashmap/LinkedDeque.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2012 Google Inc. All Rights Reserved.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
*/
```

- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 - jar/org/apache/groovy/util/concurrent/concurrentlinkedhashmap/EntryWeigher.java
- No license file was found, but licenses were detected in source scan.

/** JSR-241 Groovy Recognizer.

*

* Run 'java Main [-showtree] directory-full-of-groovy-files'

*

* [The -showtree option pops up a Swing frame that shows

* the AST constructed from the parser.]

*

* Contributing authors:

- * John Mitchell johnm@non.net
- * Terence Parr parrt@magelang.com
- * John Lilley jlilley@empathy.com
- * Scott Stanchfield thetick@magelang.com
- * Markus Mohnen mohnen@informatik.rwth-aachen.de
- * Peter Williams pete.williams@sun.com
- * Allan Jacobs Allan.Jacobs@eng.sun.com
- * Steve Messick messick@redhills.com
- * James Strachan jstrachan@protique.com
- * John Pybus john@pybus.org
- * John Rose rose00@mac.com
- * Jeremy Rayner groovy@ross-rayner.com
- * Alex Popescu the.mindstorm@gmail.com
- * Martin Kempf mkempf@hsr.ch
- * Reto Kleeb rkleeb@hsr.ch

*

* Version 1.00 December 9, 1997 -- initial release

* Version 1.01 December 10, 1997

* fixed bug in octal def (0..7 not 0..8)

* Version 1.10 August 1998 (parrt)

* added tree construction

* fixed definition of WS,comments for mac,pc,unix newlines

* added unary plus

* Version 1.11 (Nov 20, 1998)

* Added "shutup" option to turn off last ambig warning.

* Fixed inner class def to allow named class defs as statements

* synchronized requires compound not simple statement

* add [] after builtInType DOT class in primaryExpression

- * "const" is reserved but not valid..removed from modifiers
- * Version 1.12 (Feb 2, 1999)
 - * Changed LITERAL_XXX to xxx in tree grammar.
 - * Updated java.g to use tokens {...} now for 2.6.0 (new feature).
 - *
- * Version 1.13 (Apr 23, 1999)
 - * Didn't have (stat)? for else clause in tree parser.
 - * Didn't gen ASTs for interface extends. Updated tree parser too.
 - * Updated to 2.6.0.
- * Version 1.14 (Jun 20, 1999)
 - * Allowed final/abstract on local classes.
 - * Removed local interfaces from methods
 - * Put instanceof precedence where it belongs...in relationalExpr
 - * It also had expr not type as arg; fixed it.
 - * Missing ! on SEMI in classBlock
 - * fixed: (expr) + "string" was parsed incorrectly (+ as unary plus).
 - * fixed: didn't like Object[].class in parser or tree parser
- * Version 1.15 (Jun 26, 1999)
 - * Screwed up rule with instanceof in it. :(Fixed.
 - * Tree parser didn't like (expr).something; fixed.
 - * Allowed multiple inheritance in tree grammar. oops.
- * Version 1.16 (August 22, 1999)
 - * Extending an interface built a wacky tree: had extra EXTENDS.
 - * Tree grammar didn't allow multiple superinterfaces.
 - * Tree grammar didn't allow empty var initializer: { }
- * Version 1.17 (October 12, 1999)
 - * ESC lexer rule allowed 399 max not 377 max.
 - * java.tree.g didn't handle the expression of synchronized statements.
- * Version 1.18 (August 12, 2001)
 - * Terence updated to Java 2 Version 1.3 by observing/combining work of Allan Jacobs and Steve Messick. Handles 1.3 src. Summary:
 - * o primary didn't include boolean.class kind of thing
 - * o constructor calls parsed explicitly now:
 - * see explicitConstructorInvocation
 - * o add strictfp modifier
 - * o missing objBlock after new expression in tree grammar
 - * o merged local class definition alternatives, moved after declaration
 - * o fixed problem with ClassName.super.field
 - * o reordered some alternatives to make things more efficient
 - * o long and double constants were not differentiated from int/float
 - * o whitespace rule was inefficient: matched only one char
 - * o add an examples directory with some nasty 1.3 cases
 - * o made Main.java use buffered IO and a Reader for Unicode support
 - * o supports UNICODE?
 - * Using Unicode charVocabulary makes code file big, but only in the bitsets at the end. I need to make ANTLR generate

- * unicode bitsets more efficiently.
- * Version 1.19 (April 25, 2002)
- * Terence added in nice fixes by John Pybus concerning floating constants and problems with super() calls. John did a nice reorg of the primary/postfix expression stuff to read better and makes f.g.super() parse properly (it was METHOD_CALL not a SUPER_CTOR_CALL). Also:
 - * o "finally" clause was a root...made it a child of "try"
 - * o Added stuff for asserts too for Java 1.4, but *commented out* as it is not backward compatible.
- * Version 1.20 (October 27, 2002)
- * Terence ended up reorging John Pybus' stuff to remove some nondeterminisms and some syntactic predicates. Note that the grammar is stricter now; e.g., this(...) must be the first statement.
- * Trinary ?: operator wasn't working as array name:
 - * (isBig ? bigDigits : digits)[i];
- * Checked parser/tree parser on source for Resin-2.0.5, jive-2.1.1, jdk 1.3.1, Lucene, antlr 2.7.2a4, and the 110k-line jGuru server source.
- * Version 1.21 (October 17, 2003)
- * Fixed lots of problems including:
 - * Ray Waldin: add typeDefinition to interfaceBlock in java.tree.g
 - * He found a problem/fix with floating point that start with 0
 - * Ray also fixed problem that (int.class) was not recognized.
 - * Thorsten van Ellen noticed that \n are allowed incorrectly in strings.
 - * TJP fixed CHAR_LITERAL analogously.
- * Version 1.21.2 (March, 2003)
- * Changes by Matt Quail to support generics (as per JDK1.5/JSR14)
 - * Notes:
 - * o We only allow the "extends" keyword and not the "implements" keyword, since that's what JSR14 seems to imply.
 - * o Thanks to Monty Zukowski for his help on the antlr-interest mail list.
 - * o Thanks to Alan Eliassen for testing the grammar over his Fink source base
- * Version 1.22 (July, 2004)
- * Changes by Michael Studman to support Java 1.5 language extensions
 - * Notes:
 - * o Added support for annotations types

- * o Finished off Matt Quail's generics enhancements to support bound type arguments
- * o Added support for new for statement syntax
- * o Added support for static import syntax
- * o Added support for enum types
- * o Tested against JDK 1.5 source base and source base of jdigraph project
- * o Thanks to Matt Quail for doing the hard part by doing most of the generics work
- *
- * Version 1.22.1 (July 28, 2004)
- * Bug/omission fixes for Java 1.5 language support
- * o Fixed tree structure bug with classOrInterface - thanks to Pieter Vangorpto for spotting this
- * o Fixed bug where incorrect handling of SR and BSR tokens would cause type parameters to be recognised as type arguments.
- * o Enabled type parameters on constructors, annotations on enum constants and package definitions
- * o Fixed problems when parsing `if ((char.class.equals(c))) {}` - solution by Matt Quail at Cenqua
- *
- * Version 1.22.2 (July 28, 2004)
- * Slight refactoring of Java 1.5 language support
- * o Refactored for/"foreach" productions so that original literal "for" literal is still used but the for sub-clauses vary by token type
- * o Fixed bug where type parameter was not included in generic constructor's branch of AST
- *
- * Version 1.22.3 (August 26, 2004)
- * Bug fixes as identified by Michael Stahl; clean up of tabs/spaces and other refactorings
- * o Fixed typeParameters omission in identPrimary and newStatement
- * o Replaced GT reconciliation code with simple semantic predicate
- * o Adapted enum/assert keyword checking support from Michael Stahl's java15 grammar
- * o Refactored typeDefinition production and field productions to reduce duplication
- *
- * Version 1.22.4 (October 21, 2004)
- * Small bux fixes
- * o Added typeArguments to explicitConstructorInvocation, e.g. `new <String>MyParameterised()`
- * o Added typeArguments to postfixExpression productions for anonymous inner class super constructor invocation, e.g. `new Outer().<String>super()`
- * o Fixed bug in array declarations identified by Geoff Roy
- *
- * Version 1.22.4.g.1
- * o I have taken java.g for Java 1.5 from Michael Studman (1.22.4) and have applied the groovy.diff from java.g (1.22) by John Rose back onto the new root (1.22.4) - Jeremy Rayner (Jan 2005)
- *
- * Version 1.22.4.g.2
- * o mkempff, rkleeb, Dec 2007
- * o fixed various rules so that they call the correct Create Method to make sure that the line information are correct
- *

* Based on an original grammar released in the PUBLIC DOMAIN

*/

Found in path(s):

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/parser/GroovyRecognizer.java

No license file was found, but licenses were detected in source scan.

/*

* This file is adapted from the Antlr4 Java grammar which has the following license

*

* Copyright (c) 2013 Terence Parr, Sam Harwell

* All rights reserved.

* [The "BSD licence"]

*

* <http://www.opensource.org/licenses/bsd-license.php>

*

* Subsequent modifications by the Groovy community have been done under the Apache License v2:

*

* Licensed to the Apache Software Foundation (ASF) under one

* or more contributor license agreements. See the NOTICE file

* distributed with this work for additional information

* regarding copyright ownership. The ASF licenses this file

* to you under the Apache License, Version 2.0 (the

* "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing,

* software distributed under the License is distributed on an

* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY

* KIND, either express or implied. See the License for the

* specific language governing permissions and limitations

* under the License.

*/

/**

* The Groovy grammar is based on the official grammar for Java:

* <https://github.com/antlr/grammars-v4/blob/master/java/Java.g4>

*/

parser grammar GroovyParser;

options {

tokenVocab = GroovyLexer;

contextSuperClass = GroovyParserRuleContext;

superClass = AbstractParser;

}


```

@header {
    import java.util.Map;
    import org.codehaus.groovy.ast.NodeMetaDataHandler;
}

@members {

    public static class GroovyParserRuleContext extends ParserRuleContext implements NodeMetaDataHandler {
        private Map metaDataMap = null;

        public GroovyParserRuleContext() {}

        public GroovyParserRuleContext(ParserRuleContext parent, int invokingStateNumber) {
            super(parent, invokingStateNumber);
        }

        @Override
        public Map<?, ?> getMetaDataMap() {
            return this.metaDataMap;
        }

        @Override
        public void setMetaDataMap(Map<?, ?> metaDataMap) {
            this.metaDataMap = metaDataMap;
        }

        @Override
        public int getSyntaxErrorSource() {
            return GroovySyntaxError.PARSER;
        }

        @Override
        public int getErrorLine() {
            Token token = _input.LT(-1);

            if (null == token) {
                return -1;
            }

            return token.getLine();
        }

        @Override
        public int getErrorColumn() {
            Token token = _input.LT(-1);

```

```

    if (null == token) {
        return -1;
    }

    return token.getCharPositionInLine() + 1 + token.getText().length();
}
}

// starting point for parsing a groovy file
compilationUnit
: nls (packageDeclaration sep)? scriptStatements? EOF
;

scriptStatements
: scriptStatement (sep scriptStatement)* sep?
;

scriptStatement
: importDeclaration // Import statement. Can be used in any scope. Has "import x as y" also.
| typeDeclaration
// validate the method in the AstBuilder#visitMethodDeclaration, e.g. method without method body is not allowed
| { !SemanticPredicates.isInvalidMethodDeclaration(_input) }?
methodDeclaration[3, 9]
| statement
;

packageDeclaration
: annotationsOpt PACKAGE qualifiedName
;

importDeclaration
: annotationsOpt IMPORT STATIC? qualifiedName (DOT MUL | AS alias=identifier)?
;

typeDeclaration
: classOrInterfaceModifiersOpt classDeclaration
;

modifier
: classOrInterfaceModifier
| m=( NATIVE
| SYNCHRONIZED
| TRANSIENT
| VOLATILE
| DEF
| VAR
)

```

```

;

modifiersOpt
: (modifiers nls)?
;

modifiers
: modifier (nls modifier)*
;

classOrInterfaceModifiersOpt
: (classOrInterfaceModifiers
  NL* /* Use `NL*` here for better performance, so DON'T replace it with `nls` */
)?
;

classOrInterfaceModifiers
: classOrInterfaceModifier (nls classOrInterfaceModifier)*
;

classOrInterfaceModifier
: annotation // class or interface
| m=( PUBLIC // class or interface
  | PROTECTED // class or interface
  | PRIVATE // class or interface
  | STATIC // class or interface
  | ABSTRACT // class or interface
  | FINAL // class only -- does not apply to interfaces
  | STRICTFP // class or interface
  | DEFAULT // interface only -- does not apply to classes
)
;

variableModifier
: annotation
| m=( FINAL
  | DEF
  | VAR
  // Groovy supports declaring local variables as instance/class fields,
  // e.g. import groovy.transform.*; @Field static List awe = [1, 2, 3]
  // e.g. import groovy.transform.*; def a = { @Field public List awe = [1, 2, 3] }
  // Notice: Groovy 2.4.7 just allows to declare local variables with the following modifiers when using
  annotations(e.g. @Field)
  // TODO check whether the following modifiers accompany annotations or not. Because the legacy codes(e.g.
  benchmark/bench/heapsort.groovy) allow to declare the special instance/class fields without annotations, we leave it
  as it is for the time being
  | PUBLIC
  | PROTECTED

```

```

    | PRIVATE
    | STATIC
    | ABSTRACT
    | STRICTFP
    )
;

variableModifiersOpt
: (variableModifiers nls)?
;

variableModifiers
: variableModifier (nls variableModifier)*
;

typeParameters
: LT nls typeParameter (COMMA nls typeParameter)* nls GT
;

typeParameter
: className (EXTENDS nls typeBound)?
;

typeBound
: type (BITAND nls type)*
;

typeList
: type (COMMA nls type)*
;

/**
 * t 0: class; 1: interface; 2: enum; 3: annotation; 4: trait
 */
classDeclaration
locals[ int t ]
: ( CLASS { $t = 0; }
  | INTERFACE { $t = 1; }
  | ENUM { $t = 2; }
  | AT INTERFACE { $t = 3; }
  | TRAIT { $t = 4; }
  )
  identifier
  (nls typeParameters)?
  (nls EXTENDS nls scs=typeList)?
  (nls IMPLEMENTS nls is=typeList)?
  nls classBody[$t]

```

```

;

// t see the comment of classDeclaration
classBody[int t]
: LBACE nls
  (
    /* Only enum can have enum constants */
    { 2 == $t }?
    enumConstants (nls COMMA)? sep?
  |
  )
(classBodyDeclaration[$t] (sep classBodyDeclaration[$t])*)? sep? RBACE
;

enumConstants
: enumConstant (nls COMMA nls enumConstant)*
;

enumConstant
: annotationsOpt identifier arguments? anonymousInnerClassDeclaration[1]?
;

classBodyDeclaration[int t]
: (STATIC nls)? block
| memberDeclaration[$t]
;

memberDeclaration[int t]
: methodDeclaration[0, $t]
| fieldDeclaration
| modifiersOpt classDeclaration
;

/**
 * t 0: *class member* all kinds of method declaration AND constructor declaration,
 * 1: normal method declaration, 2: abstract method declaration
 * 3: normal method declaration OR abstract method declaration
 * ct 9: script, other see the comment of classDeclaration
 */
methodDeclaration[int t, int ct]
: modifiersOpt typeParameters? (returnType[$ct] nls)?
  methodName formalParameters
  (
    DEFAULT nls elementValue
  |
    (nls THROWS nls qualifiedClassNameList)?
    (nls methodBody)?
  )?

```

```

;

methodName
: identifier
| stringLiteral
;

returnType[int ct]
:
    standardType
| VOID
;

fieldDeclaration
: variableDeclaration[1]
;

variableDeclarators
: variableDeclarator (COMMA nls variableDeclarator)*
;

variableDeclarator
: variableDeclaratorId (nls ASSIGN nls variableInitializer)?
;

variableDeclaratorId
: identifier
;

variableInitializer
: enhancedStatementExpression
;

variableInitializers
: variableInitializer (nls COMMA nls variableInitializer)* nls COMMA?
;

emptyDims
: (annotationsOpt LBRACK RBRACK)+
;

emptyDimsOpt
: emptyDims?
;

standardType
options { baseContext = type; }
: annotationsOpt

```

```

(
  primitiveType
  |
  standardClassOrInterfaceType
)
emptyDimsOpt
;

type
: annotationsOpt
(
  (
    primitiveType
    |
    // !!! Error Alternative !!!
    VOID
  )
  |
  generalClassOrInterfaceType
)
emptyDimsOpt
;

classOrInterfaceType
: ( qualifiedClassName
  | qualifiedStandardClassName
) typeArguments?
;

generalClassOrInterfaceType
options { baseContext = classOrInterfaceType; }
: qualifiedClassName typeArguments?
;

standardClassOrInterfaceType
options { baseContext = classOrInterfaceType; }
: qualifiedStandardClassName typeArguments?
;

primitiveType
: BuiltInPrimitiveType
;

typeArguments
: LT nls typeArgument (COMMA nls typeArgument)* nls GT
;

typeArgument

```

```

: type
| annotationsOpt QUESTION ((EXTENDS | SUPER) nls type)?
;

annotatedQualifiedClassName
: annotationsOpt qualifiedClassName
;

qualifiedClassNameList
: annotatedQualifiedClassName (COMMA nls annotatedQualifiedClassName)*
;

formalParameters
: LPAREN formalParameterList? rparen
;

formalParameterList
: (formalParameter | thisFormalParameter) (COMMA nls formalParameter)*
;

thisFormalParameter
: type THIS
;

formalParameter
: variableModifiersOpt type? ELLIPSIS? variableDeclaratorId (nls ASSIGN nls expression)?
;

methodBody
: block
;

qualifiedName
: qualifiedNameElement (DOT qualifiedNameElement)*
;

/**
 * Java doesn't have the keywords 'as', 'in', 'def', 'trait' so we make some allowances
 * for them in package names for better integration with existing Java packages
 */
qualifiedNameElement
: identifier
| DEF
| IN
| AS
| TRAIT
;

```



```

qualifiedNameElements
  : (qualifiedNameElement DOT)*
  ;

qualifiedClassName
  : qualifiedNameElements identifier
  ;

qualifiedStandardClassName
  : qualifiedNameElements className (DOT className)*
  ;

literal
  : IntegerLiteral           #integerLiteralAlt
  | FloatingPointLiteral     #floatingPointLiteralAlt
  | stringLiteral           #stringLiteralAlt
  | BooleanLiteral          #booleanLiteralAlt
  | NullLiteral             #nullLiteralAlt
  ;

// GSTRING

gstring
  : GStringBegin gstringValue (GStringPart gstringValue)* GStringEnd
  ;

gstringValue
  : gstringPath
  | closure
  ;

gstringPath
  : identifier GStringPathPart*
  ;

// LAMBDA EXPRESSION
lambdaExpression
options { baseContext = standardLambdaExpression; }
  : lambdaParameters nls ARROW nls lambdaBody
  ;

// JAVA STANDARD LAMBDA EXPRESSION
standardLambdaExpression
  : standardLambdaParameters nls ARROW nls lambdaBody
  ;

lambdaParameters

```

```

options { baseContext = standardLambdaParameters; }
    : formalParameters

    // { a -> a * 2 } can be parsed as a lambda expression in a block, but we expect a closure.
    // So it is better to put parameters in the parentheses and the following single parameter without parentheses is
    limited
    // | variableDeclaratorId
    ;

standardLambdaParameters
    : formalParameters
    | variableDeclaratorId
    ;

lambdaBody
    : block
    | statementExpression
    ;

// CLOSURE
closure
    : LBRACE (nls (formalParameterList nls)? ARROW)? sep? blockStatementsOpt RBRACE
    ;

// GROOVY-8991: Difference in behaviour with closure and lambda
closureOrLambdaExpression
    : closure
    | lambdaExpression
    ;

blockStatementsOpt
    : blockStatements?
    ;

blockStatements
    : blockStatement (sep blockStatement)* sep?
    ;

// ANNOTATIONS
annotationsOpt
    : (annotation (nls annotation)* nls)?
    ;

annotation
    : AT annotationName (nls LPAREN elementValues? rparen)?
    ;

```

```

elementValues
  : elementValuePairs
  | elementValue
  ;

annotationName : qualifiedClassName ;

elementValuePairs
  : elementValuePair (COMMA elementValuePair)*
  ;

elementValuePair
  : elementValuePairName nls ASSIGN nls elementValue
  ;

elementValuePairName
  : identifier
  | keywords
  ;

// TODO verify the potential performance issue because rule expression contains sub-rule
// assignments(https://github.com/antlr/grammars-v4/issues/215)
elementValue
  : elementValueArrayInitializer
  | annotation
  | expression
  ;

elementValueArrayInitializer
  : LBRACK (elementValue (COMMA elementValue)* COMMA?)? RBRACK
  ;

// STATEMENTS / BLOCKS

block
  : LBRACE sep? blockStatementsOpt RBRACE
  ;

blockStatement
  : localVariableDeclaration
  | statement
  ;

localVariableDeclaration
  : { !SemanticPredicates.isInvalidLocalVariableDeclaration(_input) }?
  variableDeclaration[0]
  ;

```

```

/**
 * t 0: local variable declaration; 1: field declaration
 */
variableDeclaration[int t]
  : modifiers nls
    ( type? variableDeclarators
    | typeNamePairs nls ASSIGN nls variableInitializer
    )
  |
  type variableDeclarators
  ;

typeNamePairs
  : LPAREN typeNamePair (COMMA typeNamePair)* rparen
  ;

typeNamePair
  : type? variableDeclaratorId
  ;

variableNames
  : LPAREN variableDeclaratorId (COMMA variableDeclaratorId)+ rparen
  ;

conditionalStatement
  : ifElseStatement
  | switchStatement
  ;

ifElseStatement
  : IF expressionInPar nls tb=statement ((nls | sep) ELSE nls fb=statement)?
  ;

switchStatement
  : SWITCH expressionInPar nls LBRACE nls (switchBlockStatementGroup+ nls)? RBRACE
  ;

loopStatement
  : FOR LPAREN forControl rparen nls statement #forStmtAlt
  | WHILE expressionInPar nls statement #whileStmtAlt
  | DO nls statement nls WHILE expressionInPar #doWhileStmtAlt
  ;

continueStatement
  : CONTINUE
  identifier?
  ;

```

breakStatement

: BREAK
 identifier?
;

tryCatchStatement

: TRY resources? nls block
 (nls catchClause)*
 (nls finallyBlock)?
;

assertStatement

: ASSERT ce=expression (nls (COLON | COMMA) nls me=expression)?
;

statement

: block	#blockStmtAlt
conditionalStatement	#conditionalStmtAlt
loopStatement	#loopStmtAlt
tryCatchStatement	#tryCatchStmtAlt
SYNCHRONIZED expressionInPar nls block	#synchronizedStmtAlt
RETURN expression?	#returnStmtAlt
THROW expression	#throwStmtAlt
breakStatement	#breakStmtAlt
continueStatement	#continueStmtAlt
identifier COLON nls statement	#labeledStmtAlt
assertStatement	#assertStmtAlt
localVariableDeclaration	#localVariableDeclarationStmtAlt
statementExpression	#expressionStmtAlt
SEMI	#emptyStmtAlt

;

catchClause

: CATCH LPAREN variableModifiersOpt catchType? identifier rparen nls block
;

catchType

: qualifiedClassName (BITOR qualifiedClassName)*
;

finallyBlock

: FINALLY nls block
;

resources

: LPAREN nls resourceList sep? rparen
;

```
resourceList
  : resource (sep resource)*
  ;
```

```
resource
  : localVariableDeclaration
  | expression
  ;
```

```
/** Matches cases then statements, both of which are mandatory.
 * To handle empty cases at the end, we add switchLabel* to statement.
 */
```

```
switchBlockStatementGroup
  : switchLabel (nls switchLabel)* nls blockStatements
  ;
```

```
switchLabel
  : CASE expression COLON
  | DEFAULT COLON
  ;
```

```
forControl
  : enhancedForControl
  | classicalForControl
  ;
```

```
enhancedForControl
  : variableModifiersOpt type? variableDeclaratorId (COLON | IN) expression
  ;
```

```
classicalForControl
  : forInit? SEMI expression? SEMI forUpdate?
  ;
```

```
forInit
  : localVariableDeclaration
  | expressionList[false]
  ;
```

```
forUpdate
  : expressionList[false]
  ;
```

```
// EXPRESSIONS
```

```
castParExpression
```

```

: LPAREN type rparen
;

parExpression
: expressionInPar
;

expressionInPar
: LPAREN enhancedStatementExpression rparen
;

expressionList[boolean canSpread]
: expressionListElement[$canSpread] (COMMA expressionListElement[$canSpread])*
;

expressionListElement[boolean canSpread]
: MUL? expression
;

enhancedStatementExpression
: statementExpression
| standardLambdaExpression
;

statementExpression
: commandExpression #commandExprAlt
;

postfixExpression
: pathExpression op=(INC | DEC)?
;

expression
// must come before postfixExpression to resolve the ambiguities between casting and call on parentheses
expression, e.g. (int)(1 / 2)
: castParExpression castOperandExpression #castExprAlt

// qualified names, array expressions, method invocation, post inc/dec
| postfixExpression #postfixExprAlt

// ~(BNOT)! (LNOT) (level 1)
| (BITNOT | NOT) nls expression #unaryNotExprAlt

// math power operator (**) (level 2)
| left=expression op=POWER nls right=expression #powerExprAlt

// ++(prefix)--(prefix)/(unary)/(unary) (level 3)
| op=(INC | DEC | ADD | SUB) expression #unaryAddExprAlt

```

```

// multiplication/division/modulo (level 4)
| left=expression nls op=(MUL | DIV | MOD) nls right=expression          #multiplicativeExprAlt

// binary addition/subtraction (level 5)
| left=expression op=(ADD | SUB) nls right=expression                    #additiveExprAlt

// bit shift expressions (level 6)
| left=expression nls
  (
    ( dlOp=LT LT
      | tgOp=GT GT GT
      | dgOp=GT GT
    )
    | rangeOp=( RANGE_INCLUSIVE
      | RANGE_EXCLUSIVE
    )
  ) nls
right=expression                                                         #shiftExprAlt

// boolean relational expressions (level 7)
| left=expression nls op=(AS | INSTANCEOF | NOT_INSTANCEOF) nls type      #relationalExprAlt
| left=expression nls op=(LE | GE | GT | LT | IN | NOT_IN) nls right=expression #relationalExprAlt

// equality/inequality (==/!=) (level 8)
| left=expression nls
  op=( IDENTICAL
    | NOT_IDENTICAL
    | EQUAL
    | NOTEQUAL
    | SPACESHIP
  ) nls
right=expression                                                         #equalityExprAlt

// regex find and match (=~ and ==~) (level 8.5)
// jez: moved =~ closer to precedence of == etc, as...
// 'if (foo =~ "a.c")' is very close in intent to 'if (foo == "abc")'
| left=expression nls op=(REGEX_FIND | REGEX_MATCH) nls right=expression  #regexExprAlt

// bitwise or non-short-circuiting and (&) (level 9)
| left=expression nls op=BITAND nls right=expression                    #andExprAlt

// exclusive or (^) (level 10)
| left=expression nls op=XOR nls right=expression                      #exclusiveOrExprAlt

// bitwise or non-short-circuiting or (|) (level 11)
| left=expression nls op=BITOR nls right=expression                    #inclusiveOrExprAlt

// logical and (&&) (level 12)

```



```

| left=expression nls op=AND nls right=expression                                #logicalAndExprAlt

// logical or (||) (level 13)
| left=expression nls op=OR nls right=expression                                #logicalOrExprAlt

// conditional test (level 14)
| <assoc=right> con=expression nls
  ( QUESTION nls tb=expression nls COLON nls
  | ELVIS nls
  )
  fb=expression                                                                    #conditionalExprAlt

// assignment expression (level 15)
// "(a) = [1]" is a special case of multipleAssignmentExprAlt, it will be handle by assignmentExprAlt
| <assoc=right> left=variableNames nls op=ASSIGN nls right=statementExpression
#multipleAssignmentExprAlt
| <assoc=right> left=expression nls
  op=( ASSIGN
    | ADD_ASSIGN
    | SUB_ASSIGN
    | MUL_ASSIGN
    | DIV_ASSIGN
    | AND_ASSIGN
    | OR_ASSIGN
    | XOR_ASSIGN
    | RSHIFT_ASSIGN
    | URSHIFT_ASSIGN
    | LSHIFT_ASSIGN
    | MOD_ASSIGN
    | POWER_ASSIGN
    | ELVIS_ASSIGN
  ) nls
  enhancedStatementExpression                                                        #assignmentExprAlt
;

castOperandExpression
options { baseContext = expression; }
: castParExpression castOperandExpression                                          #castExprAlt

| postfixExpression                                                                #postfixExprAlt

// ~(BNOT)! (LNOT)
| (BITNOT | NOT) nls castOperandExpression                                        #unaryNotExprAlt

// ++(prefix)--(prefix)/(unary)/(unary)
| op=(INC | DEC | ADD | SUB) castOperandExpression                              #unaryAddExprAlt
;

```

```

commandExpression
: expression
(
  { !SemanticPredicates.isFollowingArgumentsOrClosure($expression.ctx) }?
  argumentList
|
  /* if pathExpression is a method call, no need to have any more arguments */
)

```

```

commandArgument*
;

```

```

commandArgument
: commandPrimary
  // what follows is either a normal argument, parens,
  // an appended block, an index operation, or nothing
  // parens (a b already processed):
  //   a b c() d e -> a(b).c().d(e)
  //   a b c()() d e -> a(b).c().call().d(e)
  // index (a b already processed):
  //   a b c[x] d e -> a(b).c[x].d(e)
  //   a b c[x][y] d e -> a(b).c[x][y].d(e)
  // block (a b already processed):
  //   a b c {x} d e -> a(b).c({x}).d(e)
  //
  // parens/block completes method call
  // index makes method call to property get with index
  //
  ( pathElement+
  | argumentList
  )?
;

```

```

/**

```

- * A "path expression" is a name or other primary, possibly qualified by various
- * forms of dot, and/or followed by various kinds of brackets.
- * It can be used for value or assigned to, or else further qualified, indexed, or called.
- * It is called a "path" because it looks like a linear path through a data structure.
- * Examples: x.y, x?.y, x*.y, x.@y; x[], x[y], x[y,z]; x(), x(y), x(y,z); x{s}; a.b[n].c(x).d{s}
- * (Compare to a C lvalue, or LeftHandSide in the JLS section 15.26.)
- * General expressions are built up from path expressions, using operators like '+' and '='.
- *
- * t 0: primary, 1: namePart, 2: arguments, 3: closureOrLambdaExpression, 4: indexPropertyArgs, 5:
 namedPropertyArgs,
- * 6: non-static inner class creator

```

*/
pathExpression returns [int t]

```

```

: (

```

```

    primary
  |
    // if 'static' followed by DOT, we can treat them as identifiers, e.g. static.unused = { -> }
    { _input.LT(2).getType() == DOT }?
    STATIC
  ) (pathElement { $t = $pathElement.t; })*
;

pathElement returns [int t]
: nls
(
  DOT nls NEW creator[1]
  { $t = 6; }
|
  // AT: foo.@bar selects the field (or attribute), not property
  (
    ( DOT          // The all-powerful dot.
    | SPREAD_DOT   // Spread operator: x*.y === x?.collect{it.y}
    | SAFE_DOT     // Optional-null operator: x?.y === (x==null)?null:x.y
    | SAFE_CHAIN_DOT // Optional-null chain operator: x??.y.z === x?.y?.z
    ) nls (AT | nonWildcardTypeArguments)?
  |
    METHOD_POINTER nls // Method pointer operator: foo.&y == foo.metaClass.getMethodPointer(foo,
"y")
  |
    METHOD_REFERENCE nls // Method reference: System.out::println
  )
  namePart
  { $t = 1; }

  // Can always append a block, as foo{bar}
  | closureOrLambdaExpression
  { $t = 3; }
)

| arguments
  { $t = 2; }

// Element selection is always an option, too.
// In Groovy, the stuff between brackets is a general argument list,
// since the bracket operator is transformed into a method call.
| indexPropertyArgs
  { $t = 4; }

| namedPropertyArgs
  { $t = 5; }
;

```

```

/**
 * This is the grammar for what can follow a dot: x.a, x.@a, x.&a, x.'a', etc.
 */
namePart
:
  ( identifier

  // foo.'bar' is in all ways same as foo.bar, except that bar can have an arbitrary spelling
  | stringLiteral

  | dynamicMemberName

  /* just a PROPOSAL, which has not been implemented yet!
  // PROPOSAL, DECIDE: Is this inline form of the 'with' statement useful?
  // Definition: a.{foo} === {with(a) {foo}}
  // May cover some path expression use-cases previously handled by dynamic scoping (closure delegates).
  | block
  */

  // let's allow common keywords as property names
  | keywords
  )
;

/**
 * If a dot is followed by a parenthesized or quoted expression, the member is computed dynamically,
 * and the member selection is done only at runtime. This forces a statically unchecked member access.
 */
dynamicMemberName
: parExpression
| gstring
;

/** An expression may be followed by [...].
 * Unlike Java, these brackets may contain a general argument list,
 * which is passed to the array element operator, which can make of it what it wants.
 * The brackets may also be empty, as in T[]. This is how Groovy names array types.
 */
indexPropertyArgs
: QUESTION? LBRACK expressionList[true]? RBRACK
;

namedPropertyArgs
: QUESTION? LBRACK (namedPropertyArgList | COLON) RBRACK
;

primary
:

```

```

// Append `typeArguments?` to `identifier` to support constructor reference with generics, e.g.
HashMap<String, Integer>::new
  // Though this is not a graceful solution, it is much faster than replacing `builtInType` with `type`
  identifier typeArguments?
                                #identifierPrmrAlt
| literal                        #literalPrmrAlt
| gstring                        #gstringPrmrAlt
| NEW nls creator[0]            #newPrmrAlt
| THIS                          #thisPrmrAlt
| SUPER                          #superPrmrAlt
| parExpression                 #parenPrmrAlt
| closureOrLambdaExpression    #closureOrLambdaExpressionPrmrAlt
| list                          #listPrmrAlt
| map                           #mapPrmrAlt
| builtInType                   #builtInTypePrmrAlt
;

```

```

namedPropertyArgPrimary
options { baseContext = primary; }
: identifier                      #identifierPrmrAlt
| literal                        #literalPrmrAlt
| gstring                        #gstringPrmrAlt
| parExpression                 #parenPrmrAlt
;

```

```

namedArgPrimary
options { baseContext = primary; }
: identifier                      #identifierPrmrAlt
| literal                        #literalPrmrAlt
| gstring                        #gstringPrmrAlt
;

```

```

commandPrimary
options { baseContext = primary; }
: identifier                      #identifierPrmrAlt
| literal                        #literalPrmrAlt
| gstring                        #gstringPrmrAlt
;

```

```

list
: LBRACK expressionList[true]? COMMA? RBRACK
;

```

```

map
: LBRACK
  ( mapEntryList COMMA?
  | COLON
  )
  RBRACK

```

```

;

mapEntryList
: mapEntry (COMMA mapEntry)*
;

namedPropertyArgList
options { baseContext = mapEntryList; }
: namedPropertyArg (COMMA namedPropertyArg)*
;

mapEntry
: mapEntryLabel COLON nls expression
| MUL COLON nls expression
;

namedPropertyArg
options { baseContext = mapEntry; }
: namedPropertyArgLabel COLON nls expression
| MUL COLON nls expression
;

namedArg
options { baseContext = mapEntry; }
: namedArgLabel COLON nls expression
| MUL COLON nls expression
;

mapEntryLabel
: keywords
| primary
;

namedPropertyArgLabel
options { baseContext = mapEntryLabel; }
: keywords
| namedPropertyArgPrimary
;

namedArgLabel
options { baseContext = mapEntryLabel; }
: keywords
| namedArgPrimary
;

/**
 * t 0: general creation; 1: non-static inner class creation
 */

```

```

creator[int t]
  : createdName
    ( nls arguments anonymousInnerClassDeclaration[0]?
      | dim+ (nls arrayInitializer)?
    )
  ;

dim
  : annotationsOpt LBRACK expression? RBRACK
  ;

arrayInitializer
  : LBRACE nls (variableInitializers nls)? RBRACE
  ;

/**
 * t 0: anonymous inner class; 1: anonymous enum
 */
anonymousInnerClassDeclaration[int t]
  : classBody[0]
  ;

createdName
  : annotationsOpt
    ( primitiveType
      | qualifiedClassName typeArgumentsOrDiamond?
    )
  ;

nonWildcardTypeArguments
  : LT nls typeList nls GT
  ;

typeArgumentsOrDiamond
  : LT GT
  | typeArguments
  ;

arguments
  : LPAREN enhancedArgumentListInPar? COMMA? rparen
  ;

argumentList
options { baseContext = enhancedArgumentListInPar; }
  : firstArgumentListElement
    ( COMMA nls
      argumentListElement
    )*

```

```

;

enhancedArgumentList
options { baseContext = enhancedArgumentListInPar; }
: firstEnhancedArgumentListElement
  ( COMMA nls
    enhancedArgumentListElement
  )*
;

enhancedArgumentListInPar
: enhancedArgumentListElement
  ( COMMA nls
    enhancedArgumentListElement
  )*
;

firstArgumentListElement
options { baseContext = enhancedArgumentListElement; }
: expressionListElement[true]
| namedArg
;

argumentListElement
options { baseContext = enhancedArgumentListElement; }
: expressionListElement[true]
| namedPropertyArg
;

firstEnhancedArgumentListElement
options { baseContext = enhancedArgumentListElement; }
: expressionListElement[true]
| standardLambdaExpression
| namedArg
;

enhancedArgumentListElement
: expressionListElement[true]
| standardLambdaExpression
| namedPropertyArg
;

stringLiteral
: StringLiteral
;

className
: CapitalizedIdentifier

```


;

identifier

: Identifier
| CapitalizedIdentifier
| VAR
| IN
// | DEF
| TRAIT
| AS
;

builtInType

: BuiltInPrimitiveType
| VOID
;

keywords

: ABSTRACT
| AS
| ASSERT
| BREAK
| CASE
| CATCH
| CLASS
| CONST
| CONTINUE
| DEF
| DEFAULT
| DO
| ELSE
| ENUM
| EXTENDS
| FINAL
| FINALLY
| FOR
| GOTO
| IF
| IMPLEMENTS
| IMPORT
| IN
| INSTANCEOF
| INTERFACE
| NATIVE
| NEW
| PACKAGE
| RETURN
| STATIC

```
| STRICTFP
| SUPER
| SWITCH
| SYNCHRONIZED
| THIS
| THROW
| THROWS
| TRANSIENT
| TRAIT
| THREADSAFE
| TRY
| VAR
| VOLATILE
| WHILE

| NullLiteral
| BooleanLiteral

| BuiltInPrimitiveType
| VOID

| PUBLIC
| PROTECTED
| PRIVATE
;
```

```
rparen
: RPAREN
;
```

```
nls
: NL*
;
```

```
sep : (NL | SEMI)+
;
```

Found in path(s):

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/GroovyParser.g4

No license file was found, but licenses were detected in source scan.

/*

* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing,
* software distributed under the License is distributed on an
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
* KIND, either express or implied. See the License for the
* specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/metaclass/MetaClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple1.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/ModifierNode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/ReflectionCache.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/ProcessGroovyMethods.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/BooleanArrayGetAtMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/Trait.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/ClassGenerator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/MapEntryExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/javac/MemJavaFileObject.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/ReverseListIterator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/ThreadInterruptibleASTTransformation.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/IndentPrinter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/PojoMetaMethodSite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/io/ReaderSource.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/io/GroovyPrintStream.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/MetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/treewalker/PreOrderTraversal.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/parser/antlr4/Antlr4ParserPlugin.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/ReferenceType.java

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v7/IndyGuardsFiltersAndSignatures.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/java/Java2GroovyMain.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/IntRange.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/BooleanReturningMethodInvoker.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/decompiled/TypeSignatureParser.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/io/NullWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/stc/ThirdParam.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/AnnotationVisitor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/stdclasses/LongCachedClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GroovyResourceLoader.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/FileSystemCompiler.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/stc/TraitTypeCheckingExtension.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/PlainObjectMetaMethodSite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/stc/MapEntryOrKeyValue.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/InvocationWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/messages/Message.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/tools/ClassNodeUtils.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/FastArray.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/MutableMetaClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/BinaryExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/GroovyStarter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/ReflectionMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/CompileUnit.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/ArrayPutAtMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/IOGroovyMethods.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/MethodCallTransformation.java

- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/NamedParam.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/parser/antlr4/util/PositionConfigureUtils.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/ManagedConcurrentLinkedQueue.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/ToStringASTTransformation.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/sc/transformers/CastExpressionOptimizer.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/ExtendedVerifier.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/ImmutableOptions.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/IntArrayIterable.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/Immutable.groovy
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/HasCleanup.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/customizers/ImportCustomizer.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/antlr/LexerFrame.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/memoize/NullProtectionStorage.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/InstanceOfVerifier.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/android/AndroidSupport.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/VisibilityOptions.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/sc/StaticTypesWriterController.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/ast/tools/MethodNodeUtils.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/javac/JavaCompilerFactory.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/MethodCall.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/groovydoc/GroovydocHolder.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/Internal.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/ParameterArray.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/parser/antlr4/AstBuilder.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/typehandling/BigDecimalMath.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/memoize/MemoizeCache.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-

jar/org/apache/groovy/parser/antlr4/util/StringUtils.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/reflection/stdclasses/CharacterCachedClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/m12n/StandardPropertiesModuleFactory.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/BenchmarkInterceptor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple3.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GrabResolver.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/transform/InheritConstructors.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/vmplugin/v5/JUnit4Utils.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/expr/LambdaExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/logging/Slf4j.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/TypeChecked.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/time/TimeDuration.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/ui/GroovyMain.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/Parameter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/stmt/AssertStatement.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/reflection/stdclasses/ByteCachedClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/stc/AbstractTypeCheckingExtension.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/expr/CastExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/lang/MissingClassException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/expr/UnaryMinusExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/time/BaseDuration.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/tools/javac/RawJavaFileObject.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/callsite/ConstructorMetaClassSite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/apache/groovy/lang/annotation/Incubating.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/expr/UnaryPlusExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/BaseScriptASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/dgmimpl/arrays/CharacterArrayPutAtMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/asm/MethodCallerMultiAdapter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/stc/SharedVariableCollector.java

- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/beans/BindableASTTransformation.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/FloatArrayGetAtMetaMethod.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/io/LineColumnReader.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/PrimitiveHelper.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/FieldNode.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/ExpressionTransformer.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/stmt/BreakStatement.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/wrappers/IntWrapper.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/CacheAccessControlException.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/treewalker/NodeCollector.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/sc/transformers/ListExpressionTransformer.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/trait/NaryOperationRewriter.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/CompilationFailedException.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/powerassert/ValueRecorder.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/DefaultGroovyMethodsSupport.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/stc/SignatureCodec.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/ObjectRange.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/MixinNode.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v7/TypeTransformers.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/sc/AbstractFunctionalInterfaceWriter.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/StringBufferWriter.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GroovyShell.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple8.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/StringWriterIOException.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/MethodClosure.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/sc/StaticTypesClosureWriter.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-

jar/org/codehaus/groovy/ast/decompiled/AsmReferenceResolver.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/ClassCompletionVerifier.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/util/LockableObject.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/expr/NotExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple12.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/time/DatumDependentDuration.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/stmt/SwitchStatement.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/IteratorClosureAdapter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/Proxy.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/expr/ElvisOperatorExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/reflection/stdclasses/StringCachedClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/stc/UnionTypeClassNode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/apache/groovy/parser/antlr4/internal/atnmanager/LexerAtnManager.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/wrappers/LongWrapper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/expr/ConstructorCallExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/DelegateASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/callsite/CallSite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/vmplugin/v7/Java7.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/TupleConstructorASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/transform/TimedInterrupt.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/apache/groovy/util/concurrent/LazyInitializable.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/expr/SpreadExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/stc/SignatureCodecVersion1.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/DefaultGroovyStaticMethods.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/asm/BinaryLongExpressionHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-

jar/org/codehaus/groovy/ast/AnnotatedNode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/BuilderASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/transform/options/LegacyHashMapPropertyHandler.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/apache/groovy/parser/antlr4/SemanticPredicates.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/lang/MetaArrayLengthProperty.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/tools/GrapeUtil.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/transform/options/DefaultPropertyHandler.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/reflection/GroovyClassValueFactory.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/powerassert/AssertionRenderer.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/Sortable.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/expr/MapExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/tailrec/StatementReplacer.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/control/customizers/builder/ImportCustomizerFactory.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple2.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/AnnotationNode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/AutoFinal.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/cli/internal/CliBuilderInternal.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Buildable.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/asm/StatementWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/apache/groovy/ast/tools/ClassNodeUtils.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/tools/shell/util/Logger.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/asm/util/LoggableClassVisitor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/metaclass/MixinInstanceMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/ProxyGenerator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/InnerClassVisitorHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/AbstractComparator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/syntax/SyntaxException.java

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/io/FileReaderSource.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/CharsetToolkit.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/TupleConstructor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/ObservableSet.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v7/MethodHandleWrapper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Interceptor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/ast/tools/ImmutablePropertyUtils.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/ReleaseInfo.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/AutoExternalize.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/ObjectGraphBuilder.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/beans/Vetoable.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/customizers/builder/SourceAwareCustomizerFactory.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/options/ImmutablePropertyHandler.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/HandleMetaClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/sc/StaticTypesMethodReferenceExpressionWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/memoize/Memoize.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/sc/StaticTypesWriterControllerFactoryImpl.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/typehandling/DefaultTypeTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/VariableSlotLoader.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/trait/TraitHelpersTuple.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/GrapeMain.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/DefaultMetaClassInfo.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Category.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple10.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/ClassCodeExpressionTransformer.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/StringGroovyMethods.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/MixinInstanceMetaProperty.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/wrappers/ByteWrapper.java

- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/plugin/GroovyRunnerRegistry.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/beans/DefaultPropertyAccessor.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/ShortArrayPutAtMetaMethod.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/PropertyNode.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/wrappers/PojoWrapper.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GrabConfig.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/MixinASTTransformation.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/javac/JavacCompilerFactory.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/ClassCodeVisitorSupport.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/ArrayExpression.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/stc/DelegationMetadata.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/FlushingStreamWriter.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/decompiled/FormalParameterParser.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/tailrec/TernaryToIfStatementConverter.groovy
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/logging/Commons.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/ArrayMetaMethod.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/stmt/Statement.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/InheritConstructorsASTTransformation.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/customizers/builder/PostCompletionFactory.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/customizers/builder/CustomizersFactory.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/EmptyExpression.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/ClassGeneratorException.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/SourceBuffer.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/sc/transformers/CompareToNullExpression.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/stmt/WhileStatement.java

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/LambdaWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/stmt/ReturnStatement.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/ArrayGetAtMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/BytecodeVariable.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v7/IndyInterface.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/StaticTypesTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/ProxyMetaClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/LazyReference.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/MapEntry.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/ListHashMap.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Reference.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/Canonical.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/DummyCallSite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/ManagedReference.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/tailrec/CollectRecursiveCalls.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/beans/DefaultPropertyReader.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/util/ScriptRunner.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/GroovyClassValue.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/PrefixExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/ComplexKeyHashMap.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/AntlrParserPlugin.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/parser/antlr4/internal/atnmanager/AtnManager.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/io/FileType.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/AbstractConcurrentMapBase.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/NumberNumberMinus.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/ErrorCollecting.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-

jar/org/codehaus/groovy/classgen/asm/util/TypeUtil.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/ast/stmt/CaseStatement.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/transform/AutoCloneASTTransformation.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/vmplugin/v6/Java6.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/util/ReferenceManager.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/ast/decompiled/LazyConstructorNode.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/classgen/BytecodeInstruction.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/vmplugin/v5/PluginDefaultGroovyMethods.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/transform/AnnotationCollectorTransform.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/control/customizers/SecureASTCustomizer.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/runtime/memoize/UnlimitedConcurrentCache.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/vmplugin/v8/IndyInterface.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/tools/javac/JavaAwareResolveVisitor.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/beans/ListenerList.groovy
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/ast/stmt/CatchStatement.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/Undefined.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/beans/PropertyAccessor.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/control/messages/ExceptionMessage.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/transform/CategoryASTTransformation.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/runtime/NullObject.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/ast/ConstructorNode.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/groovy/lang/MetaClassRegistryChangeEvent.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/groovy/transform/builder/ExternalStrategy.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/classgen/InnerClassVisitor.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Newify.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/control/StaticVerifier.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-

jar/org/codehaus/groovy/control/messages/LocatedMessage.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/stc/GroovyTypeCheckingExtensionSupport.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/CurriedClosure.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/metaclass/ClosureStaticMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/dgmimpl/NumberNumberMultiply.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/sc/transformers/BinaryExpressionTransformer.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/asm/AssertionWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/AutoImplement.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/asm/indy/IndyBinHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/WritableFile.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/ASTNode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/apache/groovy/parser/antlr4/GroovyLangLexer.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/io/PlatformLineWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/util/ByteArrayIterator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/Reference.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/expr/BooleanExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/reflection/CachedField.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/stc/SimpleType.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/control/io/AbstractReaderSource.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/options/Visibility.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/stc/StaticTypesMarker.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/WithReadLock.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/metaclass/MethodSelectionException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/ReflectionMethodInvoker.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/cli/UnparsedField.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/vmplugin/v8/TypeTransformers.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/callsite/StaticMetaMethodSite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/powerassert/SourceText.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-

jar/org/apache/groovy/parser/antlr4/SyntaxErrorReportable.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/vmplugin/v8/IndyMath.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/metaclass/ClosureMetaClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/cli/Unparsed.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/stmt/ContinueStatement.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/lang/GroovyRuntimeException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/transform/stc/ClosureParams.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/vmplugin/v7/IndyMath.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/PackageNode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/tools/ParameterUtils.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/vmplugin/v8/TypeHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/asm/BinaryBooleanExpressionHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/vmplugin/v7/TypeHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/apache/groovy/io/StringBuilderWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/syntax/TokenUtil.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/Synchronized.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/tools/javac/JavacJavaCompiler.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/asm/OperandStack.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/control/ErrorCollector.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/decompiled/ClassStub.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/asm/CallSiteWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/callsite/PojoMetaClassGetPropertySite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/vmplugin/v8/CacheableCallSite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/EncodingGroovyMethods.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/AbstractASTTransformUtil.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-

jar/org/codehaus/groovy/classgen/asm/BytecodeHelper.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/antlr/SourceInfo.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/util/ReferenceBundle.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/antlr/ASTRuntimeException.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/control/ProcessingUnit.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/apache/groovy/internal/util/ReevaluatingReference.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/runtime/powerassert/PowerAssertionError.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/FileTreeBuilder.groovy
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/runtime/dgmimpl/arrays/LongArrayPutAtMetaMethod.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple7.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/groovy/transform/stc/PickAnyArgumentHint.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/builder/Builder.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/ast/stmt/SynchronizedStatement.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/control/ConfigurationException.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/classgen/AsmClassGenerator.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/runtime/memoize/EvictableCache.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/AbstractFactory.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/syntax/RuntimeParserException.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/transform/FieldASTTransformation.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/groovy/transform/stc/PickFirstResolver.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/syntax/Types.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/classgen/EnumCompletionVisitor.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/ast/expr/MethodPointerExpression.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/ast/expr/PostfixExpression.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/transform/IndexedPropertyASTTransformation.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/control/GenericsVisitor.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/cli/Option.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/MetaClassRegistry.java

- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/plugin/GroovyRunner.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/ExpressionAsVariableSlot.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/EnumHelper.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/stdclasses/DoubleCachedClass.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/LazyASTTransformation.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/tailrec/ReturnAdderForClosures.groovy
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/CachedConstructor.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/Variable.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GeneratedGroovyProxy.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/NamedArgumentListExpression.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GroovySystem.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple6.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/stdclasses/NumberCachedClass.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/beans/PropertyReader.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/javac/JavaStubCompilationUnit.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/genArrayUtil.groovy
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/CallSiteClassLoader.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/java/Java2GroovyProcessor.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/sc/StaticTypesStatementWriter.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/AbstractInterruptibleASTTransformation.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/ScriptBytecodeAdapter.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/Finalizable.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/ByteArrayGetAtMetaMethod.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/GeneratedMetaMethod.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/stc/FromString.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/MissingPropertyException.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-

jar/org/codehaus/groovy/control/customizers/builder/ASTTransformationCustomizerFactory.groovy
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/runtime/dgmimpl/NumberNumberDiv.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/ast/builder/AstBuilderTransformation.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/runtime/metaclass/ClosureMetaMethod.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/transform/ExternalizeMethodsASTTransformation.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/OrderBy.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/NullCheck.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/control/io/URLReaderSource.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/WithWriteLock.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/Factory.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/runtime/m12n/MetaInfExtensionModule.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Groovydoc.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/apache/groovy/internal/util/UnicodeConst.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/PropertyValue.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/runtime/ArrayUtil.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/transform/sc/transformers/ClosureExpressionTransformer.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/transform/sc/transformers/CompareIdentityExpression.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/SpreadMap.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/runtime/metaclass/MixedInMetaClass.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/apache/groovy/ast/tools/AnnotatedNodeUtils.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/runtime/EncodingGroovyMethodsSupport.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/reflection/v7/GroovyClassValueJava7.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/vmplugin/v8/IndyArrayAccess.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Grab.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/groovy/transform/ThreadInterrupt.groovy
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/ast/expr/TupleExpression.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/util/TripleKeyHashMap.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/transform/CompileDynamicProcessor.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-

jar/org/codehaus/groovy/ast/decompiled/AsmDecompiler.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/ExpandoMetaClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/memoize/LRUCache.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/ExternalizeMethods.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/BytecodeExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/LongArrayIterator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/stc/TypeCheckingContext.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/SourceExtensionHandler.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/AutoCloneStyle.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/MapConstructorASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/SynchronizedASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/shell/util/MessageSource.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/CompilePhase.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/wrappers/Wrapper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/PerInstancePojoMetaClassSite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/NodeList.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/MopWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/GStringImpl.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/WriterController.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/MethodHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/ui/GroovySocketServer.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/BitwiseNegationExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/logging/Log4j2.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/OptimizingStatementWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/KnownImmutable.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple4.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/GroovyCollections.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/CharArrayIterator.java

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/VMPluginFactory.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/MethodKey.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/sc/StaticTypesCallSiteWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/stc/IncorrectTypeHintException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/MethodNode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/NullCallSite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/treewalker/TraversalHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/FloatArrayPutAtMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/Compiler.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/MethodCaller.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/ReflectorLoader.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/MethodRankHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/RangeInfo.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/ArrayTypeUtils.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/ParserPluginFactory.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/BinaryExpressionWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/stc/ExtensionMethodNode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/wrappers/FloatWrapper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/syntax/Numbers.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/cli/CliBuilderException.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/VerifierCodeVisitor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/stdclasses/CachedSAMClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/SpreadListEvaluatingException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/messages/SyntaxErrorMessage.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-

jar/groovy/transform/AnnotationCollectorMode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/m12n/ExtensionModule.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/TailRecursive.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/BooleanArrayIterator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v9/Java9.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/ListWithDefault.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/ScriptReference.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/PackageScopeASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/ASTTransformationsContext.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/memoize/LRUProtectionStorage.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/AccessPermissionChecker.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/beans/Bindable.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/treewalker/Visitor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/ConvertedMap.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/EqualsAndHashCode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/NullCheckASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/grape/Grape.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/io/GroovyPrintWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/MetaClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/PogoGetPropertySite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/trait/TraitASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/MethodPointerExpressionWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/GetEffectivePojoPropertySite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/CharacterArrayGetAtMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/NodeBuilder.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/util/Maps.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/ConvertedClosure.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/StatementMetaTypeChooser.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-

jar/org/codehaus/groovy/runtime/metaclass/MetaClassRegistryImpl.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/syntax/ParserException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/stc/TypeCheckingExtension.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/builder/AstSpecificationCompiler.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/vmplugin/v5/Java5.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/lang/ExpandoMetaClassCreationHandle.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/antlr/UnicodeLexerSharedInputState.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/asm/TypeChooser.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/control/customizers/builder/CompilerCustomizationBuilder.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/ScriptException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/control/OptimizerVisitor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/util/IntArrayIterator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/util/ShortArrayIterator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/GroovyClassVisitor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/AbstractASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GroovyClassLoader.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/transform/CompileDynamic.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/dgmimpl/arrays/DoubleArrayPutAtMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/sc/ListOfExpressionsExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/reflection/MixinInMetaClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/control/io/InputStreamReaderSource.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/control/io/StringReaderSource.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/util/URLStreams.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/transform/CompilationUnitAware.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/reflection/stdclasses/CachedClosureClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-

jar/org/apache/groovy/metaclass/Realm.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/trait/SuperCallTraitTransformer.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/NumberRange.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/sc/transformers/StaticMethodCallExpressionTransformer.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/StackTraceUtils.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/callsite/CallSiteArray.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple15.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/antlr/AntlrParserPluginFactory.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/asm/util/LoggableTextifier.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/tailrec/VariableAccessReplacer.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/control/Phases.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/typehandling/GroovyCastException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/memoize/ConcurrentCommonCache.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/tools/ClosureUtils.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/wrappers/DoubleWrapper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/ModuleNode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/asm/DelegatingController.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/apache/groovy/parser/antlr4/AbstractParser.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/tools/ast/TransformTestHelper.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/InnerClassNode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/stc/DefaultTypeCheckingExtension.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/stmt/EmptyStatement.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/memoize/ValueConvertible.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/transform/builder/SimpleStrategy.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/SourceURIASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-

jar/org/codehaus/groovy/runtime/dgmimpl/NumberNumberMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/asm/MethodReferenceExpressionWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/lang/SpreadMapEvaluatingException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/NamedVariant.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/metaclass/MultipleSetterProperty.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/BufferedIterator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Writable.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/antlr/treewalker/NodePrinter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/powerassert/SourceTextNotAvailableException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/trait/TraitReceiverTransformer.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/stmt/ExpressionStatement.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/transform/stc/FromAbstractTypeMethods.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/TracingInterceptor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/decompiled/LazyFieldNode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/DefaultCachedMethodKey.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/ClassHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/vmplugin/v8/IndyGuardsFiltersAndSignatures.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/transform/stc/SingleSignatureClosureHint.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/Reflector.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/vmplugin/v8/PluginDefaultGroovyMethods.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/expr/AnnotationConstantExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/vmplugin/v7/Selector.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/ImmutableBase.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/util/ManagedLinkedList.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/syntax/TokenException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/reflection/ClassLoaderForClassArtifacts.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/groovy/util/FileNameByRegexFinder.groovy

- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/ASTTransformation.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/ClosureWriter.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/stc/AbstractExtensionMethodCache.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/NewInstanceMetaMethod.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/ShortArrayGetAtMetaMethod.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/CompilationUnit.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/EqualsAndHashCodeASTTransformation.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/builder/InitializerStrategy.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/ResourceException.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/Main.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/typehandling/NumberMath.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/GroovyClass.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/IntegerArrayPutAtMetaMethod.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/decompiled/MemberSignatureParser.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/groovydoc/GroovydocTag.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/tailrec/TailRecursiveASTTransformation.groovy
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/parser/antlr4/TryWithResourcesASTTransformation.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/memoize/ProtectionStorage.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/LoaderConfiguration.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/GenericsType.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/GStringExpression.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/time/TimeCategory.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/sc/StaticCompileTransformation.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GroovyObject.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v7/IndyArrayAccess.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/memoize/CommonCache.java

- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/HashCodeHelper.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/Verifier.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/PogoMetaClassSite.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/MissingMethodException.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/EnumConstantClassNode.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/beans/PropertyWriter.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/ArrayIterable.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/ConditionalInterrupt.groovy
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Range.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/stc/PropertyLookupVisitor.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/AstToTextHelper.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/MethodMetaProperty.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/namespace/QName.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/DelegatingScript.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/util/BeanUtils.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/MetaProperty.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/tailrec/HasRecursiveCalls.groovy
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/ManagedConcurrentValueMap.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/GroovyBugError.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/gse/StringSetMap.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/Janitor.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/syntax/ReadException.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/beans/ListenerListASTTransformation.groovy
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/logging/Log.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/tools/WideningCategories.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/FactoryBuilderSupport.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/BytecodeSequence.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/ExternalizeVerifier.java

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/SourceUnit.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/ArrayIterator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/tools/GenericsUtils.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/ProxyGeneratorAdapter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/GroovyASTTransformationClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/treewalker/FlatNodeListTraversal.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/MetaMethodSite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/ConfigObject.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/grape/GrapeEngine.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/TrampolineClosure.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/tools/GeneralUtils.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/StaticImportVisitor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/stdclasses/BigIntegerCachedClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/InnerClassCompletionVisitor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/sc/transformers/BooleanExpressionTransformer.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/memoize/ConcurrentSoftCache.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/syntax/Reduction.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/tailrec/VariableExpressionTransformer.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/security/GroovyCodeSourcePermission.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/ASTParserException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/ResourceGroovyMethods.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/stmt/DoWhileStatement.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/wrappers/BooleanWrapper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/AutoFinalASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/MapConstructor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/sc/StaticInvocationWriter.java

- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/TransformMetaMethod.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/tailrec/RecursivenessTester.groovy
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/IndexedProperty.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/CharSequenceReader.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/LabelVerifier.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/gse/DependencyTracker.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/AnnotationCollector.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/sc/transformers/ConstructorCallTransformer.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/typehandling/NumberMathModificationInfo.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/ConcurrentReaderHashMap.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v9/ClassFinder.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/groovydoc/Groovydoc.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/NodePrinter.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/MetaObjectProtocol.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/antlrASTProcessSnippets.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/PackageScopeTarget.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/messages/SimpleMessage.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/ReturnAdder.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/GroovySunClassLoader.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/stdclasses/IntegerCachedClass.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/BooleanClosureWrapper.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/ClosureListExpression.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/sc/StaticCompilationVisitor.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/stc/Receiver.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/stc/SecondPassExpression.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-

jar/org/codehaus/groovy/util/IteratorBufferedIterator.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/reflection/stdclasses/BooleanCachedClass.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/apache/groovy/parser/antlr4/ModifierManager.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/tools/ErrorReporter.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/util/ListBufferedIterator.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/control/customizers/DelegatingCustomizer.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/CompileStatic.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/control/messages/WarningMessage.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/apache/groovy/parser/antlr4/GroovyLangParser.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/grape/GrapeIvy.groovy
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/vmplugin/v7/CacheableCallSite.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/PackageScope.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/runtime/metaclass/MissingPropertyExceptionNoStack.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/NamedDelegate.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GroovyObjectSupport.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/runtime/wrappers/ShortWrapper.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/ast/expr/DeclarationExpression.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/vmplugin/v8/Selector.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/antlr/java/Groovifier.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/transform/ReadWriteLockASTTransformation.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/ast/VariableScope.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/ast/decompiled/LazyMethodNode.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/classgen/asm/CompileStack.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/runtime/dgmimpl/arrays/ByteArrayPutAtMetaMethod.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/reflection/stdclasses/BigDecimalCachedClass.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
 jar/org/codehaus/groovy/transform/SortableASTTransformation.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/Field.java
 * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-

jar/org/codehaus/groovy/runtime/callsite/ConstructorMetaMethodSite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/reflection/ClassInfo.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/IFilenameFinder.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/genDgmMath.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/VariableScopeVisitor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/BytecodeInterface8.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Closure.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/callsite/ClassMetaClassGetPropertySite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/expr/ListExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/ObservableMap.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/LogASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/MethodInvocationTrap.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/antlr/treewalker/MindMapPrinter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/CodeVisitorSupport.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/GroovyCategorySupport.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/NamedParams.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/ExternalizeVerifierASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/classgen/EnumVisitor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/AutoClone.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Delegate.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/DefaultMethodKey.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/runtime/ComposedClosure.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/util/FloatArrayIterator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/apache/groovy/plugin/GroovyRunner.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/ast/ClassNode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/reflection/SunClassLoader.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/codehaus/groovy/transform/tailrec/VariableExpressionReplacer.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/AdaptingMetaClass.java

- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/Expression.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/sc/TemporaryVariableExpression.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/MetaClassConstructorSite.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/syntax/ASTHelper.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/sc/StaticTypesBinaryExpressionMultiTypeDispatcher.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/NonEmptySequence.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/ResourceConnector.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/ASTTest.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/internal/util/Function.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/stc/FirstParam.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/stmt/BlockStatement.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/PogoMetaClassGetPropertySite.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/builder/AstBuilder.groovy
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/MetaClassRegistryChangeListener.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/tailrec/AstHelper.groovy
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/powerassert/Value.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/RangeExpression.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/m12n/SimpleExtensionModule.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/ConstructorSite.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/sc/StaticTypesTypeChooser.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/BinaryDoubleExpressionHelper.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/AbstractCallSite.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/EmptyRange.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/Eval.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/GroovyException.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/ArgumentListExpression.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/ImmutableASTTransformation.java

- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/ClosureInvokingMethod.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/NamedVariantASTTransformation.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/decompiled/Annotations.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/customizers/builder/SecureASTCustomizerFactory.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/BooleanArrayPutAtMetaMethod.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/MissingMethodExceptionNoStack.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/javac/JavaCompiler.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/NewifyASTTransformation.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/ReflectionUtils.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/AutoImplementASTTransformation.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/TernaryExpression.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/parser/antlr4/PositionInfo.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/InvokerInvocationException.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/CompilerConfiguration.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/internal/metaclass/MetaClassConstant.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/typehandling/LongMath.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/DynamicVariable.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/MapWithDefault.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/MissingFieldException.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/m12n/PropertiesModuleFactory.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/DeprecationException.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple5.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/BinaryExpressionHelper.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/ConfigSlurper.groovy
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/stdclasses/ObjectCachedClass.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/stdclasses/FloatCachedClass.java

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/io/FileVisitResult.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/MetaMethodIndex.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/GeneratorContext.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/internal/util/UncheckedThrow.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/stmt/LoopingStatement.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/cli/TypedOption.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/ConditionalInterruptibleASTTransformation.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/Node.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/BytecodeDumper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/ASTTestTransformation.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple13.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/GroovyExceptionInterface.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/ObjectArrayGetAtMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/ObservableList.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/FinalVariableAnalyzer.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/ast/tools/ExpressionUtils.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/javac/JavaStubGenerator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/ObjectArrayPutAtMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/BinaryFloatExpressionHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/treewalker/NodeAsHTMLPrinter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/parser/antlr4/GroovySyntaxError.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/SingleKeyHashMap.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Singleton.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/ParameterTypes.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/javac/JavaAwareCompilationUnit.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/syntax/Token.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/builder/AstStringCompiler.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-

jar/org/apache/groovy/internal/util/Supplier.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/parser/antlr4/internal/DescriptiveErrorStrategy.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/PropertyExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/BytecodeProcessor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/Utilities.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/decompiled/ClassSignatureParser.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/trait/Traits.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/customizers/builder/InlinedASTCustomizerFactory.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/GeneratedLambda.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/ast/tools/ConstructorNodeUtils.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/customizers/SourceAwareCustomizer.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/StaticMetaClassSite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/ast/tools/VisibilityUtils.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/sc/transformers/StaticCompilationTransformer.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/parser/antlr4/Antlr4PluginFactory.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/CallSiteGenerator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/customizers/CompilationCustomizer.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/DoubleArrayGetAtMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/ReadOnlyPropertyException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/UnicodeEscapingReader.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/SocketGroovyMethods.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/beans/VetoableASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/parser/antlr4/GroovydocManager.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/CallSiteAwareMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/TypeCheckingMode.java

- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GString.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v8/Java8.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/GroovyScriptEngine.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/SingletonASTTransformation.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/PropertyOptions.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/RegexSupport.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/MultipleCompilationErrorsException.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/sc/transformers/RangeExpressionTransformer.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/MethodCallExpression.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/NewMetaMethod.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/SourceURI.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Binding.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v9/ClassFindFailedException.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/stc/EnumTypeCheckingExtension.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/indy/IndyCallSiteWriter.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/m12n/ExtensionModuleRegistry.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/MetaExpandoProperty.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/stc/StaticTypeCheckingSupport.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/SelfType.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/IntegerArrayGetAtMetaMethod.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/StringUtil.groovy
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/genArrayAccess.groovy
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/CachedMethod.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/sc/transformers/VariableExpressionTransformer.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/Expando.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/TemporaryMethodKey.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Lazy.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/PojoMetaClassSite.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GroovyCodeSource.java

- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/MethodReferenceExpression.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/ClassNodeResolver.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/shell/util/Preferences.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/treewalker/CompositeVisitor.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/ConstantExpression.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/util/ObjectHolder.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/DummyClassGenerator.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/XStreamUtils.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/customizers/ASTTransformationCustomizer.groovy
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/AntlrASTProcessor.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/genMathModification.groovy
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/MetaClassSite.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/syntax/TokenMismatchException.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/PogoInterceptableSite.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/treewalker/SourceCodeTraversal.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/stdclasses/ShortCachedClass.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/DelegatesTo.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/typehandling/IntegerMath.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/GroovySourceAST.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/BinaryExpressionMultiTypeDispatcher.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/stc/ClosureSignatureHint.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/tools/PropertyNodeUtils.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/inspect/Inspector.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/stmt/TryCatchStatement.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/typehandling/ShortTypeHandling.java

- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/DgmConverter.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/ManagedConcurrentMap.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/typehandling/BigIntegerMath.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/IllegalPropertyAccessException.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/AnnotationConstantsVisitor.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/stdclasses/ArrayCachedClass.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/cli/OptionField.groovy
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/GetEffectivePogoFieldSite.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/tools/BeanUtils.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/ParserPlugin.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/Generated.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/CachedClass.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Grapes.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/syntax/CSTNode.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/stc/SecondParam.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/GeneratedClosure.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/ToString.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/wrappers/CharWrapper.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/sc/transformers/MethodCallExpressionTransformer.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/typehandling/FloatingPointMath.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/WriterControllerFactory.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/FieldExpression.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/time/TimeDatumDependentDuration.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/GetEffectivePojoFieldSite.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/java/Java2GroovyConverter.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/util/Arrays.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/time/Duration.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Sequence.java

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/Memoized.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/GroovyASTTransformation.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/sc/StaticTypesLambdaWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/builder/DefaultStrategy.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/OwnedMetaClass.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/ASTTransformationVisitor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple16.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/ClosureException.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/beans/DefaultPropertyWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/wrappers/GroovyObjectWrapper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/MetaClassHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/BuilderSupport.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/NewStaticMetaMethod.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/stmt/ThrowStatement.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/StaticMethodCallExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/GroovyCodeVisitor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple14.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/logging/Log4j.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/MetaClassImpl.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GrabExclude.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/plugin/DefaultRunners.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/m12n/ExtensionModuleScanner.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/ConversionHandler.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/java/PreJava2GroovyConverter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/options/PropertyHandler.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/DoubleArrayIterator.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/TransformingCodeVisitor.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/parser/antlr4/AbstractLexer.java

- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/LexerFrame.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/UnaryExpressionHelper.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/parser/antlr4/internal/atnmanager/ParserAtnManager.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/ASTTransformationCollectorCodeVisitor.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/ImportNode.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/stc/StaticTypeCheckingVisitor.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/apache/groovy/util/SystemUtil.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/DelegatingMetaClass.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/PropertyAccessInterceptor.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/stmt/ForStatement.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/VariableExpression.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/SpreadMapExpression.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/BaseScript.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/ThreadManagedMetaBeanProperty.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple9.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GroovyInterceptable.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/shell/IO.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/RootLoader.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/BinaryIntExpressionHelper.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/MemoizedASTTransformation.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/xml/QName.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/GroovyCallable.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/tailrec/ReturnStatementToIterationConverter.groovy
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/cli/internal/OptionAccessor.groovy
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/AbstractConcurrentMap.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/NumberAwareComparator.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/tailrec/InWhileLoopWrapper.groovy
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/IncorrectClosureArgumentsException.java

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/ClosureExpression.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Mixin.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Script.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/metaclass/MissingMethodExecutionFailed.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/stmt/IfStatement.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/DateGroovyMethods.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/TimedInterruptibleASTTransformation.groovy
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/NumberNumberPlus.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/sc/StaticCompilationMopWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/treewalker/SourcePrinter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/trait/TraitComposer.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/InterfaceHelperClassNode.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/stc/ExtensionMethodCache.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/NodeMetaDataHandler.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/VMPlugin.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/BinaryObjectExpressionHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/io/EncodingAwareBufferedWriter.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/DoubleArrayIterable.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/GetEffectivePogoPropertySite.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/transform/sc/StaticCompilationMetadataKeys.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/sc/StaticTypesUnaryExpressionHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/sc/StaticPropertyAccessHelper.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/MetaBeanProperty.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/LineColumn.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/memoize/StampedCommonCache.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple0.java

- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/DefaultGroovyMethods.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/decompiled/DecompiledClassNode.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/dgmimpl/arrays/LongArrayGetAtMetaMethod.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/AttributeExpression.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/grape/GrabAnnotationTransformation.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/treewalker/VisitorAdapter.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/ClosureComparator.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/InvokerHelper.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/control/ResolveVisitor.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/util/LongArrayIterable.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/vmplugin/v8/MethodHandleWrapper.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/ast/expr/ClassExpression.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/runtime/callsite/PogoMetaMethodSite.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/GroovySourceToken.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/util/PermutationGenerator.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/indy/sc/IndyStaticTypesMultiTypeDispatcher.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/classgen/asm/indy/InvokeDynamicWriter.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/reflection/GroovyClassValuePreJava7.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/lang/Tuple11.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/groovy/transform/stc/ClosureSignatureConflictResolver.java
- * /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/tools/StringHelper.java

No license file was found, but licenses were detected in source scan.

```

/** Java 1.5 Recognizer
 *
 * Run 'java Main [-showtree] directory-full-of-java-files'
 *
 * [The -showtree option pops up a Swing frame that shows
 * the AST constructed from the parser.]
 *

```

- * Run 'java Main <directory full of java files>'
- *
- * Contributing authors:
- * Jeremy Rayner groovy@ross-rayner.com
- * John Mitchell johnm@non.net
- * Terence Parr parrt@magelang.com
- * John Lilley jlilley@empathy.com
- * Scott Stanchfield thetick@magelang.com
- * Markus Mohnen mohnen@informatik.rwth-aachen.de
- * Peter Williams pete.williams@sun.com
- * Allan Jacobs Allan.Jacobs@eng.sun.com
- * Steve Messick messick@redhills.com
- * John Pybus john@pybus.org
- *
- * Version 1.00 December 9, 1997 -- initial release
- * Version 1.01 December 10, 1997
- * fixed bug in octal def (0..7 not 0..8)
- * Version 1.10 August 1998 (parrt)
- * added tree construction
- * fixed definition of WS,comments for mac,pc,unix newlines
- * added unary plus
- * Version 1.11 (Nov 20, 1998)
- * Added "shutup" option to turn off last ambig warning.
- * Fixed inner class def to allow named class defs as statements
- * synchronized requires compound not simple statement
- * add [] after builtInType DOT class in primaryExpression
- * "const" is reserved but not valid..removed from modifiers
- * Version 1.12 (Feb 2, 1999)
- * Changed LITERAL_XXX to XXX in tree grammar.
- * Updated java.g to use tokens {...} now for 2.6.0 (new feature).
- *
- * Version 1.13 (Apr 23, 1999)
- * Didn't have (stat)? for else clause in tree parser.
- * Didn't gen ASTs for interface extends. Updated tree parser too.
- * Updated to 2.6.0.
- * Version 1.14 (Jun 20, 1999)
- * Allowed final/abstract on local classes.
- * Removed local interfaces from methods
- * Put instanceof precedence where it belongs...in relationalExpr
- * It also had expr not type as arg; fixed it.
- * Missing ! on SEMI in classBlock
- * fixed: (expr) + "string" was parsed incorrectly (+ as unary plus).
- * fixed: didn't like Object[].class in parser or tree parser
- * Version 1.15 (Jun 26, 1999)
- * Screwed up rule with instanceof in it. :(Fixed.
- * Tree parser didn't like (expr).something; fixed.
- * Allowed multiple inheritance in tree grammar. oops.
- * Version 1.16 (August 22, 1999)

- * Extending an interface built a wacky tree: had extra EXTENDS.
- * Tree grammar didn't allow multiple superinterfaces.
- * Tree grammar didn't allow empty var initializer: { }
- * Version 1.17 (October 12, 1999)
- * ESC lexer rule allowed 399 max not 377 max.
- * java.tree.g didn't handle the expression of synchronized statements.
- * Version 1.18 (August 12, 2001)
- * Terence updated to Java 2 Version 1.3 by observing/combining work of Allan Jacobs and Steve Messick. Handles 1.3 src. Summary:
 - * o primary didn't include boolean.class kind of thing
 - * o constructor calls parsed explicitly now:
 - * see explicitConstructorInvocation
 - * o add strictfp modifier
 - * o missing objBlock after new expression in tree grammar
 - * o merged local class definition alternatives, moved after declaration
 - * o fixed problem with ClassName.super.field
 - * o reordered some alternatives to make things more efficient
 - * o long and double constants were not differentiated from int/float
 - * o whitespace rule was inefficient: matched only one char
 - * o add an examples directory with some nasty 1.3 cases
 - * o made Main.java use buffered IO and a Reader for Unicode support
 - * o supports UNICODE?
 - * Using Unicode charVocabulay makes code file big, but only in the bitsets at the end. I need to make ANTLR generate unicode bitsets more efficiently.
- * Version 1.19 (April 25, 2002)
- * Terence added in nice fixes by John Pybus concerning floating constants and problems with super() calls. John did a nice reorg of the primary/postfix expression stuff to read better and makes f.g.super() parse properly (it was METHOD_CALL not a SUPER_CTOR_CALL). Also:
 - * o "finally" clause was a root...made it a child of "try"
 - * o Added stuff for asserts too for Java 1.4, but *commented out* as it is not backward compatible.
- * Version 1.20 (October 27, 2002)
- * Terence ended up reorging John Pybus' stuff to remove some nondeterminisms and some syntactic predicates. Note that the grammar is stricter now; e.g., this(...) must be the first statement.
 - * Ternary ?: operator wasn't working as array name:
 - * (isBig ? bigDigits : digits)[i];

- * Checked parser/tree parser on source for
- * Resin-2.0.5, jive-2.1.1, jdk 1.3.1, Lucene, antlr 2.7.2a4,
- * and the 110k-line jGuru server source.
- *
- * Version 1.21 (October 17, 2003)
- * Fixed lots of problems including:
- * Ray Waldin: add typeDefinition to interfaceBlock in java.tree.g
- * He found a problem/fix with floating point that start with 0
- * Ray also fixed problem that (int.class) was not recognized.
- * Thorsten van Ellen noticed that \n are allowed incorrectly in strings.
- * TJP fixed CHAR_LITERAL analogously.
- *
- * Version 1.21.2 (March, 2003)
- * Changes by Matt Quail to support generics (as per JDK1.5/JSR14)
- * Notes:
- * o We only allow the "extends" keyword and not the "implements"
- * keyword, since that's what JSR14 seems to imply.
- * o Thanks to Monty Zukowski for his help on the antlr-interest
- * mail list.
- * o Thanks to Alan Eliassen for testing the grammar over his
- * Fink source base
- *
- * Version 1.22 (July, 2004)
- * Changes by Michael Studman to support Java 1.5 language extensions
- * Notes:
- * o Added support for annotations types
- * o Finished off Matt Quail's generics enhancements to support bound type arguments
- * o Added support for new for statement syntax
- * o Added support for static import syntax
- * o Added support for enum types
- * o Tested against JDK 1.5 source base and source base of jdigraph project
- * o Thanks to Matt Quail for doing the hard part by doing most of the generics work
- *
- * Version 1.22.1 (July 28, 2004)
- * Bug/omission fixes for Java 1.5 language support
- * o Fixed tree structure bug with classOrInterface - thanks to Pieter Vangorpto for
- * spotting this
- * o Fixed bug where incorrect handling of SR and BSR tokens would cause type
- * parameters to be recognised as type arguments.
- * o Enabled type parameters on constructors, annotations on enum constants
- * and package definitions
- * o Fixed problems when parsing if ((char.class.equals(c))) {} - solution by Matt Quail at Cenqua
- *
- * Version 1.22.2 (July 28, 2004)
- * Slight refactoring of Java 1.5 language support
- * o Refactored for/"foreach" productions so that original literal "for" literal
- * is still used but the for sub-clauses vary by token type
- * o Fixed bug where type parameter was not included in generic constructor's branch of AST

- *
 - * Version 1.22.3 (August 26, 2004)
 - * Bug fixes as identified by Michael Stahl; clean up of tabs/spaces
 - * and other refactorings
 - * o Fixed typeParameters omission in identPrimary and newStatement
 - * o Replaced GT reconciliation code with simple semantic predicate
 - * o Adapted enum/assert keyword checking support from Michael Stahl's java15 grammar
 - * o Refactored typeDefinition production and field productions to reduce duplication
 - * Version 1.22.4 (October 21, 2004)
 - * Small bux fixes
 - * o Added typeArguments to explicitConstructorInvocation, e.g. new <String>MyParameterised()
 - * o Added typeArguments to postfixExpression productions for anonymous inner class super
 - * constructor invocation, e.g. new Outer().<String>super()
 - * o Fixed bug in array declarations identified by Geoff Roy
 - * Version 1.22.4.j.1
 - * Changes by Jeremy Rayner to support java2groovy tool
 - * o I have taken java.g for Java1.5 from Michael Studman (1.22.4)
 - * and have made some changes to enable use by java2groovy tool (Jan 2007)
- * Based on an original grammar released in the PUBLIC DOMAIN
- */

Found in path(s):

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/org/codehaus/groovy/antlr/java/JavaRecognizer.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2010 Google Inc. All Rights Reserved.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-

jar/org/apache/groovy/util/concurrent/concurrentlinkedhashmap/Weighers.java

```
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/apache/groovy/util/concurrent/concurrentlinkedhashmap/ConcurrentLinkedHashMap.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/apache/groovy/util/concurrent/concurrentlinkedhashmap/Weigher.java
* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-
jar/org/apache/groovy/util/concurrent/concurrentlinkedhashmap/EvictionListener.java
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* This file is adapted from the Antlr4 Java grammar which has the following license
```

```
*
```

```
* Copyright (c) 2013 Terence Parr, Sam Harwell
```

```
* All rights reserved.
```

```
* [The "BSD licence"]
```

```
*
```

```
* http://www.opensource.org/licenses/bsd-license.php
```

```
*
```

```
* Subsequent modifications by the Groovy community have been done under the Apache License v2:
```

```
*
```

```
* Licensed to the Apache Software Foundation (ASF) under one
```

```
* or more contributor license agreements. See the NOTICE file
```

```
* distributed with this work for additional information
```

```
* regarding copyright ownership. The ASF licenses this file
```

```
* to you under the Apache License, Version 2.0 (the
```

```
* "License"); you may not use this file except in compliance
```

```
* with the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing,
```

```
* software distributed under the License is distributed on an
```

```
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
```

```
* KIND, either express or implied. See the License for the
```

```
* specific language governing permissions and limitations
```

```
* under the License.
```

```
*/
```

```
/**
```

```
* The Groovy grammar is based on the official grammar for Java:
```

```
* https://github.com/antlr/grammars-v4/blob/master/java/Java.g4
```

```
*/
```

```
lexer grammar GroovyLexer;
```

```
options {
```

```
    superClass = AbstractLexer;
```

```
}
```

```
@header {
```

```

import java.util.Deque;
import java.util.ArrayDeque;
import java.util.Map;
import java.util.HashMap;
import java.util.Set;
import java.util.HashSet;
import java.util.Collections;
import java.util.Arrays;
import java.util.stream.IntStream;
import java.util.logging.Logger;
import java.util.logging.Level;
import java.util.EmptyStackException;
import org.apache.groovy.util.Maps;
import static org.apache.groovy.parser antlr4.SemanticPredicates.*;
}

@members {
    private static final Logger LOGGER = Logger.getLogger(GroovyLexer.class.getName());

    private boolean errorIgnored;
    private long tokenIndex;
    private int lastTokenType;
    private int invalidDigitCount;

    /**
     * Record the index and token type of the current token while emitting tokens.
     */
    @Override
    public void emit(Token token) {
        this.tokenIndex++;

        int tokenType = token.getType();
        if (Token.DEFAULT_CHANNEL == token.getChannel()) {
            this.lastTokenType = tokenType;
        }

        if (RollBackOne == tokenType) {
            this.rollbackOneChar();
        }

        super.emit(token);
    }

    private static final int[] REGEX_CHECK_ARRAY = {
        DEC,
        INC,
        THIS,
        RBRACE,
    }

```

```

RBRACK,
RPAREN,
GStringEnd,
NullLiteral,
StringLiteral,
BooleanLiteral,
IntegerLiteral,
FloatingPointLiteral,
Identifier, CapitalizedIdentifier
};
static {
    Arrays.sort(REGEX_CHECK_ARRAY);
}

private boolean isRegexAllowed() {
    return (Arrays.binarySearch(REGEX_CHECK_ARRAY, this.lastTokenType) < 0);
}

/**
 * just a hook, which will be overridden by GroovyLangLexer
 */
protected void rollbackOneChar() {}

private static class Paren {
    private String text;
    private int lastTokenType;
    private int line;
    private int column;

    public Paren(String text, int lastTokenType, int line, int column) {
        this.text = text;
        this.lastTokenType = lastTokenType;
        this.line = line;
        this.column = column;
    }

    public String getText() {
        return this.text;
    }

    public int getLastTokenType() {
        return this.lastTokenType;
    }

    public int getLine() {
        return line;
    }
}

```



```

public int getColumn() {
    return column;
}

@Override
public int hashCode() {
    return (int) (text.hashCode() * line + column);
}

@Override
public boolean equals(Object obj) {
    if (!(obj instanceof Paren)) {
        return false;
    }

    Paren other = (Paren) obj;

    return this.text.equals(other.text) && (this.line == other.line && this.column == other.column);
}
}

protected void enterParenCallback(String text) {}

protected void exitParenCallback(String text) {}

private final Deque<Paren> parenStack = new ArrayDeque<>(32);

private void enterParen() {
    String text = getText();
    enterParenCallback(text);

    parenStack.push(new Paren(text, this.lastTokenType, getLine(), getCharPositionInLine()));
}

private void exitParen() {
    String text = getText();
    exitParenCallback(text);

    Paren paren = parenStack.peek();
    if (null == paren) return;
    parenStack.pop();
}

private boolean isInsideParens() {
    Paren paren = parenStack.peek();

    // We just care about "(" and "[", inside which the new lines will be ignored.
    // Notice: the new lines between "{" and "}" can not be ignored.
    if (null == paren) {

```

```

        return false;
    }

    return (".".equals(paren.getText()) && TRY != paren.getLastTokenType()) // we don't treat try-paren(i.e. try
(...)) as parenthesis
        || "[".equals(paren.getText());
    }
private void ignoreTokenInsideParens() {
    if (!this.isInsideParens()) {
        return;
    }

    this.setChannel(Token.HIDDEN_CHANNEL);
}
private void ignoreMultiLineCommentConditionally() {
    if (!this.isInsideParens() && isFollowedByWhiteSpaces(_input)) {
        return;
    }

    this.setChannel(Token.HIDDEN_CHANNEL);
}

@Override
public int getSyntaxErrorSource() {
    return GroovySyntaxError.LEXER;
}

@Override
public int getErrorLine() {
    return getLine();
}

@Override
public int getErrorColumn() {
    return getCharPositionInLine() + 1;
}

@Override
public int popMode() {
    try {
        return super.popMode();
    } catch (EmptyStackException ignored) { // raised when parens are unmatched: too many ), ], or }
        if (LOGGER.isLoggable(Level.FINEST)) {
            LOGGER.finest(org.codehaus.groovy.runtime.DefaultGroovyMethods.asString(ignored));
        }
    }

    return Integer.MIN_VALUE;
}

```

```

}

private static boolean isJavaIdentifierStartAndNotIdentifierIgnorable(int codePoint) {
    return Character.isJavaIdentifierStart(codePoint) && !Character.isIdentifierIgnorable(codePoint);
}

private static boolean isJavaIdentifierPartAndNotIdentifierIgnorable(int codePoint) {
    return Character.isJavaIdentifierPart(codePoint) && !Character.isIdentifierIgnorable(codePoint);
}

public boolean isErrorIgnored() {
    return errorIgnored;
}

public void setErrorIgnored(boolean errorIgnored) {
    this.errorIgnored = errorIgnored;
}
}

// 3.10.5 String Literals
StringLiteral
: GStringQuotationMark DqStringCharacter* GStringQuotationMark
| SqStringQuotationMark SqStringCharacter* SqStringQuotationMark
| Slash { this.isRegexAllowed() && _input.LA(1) != '*' }? SlashyStringCharacter+ Slash

| TdqStringQuotationMark TdqStringCharacter* TdqStringQuotationMark
| TsqStringQuotationMark TsqStringCharacter* TsqStringQuotationMark
| DollarSlashyGStringQuotationMarkBegin DollarSlashyStringCharacter+
DollarSlashyGStringQuotationMarkEnd
;

GStringBegin
: GStringQuotationMark DqStringCharacter* Dollar -> pushMode(DQ_GSTRING_MODE),
pushMode(GSTRING_TYPE_SELECTOR_MODE)
;

TdqGStringBegin
: TdqStringQuotationMark TdqStringCharacter* Dollar -> type(GStringBegin),
pushMode(TDQ_GSTRING_MODE), pushMode(GSTRING_TYPE_SELECTOR_MODE)
;

SlashyGStringBegin
: Slash { this.isRegexAllowed() && _input.LA(1) != '*' }? SlashyStringCharacter* Dollar {
isFollowedByJavaLetterInGString(_input) }? -> type(GStringBegin), pushMode(SLASHY_GSTRING_MODE),
pushMode(GSTRING_TYPE_SELECTOR_MODE)
;

DollarSlashyGStringBegin
: DollarSlashyGStringQuotationMarkBegin DollarSlashyStringCharacter* Dollar {
isFollowedByJavaLetterInGString(_input) }? -> type(GStringBegin),

```

```

pushMode(DOLLAR_SLASHY_GSTRING_MODE), pushMode(GSTRING_TYPE_SELECTOR_MODE)
;

mode DQ_GSTRING_MODE;
GStringEnd
: GStringQuotationMark -> popMode
;
GStringPart
: Dollar -> pushMode(GSTRING_TYPE_SELECTOR_MODE)
;
GStringCharacter
: DqStringCharacter -> more
;

mode TDQ_GSTRING_MODE;
TdqGStringEnd
: TdqStringQuotationMark -> type(GStringEnd), popMode
;
TdqGStringPart
: Dollar -> type(GStringPart), pushMode(GSTRING_TYPE_SELECTOR_MODE)
;
TdqGStringCharacter
: TdqStringCharacter -> more
;

mode SLASHY_GSTRING_MODE;
SlashyGStringEnd
: Dollar? Slash -> type(GStringEnd), popMode
;
SlashyGStringPart
: Dollar { isFollowedByJavaLetterInGString(_input) }? -> type(GStringPart),
pushMode(GSTRING_TYPE_SELECTOR_MODE)
;
SlashyGStringCharacter
: SlashyStringCharacter -> more
;

mode DOLLAR_SLASHY_GSTRING_MODE;
DollarSlashyGStringEnd
: DollarSlashyGStringQuotationMarkEnd -> type(GStringEnd), popMode
;
DollarSlashyGStringPart
: Dollar { isFollowedByJavaLetterInGString(_input) }? -> type(GStringPart),
pushMode(GSTRING_TYPE_SELECTOR_MODE)
;
DollarSlashyGStringCharacter
: DollarSlashyStringCharacter -> more
;

```

```

mode GSTRING_TYPE_SELECTOR_MODE;
GStringLBrace
: '{' { this.enterParen(); } -> type(LBRACE), popMode, pushMode(DEFAULT_MODE)
;
GStringIdentifier
: IdentifierInGString -> type(Identifier), popMode, pushMode(GSTRING_PATH_MODE)
;

```

```

mode GSTRING_PATH_MODE;
GStringPathPart
: Dot IdentifierInGString
;
RollBackOne
: . {
    // a trick to handle GStrings followed by EOF properly
    int readChar = _input.LA(-1);
    if (EOF == _input.LA(1) && ("" == readChar || ' ' == readChar)) {
        setType(GStringEnd);
    } else {
        setChannel(HIDDEN);
    }
} -> popMode
;

```

```

mode DEFAULT_MODE;
// character in the double quotation string. e.g. "a"
fragment
DqStringCharacter
: ~["\r\n\\$]
| EscapeSequence
;

```

```

// character in the single quotation string. e.g. 'a'
fragment
SqStringCharacter
: ~[\r\n\\]
| EscapeSequence
;

```

```

// character in the triple double quotation string. e.g. """a"""
fragment TdqStringCharacter
: ~["\$\]
| GStringQuotationMark { _input.LA(1) != "" || _input.LA(2) != "" || _input.LA(3) == "" && (_input.LA(4) != ""
|| _input.LA(5) != "") }?
| EscapeSequence
;

```

```

;

// character in the triple single quotation string. e.g. "a"
fragment TsqStringCharacter
: ~["\]
| SqStringQuotationMark { _input.LA(1) != "\" || _input.LA(2) != "\" || _input.LA(3) == "\" && (_input.LA(4) !=
\" || _input.LA(5) != "\" )}?
| EscapeSequence
;

// character in the slashy string. e.g. /a/
fragment SlashyStringCharacter
: SlashEscape
| Dollar { !isFollowedByJavaLetterInGString(_input) }?
| ~[/$\u0000]
;

// character in the dollar slashy string. e.g. $/a/$
fragment DollarSlashyStringCharacter
: DollarSlashEscape | DollarDollarEscape
| Slash { _input.LA(1) != '$' }?
| Dollar { !isFollowedByJavaLetterInGString(_input) }?
| ~[/$\u0000]
;

// Groovy keywords
AS      : 'as';
DEF     : 'def';
IN      : 'in';
TRAIT   : 'trait';
THREADSAFE : 'threadsafe'; // reserved keyword

// the reserved type name of Java10
VAR     : 'var';

// 3.9 Keywords
BuiltInPrimitiveType
: BOOLEAN
| CHAR
| BYTE
| SHORT
| INT
| LONG
| FLOAT
| DOUBLE
;

ABSTRACT : 'abstract';

```

ASSERT : 'assert';

fragment

BOOLEAN : 'boolean';

BREAK : 'break';

fragment

BYTE : 'byte';

CASE : 'case';

CATCH : 'catch';

fragment

CHAR : 'char';

CLASS : 'class';

CONST : 'const';

CONTINUE : 'continue';

DEFAULT : 'default';

DO : 'do';

fragment

DOUBLE : 'double';

ELSE : 'else';

ENUM : 'enum';

EXTENDS : 'extends';

FINAL : 'final';

FINALLY : 'finally';

fragment

FLOAT : 'float';

FOR : 'for';

IF : 'if';

GOTO : 'goto';

IMPLEMENTS : 'implements';

IMPORT : 'import';

INSTANCEOF : 'instanceof';

fragment

INT : 'int';

INTERFACE : 'interface';

fragment

LONG : 'long';

NATIVE : 'native';

NEW : 'new';

PACKAGE : 'package';

PRIVATE : 'private';

PROTECTED : 'protected';

PUBLIC : 'public';

RETURN : 'return';

fragment

SHORT : 'short';

STATIC : 'static';

STRICTFP : 'strictfp';

SUPER : 'super';

SWITCH : 'switch';

SYNCHRONIZED : 'synchronized';

THIS : 'this';

THROW : 'throw';

THROWS : 'throws';

TRANSIENT : 'transient';

TRY : 'try';

VOID : 'void';

VOLATILE : 'volatile';

WHILE : 'while';

// 3.10.1 Integer Literals

IntegerLiteral

```
: ( DecimalIntegerLiteral
  | HexIntegerLiteral
  | OctalIntegerLiteral
  | BinaryIntegerLiteral
  )(Underscore { require(errorIgnored, "Number ending with underscores is invalid", -1, true); })?
```

```
// !!! Error Alternative !!!
```

```
| Zero ([0-9] { invalidDigitCount++; })+ { require(errorIgnored, "Invalid octal number", -(invalidDigitCount +
1), true); } IntegerTypeSuffix?
;
```

fragment

Zero

```
: '0'
```

```
;
```


fragment
DecimalIntegerLiteral
: DecimalNumeral IntegerTypeSuffix?
;

fragment
HexIntegerLiteral
: HexNumeral IntegerTypeSuffix?
;

fragment
OctalIntegerLiteral
: OctalNumeral IntegerTypeSuffix?
;

fragment
BinaryIntegerLiteral
: BinaryNumeral IntegerTypeSuffix?
;

fragment
IntegerTypeSuffix
: [LiIgG]
;

fragment
DecimalNumeral
: Zero
| NonZeroDigit (Digits? | Underscores Digits)
;

fragment
Digits
: Digit (DigitOrUnderscore* Digit)?
;

fragment
Digit
: Zero
| NonZeroDigit
;

fragment
NonZeroDigit
: [1-9]
;

fragment

DigitOrUnderscore

: Digit
| Underscore
;

fragment

Underscores
: Underscore+
;

fragment

Underscore
: '_'
;

fragment

HexNumeral
: Zero [xX] HexDigits
;

fragment

HexDigits
: HexDigit (HexDigitOrUnderscore* HexDigit)?
;

fragment

HexDigit
: [0-9a-fA-F]
;

fragment

HexDigitOrUnderscore
: HexDigit
| Underscore
;

fragment

OctalNumeral
: Zero Underscores? OctalDigits
;

fragment

OctalDigits
: OctalDigit (OctalDigitOrUnderscore* OctalDigit)?
;

fragment

OctalDigit

```
: [0-7]
;
```

```
fragment
OctalDigitOrUnderscore
: OctalDigit
| Underscore
;
```

```
fragment
BinaryNumeral
: Zero [bB] BinaryDigits
;
```

```
fragment
BinaryDigits
: BinaryDigit (BinaryDigitOrUnderscore* BinaryDigit)?
;
```

```
fragment
BinaryDigit
: [01]
;
```

```
fragment
BinaryDigitOrUnderscore
: BinaryDigit
| Underscore
;
```

// 3.10.2 Floating-Point Literals

```
FloatingPointLiteral
: ( DecimalFloatingPointLiteral
| HexadecimalFloatingPointLiteral
) (Underscore { require(errorIgnored, "Number ending with underscores is invalid", -1, true); })?
;
```

```
fragment
DecimalFloatingPointLiteral
: Digits? Dot Digits ExponentPart? FloatTypeSuffix?
| Digits ExponentPart FloatTypeSuffix?
| Digits FloatTypeSuffix
;
```

```
fragment
ExponentPart
: ExponentIndicator SignedInteger
```

```

;

fragment
ExponentIndicator
: [eE]
;

fragment
SignedInteger
: Sign? Digits
;

fragment
Sign
: [+|-]
;

fragment
FloatTypeSuffix
: [fFdDgG]
;

fragment
HexadecimalFloatingPointLiteral
: HexSignificand BinaryExponent FloatTypeSuffix?
;

fragment
HexSignificand
: HexNumeral Dot?
| Zero [xX] HexDigits? Dot HexDigits
;

fragment
BinaryExponent
: BinaryExponentIndicator SignedInteger
;

fragment
BinaryExponentIndicator
: [pP]
;

fragment
Dot : '.'
;

// 3.10.3 Boolean Literals

```

BooleanLiteral

```
: 'true'  
| 'false'  
;
```

// 3.10.6 Escape Sequences for Character and String Literals

fragment

EscapeSequence

```
: Backslash [btnfrs"\\]  
| OctalEscape  
| UnicodeEscape  
| DollarEscape  
| LineEscape  
;
```

fragment

OctalEscape

```
: Backslash OctalDigit  
| Backslash OctalDigit OctalDigit  
| Backslash ZeroToThree OctalDigit OctalDigit  
;
```

// Groovy allows 1 or more u's after the backslash

fragment

UnicodeEscape

```
: Backslash 'u' HexDigit HexDigit HexDigit HexDigit  
;
```

fragment

ZeroToThree

```
: [0-3]  
;
```

// Groovy Escape Sequences

fragment

DollarEscape

```
: Backslash Dollar  
;
```

fragment

LineEscape

```
: Backslash LineTerminator  
;
```

fragment
LineTerminator
: '\r'? '\n' | '\r'
;

fragment
SlashEscape
: Backslash Slash
;

fragment
Backslash
: '\\'
;

fragment
Slash
: '/'
;

fragment
Dollar
: '\$'
;

fragment
GStringQuotationMark
: ""
;

fragment
SqStringQuotationMark
: "\"
;

fragment
TdqStringQuotationMark
: """"
;

fragment
TsqsStringQuotationMark
: "\\\"
;

fragment
DollarSlashyGStringQuotationMarkBegin

```

: '$/'
;

fragment
DollarSlashyGStringQuotationMarkEnd
: '$/'
;

fragment
DollarSlashEscape
: '$/'
;

fragment
DollarDollarEscape
: '$$'
;

// 3.10.7 The Null Literal
NullLiteral
: 'null'
;

// Groovy Operators

RANGE_INCLUSIVE : '..';
RANGE_EXCLUSIVE : '..<';
SPREAD_DOT      : '*.';
SAFE_DOT        : '?.';
SAFE_CHAIN_DOT  : '??.';
ELVIS           : '?.';
METHOD_POINTER  : '.&';
METHOD_REFERENCE : '::';
REGEX_FIND      : '=~';
REGEX_MATCH     : '==~';
POWER           : '**';
POWER_ASSIGN    : '**=';
SPACESHIP       : '<=>';
IDENTICAL       : '===';
NOT_IDENTICAL   : '!===';
ARROW           : '->';

// !internalPromise will be parsed as !in ternalPromise, so semantic predicates are necessary
NOT_INSTANCEOF  : '!instanceof' { isFollowedBy(_input, ' ', '\t', '\r', '\n') }?;
NOT_IN         : '!in'      { isFollowedBy(_input, ' ', '\t', '\r', '\n', '[', '(', '{') }?;

// 3.11 Separators

```

```

LPAREN      : '(' { this.enterParen(); } -> pushMode(DEFAULT_MODE);
RPAREN      : ')' { this.exitParen(); } -> popMode;

LBRACE      : '{' { this.enterParen(); } -> pushMode(DEFAULT_MODE);
RBRACE      : '}' { this.exitParen(); } -> popMode;

LBRACK      : '[' { this.enterParen(); } -> pushMode(DEFAULT_MODE);
RBRACK      : ']' { this.exitParen(); } -> popMode;

SEMI        : ';';
COMMA       : ',';
DOT         : Dot;

```

// 3.12 Operators

```

ASSIGN      : '=';
GT          : '>';
LT          : '<';
NOT         : '!';
BITNOT      : '~';
QUESTION    : '?';
COLON       : ':';
EQUAL       : '==';
LE         : '<=';
GE         : '>=';
NOTEQUAL    : '!=';
AND         : '&&';
OR          : '||';
INC         : '++';
DEC         : '--';
ADD         : '+';
SUB         : '-';
MUL         : '*';
DIV         : Slash;
BITAND      : '&';
BITOR       : '|';
XOR         : '^';
MOD         : '%';

```

```

ADD_ASSIGN  : '+=';
SUB_ASSIGN  : '-=';
MUL_ASSIGN  : '*=';
DIV_ASSIGN  : '/=';
AND_ASSIGN  : '&=';
OR_ASSIGN   : '|=';
XOR_ASSIGN  : '^=';

```



```
MOD_ASSIGN    : '%=';
LSHIFT_ASSIGN : '<<=';
RSHIFT_ASSIGN : '>>=';
URSHIFT_ASSIGN : '>>>=';
ELVIS_ASSIGN  : '?=';
```

```
// 3.8 Identifiers (must appear after all keywords in the grammar)
```

```
CapitalizedIdentifier
```

```
  : JavaLetter { Character.isUpperCase(_input.LA(-1)) }? JavaLetterOrDigit*
  ;
```

```
Identifier
```

```
  : JavaLetter JavaLetterOrDigit*
  ;
```

```
fragment
```

```
IdentifierInGString
```

```
  : JavaLetterInGString JavaLetterOrDigitInGString*
  ;
```

```
fragment
```

```
JavaLetter
```

```
  : [a-zA-Z$_] // these are the "java letters" below 0x7F
  | // covers all characters above 0x7F which are not a surrogate
  ~[\u0000-\u007F\uD800-\uDBFF]
  { isJavaIdentifierStartAndNotIdentifierIgnorable(_input.LA(-1)) }?
  | // covers UTF-16 surrogate pairs encodings for U+10000 to U+10FFFF
  [\uD800-\uDBFF] [\uDC00-\uDFFF]
  { Character.isJavaIdentifierStart(Character.toCodePoint((char) _input.LA(-2), (char) _input.LA(-1))) }?
  ;
```

```
fragment
```

```
JavaLetterInGString
```

```
  : JavaLetter { _input.LA(-1) != '$' }?
  ;
```

```
fragment
```

```
JavaLetterOrDigit
```

```
  : [a-zA-Z0-9$_] // these are the "java letters or digits" below 0x7F
  | // covers all characters above 0x7F which are not a surrogate
  ~[\u0000-\u007F\uD800-\uDBFF]
  { isJavaIdentifierPartAndNotIdentifierIgnorable(_input.LA(-1)) }?
  | // covers UTF-16 surrogate pairs encodings for U+10000 to U+10FFFF
  [\uD800-\uDBFF] [\uDC00-\uDFFF]
  { Character.isJavaIdentifierPart(Character.toCodePoint((char) _input.LA(-2), (char) _input.LA(-1))) }?
  ;
```

```

fragment
JavaLetterOrDigitInGString
: JavaLetterOrDigit { _input.LA(-1) != '$' }?
;

fragment
ShCommand
: ~[\r\n\uFFFF]*
;

//
// Additional symbols not defined in the lexical specification
//

AT : '@';
ELLIPSIS : '...';

//
// Whitespace, line escape and comments
//
WS : ([\t]+ | LineEscape+) -> skip
;

// Inside (...) and [...] but not {...}, ignore newlines.
NL : LineTerminator { this.ignoreTokenInsideParens(); }
;

// Multiple-line comments (including groovydoc comments)
ML_COMMENT
: '/' .*? '*' { this.ignoreMultiLineCommentConditionally(); } -> type(NL)
;

// Single-line comments
SL_COMMENT
: '/' ~[\r\n\uFFFF]* { this.ignoreTokenInsideParens(); } -> type(NL)
;

// Script-header comments.
// The very first characters of the file may be "#!". If so, ignore the first line.
SH_COMMENT
: '#!' { require(errorIgnored || 0 == this.tokenIndex, "Shebang comment should appear at the first line", -2, true); }
ShCommand (LineTerminator '#!' ShCommand)* -> skip
;

// Unexpected characters will be handled by groovy parser later.
UNEXPECTED_CHAR
: . { require(errorIgnored, "Unexpected character: " + getText().replace("'", "\'") + "'", -1, false); }
;

```

Found in path(s):

* /opt/cola/permits/1223665761_1635937334.8/0/groovy-3-0-9-sources-jar/GroovyLexer.g4

1.55 jackson-databind 2.14.1

1.55.1 Available under license :

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers.

Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0

To find the details that apply to this artifact see the accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.56 okio 2.5.0

1.56.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2018 Square, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/-Platform.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/ByteString.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-
jar/commonMain/okio/internal/ByteString.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/-Util.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/-Platform.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/internal/-Utf8.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2015 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/SegmentedByteString.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-
jar/commonMain/okio/SegmentedByteString.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/ForwardingTimeout.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2014 Square Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/ByteString.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2016 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/Options.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/HashingSink.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/HashingSource.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/Pipe.kt
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2019 Square, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software

- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/internal/RealBufferedSource.kt
- * /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/internal/SegmentedByteString.kt
- * /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/internal/RealBufferedSink.kt

No license file was found, but licenses were detected in source scan.

/*

- * Copyright (C) 2018 Square, Inc.
- *
- * Licensed under the Apache License, Version 2.0 (the "License");
- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/-DeprecatedUtf8.kt
- * /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/-DeprecatedOkio.kt
- * /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/PeekSource.kt
- * /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/-DeprecatedUpgrade.kt
- * /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/Throttler.kt

No license file was found, but licenses were detected in source scan.

/*

- * Licensed to the Apache Software Foundation (ASF) under one or more
- * contributor license agreements. See the NOTICE file distributed with
- * this work for additional information regarding copyright ownership.
- * The ASF licenses this file to You under the Apache License, Version 2.0
- * (the "License"); you may not use this file except in compliance with
- * the License. You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>

*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/-Base64.kt

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2014 Square, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/Timeout.kt

* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/Sink.kt

* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/ForwardingSource.kt

* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/BufferedSource.kt

* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/DeflaterSink.kt

* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/InflaterSource.kt

* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/GzipSource.kt

* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/RealBufferedSource.kt

* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/SegmentPool.kt

* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/Buffer.kt

* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/GzipSink.kt

* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/JvmOkio.kt

* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/Segment.kt

* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/Source.kt

* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/RealBufferedSink.kt

* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/ForwardingSink.kt

* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/BufferedSink.kt

* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/jvmMain/okio/AsyncTimeout.kt

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2019 Square, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-
jar/commonMain/okio/RealBufferedSink.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/Okio.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-
jar/commonMain/okio/RealBufferedSource.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/Source.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/BufferedSink.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/internal/Buffer.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/Timeout.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/BufferedSource.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/Sink.kt
* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/Buffer.kt
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2017 Square, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

* /opt/cola/permits/1128191334_1611908246.82/0/okio-2-5-0-sources-2-jar/commonMain/okio/Utf8.kt

1.57 dropwizard-validation 2.0.28

1.57.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Hibernate Validator, declare and validate application constraints

*

* License: Apache License, Version 2.0

* See the license.txt file in the root directory or <<http://www.apache.org/licenses/LICENSE-2.0>>.

*/

Found in path(s):

* /opt/cola/permits/1635342750_1681276708.9974823/0/dropwizard-validation-2-0-28-sources-1-jar/io/dropwizard/validation/InterpolationHelper.java

1.58 derby 10.14.2000000.1828579

1.58.1 Available under license :

```
=====
== NOTICE file corresponding to section 4(d) of the Apache License,
== Version 2.0, in this case for the Apache Derby distribution.
==
== DO NOT EDIT THIS FILE DIRECTLY. IT IS GENERATED
== BY THE buildnotice TARGET IN THE TOP LEVEL build.xml FILE.
==
=====
```

Apache Derby

Copyright 2004-2018 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org>).

```
=====
```

Portions of Derby were originally developed by
International Business Machines Corporation and are
licensed to the Apache Software Foundation under the
"Software Grant and Corporate Contribution License Agreement",
informally known as the "Derby CLA".

The following copyright notice(s) were affixed to portions of the code with which this file is now or was at one time distributed and are placed here unaltered.

(C) Copyright 1997,2004 International Business Machines Corporation. All rights reserved.

(C) Copyright IBM Corp. 2003.

=====
The portion of the functionTests under 'nist' was originally developed by the National Institute of Standards and Technology (NIST), an agency of the United States Department of Commerce, and adapted by International Business Machines Corporation in accordance with the NIST Software Acknowledgment and Redistribution document at http://www.itl.nist.gov/div897/ctg/sql_form.htm

=====
The Derby build relies on source files supplied by the Apache Felix project. The following notice covers the Felix files:

Apache Felix Main
Copyright 2008 The Apache Software Foundation

I. Included Software

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).
Licensed under the Apache License 2.0.

This product includes software developed at
The OSGi Alliance (<http://www.osgi.org/>).
Copyright (c) OSGi Alliance (2000, 2007).
Licensed under the Apache License 2.0.

This product includes software from <http://kxml.sourceforge.net>.
Copyright (c) 2002,2003, Stefan Haustein, Oberhausen, Rhld., Germany.
Licensed under BSD License.

II. Used Software

This product uses software developed at
The OSGi Alliance (<http://www.osgi.org/>).
Copyright (c) OSGi Alliance (2000, 2007).
Licensed under the Apache License 2.0.

III. License Summary

- Apache License 2.0
- BSD License

=====

The Derby build relies on jar files supplied by the Apache Lucene project. The following notice covers the Lucene files:

Apache Lucene
Copyright 2013 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

Includes software from other Apache Software Foundation projects,
including, but not limited to:

- Apache Ant
- Apache Jakarta Regexp
- Apache Commons
- Apache Xerces

ICU4J, (under analysis/icu) is licensed under an MIT styles license
and Copyright (c) 1995-2008 International Business Machines Corporation and others

Some data files (under analysis/icu/src/data) are derived from Unicode data such
as the Unicode Character Database. See <http://unicode.org/copyright.html> for more
details.

Brics Automaton (under core/src/java/org/apache/lucene/util/automaton) is
BSD-licensed, created by Anders Mller. See <http://www.brics.dk/automaton/>

The levenshtein automata tables (under core/src/java/org/apache/lucene/util/automaton) were
automatically generated with the moman/finenight FSA library, created by
Jean-Philippe Barrette-LaPierre. This library is available under an MIT license,
see <http://sites.google.com/site/rrettesite/moman> and
<http://bitbucket.org/jpbarrette/moman/overview/>

The class org.apache.lucene.util.WeakIdentityMap was derived from
the Apache CXF project and is Apache License 2.0.

The Google Code Prettify is Apache License 2.0.
See <http://code.google.com/p/google-code-prettify/>

JUnit (junit-4.10) is licensed under the Common Public License v. 1.0
See <http://junit.sourceforge.net/cpl-v10.html>

This product includes code (JaspellTernarySearchTrie) from Java Spelling Checking Package (jaspell): <http://jaspell.sourceforge.net/>
License: The BSD License (<http://www.opensource.org/licenses/bsd-license.php>)

The snowball stemmers in
`analysis/common/src/java/net/sf/snowball`
were developed by Martin Porter and Richard Boulton.
The snowball stopword lists in
`analysis/common/src/resources/org/apache/lucene/analysis/snowball`
were developed by Martin Porter and Richard Boulton.
The full snowball package is available from
<http://snowball.tartarus.org/>

The KStem stemmer in
`analysis/common/src/org/apache/lucene/analysis/en`
was developed by Bob Krovetz and Sergio Guzman-Lara (CIIR-UMass Amherst)
under the BSD-license.

The Arabic,Persian,Romanian,Bulgarian, and Hindi analyzers (common) come with a default
stopword list that is BSD-licensed created by Jacques Savoy. These files reside in:
`analysis/common/src/resources/org/apache/lucene/analysis/ar/stopwords.txt`,
`analysis/common/src/resources/org/apache/lucene/analysis/fa/stopwords.txt`,
`analysis/common/src/resources/org/apache/lucene/analysis/ro/stopwords.txt`,
`analysis/common/src/resources/org/apache/lucene/analysis/bg/stopwords.txt`,
`analysis/common/src/resources/org/apache/lucene/analysis/hi/stopwords.txt`
See <http://members.unine.ch/jacques.savoy/clef/index.html>.

The German,Spanish,Finnish,French,Hungarian,Italian,Portuguese,Russian and Swedish light stemmers
(common) are based on BSD-licensed reference implementations created by Jacques Savoy and
Ljiljana Dolamic. These files reside in:
`analysis/common/src/java/org/apache/lucene/analysis/de/GermanLightStemmer.java`
`analysis/common/src/java/org/apache/lucene/analysis/de/GermanMinimalStemmer.java`
`analysis/common/src/java/org/apache/lucene/analysis/es/SpanishLightStemmer.java`
`analysis/common/src/java/org/apache/lucene/analysis/fi/FinnishLightStemmer.java`
`analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchLightStemmer.java`
`analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchMinimalStemmer.java`
`analysis/common/src/java/org/apache/lucene/analysis/hu/HungarianLightStemmer.java`
`analysis/common/src/java/org/apache/lucene/analysis/it/ItalianLightStemmer.java`
`analysis/common/src/java/org/apache/lucene/analysis/pt/PortugueseLightStemmer.java`
`analysis/common/src/java/org/apache/lucene/analysis/ru/RussianLightStemmer.java`
`analysis/common/src/java/org/apache/lucene/analysis/sv/SwedishLightStemmer.java`

The Stempel analyzer (stempel) includes BSD-licensed software developed by the Egothor project <http://egothor.sf.net/>, created by Leo Galambos, Martin Kvapil, and Edmond Nolan.

The Polish analyzer (stempel) comes with a default stopword list that is BSD-licensed created by the Carrot2 project. The file resides in `stempel/src/resources/org/apache/lucene/analysis/pl/stopwords.txt`. See <http://project.carrot2.org/license.html>.

The SmartChineseAnalyzer source code (smartcn) was provided by Xiaoping Gao and copyright 2009 by www.imdict.net.

`WordBreakTestUnicode_*.java` (under `modules/analysis/common/src/test/`) is derived from Unicode data such as the Unicode Character Database. See <http://unicode.org/copyright.html> for more details.

The Morfologik analyzer (morfologik) includes BSD-licensed software developed by Dawid Weiss and Marcin Mikowski (<http://morfologik.blogspot.com/>).

Morfologik uses data from Polish `ispell/myspell` dictionary (<http://www.sjp.pl/slownik/en/>) licenced on the terms of (inter alia) LGPL and Creative Commons ShareAlike.

Morfologic includes data from BSD-licensed dictionary of Polish (SGJP) (<http://sgjp.pl/morfeusz/>)

`Servlet-api.jar` and `javax.servlet-*.jar` are under the CDDL license, the original source code for this can be found at <http://www.eclipse.org/jetty/downloads.php>

=====
Kuromoji Japanese Morphological Analyzer - Apache Lucene Integration
=====

This software includes a binary and/or source version of data from

`mecab-ipadic-2.7.0-20070801`

which can be obtained from

<http://atilika.com/releases/mecab-ipadic/mecab-ipadic-2.7.0-20070801.tar.gz>

or

<http://jaist.dl.sourceforge.net/project/mecab/mecab-ipadic/2.7.0-20070801/mecab-ipadic-2.7.0-20070801.tar.gz>

=====
`mecab-ipadic-2.7.0-20070801` Notice

Nara Institute of Science and Technology (NAIST),
the copyright holders, disclaims all warranties with regard to this
software, including all implied warranties of merchantability and
fitness, in no event shall NAIST be liable for
any special, indirect or consequential damages or any damages
whatsoever resulting from loss of use, data or profits, whether in an
action of contract, negligence or other tortuous action, arising out
of or in connection with the use or performance of this software.

A large portion of the dictionary entries
originate from ICOT Free Software. The following conditions for ICOT
Free Software applies to the current dictionary as well.

Each User may also freely distribute the Program, whether in its
original form or modified, to any third party or parties, PROVIDED
that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear
on, or be attached to, the Program, which is distributed substantially
in the same form as set out herein and that such intended
distribution, if actually made, will neither violate or otherwise
contravene any of the laws and regulations of the countries having
jurisdiction over the User or the intended distribution itself.

NO WARRANTY

The program was produced on an experimental basis in the course of the
research and development conducted during the project and is provided
to users as so produced on an experimental basis. Accordingly, the
program is provided without any warranty whatsoever, whether express,
implied, statutory or otherwise. The term "warranty" used herein
includes, but is not limited to, any warranty of the quality,
performance, merchantability and fitness for a particular purpose of
the program and the nonexistence of any infringement or violation of
any right of any third party.

Each user of the program will agree and understand, and be deemed to
have agreed and understood, that there is no warranty whatsoever for
the program and, accordingly, the entire risk arising from or
otherwise connected with the program is assumed by the user.

Therefore, neither ICOT, the copyright holder, or any other
organization that participated in or was otherwise related to the
development of the program and their respective officials, directors,
officers and other employees shall be held liable for any and all
damages, including, without limitation, general, special, incidental
and consequential damages, arising out of or otherwise in connection
with the use or inability to use the program or any product, material

or result produced or otherwise obtained by using the program, regardless of whether they have been advised of, or otherwise had knowledge of, the possibility of such damages at any time during the project or thereafter. Each user will be deemed to have agreed to the foregoing by his or her commencement of use of the program. The term "use" as used herein includes, but is not limited to, the use, modification, copying and distribution of the program and the production of secondary products from the program.

In the case where the program, whether in its original form or modified, was distributed or delivered to or received by a user from any person, organization or entity other than ICOT, unless it makes or grants independently of ICOT any specific warranty to the user in writing, such person, organization or entity, will also be exempted from and not be held liable to the user for any such damages as noted above as far as the program is concerned.

=====
The Derby build relies on a jar file supplied by the JSON Simple project, hosted at <https://code.google.com/p/json-simple/>.
The JSON simple jar file is licensed under the Apache 2.0 License.
No other notice covers that jar file.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed

as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.59 picocli 4.6.1

1.59.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

Copyright 2017 Remko Popma

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1177083937_1625028998.96/0/picocli-4-6-1-sources-jar/picocli/AutoComplete.java

No license file was found, but licenses were detected in source scan.

/*

Copyright 2017 Remko Popma

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

*/

/**

* Called when either the command, option or positional parameter that has this preprocessor configured was recognized by the picocli parser.
* `<p>`Implementors are free to modify one or more of the specified command line arguments before they are processed by the picocli parser (or by the option's { @link IPParameterConsumer parameter consumer}, if one is specified).

* `</p><p>`

* Implementors may optionally `consume` one or more of the specified command line arguments:

* a return value of { @code true } signals that the preprocessor consumed the parameter:

* picocli should skip further processing of this option or positional parameter,

* and the preprocessor implementation takes responsibility for assigning the

* option or positional parameter a value. A return value of { @code false } means that picocli should

* process the stack as usual for this option or positional parameter, and picocli is responsible for

* assigning this option or positional parameter a value.

* `</p><p>`

* For a command, returning { @code true } signals that the preprocessor takes responsibility for parsing all

* options and positional parameters for this command, and takes responsibility for validating constraints like

* whether all required options and positional parameters were specified.

* A return value of { @code false } means that picocli should

* process the stack as usual for this command, and picocli is responsible for validation.

* Command preprocessors can signal back to the picocli parser when they detect that the user requested version


```

* information or usage help by putting a value of { @code true } in the specified
* { @code info } map for keys { @code versionHelpRequested } or { @code usageHelpRequested }, respectively.
* </p><p>
* If the user input is invalid, implementations should throw a { @link ParameterException }
* with a message to display to the user.
* </p>
* @param args the remaining command line arguments that follow the matched argument
*     (the matched argument is not on the stack anymore)
* @param commandSpec the command or subcommand that was matched (if the specified { @code argSpec } is
*     { @code null }), or the command that the matched option or positional parameter belongs to
* @param argSpec the option or positional parameter for which to pre-process command line arguments
*     (may be { @code null } when this method is called for a subcommand that was matched)
* @param info a map containing additional information on the current parser state,
*     including whether the option parameter was attached to the option name with
*     a `=` separator, whether quotes have already been stripped off the option, etc.
* Implementations may modify this map to communicate back to the picocli parser.
* Supported values:
* <table>
* <tr>
* <th>key</th><th>valid values</th><th>type</th>
* </tr>
* <tr>
* <td>separator</td><td>" (empty string): attached without separator, ' ' (space): not attached, (any
other string): option name was attached to option param with specified separator</td>
* <td>java.lang.String</td>
* </tr>
* <tr>
* <td>negated</td>
* <td>{ @code true } : the option or positional parameter is a { @linkplain Option#negatable()
negated } option/parameter, { @code false } : the option or positional parameter is not a negated
option/parameter</td>
* <td>java.lang.Boolean</td>
* </tr>
* <tr>
* <td>unquoted</td>
* <td>{ @code true } : quotes surrounding the value have already been stripped off, { @code false } :
quotes surrounding the value have not yet been stripped off</td>
* <td>java.lang.Boolean</td>
* </tr>
* <tr>
* <td>versionHelpRequested</td>
* <td>{ @code true } : version help was requested, { @code false } : version help was not
requested</td>
* <td>java.lang.Boolean</td>
* </tr>
* <tr>
* <td>usageHelpRequested</td>
* <td>{ @code true } : usage help was requested, { @code false } : usage help was not requested</td>

```

```

*      <td>java.lang.Boolean</td>
*      </tr>
*    </table>
* @returns true if the preprocessor consumed the parameter
*      and picocli should skip further processing of the stack for this option or positional parameter;
*      false if picocli should continue processing the stack for this option or positional parameter
* @throws ParameterException if the user input is invalid
*/

```

Found in path(s):

* /opt/cola/permits/1177083937_1625028998.96/0/picocli-4-6-1-sources-jar/picocli/CommandLine.java

1.60 jedis 3.3.0

1.60.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright 2009-2010 MBTE Sweden AB. Licensed under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance with the License. You may obtain a
* copy of the License at http://www.apache.org/licenses/LICENSE-2.0 Unless required by applicable
* law or agreed to in writing, software distributed under the License is distributed on an "AS IS"
* BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
License
* for the specific language governing permissions and limitations under the License.
*/

```

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1047560748_1590497249.67/0/jedis-3-3-0-sources-jar/redis/clients/jedis/util/RedisInputStream.java

No license file was found, but licenses were detected in source scan.

```

/*
* Licensed to the Apache Software Foundation (ASF) under one or more contributor license
* agreements. See the NOTICE file distributed with this work for additional information regarding
* copyright ownership. The ASF licenses this file to You under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance with the License. You may obtain a
* copy of the License at http://www.apache.org/licenses/LICENSE-2.0 Unless required by applicable
* law or agreed to in writing, software distributed under the License is distributed on an "AS IS"
* BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
License
* for the specific language governing permissions and limitations under the License.
*/

```

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1047560748_1590497249.67/0/jedis-3-3-0-sources-jar/redis/clients/jedis/util/MurmurHash.java

1.61 metrics-logback 4.1.29

1.61.1 Available under license :

Apache-2.0

1.62 aop-alliance 1.0

1.62.1 Available under license :

Public Domain

1.63 httpcomponents-core 4.4.10

1.63.1 Available under license :

Apache HttpCore

Copyright 2005-2018 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed

as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.64 netty-resolver-dns-native-macos

4.1.93.Final

1.64.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!--  
~ Copyright 2019 The Netty Project  
~  
~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:
```

~
~ <https://www.apache.org/licenses/LICENSE-2.0>
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->

Found in path(s):

* /opt/cola/permits/1743695117_1689340444.9948363/0/netty-resolver-dns-native-macos-4-1-93-final-jar/META-INF/maven/io.netty/netty-resolver-dns-native-macos/pom.xml

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0
Implementation-Title: Netty/Resolver/DNS/Native/MacOS
Bundle-Description: Netty is an asynchronous event-driven network application framework for rapid development of maintainable high performance protocol servers and clients.
Automatic-Module-Name: io.netty.resolver.dns.macos.osx.aarch_64
Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0>
Bundle-SymbolicName: io.netty.resolver-dns-native-macos
Implementation-Version: 4.1.93.Final
Built-By: norman
Bnd-LastModified: 1684999969345
Bundle-ManifestVersion: 2
Implementation-Vendor-Id: io.netty
Bundle-DocURL: <https://netty.io/>
Bundle-Vendor: The Netty Project
Import-Package: sun.nio.ch;resolution:=optional,org.eclipse.jetty.npn;version="[1,2)";resolution:=optional,org.eclipse.jetty.alpn;version="[1,2)";resolution:=optional
Tool: Bnd-6.3.1.202206071316
Implementation-Vendor: The Netty Project
Bundle-Name: Netty/Resolver/DNS/Native/MacOS
Bundle-Version: 4.1.93.Final
Build-Jdk-Spec: 1.8
Created-By: Apache Maven Bundle Plugin 5.1.8
Build-Jdk: 1.8.0_252
Implementation-URL: <https://netty.io/netty-resolver-dns-native-macos/>

Found in path(s):

* /opt/cola/permits/1743695117_1689340444.9948363/0/netty-resolver-dns-native-macos-4-1-93-final-jar/META-INF/MANIFEST.MF

1.65 Iz4 1.9.4

1.65.1 Available under license :

This repository uses 2 different licenses :

- all files in the `lib` directory use a BSD 2-Clause license
- all other files use a GPLv2 license, unless explicitly stated otherwise

Relevant license is reminded at the top of each source file,
and with presence of COPYING or LICENSE file in associated directories.

This model is selected to emphasize that
files in the `lib` directory are designed to be included into 3rd party applications,
while all other files, in `programs`, `tests` or `examples`,
are intended to be used "as is", as part of their intended scenarios,
with no intention to support 3rd party integration use cases.

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
License is intended to guarantee your freedom to share and change free
software--to make sure the software is free for all its users. This
General Public License applies to most of the Free Software
Foundation's software and to any other program whose authors commit to
using it. (Some other Free Software Foundation software is covered by
the GNU Lesser General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not
price. Our General Public Licenses are designed to make sure that you
have the freedom to distribute copies of free software (and charge for
this service if you wish), that you receive source code or can get it
if you want it, that you can change the software or use pieces of it
in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid
anyone to deny you these rights or to ask you to surrender the rights.
These restrictions translate to certain responsibilities for you if you
distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you

conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under

this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES,

INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate

parts of the General Public License. Of course, the commands you use may be called something other than `show w` and `show c`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

Copyright (c) 2014, Ipsantil
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Format: <http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: liblz4

Upstream-Contact: Yann Collet <Cyan4973@github.com>

Source: <https://github.com/lz4/lz4>

Files: *

Copyright: (C) 2011-2020 Yann Collet

License: GPL-2+

The full text of license: <https://github.com/lz4/lz4/blob/dev/lib/LICENSE>

LZ4 Library

Copyright (c) 2011-2020, Yann Collet

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.66 groovyjsr 3.0.9

1.66.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

- * Licensed to the Apache Software Foundation (ASF) under one
- * or more contributor license agreements. See the NOTICE file
- * distributed with this work for additional information
- * regarding copyright ownership. The ASF licenses this file
- * to you under the Apache License, Version 2.0 (the
- * "License"); you may not use this file except in compliance
- * with the License. You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing,
- * software distributed under the License is distributed on an
- * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY

- * KIND, either express or implied. See the License for the
- * specific language governing permissions and limitations
- * under the License.
- */

Found in path(s):

- * /opt/cola/permits/1551849362_1675381053.1014845/0/groovy-jsr223-3-0-9-sources-1-jar/org/codehaus/groovy/jsr223/ScriptStaticExtensions.java
- * /opt/cola/permits/1551849362_1675381053.1014845/0/groovy-jsr223-3-0-9-sources-1-jar/org/codehaus/groovy/jsr223/ScriptExtensions.java

No license file was found, but licenses were detected in source scan.

```
# Licensed to the Apache Software Foundation (ASF) under one or more
# contributor license agreements. See the NOTICE file distributed with
# this work for additional information regarding copyright ownership.
# The ASF licenses this file to You under the Apache License, Version 2.0
# (the "License"); you may not use this file except in compliance with
# the License. You may obtain a copy of the License at
#
# http://www.apache.org/licenses/LICENSE-2.0
#
# Unless required by applicable law or agreed to in writing, software
# distributed under the License is distributed on an "AS IS" BASIS,
# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
# See the License for the specific language governing permissions and
# limitations under the License.
```

org.codehaus.groovy.jsr223.GroovyScriptEngineFactory

Found in path(s):

- * /opt/cola/permits/1551849362_1675381053.1014845/0/groovy-jsr223-3-0-9-sources-1-jar/META-INF/services/javax.script.ScriptEngineFactory

No license file was found, but licenses were detected in source scan.

/*

- * The initial contribution was derived from the reference implementation
- * developed by Sun in consultation with the Groovy community. The reference
- * implementation had the following license header:
- *
- * Copyright 2006 Sun Microsystems, Inc. All rights reserved.
- * Use is subject to license terms.
- *
- * Redistribution and use in source and binary forms, with or without modification, are
- * permitted provided that the following conditions are met: Redistributions of source code
- * must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of
- * conditions and the following disclaimer in the documentation and/or other materials
- * provided with the distribution. Neither the name of the Sun Microsystems nor the names of

- * is contributors may be used to endorse or promote products derived from this software
- * without specific prior written permission.
- *
- * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS
- * OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
- * AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER
- * OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
- * CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
- * SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON
- * ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE
- * OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE
- * POSSIBILITY OF SUCH DAMAGE.
- *
- * Subsequent modifications by the Groovy community have been done under the Apache License v2:
- *
- * Licensed to the Apache Software Foundation (ASF) under one
- * or more contributor license agreements. See the NOTICE file
- * distributed with this work for additional information
- * regarding copyright ownership. The ASF licenses this file
- * to you under the Apache License, Version 2.0 (the
- * "License"); you may not use this file except in compliance
- * with the License. You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing,
- * software distributed under the License is distributed on an
- * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
- * KIND, either express or implied. See the License for the
- * specific language governing permissions and limitations
- * under the License.
- */

Found in path(s):

- * /opt/cola/permits/1551849362_1675381053.1014845/0/groovy-jsr223-3-0-9-sources-1-jar/org/codehaus/groovy/jsr223/GroovyScriptEngineImpl.java
- * /opt/cola/permits/1551849362_1675381053.1014845/0/groovy-jsr223-3-0-9-sources-1-jar/org/codehaus/groovy/jsr223/GroovyCompiledScript.java
- * /opt/cola/permits/1551849362_1675381053.1014845/0/groovy-jsr223-3-0-9-sources-1-jar/org/codehaus/groovy/jsr223/GroovyScriptEngineFactory.java

1.67 jackson-datatype-joda 2.14.1

1.67.1 Available under license :

This copy of Jackson JSON processor streaming parser/generator is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

1.68 joda-time 2.10.8

1.68.1 Available under license :

=====

= NOTICE file corresponding to section 4d of the Apache License Version 2.0 =

=====

This product includes software developed by
Joda.org (<https://www.joda.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed

as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.69 jackson-datatype-guava 2.15.0

1.69.1 Available under license :

This copy of Jackson JSON processor `jackson-datatype-guava` module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

1.70 netty-codec 4.1.93.Final

1.70.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/Lz4Constants.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/SnappyFramedDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/FastLzFrameDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/json/package-info.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/FastLz.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/Bzip2Encoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/Bzip2Decoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/Crc32.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/LzfDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/MessageAggregationException.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/LzmaFrameEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/FastLzFrameEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
```

jar/io/netty/handler/codec/compression/LzfEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/Bzip2BitReader.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/AsciiHeadersEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/Bzip2DivSufSort.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/Bzip2MoveToFrontTable.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/Bzip2Rand.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/Bzip2BitWriter.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/Bzip2HuffmanStageEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/SnappyFramedEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/Bzip2HuffmanStageDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/Bzip2BlockCompressor.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/Bzip2Constants.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/Bzip2MTFAndRLE2StageEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/json/JsonObjectDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/Bzip2HuffmanAllocator.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/Bzip2BlockDecompressor.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/Lz4FrameDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/Lz4FrameEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/DecoderResultProvider.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2015 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/protobuf/ProtobufDecoderNano.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/HeadersUtils.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/ProtocolDetectionState.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/protobuf/ProtobufEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/protobuf/ProtobufEncoderNano.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/protobuf/ProtobufDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/protobuf/ProtobufVarint32FrameDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/ProtocolDetectionResult.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/protobuf/ProtobufVarint32LengthFieldPrepender.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/UnsupportedValueConverter.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-

jar/io/netty/handler/codec/compression/CompressionUtil.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/DateFormatter.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/string/LineEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/string/LineSeparator.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/DatagramPacketEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/CodecOutputList.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/DatagramPacketDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/ByteBufChecksum.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2013 The Netty Project  
*  
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
* License for the specific language governing permissions and limitations  
* under the License.  
*/
```

Found in path(s):

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/JdkZlibDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/Crc32c.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/xml/XmlFrameDecoder.java
No license file was found, but licenses were detected in source scan.

```
# The Netty Project licenses this file to you under the Apache License,  
# version 2.0 (the "License"); you may not use this file except in compliance  
# with the License. You may obtain a copy of the License at:  
# distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
```

Found in path(s):

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/META-INF/native-image/io.netty/netty-codec/native-image.properties

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2015 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License, version 2.0 (the

* "License"); you may not use this file except in compliance with the License. You may obtain a

* copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License

* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

* or implied. See the License for the specific language governing permissions and limitations under

* the License.

*/

Found in path(s):

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/DefaultHeadersImpl.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/CharSequenceValueConverter.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/ValueConverter.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2023 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/EncoderUtil.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2012 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

/*

* Written by Robert Harder and released to the public domain, as explained at

* <https://creativecommons.org/licenses/publicdomain>

*/

/**

* Utility class for {@link ByteBuf} that encodes and decodes to and from

* [Base64](https://en.wikipedia.org/wiki/Base64) notation.

* <p>

* The encoding and decoding algorithm in this class has been derived from

* [Robert Harder's Public Domain](http://iharder.sourceforge.net/current/java/base64/)

* Base64 Encoder/Decoder.

*/

Found in path(s):

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/base64/Base64.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2012 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations

```
* under the License.
*/
/*
* Written by Robert Harder and released to the public domain, as explained at
* https://creativecommons.org/licenses/publicdomain
*/
/**
* Enumeration of supported Base64 dialects.
* <p>
* The internal lookup tables in this class has been derived from
* <a href="http://iharder.sourceforge.net/current/java/base64/">Robert Harder's Public Domain
* Base64 Encoder/Decoder</a>.
*/
```

Found in path(s):

```
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/base64/Base64Dialect.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/marshalling/DefaultUnmarshallerProvider.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/marshalling/package-info.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/bytes/ByteArrayEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/compression/JZlibDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/marshalling/ChannelBufferByteInput.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/marshalling/UnmarshallerProvider.java
```

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/DelimiterBasedFrameDecoder.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/marshalling/MarshallingDecoder.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/serialization/CompactObjectOutputStream.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/serialization/ObjectDecoderInputStream.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/UnsupportedMessageTypeException.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/DecompressionException.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/bytes/ByteArrayDecoder.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/FixedLengthFrameDecoder.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/serialization/ObjectEncoderOutputStream.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/JdkZlibEncoder.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/serialization/package-info.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/base64/Base64Encoder.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/serialization/CompactObjectInputStream.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/MessageToMessageCodec.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/ZlibDecoder.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/EncoderException.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/marshalling/MarshallingEncoder.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/marshalling/CompatibleMarshallingEncoder.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/ZlibEncoder.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/serialization/ClassLoaderClassResolver.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/marshalling/MarshallerProvider.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/ZlibUtil.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/serialization/ObjectEncoder.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/MessageAggregator.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/JZlibEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/string/StringEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/MessageToMessageEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/base64/Base64Decoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/LineBasedFrameDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/marshalling/CompatibleMarshallingDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/marshalling/ContextBoundUnmarshallerProvider.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/xml/package-info.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/TooLongFrameException.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/DecoderException.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/base64/package-info.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/MessageToMessageDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/CompressionException.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/ByteToMessageDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/DecoderResult.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/CodecException.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/ReplayingDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/serialization/ReferenceMap.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/SnappyFrameDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/PrematureChannelClosureException.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/Snappy.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/MessageToByteEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/package-info.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/SnappyFrameEncoder.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/ByteToMessageCodec.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/protobuf/package-info.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/serialization/SoftReferenceMap.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/marshalling/ThreadLocalMarshallerProvider.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/ReplayingDecoderByteBuf.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/serialization/ObjectDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/serialization/CompatibleObjectEncoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/string/StringDecoder.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/marshalling/LimitingByteInput.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/Delimiters.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/ZlibCodecFactory.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/bytes/package-info.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/package-info.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/LengthFieldPrepender.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/serialization/WeakReferenceMap.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/CorruptedFrameException.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/marshalling/ChannelBufferByteOutput.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/marshalling/DefaultMarshallerProvider.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/ZlibWrapper.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/marshalling/ThreadLocalUnmarshallerProvider.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/serialization/CachingClassResolver.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/serialization/ClassResolvers.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/string/package-info.java
* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/serialization/ClassResolver.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2012 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
/**
 * A decoder that splits the received {@link ByteBuf}s dynamically by the
 * value of the length field in the message. It is particularly useful when you
 * decode a binary message which has an integer header field that represents the
 * length of the message body or the whole message.
 *
 * <p>
 * {@link LengthFieldBasedFrameDecoder} has many configuration parameters so
 * that it can decode any message with a length field, which is often seen in
 * proprietary client-server protocols. Here are some example that will give
 * you the basic idea on which option does what.
 *
 * <h3>2 bytes length field at offset 0, do not strip header</h3>
 *
 * The value of the length field in this example is <tt>12 (0x0C)</tt> which
 * represents the length of "HELLO, WORLD". By default, the decoder assumes
 * that the length field represents the number of the bytes that follows the
 * length field. Therefore, it can be decoded with the simplistic parameter
 * combination.
 *
 * <pre>
 * <b>lengthFieldOffset</b> = <b>0</b>
 * <b>lengthFieldLength</b> = <b>2</b>
 * lengthAdjustment = 0
 * initialBytesToStrip = 0 (= do not strip header)
 *
 * BEFORE DECODE (14 bytes)    AFTER DECODE (14 bytes)
 * +-----+-----+ +-----+-----+
 * | Length | Actual Content |---->| Length | Actual Content |
 * | 0x000C | "HELLO, WORLD" |   | 0x000C | "HELLO, WORLD" |
 * +-----+-----+ +-----+-----+
 * </pre>
 */
```

```

* <h3>2 bytes length field at offset 0, strip header</h3>
*
* Because we can get the length of the content by calling
* { @link ByteBuf#readableBytes() }, you might want to strip the length
* field by specifying <tt>initialBytesToStrip</tt>. In this example, we
* specified <tt>2</tt>, that is same with the length of the length field, to
* strip the first two bytes.
* <pre>
* lengthFieldOffset = 0
* lengthFieldLength = 2
* lengthAdjustment = 0
* <b>initialBytesToStrip</b> = <b>2</b> (= the length of the Length field)
*
* BEFORE DECODE (14 bytes)    AFTER DECODE (12 bytes)
* +-----+-----+ +-----+
* | Length | Actual Content |---->| Actual Content |
* | 0x000C | "HELLO, WORLD" |   | "HELLO, WORLD" |
* +-----+-----+ +-----+
* </pre>
*
* <h3>2 bytes length field at offset 0, do not strip header, the length field
* represents the length of the whole message</h3>
*
* In most cases, the length field represents the length of the message body
* only, as shown in the previous examples. However, in some protocols, the
* length field represents the length of the whole message, including the
* message header. In such a case, we specify a non-zero
* <tt>lengthAdjustment</tt>. Because the length value in this example message
* is always greater than the body length by <tt>2</tt>, we specify <tt>-2</tt>
* as <tt>lengthAdjustment</tt> for compensation.
* <pre>
* lengthFieldOffset = 0
* lengthFieldLength = 2
* <b>lengthAdjustment</b> = <b>-2</b> (= the length of the Length field)
* initialBytesToStrip = 0
*
* BEFORE DECODE (14 bytes)    AFTER DECODE (14 bytes)
* +-----+-----+ +-----+-----+
* | Length | Actual Content |---->| Length | Actual Content |
* | 0x000E | "HELLO, WORLD" |   | 0x000E | "HELLO, WORLD" |
* +-----+-----+ +-----+-----+
* </pre>
*
* <h3>3 bytes length field at the end of 5 bytes header, do not strip header</h3>
*
* The following message is a simple variation of the first example. An extra
* header value is prepended to the message. <tt>lengthAdjustment</tt> is zero
* again because the decoder always takes the length of the prepended data into

```

```

* account during frame length calculation.
* <pre>
* <b>lengthFieldOffset</b> = <b>2</b> (= the length of Header 1)
* <b>lengthFieldLength</b> = <b>3</b>
* lengthAdjustment = 0
* initialBytesToStrip = 0
*
* BEFORE DECODE (17 bytes)          AFTER DECODE (17 bytes)
* +-----+-----+-----+-----+ +-----+-----+-----+-----+
* | Header 1 | Length | Actual Content |----->| Header 1 | Length | Actual Content |
* | 0xCAFE | 0x00000C | "HELLO, WORLD" | | 0xCAFE | 0x00000C | "HELLO, WORLD" |
* +-----+-----+-----+-----+ +-----+-----+-----+-----+
* </pre>
*
* <h3>3 bytes length field at the beginning of 5 bytes header, do not strip header</h3>
*
* This is an advanced example that shows the case where there is an extra
* header between the length field and the message body. You have to specify a
* positive <tt>lengthAdjustment</tt> so that the decoder counts the extra
* header into the frame length calculation.
* <pre>
* lengthFieldOffset = 0
* lengthFieldLength = 3
* <b>lengthAdjustment</b> = <b>2</b> (= the length of Header 1)
* initialBytesToStrip = 0
*
* BEFORE DECODE (17 bytes)          AFTER DECODE (17 bytes)
* +-----+-----+-----+-----+ +-----+-----+-----+-----+
* | Length | Header 1 | Actual Content |----->| Length | Header 1 | Actual Content |
* | 0x00000C | 0xCAFE | "HELLO, WORLD" | | 0x00000C | 0xCAFE | "HELLO, WORLD" |
* +-----+-----+-----+-----+ +-----+-----+-----+-----+
* </pre>
*
* <h3>2 bytes length field at offset 1 in the middle of 4 bytes header,
* strip the first header field and the length field</h3>
*
* This is a combination of all the examples above. There are the prepended
* header before the length field and the extra header after the length field.
* The prepended header affects the <tt>lengthFieldOffset</tt> and the extra
* header affects the <tt>lengthAdjustment</tt>. We also specified a non-zero
* <tt>initialBytesToStrip</tt> to strip the length field and the prepended
* header from the frame. If you don't want to strip the prepended header, you
* could specify <tt>0</tt> for <tt>initialBytesToSkip</tt>.
* <pre>
* lengthFieldOffset = 1 (= the length of HDR1)
* lengthFieldLength = 2
* <b>lengthAdjustment</b> = <b>1</b> (= the length of HDR2)
* <b>initialBytesToStrip</b> = <b>3</b> (= the length of HDR1 + LEN)

```

```

*
* BEFORE DECODE (16 bytes)          AFTER DECODE (13 bytes)
* +-----+-----+-----+-----+ +-----+-----+
* | HDR1 | Length | HDR2 | Actual Content |---->| HDR2 | Actual Content |
* | 0xCA | 0x000C | 0xFE | "HELLO, WORLD" |   | 0xFE | "HELLO, WORLD" |
* +-----+-----+-----+-----+ +-----+-----+
* </pre>
*
* <h3>2 bytes length field at offset 1 in the middle of 4 bytes header,
* strip the first header field and the length field, the length field
* represents the length of the whole message</h3>
*
* Let's give another twist to the previous example. The only difference from
* the previous example is that the length field represents the length of the
* whole message instead of the message body, just like the third example.
* We have to count the length of HDR1 and Length into <tt>lengthAdjustment</tt>.
* Please note that we don't need to take the length of HDR2 into account
* because the length field already includes the whole header length.
* <pre>
* lengthFieldOffset = 1
* lengthFieldLength = 2
* <b>lengthAdjustment</b> = <b>-3</b> (= the length of HDR1 + LEN, negative)
* <b>initialBytesToStrip</b> = <b>3</b>
*
* BEFORE DECODE (16 bytes)          AFTER DECODE (13 bytes)
* +-----+-----+-----+-----+ +-----+-----+
* | HDR1 | Length | HDR2 | Actual Content |---->| HDR2 | Actual Content |
* | 0xCA | 0x0010 | 0xFE | "HELLO, WORLD" |   | 0xFE | "HELLO, WORLD" |
* +-----+-----+-----+-----+ +-----+-----+
* </pre>
* @see LengthFieldPrepender
*/

```

Found in path(s):

```

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-
jar/io/netty/handler/codec/LengthFieldBasedFrameDecoder.java

```

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version 2.0 (the
* "License"); you may not use this file except in compliance with the License. You may obtain a
* copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License

```

* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/EmptyHeaders.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/Headers.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/DefaultHeaders.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2019 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/Lz4XXHash32.java

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2012 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:

~

~ <https://www.apache.org/licenses/LICENSE-2.0>

~

~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

~ License for the specific language governing permissions and limitations

~ under the License.

-->

Found in path(s):

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-codec/pom.xml

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2021 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/BrotliEncoder.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/Zstd.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/BrotliDecoder.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/StandardCompressionOptions.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/ZstdOptions.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/DeflateOptions.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/BrotliOptions.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/ZstdConstants.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/Brotli.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/CompressionOptions.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codec/compression/ZstdEncoder.java

* /opt/cola/permits/1698847974_1685285733.3736825/0/netty-codec-4-1-93-final-sources-jar/io/netty/handler/codecs/compression/GzipOptions.java

1.71 t-digest 3.2

1.71.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed to Ted Dunning under one or more
 * contributor license agreements. See the NOTICE file distributed with
 * this work for additional information regarding copyright ownership.
 * The ASF licenses this file to You under the Apache License, Version 2.0
 * (the "License"); you may not use this file except in compliance with
 * the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1091220915_1600449900.56/0/t-digest-3-2-sources-1-
jar/com/tdunning/math/stats/FloatHistogram.java
* /opt/ws_local/PERMITS_SQL/1091220915_1600449900.56/0/t-digest-3-2-sources-1-
jar/com/tdunning/math/stats/AVLGroupTree.java
* /opt/ws_local/PERMITS_SQL/1091220915_1600449900.56/0/t-digest-3-2-sources-1-
jar/com/tdunning/math/stats/Sort.java
* /opt/ws_local/PERMITS_SQL/1091220915_1600449900.56/0/t-digest-3-2-sources-1-
jar/com/tdunning/math/stats/TDigest.java
* /opt/ws_local/PERMITS_SQL/1091220915_1600449900.56/0/t-digest-3-2-sources-1-
jar/com/tdunning/math/stats/IntAVLTree.java
* /opt/ws_local/PERMITS_SQL/1091220915_1600449900.56/0/t-digest-3-2-sources-1-
jar/com/tdunning/math/stats/Histogram.java
* /opt/ws_local/PERMITS_SQL/1091220915_1600449900.56/0/t-digest-3-2-sources-1-
jar/com/tdunning/math/stats/MergingDigest.java
* /opt/ws_local/PERMITS_SQL/1091220915_1600449900.56/0/t-digest-3-2-sources-1-
jar/com/tdunning/math/stats/Centroid.java
* /opt/ws_local/PERMITS_SQL/1091220915_1600449900.56/0/t-digest-3-2-sources-1-
jar/com/tdunning/math/stats/Simple64.java
* /opt/ws_local/PERMITS_SQL/1091220915_1600449900.56/0/t-digest-3-2-sources-1-
jar/com/tdunning/math/stats/AbstractTDigest.java
* /opt/ws_local/PERMITS_SQL/1091220915_1600449900.56/0/t-digest-3-2-sources-1-
```

1.72 apache-log4j 2.20.0

1.72.1 Available under license :

Apache Log4j Core

Copyright 1999-2012 Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

ResolverUtil.java

Copyright 2005-2006 Tim Fennell

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You

institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.73 netty-transport-rxtx 4.1.93.Final

1.73.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2013 The Netty Project  
*  
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
* License for the specific language governing permissions and limitations  
* under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1698848122_1685285731.1049192/0/netty-transport-rxtx-4-1-93-final-sources-
jar/io/netty/channel/rxtx/RxtxChannelOption.java
* /opt/cola/permits/1698848122_1685285731.1049192/0/netty-transport-rxtx-4-1-93-final-sources-
jar/io/netty/channel/rxtx/RxtxChannelConfig.java
* /opt/cola/permits/1698848122_1685285731.1049192/0/netty-transport-rxtx-4-1-93-final-sources-
jar/io/netty/channel/rxtx/DefaultRxtxChannelConfig.java
* /opt/cola/permits/1698848122_1685285731.1049192/0/netty-transport-rxtx-4-1-93-final-sources-
jar/io/netty/channel/rxtx/RxtxChannel.java
* /opt/cola/permits/1698848122_1685285731.1049192/0/netty-transport-rxtx-4-1-93-final-sources-
jar/io/netty/channel/rxtx/package-info.java
* /opt/cola/permits/1698848122_1685285731.1049192/0/netty-transport-rxtx-4-1-93-final-sources-
jar/io/netty/channel/rxtx/RxtxDeviceAddress.java
```

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2013 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:

~

~ <https://www.apache.org/licenses/LICENSE-2.0>

~

~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.

-->

Found in path(s):

```
* /opt/cola/permits/1698848122_1685285731.1049192/0/netty-transport-rxtx-4-1-93-final-sources-jar/META-
INF/maven/io.netty/netty-transport-rxtx/pom.xml
```

1.74 animal-sniffer-annotation 1.17

1.75 lz4 1.9.3

1.75.1 Available under license :

This repository uses 2 different licenses :

- all files in the `lib` directory use a BSD 2-Clause license
- all other files use a GPLv2 license, unless explicitly stated otherwise

Relevant license is reminded at the top of each source file,
and with presence of COPYING or LICENSE file in associated directories.

This model is selected to emphasize that files in the `lib` directory are designed to be included into 3rd party applications, while all other files, in `programs`, `tests` or `examples`, receive more limited attention and support for such scenario.

LZ4 Library

Copyright (c) 2011-2016, Yann Collet

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it,

either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program,

and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component

itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to

apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc.,

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program
`Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

Copyright (c) 2014, Ipsantil
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE

DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Format: <http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: liblz4

Upstream-Contact: Yann Collet <Cyan4973@github.com>

Source: <https://github.com/lz4/lz4>

Files: *

Copyright: (C) 2011-2020 Yann Collet

License: GPL-2+

The full text of license: <https://github.com/lz4/lz4/blob/dev/lib/LICENSE>

1.76 grpc-stub 1.24.0

1.76.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2018 The gRPC Authors

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1638411436_1681425252.2254884/0/grpc-stub-1-24-0-sources-1-

jar/io/grpc/stub/annotations/RpcMethod.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2017 The gRPC Authors

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1638411436_1681425252.2254884/0/grpc-stub-1-24-0-sources-1-jar/io/grpc/stub/package-info.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014 The gRPC Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1638411436_1681425252.2254884/0/grpc-stub-1-24-0-sources-1-jar/io/grpc/stub/MetadataUtils.java

* /opt/cola/permits/1638411436_1681425252.2254884/0/grpc-stub-1-24-0-sources-1-jar/io/grpc/stub/ClientCalls.java

* /opt/cola/permits/1638411436_1681425252.2254884/0/grpc-stub-1-24-0-sources-1-jar/io/grpc/stub/ServerCalls.java

* /opt/cola/permits/1638411436_1681425252.2254884/0/grpc-stub-1-24-0-sources-1-jar/io/grpc/stub/AbstractStub.java

* /opt/cola/permits/1638411436_1681425252.2254884/0/grpc-stub-1-24-0-sources-1-jar/io/grpc/stub/StreamObserver.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2015 The gRPC Authors

*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1638411436_1681425252.2254884/0/grpc-stub-1-24-0-sources-1-jar/io/grpc/stub/StreamObservers.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2016 The gRPC Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1638411436_1681425252.2254884/0/grpc-stub-1-24-0-sources-1-jar/io/grpc/stub/ClientResponseObserver.java

* /opt/cola/permits/1638411436_1681425252.2254884/0/grpc-stub-1-24-0-sources-1-jar/io/grpc/stub/ClientCallStreamObserver.java

* /opt/cola/permits/1638411436_1681425252.2254884/0/grpc-stub-1-24-0-sources-1-jar/io/grpc/stub/CallStreamObserver.java

* /opt/cola/permits/1638411436_1681425252.2254884/0/grpc-stub-1-24-0-sources-1-jar/io/grpc/stub/ServerCallStreamObserver.java

1.77 groovy-dateutil 3.0.9

1.77.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed to the Apache Software Foundation (ASF) under one
 * or more contributor license agreements. See the NOTICE file
 * distributed with this work for additional information
 * regarding copyright ownership. The ASF licenses this file
 * to you under the Apache License, Version 2.0 (the
 * "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing,
 * software distributed under the License is distributed on an
 * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
 * KIND, either express or implied. See the License for the
 * specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1268275752_1644386843.29/0/groovy-dateutil-3-0-9-sources-
jar/org/apache/groovy/dateutil/extensions/DateUtilExtensions.java
* /opt/cola/permits/1268275752_1644386843.29/0/groovy-dateutil-3-0-9-sources-
jar/org/apache/groovy/dateutil/extensions/DateUtilStaticExtensions.java
```

1.78 protobuf-java 3.11.4

1.78.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// Copyright 2008 Google Inc. All rights reserved.
// Redistribution and use in source and binary forms, with or without
// modification, are permitted provided that the following conditions are
// * Redistributions of source code must retain the above copyright
// notice, this list of conditions and the following disclaimer.
// * Redistributions in binary form must reproduce the above
// copyright notice, this list of conditions and the following disclaimer
// in the documentation and/or other materials provided with the
// * Neither the name of Google Inc. nor the names of its
// this software without specific prior written permission.
```

Found in path(s):

- * /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/BinaryWriter.java
- * /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/ExtensionSchema.java
- * /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/FieldInfo.java
- * /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/MapFieldSchema.java
- * /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/ByteOutput.java
- * /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/TextFormatEscaper.java
- * /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/google/protobuf/wrappers.proto
- * /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/CodedOutputStreamWriter.java
- * /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/ByteBufferWriter.java
- * /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/Descriptors.java
- * /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/RpcController.java
- * /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/BufferAllocator.java
- * /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/UnknownFieldSchema.java
- * /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/ExtensionSchemaFull.java
- * /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/Reader.java
- * /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/CodedInputStream.java
- * /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/AbstractProtobufList.java
- * /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/MessageInfo.java
- * /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/TypeRegistry.java
- * /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/Schema.java
- * /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/ExtensionLite.java
- * /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/MessageOrBuilder.java
- * /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-jar/com/google/protobuf/FieldType.java
- * /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-

jar/com/google/protobuf/BlockingRpcChannel.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/ExtensionSchemas.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/LazyStringList.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/UninitializedMessageException.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/AbstractParser.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/ExtensionSchemaLite.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/MapFieldSchemas.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/UnknownFieldSetLite.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/JavaType.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/AllocatedBuffer.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/RopeByteString.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/Utf8.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/MessageReflection.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/BooleanArrayList.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/RepeatedFieldBuilder.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/NioByteString.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/ProtobufArrayList.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/MessageLite.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/LazyStringArrayList.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/InvalidProtocolBufferException.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/UnsafeUtil.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/SingleFieldBuilderV3.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/WireFormat.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/GeneratedMessageV3.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-

jar/com/google/protobuf/ByteString.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/NewInstanceSchemaFull.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/Writer.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/MessageSetSchema.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/NewInstanceSchema.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/NewInstanceSchemas.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/ProtocolMessageEnum.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/MessageInfoFactory.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/MutabilityOracle.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/TextFormatParseLocation.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/GeneratedMessageLite.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/TextFormatParseInfoTree.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/Message.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/IterableByteBufferInputStream.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/NewInstanceSchemaLite.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/PrimitiveNonBoxingCollection.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/ExtensionRegistryFactory.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/BlockingService.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/DoubleArrayList.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/IntArrayList.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/Protobuf.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/TextFormat.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/Extension.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/MapFieldSchemaLite.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-

jar/com/google/protobuf/MapEntryLite.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/google/protobuf/empty.proto
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/MessageLiteOrBuilder.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/GeneratedMessage.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/MapFieldLite.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/RpcChannel.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/AbstractMessageLite.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/MapFieldSchemaFull.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/ManifestSchemaFactory.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/AbstractMessage.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/UnmodifiableLazyStringList.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/google/protobuf/any.proto
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/ProtobufLists.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/Internal.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/LongArrayList.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/CodedInputStreamReader.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/RpcUtil.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/Service.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/MessageSchema.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/MapField.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/UnknownFieldSetSchema.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/google/protobuf/duration.proto
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/FloatArrayList.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/google/protobuf/timestamp.proto
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-

jar/google/protobuf/type.proto
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/ArrayDecoders.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/SmallSortedMap.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/google/protobuf/api.proto
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/LazyField.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/UnknownFieldSetLiteSchema.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/RepeatedFieldBuilderV3.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/RpcCallback.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/google/protobuf/compiler/plugin.proto
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/GeneratedMessageInfoFactory.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/ListFieldSchema.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/LazyFieldLite.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/SchemaFactory.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/MapEntry.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/google/protobuf/descriptor.proto
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/BinaryReader.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/ExtensionRegistryLite.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/google/protobuf/source_context.proto
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/StructuralMessageInfo.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/Android.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/OneofInfo.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/CodedOutputStream.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/UnsafeByteOperations.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/UnknownFieldSet.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-

jar/com/google/protobuf/ProtocolStringList.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/RawMessageInfo.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/SchemaUtil.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/DescriptorMessageInfoFactory.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/DiscardUnknownFieldsParser.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/google/protobuf/field_mask.proto
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/MessageLiteToString.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/DynamicMessage.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/FieldSet.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/SingleFieldBuilder.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/ExtensionRegistry.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/ProtoSyntax.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/google/protobuf/struct.proto
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/ExperimentalApi.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/Parser.java
* /opt/cola/permits/1668779570_1683634908.6867876/0/protobuf-java-3-11-4-sources-4-
jar/com/google/protobuf/ServiceException.java

1.79 javax-el-api 3.0.0

1.79.1 Available under license :

```
/*  
 * DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.  
 *  
 * Copyright (c) 2012 Oracle and/or its affiliates. All rights reserved.  
 *  
 * The contents of this file are subject to the terms of either the GNU  
 * General Public License Version 2 only ("GPL") or the Common Development  
 * and Distribution License("CDDL") (collectively, the "License"). You  
 * may not use this file except in compliance with the License. You can  
 * obtain a copy of the License at  
 * https://glassfish.dev.java.net/public/CDDL+GPL\_1\_1.html  
 * or packager/legal/LICENSE.txt. See the License for the specific
```

- * language governing permissions and limitations under the License.
- *
- * When distributing the software, include this License Header Notice in each
- * file and include the License file at packager/legal/LICENSE.txt.
- *
- * GPL Classpath Exception:
- * Oracle designates this particular file as subject to the "Classpath"
- * exception as provided by Oracle in the GPL Version 2 section of the License
- * file that accompanied this code.
- *
- * Modifications:
- * If applicable, add the following below the License Header, with the fields
- * enclosed by brackets [] replaced by your own identifying information:
- * "Portions Copyright [year] [name of copyright owner]"
- *
- * Contributor(s):
- * If you wish your version of this file to be governed by only the CDDL or
- * only the GPL Version 2, indicate your decision by adding "[Contributor]
- * elects to include this software in this distribution under the [CDDL or GPL
- * Version 2] license." If you don't indicate a single choice of license, a
- * recipient has the option to distribute your version of this file under
- * either the CDDL, the GPL Version 2 or to extend the choice of license to
- * its licensees as provided above. However, if you add GPL Version 2 code
- * and therefore, elected the GPL Version 2 license, then the option applies
- * only if the new code is made subject to such option by the copyright
- * holder.
- */

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. **Licensable.** means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. **Modifications.** means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. **Original Software.** means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. **Patent Claims.** means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. **Source Code.** means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. **You.** (or **Your.**) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, **You.** includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, **control.** means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT

WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of

.commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction.s conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more

than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software

distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

1.80 mchange-commons-java 0.2.15

1.80.1 Available under license :

Found license 'Eclipse Public License 1.0' in '* This library is free software; you can redistribute it and/or modify *
1) The GNU Lesser General Public License (LGPL), version 2.1, as * published by the Free Software Foundation *
2) The Eclipse Public License (EPL), version 1.0 * This software is distributed in the hope that it will be useful, * but WITHOUT ANY WARRANTY; without even the implied warranty of *
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. * LGPL v2.1:
<http://www.gnu.org/licenses/old-licenses/lgpl-2.1.html>

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other

Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was

received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

/*

* Distributed as part of mchange-commons-java 0.2.11

*

* Copyright (C) 2015 Machinery For Change, Inc.

*

* Author: Steve Waldman <swaldman@mchange.com>

*

* This library is free software; you can redistribute it and/or modify
* it under the terms of EITHER:

*

* 1) The GNU Lesser General Public License (LGPL), version 2.1, as
* published by the Free Software Foundation

*

* OR

*

* 2) The Eclipse Public License (EPL), version 1.0

*

* You may choose which license to accept if you wish to redistribute
* or modify this work. You may offer derivatives of this work
* under the license you have chosen, or you may provide the same
* choice of license which you have been offered here.

*

* This software is distributed in the hope that it will be useful,
* but WITHOUT ANY WARRANTY; without even the implied warranty of
* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

*

* You should have received copies of both LGPL v2.1 and EPL v1.0
* along with this software; see the files LICENSE-EPL and LICENSE-LGPL.
* If not, the text of these licenses are currently available at

*

* LGPL v2.1: <http://www.gnu.org/licenses/old-licenses/lgpl-2.1.html>

* EPL v1.0: <http://www.eclipse.org/org/documents/epl-v10.php>

*

*/

Found license 'GNU Lesser General Public License' in '* This library is free software; you can redistribute it and/or modify * 1) The GNU Lesser General Public License (LGPL), version 2.1, as * published by the Free Software Foundation * 2) The Eclipse Public License (EPL), version 1.0 * This software is distributed in the hope that it will be useful, * but WITHOUT ANY WARRANTY; without even the implied warranty of * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. * LGPL v2.1:

1.81 grpc-context 1.24.0

1.81.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the

Licensors for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any

additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.82 mysql-connector-j 8.0.33

1.82.1 Available under license :

Licensing Information User Manual

MySQL Connector/J 8.0

Introduction

This License Information User Manual contains Oracle's product license and other licensing information, including licensing information for third-party software which may be included in this distribution of MySQL Connector/J 8.0.

Last updated: February 2023

Licensing Information

This is a release of MySQL Connector/J 8.0, brought to you by the MySQL team at Oracle. This software is released under version 2 of the GNU General Public License (GPLv2), as set forth below, with the following additional permissions:

This distribution of MySQL Connector/J 8.0 is distributed with certain software that is licensed under separate terms, as designated in a particular file or component or in the license documentation. Without limiting your rights under the GPLv2, the authors of MySQL hereby grant you an additional permission to link the program and your derivative works with the separately licensed software that they have included with the program.

Without limiting the foregoing grant of rights under the GPLv2 and additional permission as to separately licensed software, this Connector is also subject to the Universal FOSS Exception, version 1.0, a copy of which is reproduced below and can also be found along with its FAQ at <http://oss.oracle.com/licenses/universal-foss-exception>.

Copyright (c) 2017, 2023, Oracle and/or its affiliates.

Election of GPLv2

For the avoidance of doubt, except that if any license choice other than GPL or LGPL is available it will apply instead, Oracle elects to use only the General Public License version 2 (GPLv2) at this time for any software where a choice of GPL license versions is made available with the language indicating that GPLv2 or any later version may be used, or where a choice of which version of the GPL is applied is otherwise unspecified.

GNU General Public License Version 2.0, June 1991

The following applies to all products licensed under the GNU General Public License, Version 2.0: You may not use the identified files except in compliance with the GNU General Public License, Version 2.0 (the "License.") You may obtain a copy of the License at <http://www.gnu.org/licenses/gpl-2.0.txt>. A copy of the license is also reproduced below. Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====
=====

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free

program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any

part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium

customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to

this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program

specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively

convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

=====
=====

The Universal FOSS Exception, Version 1.0

In addition to the rights set forth in the other license(s) included in the distribution for this software, data, and/or documentation (collectively the "Software", and such licenses collectively with this additional permission the "Software License"), the copyright holders wish to facilitate interoperability with other software, data, and/or documentation distributed with complete corresponding source under a license that is OSI-approved and/or categorized by the FSF as free (collectively "Other FOSS"). We therefore hereby grant the following additional permission with respect to the use and distribution of the Software with Other FOSS, and the constants, function signatures, data structures and other invocation methods used to run or interact with each of them (as to each, such software's "Interfaces"):

- i. The Software's Interfaces may, to the extent permitted by the license of the Other FOSS, be copied into, used and distributed in the Other FOSS in order to enable interoperability, without requiring a change to the license of the Other FOSS other than as to any Interfaces of the Software embedded therein. The Software's Interfaces remain at all times under the Software License, including without limitation as used in the Other FOSS (which upon any such use also then contains a portion of the Software under the Software License).
- ii. The Other FOSS's Interfaces may, to the extent permitted by the license of the Other FOSS, be copied into, used and distributed in the Software in order to enable interoperability, without requiring that such Interfaces be licensed under the terms of the Software License or otherwise altering their original terms, if this does not require any portion of the Software other than such Interfaces to be licensed under the terms other than the Software License.
- iii. If only Interfaces and no other code is copied between the Software and the Other FOSS in either direction, the use and/or distribution of the Software with the Other FOSS shall not be deemed to require that the Other FOSS be licensed under the license

of the Software, other than as to any Interfaces of the Software copied into the Other FOSS. This includes, by way of example and without limitation, statically or dynamically linking the Software together with Other FOSS after enabling interoperability using the Interfaces of one or both, and distributing the resulting combination under different licenses for the respective portions thereof.

For avoidance of doubt, a license which is OSI-approved or categorized by the FSF as free, includes, for the purpose of this permission, such licenses with additional permissions, and any license that has previously been so approved or categorized as free, even if now deprecated or otherwise no longer recognized as approved or free. Nothing in this additional permission grants any right to distribute any portion of the Software on terms other than those of the Software License or grants any additional permission of any kind for use or distribution of the Software in conjunction with software other than Other FOSS.

=====
=====

Licenses for Third-Party Components

The following sections contain licensing information for libraries that may be included with this product. We are thankful to all individuals that have created these. Standard licenses referenced herein are detailed in the Standard Licenses section.

c3p0 JDBC Library

The MySQL Connector/J implements interfaces that are included in c3p0, although no part of c3p0 is included or distributed with MySQL.

Copyright (C) 2019 Machinery For Change, Inc.

- * This library is free software; you can redistribute it and/or modify
- * it under the terms of EITHER:
- *
- * 1) The GNU Lesser General Public License (LGPL), version 2.1, as
- * published by the Free Software Foundation
- *
- * OR
- *
- * 2) The Eclipse Public License (EPL), version 1.0
- * You may choose which license to accept if you wish to redistribute
- * or modify this work. You may offer derivatives of this work

- * under the license you have chosen, or you may provide the same
- * choice of license which you have been offered here.
- *
- * This software is distributed in the hope that it will be useful,
- * but WITHOUT ANY WARRANTY; without even the implied warranty of
- * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
- *
- * You should have received copies of both LGPL v2.1 and EPL v1.0
- * along with this software; see the files LICENSE-EPL and LICENSE-LGPL.
- * If not, the text of these licenses are currently available at
- *
- * LGPL v2.1: <http://www.gnu.org/licenses/old-licenses/lgpl-2.1.html>
- * EPL v1.0: <http://www.eclipse.org/org/documents/epl-v10.php>

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation

distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

- i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
- ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
- iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
- iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to

control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under

Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

The LGPL v2.1 can be found in
GNU Lesser General Public License v2.1, February 1999.
See the 'Standard Licenses' section for license text.

=====
=====

Google Protocol Buffers

Copyright 2008 Google Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are

met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner of the input file used when generating it. This code is not standalone and requires a support library to be linked with it. This support library is itself covered by the above license.

=====
=====

Unicode Data Files

COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1991-2014 Unicode, Inc. All rights reserved. Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the above copyright notice(s) and

this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

=====
=====

Standard Licenses

GNU Lesser General Public License v2.1, February 1999

The following applies to all products licensed under the GNU Lesser General Public License, Version 2.1: You may not use the identified files except in compliance with the GNU Lesser General Public License, Version 2.1 (the "License"). You may obtain a copy of the License at <http://www.gnu.org/licenses/lgpl-2.1.html>. A copy of the license is also reproduced below. Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be

introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the

users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an

appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the

library". The executable is therefore covered by this License.
Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any

patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR

OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public

License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

=====
=====

Written Offer for Source Code

For any software that you receive from Oracle in binary form which is licensed under an open source license that gives you the right to receive the source code for that binary, you can obtain a copy of the applicable source code by visiting <http://www.oracle.com/goto/opensourcecode>. If the source code for the binary was not provided to you with the binary, you can also receive a copy of the source code on physical media by submitting a written request to the address listed below or by sending an email to Oracle using the following link: <http://www.oracle.com/goto/opensourcecode/request>.

Oracle America, Inc.
Attn: Senior Vice President
Development and Engineering Legal
500 Oracle Parkway, 10th Floor
Redwood Shores, CA 94065

Your request should include:

- * The name of the binary for which you are requesting the source code

- * The name and version number of the Oracle product containing the binary

- * The date you received the Oracle product
- * Your name
- * Your company name (if applicable)
- * Your return mailing address and email, and
- * A telephone number in the event we need to reach you.

We may charge you a fee to cover the cost of physical media and processing.

Your request must be sent

- a. within three (3) years of the date you received the Oracle product that included the binary that is the subject of your request, or
- b. in the case of code licensed under the GPL v3 for as long as Oracle offers spare parts or customer support for that product model.

Format: <http://www.debian.org/doc/packaging-manuals/copyright-format/1.0/>

Upstream-Name: @PRODUCT@

Upstream-Contact: MySQL Release Engineering <mysql-build@oss.oracle.com>

Source: <http://dev.mysql.com/>

Files: *

Copyright: 2002, 2021, Oracle and/or its affiliates.

License:

For licensing information see the LICENSE file in this distribution.

1.83 wmi4java 1.6.2

1.83.1 Available under license :

No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

* /opt/cola/permits/1268277887_1675380984.923864/0/wmi4java-1-6-2-jar/META-INF/maven/com.profesorfalken/WMI4Java/pom.xml

1.84 activation 1.1.1

1.84.1 Available under license :

Common Development and Distribution License 1.0

SPDX short identifier: CDDL-1.0

Further resources on the CDDL-1.0

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE Version 1.0 (CDDL-1.0) (text)

1. Definitions.

1.1. Contributor means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable means the Covered Software in any form other than Source Code.

1.5. Initial Developer means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License means this document.

1.8. Licensable means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You (or Your) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, You includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, control means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted

from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipients rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN AS IS BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their

nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as Participant) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTYS NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a commercial item, as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of commercial computer software (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and commercial computer software documentation as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdictions conflict-of-law

provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

1.85 groovy-macro 3.0.9

1.85.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
# Licensed to the Apache Software Foundation (ASF) under one or more
# contributor license agreements. See the NOTICE file distributed with
# this work for additional information regarding copyright ownership.
# The ASF licenses this file to You under the Apache License, Version 2.0
# (the "License"); you may not use this file except in compliance with
# the License. You may obtain a copy of the License at
#
# http://www.apache.org/licenses/LICENSE-2.0
#
# Unless required by applicable law or agreed to in writing, software
# distributed under the License is distributed on an "AS IS" BASIS,
# WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
# See the License for the specific language governing permissions and
# limitations under the License.
```

```
#global transformation for macro support
org.codehaus.groovy.transform.MacroTransformation
org.codehaus.groovy.transform.MacroClassTransformation
```

Found in path(s):

```
* /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/META-
INF/services/org.codehaus.groovy.transform.ASTTransformation
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Licensed to the Apache Software Foundation (ASF) under one
```


- * or more contributor license agreements. See the NOTICE file
- * distributed with this work for additional information
- * regarding copyright ownership. The ASF licenses this file
- * to you under the Apache License, Version 2.0 (the
- * "License"); you may not use this file except in compliance
- * with the License. You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing,
- * software distributed under the License is distributed on an
- * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
- * KIND, either express or implied. See the License for the
- * specific language governing permissions and limitations
- * under the License.
- */

Found in path(s):

- * /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/matcher/internal/MatchingConstraintsBuilder.groovy
- * /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/transform/MacroTransformation.java
- * /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/runtime/Macro.java
- * /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/transform/MacroCallTransformingVisitor.java
- * /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/matcher/MatcherUtils.java
- * /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/transform/MacroClassTransformation.java
- * /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/transform/MacroMethodsCache.java
- * /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/matcher/ASTFinder.java
- * /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/matcher/internal/ConstraintPredicate.groovy
- * /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/matcher/NodeComparator.java
- * /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/transform/MacroClass.java
- * /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/matcher/ASTNodePredicate.java
- * /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/runtime/MacroStub.java
- * /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/matcher/ASTMatcher.groovy
- * /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/methods/MacroGroovyMethods.java

* /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/matcher/TreeContext.java
* /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/runtime/MacroContext.java
* /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/matcher/internal/AnyTokenMatch.groovy
* /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/matcher/ContextualClassCodeVisitor.java
* /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/matcher/TreeContextAction.java
* /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/runtime/MacroBuilder.java
* /opt/cola/permits/1551848967_1675381009.5169692/0/groovy-macro-3-0-9-sources-1-jar/org/codehaus/groovy/macro/matcher/MatchingConstraints.groovy

1.86 dropwizard-lifecycle 2.0.28

1.86.1 Available under license :

Apache-2.0

1.87 libevent 2.1.11

1.87.1 Available under license :

CMake - Cross Platform Makefile Generator

Copyright 2000-2013 Kitware, Inc.

Copyright 2000-2011 Insight Software Consortium

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the names of Kitware, Inc., the Insight Software Consortium, nor the names of their contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT

LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The above copyright and license notice applies to distributions of CMake in source and binary form. Some source files contain additional notices of original copyright by their contributors; see each source for details. Third-party software packages supplied with CMake under compatible licenses provide their own copyright notices documented in corresponding subdirectories.

CMake was initially developed by Kitware with the following sponsorship:

- * National Library of Medicine at the National Institutes of Health as part of the Insight Segmentation and Registration Toolkit (ITK).
- * US National Labs (Los Alamos, Livermore, Sandia) ASC Parallel Visualization Initiative.
- * National Alliance for Medical Image Computing (NAMIC) is funded by the National Institutes of Health through the NIH Roadmap for Medical Research, Grant U54 EB005149.

* Kitware, Inc.

Libevent is available for use under the following license, commonly known as the 3-clause (or "modified") BSD license:

=====
Copyright (c) 2000-2007 Niels Provos <provos@citi.umich.edu>
Copyright (c) 2007-2012 Niels Provos and Nick Mathewson

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the

documentation and/or other materials provided with the distribution.

3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

Portions of Libevent are based on works by others, also made available by them under the three-clause BSD license above. The copyright notices are available in the corresponding source files; the license is as above. Here's a list:

log.c:

Copyright (c) 2000 Dug Song <dugsong@monkey.org>
Copyright (c) 1993 The Regents of the University of California.

strlcpy.c:

Copyright (c) 1998 Todd C. Miller <Todd.Miller@courtesan.com>

win32select.c:

Copyright (c) 2003 Michael A. Davis <mike@datanerds.net>

evport.c:

Copyright (c) 2007 Sun Microsystems

ht-internal.h:

Copyright (c) 2002 Christopher Clark

minheap-internal.h:

Copyright (c) 2006 Maxim Yegorushkin <maxim.yegorushkin@gmail.com>

=====

The arc4module is available under the following, sometimes called the "OpenBSD" license:

Copyright (c) 1996, David Mazieres <dm@uun.org>
Copyright (c) 2008, Damien Miller <djm@openbsd.org>

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

=====

The Windows timer code is based on code from libutp, which is distributed under this license, sometimes called the "MIT" license.

Copyright (c) 2010 BitTorrent, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.88 jetty-webapp 9.4.51.v20230217

1.88.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
 - i) changes to the Program, and
 - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.
- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
 - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
 - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
 - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
 - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at

its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted

under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise

designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. **Grant of Copyright License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must

include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly

negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====
Jetty Web Container

=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd unless otherwise noted.

Jetty is dual licensed under both

* The Apache 2.0 License
<http://www.apache.org/licenses/LICENSE-2.0.html>

and

* The Eclipse Public 1.0 License
<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

Eclipse

The following artifacts are EPL.
* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.
* org.eclipse.jetty.orbit:javafx.security.auth.message

The following artifacts are EPL and CDDL 1.0.
* org.eclipse.jetty.orbit:javafx.mail.glassfish

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.
<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

* javax.servlet:javax.servlet-api
* javax.annotation:javax.annotation-api
* javax.transaction:javax.transaction-api
* javax.websocket:javax.websocket-api

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN

module is selected.

* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

org.ow2.asm:asm-commons

org.ow2.asm:asm

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec

org.apache.taglibs:taglibs-standard-impl

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

org.mortbay.jasper:apache-jsp

org.apache.tomcat:tomcat-jasper

org.apache.tomcat:tomcat-juli

org.apache.tomcat:tomcat-jsp-api

org.apache.tomcat:tomcat-el-api

org.apache.tomcat:tomcat-jasper-el

org.apache.tomcat:tomcat-api

org.apache.tomcat:tomcat-util-scan

org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el

org.apache.tomcat:tomcat-jasper-el

org.apache.tomcat:tomcat-el-api

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

1.89 ant-junit 1.10.11

1.89.1 Available under license :

Apache Ant

Copyright 1999-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

The <sync> task is based on code Copyright (c) 2002, Landmark Graphics Corp that has been kindly donated to the Apache Software Foundation.

/*

* Apache License
* Version 2.0, January 2004
* <http://www.apache.org/licenses/>

*

* TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

*

* 1. Definitions.

*

* "License" shall mean the terms and conditions for use, reproduction,
* and distribution as defined by Sections 1 through 9 of this document.

*

* "Licensor" shall mean the copyright owner or entity authorized by
* the copyright owner that is granting the License.

*
* "Legal Entity" shall mean the union of the acting entity and all
* other entities that control, are controlled by, or are under common
* control with that entity. For the purposes of this definition,
* "control" means (i) the power, direct or indirect, to cause the
* direction or management of such entity, whether by contract or
* otherwise, or (ii) ownership of fifty percent (50%) or more of the
* outstanding shares, or (iii) beneficial ownership of such entity.
*
* "You" (or "Your") shall mean an individual or Legal Entity
* exercising permissions granted by this License.
*
* "Source" form shall mean the preferred form for making modifications,
* including but not limited to software source code, documentation
* source, and configuration files.
*
* "Object" form shall mean any form resulting from mechanical
* transformation or translation of a Source form, including but
* not limited to compiled object code, generated documentation,
* and conversions to other media types.
*
* "Work" shall mean the work of authorship, whether in Source or
* Object form, made available under the License, as indicated by a
* copyright notice that is included in or attached to the work
* (an example is provided in the Appendix below).
*
* "Derivative Works" shall mean any work, whether in Source or Object
* form, that is based on (or derived from) the Work and for which the
* editorial revisions, annotations, elaborations, or other modifications
* represent, as a whole, an original work of authorship. For the purposes
* of this License, Derivative Works shall not include works that remain
* separable from, or merely link (or bind by name) to the interfaces of,
* the Work and Derivative Works thereof.
*
* "Contribution" shall mean any work of authorship, including
* the original version of the Work and any modifications or additions
* to that Work or Derivative Works thereof, that is intentionally
* submitted to Licensor for inclusion in the Work by the copyright owner
* or by an individual or Legal Entity authorized to submit on behalf of
* the copyright owner. For the purposes of this definition, "submitted"
* means any form of electronic, verbal, or written communication sent
* to the Licensor or its representatives, including but not limited to
* communication on electronic mailing lists, source code control systems,
* and issue tracking systems that are managed by, or on behalf of, the
* Licensor for the purpose of discussing and improving the Work, but
* excluding communication that is conspicuously marked or otherwise
* designated in writing by the copyright owner as "Not a Contribution."
*

* "Contributor" shall mean Licensor and any individual or Legal Entity
* on behalf of whom a Contribution has been received by Licensor and
* subsequently incorporated within the Work.

*

* 2. Grant of Copyright License. Subject to the terms and conditions of
* this License, each Contributor hereby grants to You a perpetual,
* worldwide, non-exclusive, no-charge, royalty-free, irrevocable
* copyright license to reproduce, prepare Derivative Works of,
* publicly display, publicly perform, sublicense, and distribute the
* Work and such Derivative Works in Source or Object form.

*

* 3. Grant of Patent License. Subject to the terms and conditions of
* this License, each Contributor hereby grants to You a perpetual,
* worldwide, non-exclusive, no-charge, royalty-free, irrevocable
* (except as stated in this section) patent license to make, have made,
* use, offer to sell, sell, import, and otherwise transfer the Work,
* where such license applies only to those patent claims licensable
* by such Contributor that are necessarily infringed by their
* Contribution(s) alone or by combination of their Contribution(s)
* with the Work to which such Contribution(s) was submitted. If You
* institute patent litigation against any entity (including a
* cross-claim or counterclaim in a lawsuit) alleging that the Work
* or a Contribution incorporated within the Work constitutes direct
* or contributory patent infringement, then any patent licenses
* granted to You under this License for that Work shall terminate
* as of the date such litigation is filed.

*

* 4. Redistribution. You may reproduce and distribute copies of the
* Work or Derivative Works thereof in any medium, with or without
* modifications, and in Source or Object form, provided that You
* meet the following conditions:

*

* (a) You must give any other recipients of the Work or
* Derivative Works a copy of this License; and

*

* (b) You must cause any modified files to carry prominent notices
* stating that You changed the files; and

*

* (c) You must retain, in the Source form of any Derivative Works
* that You distribute, all copyright, patent, trademark, and
* attribution notices from the Source form of the Work,
* excluding those notices that do not pertain to any part of
* the Derivative Works; and

*

* (d) If the Work includes a "NOTICE" text file as part of its
* distribution, then any Derivative Works that You distribute must
* include a readable copy of the attribution notices contained
* within such NOTICE file, excluding those notices that do not

* incidental, or consequential damages of any character arising as a
* result of this License or out of the use or inability to use the
* Work (including but not limited to damages for loss of goodwill,
* work stoppage, computer failure or malfunction, or any and all
* other commercial damages or losses), even if such Contributor
* has been advised of the possibility of such damages.
*

* 9. Accepting Warranty or Additional Liability. While redistributing
* the Work or Derivative Works thereof, You may choose to offer,
* and charge a fee for, acceptance of support, warranty, indemnity,
* or other liability obligations and/or rights consistent with this
* License. However, in accepting such obligations, You may act only
* on Your own behalf and on Your sole responsibility, not on behalf
* of any other Contributor, and only if You agree to indemnify,
* defend, and hold each Contributor harmless for any liability
* incurred by, or claims asserted against, such Contributor by reason
* of your accepting any such warranty or additional liability.
*

* END OF TERMS AND CONDITIONS
*

* APPENDIX: How to apply the Apache License to your work.
*

* To apply the Apache License to your work, attach the following
* boilerplate notice, with the fields enclosed by brackets "[]"
* replaced with your own identifying information. (Don't include
* the brackets!) The text should be enclosed in the appropriate
* comment syntax for the file format. We also recommend that a
* file or class name and description of purpose be included on the
* same "printed page" as the copyright notice for easier
* identification within third-party archives.
*

* Copyright [yyyy] [name of copyright owner]
*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*

* <https://www.apache.org/licenses/LICENSE-2.0>
*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

W3C SOFTWARE NOTICE AND LICENSE

<https://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about

this notice can be directed to site-policy@w3.org.

Joseph Reagle <site-policy@w3.org>

This license came from: <http://www.megginson.com/SAX/copying.html>
However please note future versions of SAX may be covered
under <http://saxproject.org/?selected=pd>

SAX2 is Free!

I hereby abandon any property rights to SAX 2.0 (the Simple API for XML), and release all of the SAX 2.0 source code, compiled code, and documentation contained in this distribution into the Public Domain. SAX comes with NO WARRANTY or guarantee of fitness for any purpose.

David Megginson, david@megginson.com
2000-05-05

1.90 jetty-util 9.4.51.v20230217

1.90.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
 - i) changes to the Program, and
 - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates'

from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.
- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright

license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
 - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
 - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
 - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
 - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial

product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the

parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A

PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====
Jetty Web Container

Copyright 1995-2018 Mort Bay Consulting Pty Ltd.
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd unless otherwise noted.

Jetty is dual licensed under both

* The Apache 2.0 License

<http://www.apache.org/licenses/LICENSE-2.0.html>

and

* The Eclipse Public 1.0 License

<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

Eclipse

The following artifacts are EPL.

* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.

* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.

* org.eclipse.jetty.orbit:javax.mail.glassfish

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

* javax.servlet:javax.servlet-api

* javax.annotation:javax.annotation-api

* javax.transaction:javax.transaction-api

* javax.websocket:javax.websocket-api

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

org.ow2.asm:asm-commons

org.ow2.asm:asm

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec

org.apache.taglibs:taglibs-standard-impl

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

org.mortbay.jasper:apache-jsp

org.apache.tomcat:tomcat-jasper

org.apache.tomcat:tomcat-juli

org.apache.tomcat:tomcat-jsp-api

org.apache.tomcat:tomcat-el-api

org.apache.tomcat:tomcat-jasper-el

org.apache.tomcat:tomcat-api
org.apache.tomcat:tomcat-util-scan
org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el
org.apache.tomcat:tomcat-jasper-el
org.apache.tomcat:tomcat-el-api

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

1.91 antlr-runtime 4.6

1.92 juel 2.2.7

1.92.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent

infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.93 commons-beanutils 1.9.4

1.93.1 Available under license :

Apache Commons BeanUtils
Copyright 2000-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally

submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.94 jctools-core 3.1.0

1.94.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/spec/Ordering.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/atomic/SpSCUnboundedAtomicArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/atomic/SpMCAtomicArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/MessagePassingQueueUtil.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/atomic/MpMCAtomicArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/util/UnsafeJvmInfo.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/atomic/LinkedListQueueAtomicNode.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/SpSCLinkedListQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/MpSCUnboundedXaddArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
```

jar/org/jctools/queues/spec/Preference.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/atomic/MpscAtomicArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/MessagePassingQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/SupportsIterator.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/MpmcUnboundedXaddArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/MpscGrowableArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/atomic/BaseSpscLinkedAtomicArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/atomic/AtomicQueueFactory.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/MpmcArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/atomic/SpvcAtomicArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/atomic/SpvcLinkedAtomicQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/SpmcArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/maps/AbstractEntry.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/MpmcUnboundedXaddChunk.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/MpscChunkedArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/maps/NonBlockingHashMapLong.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/atomic/MpscChunkedAtomicArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/ConcurrentSequencedCircularArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/util/UnsafeLongArrayAccess.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/MpscBlockingConsumerArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/atomic/BaseMpscLinkedAtomicArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/maps/NonBlockingHashMap.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/BaseMpscLinkedArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/atomic/MpscGrowableAtomicArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-

jar/org/jctools/maps/NonBlockingIdentityHashMap.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/BaseLinkedQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/util/InternalAPI.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/maps/NonBlockingHashSet.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/util/Pow2.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/spec/ConcurrentQueueSpec.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/atomic/SpSCChunkedAtomicArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/maps/ConcurrentAutoTable.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/MpscUnboundedXaddChunk.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/atomic/MpscUnboundedAtomicArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/LinkedQueueNode.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/SpSCUnboundedArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/util/PortableJvmInfo.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/ConcurrentCircularArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/maps/NonBlockingSetInt.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/atomic/BaseLinkedAtomicQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/atomic/SequencedAtomicReferenceArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/MpscLinkedQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/util/UnsafeRefArrayAccess.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/MpscCompoundQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/SpSCChunkedArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/SpSCArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/atomic/AtomicReferenceArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/QueueFactory.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-

```

jar/org/jctools/queues/MpscArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/util/UnsafeAccess.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/MpscUnboundedArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/atomic/SpSCGrowAtomicArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/IndexedQueueSizeUtil.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/atomic/MpscLinkedAtomicQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/SpSCGrowArrayQueue.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/util/RangeUtil.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/package-info.java
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-
jar/org/jctools/queues/BaseSpSCLinkedArrayQueue.java

```

No license file was found, but licenses were detected in source scan.

```

<project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/maven-v4_0_0.xsd">
  <modelVersion>4.0.0</modelVersion>

```

```

  <artifactId>jctools-core</artifactId>
  <groupId>org.jctools</groupId>
  <version>3.1.0</version>
  <name>Java Concurrency Tools Core Library</name>
  <description>Java Concurrency Tools Core Library</description>
  <packaging>bundle</packaging>

```

```

  <dependencies>
    <dependency>
      <groupId>org.hamcrest</groupId>
      <artifactId>hamcrest-all</artifactId>
      <version>${hamcrest.version}</version>
      <scope>test</scope>
    </dependency>

```

```

    <dependency>
      <groupId>junit</groupId>
      <artifactId>junit</artifactId>
      <version>${junit.version}</version>
      <scope>test</scope>
    </dependency>

```

```

    <dependency>

```

```

<groupId>com.google.guava</groupId>
<artifactId>guava-testlib</artifactId>
<version>${ guava-testlib.version }</version>
<scope>test</scope>
</dependency>
</dependencies>
<build>
<plugins>
<plugin>
<groupId>org.apache.maven.plugins</groupId>
<artifactId>maven-surefire-plugin</artifactId>
<version>3.0.0-M3</version>
<configuration>
<includes>
<include>*</include>
</includes>
</configuration>
</plugin>
<plugin>
<groupId>org.apache.felix</groupId>
<artifactId>maven-bundle-plugin</artifactId>
<version>4.2.1</version>
<extensions>>true</extensions>
<configuration>
<instructions>
<Import-Package>sun.misc;resolution:=optional</Import-Package>
</instructions>
</configuration>
</plugin>
<plugin>
<groupId>org.apache.maven.plugins</groupId>
<artifactId>maven-source-plugin</artifactId>
<version>3.2.0</version>
<executions>
<execution>
<id>attach-sources</id>
<phase>verify</phase>
<goals>
<goal>jar-no-fork</goal>
</goals>
</execution>
</executions>
</plugin>
<plugin>
<groupId>org.apache.maven.plugins</groupId>
<artifactId>maven-javadoc-plugin</artifactId>
<version>3.1.1</version>
<configuration>

```

```

<additionalOptions>
  <additionalOption>-Xdoclint:none</additionalOption>
</additionalOptions>
<source>8</source>
</configuration>
<executions>
  <execution>
    <id>attach-javadocs</id>
    <goals>
      <goal>jar</goal>
    </goals>
  </execution>
</executions>
</plugin>
</plugins>
</build>

<distributionManagement>
  <repository>
    <id>bintray-jctools-jctools</id>
    <name>jctools-jctools</name>
    <url>https://api.bintray.com/maven/jctools/jctools/jctools-core/?publish=1</url>
  </repository>
</distributionManagement>

<url>https://github.com/JCTools</url>
<inceptionYear>2013</inceptionYear>

<licenses>
  <license>
    <name>Apache License, Version 2.0</name>
    <url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>
    <distribution>repo</distribution>
  </license>
</licenses>

<scm>
  <url>https://github.com/JCTools/JCTools</url>
  <connection>scm:git:https://github.com/JCTools/JCTools</connection>
  <tag>HEAD</tag>
</scm>

<developers>
  <developer>
    <url>https://github.com/nitsanw</url>
  </developer>
  <developer>
    <url>https://github.com/mjpt777</url>
  </developer>

```

```

</developer>
<developer>
  <url>https://github.com/RichardWarburton</url>
</developer>
<developer>
  <url>https://github.com/kay</url>
</developer>
<developer>
  <url>https://github.com/franz1981</url>
</developer>
</developers>

<prerequisites>
  <maven>3.5.0</maven>
</prerequisites>

<properties>
  <project.build.sourceEncoding>UTF-8</project.build.sourceEncoding>
  <java.version>1.6</java.version>
  <java.test.version>1.8</java.test.version>

  <maven.compiler.source>${java.version}</maven.compiler.source>
  <maven.compiler.target>${java.version}</maven.compiler.target>
  <maven.compiler.testSource>${java.test.version}</maven.compiler.testSource>
  <maven.compiler.testTarget>${java.test.version}</maven.compiler.testTarget>

  <hamcrest.version>1.3</hamcrest.version>
  <junit.version>4.12</junit.version>
  <guava-testlib.version>21.0</guava-testlib.version>
</properties>
</project>

```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1093815924_1601014602.33/0/jctools-core-3-1-0-sources-jar/META-INF/maven/org.jctools/jctools-core/pom.xml
```

1.95 javassist 3.24.1-GA

1.95.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Javassist, a Java-bytecode translator toolkit.
```

```
* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.
```

```
*
```

```
* The contents of this file are subject to the Mozilla Public License Version
```

```
* 1.1 (the "License"); you may not use this file except in compliance with
```


* the License. Alternatively, the contents of this file may be used under
* the terms of the GNU Lesser General Public License Version 2.1 or later,
* or the Apache License Version 2.0.
*
* Software distributed under the License is distributed on an "AS IS" basis,
* WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
* for the specific language governing rights and limitations under the
* License.
*/

Found in path(s):

* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CannotCompileException.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/ClassFilePrinter.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/ClassFile.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/analysis/Analyzer.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/scopedpool/SoftValueHashMap.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/CastExpr.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/scopedpool/ScopedClassPoolFactoryImpl.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/ClassPool.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/CompileError.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/expr/Handler.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/convert/TransformCall.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/stackmap/Tracer.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/JvstTypeChecker.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/analysis/ControlFlow.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/TokenId.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/MethodInfo.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/LocalVariableTypeAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/util/proxy/SerializedProxy.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/convert/TransformBefore.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/Loader.java

- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/SyntaxError.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/stackmap/TypeData.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/LocalVariableAttribute.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/analysis/Util.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/convert/TransformAfter.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/DoubleConst.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/rmi/ObjectNotFoundException.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/ByteArrayClassPath.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/ByteStream.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/Member.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/reflect/Metaobject.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/Mnemonic.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/CodeAnalyzer.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/util/proxy/RuntimeSupport.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/expr/MethodCall.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/Dump.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/FieldDecl.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/analysis/Subroutine.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/web/Viewer.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtClass.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/ByteArray.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/util/proxy/DefineClassHelper.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/util/proxy/ProxyObjectOutputStream.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtPrimitiveType.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtMethod.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/InnerClassesAttribute.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-

jar/javassist/util/proxy/ProxyObject.java
 * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
 jar/javassist/bytecode/FieldInfo.java
 * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtField.java
 * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
 jar/javassist/compiler/ast/Declarator.java
 * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
 jar/javassist/compiler/ast/StringL.java
 * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/expr/NewArray.java
 * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
 jar/javassist/compiler/ast/Stmnt.java
 * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
 jar/javassist/convert/TransformAccessArrayField.java
 * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
 jar/javassist/bytecode/SignatureAttribute.java
 * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
 jar/javassist/bytecode/DuplicateMemberException.java
 * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
 jar/javassist/tools/rmi/RemoteException.java
 * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
 jar/javassist/compiler/ast/Variable.java
 * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/runtime/Cflow.java
 * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
 jar/javassist/scopedpool/ScopedClassPool.java
 * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
 jar/javassist/bytecode/DeprecatedAttribute.java
 * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
 jar/javassist/util/proxy/SecurityActions.java
 * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
 jar/javassist/compiler/ast/Expr.java
 * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/LoaderClassPath.java
 * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
 jar/javassist/bytecode/stackmap/MapMaker.java
 * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
 jar/javassist/compiler/MemberResolver.java
 * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
 jar/javassist/bytecode/ExceptionsAttribute.java
 * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/Translator.java
 * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
 jar/javassist/bytecode/CodeIterator.java
 * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
 jar/javassist/util/proxy/ProxyFactory.java
 * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CodeConverter.java
 * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
 jar/javassist/bytecode/AnnotationsAttribute.java
 * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
 jar/javassist/CtNewConstructor.java
 * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-

jar/javassist/convert/TransformNewClass.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/Bytecode.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/scopedpool/ScopedClassPoolRepository.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/Keyword.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/SyntheticAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/URLClassPath.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/analysis/Executor.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/TypeChecker.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/NewExpr.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/InstanceOfExpr.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/util/HotSwapAgent.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/scopedpool/ScopedClassPoolFactory.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/util/proxy/DefinePackageHelper.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/analysis/IntQueue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/reflect/Reflection.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/reflect/Loader.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/ConstPool.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtArray.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/BadBytecode.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/MethodDecl.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/StackMap.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/analysis/FramePrinter.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/reflect/CannotReflectException.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/convert/TransformNew.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtBehavior.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/LineNumberAttribute.java

- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/Visitor.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/stackmap/BasicBlock.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/convert/TransformWriteField.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtNewWrappedConstructor.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/ClassClassPath.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/InstructionPrinter.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/CodeAttribute.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/stackmap/TypedBlock.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/annotation/NoSuchClassError.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/rmi/AppletServer.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/SerialVersionUID.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/stackmap/TypeTag.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/scopedpool/ScopedClassPoolRepositoryImpl.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/ArrayInit.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/CallExpr.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/analysis/MultiType.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/analysis/Type.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/convert/TransformReadField.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/AccessorMaker.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/web/Webserver.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/expr/Expr.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/expr/FieldAccess.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/runtime/Desc.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/expr/ExprEditor.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/LongVector.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtMember.java
- * /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/JvstCodeGen.java

* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/rmi/RemoteRef.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtConstructor.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/ASTList.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/expr/Instanceof.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/IntConst.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/reflect/Metalevel.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/MemberCodeGen.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/ClassPoolTail.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/NestHostAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/analysis/Frame.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/NestMembersAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/convert/Transformer.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/rmi/Sample.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/Symbol.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/Lex.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/AssignExpr.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ProceedHandler.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/util/proxy/FactoryHelper.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/web/BadHttpRequest.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/analysis/SubroutineScanner.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/ParameterAnnotationsAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/AttributeInfo.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/SymbolTable.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/reflect/Compiler.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtNewClass.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/AnnotationDefaultAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/Pair.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-

jar/javassist/CtNewWrappedMethod.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/AnnotationImpl.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/tools/rmi/StubGenerator.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/EnclosingMethodAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/Modifier.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/runtime/Inner.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/tools/reflect/CannotInvokeException.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/KeywordTable.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/ast/ASTree.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/tools/reflect/CannotCreateException.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/util/proxy/MethodFilter.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/util/proxy/Proxy.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/ConstantAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/util/proxy/MethodHandler.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/ExceptionTable.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/Callback.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/util/HotSwapper.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/Descriptor.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/StackMapTable.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/Opcode.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/ClassMap.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/analysis/MultiArrayType.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/ast/BinExpr.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/rmi/Proxy.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtClassType.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/compiler/CodeGen.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/tools/reflect/ClassMetaobject.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/util/proxy/ProxyObjectInputStream.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/Javac.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-

jar/javassist/bytecode/annotation/AnnotationsWriter.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/runtime/DotClass.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/expr/NewExpr.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/AccessFlag.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/expr/ConstructorCall.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/ClassPath.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/rmi/ObjectImporter.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/reflect/Sample.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/NotFoundException.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/NoFieldException.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/convert/TransformFieldAccess.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/SourceFileAttribute.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/expr/Cast.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/Parser.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/compiler/ast/CondExpr.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/tools/framedump.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/CtNewMethod.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-jar/javassist/bytecode/ClassFileWriter.java

No license file was found, but licenses were detected in source scan.

/*

* Javassist, a Java-bytecode translator toolkit.
* Copyright (C) 2004 Bill Burke. All Rights Reserved.
*
* The contents of this file are subject to the Mozilla Public License Version
* 1.1 (the "License"); you may not use this file except in compliance with
* the License. Alternatively, the contents of this file may be used under
* the terms of the GNU Lesser General Public License Version 2.1 or later,
* or the Apache License Version 2.0.
*
* Software distributed under the License is distributed on an "AS IS" basis,
* WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
* for the specific language governing rights and limitations under the
* License.
*/

Found in path(s):

* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-

jar/javassist/bytecode/annotation/MemberValueVisitor.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/DoubleMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/LongMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/EnumMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/MemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/FloatMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/Annotation.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/ShortMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/ArrayMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/StringMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/CharMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/AnnotationMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/ByteMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/ClassMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/BooleanMemberValue.java
* /opt/cola/permits/1136375532_1613752600.16/0/javassist-3-24-1-ga-sources-3-
jar/javassist/bytecode/annotation/IntegerMemberValue.java

1.96 commons-lang3 3.12.0

1.96.1 Available under license :

Apache Commons Lang

Copyright 2001-2021 The Apache Software Foundation

This product includes software developed at

The Apache Software Foundation (<https://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent

to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. **Grant of Copyright License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work,

excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any

risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.97 jpowershell 2.0

1.97.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2016-2018 Javier Garcia Alonso.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1268278107_1675380985.331295/0/jpowershell-2-0-sources-  
jar/com/profesorfalken/jpowershell/PowerShellNotAvailableException.java  
* /opt/cola/permits/1268278107_1675380985.331295/0/jpowershell-2-0-sources-  
jar/com/profesorfalken/jpowershell/PowerShellCommandProcessor.java  
* /opt/cola/permits/1268278107_1675380985.331295/0/jpowershell-2-0-sources-  
jar/com/profesorfalken/jpowershell/PowerShellResponse.java  
* /opt/cola/permits/1268278107_1675380985.331295/0/jpowershell-2-0-sources-  
jar/com/profesorfalken/jpowershell/PowerShell.java
```

No license file was found, but licenses were detected in source scan.

```
# Licensed under the Apache License, Version 2.0 (the "License");  
# you may not use this file except in compliance with the License.  
# You may obtain a copy of the License at  
# http://www.apache.org/licenses/LICENSE-2.0  
# distributed under the License is distributed on an "AS IS" BASIS,
```

Found in path(s):

```
* /opt/cola/permits/1268278107_1675380985.331295/0/jpowershell-2-0-sources-jar/jpowershell.properties
```

No license file was found, but licenses were detected in source scan.

```
/*
```

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1268278107_1675380985.331295/0/jpowershell-2-0-sources-jar/com/profesorfalken/jpowershell/PowerShellCodepage.java
* /opt/cola/permits/1268278107_1675380985.331295/0/jpowershell-2-0-sources-jar/com/profesorfalken/jpowershell/OSDetector.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2016-2018 Javier Garcia Alonso.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1268278107_1675380985.331295/0/jpowershell-2-0-sources-jar/com/profesorfalken/jpowershell/PowerShellConfig.java
No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>
<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

* /opt/cola/permits/1268278107_1675380985.331295/0/jpowershell-2-0-sources-jar/META-INF/maven/com.profesorfalken/jPowerShell/pom.xml

1.98 jackson-datatype-guava 2.14.1

1.98.1 Available under license :

This copy of Jackson JSON processor `jackson-datatype-guava` module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

1.99 logback-access 1.2.11

1.99.1 Available under license :

/**

* Logback: the reliable, generic, fast and flexible logging framework.

* Copyright (C) 1999-2015, QOS.ch. All rights reserved.

*

* This program and the accompanying materials are dual-licensed under

* either the terms of the Eclipse Public License v1.0 as published by

* the Eclipse Foundation

*

* or (per the licensee's choosing)

*

* under the terms of the GNU Lesser General Public License version 2.1

* as published by the Free Software Foundation.

*/

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and

b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular

Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this

Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Found license 'Eclipse Public License 1.0' in '* Copyright (C) 1999-2015, QOS.ch. All rights reserved. * This program and the accompanying materials are dual-licensed under * either the terms of the Eclipse Public License v1.0 as published by * under the terms of the GNU Lesser General Public License version 2.1 * as published by the Free Software Foundation.'

Found license 'Eclipse Public License 1.0' in '* Copyright (C) 1999-2013, QOS.ch. All rights reserved. * This program and the accompanying materials are dual-licensed under * either the terms of the Eclipse Public License v1.0 as published by * under the terms of the GNU Lesser General Public License version 2.1 * as published by the Free Software Foundation.'

Found license 'GNU Lesser General Public License' in '* Copyright (C) 1999-2013, QOS.ch. All rights reserved. * This program and the accompanying materials are dual-licensed under * either the terms of the Eclipse Public License v1.0 as published by * under the terms of the GNU Lesser General Public License version 2.1 * as published by the Free Software Foundation.'

Found license 'GNU Lesser General Public License' in '* Copyright (C) 1999-2015, QOS.ch. All rights reserved. * This program and the accompanying materials are dual-licensed under * either the terms of the Eclipse Public License v1.0 as published by * under the terms of the GNU Lesser General Public License version 2.1 * as published by the Free Software Foundation.'

1.100 dropwizard-jetty 2.0.28

1.100.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright 2013-2014 The Apache Software Foundation (Curator Project)
 *
 * The Apache Software Foundation licenses this file to you under the Apache
 * License, version 2.0 (the "License"); you may not use this file except in
 * compliance with the License. You may obtain a copy of the License at:
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1670772344_1683726497.7163098/0/dropwizard-jetty-2-0-28-sources-1-
jar/io/dropwizard/jetty/LocalIpFilter.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2012 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1670772344_1683726497.7163098/0/dropwizard-jetty-2-0-28-sources-1-
jar/io/dropwizard/jetty/NetUtil.java
```

1.101 jackson-dataformat-yaml 2.14.1

1.101.1 Available under license :

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

Licensing

Jackson core and extension components may be licensed under different licenses.

To find the details that apply to this artifact see the accompanying LICENSE file.

For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson JSON processor YAML module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

1.102 jackson-datatype-jsr310 2.14.1

1.102.1 Available under license :

This copy of Jackson JSON processor streaming parser/generator is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivate works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

1.103 jhardware 0.8.6

1.103.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

- * Licensed under the Apache License, Version 2.0 (the "License");
- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/os/windows/WindowsOSInfo.java
- * /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/display/AbstractDisplayInfo.java
- * /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/processor/windows/WindowsProcessorInfo.java
- * /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-

jar/org/jutils/jhardware/model/DisplayInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/HardwareInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/model/MotherboardInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/info/bios/windows/WindowsBiosInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/info/bios/unix/UnixBiosInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/info/motherboard/AbstractMotherboardInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/info/HardwareFactory.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/info/processor/unix/UnixProcessorInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/info/network/windows/WindowsNetworkInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/model/MemoryInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/info/motherboard/unix/UnixMotherboardInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/util/HardwareInfoUtils.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/info/bios/AbstractBiosInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/info/InfoType.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/model/ProcessorInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/info/memory/unix/UnixMemoryInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/model/ComponentInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/util/OSDetector.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/info/processor/AbstractProcessorInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/info/HardwareInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/info/display/windows/WindowsDisplayInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/info/os/unix/UnixOSInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/model/OSInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/info/network/AbstractNetworkInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-

jar/org/jutils/jhardware/model/BiosInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/info/network/unix/UnixNetworkInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/info/os/AbstractOSInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/info/display/unix/UnixDisplayInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/info/memory/windows/WindowsMemoryInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/info/memory/AbstractMemoryInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/info/motherboard/windows/WindowsMotherboardInfo.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/model/NetworkInfo.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/util/DirectXInfoLoader.java
* /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-
jar/org/jutils/jhardware/model/NetworkInterfaceInfo.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2016 Javier Garcia Alonso.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software
```


- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/graphicscard/unix/UnixGraphicsCardInfo.java
- * /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/graphicscard/AbstractGraphicsCardInfo.java
- * /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/info/graphicscard/windows/WindowsGraphicsCardInfo.java
- * /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/util/TemperatureUtils.java
- * /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/model/GraphicsCardInfo.java

No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

- * /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/META-INF/maven/org.jhardware/jHardware/pom.xml

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2016 javier.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

- * /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/model/GraphicsCard.java
- * /opt/cola/permits/1268278445_1675380984.0905662/0/jhardware-0-8-6-sources-jar/org/jutils/jhardware/model/Display.java

1.104 jcodings 1.0.44

1.104.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Permission is hereby granted, free of charge, to any person obtaining a copy of
* this software and associated documentation files (the "Software"), to deal in
* the Software without restriction, including without limitation the rights to
* use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
* of the Software, and to permit persons to whom the Software is furnished to do
* so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be included in all
* copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
* SOFTWARE.

*/

Found in path(s):

* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/transcode/specific/From_UTF_32_Transcoder.java

* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/transcode/Transcoding.java

* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/Windows_1257Encoding.java

* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/ISO8859_1Encoding.java

* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/spi/ISO_8859_16.java

* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/UTF16BEEncoding.java

* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/AbstractEncoding.java

* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/transcode/specific/From_UTF8_MAC_Transcoder.java

* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/EncodingDB.java

* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/transcode/specific/Cp50221_encoder_Transcoder.java

* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/Eucjp2sjis_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/exception/EncodingException.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/Ptr.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/constants/PosixBracket.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/util/BytesHash.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/EUCJPEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/SingleByteEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/GenericTranscoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/TranscoderDB.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/From_UTF_32BE_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/Windows_1252Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/TranscodeTableSupport.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/CaseFoldMapEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/EucEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/BaseSJISEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/TranscoderList.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/exception/ErrorMessage.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/ISO8859_7Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/To_GB18030_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/From_UTF_16LE_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/Iso2022jp_kddi_decoder_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/ISOEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/UTF16LEEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-

jar/org/jcodings/CaseFoldCodeItem.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/constants/CharacterType.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/transcode/EConvFlags.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/util/ObjHash.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/util/Hash.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/GB18030Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/util/IntArrayHash.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/ASCIIEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/NonStrictUTF8Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/ISO8859_6Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/transcode/specific/To_UTF_16BE_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/transcode/specific/Escape_xml_attr_quote_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/transcode/specific/Eucjp_to_stateless_iso2022jp_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/transcode/specific/To_UTF_16LE_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/ISO8859_4Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/NonStrictEUCJPEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/EUCTWEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/exception/TranscoderException.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/exception/InternalException.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/Windows_1253Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/IntHolder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/MultiByteEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/EUCKREncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/transcode/TranscodingInstruction.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/Big5UAOEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-

jar/org/jcodings/specific/ISO8859_9Encoding.java
 * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
 jar/org/jcodings/specific/ISO8859_13Encoding.java
 * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
 jar/org/jcodings/specific/SJISEncoding.java
 * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
 jar/org/jcodings/transcode/specific/From_GB18030_Transcoder.java
 * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
 jar/org/jcodings/specific/UTF8Encoding.java
 * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
 jar/org/jcodings/specific/Windows_1254Encoding.java
 * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
 jar/org/jcodings/transcode/specific/From_UTF_32LE_Transcoder.java
 * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
 jar/org/jcodings/transcode/EConv.java
 * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
 jar/org/jcodings/specific/BaseUTF8Encoding.java
 * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
 jar/org/jcodings/specific/ISO8859_16Encoding.java
 * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
 jar/org/jcodings/specific/NonStrictSJISEncoding.java
 * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
 jar/org/jcodings/transcode/specific/Universal_newline_Transcoder.java
 * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/Encoding.java
 * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
 jar/org/jcodings/specific/ISO8859_10Encoding.java
 * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
 jar/org/jcodings/transcode/specific/Iso2022jp_kddi_encoder_Transcoder.java
 * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
 jar/org/jcodings/transcode/specific/From_UTF_16BE_Transcoder.java
 * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
 jar/org/jcodings/specific/ISO8859_8Encoding.java
 * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
 jar/org/jcodings/unicode/UnicodeEncoding.java
 * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
 jar/org/jcodings/specific/EmacsMuleEncoding.java
 * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
 jar/org/jcodings/specific/KOI8Encoding.java
 * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
 jar/org/jcodings/specific/KOI8UEncoding.java
 * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
 jar/org/jcodings/specific/BIG5Encoding.java
 * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
 jar/org/jcodings/EncodingList.java
 * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
 jar/org/jcodings/specific/Windows_31JEncoding.java
 * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
 jar/org/jcodings/transcode/specific/Cp50220_encoder_Transcoder.java

- * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/Sjis2eucjp_Transcoder.java
- * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/unicode/UnicodeProperties.java
- * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/exception/JCodingsException.java
- * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/ISO8859_11Encoding.java
- * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/Iso2022jp_encoder_Transcoder.java
- * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/To_UTF_16_Transcoder.java
- * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/KOI8REncoding.java
- * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/ISO8859_2Encoding.java
- * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/ISO8859_14Encoding.java
- * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/ascii/AsciiTables.java
- * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/GBKEncoding.java
- * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/exception/CharacterPropertyException.java
- * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/BaseBIG5Encoding.java
- * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/EConvResult.java
- * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/USASCIIEncoding.java
- * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/ISO8859_15Encoding.java
- * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/Cp50220_decoder_Transcoder.java
- * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/Cp50221_decoder_Transcoder.java
- * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/ObjPtr.java
- * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/From_UTF_16_Transcoder.java
- * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/To_UTF_32_Transcoder.java
- * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/transcode/specific/Stateless_iso2022jp_to_eucjp_Transcoder.java
- * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/CodeRange.java
- * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/specific/Windows_1251Encoding.java
- * /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-

```

jar/org/jcodings/specific/UTF32BEEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/util/CaseInsensitiveBytesHash.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/transcode/specific/To_UTF_32LE_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/util/IntHash.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/Windows_1250Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/transcode/specific/To_UTF_32BE_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/transcode/AsciiCompatibility.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/transcode/Buffer.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/CP949Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/UTF32LEEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-jar/org/jcodings/Config.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/ApplyAllCaseFoldFunction.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/transcode/specific/Iso2022jp_decoder_Transcoder.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/ISO8859_3Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/CanBeTrailTableEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/util/ArrayReader.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/ISO8859_5Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/GB2312Encoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/Big5HKSCSEncoding.java
* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/specific/BaseEUCJPEncoding.java
No license file was found, but licenses were detected in source scan.

```

```
/*
```

```

* Permission is hereby granted, free of charge, to any person obtaining a copy of
* this software and associated documentation files (the "Software"), to deal in
* the Software without restriction, including without limitation the rights to
* use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
* of the Software, and to permit persons to whom the Software is furnished to do
* so, subject to the following conditions:
*

```

* The above copyright notice and this permission notice shall be included in all
* copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
* SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1606863367_1680067730.5782158/0/jcodings-1-0-44-sources-1-
jar/org/jcodings/unicode/FixedWidthUnicodeEncoding.java

1.105 apache-commons-text 1.10.0

1.105.1 Available under license :

Apache Commons Text

Copyright 2014-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,
and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by
the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all
other entities that control, are controlled by, or are under common
control with that entity. For the purposes of this definition,
"control" means (i) the power, direct or indirect, to cause the
direction or management of such entity, whether by contract or
otherwise, or (ii) ownership of fifty percent (50%) or more of the
outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.106 netty-codec-smtp 4.1.93.Final

1.106.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2016 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:

~
~ <https://www.apache.org/licenses/LICENSE-2.0>
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->

Found in path(s):

* /opt/cola/permits/1698848009_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-codec-smtp/pom.xml

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2016 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /opt/cola/permits/1698848009_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/SmtpRequestEncoder.java

* /opt/cola/permits/1698848009_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/SmtpRequests.java

* /opt/cola/permits/1698848009_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/package-info.java

* /opt/cola/permits/1698848009_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/SmtpCommand.java

* /opt/cola/permits/1698848009_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/SmtpContent.java

* /opt/cola/permits/1698848009_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/DefaultSmtpContent.java

* /opt/cola/permits/1698848009_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/SmtpUtils.java

* /opt/cola/permits/1698848009_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/SmtpResponseDecoder.java

* /opt/cola/permits/1698848009_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/LastSmtpContent.java
* /opt/cola/permits/1698848009_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/SmtpResponse.java
* /opt/cola/permits/1698848009_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/DefaultLastSmtpContent.java
* /opt/cola/permits/1698848009_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/DefaultSmtpResponse.java
* /opt/cola/permits/1698848009_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/DefaultSmtpRequest.java
* /opt/cola/permits/1698848009_1685285746.5913968/0/netty-codec-smtp-4-1-93-final-sources-jar/io/netty/handler/codec/smtp/SmtpRequest.java

1.107 netty-handler-ssl-ocsp 4.1.93.Final

1.107.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2022 The Netty Project  
*  
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
* License for the specific language governing permissions and limitations  
* under the License.  
*/
```

Found in path(s):

* /opt/cola/permits/1698848023_1685285715.8732626/0/netty-handler-ssl-ocsp-4-1-93-final-sources-jar/io/netty/handler/ssl/ocsp/package-info.java
* /opt/cola/permits/1698848023_1685285715.8732626/0/netty-handler-ssl-ocsp-4-1-93-final-sources-jar/io/netty/handler/ssl/ocsp/OcspValidationEvent.java
* /opt/cola/permits/1698848023_1685285715.8732626/0/netty-handler-ssl-ocsp-4-1-93-final-sources-jar/io/netty/handler/ssl/ocsp/IoTransport.java
* /opt/cola/permits/1698848023_1685285715.8732626/0/netty-handler-ssl-ocsp-4-1-93-final-sources-jar/io/netty/handler/ssl/ocsp/OcspClient.java
* /opt/cola/permits/1698848023_1685285715.8732626/0/netty-handler-ssl-ocsp-4-1-93-final-sources-jar/io/netty/handler/ssl/ocsp/OcspServerCertificateValidator.java
* /opt/cola/permits/1698848023_1685285715.8732626/0/netty-handler-ssl-ocsp-4-1-93-final-sources-jar/io/netty/handler/ssl/ocsp/OcspHttpHandler.java

```
* /opt/cola/permits/1698848023_1685285715.8732626/0/netty-handler-ssl-ocsp-4-1-93-final-sources-jar/io/netty/handler/ssl/ocsp/OcspResponse.java
```

No license file was found, but licenses were detected in source scan.

```
<!--
```

```
~ Copyright 2022 The Netty Project
```

```
~
```

```
~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:
```

```
~
```

```
~ https://www.apache.org/licenses/LICENSE-2.0
```

```
~
```

```
~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.
```

```
-->
```

Found in path(s):

```
* /opt/cola/permits/1698848023_1685285715.8732626/0/netty-handler-ssl-ocsp-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-handler-ssl-ocsp/pom.xml
```

1.108 junit 4.13.2

1.108.1 Available under license :

JUnit

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
 - i) changes to the Program, and
 - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to

acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
 - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
 - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
 - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
 - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with

respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY

WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial

in any resulting litigation.

1.109 listenablefuture 9999.0-empty-to-avoid-conflict-with-guava

1.109.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed

with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.110 javax-annotation-api 1.2-b01

1.110.1 Available under license :

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2005-2011 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU

* General Public License Version 2 only ("GPL") or the Common Development

* and Distribution License("CDDL") (collectively, the "License"). You

* may not use this file except in compliance with the License. You can

* obtain a copy of the License at

* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html

* or packager/legal/LICENSE.txt. See the License for the specific

* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each

* file and include the License file at packager/legal/LICENSE.txt.

*

* GPL Classpath Exception:

* Oracle designates this particular file as subject to the "Classpath"

* exception as provided by Oracle in the GPL Version 2 section of the License

* file that accompanied this code.

*

* Modifications:

* If applicable, add the following below the License Header, with the fields

* enclosed by brackets [] replaced by your own identifying information:

* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject to such option by the copyright
* holder.
*/

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor

either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or

alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms

herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY.S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original

Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or

binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that

accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

1.111 dropwizard-validation 2.0.34

1.111.1 Available under license :

Apache-2.0

1.112 commons-net 3.3

1.112.1 Available under license :

Apache Commons Net

Copyright 2001-2013 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.113 reload4j 2.20.0

1.113.1 Available under license :

Apache Log4j Core

Copyright 1999-2012 Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain

separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the

origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache Log4j

Copyright 1999-2012 Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Dumbster SMTP test server

Copyright 2004 Jason Paul Kitchen

Apache Log4j

Copyright 1999-2023 Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

ResolverUtil.java

Copyright 2005-2006 Tim Fennell

Dumbster SMTP test server

Copyright 2004 Jason Paul Kitchen

TypeUtil.java

Copyright 2002-2012 Ramnivas Laddad, Juergen Hoeller, Chris Beams

picocli (<http://picocli.info>)

Copyright 2017 Remko Popma

TimeoutBlockingWaitStrategy.java and parts of Util.java

Copyright 2011 LMAX Ltd.

1.114 archaius-core 0.6.6

1.115 javaparser-core 3.23.0

1.116 commons-pool 2.6.2

1.117 opentest4j 1.2.0

1.117.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2015-2018 the original author or authors.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 *     http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1145468562_1616183623.24/0/opentest4j-1-2-0-sources-1-
jar/org/opentest4j/TestSkippedException.java
* /opt/cola/permits/1145468562_1616183623.24/0/opentest4j-1-2-0-sources-1-
jar/org/opentest4j/MultipleFailuresError.java
* /opt/cola/permits/1145468562_1616183623.24/0/opentest4j-1-2-0-sources-1-
jar/org/opentest4j/AssertionFailedError.java
* /opt/cola/permits/1145468562_1616183623.24/0/opentest4j-1-2-0-sources-1-
jar/org/opentest4j/IncompleteExecutionException.java
* /opt/cola/permits/1145468562_1616183623.24/0/opentest4j-1-2-0-sources-1-
jar/org/opentest4j/TestAbortedException.java
* /opt/cola/permits/1145468562_1616183623.24/0/opentest4j-1-2-0-sources-1-
jar/org/opentest4j/ValueWrapper.java
```

1.118 jsr305 3.0.1

1.119 httpasyncclient 4.1.1

1.119.1 Available under license :

Apache HttpClient
Copyright 2010-2015 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.120 metrics-servlets 4.1.29

1.120.1 Available under license :

Apache-2.0

1.121 qdox 1.12.1

1.121.1 Available under license :

Apache-2.0

1.122 metrics-jersey2 4.1.29

1.122.1 Available under license :

Apache-2.0

1.123 log4j-api 2.19.0

1.123.1 Available under license :

Apache Log4j API
Copyright 1999-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a

file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.124 liquibase-core 4.22.0

1.125 big-math 2.0.0

1.125.1 Available under license :

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.126 guice 4.2.3

1.126.1 Available under license :

Google Guice - Core Library
Copyright 2006-2020 Google, Inc.

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.127 javaip 0.17

1.127.1 Available under license :

Java IPv6

Copyright 2013 Jan Van Besien

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition,

"control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or,

within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all

other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.128 jna 5.10.0

1.128.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* The contents of this file is dual-licensed under 2
 * alternative Open Source/Free licenses: LGPL 2.1 or later and
 * Apache License 2.0. (starting with JNA version 4.0.0).
 *
 * You can freely decide which license you want to apply to
 * the project.
 *
 * You may obtain a copy of the LGPL License at:
 *
 * <http://www.gnu.org/licenses/licenses.html>
 *
 * A copy is also included in the downloadable source code package
 * containing JNA, in file "LGPL2.1".
 *
 * You may obtain a copy of the Apache License at:
 *
 * <http://www.apache.org/licenses/>
 *
 * A copy is also included in the downloadable source code package
 * containing JNA, in file "AL2.0".
 */

Found in path(s):

* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/Function.java
 * /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/Pointer.java
 * /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/win32/W32APIOptions.java
 * /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/NativeString.java
 * /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/InvocationMapper.java
 * /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/CallbackResultContext.java
 * /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/Memory.java
 * /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/WeakMemoryHolder.java
 * /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/Platform.java
 * /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/VarArgsChecker.java
 * /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/Library.java
 * /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/JNIEnv.java

No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2007 Wayne Meissner, All Rights Reserved
 * Copyright (c) 2007-2013 Timothy Wall, All Rights Reserved
 *
 * The contents of this file is dual-licensed under 2
 * alternative Open Source/Free licenses: LGPL 2.1 or later and
 * Apache License 2.0. (starting with JNA version 4.0.0).
 *
 * You can freely decide which license you want to apply to
 * the project.
 *
 * You may obtain a copy of the LGPL License at:

*
* <http://www.gnu.org/licenses/licenses.html>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* <http://www.apache.org/licenses/>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):

* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/NativeLibrary.java
No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2007 Timothy Wall, All Rights Reserved
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* <http://www.gnu.org/licenses/licenses.html>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* <http://www.apache.org/licenses/>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):

* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/ptr/DoubleByReference.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/ptr/ShortByReference.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/FunctionResultContext.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/TypeMapper.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/win32/StdCallLibrary.java

* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/ptr/FloatByReference.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/WString.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/win32/W32APITypeMapper.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/FromNativeContext.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/StructureReadContext.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/ptr/LongByReference.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/TypeConverter.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/AltCallingConvention.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/win32/StdCallFunctionMapper.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/ptr/ByteByReference.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/ptr/NativeLongByReference.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/Callback.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/ptr/ByReference.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/CallbackParameterContext.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/NativeMappedConverter.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/win32/StdCall.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/win32/W32APIFunctionMapper.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/ptr/IntByReference.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/PointerType.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/FunctionMapper.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/ptr/PointerByReference.java
No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2009 Timothy Wall, All Rights Reserved

*

* The contents of this file is dual-licensed under 2

* alternative Open Source/Free licenses: LGPL 2.1 or later and

* Apache License 2.0. (starting with JNA version 4.0.0).

*

* You can freely decide which license you want to apply to

* the project.

*

* You may obtain a copy of the LGPL License at:

*

* <http://www.gnu.org/licenses/licenses.html>

*

* A copy is also included in the downloadable source code package

* containing JNA, in file "LGPL2.1".

*

* You may obtain a copy of the Apache License at:

*

* <http://www.apache.org/licenses/>

*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):

* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/LastErrorException.java
No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2007-2015 Timothy Wall, All Rights Reserved

*

* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).

*

* You can freely decide which license you want to apply to
* the project.

*

* You may obtain a copy of the LGPL License at:

*

* <http://www.gnu.org/licenses/licenses.html>

*

* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".

*

* You may obtain a copy of the Apache License at:

*

* <http://www.apache.org/licenses/>

*

* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".

*/

Found in path(s):

* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/Native.java
No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2011 Timothy Wall, All Rights Reserved

*

* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).

*

* You can freely decide which license you want to apply to
* the project.

*

* You may obtain a copy of the LGPL License at:

*

* <http://www.gnu.org/licenses/licenses.html>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* <http://www.apache.org/licenses/>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):

* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/CallbackThreadInitializer.java

No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2017 Matthias Bläsing, All Rights Reserved

*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.

*
* You may obtain a copy of the LGPL License at:
*
* <http://www.gnu.org/licenses/licenses.html>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* <http://www.apache.org/licenses/>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):

* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/ELFAnalyser.java

No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2007-2012 Timothy Wall, All Rights Reserved

*

- * The contents of this file is dual-licensed under 2
- * alternative Open Source/Free licenses: LGPL 2.1 or later and
- * Apache License 2.0. (starting with JNA version 4.0.0).
- *
- * You can freely decide which license you want to apply to
- * the project.
- *
- * You may obtain a copy of the LGPL License at:
- *
- * <http://www.gnu.org/licenses/licenses.html>
- *
- * A copy is also included in the downloadable source code package
- * containing JNA, in file "LGPL2.1".
- *
- * You may obtain a copy of the Apache License at:
- *
- * <http://www.apache.org/licenses/>
- *
- * A copy is also included in the downloadable source code package
- * containing JNA, in file "AL2.0".
- */

Found in path(s):

- * /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/Union.java
- * /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/Version.java

No license file was found, but licenses were detected in source scan.

Type mapping behavior may be customized by providing a {@link com.sun.jna.TypeMapper} for the {@link com.sun.jna.Library#OPTION_TYPE_MAPPER} option when initializing a library interface. See {@link com.sun.jna.win32.W32APITypeMapper} for an example which provides custom conversion of boolean and String types. You are free to use whatever types are convenient in your defined interfaces, but all custom types *must* provide a mapping to one of the basic or derived types listed above.

Found in path(s):

- * /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/overview.html

No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2012 Timothy Wall, All Rights Reserved

- *
- * The contents of this file is dual-licensed under 2
- * alternative Open Source/Free licenses: LGPL 2.1 or later and
- * Apache License 2.0. (starting with JNA version 4.0.0).
- *
- * You can freely decide which license you want to apply to
- * the project.
- *
- * You may obtain a copy of the LGPL License at:
- *

* <http://www.gnu.org/licenses/licenses.html>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* <http://www.apache.org/licenses/>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):

* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/win32/DLLCallback.java
No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2007-2013 Timothy Wall, All Rights Reserved

*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* <http://www.gnu.org/licenses/licenses.html>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* <http://www.apache.org/licenses/>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):

* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/Structure.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/CallbackReference.java
No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2007-2008 Timothy Wall, All Rights Reserved

*

* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* <http://www.gnu.org/licenses/licenses.html>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* <http://www.apache.org/licenses/>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/

Found in path(s):

* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/StringArray.java

No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2018 Matthias Bläsing

*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* <http://www.gnu.org/licenses/licenses.html>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* <http://www.apache.org/licenses/>
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".

*/

Found in path(s):

* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/Klass.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (c) 2007 Wayne Meissner, All Rights Reserved

*

* The contents of this file is dual-licensed under 2

* alternative Open Source/Free licenses: LGPL 2.1 or later and

* Apache License 2.0. (starting with JNA version 4.0.0).

*

* You can freely decide which license you want to apply to

* the project.

*

* You may obtain a copy of the LGPL License at:

*

* <http://www.gnu.org/licenses/licenses.html>

*

* A copy is also included in the downloadable source code package

* containing JNA, in file "LGPL2.1".

*

* You may obtain a copy of the Apache License at:

*

* <http://www.apache.org/licenses/>

*

* A copy is also included in the downloadable source code package

* containing JNA, in file "AL2.0".

*/

Found in path(s):

* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/ToNativeConverter.java
No license file was found, but licenses were detected in source scan.

Copyright (c) 2007 Timothy Wall, All Rights Reserved

The contents of this file is dual

licensed under 2

alternative Open Source/Free licenses: LGPL 2.1 or later and

Apache License 2.0. (starting with JNA version 4.0.0).

You can freely decide which license you want to apply to

the project.

You may obtain a copy of the LGPL License at:

<http://www.gnu.org/licenses/licenses.html>

A copy is also included in the downloadable source code package containing JNA, in file "LGPL2.1".

You may obtain a copy of the Apache License at:

<http://www.apache.org/licenses/>

A copy is also included in the downloadable source code package containing JNA, in file "AL2.0".

Found in path(s):

- * /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/package.html
- * /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/ptr/package.html
- * /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/internal/package.html
- * /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/win32/package.html

No license file was found, but licenses were detected in source scan.

/* Copyright (c) 2007 Wayne Meissner, All Rights Reserved

*

- * The contents of this file is dual-licensed under 2
- * alternative Open Source/Free licenses: LGPL 2.1 or later and
- * Apache License 2.0. (starting with JNA version 4.0.0).

*

- * You can freely decide which license you want to apply to
- * the project.

*

- * You may obtain a copy of the LGPL License at:

*

- * <http://www.gnu.org/licenses/licenses.html>

*

- * A copy is also included in the downloadable source code package
- * containing JNA, in file "LGPL2.1".

*

- * You may obtain a copy of the Apache License at:

*

- * <http://www.apache.org/licenses/>

*

- * A copy is also included in the downloadable source code package
- * containing JNA, in file "AL2.0".

*/

Found in path(s):

- * /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/MethodResultContext.java
- * /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/DefaultTypeMapper.java
- * /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/StructureWriteContext.java
- * /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/FromNativeConverter.java
- * /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/NativeMapped.java

```
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/IntegerType.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/NativeLong.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/CallbackProxy.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-
jar/com/sun/jna/FunctionParameterContext.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-
jar/com/sun/jna/MethodParameterContext.java
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/ToNativeContext.java
No license file was found, but licenses were detected in source scan.
```

```
/* Copyright (c) 2019 Matthias Bläsing, All Rights Reserved
*
* The contents of this file is dual-licensed under 2
* alternative Open Source/Free licenses: LGPL 2.1 or later and
* Apache License 2.0. (starting with JNA version 4.0.0).
*
* You can freely decide which license you want to apply to
* the project.
*
* You may obtain a copy of the LGPL License at:
*
* http://www.gnu.org/licenses/licenses.html
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "LGPL2.1".
*
* You may obtain a copy of the Apache License at:
*
* http://www.apache.org/licenses/
*
* A copy is also included in the downloadable source code package
* containing JNA, in file "AL2.0".
*/
```

Found in path(s):

```
* /opt/cola/permits/1252774624_1641970131.11/0/jna-5-10-0-sources-jar/com/sun/jna/internal/ReflectionUtils.java
```

1.129 jest 0.1.1

1.129.1 Available under license :

Apache-2.0

1.130 jetty-xml 9.4.51.v20230217

1.130.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
 - i) changes to the Program, and
 - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly

- perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.
- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
- i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
 - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
 - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
 - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
 - b) a copy of this Agreement must be included with each copy of the Program.
- Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN

"AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to

time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications,

including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf

of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====
Jetty Web Container

Copyright 1995-2018 Mort Bay Consulting Pty Ltd.
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd unless otherwise noted.

Jetty is dual licensed under both

* The Apache 2.0 License

<http://www.apache.org/licenses/LICENSE-2.0.html>

and

* The Eclipse Public 1.0 License

<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

Eclipse

The following artifacts are EPL.

- * org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.

- * org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.

- * org.eclipse.jetty.orbit:javax.mail.glassfish

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

- * javax.servlet:javax.servlet-api
- * javax.annotation:javax.annotation-api
- * javax.transaction:javax.transaction-api
- * javax.websocket:javax.websocket-api

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

- * java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

org.ow2.asm:asm-commons

org.ow2.asm:asm

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec

org.apache.taglibs:taglibs-standard-impl

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

org.mortbay.jasper:apache-jsp

org.apache.tomcat:tomcat-jasper

org.apache.tomcat:tomcat-juli

org.apache.tomcat:tomcat-jsp-api

org.apache.tomcat:tomcat-el-api

org.apache.tomcat:tomcat-jasper-el

org.apache.tomcat:tomcat-api

org.apache.tomcat:tomcat-util-scan

org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el

org.apache.tomcat:tomcat-jasper-el

org.apache.tomcat:tomcat-el-api

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

Assorted

The UnixCrypt.java code implements the one way cryptography used by

Unix systems for simple password protection. Copyright 1996 Aki Yoshida,
modified April 2001 by Iris Van den Broeke, Daniel Deville.
Permission to use, copy, modify and distribute UnixCrypt
for non-commercial or commercial purposes and without fee is
granted provided that the copyright notice appears in all copies.

1.131 javax-ws-rs-api 2.0.1

1.131.1 Available under license :

Found license 'General Public License 2.0' in '* Copyright (c) 2010-2013 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License * Licensed under the Apache License, Version 2.0 (the "License"); * you may not use this file except in compliance with the License. * You may obtain a copy of the License at * <http://www.apache.org/licenses/LICENSE-2.0> * distributed under the License is distributed on an "AS IS" BASIS,'

Found license 'General Public License 2.0' in '* Copyright (c) 2010-2012 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2012-2014 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2012-2013 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2012-2014 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License * This method is reserved for future use. Proprietary JAX-RS extensions may leverage the method.'

Found license 'General Public License 2.0' in '* Copyright (c) 2011-2014 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2011-2013 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as

subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'
COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR

NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. § 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be

construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

Found license 'General Public License 2.0' in '* Copyright (c) 2010-2014 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2013 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 2012-2013 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * obtain a copy of the License at

* http://glassfish.java.net/public/CDDL+GPL_1_1.html

* or packager/legal/LICENSE.txt. See the License for the specific

* language governing permissions and limitations under the License.

*

* When distributing the software, include this License Header Notice in each

* file and include the License file at packager/legal/LICENSE.txt.

*
* GPL Classpath Exception:
* Oracle designates this particular file as subject to the "Classpath"
* exception as provided by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.

*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"

*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject to such option by the copyright
* holder.

*/

Found license 'General Public License 2.0' in '* Copyright (c) 2010-2013 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2011-2012 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

Found license 'General Public License 2.0' in '* Copyright (c) 2012 Oracle and/or its affiliates. All rights reserved. * The contents of this file are subject to the terms of either the GNU * General Public License Version 2 only ("GPL") or the Common Development * and Distribution License("CDDL") (collectively, the "License"). You * may not use this file except in compliance with the License. You can * Oracle designates this particular file as subject to the "Classpath" * exception as provided by Oracle in the GPL Version 2 section of the License'

1.132 netty 4.1.93.Final

1.132.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!--  
~ Copyright 2012 The Netty Project  
~
```

~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ <https://www.apache.org/licenses/LICENSE-2.0>
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->

Found in path(s):

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/META-INF/maven/io.netty/netty-common/pom.xml

No license file was found, but licenses were detected in source scan.

```
<project xmlns="http://maven.apache.org/POM/4.0.0" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 http://maven.apache.org/maven-v4_0_0.xsd">
  <modelVersion>4.0.0</modelVersion>
```

```
  <artifactId>jctools-core</artifactId>
  <groupId>org.jctools</groupId>
  <version>3.1.0</version>
  <name>Java Concurrency Tools Core Library</name>
  <description>Java Concurrency Tools Core Library</description>
  <packaging>bundle</packaging>
```

```
  <dependencies>
    <dependency>
      <groupId>org.hamcrest</groupId>
      <artifactId>hamcrest-all</artifactId>
      <version>${hamcrest.version}</version>
      <scope>test</scope>
    </dependency>
```

```
    <dependency>
      <groupId>junit</groupId>
      <artifactId>junit</artifactId>
      <version>${junit.version}</version>
      <scope>test</scope>
    </dependency>
```

```
    <dependency>
      <groupId>com.google.guava</groupId>
      <artifactId>guava-testlib</artifactId>
      <version>${guava-testlib.version}</version>
```

```

    <scope>test</scope>
  </dependency>
</dependencies>
<build>
  <plugins>
    <plugin>
      <groupId>org.apache.maven.plugins</groupId>
      <artifactId>maven-surefire-plugin</artifactId>
      <version>3.0.0-M3</version>
      <configuration>
        <includes>
          <include>*</include>
        </includes>
      </configuration>
    </plugin>
    <plugin>
      <groupId>org.apache.felix</groupId>
      <artifactId>maven-bundle-plugin</artifactId>
      <version>4.2.1</version>
      <extensions>>true</extensions>
      <configuration>
        <instructions>
          <Import-Package>sun.misc;resolution:=optional</Import-Package>
        </instructions>
      </configuration>
    </plugin>
    <plugin>
      <groupId>org.apache.maven.plugins</groupId>
      <artifactId>maven-source-plugin</artifactId>
      <version>3.2.0</version>
      <executions>
        <execution>
          <id>attach-sources</id>
          <phase>verify</phase>
          <goals>
            <goal>jar-no-fork</goal>
          </goals>
        </execution>
      </executions>
    </plugin>
    <plugin>
      <groupId>org.apache.maven.plugins</groupId>
      <artifactId>maven-javadoc-plugin</artifactId>
      <version>3.1.1</version>
      <configuration>
        <additionalOptions>
          <additionalOption>-Xdoclint:none</additionalOption>
        </additionalOptions>
      </configuration>
    </plugin>
  </plugins>
</build>

```

```

    <source>8</source>
  </configuration>
  <executions>
    <execution>
      <id>attach-javadocs</id>
      <goals>
        <goal>jar</goal>
      </goals>
    </execution>
  </executions>
</plugin>
</plugins>
</build>

<distributionManagement>
  <repository>
    <id>bintray-jctools-jctools</id>
    <name>jctools-jctools</name>
    <url>https://api.bintray.com/maven/jctools/jctools/jctools-core/;publish=1</url>
  </repository>
</distributionManagement>

<url>https://github.com/JCTools</url>
<inceptionYear>2013</inceptionYear>

<licenses>
  <license>
    <name>Apache License, Version 2.0</name>
    <url>http://www.apache.org/licenses/LICENSE-2.0.txt</url>
    <distribution>repo</distribution>
  </license>
</licenses>

<scm>
  <url>https://github.com/JCTools/JCTools</url>
  <connection>scm:git:https://github.com/JCTools/JCTools</connection>
  <tag>HEAD</tag>
</scm>

<developers>
  <developer>
    <url>https://github.com/nitsanw</url>
  </developer>
  <developer>
    <url>https://github.com/mjpt777</url>
  </developer>
  <developer>
    <url>https://github.com/RichardWarburton</url>
  </developer>

```

```

</developer>
<developer>
  <url>https://github.com/kay</url>
</developer>
<developer>
  <url>https://github.com/franz1981</url>
</developer>
</developers>

<prerequisites>
<maven>3.5.0</maven>
</prerequisites>

<properties>
<project.build.sourceEncoding>UTF-8</project.build.sourceEncoding>
<java.version>1.6</java.version>
<java.test.version>1.8</java.test.version>

<maven.compiler.source>${java.version}</maven.compiler.source>
<maven.compiler.target>${java.version}</maven.compiler.target>
<maven.compiler.testSource>${java.test.version}</maven.compiler.testSource>
<maven.compiler.testTarget>${java.test.version}</maven.compiler.testTarget>

<hamcrest.version>1.3</hamcrest.version>
<junit.version>4.12</junit.version>
<guava-testlib.version>21.0</guava-testlib.version>
</properties>
</project>

```

Found in path(s):

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/META-INF/maven/org.jctools/jctools-core/pom.xml

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2012 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

```
*/
/**
 * Copyright (c) 2004-2011 QOS.ch
 * All rights reserved.
 *
 * Permission is hereby granted, free of charge, to any person obtaining
 * a copy of this software and associated documentation files (the
 * "Software"), to deal in the Software without restriction, including
 * without limitation the rights to use, copy, modify, merge, publish,
 * distribute, sublicense, and/or sell copies of the Software, and to
 * permit persons to whom the Software is furnished to do so, subject to
 * the following conditions:
 *
 * The above copyright notice and this permission notice shall be
 * included in all copies or substantial portions of the Software.
 *
 * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
 * EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
 * MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
 * NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
 * LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
 * OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
 * WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
 */
```

Found in path(s):

```
*/
 * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/logging/CommonsLogger.java
 * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/logging/JdkLogger.java
 * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/logging/Log4JLogger.java
 * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/logging/InternalLogger.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2019 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
```

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/ThreadExecutorMap.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/ObjectPool.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/svm/PlatformDependentSubstitution.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/svm/package-info.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/svm/CleanerJava6Substitution.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/svm/PlatformDependent0Substitution.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/Hidden.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/svm/UnsafeRefArrayAccessSubstitution.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/ReferenceCountUpdater.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/ResourceLeakHint.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/NativeLibraryLoader.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-

```
jar/io/netty/util/internal/IntegerHolder.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/InternalThreadLocalMap.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/ThreadDeathWatcher.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/concurrent/PromiseAggregator.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/AsciiString.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/concurrent/FastThreadLocal.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/UnpaddedInternalThreadLocalMap.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/concurrent/PromiseNotifier.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/DomainNameMapping.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/Mapping.java
```

No license file was found, but licenses were detected in source scan.

```
# The Netty Project licenses this file to you under the Apache License,
# version 2.0 (the "License"); you may not use this file except in compliance
# with the License. You may obtain a copy of the License at:
# distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
```

Found in path(s):

```
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/META-
INF/native-image/io.netty.netty-common/native-image.properties
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2020 The Netty Project
```

```
*
```

```
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
```

```
*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
```

```
*/
```

Found in path(s):


```
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/NetUtilInitializations.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/DomainWildcardMappingBuilder.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/NetUtilSubstitutions.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2015 The Netty Project
```

```
*
```

```
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
```

```
*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/DefaultPriorityQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/concurrent/ThreadProperties.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/PriorityQueueNode.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/LongCounter.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/concurrent/AbstractScheduledEventExecutor.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/DomainMappingBuilder.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/AsyncMapping.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/HashingStrategy.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2016 The Netty Project
```

```
*
```

```
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
```

- * with the License. You may obtain a copy of the License at:
- *
- * <https://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
- * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
- * License for the specific language governing permissions and limitations
- * under the License.
- */

Found in path(s):

- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/UnorderedThreadPoolEventExecutor.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/IntSupplier.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/MacAddressUtil.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/ConstantTimeUtils.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/ResourceLeakTracker.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/PromiseNotificationUtil.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/NativeLibraryUtil.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/ResourceLeakDetectorFactory.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/OrderedEventExecutor.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/OutOfDirectMemoryError.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/BooleanSupplier.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/SocketUtils.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/PromiseCombiner.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/UnaryPromiseNotifier.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/DefaultEventExecutorChooserFactory.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/EventExecutorChooserFactory.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/RejectedExecutionHandlers.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/logging/Log4J2Logger.java

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/logging/Log4J2LoggerFactory.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/ThrowableUtil.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/UnstableApi.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/RejectedExecutionHandler.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/NonStickyEventExecutorGroup.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/DomainNameMappingBuilder.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2017 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/FastThreadLocalRunnable.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/Cleaner.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/CleanerJava9.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2012 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
- * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
- * License for the specific language governing permissions and limitations
- * under the License.
- */

Found in path(s):

- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/EventExecutorGroup.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/EventExecutor.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/HashedWheelTimer.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/logging/Slf4JLoggerFactory.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/SucceededFuture.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/NetUtil.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/AttributeKey.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/logging/CommonsLoggerFactory.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/AbstractConstant.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/SystemPropertyUtil.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/IllegalReferenceCountException.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/DefaultEventExecutor.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/BlockingOperationException.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/MultithreadEventExecutorGroup.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/Timer.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/TimerTask.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/logging/InternalLogLevel.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/logging/Slf4JLogger.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/FailedFuture.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/Signal.java

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/AttributeMap.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/logging/Log4JLoggerFactory.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/Constant.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/logging/JdkLoggerFactory.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/DefaultEventExecutorGroup.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/SingleThreadEventExecutor.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/StringUtil.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/CharsetUtil.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/DefaultAttributeMap.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/logging/InternalLoggerFactory.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/package-info.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/logging/AbstractInternalLogger.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/package-info.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/Attribute.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/GlobalEventExecutor.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/PlatformDependent.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/Timeout.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License, version 2.0 (the

* "License"); you may not use this file except in compliance with the License. You may obtain a

* copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License

* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/collection/CharCollections.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/collection/IntCollections.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/collection/IntObjectMap.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/collection/ShortObjectHashMap.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/collection/ByteObjectHashMap.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/collection/LongCollections.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/collection/LongObjectMap.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/collection/ShortCollections.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/ObjectUtil.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/collection/CharObjectHashMap.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/collection/ByteObjectMap.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/collection/ShortObjectMap.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/collection/LongObjectHashMap.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/collection/ByteCollections.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/collection/CharObjectMap.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/collection/IntObjectHashMap.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/
/*

* Written by Doug Lea with assistance from members of JCP JSR-166
* Expert Group and released to the public domain, as explained at
* <https://creativecommons.org/publicdomain/zero/1.0/>
*/

Found in path(s):

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/ThreadLocalRandom.java

No license file was found, but licenses were detected in source scan.

Copyright 2019 The Netty Project

#

The Netty Project licenses this file to you under the Apache License,
version 2.0 (the "License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at:

#

<https://www.apache.org/licenses/LICENSE-2.0>

#

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
License for the specific language governing permissions and limitations
under the License.

io.netty.util.internal.Hidden\$NettyBlockHoundIntegration

Found in path(s):

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/META-
INF/services/reactor.blockhound.integration.BlockHoundIntegration

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/CleanerJava6.java

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/FastThreadLocalThread.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2018 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/SuppressJava6Requirement.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2015 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License, version 2.0 (the
* "License"); you may not use this file except in compliance with the License. You may obtain a
* copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.

*/

Found in path(s):

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/MathUtil.java

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/ByteProcessor.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2013 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/package-info.java

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/ResourceLeak.java

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/CompleteFuture.java

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/ImmediateExecutor.java

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/ScheduledFuture.java

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/Recycler.java

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/PromiseTask.java

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/AbstractEventExecutor.java

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/ResourceLeakException.java

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/concurrent/DefaultProgressivePromise.java

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/ReadOnlyIterator.java

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-

jar/io/netty/util/internal/TypeParameterMatcher.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/Version.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/ConcurrentSet.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/concurrent/ImmediateEventExecutor.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/concurrent/ThreadPerTaskExecutor.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/concurrent/DefaultFutureListeners.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/PendingWrite.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/ResourceLeakDetector.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/concurrent/DefaultPromise.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/ReferenceCounted.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/AbstractReferenceCounted.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/ConstantPool.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/NoOpTypeParameterMatcher.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/EmptyArrays.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/concurrent/ProgressivePromise.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/concurrent/DefaultThreadFactory.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/RecyclableArrayList.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/concurrent/GenericFutureListener.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/ReferenceCountUtil.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/concurrent/GenericProgressiveFutureListener.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/logging/package-info.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/concurrent/Future.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/concurrent/AbstractEventExecutorGroup.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/concurrent/AbstractFuture.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-

jar/io/netty/util/internal/PlatformDependent0.java

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-

jar/io/netty/util/concurrent/FutureListener.java

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-

jar/io/netty/util/internal/AppendableCharSequence.java

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-

jar/io/netty/util/concurrent/ScheduledFutureTask.java

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-

jar/io/netty/util/concurrent/Promise.java

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-

jar/io/netty/util/concurrent/ProgressiveFuture.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2021 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-

jar/io/netty/util/internal/ClassInitializerUtil.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2018 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License, version 2.0 (the

* "License"); you may not use this file except in compliance with the License. You may obtain a

* copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License

* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express

* or implied. See the License for the specific language governing permissions and limitations under

* the License.

*/

Found in path(s):

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/ResourcesUtil.java

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/ByteProcessorUtils.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2017 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/EmptyPriorityQueue.java

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/PriorityQueue.java

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/UncheckedBooleanSupplier.java

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/ReflectionUtil.java

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/ObjectCleaner.java

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/LongAdderCounter.java

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/logging/LocationAwareSlf4JLogger.java

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/SuppressForbidden.java

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/NettyRuntime.java

No license file was found, but licenses were detected in source scan.

/*

* Licensed under the Apache License, Version 2.0 (the "License");

- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/BaseLinkedAtomicQueue.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/MpscLinkedAtomicQueue.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SpSCChunkedAtomicArrayQueue.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/util/UnsafeJvmInfo.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/maps/NonBlockingIdentityHashMap.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/ConcurrentCircularArrayQueue.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/MpscAtomicArrayQueue.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/SpSCArrayQueue.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/MpscLinkedQueue.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/QueueFactory.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/package-info.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SpmcAtomicArrayQueue.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/util/PortableJvmInfo.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/MessagePassingQueue.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/MpmcArrayQueue.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/MpscUnboundedXaddArrayQueue.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/shaded/org/jctools/queues/MessagePassingQueueUtil.java
- * /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-

jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SpSCGrowableAtomicArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/queues/BaseSpSCLinkedListArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/queues/SpSCGrowableArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/AtomicReferenceArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/MpSCUnboundedAtomicArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/maps/ConcurrentAutoTable.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/queues/MpSCUnboundedXaddChunk.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/queues/MpMCUnboundedXaddArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/maps/NonBlockingHashSet.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/maps/AbstractEntry.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/queues/BaseLinkedListQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/queues/SpMCArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/queues/MpSCBlockingConsumerArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/LinkedListAtomicNode.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/queues/SpSCChunkedArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SpSCAtomicArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/queues/MpSCUnboundedArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/queues/spec/Preference.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/util/RangeUtil.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/util/UnsafeAccess.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/maps/NonBlockingHashMap.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/queues/MpSCGrowableArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/util/Pow2.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/maps/NonBlockingSetInt.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-

jar/io/netty/util/internal/shaded/org/jctools/queues/BaseMpscLinkedListArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/MpmcAtomicArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/util/InternalAPI.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SpsscLinkedListAtomicQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/queues/MpscArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/queues/ConcurrentSequencedCircularArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/queues/MpmcUnboundedXaddChunk.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/util/UnsafeLongArrayAccess.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/util/UnsafeRefArrayAccess.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/queues/SpsscLinkedListQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/AtomicQueueFactory.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/queues/spec/Ordering.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/queues/MpscChunkedArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/queues/IndexedQueueSizeUtil.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/BaseSpsscLinkedListAtomicArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/queues/MpscCompoundQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/BaseMpscLinkedListAtomicArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/queues/SpsscUnboundedArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/MpscChunkedAtomicArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/queues/spec/ConcurrentQueueSpec.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/queues/SupportsIterator.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/maps/NonBlockingHashMapLong.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SequencedAtomicReferenceArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/MpscGrowtableAtomicArrayQueue.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-

jar/io/netty/util/internal/shaded/org/jctools/queues/LinkedQueueNode.java
* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/shaded/org/jctools/queues/atomic/SpSCUnboundedAtomicArrayQueue.java
No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2013 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
/**
 * Copyright (c) 2004-2011 QOS.ch
 * All rights reserved.
 *
 * Permission is hereby granted, free of charge, to any person obtaining
 * a copy of this software and associated documentation files (the
 * "Software"), to deal in the Software without restriction, including
 * without limitation the rights to use, copy, modify, merge, publish,
 * distribute, sublicense, and/or sell copies of the Software, and to
 * permit persons to whom the Software is furnished to do so, subject to
 * the following conditions:
 *
 * The above copyright notice and this permission notice shall be
 * included in all copies or substantial portions of the Software.
 *
 * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
 * EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
 * MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
 * NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
 * LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
 * OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
 * WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
 */
```

Found in path(s):

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-
jar/io/netty/util/internal/logging/FormattingTuple.java

* /opt/cola/permits/1743888310_1689253535.0491397/0/netty-common-4-1-93-final-sources-1-jar/io/netty/util/internal/logging/MessageFormatter.java

1.133 fastdoubleparser 0.8.0

1.133.1 Available under license :

MIT License

Copyright (c) 2021 Werner Randelshofer, Switzerland.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.134 logback-throttling-appender 1.1.7

1.134.1 Available under license :

No license file was found, but licenses were detected in source scan.

<name>Apache License 2.0</name>

<url><http://www.apache.org/licenses/LICENSE-2.0.html></url>

Found in path(s):

* /opt/cola/permits/1548380611_1675143983.091534/0/logback-throttling-appender-1-1-7-sources-1-jar/META-INF/maven/io.dropwizard.logback/logback-throttling-appender/pom.xml

1.135 guava 32.0.0-jre

1.135.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.136 janino 2.6.1

1.137 dropwizard-request-logging 2.0.28

1.137.1 Available under license :

Apache-2.0

1.138 auto-service-annotations 1.0-rc6

1.138.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2008 Google LLC
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1613098325_1680160344.6102023/0/auto-service-annotations-1-0-rc6-sources-1-
jar/com/google/auto/service/AutoService.java
```

1.139 guice-assistedinject 4.2.3

1.139.1 Available under license :

Google Guice - Extensions - AssistedInject
Copyright 2006-2020 Google, Inc.

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.140 protobuf-java 3.22.5

1.140.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// Copyright 2008 Google Inc. All rights reserved.  
// Redistribution and use in source and binary forms, with or without  
// modification, are permitted provided that the following conditions are  
// * Redistributions of source code must retain the above copyright  
// notice, this list of conditions and the following disclaimer.  
// * Redistributions in binary form must reproduce the above  
// copyright notice, this list of conditions and the following disclaimer  
// in the documentation and/or other materials provided with the  
// * Neither the name of Google Inc. nor the names of its  
// this software without specific prior written permission.
```

Found in path(s):

```
* /opt/cola/permits/1720055189_1686654514.924605/0/protobuf-java-3-22-5-jar/google/protobuf/timestamp.proto  
* /opt/cola/permits/1720055189_1686654514.924605/0/protobuf-java-3-22-5-jar/google/protobuf/type.proto  
* /opt/cola/permits/1720055189_1686654514.924605/0/protobuf-java-3-22-5-jar/google/protobuf/any.proto  
* /opt/cola/permits/1720055189_1686654514.924605/0/protobuf-java-3-22-5-jar/google/protobuf/struct.proto  
* /opt/cola/permits/1720055189_1686654514.924605/0/protobuf-java-3-22-5-jar/google/protobuf/field_mask.proto  
* /opt/cola/permits/1720055189_1686654514.924605/0/protobuf-java-3-22-5-jar/google/protobuf/empty.proto  
* /opt/cola/permits/1720055189_1686654514.924605/0/protobuf-java-3-22-5-jar/google/protobuf/source_context.proto
```

* /opt/cola/permits/1720055189_1686654514.924605/0/protobuf-java-3-22-5-jar/google/protobuf/duration.proto
* /opt/cola/permits/1720055189_1686654514.924605/0/protobuf-java-3-22-5-jar/google/protobuf/descriptor.proto
* /opt/cola/permits/1720055189_1686654514.924605/0/protobuf-java-3-22-5-jar/google/protobuf/wrappers.proto
* /opt/cola/permits/1720055189_1686654514.924605/0/protobuf-java-3-22-5-jar/google/protobuf/api.proto

1.141 servlet-api 3.1.0

1.141.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or

otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a

Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this

License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show

them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this

License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License

which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later

version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent

modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

1.142 jackson-dataformat-cbor 2.15.0

1.142.1 Available under license :

This copy of Jackson JSON processor CBOR module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers.

Copyright

Copyright 2007-, Tatu Saloranta (tatu.saloranta@iki.fi)

Licensing

Jackson components are licensed under Apache (Software) License, version 2.0, as per accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

1.143 jackson-module-parameter-names

2.14.1

1.143.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Bundle-License: <http://www.apache.org/licenses/LICENSE-2.0.txt>

Bundle-SymbolicName: com.fasterxml.jackson.module.jackson-module-parameter-names

Implementation-Vendor-Id: com.fasterxml.jackson.module

Specification-Title: Jackson-module-parameter-names

Bundle-DocURL: <https://github.com/FasterXML/jackson-modules-java8/jackson-module-parameter-names>

Import-Package: com.fasterxml.jackson.annotation;version="[2.14,3)",com.fasterxml.jackson.core;version="[2.14,3)",com.fasterxml.jackson.core.util;version="[2.14,3)",com.fasterxml.jackson.databind;version="[2.14,3)",com.fasterxml.jackson.databind.cfg;version="[2.14,3)",com.fasterxml.jackson.databind.introspect;version="[2.14,3)",com.fasterxml.jackson.databind.module;version="[2.14,3)"

Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"

Export-Package: com.fasterxml.jackson.module.paramnames;version="2.14.1";uses="com.fasterxml.jackson.annotation,com.fasterxml.jackson.core,com.fasterxml.jackson.databind,com.fasterxml.jackson.databind.cfg,com.fasterxml.jackson.databind.introspect,com.fasterxml.jackson.databind.module"

Bundle-Name: Jackson-module-parameter-names

Multi-Release: true

Build-Jdk-Spec: 1.8

Bundle-Description: Add-on module for Jackson (<http://jackson.codehaus.org>) to support introspection of method/constructor parameter names, without having to add explicit property name annotation.

Implementation-Title: Jackson-module-parameter-names

Implementation-Version: 2.14.1

Bundle-ManifestVersion: 2

Specification-Vendor: FasterXML

Bundle-Vendor: FasterXML

Tool: Bnd-6.3.1.202206071316

Implementation-Vendor: FasterXML

Bundle-Version: 2.14.1

X-Compile-Target-JDK: 1.8

X-Compile-Source-JDK: 1.8

Created-By: Apache Maven Bundle Plugin 5.1.8

Specification-Version: 2.14.1

Found in path(s):

* /opt/cola/permits/1491322405_1672923553.639012/0/jackson-module-parameter-names-2-14-1-jar/META-INF/MANIFEST.MF

1.144 netty-codec-socks 4.1.93.Final

1.144.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socksx/v5/Socks5InitialResponseDecoder.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socksx/AbstractSocksMessage.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socksx/package-info.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthRequestDecoder.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthResponseDecoder.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socksx/v4/AbstractSocks4Message.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socksx/v4/Socks4Message.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socksx/v5/Socks5CommandResponseDecoder.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socksx/v5/AbstractSocks5Message.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socksx/v4/package-info.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socksx/v5/Socks5InitialRequestDecoder.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socksx/v5/Socks5ServerEncoder.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
```

jar/io/netty/handler/codec/socksx/v4/Socks4ServerEncoder.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socksx/v5/Socks5ClientEncoder.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socksx/v5/Socks5Message.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socksx/v5/Socks5CommandRequestDecoder.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socksx/v4/Socks4ClientEncoder.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2015 The Netty Project  
*  
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
* License for the specific language governing permissions and limitations  
* under the License.  
*/
```

Found in path(s):

* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socksx/v5/Socks5AddressDecoder.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socksx/SocksPortUnificationServerHandler.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socksx/v5/Socks5AddressEncoder.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2012 The Netty Project  
*  
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
```

- * License for the specific language governing permissions and limitations
- * under the License.
- */

Found in path(s):

- * /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4CommandResponse.java
- * /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5InitialRequest.java
- * /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5CommandRequest.java
- * /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksAuthRequest.java
- * /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthRequest.java
- * /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksCmdResponseDecoder.java
- * /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v4/DefaultSocks4CommandResponse.java
- * /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5InitialRequest.java
- * /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v4/DefaultSocks4CommandRequest.java
- * /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/UnknownSocksResponse.java
- * /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksCmdResponse.java
- * /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksAuthRequestDecoder.java
- * /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4ClientDecoder.java
- * /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/DefaultSocks5PasswordAuthRequest.java
- * /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksInitResponse.java
- * /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksCmdRequest.java
- * /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksMessage.java
- * /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v4/Socks4CommandStatus.java
- * /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksCommonUtils.java
- * /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksInitRequest.java
- * /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksRequest.java
- * /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-

jar/io/netty/handler/codec/socksx/v5/DefaultSocks5PasswordAuthResponse.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthResponse.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socksx/v5/DefaultSocks5CommandRequest.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socks/SocksMessageEncoder.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socksx/v5/Socks5CommandResponse.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socksx/SocksMessage.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socksx/v5/DefaultSocks5InitialResponse.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socksx/v4/Socks4CommandType.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socks/SocksInitResponseDecoder.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socks/SocksCmdRequestDecoder.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socks/SocksResponse.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socks/UnknownSocksRequest.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socks/SocksAuthResponseDecoder.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socks/SocksAuthResponse.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socksx/v4/Socks4ServerDecoder.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socks/SocksInitRequestDecoder.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socks/package-info.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socksx/v4/Socks4CommandRequest.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socksx/v5/Socks5InitialResponse.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socksx/v5/package-info.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-
jar/io/netty/handler/codec/socksx/v5/DefaultSocks5CommandResponse.java
No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2012 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,

~ version 2.0 (the "License"); you may not use this file except in compliance

~ with the License. You may obtain a copy of the License at:
~
~ <https://www.apache.org/licenses/LICENSE-2.0>
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->

Found in path(s):

* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-codec-socks/pom.xml

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2013 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksAuthStatus.java

* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksProtocolVersion.java

* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5AuthMethod.java

* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5AddressType.java

* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socksx/v5/Socks5PasswordAuthStatus.java

* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksRequestType.java

* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksAddressType.java

* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-

jar/io/netty/handler/codec/socks/SocksSubnegotiationVersion.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksVersion.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksResponseType.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/v5/Socks5CommandStatus.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/v5/Socks5CommandType.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksCmdStatus.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksAuthScheme.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksCmdType.java
* /opt/cola/permits/1698848058_1685285759.199273/0/netty-codec-socks-4-1-93-final-sources-jar/io/netty/handler/codec/socks/SocksMessageType.java

1.145 activation-api 1.2.0

1.145.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.1

1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it

absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and

make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under

Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software

with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor
Boston, MA 02110-1335
USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we

want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices

stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost

of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to

these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey

the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.
Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1335 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type
`show w'. This is free software, and you are welcome to redistribute
it under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the
program `Gnomovision' (which makes passes at compilers) written by
James Hacker.
```

```
signature of Ty Coon, 1 April 1989
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you

may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

#

Certain source files distributed by Oracle America, Inc. and/or its affiliates are subject to the following clarification and special exception to the GPLv2, based on the GNU Project exception for its Classpath libraries, known as the GNU Classpath Exception, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

You should also note that Oracle includes multiple, independent programs in this software package. Some of those programs are provided under licenses deemed incompatible with the GPLv2 by the Free Software Foundation and others. For example, the package includes programs licensed under the Apache License, Version 2.0. Such programs are licensed to you under their original licenses.

Oracle facilitates your further distribution of this package by adding the Classpath Exception to the necessary parts of its GPLv2 code, which permits you to use that code in combination with other independent modules not licensed under the GPLv2. However, note that this would not permit you to commingle code under an incompatible license with Oracle's GPLv2 licensed code by, for example, cutting and pasting such code into a file also containing Oracle's GPLv2 licensed code and then distributing the result. Additionally, if you were to remove the Classpath Exception from any of the files to which it applies and distribute the result, you would likely be required to license some or all of the other code in that distribution under the GPLv2 as well, and since the GPLv2 is incompatible with the license terms of some items included in the distribution by Oracle, removing the Classpath Exception could therefore effectively compromise your ability to further distribute the package.

Proceed with caution and we recommend that you obtain the advice of a lawyer skilled in open source matters before removing the Classpath Exception or making modifications to this package which may subsequently be redistributed and/or involve the use of third party software.

CLASSPATH EXCEPTION

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License version 2 cover the whole

combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

1.146 jcl-over-slf4j 1.7.32

1.146.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2001-2004 The Apache Software Foundation.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1192230980_1629146682.85/0/jcl-over-slf4j-1-7-32-sources-
jar/org/apache/commons/logging/Log.java
* /opt/cola/permits/1192230980_1629146682.85/0/jcl-over-slf4j-1-7-32-sources-
jar/org/apache/commons/logging/LogFactory.java
* /opt/cola/permits/1192230980_1629146682.85/0/jcl-over-slf4j-1-7-32-sources-
jar/org/apache/commons/logging/impl/SLF4JLog.java
* /opt/cola/permits/1192230980_1629146682.85/0/jcl-over-slf4j-1-7-32-sources-
jar/org/apache/commons/logging/impl/NoOpLog.java
* /opt/cola/permits/1192230980_1629146682.85/0/jcl-over-slf4j-1-7-32-sources-
jar/org/apache/commons/logging/impl/SLF4JLocationAwareLog.java
* /opt/cola/permits/1192230980_1629146682.85/0/jcl-over-slf4j-1-7-32-sources-
```

jar/org/apache/commons/logging/LogConfigurationException.java
* /opt/cola/permits/1192230980_1629146682.85/0/jcl-over-slf4j-1-7-32-sources-
jar/org/apache/commons/logging/impl/SimpleLog.java
* /opt/cola/permits/1192230980_1629146682.85/0/jcl-over-slf4j-1-7-32-sources-
jar/org/apache/commons/logging/impl/SLF4JLogFactory.java
No license file was found, but licenses were detected in source scan.

<name>Apache License, Version 2.0</name>

Found in path(s):

* /opt/cola/permits/1192230980_1629146682.85/0/jcl-over-slf4j-1-7-32-sources-jar/META-
INF/maven/org.slf4j/jcl-over-slf4j/pom.xml
No license file was found, but licenses were detected in source scan.

2004 The Apache Software Foundation.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>
2.0

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Found in path(s):

* /opt/cola/permits/1192230980_1629146682.85/0/jcl-over-slf4j-1-7-32-sources-
jar/org/apache/commons/logging/package.html

1.147 ant-jsch 1.10.12

1.147.1 Available under license :

Apache Ant
Copyright 1999-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

The <sync> task is based on code Copyright (c) 2002, Landmark
Graphics Corp that has been kindly donated to the Apache Software
Foundation.

/*

* Apache License

* TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION
*

* 1. Definitions.
*

* "License" shall mean the terms and conditions for use, reproduction,
* and distribution as defined by Sections 1 through 9 of this document.
*

* "Licensor" shall mean the copyright owner or entity authorized by
* the copyright owner that is granting the License.
*

* "Legal Entity" shall mean the union of the acting entity and all
* other entities that control, are controlled by, or are under common
* control with that entity. For the purposes of this definition,
* "control" means (i) the power, direct or indirect, to cause the
* direction or management of such entity, whether by contract or
* otherwise, or (ii) ownership of fifty percent (50%) or more of the
* outstanding shares, or (iii) beneficial ownership of such entity.
*

* "You" (or "Your") shall mean an individual or Legal Entity
* exercising permissions granted by this License.
*

* "Source" form shall mean the preferred form for making modifications,
* including but not limited to software source code, documentation
* source, and configuration files.
*

* "Object" form shall mean any form resulting from mechanical
* transformation or translation of a Source form, including but
* not limited to compiled object code, generated documentation,
* and conversions to other media types.
*

* "Work" shall mean the work of authorship, whether in Source or
* Object form, made available under the License, as indicated by a
* copyright notice that is included in or attached to the work
* (an example is provided in the Appendix below).
*

* "Derivative Works" shall mean any work, whether in Source or Object
* form, that is based on (or derived from) the Work and for which the
* editorial revisions, annotations, elaborations, or other modifications
* represent, as a whole, an original work of authorship. For the purposes
* of this License, Derivative Works shall not include works that remain
* separable from, or merely link (or bind by name) to the interfaces of,
* the Work and Derivative Works thereof.
*

* "Contribution" shall mean any work of authorship, including
* the original version of the Work and any modifications or additions

* to that Work or Derivative Works thereof, that is intentionally
* submitted to Licensor for inclusion in the Work by the copyright owner
* or by an individual or Legal Entity authorized to submit on behalf of
* the copyright owner. For the purposes of this definition, "submitted"
* means any form of electronic, verbal, or written communication sent
* to the Licensor or its representatives, including but not limited to
* communication on electronic mailing lists, source code control systems,
* and issue tracking systems that are managed by, or on behalf of, the
* Licensor for the purpose of discussing and improving the Work, but
* excluding communication that is conspicuously marked or otherwise
* designated in writing by the copyright owner as "Not a Contribution."
*

* "Contributor" shall mean Licensor and any individual or Legal Entity
* on behalf of whom a Contribution has been received by Licensor and
* subsequently incorporated within the Work.
*

* 2. Grant of Copyright License. Subject to the terms and conditions of
* this License, each Contributor hereby grants to You a perpetual,
* worldwide, non-exclusive, no-charge, royalty-free, irrevocable
* copyright license to reproduce, prepare Derivative Works of,
* publicly display, publicly perform, sublicense, and distribute the
* Work and such Derivative Works in Source or Object form.
*

* 3. Grant of Patent License. Subject to the terms and conditions of
* this License, each Contributor hereby grants to You a perpetual,
* worldwide, non-exclusive, no-charge, royalty-free, irrevocable
* (except as stated in this section) patent license to make, have made,
* use, offer to sell, sell, import, and otherwise transfer the Work,
* where such license applies only to those patent claims licensable
* by such Contributor that are necessarily infringed by their
* Contribution(s) alone or by combination of their Contribution(s)
* with the Work to which such Contribution(s) was submitted. If You
* institute patent litigation against any entity (including a
* cross-claim or counterclaim in a lawsuit) alleging that the Work
* or a Contribution incorporated within the Work constitutes direct
* or contributory patent infringement, then any patent licenses
* granted to You under this License for that Work shall terminate
* as of the date such litigation is filed.
*

* 4. Redistribution. You may reproduce and distribute copies of the
* Work or Derivative Works thereof in any medium, with or without
* modifications, and in Source or Object form, provided that You
* meet the following conditions:
*

* (a) You must give any other recipients of the Work or
* Derivative Works a copy of this License; and
*

* (b) You must cause any modified files to carry prominent notices

- * stating that You changed the files; and
- *
- * (c) You must retain, in the Source form of any Derivative Works
- * that You distribute, all copyright, patent, trademark, and
- * attribution notices from the Source form of the Work,
- * excluding those notices that do not pertain to any part of
- * the Derivative Works; and
- *
- * (d) If the Work includes a "NOTICE" text file as part of its
- * distribution, then any Derivative Works that You distribute must
- * include a readable copy of the attribution notices contained
- * within such NOTICE file, excluding those notices that do not
- * pertain to any part of the Derivative Works, in at least one
- * of the following places: within a NOTICE text file distributed
- * as part of the Derivative Works; within the Source form or
- * documentation, if provided along with the Derivative Works; or,
- * within a display generated by the Derivative Works, if and
- * wherever such third-party notices normally appear. The contents
- * of the NOTICE file are for informational purposes only and
- * do not modify the License. You may add Your own attribution
- * notices within Derivative Works that You distribute, alongside
- * or as an addendum to the NOTICE text from the Work, provided
- * that such additional attribution notices cannot be construed
- * as modifying the License.
- *
- * You may add Your own copyright statement to Your modifications and
- * may provide additional or different license terms and conditions
- * for use, reproduction, or distribution of Your modifications, or
- * for any such Derivative Works as a whole, provided Your use,
- * reproduction, and distribution of the Work otherwise complies with
- * the conditions stated in this License.
- *
- * 5. Submission of Contributions. Unless You explicitly state otherwise,
- * any Contribution intentionally submitted for inclusion in the Work
- * by You to the Licensor shall be under the terms and conditions of
- * this License, without any additional terms or conditions.
- * Notwithstanding the above, nothing herein shall supersede or modify
- * the terms of any separate license agreement you may have executed
- * with Licensor regarding such Contributions.
- *
- * 6. Trademarks. This License does not grant permission to use the trade
- * names, trademarks, service marks, or product names of the Licensor,
- * except as required for reasonable and customary use in describing the
- * origin of the Work and reproducing the content of the NOTICE file.
- *
- * 7. Disclaimer of Warranty. Unless required by applicable law or
- * agreed to in writing, Licensor provides the Work (and each
- * Contributor provides its Contributions) on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
* implied, including, without limitation, any warranties or conditions
* of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
* PARTICULAR PURPOSE. You are solely responsible for determining the
* appropriateness of using or redistributing the Work and assume any
* risks associated with Your exercise of permissions under this License.

* 8. Limitation of Liability. In no event and under no legal theory,
* whether in tort (including negligence), contract, or otherwise,
* unless required by applicable law (such as deliberate and grossly
* negligent acts) or agreed to in writing, shall any Contributor be
* liable to You for damages, including any direct, indirect, special,
* incidental, or consequential damages of any character arising as a
* result of this License or out of the use or inability to use the
* Work (including but not limited to damages for loss of goodwill,
* work stoppage, computer failure or malfunction, or any and all
* other commercial damages or losses), even if such Contributor
* has been advised of the possibility of such damages.

* 9. Accepting Warranty or Additional Liability. While redistributing
* the Work or Derivative Works thereof, You may choose to offer,
* and charge a fee for, acceptance of support, warranty, indemnity,
* or other liability obligations and/or rights consistent with this
* License. However, in accepting such obligations, You may act only
* on Your own behalf and on Your sole responsibility, not on behalf
* of any other Contributor, and only if You agree to indemnify,
* defend, and hold each Contributor harmless for any liability
* incurred by, or claims asserted against, such Contributor by reason
* of your accepting any such warranty or additional liability.

* END OF TERMS AND CONDITIONS

* APPENDIX: How to apply the Apache License to your work.

* To apply the Apache License to your work, attach the following
* boilerplate notice, with the fields enclosed by brackets "[]"
* replaced with your own identifying information. (Don't include
* the brackets!) The text should be enclosed in the appropriate
* comment syntax for the file format. We also recommend that a
* file or class name and description of purpose be included on the
* same "printed page" as the copyright notice for easier
* identification within third-party archives.

* Copyright [yyyy] [name of copyright owner]

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

W3C SOFTWARE NOTICE AND LICENSE

<https://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to site-policy@w3.org.

Joseph Reagle <site-policy@w3.org>

This license came from: <http://www.megginson.com/SAX/copying.html>
However please note future versions of SAX may be covered
under <http://saxproject.org/?selected=pd>

SAX2 is Free!

I hereby abandon any property rights to SAX 2.0 (the Simple API for XML), and release all of the SAX 2.0 source code, compiled code, and documentation contained in this distribution into the Public Domain. SAX comes with NO WARRANTY or guarantee of fitness for any purpose.

David Megginson, david@megginson.com
2000-05-05

1.148 mecab 0.996

1.148.1 Available under license :

Copyright (c) 2001-2008, Taku Kudo
Copyright (c) 2004-2008, Nippon Telegraph and Telephone Corporation
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the

following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of the Nippon Telegraph and Telegraph Corporation nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.149 argparse 0.8.1

1.149.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Licensed to the Apache Software Foundation (ASF) under one or more
* contributor license agreements. See the NOTICE file distributed with
* this work for additional information regarding copyright ownership.
* The ASF licenses this file to You under the Apache License, Version 2.0
* (the "License"); you may not use this file except in compliance with
* the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/internal/TerminalWidth.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2015 Andrew January

*

* Permission is hereby granted, free of charge, to any person
* obtaining a copy of this software and associated documentation
* files (the "Software"), to deal in the Software without
* restriction, including without limitation the rights to use, copy,
* modify, merge, publish, distribute, sublicense, and/or sell copies
* of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be
* included in all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS
* BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN
* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
* SOFTWARE.

*/

Found in path(s):

* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/type/CaseInsensitiveEnumNameArgumentType.java

* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/type/EnumStringArgumentType.java

* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/type/CaseInsensitiveEnumStringArgumentType.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2013 Adam Parkin

*

* Permission is hereby granted, free of charge, to any person
* obtaining a copy of this software and associated documentation
* files (the "Software"), to deal in the Software without
* restriction, including without limitation the rights to use, copy,
* modify, merge, publish, distribute, sublicense, and/or sell copies
* of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be
* included in all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS
* BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN
* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
* SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/helper/HelpScreenException.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2011 Tatsuhiro Tsujikawa

*

* Permission is hereby granted, free of charge, to any person
* obtaining a copy of this software and associated documentation
* files (the "Software"), to deal in the Software without
* restriction, including without limitation the rights to use, copy,
* modify, merge, publish, distribute, sublicense, and/or sell copies
* of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be
* included in all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS
* BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN
* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
* SOFTWARE.

*/

Found in path(s):

* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/inf/ArgumentAction.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/helper/PrefixPattern.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-

jar/net/sourceforge/argparse4j/internal/SubparserImpl.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/impl/type/ConstructorArgumentType.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/inf/ArgumentGroup.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/impl/action/VersionArgumentAction.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/internal/UnrecognizedArgumentException.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/inf/Subparsers.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/impl/action/AppendConstArgumentAction.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/annotation/Arg.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/internal/UnrecognizedCommandException.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/inf/ArgumentType.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/helper/CJKTextWidthCounter.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/helper/TextWidthCounter.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/impl/action/StoreArgumentAction.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/inf/Namespace.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/impl/action/StoreFalseArgumentAction.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/inf/FeatureControl.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/impl/choice/CollectionArgumentChoice.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/inf/ArgumentChoice.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/internal/ArgumentGroupImpl.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/impl/type/FileVerification.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/impl/type/EnumArgumentType.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/inf/ArgumentParserException.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/inf/Subparser.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/helper/ASCIITextWidthCounter.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-

jar/net/sourceforge/argparse4j/helper/ReflectHelper.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/internal/ParseState.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/helper/TextHelper.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/impl/action/StoreTrueArgumentAction.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/ArgumentParsers.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/internal/SubparsersImpl.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/inf/Argument.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/internal/ArgumentParserImpl.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/impl/choice/RangeArgumentChoice.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/impl/Arguments.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/impl/action/AppendArgumentAction.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/impl/type/StringArgumentType.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/inf/ArgumentParser.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/impl/action/HelpArgumentAction.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/impl/action/StoreConstArgumentAction.java
* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/internal/ArgumentImpl.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2015 Tatsuhiro Tsujikawa

*

* Permission is hereby granted, free of charge, to any person
* obtaining a copy of this software and associated documentation
* files (the "Software"), to deal in the Software without
* restriction, including without limitation the rights to use, copy,
* modify, merge, publish, distribute, sublicense, and/or sell copies
* of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be
* included in all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,

* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS
* BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN
* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
* SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/impl/type/BooleanArgumentType.java

* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/inf/MetavarInference.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2012 Tatsuhiro Tsujikawa

*

* Permission is hereby granted, free of charge, to any person
* obtaining a copy of this software and associated documentation
* files (the "Software"), to deal in the Software without
* restriction, including without limitation the rights to use, copy,
* modify, merge, publish, distribute, sublicense, and/or sell copies
* of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be
* included in all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS
* BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN
* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
* SOFTWARE.

*/

Found in path(s):

* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/inf/MutuallyExclusiveGroup.java

No license file was found, but licenses were detected in source scan.

/*

* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file

* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing,
* software distributed under the License is distributed on an
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
* KIND, either express or implied. See the License for the
* specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/impl/type/FileArgumentType.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2013 Tatsuhiro Tsujikawa

*

* Permission is hereby granted, free of charge, to any person
* obtaining a copy of this software and associated documentation
* files (the "Software"), to deal in the Software without
* restriction, including without limitation the rights to use, copy,
* modify, merge, publish, distribute, sublicense, and/or sell copies
* of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be
* included in all copies or substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
* EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
* MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS
* BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN
* ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN
* CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
* SOFTWARE.

*/

Found in path(s):

* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-
jar/net/sourceforge/argparse4j/impl/type/ReflectArgumentType.java

* /opt/cola/permits/1257333064_1642801966.95/0/argparse4j-0-8-1-sources-jar/net/sourceforge/argparse4j/impl/action/CountArgumentAction.java

1.150 hibernate-validator 6.1.7.Final

1.150.1 Available under license :

Hibernate Validator, declare and validate application constraints

License: Apache License, Version 2.0

See the license.txt file in the root directory or <<http://www.apache.org/licenses/LICENSE-2.0>>.

Adam Stawicki

Ahmed Al Hafoudh

Alaa Nassef

Andrey Derevyanko

Andrey Rodionov

Asutosh Pandya

Benson Margulies

Brent Douglas

Carlos Vara

Carlo de Wolf

Chris Beckey

Christian Ivan

Dag Hovland

Damir Alibegovic

Dario Seidl

Davide D'Alto

Davide Marchignoli

Denis Tiago

Doug Lea

Emmanuel Bernard

Efthymis Sarbanis

Federico

Federico Mancini

Gavin King

George Gastaldi

Gerhard Petracek

Guillaume Husta

Guillaume Smet

Gunnar Morling

Hardy Ferentschik

Henno Vermeulen

Hillmer Chona

Jan-Willem Willebrands

Jason T. Greene

Jesper Preuss

Jiri Bilek

Julien Furgerot

Julien May
Juraci Krohling
Justin Nauman
Kathryn Killebrew
Kazuki Shimizu
Kevin Pollet
Khalid Alqinyah
Lee KyoungIl
Leonardo Loch Zanivan
Lucas Pouzac
Lukas Niemeier
Mark Hobson
Marko Bekhta
Matthias Kurz
Mert Caliskan
Michal Fotyga
Nicola Ferraro
Nicolas Franois
Paolo Perrotta
Pete Muir
Rob Dickinson
Sanne Grinovero
Sebastian Bayerl
Shahram Goodarzi
Shane Bryzak
Shelly McGowan
Sjaak Derksen
Steve Ebersole
Strong Liu
Tadhg Pearson
Takashi Aoe
Tomaz Cerar
Tommy Johansen
Victor Rezende dos Santos
Willi Schnborn
Xavier Sosnovsky
Yanming Zhou
Yoann Rodire

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction,

and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the

Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory,

whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.151 jaxb2-reflection 2.2.6

1.151.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

Version 1.0

*

1. Definitions.

o

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

o

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

o

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

o

1.4. "Executable" means the Covered Software in any form other than Source Code.

o

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

o

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

o

1.7. "License" means this document.

o

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

o

1.9. "Modifications" means the Source Code and Executable form of any of the following:

+

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

+

B. Any new file that contains any part of the Original Software or previous Modification; or

+

C. Any new file that is contributed or otherwise made available under the terms of this License.

o

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

o

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

o

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

o

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

*

2. License Grants.

o

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

+

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

+

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

+

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

+

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

o

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

+

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

+

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

+

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

+

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

*

3. Distribution Obligations.

o

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

o

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

o

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

o

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

o

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

o

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

*

4. Versions of the License.

o

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

o

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

o

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

*

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

*

6. TERMINATION.

o

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

o

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

o

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

*

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

*

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

*

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this

License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

*

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

No license file was found, but licenses were detected in source scan.

<!--

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

Copyright (c) 2005-2011 Oracle and/or its affiliates. All rights reserved.

The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can obtain a copy of the License at https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html or `packager/legal/LICENSE.txt`. See the License for the specific language governing permissions and limitations under the License.

When distributing the software, include this License Header Notice in each file and include the License file at `packager/legal/LICENSE.txt`.

GPL Classpath Exception:

Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License file that accompanied this code.

Modifications:

If applicable, add the following below the License Header, with the fields enclosed by brackets [] replaced by your own identifying information:

"Portions Copyright [year] [name of copyright owner]"

Contributor(s):

If you wish your version of this file to be governed by only the CDDL or only the GPL Version 2, indicate your decision by adding "[Contributor] elects to include this software in this distribution under the [CDDL or GPL Version 2] license." If you don't indicate a single choice of license, a recipient has the option to distribute your version of this file under either the CDDL, the GPL Version 2 or to extend the choice of license to its licensees as provided above. However, if you add GPL Version 2 code and therefore, elected the GPL Version 2 license, then the option applies only if the new code is made subject to such option by the copyright holder.

-->

Found in path(s):

* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/META-INF/maven/com.sun.xml.txw2/txw2/pom.xml

No license file was found, but licenses were detected in source scan.

<!--

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

Copyright (c) 1997-2011 Oracle and/or its affiliates. All rights reserved.

The contents of this file are subject to the terms of either the GNU General Public License Version 2 only ("GPL") or the Common Development and Distribution License("CDDL") (collectively, the "License"). You may not use this file except in compliance with the License. You can obtain a copy of the License at https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html or `packager/legal/LICENSE.txt`. See the License for the specific language governing permissions and limitations under the License.

When distributing the software, include this License Header Notice in each file and include the License file at `packager/legal/LICENSE.txt`.

GPL Classpath Exception:

Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the GPL Version 2 section of the License file that accompanied this code.

Modifications:

If applicable, add the following below the License Header, with the fields enclosed by brackets [] replaced by your own identifying information: "Portions Copyright [year] [name of copyright owner]"

Contributor(s):

If you wish your version of this file to be governed by only the CDDL or only the GPL Version 2, indicate your decision by adding "[Contributor] elects to include this software in this distribution under the [CDDL or GPL Version 2] license." If you don't indicate a single choice of license, a recipient has the option to distribute your version of this file under either the CDDL, the GPL Version 2 or to extend the choice of license to its licensees as provided above. However, if you add GPL Version 2 code and therefore, elected the GPL Version 2 license, then the option applies only if the new code is made subject to such option by the copyright holder.

-->

Found in path(s):

* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/META-INF/maven/com.sun.istack/istack-commons-runtime/pom.xml

No license file was found, but licenses were detected in source scan.

Copyright (c) 1997-2012 Oracle and/or its affiliates. All rights reserved.
The contents of this file are subject to the terms of either the GNU
General Public License Version 2 only ("GPL") or the Common Development
and Distribution License("CDDL") (collectively, the "License"). You
may not use this file except in compliance with the License. You can
Oracle designates this particular file as subject to the "Classpath"
exception as provided by Oracle in the GPL Version 2 section of the License

Found in path(s):

* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/Messages.properties

No license file was found, but licenses were detected in source scan.

Copyright (c) 1997-2011 Oracle and/or its affiliates. All rights reserved.
The contents of this file are subject to the terms of either the GNU
General Public License Version 2 only ("GPL") or the Common Development
and Distribution License("CDDL") (collectively, the "License"). You
may not use this file except in compliance with the License. You can
Oracle designates this particular file as subject to the "Classpath"
exception as provided by Oracle in the GPL Version 2 section of the License

Found in path(s):

* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/Messages_ja.properties

* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/model/impl/Messages_pt_BR.properties

* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages_it.properties

* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-

jar/com/sun/xml/bind/marshaller/Messages_ja.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/marshaller/Messages_zh_CN.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/Messages_ko.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/marshaller/Messages_fr.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/schemagen/Messages_de.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/api/Messages_zh_TW.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/runtime/Messages_zh_CN.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/runtime/reflect/Messages_ko.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/runtime/reflect/Messages.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/runtime/reflect/Messages_it.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/model/impl/Messages_zh_TW.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/unmarshaller/Messages_pt_BR.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/runtime/Messages_ko.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/runtime/property/Messages.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/model/annotation/Messages_es.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/model/impl/Messages_de.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/marshaller/Messages_it.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/unmarshaller/Messages_zh_TW.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/schemagen/Messages_ko.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/model/annotation/Messages_ko.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/model/annotation/Messages_fr.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/schemagen/Messages_pt_BR.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/marshaller/Messages_es.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-

jar/com/sun/xml/bind/v2/runtime/property/Messages_zh_CN.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/api/Messages_it.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/runtime/reflect/Messages_fr.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/model/impl/Messages_ja.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/Messages_fr.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/model/impl/Messages_it.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/schemagen/Messages_fr.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages_es.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/runtime/property/Messages_ja.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/runtime/property/Messages_ko.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/runtime/Messages_pt_BR.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/api/Messages_de.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/runtime/reflect/Messages_zh_CN.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/runtime/Messages_fr.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/api/Messages_fr.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/unmarshaller/Messages_ko.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages_pt_BR.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/runtime/property/Messages_es.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/runtime/reflect/Messages_zh_TW.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/unmarshaller/Messages_es.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/api/Messages_ja.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/model/annotation/Messages_zh_CN.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/model/impl/Messages_fr.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/schemagen/Messages_zh_CN.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-

jar/com/sun/xml/bind/marshaller/Messages_pt_BR.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/model/annotation/Messages_it.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/runtime/property/Messages_fr.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages_ko.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/model/impl/Messages_zh_CN.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages_zh_TW.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/schemagen/Messages.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/Messages_zh_TW.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/runtime/property/Messages_it.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/model/impl/Messages.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/runtime/reflect/Messages_de.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/model/annotation/Messages_ja.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/unmarshaller/Messages_zh_CN.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/runtime/Messages_zh_TW.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/runtime/reflect/Messages_pt_BR.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages_fr.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/runtime/reflect/Messages_ja.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/runtime/property/Messages_zh_TW.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages_zh_CN.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/unmarshaller/Messages_fr.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/model/impl/Messages_es.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/Messages_pt_BR.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/schemagen/Messages_zh_TW.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/unmarshaller/Messages_it.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-

jar/com/sun/xml/bind/api/Messages_pt_BR.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/api/Messages.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/api/Messages_zh_CN.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/unmarshaller/Messages_ja.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/marshaller/Messages_de.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/unmarshaller/Messages.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages_ja.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/Messages_it.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/runtime/reflect/Messages_es.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/schemagen/Messages_it.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/runtime/property/Messages_de.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/model/annotation/Messages.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/runtime/Messages_es.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/runtime/Messages.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/runtime/Messages_de.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/Messages_es.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/schemagen/Messages_es.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/api/Messages_es.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/model/annotation/Messages_zh_TW.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/runtime/unmarshaller/Messages_de.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/Messages_de.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/model/annotation/Messages_de.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/marshaller/Messages_zh_TW.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/Messages_zh_CN.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-

jar/com/sun/xml/bind/unmarshaller/Messages_de.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/schemagen/Messages_ja.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/model/annotation/Messages_pt_BR.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/Messages_ja.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/marshaller/Messages.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/runtime/property/Messages_pt_BR.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/api/Messages_ko.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/marshaller/Messages_ko.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/runtime/Messages_it.properties
* /opt/cola/permits/1535154686_1679313434.8808954/0/jaxb-impl-2-2-6-
jar/com/sun/xml/bind/v2/model/impl/Messages_ko.properties

1.152 dropwizard-auth 2.0.28

1.152.1 Available under license :

Apache-2.0

1.153 antlr 4.6

1.153.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* [The "BSD license"]  
* Copyright (c) 2012-2016 Terence Parr  
* Copyright (c) 2012-2016 Sam Harwell  
* All rights reserved.  
*  
* Redistribution and use in source and binary forms, with or without  
* modification, are permitted provided that the following conditions  
* are met:  
*  
* 1. Redistributions of source code must retain the above copyright  
* notice, this list of conditions and the following disclaimer.  
* 2. Redistributions in binary form must reproduce the above copyright  
* notice, this list of conditions and the following disclaimer in the  
* documentation and/or other materials provided with the distribution.  
* 3. The name of the author may not be used to endorse or promote products
```



```

*   derived from this software without specific prior written permission.
*
*   THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
*   IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
*   OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
*   IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
*   INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
*   NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
*   DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
*   THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
*   (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
*   THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

```

```

/** How to generate rules derived from left-recursive rules.

```

```

*   These rely on recRuleAltPredicate(),
*   recRuleArg(), recRuleSetResultAction(), recRuleSetReturnAction()
*   templates in main language.stg
*/

```

```

group LeftRecursiveRules;

```

```

recRule(ruleName, argName, primaryAlts, opAlts, setResultAction,
        userRetvals, leftRecursiveRuleRefLabels) ::=

```

```

<<

```

```

<ruleName><if(userRetvals)> returns [<userRetvals>]<endif>
: ( ( {} <primaryAlts:{ alt | <alt.altText> }; separator="\n    | ">
    )
  (
    <opAlts; separator="\n    | ">
  )*
;

```

```

>>

```

```

recRuleAlt(alt, precOption, opPrec, pred) ::= <<
{<pred>}?{\<precOption>=<opPrec>|> <alt.altText>
>>

```

Found in path(s):

```

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/tool/templates/LeftRecursiveRules.stg

```

No license file was found, but licenses were detected in source scan.

```

/*

```

```

[The "BSD licence"]

```

```

Copyright (c) 2005-2009 Terence Parr

```

```

All rights reserved.

```

```

Redistribution and use in source and binary forms, with or without

```

modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

*/

Found in path(s):

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/ANTLRLexer.java

No license file was found, but licenses were detected in source scan.

/*

[The "BSD license"]

Copyright (c) 2011 Terence Parr

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT

NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

*/

Found in path(s):

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/GrammarTreeVisitor.java

No license file was found, but licenses were detected in source scan.

/*

[The "BSD licence"]

Copyright (c) 2006 Kay Roepke

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

*/

/*

This file contains the actual layout of the messages emitted by ANTLR.

The text itself is coming out of the languages/*stg files, according to the chosen locale.

This file contains the default format ANTLR uses.

*/

location(file, line, column) ::= "<file>(<line>,<column>)"

message(id, text) ::= "error <id> : <text>"

report(location, message, type) ::= "<location> : <type> <message.id> : <message.text>"

wantsSingleLineMessage() ::= "true"

Found in path(s):

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/templates/messages/formats/vs2005.stg

No license file was found, but licenses were detected in source scan.

/*

* Copyright (c) 2012-2016 The ANTLR Project. All rights reserved.

* Use of this file is governed by the BSD 3-clause license that

* can be found in the LICENSE.txt file in the project root.

*/

Found in path(s):

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/Tool.java

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ErrorMessage.java

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/gui/PostScriptDocument.java

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/semantics/SemanticPipeline.java

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/GrammarParserInterpreter.java

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/gui/SystemFontMetrics.java

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/ListenerDispatchMethod.java

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef_int.java

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/automata/LexerATNFactory.java

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef_text.java

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/LL1Loop.java

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/QRetValueRef.java

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/ActionTemplate.java

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/RuleActionFunction.java

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/Choice.java

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/Alternative.java

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/OptionalBlock.java

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/target/Python2Target.java

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/GrammarASTWithOptions.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/LexerFile.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/BaseVisitorFile.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/RuleElement.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/ThisRulePropertyRef_text.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/RetValRef.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/ArgAction.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/target/JavaScriptTarget.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/RuleElementAST.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/LeftRecursiveRuleFunction.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/LL1OptionalBlockSingleAlt.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/Sync.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/decl/ContextRuleListGetterDecl.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/LabelElementPair.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/decl/CodeBlock.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/TestSetInline.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/SetNonLocalAttr.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/ListLabelRef.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/RulePropertyRef_text.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef_index.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/Grammar.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/ArgRef.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/automata/TailEpsilonRemover.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/LocalRef.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/PredAST.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/target/CppTarget.java

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/tool/ast/GrammarASTErrorNode.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/LexerGrammar.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/misc/FrequencySet.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/Lexer.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/codegen/model/LL1PlusBlockSingleAlt.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/codegen/model/chunk/ThisRulePropertyRef_stop.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/QuantifierAST.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/AltAST.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/codegen/model/OutputModelObject.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/tool/LeftRecursionCyclesMessage.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/codegen/model/decl/ContextTokenListIndexedGetterDecl.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/automata/ParserATNFactory.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ToolMessage.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/codegen/model/RuleSempredFunction.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/parse/v4ParserException.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/codegen/model/LL1Choice.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/codegen/model/chunk/ThisRulePropertyRef_start.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/semantics/SymbolCollector.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/tool/ANTLRToolListener.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/codegen/model/chunk/NonLocalAttrRef.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/codegen/model/VisitorFile.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/codegen/model/CodeBlockForOuterMostAlt.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/codegen/ActionTranslator.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/codegen/model/StarBlock.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/codegen/CodeGeneratorExtension.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/parse/GrammarASTAdaptor.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/codegen/OutputModelController.java

- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/Action.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/gui/BasicFontMetrics.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/Attribute.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/ParserFile.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/dbg.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/CodeGenerator.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/analysis/LeftRecursiveRuleTransformer.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/TokenVocabParser.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/automata/ATNFactory.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/MatchSet.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/decl/ContextGetterDecl.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/RuleRefAST.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/StarBlockAST.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/RulePropertyRef_stop.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/ThisRulePropertyRef_parser.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/ElementFrequenciesVisitor.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/decl/AltLabelStructDecl.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/gui/TreePostScriptGenerator.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ANTLRMessage.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/LexerFactory.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/semantics/RuleCollector.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/semantics/BasicSemanticChecks.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/gui/Trees.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/analysis/AnalysisPipeline.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef_type.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/target/Python3Target.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/BlankOutputModelFactory.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/RuleAST.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/OutputFile.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/AttributeDict.java

- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/LL1AltBlock.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/decl/ContextTokenGetterDecl.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/decl/StructDecl.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/MatchNotSet.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/ParserFactory.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/CaptureNextToken.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/decl/ContextTokenListGetterDecl.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/misc/MutableInt.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/ActionText.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/GrammarASTVisitor.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/CodeBlockForAlt.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/decl/AttributeDecl.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/GrammarInterpreterRuleContext.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/automata/ATNVisitor.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/GrammarTransformPipeline.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/PlusBlock.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/gui/TestRig.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/target/CSharpTarget.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/v3TreeGrammarException.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/GrammarToken.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/RulePropertyRef_start.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/LabelType.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/gui/TreeView.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/BlockAST.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/Target.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef_line.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/AltBlock.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-

jar/org/antlr/v4/codegen/model/chunk/LabelRef.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/codegen/model/decl/TokenDecl.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/codegen/model/Recognizer.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/codegen/model/BaseListenerFile.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/gui/TreeLayoutAdaptor.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/analysis/LeftRecursiveRuleAnalyzer.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/analysis/LeftRecursiveRuleAltInfo.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/gui/TreeTextProvider.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/codegen/model/LabeledOp.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/tool/ast/GrammarRootAST.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/codegen/model/SemPred.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/codegen/model/LL1OptionalBlock.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/tool/ast/OptionalBlockAST.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/parse/ResyncToEndOfRuleBlock.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/codegen/model/decl/TokenListDecl.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/parse/ToolANTLRParser.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/GrammarAST.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/codegen/model/ModelElement.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/codegen/DefaultOutputModelFactory.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/codegen/model/DispatchMethod.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/AttributeResolver.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/codegen/target/GoTarget.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/codegen/model/decl/RuleContextListDecl.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/codegen/model/ThrowNoViableAlt.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/tool/GrammarSyntaxMessage.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
 jar/org/antlr/v4/automata/ATNOptimizer.java

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/Rule.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/decl/ContextRuleGetterDecl.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/Loop.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/TerminalAST.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/SetAST.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/semantics/SymbolChecks.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/VisitorDispatchMethod.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/ThisRulePropertyRef_ctx.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/MatchToken.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/ActionAST.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/target/SwiftTarget.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ErrorSeverity.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/misc/Graph.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/decl/ElementListDecl.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/RulePropertyRef_ctx.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/decl/RuleContextDecl.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/SetAttr.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/semantics/UseDefAnalyzer.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/ToolANTLRLexer.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/GrammarSemanticsMessage.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/Wildcard.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/NotAST.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/LL1StarBlockSingleAlt.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/RulePropertyRef.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/LeftRecursiveRule.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/DOTGenerator.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/ExceptionClause.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/DefaultToolListener.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/decl/ContextRuleListIndexedGetterDecl.java
 * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/SrcOp.java

- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/ThrowEarlyExitException.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/target/JavaTarget.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/CodeGenPipeline.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/SerializedATN.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/RuleFunction.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/CaptureNextTokenType.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/decl/Decl.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/RulePropertyRef_parser.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/AddToLabelList.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/InvokeRule.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/ScopeParser.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/semantics/BlankActionSplitterListener.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/decl/TokenTypeDecl.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/RangeAST.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/ListenerFile.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/OutputModelWalker.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/BuildDependencyGenerator.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/semantics/AttributeChecks.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/semantics/ActionSniffer.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/ThrowRecognitionException.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/misc/CharSupport.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef_channel.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/TokenRef.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ast/PlusBlockAST.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/chunk/ActionChunk.java
- * /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/ActionSplitterListener.java

```

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/gui/JFileChooserConfirmOverwrite.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/codegen/model/Parser.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/misc/OrderedHashMap.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/ErrorMessage.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/automata/ATNPrinter.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/OutputModelFactory.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/analysis/LeftRecursionDetector.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/model/chunk/TokenPropertyRef_pos.java
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/misc/Utils.java
No license file was found, but licenses were detected in source scan.

```

```

/*
* [The "BSD license"]
* Copyright (c) 2012-2016 Terence Parr
* Copyright (c) 2012-2016 Sam Harwell
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
* derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

```

```

tree grammar BlockSetTransformer;
options {
language = Java;

```

```

tokenVocab = ANTLRParser;
ASTLabelType = GrammarAST;
output = AST;
filter = true;
}

@header {
package org.antlr.v4.parse;
import org.antlr.v4.misc.Utils;
import org.antlr.v4.misc.*;
import org.antlr.v4.tool.*;
import org.antlr.v4.tool.ast.*;
import java.util.List;
import java.util.Set;
import java.util.HashSet;
import java.util.ArrayList;
import org.antlr.v4.runtime.misc.IntervalSet;
}

@members {
public String currentRuleName;
public GrammarAST currentAlt;
public Grammar g;
public BlockSetTransformer(TreeNodeStream input, Grammar g) {
    this(input, new RecognizerSharedState());
    this.g = g;
}
}

topdown
: ^(RULE (id=TOKEN_REF|id=RULE_REF) {currentRuleName=$id.text;} .+)
| setAlt
| ebnfBlockSet
| blockSet
;

setAlt
: {inContext("RULE BLOCK")}?
ALT {currentAlt = $start;}
;

// (BLOCK (ALT (+ (BLOCK (ALT INT) (ALT ID))))))
ebnfBlockSet
@after {
GrammarTransformPipeline.setGrammarPtr(g, $tree);
}
: ^(ebnfSuffix blockSet) -> ^(ebnfSuffix ^(BLOCK<BlockAST> ^(ALT<AltAST> blockSet)))
;

```

```

ebnfSuffix
@after {$tree = (GrammarAST)adaptor.dupNode($start);}
: OPTIONAL
| CLOSURE
| POSITIVE_CLOSURE
;

blockSet
@init {
boolean inLexer = Grammar.isTokenName(currentRuleName);
}
@after {
GrammarTransformPipeline.setGrammarPtr(g, $tree);
}
: {inContext("RULE")}? // top-level: rule block and > 1 alt
^(BLOCK ^(alt=ALT elementOptions? {((AltAST)$alt).altLabel==null}? setElement[inLexer]) (^(ALT
elementOptions? setElement[inLexer])))+
-> ^(BLOCK<BlockAST>[$BLOCK.token] ^(ALT<AltAST>[$BLOCK.token,"ALT"] ^(SET[$BLOCK.token,
"SET"] setElement+)))
| {!inContext("RULE")}? // if not rule block and > 1 alt
^(BLOCK ^(ALT elementOptions? setElement[inLexer]) (^(ALT elementOptions? setElement[inLexer])))+
-> ^(SET[$BLOCK.token, "SET"] setElement+)
;

setElement[boolean inLexer]
@after {
GrammarTransformPipeline.setGrammarPtr(g, $tree);
}
: (^(a=STRING_LITERAL elementOptions) {!inLexer ||
CharSupport.getCharValueFromGrammarCharLiteral($a.getText())!=-1}?
| a=STRING_LITERAL {!inLexer || CharSupport.getCharValueFromGrammarCharLiteral($a.getText())!=-1}?
| {!inLexer}?=> ^(TOKEN_REF elementOptions)
| {!inLexer}?=> TOKEN_REF
| {!inLexer}?=> ^(RANGE a=STRING_LITERAL b=STRING_LITERAL)
{CharSupport.getCharValueFromGrammarCharLiteral($a.getText())!=-1 &&
CharSupport.getCharValueFromGrammarCharLiteral($b.getText())!=-1}?
)
;

elementOptions
: ^(ELEMENT_OPTIONS elementOption*)
;

elementOption
: ID
| ^(ASSIGN id=ID v=ID)
| ^(ASSIGN ID v=STRING_LITERAL)

```

```
| ^(ASSIGN ID v=ACTION)
```

```
| ^(ASSIGN ID v=INT)
```

```
;
```

Found in path(s):

```
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-  
jar/org/antlr/v4/parse/BlockSetTransformer.g
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* [The "BSD license"]
```

```
* Copyright (c) 2013 Terence Parr
```

```
* Copyright (c) 2013 Sam Harwell
```

```
* All rights reserved.
```

```
*
```

```
* Redistribution and use in source and binary forms, with or without
```

```
* modification, are permitted provided that the following conditions
```

```
* are met:
```

```
*
```

```
* 1. Redistributions of source code must retain the above copyright
```

```
* notice, this list of conditions and the following disclaimer.
```

```
* 2. Redistributions in binary form must reproduce the above copyright
```

```
* notice, this list of conditions and the following disclaimer in the
```

```
* documentation and/or other materials provided with the distribution.
```

```
* 3. The name of the author may not be used to endorse or promote products
```

```
* derived from this software without specific prior written permission.
```

```
*
```

```
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
```

```
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
```

```
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
```

```
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
```

```
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
```

```
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
```

```
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
```

```
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
```

```
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
```

```
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
```

```
*/
```

```
// args must be <object-model-object>, <fields-resulting-in-STs>
```

```
ParserFile(file, parser, namedActions, contextSuperClass) ::= <<
```

```
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
```

```
<if(file.genPackage)>
```

```
namespace <file.genPackage> {
```

```
<endif>
```

```
<namedActions.header>
```

```
using System;
```

```

using System.Text;
using System.Diagnostics;
using System.Collections.Generic;
using Antlr4.Runtime;
using Antlr4.Runtime.Atn;
using Antlr4.Runtime.Misc;
using Antlr4.Runtime.Tree;
using DFA = Antlr4.Runtime.Dfa.DFA;

```

```

<parser>
<if(file.genPackage)>
} // namespace <file.genPackage>
<endif>
>>

```

```

ListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
namespace <file.genPackage> {
<endif>
<header>
using Antlr4.Runtime.Misc;
using IParseTreeListener = Antlr4.Runtime.Tree.IParseTreeListener;
using IToken = Antlr4.Runtime.IToken;

```

```

/// \<summary>
/// This interface defines a complete listener for a parse tree produced by
/// \<see cref="<csIdentifier.(file.parserName)>">/.
/// \</summary>
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]
[System.CLSCompliant(false)]
public interface I<file.grammarName>Listener : IParseTreeListener {
<file.listenerNames>: {Iname |
/// \<summary>
<if(file.listenerLabelRuleNames.(Iname))>
/// Enter a parse tree produced by the \<c><Iname>\</c>
/// labeled alternative in \<see cref="<file.parserName>.<file.listenerLabelRuleNames.(Iname)>">/.
<else>
/// Enter a parse tree produced by \<see cref="<file.parserName>.<Iname>">/.
<endif>
/// \</summary>
/// \<param name="context">The parse tree.\</param>
void Enter<Iname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<Iname; format="cap">Context
context);
/// \<summary>
<if(file.listenerLabelRuleNames.(Iname))>
/// Exit a parse tree produced by the \<c><Iname>\</c>
/// labeled alternative in \<see cref="<file.parserName>.<file.listenerLabelRuleNames.(Iname)>">/.

```



```

<else>
// Exit a parse tree produced by \<see cref="<file.parserName>.<lname>"/>.
<endif>
/// \</summary>
/// \<param name="context">The parse tree.\</param>
void Exit<lname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<lname; format="cap">Context
context);}; separator="\n">
}
<if(file.genPackage)>
} // namespace <file.genPackage>
<endif>
>>

```

```

BaseListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
namespace <file.genPackage> {
<endif>
<header>

```

```

using Antlr4.Runtime.Misc;
using IErrorNode = Antlr4.Runtime.Tree.IErrorNode;
using ITerminalNode = Antlr4.Runtime.Tree.ITerminalNode;
using IToken = Antlr4.Runtime.IToken;
using ParserRuleContext = Antlr4.Runtime.ParserRuleContext;

```

```

/// \<summary>
/// This class provides an empty implementation of \<see cref="I<file.grammarName>Listener"/>,
/// which can be extended to create a listener which only needs to handle a subset
/// of the available methods.
/// \</summary>
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]
[System.CLSCompliant(false)]
public partial class <file.grammarName>BaseListener : I<file.grammarName>Listener {
    <file.listenerNames:{lname |
/// \<summary>
<if(file.listenerLabelRuleNames.(lname))>
/// Enter a parse tree produced by the \<c><lname>\</c>
/// labeled alternative in \<see cref="<file.parserName>.<file.listenerLabelRuleNames.(lname)>"/>.
<else>
/// Enter a parse tree produced by \<see cref="<file.parserName>.<lname>"/>.
<endif>
/// \<para>The default implementation does nothing.\</para>
/// \</summary>
/// \<param name="context">The parse tree.\</param>
public virtual void Enter<lname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<lname;
format="cap">Context context) { \}
/// \</summary>

```

```

<if(file.listenerLabelRuleNames.(Iname))>
  /// Exit a parse tree produced by the \<c><Iname>\</c>
  /// labeled alternative in \<see cref="<file.parserName>.<file.listenerLabelRuleNames.(Iname)>"/>.
  <else>
  /// Exit a parse tree produced by \<see cref="<file.parserName>.<Iname>"/>.
  <endif>
  /// \<para>The default implementation does nothing.\</para>
  /// \</summary>
  /// \<param name="context">The parse tree.\</param>
  public virtual void Exit<Iname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<Iname;
  format="cap">Context context) { \} }; separator="\n">

  /// \<inheritdoc/>
  /// \<remarks>The default implementation does nothing.\</remarks>
  public virtual void EnterEveryRule([NotNull] ParserRuleContext context) { }
  /// \<inheritdoc/>
  /// \<remarks>The default implementation does nothing.\</remarks>
  public virtual void ExitEveryRule([NotNull] ParserRuleContext context) { }
  /// \<inheritdoc/>
  /// \<remarks>The default implementation does nothing.\</remarks>
  public virtual void VisitTerminal([NotNull] ITerminalNode node) { }
  /// \<inheritdoc/>
  /// \<remarks>The default implementation does nothing.\</remarks>
  public virtual void VisitErrorNode([NotNull] IErrorNode node) { }
  }
<if(file.genPackage)>
  } // namespace <file.genPackage>
<endif>
>>

```

```

VisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
namespace <file.genPackage> {
<endif>
<header>
using Antlr4.Runtime.Misc;
using Antlr4.Runtime.Tree;
using IToken = Antlr4.Runtime.IToken;

  /// \<summary>
  /// This interface defines a complete generic visitor for a parse tree produced
  /// by \<see cref="<csIdentifier.(file.parserName)>"/>.
  /// \</summary>
  /// \<typeparam name="Result">The return type of the visit operation.\</typeparam>
  [System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]
  [System.CLSCompliant(false)]
  public interface I<file.grammarName>Visitor<Result> : IParseTreeVisitor<Result> {

```

```

    <file.visitorNames:{ lname |
    /// \<summary>
    <if(file.visitorLabelRuleNames.(lname))>
    /// Visit a parse tree produced by the \<c><lname>\</c>
    /// labeled alternative in \<see cref="<file.parserName>.<file.visitorLabelRuleNames.(lname)>">.
    <else>
    /// Visit a parse tree produced by \<see cref="<file.parserName>.<lname>">.
    <endif>
    /// \</summary>
    /// \<param name="context">The parse tree.\</param>
    /// \<return>The visitor result.\</return>
    Result Visit<lname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<lname; format="cap">Context
    context);); separator="\n"
    }
    <if(file.genPackage)>
    } // namespace <file.genPackage>
    <endif>
    >>

```

```

BaseVisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
namespace <file.genPackage> {
<endif>
<header>
using Antlr4.Runtime.Misc;
using Antlr4.Runtime.Tree;
using IToken = Antlr4.Runtime.IToken;
using ParserRuleContext = Antlr4.Runtime.ParserRuleContext;

/// \<summary>
/// This class provides an empty implementation of \<see cref="I<file.grammarName>Visitor{Result}">,
/// which can be extended to create a visitor which only needs to handle a subset
/// of the available methods.
/// \</summary>
/// \<typeparam name="Result">The return type of the visit operation.\</typeparam>
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]
[System.CLSCompliant(false)]
public partial class <file.grammarName>BaseVisitor<Result> : AbstractParseTreeVisitor<Result>,
I<file.grammarName>Visitor<Result> {
    <file.visitorNames:{ lname |
    /// \<summary>
    <if(file.visitorLabelRuleNames.(lname))>
    /// Visit a parse tree produced by the \<c><lname>\</c>
    /// labeled alternative in \<see cref="<file.parserName>.<file.visitorLabelRuleNames.(lname)>">.
    <else>
    /// Visit a parse tree produced by \<see cref="<file.parserName>.<lname>">.
    <endif>

```

```

/// \<para>
/// The default implementation returns the result of calling \<see
cref="AbstractParseTreeVisitor{Result}.VisitChildren(IRuleNode)"/>
/// on \<paramref name="context"/>.
/// \</para>
/// \</summary>
/// \<param name="context">The parse tree.\</param>
/// \<return>The visitor result.\</return>
public virtual Result Visit<Iname; format="cap">([NotNull] <csIdentifier.(file.parserName)>.<Iname;
format="cap">Context context) { return VisitChildren(context); \}}; separator="\n">
}
<if(file.genPackage)>
} // namespace <file.genPackage>
<endif>
>>

fileHeader(grammarFileName, ANTLRVersion) ::= <<
//-----
// \<auto-generated>
// This code was generated by a tool.
// ANTLR Version: <ANTLRVersion>
//
// Changes to this file may cause incorrect behavior and will be lost if
// the code is regenerated.
// \</auto-generated>
//-----

// Generated from <grammarFileName> by ANTLR <ANTLRVersion>

// Unreachable code detected
#pragma warning disable 0162
// The variable '...' is assigned but its value is never used
#pragma warning disable 0219
// Missing XML comment for publicly visible type or member '...'
#pragma warning disable 1591
// Ambiguous reference in cref attribute
#pragma warning disable 419

>>

Parser(parser, funcs, atn, sempredFuncs, superClass) ::= <<
<Parser_(ctor="parser_ctor", ...)>
>>

Parser_(parser, funcs, atn, sempredFuncs, ctor, superClass) ::= <<
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]
[System.CLSCompliant(false)]
public partial class <csIdentifier.(parser.name)> : <superClass; null="Parser"> {

```

```

protected static DFA[] decisionToDFA;
protected static PredictionContextCache sharedContextCache = new PredictionContextCache();
<if(parser.tokens)>
public const int
<parser.tokens:{k | <k>=<parser.tokens.(k)>}; separator=", ", wrap, anchor>;
<endif>
public const int
<parser.rules:{r | RULE_<r.name> = <r.index>}; separator=", ", wrap, anchor>;
public static readonly string[] ruleNames = {
<parser.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor>
};

<vocabulary(parser.literalNames, parser.symbolicNames)>

public override string GrammarFileName { get { return "<parser.grammarFileName>"; } }

public override string[] RuleNames { get { return ruleNames; } }

public override string SerializedAtn { get { return _serializedATN; } }

static <csIdentifier.(parser.name)>() {
decisionToDFA = new DFA[_ATN.NumberOfDecisions];
for (int i = 0; i < _ATN.NumberOfDecisions; i++) {
decisionToDFA[i] = new DFA(_ATN.GetDecisionState(i), i);
}
}

<namedActions.members>
<parser:(ctor)()>
<funcs; separator="\n">

<if(sempredFuncs)>
public override bool Sempred(RuleContext _localctx, int ruleIndex, int predIndex) {
switch (ruleIndex) {
<parser.sempredFuncs.values:{f}
case <f.ruleIndex>: return <f.name>_sempred((<f.ctxType>)_localctx, predIndex);}; separator="\n">
}
return true;
}
<sempredFuncs.values; separator="\n">
<endif>

<atn>
}
>>

vocabulary(literalNames, symbolicNames) ::= <<
private static readonly string[] _LiteralNames = {

```

```

<literalNames:{t | <t>}; null="null", separator=", ", wrap, anchor>
};
private static readonly string[] _SymbolicNames = {
<symbolicNames:{t | <t>}; null="null", separator=", ", wrap, anchor>
};
public static readonly IVocabulary DefaultVocabulary = new Vocabulary(_LiteralNames, _SymbolicNames);

[NotNull]
public override IVocabulary Vocabulary
{
    get
    {
        return DefaultVocabulary;
    }
}
>>

dumpActions(recog, argFuncs, actionFuncs, sempredFuncs) ::= <<
<if(actionFuncs)>
public override void Action(RuleContext _localctx, int ruleIndex, int actionIndex) {
    switch (ruleIndex) {
        <recog.actionFuncs.values:{f}
case <f.ruleIndex> : <f.name>_action(<if(!recog.modes)><f.ctxType><endif>_localctx, actionIndex); break;};
separator="\n">
    }
}
<actionFuncs.values; separator="\n">
<endif>
<if(sempredFuncs)>
public override bool Sempred(RuleContext _localctx, int ruleIndex, int predIndex) {
    switch (ruleIndex) {
        <recog.sempredFuncs.values:{f}
case <f.ruleIndex> : return <f.name>_sempred(<if(!recog.modes)><f.ctxType><endif>_localctx, predIndex);};
separator="\n">
    }
    return true;
}
<sempredFuncs.values; separator="\n">
<endif>
>>

parser_ctor(parser) ::= <<
public <csIdentifier.(parser.name)>(ITokenStream input)
: base(input)
{
    Interpreter = new ParserATNSimulator(this, _ATN, decisionToDFA, sharedContextCache);
}
}
>>

```

```

/* This generates a private method since the actionIndex is generated, making an
* overriding implementation impossible to maintain.
*/

```

```

RuleActionFunction(r, actions) ::= <<
private void <r.name>_action(<r.ctxType> _localctx, int actionIndex) {
    switch (actionIndex) {
        <actions:{index|
case <index>: <actions.(index)> break;}; separator="\n">
    }
}
>>

```

```

/* This generates a private method since the predIndex is generated, making an
* overriding implementation impossible to maintain.
*/

```

```

RuleSempredFunction(r, actions) ::= <<
private bool <r.name>_sempred(<r.ctxType> _localctx, int predIndex) {
    switch (predIndex) {
        <actions:{index|
case <index>: return <actions.(index)>;}; separator="\n">
    }
    return true;
}
>>

```

```

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
::= <<

```

```

<if(ruleCtx)>
<ruleCtx>
<endif>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

```

```

[RuleVersion(<namedActions.version; null="0">)]
<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>public <endif><currentRule.ctxType>
<csIdentifier.(currentRule.name)>(<args; separator=", ">) {
    <currentRule.ctxType> _localctx = new <currentRule.ctxType>(Context, State<currentRule.args:{a | ,
<csIdentifier.(a.name)>}>);
    EnterRule(_localctx, <currentRule.startState>, RULE_<currentRule.name>);
    <namedActions.init>
    <locals; separator="\n">
    try {
        <if(currentRule.hasLookaheadBlock)>
            int _alt;
        <endif>
        <code>
        <postamble; separator="\n">

```

```

    <namedActions.after>
  }
  <if(exceptions)>
  <exceptions; separator="\n">
  <else>
  catch (RecognitionException re) {
    _localctx.exception = re;
    ErrorHandler.ReportError(this, re);
    ErrorHandler.Recover(this, re);
  }
  <endif>
  finally {
    <finallyAction>
    ExitRule();
  }
  return _localctx;
}
>>

```

```

LeftFactoredRuleFunction(currentRule,args,code,locals,namedActions,finallyAction,postamble) ::=
<<

```

```

<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>private <endif><currentRule.ctxType>
<csIdentifier.(currentRule.name)><(args; separator=", "> {
  <currentRule.ctxType> _localctx = new <currentRule.ctxType>(Context, State<currentRule.args:{a | ,
  <csIdentifier.(a.name)>>>);
  EnterLeftFactoredRule(_localctx, <currentRule.startState>, RULE_<currentRule.variantOf>);
  <namedActions.init>
  <locals; separator="\n">
  try {
  <if(currentRule.hasLookaheadBlock)>
    int _alt;
  <endif>
  <code>
  <postamble; separator="\n">
  <namedActions.after>
  }
  catch (RecognitionException re) {
    _localctx.exception = re;
    ErrorHandler.ReportError(this, re);
    ErrorHandler.Recover(this, re);
  }
  finally {
    <finallyAction>
    ExitRule();
  }
  return _localctx;
}

```


>>

```
// This behaves similar to RuleFunction (enterRule is called, and no adjustments
// are made to the parse tree), but since it's still a variant no context class
// needs to be generated.
```

```
LeftUnfactoredRuleFunction(currentRule,args,code,locals,namedActions,finallyAction,postamble) ::=
```

<<

```
<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>private <endif><currentRule.ctxType>
<csIdentifier(currentRule.name)><(args; separator=", "> {
  <currentRule.ctxType> _localctx = new <currentRule.ctxType>(Context, State<currentRule.args:{a | ,
<csIdentifier(a.name)>>>);
  EnterRule(_localctx, <currentRule.startState>, RULE_<currentRule.variantOf>);
  <namedActions.init>
  <locals; separator="\n">
  try {
    <if(currentRule.hasLookaheadBlock)>
      int _alt;
    <endif>
    <code>
    <postamble; separator="\n">
    <namedActions.after>
  }
  catch (RecognitionException re) {
    _localctx.exception = re;
    ErrorHandler.ReportError(this, re);
    ErrorHandler.Recover(this, re);
  }
  finally {
    <finallyAction>
    ExitRule();
  }
  return _localctx;
}
>>
```

```
LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
  namedActions,finallyAction,postamble) ::=
```

<<

```
<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">
```

```
[RuleVersion(<namedActions.version; null="0">)]
```

```
<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>public <endif><currentRule.ctxType>
<csIdentifier(currentRule.name)><(args; separator=", "> {
  return <csIdentifier(currentRule.name)><(0<currentRule.args:{a | , <csIdentifier(a.name)>>>);
}
}
```

```

private <currentRule.ctxType> <csIdentifier.(currentRule.name)>(int _p<args:{a | , <a>}>)> {
  ParserRuleContext _parentctx = Context;
  int _parentState = State;
  <currentRule.ctxType> _localctx = new <currentRule.ctxType>(Context, _parentState<currentRule.args:{a | ,
  <csIdentifier.(a.name)>}>);
  <currentRule.ctxType> _prevctx = _localctx;
  int _startState = <currentRule.startState>;
  EnterRecursionRule(_localctx, <currentRule.startState>, RULE_<currentRule.name>, _p);
  <namedActions.init>
  <locals; separator="\n">
  try {
  <if(currentRule.hasLookaheadBlock)>
    int _alt;
  <endif>
  <code>
  <postamble; separator="\n">
  <namedActions.after>
  }
  catch (RecognitionException re) {
    _localctx.exception = re;
    ErrorHandler.ReportError(this, re);
    ErrorHandler.Recover(this, re);
  }
  finally {
  <finallyAction>
  UnrollRecursionContexts(_parentctx);
  }
  return _localctx;
  }
  >>

```

```

CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<
  <if(currentOuterMostAltCodeBlock.altLabel)>_localctx = new <currentOuterMostAltCodeBlock.altLabel;
  format="cap">Context(_localctx);<endif>
  EnterOuterAlt(_localctx, <currentOuterMostAltCodeBlock.alt.altNum>);
  <CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>
  >>

```

```

CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<
  {
  <locals; separator="\n">
  <preamble; separator="\n">
  <ops; separator="\n">
  }
  >>

```

```

LL1AltBlock(choice, preamble, alts, error) ::= <<

```

```

State = <choice.stateNumber>;
ErrorHandler.Sync(this);
<if(choice.label)><labelref(choice.label)> = TokenStream.LT(1);<endif>
<preamble; separator="\n">
switch (TokenStream.LA(1)) {
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
<alt>
break;}; separator="\n">
default:
<error>
}
>>

```

```

LL1OptionalBlock(choice, alts, error) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
switch (TokenStream.LA(1)) {
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
<alt>
break;}; separator="\n">
default:
<error>
}
>>

```

```

LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
<preamble; separator="\n">
if (<expr>) {
<alts; separator="\n">
}
<!else if ( !(<followExpr>) ) <error!>
>>

```

```

LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
<preamble; separator="\n">
while (<loopExpr>) {
<alts; separator="\n">
State = <choice.loopBackStateNumber>;
ErrorHandler.Sync(this);
<iteration>
}
>>

```

```

LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<

```

```

State = <choice.blockStartStateNumber>;<! alt block decision !>
ErrorHandler.Sync(this);
<preamble; separator="\n">
do {
  <alts; separator="\n">
  State = <choice.stateNumber>;<! loopback/exit decision !>
  ErrorHandler.Sync(this);
  <iteration>
} while ( <loopExpr> );
>>

// LL(*) stuff

AltBlock(choice, preamble, alts, error) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
<if(choice.label)><labelref(choice.label)> = TokenStream.LT(1);<endif>
<preamble; separator="\n">
switch ( Interpreter.AdaptivePredict(TokenStream,<choice.decision>,Context) ) {
  <alts:{ alt |
case <i>:
  <alt>
  break;}; separator="\n">
}
>>

OptionalBlock(choice, alts, error) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
switch ( Interpreter.AdaptivePredict(TokenStream,<choice.decision>,Context) ) {
  <alts:{ alt |
case <i><if(!choice.ast.greedy)>+1<endif>:
  <alt>
  break;}; separator="\n">
}
>>

StarBlock(choice, alts, sync, iteration) ::= <<
State = <choice.stateNumber>;
ErrorHandler.Sync(this);
_alt = Interpreter.AdaptivePredict(TokenStream,<choice.decision>,Context);
while ( !_alt!=<choice.exitAlt> && !_alt!=global::Antlr4.Runtime.Atn.ATN.INVALID_ALT_NUMBER ) {
  if ( !_alt==1<if(!choice.ast.greedy)>+1<endif> ) {
    <iteration>
    <alts> <! should only be one !>
  }
  State = <choice.loopBackStateNumber>;
  ErrorHandler.Sync(this);
}

```

```

_alt = Interpreter.AdaptivePredict(TokenStream,<choice.decision>,Context);
}
>>

```

```

PlusBlock(choice, alts, error) ::= <<
State = <choice.blockStartStateNumber>;<! alt block decision !>
ErrorHandler.Sync(this);
_alt = 1<if(!choice.ast.greedy)>+1<endif>;
do {
switch (_alt) {
<alts:{alt|
case <i><if(!choice.ast.greedy)>+1<endif>:
<alt>
break;}; separator="\n">
default:
<error>
}
State = <choice.loopBackStateNumber>;<! loopback/exit decision !>
ErrorHandler.Sync(this);
_alt = Interpreter.AdaptivePredict(TokenStream,<choice.decision>,Context);
} while ( _alt!=<choice.exitAlt> && _alt!=global::Antlr4.Runtime.Atn.ATN.INVALID_ALT_NUMBER );
>>

```

```

Sync(s) ::= "Sync(<s.expecting.name>);"

```

```

ThrowNoViableAlt(t) ::= "throw new NoViableAltException(this);"

```

```

TestSetInline(s) ::= <<
<s.bitsets:{bits | <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>}; separator=" || ">
>>

```

```

// Java language spec 15.19 - shift operators mask operands rather than overflow to 0... need range test
testShiftInRange(shiftAmount) ::= <<
((<shiftAmount>) & ~0x3f) == 0
>>

```

```

// produces smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <%
(<testShiftInRange({<offsetShift(s.varName, bits.shift)>})> && ((1L \<< <offsetShift(s.varName, bits.shift)>) &
(<bits.ttypes:{ttype | (1L \<< <offsetShift(tokenType.(ttype), bits.shift)>}); separator=" | ">) != 0)
%>

```

```

isZero ::= [
"0":true,
default:false
]

```

```

offsetShift(shiftAmount, offset) ::= <%
<if(!isZero.(offset))><shiftAmount> - <offset><else><shiftAmount><endif>
%>

// produces more efficient bytecode when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
<bits.ttypes:{ttype | <s.varName>==<tokenType.(ttype)>}; separator=" || ">
%>

cases(ttypes) ::= <<
<types:{t | case <tokenType.(t)>}; separator="\n">
>>

InvokeRule(r, argExprsChunks) ::= <<
State = <r.stateNumber>; <if(r.labels)><r.labels:{l | <labelref(l)> =
}><endif><csIdentifier.(r.name)><(<if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)><endif><endif><arg
ExprsChunks>);
>>

MatchToken(m) ::= <<
State = <m.stateNumber>; <if(m.labels)><m.labels:{l | <labelref(l)> = }><endif>Match(<tokenType.(m.name)>);
>>

MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"

MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"

CommonSetStuff(m, expr, capture, invert) ::= <<
State = <m.stateNumber>;
<if(m.labels)><m.labels:{l | <labelref(l)> = }>TokenStream.LT(1);<endif>
<capture>
if ( <if(invert)><m.varName> \<= 0 || <else>!<endif><(<expr>) ) {
  <if(m.labels)><m.labels:{l | <labelref(l)> = }><endif>ErrorHandler.RecoverInline(this);
}
else {
  ErrorHandler.ReportMatch(this);
  Consume();
}
>>

Wildcard(w) ::= <<
State = <w.stateNumber>;
<if(w.labels)><w.labels:{l | <labelref(l)> = }><endif>MatchWildcard();
>>

// ACTION STUFF

Action(a, foo, chunks) ::= "<chunks>"

```

```

ArgAction(a, chunks) ::= "<chunks>"

SemPred(p, chunks, failChunks) ::= <<
State = <p.stateNumber>;
if (!<chunks>)) throw new FailedPredicateException(this, <p.predicate><if(failChunks)>,
<failChunks><elseif(p.msg)>, <p.msg><endif>);
>>

ExceptionClause(e, catchArg, catchAction) ::= <<
catch (<catchArg>) {
    <catchAction>
}
>>

// lexer actions are not associated with model objects

LexerSkipCommand() ::= "Skip();"
LexerMoreCommand() ::= "More();"
LexerPopModeCommand() ::= "PopMode();"

LexerTypeCommand(arg, grammar)    ::= "_type = <tokenType.(arg)>);"
LexerChannelCommand(arg, grammar) ::= "_channel = <channelName.(arg)>);"
LexerModeCommand(arg, grammar)    ::= "_mode = <modeName.(arg)>);"
LexerPushModeCommand(arg, grammar) ::= "PushMode(<modeName.(arg)>);"

ActionText(t) ::= "<t.text>"
ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "_localctx.<csIdentifier.(a.name)>"
LocalRef(a) ::= "_localctx.<csIdentifier.(a.name)>"
RetValRef(a) ::= "_localctx.<csIdentifier.(a.name)>"
QRetValRef(a) ::= "<ctx(a)>.<a.dict>.<csIdentifier.(a.name)>"
/** How to translate $tokenLabel */
TokenRef(t) ::= "<ctx(t)>.<csIdentifier.(tokenType.(t.name))>"
LabelRef(t) ::= "<ctx(t)>.<csIdentifier.(t.name)>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(csIdentifier.(t.name))>"
SetAttr(s,rhsChunks) ::= "<ctx(s)>.<csIdentifier.(s.name)> = <rhsChunks>);"

TokenLabelType() ::= "<file.TokenLabelType; null={IToken}>"
InputSymbolType() ::= "<file.InputSymbolType; null={IToken}>"

TokenPropertyRef_text(t) ::= "<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.Text:null)"
TokenPropertyRef_type(t) ::= "<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.Type:0)"
TokenPropertyRef_line(t) ::= "<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.Line:0)"
TokenPropertyRef_pos(t) ::=
"<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.CharPositionInLine:0)"
TokenPropertyRef_channel(t) ::=
"<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.Channel:0)"

```

```

TokenPropertyRef_index(t) ::=
"<ctx(t)>.<tokenType.(t.label)>!=null?<ctx(t)>.<tokenType.(t.label)>.TokenIndex:0)"
TokenPropertyRef_int(t) ::=
"<ctx(t)>.<tokenType.(t.label)>!=null?int.Parse(<ctx(t)>.<tokenType.(t.label)>.Text):0)"

RulePropertyRef_start(r) ::= "<ctx(r)>.<r.label>!=null?(<ctx(r)>.<r.label>.Start):null)"
RulePropertyRef_stop(r) ::= "<ctx(r)>.<r.label>!=null?(<ctx(r)>.<r.label>.Stop):null)"
RulePropertyRef_text(r) ::=
"<ctx(r)>.<r.label>!=null?TokenStream.GetText(<ctx(r)>.<r.label>.Start,<ctx(r)>.<r.label>.Stop):null)"
RulePropertyRef_ctx(r) ::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r) ::= "this"

ThisRulePropertyRef_start(r) ::= "_localctx.Start"
ThisRulePropertyRef_stop(r) ::= "_localctx.Stop"
ThisRulePropertyRef_text(r) ::= "TokenStream.GetText(_localctx.Start, TokenStream.LT(-1))"
ThisRulePropertyRef_ctx(r) ::= "_localctx"
ThisRulePropertyRef_parser(r) ::= "this"

NonLocalAttrRef(s) ::= <%((<s.ruleName;
format="cap">Context)GetInvokingContext(<s.ruleIndex>)).<csIdentifier.(s.name)>%>
SetNonLocalAttr(s, rhsChunks) ::=
<%((<s.ruleName; format="cap">Context)GetInvokingContext(<s.ruleIndex>)).<csIdentifier.(s.name)> =
<rhsChunks>;%>

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.Add(<labelref(a.label)>);"

TokenDecl(t) ::= "<TokenLabelType() <csIdentifier.(tokenType.(t.name))>"
TokenTypeDecl(t) ::= "int <csIdentifier.(tokenType.(t.name))>);"
TokenListDecl(t) ::= "IList<IToken> <csIdentifier.(tokenType.(t.name))> = new List<IToken>()"
RuleContextDecl(r) ::= "<r.ctxName> <csIdentifier.(r.name)>"
RuleContextListDecl(rdecl) ::= "IList<<rdecl.ctxName>> <csIdentifier.(rdecl.name)> = new
List<<rdecl.ctxName>>()"

contextGetterCollection(elementType) ::= <%
<elementType>[]
%>

ContextTokenGetterDecl(t) ::=
"public ITerminalNode <csIdentifier.(tokenType.(t.name))>() { return
GetToken(<csIdentifier.(parser.name)>.<csIdentifier.(tokenType.(t.name))>, 0); }"
ContextTokenListGetterDecl(t) ::= <<
public <contextGetterCollection("ITerminalNode")> <csIdentifier.(tokenType.(t.name))>() { return
GetTokens(<csIdentifier.(parser.name)>.<csIdentifier.(tokenType.(t.name))>); }
>>
ContextTokenListIndexedGetterDecl(t) ::= <<
public ITerminalNode <csIdentifier.(tokenType.(t.name))>(int i) {
return GetToken(<csIdentifier.(parser.name)>.<csIdentifier.(tokenType.(t.name))>, i);
}

```



```

>>
ContextRuleGetterDecl(r) ::= <<
public <r.ctxName> <csIdentifier.(r.name)>() {
    return GetRuleContext\<<r.ctxName>\>(0);
}
>>
ContextRuleListGetterDecl(r) ::= <<
public <contextGetterCollection({<r.ctxName>})> <csIdentifier.(r.name)>() {
    return GetRuleContexts\<<r.ctxName>\>();
}
>>
ContextRuleListIndexedGetterDecl(r) ::= <<
public <r.ctxName> <csIdentifier.(r.name)>(int i) {
    return GetRuleContext\<<r.ctxName>\>(i);
}
>>

LexerRuleContext() ::= "RuleContext"

/** The rule context name is the rule followed by a suffix; e.g.,
 * r becomes rContext.
 */
RuleContextNameSuffix() ::= "Context"

ImplicitTokenLabel(tokenName) ::= "_<tokenType.(tokenName)>"
ImplicitRuleLabel(ruleName) ::= "_<ruleName>"
ImplicitSetLabel(id) ::= "_tset<id>"
ListLabelName(label) ::= "_<label>"

CaptureNextToken(d) ::= "<d.varName> = TokenStream.LT(1);"
CaptureNextTokenType(d) ::= "<d.varName> = TokenStream.LA(1);"

StructDecl(struct,ctorAttrs,attrs,getters,dispatchMethods,interfaces,extensionMembers,
    superClass={ParserRuleContext}) ::= <<
public partial class <struct.name> :
<if(contextSuperClass)><contextSuperClass><else>ParserRuleContext<endif><if(interfaces)>, <interfaces>
separator=", "><endif> {
    <attrs:{a | public <a>;}; separator="\n">
    <getters:{g | <g>;}; separator="\n">
    <if(ctorAttrs)>public <struct.name>(ParserRuleContext parent, int invokingState) : base(parent, invokingState) {
    }<endif>
    public <struct.name>(ParserRuleContext parent, int invokingState<ctorAttrs:{a | , <a>>})
    : base(parent, invokingState)
    {
        <struct.ctorAttrs:{a | this.<csIdentifier.(a.name)> = <csIdentifier.(a.name)>;}; separator="\n">
    }
    public override int RuleIndex { get { return RULE_<struct.derivedFromName>; } }
    <if(struct.provideCopyFrom)> <! don't need copy unless we have subclasses !>

```

```

public <struct.name>() { }
public virtual void CopyFrom(<struct.name> context) {
    base.CopyFrom(context);
    <struct.attrs:{ a | this.<csIdentifier.(a.name)> = context.<csIdentifier.(a.name)>; }; separator="\n">
}
<endif>
<dispatchMethods; separator="\n">
<extensionMembers; separator="\n">
}
>>

```

```

AltLabelStructDecl(struct,attrs, getters,dispatchMethods) ::= <<
public partial class <struct.name> : <currentRule.name; format="cap">Context {
    <attrs:{ a | public <a>; }; separator="\n">
    <getters:{ g | <g>; }; separator="\n">
    public <struct.name>(<currentRule.name; format="cap">Context context) { CopyFrom(context); }
    <dispatchMethods; separator="\n">
}
>>

```

```

ListenerDispatchMethod(method) ::= <<
public override void <if(method.isEnter)>Enter<else>Exit<endif>Rule(IParseTreeListener listener) {
    I<parser.grammarName>Listener typedListener = listener as I<parser.grammarName>Listener;
    if (typedListener != null) typedListener.<if(method.isEnter)>Enter<else>Exit<endif><struct.derivedFromName;
format="cap">(this);
}
>>

```

```

VisitorDispatchMethod(method) ::= <<
public override TResult Accept<TResult>(IParseTreeVisitor<TResult> visitor) {
    I<parser.grammarName>Visitor<TResult> typedVisitor = visitor as I<parser.grammarName>Visitor<TResult>;
    if (typedVisitor != null) return typedVisitor.Visit<struct.derivedFromName; format="cap">(this);
    else return visitor.VisitChildren(this);
}
>>

```

```

AttributeDecl(d) ::= "<d.type> <csIdentifier.(d.name)><if(d.initValue)> = <d.initValue><endif>"

```

```

/** If we don't know location of label def x, use this template */

```

```

labelref(x) ::= "<if(!x.isLocal)><typedContext(x.ctx)>.<endif><csIdentifier.(x.name)>"

```

```

/** For any action chunk, what is correctly-typed context struct ptr? */

```

```

ctx(actionChunk) ::= "<typedContext(actionChunk.ctx)>"

```

```

// only casts _localctx to the type when the cast isn't redundant (i.e. to a sub-context for a labeled alt)

```

```

typedContext(ctx) ::= "<if(ctx.provideCopyFrom)>((<ctx.name>)_localctx)<else>_localctx<endif>"

```

```

// used for left-recursive rules

```

```

recRuleAltPredicate(ruleName,opPrec) ::= "Precpred(Context, <opPrec>)"
recRuleSetReturnAction(src,name) ::= "$<name>=<src>.<name>;"
recRuleSetStopToken() ::= "Context.Stop = TokenStream.LT(-1);"

```

```

recRuleAltStartAction(ruleName, ctxName, label, isListLabel) ::= <<
  _localctx = new <ctxName>Context(_parentctx, _parentState);
  <if(label)>
  <if(isListLabel)>
  _localctx.<label>.Add(_prevctx);
  <else>
  _localctx.<label> = _prevctx;
  <endif>
  <endif>
  PushNewRecursionContext(_localctx, _startState, RULE_<ruleName>);
  >>

```

```

recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
  _localctx = new <currentAltLabel; format="cap">Context(new <ruleName; format="cap">Context(_parentctx,
  _parentState));
  <if(label)>
  <if(isListLabel)>
  ((<currentAltLabel; format="cap">Context)_localctx).<label>.Add(_prevctx);
  <else>
  ((<currentAltLabel; format="cap">Context)_localctx).<label> = _prevctx;
  <endif>
  <endif>
  PushNewRecursionContext(_localctx, _startState, RULE_<ruleName>);
  >>

```

```

recRuleReplaceContext(ctxName) ::= <<
  _localctx = new <ctxName>Context(_localctx);
  Context = _localctx;
  _prevctx = _localctx;
  >>

```

```

recRuleSetPrevCtx() ::= <<
  if ( ParseListeners!=null )
  TriggerExitRuleEvent();
  _prevctx = _localctx;
  >>

```

```

LexerFile(file, lexer, namedActions) ::= <<
  <fileHeader(file.grammarFileName, file.ANTLRVersion)>
  <if(file.genPackage)>
  namespace <file.genPackage> {
  <endif>
  <namedActions.header>

```

```

using System;
using System.Text;
using Antlr4.Runtime;
using Antlr4.Runtime.Atn;
using Antlr4.Runtime.Misc;
using DFA = Antlr4.Runtime.Dfa.DFA;

<lexer>
<if(file.genPackage)>
} // namespace <file.genPackage>
<endif>
>>

Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<
[System.CodeDom.Compiler.GeneratedCode("ANTLR", "<file.ANTLRVersion>")]
[System.CLSCompliant(false)]
public partial class <csIdentifier.(lexer.name)> : <superClass; null="Lexer"> {
protected static DFA[] decisionToDFA;
protected static PredictionContextCache sharedContextCache = new PredictionContextCache();
public const int
<lexer.tokens:{k | <tokenType.(k)>=<lexer.tokens.(k)>}; separator=", ", wrap, anchor>;
<if(lexer.channels)>
public const int
<lexer.channels:{k | <csIdentifier.(k)>=<lexer.channels.(k)>}; separator=", ", wrap, anchor>;
<endif>
<rest(lexer.modes):{m | public const int <modeName.(m)> = <i>;}; separator="\n">
public static string[] modeNames = {
<lexer.modes:{m | "<m>"}; separator=", ", wrap, anchor>
};

public static readonly string[] ruleNames = {
<lexer.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor>
};

<namedActions.members>

public <csIdentifier.(lexer.name)>(ICharStream input)
: base(input)
{
Interpreter = new LexerATNSimulator(this, _ATN, decisionToDFA, sharedContextCache);
}

<vocabulary(lexer.literalNames, lexer.symbolicNames)>

public override string GrammarFileName { get { return "<lexer.grammarFileName>"; } }

public override string[] RuleNames { get { return ruleNames; } }

```

```

public override string[] ModeNames { get { return modeNames; } }

public override string SerializedAtn { get { return _serializedATN; } }

static <csIdentifier.(lexer.name)>() {
    decisionToDFA = new DFA[_ATN.NumberOfDecisions];
    for (int i = 0; i < _ATN.NumberOfDecisions; i++) {
        decisionToDFA[i] = new DFA(_ATN.GetDecisionState(i), i);
    }
}
<dumpActions(lexer, "", actionFuncs, sempredFuncs)>
<atn>
}
>>

```

```

SerializedATN(model) ::= <<
private static string _serializedATN = _serializeATN();
private static string _serializeATN()
{
    StringBuilder sb = new StringBuilder();
    sb.Append("<model.serialized; wrap={\"};<\n><\t>sb.Append(\">\");");
    return sb.ToString();
}

public static readonly ATN _ATN =
    new ATNDeserializer().Deserialize(_serializedATN.ToCharArray());

```

```
>>
```

```

initValue(typeName) ::= <<
default(<typeName>)
>>

```

```
codeFileExtension() ::= ".cs"
```

```

modeName ::= [
    "DEFAULT_MODE" : "DefaultMode",
    default : key
]

```

```

channelName ::= [
    "HIDDEN" : "Hidden",
    "DEFAULT_TOKEN_CHANNEL" : "DefaultTokenChannel",
    default : key
]

```

```
tokenType ::= [  
  "EOF" : "Eof",  
  default : key  
]
```

```
csIdentifier ::= [  
  "abstract" : "@abstract",  
  "as" : "@as",  
  "base" : "@base",  
  "bool" : "@bool",  
  "break" : "@break",  
  "byte" : "@byte",  
  "case" : "@case",  
  "catch" : "@catch",  
  "char" : "@char",  
  "checked" : "@checked",  
  "class" : "@class",  
  "const" : "@const",  
  "continue" : "@continue",  
  "decimal" : "@decimal",  
  "default" : "@default",  
  "delegate" : "@delegate",  
  "do" : "@do",  
  "double" : "@double",  
  "else" : "@else",  
  "enum" : "@enum",  
  "event" : "@event",  
  "explicit" : "@explicit",  
  "extern" : "@extern",  
  "false" : "@false",  
  "finally" : "@finally",  
  "fixed" : "@fixed",  
  "float" : "@float",  
  "for" : "@for",  
  "foreach" : "@foreach",  
  "goto" : "@goto",  
  "if" : "@if",  
  "implicit" : "@implicit",  
  "in" : "@in",  
  "int" : "@int",  
  "interface" : "@interface",  
  "internal" : "@internal",  
  "is" : "@is",  
  "lock" : "@lock",  
  "long" : "@long",  
  "namespace" : "@namespace",  
  "new" : "@new",  
  "null" : "@null",
```

```
"object" : "@object",
"operator" : "@operator",
"out" : "@out",
"override" : "@override",
"params" : "@params",
"private" : "@private",
"protected" : "@protected",
"public" : "@public",
"readonly" : "@readonly",
"ref" : "@ref",
"return" : "@return",
"sbyte" : "@sbyte",
"sealed" : "@sealed",
"short" : "@short",
"sizeof" : "@sizeof",
"stackalloc" : "@stackalloc",
"static" : "@static",
"string" : "@string",
"struct" : "@struct",
"switch" : "@switch",
"this" : "@this",
"throw" : "@throw",
>true" : "@true",
"try" : "@try",
"typeof" : "@typeof",
"uint" : "@uint",
"ulong" : "@ulong",
"unchecked" : "@unchecked",
"unsafe" : "@unsafe",
"ushort" : "@ushort",
"using" : "@using",
"virtual" : "@virtual",
"void" : "@void",
"volatile" : "@volatile",
"while" : "@while",
default : key
]
```

Found in path(s):

```
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/tool/templates/codegen/CSharp/CSharp.stg
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
[The "BSD licence"]
```

```
Copyright (c) 2005-20012 Terence Parr
```

```
All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

*/

Found in path(s):

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/ANTLRParser.java

No license file was found, but licenses were detected in source scan.

/*

* [The "BSD license"]

* Copyright (c) 2015 Dan McLaughlin, Mike Lischke

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

*

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. The name of the author may not be used to endorse or promote products

* derived from this software without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR

* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,

* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

Found in path(s):

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/tool/templates/codegen/Cpp/Cpp.stg

No license file was found, but licenses were detected in source scan.

/*

* [The "BSD license"]

* Copyright (c) 2012-2016 Terence Parr

* Copyright (c) 2012-2016 Sam Harwell

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

*

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. The name of the author may not be used to endorse or promote products

* derived from this software without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR

* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,

* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT

* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF

* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

// File : A3Lexer.g

// Author : Jim Idle (jimi@temporal-wave.com)

// Copyright : Free BSD - See @header clause below

// Version : First implemented as part of ANTLR 3.2 this is the self

// hosting ANTLR 3 Lexer.

```

//
// Description
// -----
// This is the definitive lexer grammar for parsing ANTLR V3.x.x grammars. All other
// grammars are derived from this grammar via source code control integration (perforce)
// or by the gdiff tool.
//
// This grammar and its associated grmmars A3Parser.g and A3Walker.g exhibit the following
// traits, which are recommended for all production quality grammars:
//
// 1) They are separate grammars, not composite grammars;
// 2) They implement all supporting methods in a superclass (at least this is recommended
//    for language targets that support inheritance;
// 3) All errors are pushed as far down the parsing chain as possible, which means
//    that the lexer tries to defer error reporting to the parser, and the parser
//    tries to defer error reporting to a semantic phase consisting of a single
//    walk of the AST. The reason for this is that the error messages produced
//    from later phases of the parse will generally have better context and so
//    be more useful to the end user. Consider the message: "Syntax error at 'options'"
//    vs: "You cannot specify two options{ } sections in a single grammar file".
// 4) The lexer is 'programmed' to catch common mistakes such as unterminated literals
//    and report them specifically and not just issue confusing lexer mismatch errors.
//
/** Read in an ANTLR grammar and build an AST. Try not to do
 * any actions, just build the tree.
 *
 * The phases are:
 *
 * A3Lexer.g (this file)
 *     A3Parser.g
 *     A3Verify.g (derived from A3Walker.g)
 * assign.types.g
 * define.g
 * buildnfa.g
 * antlr.print.g (optional)
 * codegen.g
 *
 * Terence Parr
 * University of San Francisco
 * 2005
 * Jim Idle (this v3 grammar)
 * Temporal Wave LLC
 * 2009
 */
lexer grammar ANTLRLexer;

// =====

```

```

// Note that while this grammar does not care about order of constructs
// that don't really matter, such as options before @header etc, it must first
// be parsed by the original v2 parser, before it replaces it. That parser does
// care about order of structures. Hence we are constrained by the v2 parser
// for at least the first bootstrap release that causes this parser to replace
// the v2 version.
// =====

// -----
// Options
//
// V3 option directives to tell the tool what we are asking of it for this
// grammar.
//
options {

// Target language is Java, which is the default but being specific
// here as this grammar is also meant as a good example grammar for
// for users.
//
language    = Java;

// The super class that this lexer should expect to inherit from, and
// which contains any and all support routines for the lexer. This is
// commented out in this baseline (definitive or normative grammar)
// - see the ANTLR tool implementation for hints on how to use the super
// class
//
//superclass = AbstractA3Lexer;
}

tokens { SEMPRED; TOKEN_REF; RULE_REF; LEXER_CHAR_SET; ARG_ACTION; }

// Include the copyright in this source and also the generated source
//
@lexer::header {
/*
[The "BSD licence"]
Copyright (c) 2005-2009 Terence Parr
All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the

```

documentation and/or other materials provided with the distribution.

3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
*/
```

```
package org.antlr.v4.parse;  
import org.antlr.v4.tool.*;  
}
```

```
@members {
```

```
public static final int COMMENTS_CHANNEL = 2;
```

```
public CommonTokenStream tokens; // track stream we push to; need for context info
```

```
public boolean isLexerRule = false;
```

```
public void grammarError(ErrorType etype, org.antlr.runtime.Token token, Object... args) { }
```

```
/** scan backwards from current point in this.tokens list
```

```
 * looking for the start of the rule or subrule.
```

```
 * Return token or null if for some reason we can't find the start.
```

```
*/
```

```
public Token getRuleOrSubruleStartToken() {
```

```
    if ( tokens==null ) return null;
```

```
    int i = tokens.index();
```

```
        int n = tokens.size();
```

```
        if ( i>=n ) i = n-1; // seems index == n as we lex
```

```
    while ( i>=0 && i<n ) {
```

```
        int ttype = tokens.get(i).getType();
```

```
        if ( ttype == LPAREN || ttype == TOKEN_REF || ttype == RULE_REF ) {
```

```
            return tokens.get(i);
```

```
        }
```

```
        i--;
```

```
    }
```

```
    return null;
```

```
}
```

```
}
```

```

// -----
// Comments
//
// ANTLR comments can be multi or single line and we don't care
// which particularly. However we also accept Javadoc style comments
// of the form: /** ... */ and we do take care to distinguish those
// from ordinary multi-line comments
// Note how we guide the lexical PATH because we want to issue a decriptive
// error message in case of a standalone '/' character, which makes no
// sense in ANTLR source code. We also trap unterminated multi-line comments
//
fragment DOC_COMMENT : ;
COMMENT
@init {

// Record the start line and offsets as if we need to report an
// unterminated comment, then we want to show the start of the comment
// we think is broken, not the end, where people will have to try and work
// it out themselves.
//
int startLine = $line;
int offset  = getCharPositionInLine();
}
: // Eat the first character only, then see if we have a comment
  // or something silly.
  //
  '/' // Comment introducer

(
  // Single line comment, possibly with embedded src/line directives
  // in a similar style to the C pre-processor, allowing generated
  // code to refer the programmer back to the original source code
  // in case of error.
  //
  '/'
  (
    (' $ANTLR')=> ' $ANTLR' SRC
    | ~(NLCHARS)*
  )

| // Multi-line comment, which may be a documentation comment
  // if it starts /** (note that we protect against accidentally
  // recognizing a comment /**/ as a documentation comment
  //
  /** (
    { input.LA(2) != '/' }?=> '*' { $type = DOC_COMMENT; }
    | { true }?=> // Required to cover all alts with predicates
  )
)

```

```

// Should we support embedded multiline comments here?
//
(
  // Pick out end of multiline comment and exit the loop
  // if we find it.
  //
  { !(input.LA(1) == '*' && input.LA(2) == '/') }?

  // Anything else other than the non-greedy match of
  // the comment close sequence
  //
  .
)*
(
  // Look for the comment terminator, but if it is accidentally
  // unterminated, then we will hit EOF, which will trigger the
  // epsilon alt and hence we can issue an error message relative
  // to the start of the unterminated multi-line comment
  //
  /*'

|// Unterminated comment!
//
{
  // ErrorManager.msg(Msg.UNTERMINATED_DOC_COMMENT, startLine, offset, $pos, startLine,
offset, $pos, (Object)null);
}
)

|// There was nothing that made sense following the opening '/' and so
// we issue an error regarding the malformed comment
//
{
  // TODO: Insert error message relative to comment start
  //
}
)
{
  // We do not wish to pass the comments in to the parser. If you are
  // writing a formatter then you will want to preserve the comments off
  // channel, but could just skip and save token space if not.
  //
  $channel=COMMENTS_CHANNEL;
}
;

```

ARG_OR_CHARSET

```

options {k=1;}
: {isLexerRule}?=> LEXER_CHAR_SET {$type=LEXER_CHAR_SET;}
| {!isLexerRule}?=> ARG_ACTION
{
$type=ARG_ACTION;
// Set the token text to our gathered string minus outer [ ]
String t = $text;
t = t.substring(1,t.length()-1);
setText(t);
}
;

```

```

fragment
LEXER_CHAR_SET

```

```

: '['
  ('\w ~(\r|\n)
  | ~(\r|\n|\\|'])
)*
']'
;

```

```
// -----
```

```
// Argument specs
```

```
//
```

```
// Certain argument lists, such as those specifying call parameters
```

```
// to a rule invocation, or input parameters to a rule specification
```

```
// are contained within square brackets. In the lexer we consume them
```

```
// all at once and sort them out later in the grammar analysis.
```

```
//
```

```
fragment
```

```
ARG_ACTION
```

```

: '['
  (
    ARG_ACTION

    | ('')=>ACTION_STRING_LITERAL

    | ('\')=>ACTION_CHAR_LITERAL

    | ~('[|'])
  )*

```

```
']'
```

```
;
```

```
// -----
```

```
// Actions
```

```
//
```

```

// Other than making sure to distinguish between { and } embedded
// within what we have assumed to be literals in the action code, the
// job of the lexer is merely to gather the code within the action
// (delimited by {}) and pass it to the parser as a single token.
// We know that this token will be asked for its text somewhere
// in the upcoming parse, so setting the text here to exclude
// the delimiting {} is no additional overhead.
//
ACTION
: NESTED_ACTION
( '?' {$type = SEMPRED;}
( (WSNLCHARS* '=>') => WSNLCHARS* '=>' // v3 gated sempred
{
Token t = new CommonToken(input, state.type, state.channel, state.tokenStartCharIndex, getCharIndex()-1);
t.setLine(state.tokenStartLine);
t.setText(state.text);
t.setCharPositionInLine(state.tokenStartCharPositionInLine);
grammarError(ErrorType.V3_GATED_SEMPRED, t);
}
)?
)?
;

// -----
// Action structure
//
// Many language targets use {} as block delimiters and so we
// must recursively match {} delimited blocks to balance the
// braces. Additionally, we must make some assumptions about
// literal string representation in the target language. We assume
// that they are delimited by ' or " and so consume these
// in their own alts so as not to inadvertently match {}.
// This rule calls itself on matching a {
//
fragment
NESTED_ACTION
@init {

// Record the start line and offsets as if we need to report an
// unterminated block, then we want to show the start of the comment
// we think is broken, not the end, where people will have to try and work
// it out themselves.
//
int startLine = getLine();
int offset = getCharPositionInLine();
}

: // Action and other blocks start with opening {

```



```

//
'{'
(
// And now we can match one of a number of embedded
// elements within the action until we find a
// } that balances the opening {. If we do not find
// the balanced } then we will hit EOF and can issue
// an error message about the brace that we believe to
// be mismatched. This won't be foolproof but we will
// be able to at least report an error against the
// opening brace that we feel is in error and this will
// guide the user to the correction as best we can.
//

// An embedded {} block
//
NESTED_ACTION

|// What appears to be a literal
//
ACTION_CHAR_LITERAL

|// We have assumed that the target language has C/Java
// type comments.
//
COMMENT

|// What appears to be a literal
//
ACTION_STRING_LITERAL

|// What appears to be an escape sequence
//
ACTION_ESC

|// Some other single character that is not
// handled above
//
~(\\|\"|\'|/|{|})

)*

(
// Correctly balanced closing brace
//
}'

```

```

| // Looks like have an imbalanced {} block, report
  // with respect to the opening brace.
  //
  {
    // TODO: Report imbalanced {}
    System.out.println("Block starting at line " + startLine + " offset " + (offset+1) + " contains imbalanced {} or
is missing a }");
  }
)
;

```

```

// Keywords
// -----
// keywords used to specify ANTLR v3 grammars. Keywords may not be used as
// labels for rules or in any other context where they would be ambiguous
// with the keyword vs some other identifier
// OPTIONS, TOKENS, and CHANNELS must also consume the opening brace that captures
// their option block, as this is the easiest way to parse it separate
// to an ACTION block, despite it using the same {} delimiters.
//
OPTIONS   : 'options' WSNLCHARS* '{' ;
TOKENS_SPEC : 'tokens' WSNLCHARS* '{' ;
CHANNELS   : 'channels' WSNLCHARS* '{' ;

```

```

IMPORT    : 'import'      ;
FRAGMENT  : 'fragment'    ;
LEXER     : 'lexer'       ;
PARSER    : 'parser'      ;
GRAMMAR   : 'grammar'     ;
TREE_GRAMMAR : 'tree' WSNLCHARS* 'grammar' ;
PROTECTED : 'protected'   ;
PUBLIC    : 'public'      ;
PRIVATE   : 'private'     ;
RETURNS   : 'returns'     ;
LOCALS    : 'locals'      ;
THROWS    : 'throws'      ;
CATCH     : 'catch'       ;
FINALLY   : 'finally'     ;
MODE      : 'mode'        ;

```

```

// -----
// Punctuation
//
// Character sequences used as separators, delimiters, operators, etc
//
COLON     : ':'
          {

```

```

// scan backwards, looking for a RULE_REF or TOKEN_REF.
// which would indicate the start of a rule definition.
// If we see a LPAREN, then it's the start of the subrule.
// this.tokens is the token string we are pushing into, so
// just loop backwards looking for a rule definition. Then
// we set isLexerRule.
Token t = getRuleOrSubruleStartToken();
if ( t!=null ) {
    if ( t.getType()==RULE_REF ) isLexerRule = false;
    else if ( t.getType()==TOKEN_REF ) isLexerRule = true;
    // else must be subrule; don't alter context
}
}
;

COLONCOLON  : '::'      ;
COMMA      : ','      ;
SEMI       : ';'      ;
LPAREN     : '('      ;
RPAREN     : ')'      ;
RARROW     : '->'     ;
LT         : '<'      ;
GT         : '>'      ;
ASSIGN     : '='      ;
QUESTION   : '?'      ;
SYNPRED    : '=>'    ;
{
    Token t = new CommonToken(input, state.type, state.channel,
        state.tokenStartCharIndex, getCharIndex()-1);
    t.setLine(state.tokenStartLine);
    t.setText(state.text);
    t.setCharPositionInLine(state.tokenStartCharPositionInLine);
    grammarError(ErrorType.V3_SYNPRED, t);
    $channel=HIDDEN;
}
;

STAR       : '*'      ;
PLUS       : '+'      ;
PLUS_ASSIGN : '+='    ;
OR         : '|'      ;
DOLLAR     : '$'      ;
DOT        : '.'      ; // can be WILDCARD or DOT in qid or imported rule ref
RANGE     : '..'      ;
AT         : '@'      ;
POUND     : '#'      ;
NOT       : '~'      ;
RBRACE    : '}'      ;

/** Allow unicode rule/token names */

```

```

ID : a=NameStartChar NameChar*
{
  if ( Grammar.isTokenName($a.text) ) $type = TOKEN_REF;
  else $type = RULE_REF;
}
;

```

fragment

```

NameChar : NameStartChar
  | '0'..'9'
  | '_'
  | '\u00B7'
  | '\u0300'..\u036F'
  | '\u203F'..\u2040'
;

```

fragment

```

NameStartChar
  : 'A'..'Z' | 'a'..'z'
  | '\u00C0'..\u00D6'
  | '\u00D8'..\u00F6'
  | '\u00F8'..\u02FF'
  | '\u0370'..\u037D'
  | '\u037F'..\u1FFF'
  | '\u200C'..\u200D'
  | '\u2070'..\u218F'
  | '\u2C00'..\u2FEF'
  | '\u3001'..\uD7FF'
  | '\uF900'..\uFDCF'
  | '\uFDF0'..\uFEFE'
  | '\uFF00'..\uFFFD'
; // ignores | [\u10000-\uEFFFF] ;

```

// -----

// Literals embedded in actions

//

// Note that we have made the assumption that the language used within

// actions uses the fairly standard " and ' delimiters for literals and

// that within these literals, characters are escaped using the \ character.

// There are some languages which do not conform to this in all cases, such

// as by using /string/ and so on. We will have to deal with such cases if

// if they come up in targets.

//

// Within actions, or other structures that are not part of the ANTLR

// syntax, we may encounter literal characters. Within these, we do

// not want to inadvertently match things like '}' and so we eat them

// specifically. While this rule is called CHAR it allows for the fact that

```

// some languages may use/allow ' as the string delimiter.
//
fragment
ACTION_CHAR_LITERAL
: "\"" ((\\)=>ACTION_ESC | ~"")* "\""
;

// Within actions, or other structures that are not part of the ANTLR
// syntax, we may encounter literal strings. Within these, we do
// not want to inadvertently match things like '}' and so we eat them
// specifically.
//
fragment
ACTION_STRING_LITERAL
: "\"" ((\\)=>ACTION_ESC | ~"")* "\""
;

// Within literal strings and characters that are not part of the ANTLR
// syntax, we must allow for escaped character sequences so that we do not
// inadvertently recognize the end of a string or character when the terminating
// delimiter has been escaped.
//
fragment
ACTION_ESC
: "\\" .
;

// -----
// Integer
//
// Obviously (I hope) match an arbitrary long sequence of digits.
//
INT : ('0'..'9')+
;

// -----
// Source spec
//
// A fragment rule for picking up information about an originating
// file from which the grammar we are parsing has been generated. This allows
// ANTLR to report errors against the originating file and not the generated
// file.
//
fragment
SRC : 'src' WSCHARS+ file=ACTION_STRING_LITERAL WSCHARS+ line=INT
{
    // TODO: Add target specific code to change the source file name and current line number
}
//

```

```

    }
    ;

// -----
// Literal string
//
// ANTLR makes no distinction between a single character literal and a
// multi-character string. All literals are single quote delimited and
// may contain unicode escape sequences of the form \uxxxx, where x
// is a valid hexadecimal number (as per Java basically).
STRING_LITERAL
: '\'' ( ( ESC_SEQ | ~('\|\"|\r|\n') ) ) *
  ( '\''
  | // Unterminated string literal
    {
      Token t = new CommonToken(input, state.type, state.channel, state.tokenStartCharIndex, getCharIndex()-1);
      t.setLine(state.tokenStartLine);
      t.setText(state.text);
      t.setCharPositionInLine(state.tokenStartCharPositionInLine);
      grammarError(ErrorType.UNTERMINATED_STRING_LITERAL, t);
    }
  )
;

// A valid hex digit specification
//
fragment
HEX_DIGIT : ('0'..'9'|'a'..'f'|'A'..'F') ;

// Any kind of escaped character that we can embed within ANTLR
// literal strings.
//
fragment
ESC_SEQ
: '\''
  (
    // The standard escaped character set such as tab, newline,
    // etc.
    //
    'b'|'t'|'n'|'f'|'r'|\"|'\"|'\'|'\'

    // A Java style Unicode escape sequence
    //
    UNICODE_ESC

    // An illegal escape sequence
    //
    {

```

```

    Token t = new CommonToken(input, state.type, state.channel, getCharIndex()-1, getCharIndex());
    t.setText(t.getText());
    t.setLine(input.getLine());
    t.setCharPositionInLine(input.getCharPositionInLine()-1);
    grammarError(ErrorType.INVALID_ESCAPE_SEQUENCE, t);
}
)
;

fragment
UNICODE_ESC

@init {

// Flag to tell us whether we have a valid number of
// hex digits in the escape sequence
//
int hCount = 0;
}
: 'u' // Leadin for unicode escape sequence

// We now require 4 hex digits. Note though
// that we accept any number of characters
// and issue an error if we do not get 4. We cannot
// use an infinite count such as + because this
// might consume too many, so we lay out the lexical
// options and issue an error at the invalid paths.
//
(
(
    HEX_DIGIT { hCount++; }
    (
        HEX_DIGIT { hCount++; }
        (
            HEX_DIGIT { hCount++; }
            (
                // Four valid hex digits, we are good
                //
                HEX_DIGIT { hCount++; }

                | // Three valid digits
            )
        )
        | // Two valid digits
    )
    | // One valid digit
)
)
)

```

```

    )
    |// No valid hex digits at all
)

// Now check the digit count and issue an error if we need to
//
{
if (hCount != 4) {
    Token t = new CommonToken(input, state.type, state.channel, getCharIndex()-3-hCount, getCharIndex()-
1);
    t.setText(t.getText());
    t.setLine(input.getLine());
    t.setCharPositionInLine(input.getCharPositionInLine()-hCount-2);
    grammarError(ErrorType.INVALID_ESCAPE_SEQUENCE, t);
}
}
;

// -----
// Whitespace
//
// Characters and character constructs that are of no import
// to the parser and are used to make the grammar easier to read
// for humans.
//
WS
: (
    ' '
    | '\t'
    | '\r'
    | '\n'
    | '\f'
)+
{$channel=HIDDEN;}
;

// A fragment rule for use in recognizing end of line in
// rules like COMMENT.
//
fragment
NLCHARS
: '\n' | '\r'
;

// A fragment rule for recognizing traditional whitespace
// characters within lexer rules.
//
fragment

```


WSCHARS

```
: ' | \t | \f  
;
```

```
// A fragment rule for recognizing both traditional whitespace and  
// end of line markers, when we don't care to distinguish but don't  
// want any action code going on.
```

```
//
```

```
fragment
```

WSNLCHARS

```
: ' | \t | \f | \n | \r  
;
```

```
// This rule allows ANTLR 4 to parse grammars using the UTF-8 encoding with a  
// byte order mark. Since this Unicode character doesn't appear as a token  
// anywhere else in the grammar, we can simply skip all instances of it without  
// problem. This rule will not break usage of \uFEFF inside a LEXER_CHAR_SET or  
// STRING_LITERAL.
```

```
UnicodeBOM
```

```
: '\uFEFF' {skip();}  
;
```

```
// -----
```

```
// Illegal Character
```

```
//
```

```
// This is an illegal character trap which is always the last rule in the  
// lexer specification. It matches a single character of any value and being  
// the last rule in the file will match when no other rule knows what to do  
// about the character. It is reported as an error but is not passed on to the  
// parser. This means that the parser to deal with the gramamr file anyway  
// but we will not try to analyse or code generate from a file with lexical  
// errors.
```

```
//
```

ERRCHAR

```
: .  
{  
    Token t = new CommonToken(input, state.type, state.channel, state.tokenStartCharIndex, getCharIndex()-1);  
    t.setLine(state.tokenStartLine);  
    t.setText(state.text);  
    t.setCharPositionInLine(state.tokenStartCharPositionInLine);  
    String msg = getTokenErrorDisplay(t) + " came as a complete surprise to me";  
    grammarError(ErrorType.SYNTAX_ERROR, t, msg);  
    state.syntaxErrors++;  
    skip();  
}  
;
```

Found in path(s):

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/ANTLRLexer.g
No license file was found, but licenses were detected in source scan.

/*

[The "BSD license"]

Copyright (c) 2010 Terence Parr

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

*/

Found in path(s):

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/ATNBuilder.java
No license file was found, but licenses were detected in source scan.

/*

* [The "BSD license"]

* Copyright (c) 2012-2016 Terence Parr

* Copyright (c) 2012-2016 Sam Harwell

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

*

- * 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.

* 3. The name of the author may not be used to endorse or promote products
 * derived from this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
 * IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
 * IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
 * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
 * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
 * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
 * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
 * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
 * THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 */

/** Find left-recursive rules */

tree grammar LeftRecursiveRuleWalker;

```
options {
  tokenVocab=ANTLRParser;
  ASTLabelType=GrammarAST;
}
```

```
@header {
package org.antlr.v4.parse;
```

```
import org.antlr.v4.misc.*;
import org.antlr.v4.tool.*;
import org.antlr.v4.tool.ast.*;
}
```

```
@members {
private String ruleName;
private int currentOuterAltNumber; // which outer alt of rule?
public int numAlts; // how many alts for this rule total?
```

```
public void setAltAssoc(AltAST altTree, int alt) {}
public void binaryAlt(AltAST altTree, int alt) {}
public void prefixAlt(AltAST altTree, int alt) {}
public void suffixAlt(AltAST altTree, int alt) {}
public void otherAlt(AltAST altTree, int alt) {}
public void setReturnValues(GrammarAST t) {}
}
```

```
@rulecatch { }
```

```
// TODO: can get parser errors for not matching pattern; make them go away
```

```
public
```

```

rec_rule returns [boolean isLeftRec]
@init
{
currentOuterAltNumber = 1;
}
: ^( r=RULE id=RULE_REF {ruleName=$id.getText();}
ruleModifier?
// (ARG_ACTION)? shouldn't allow args, right?
(^ (RETURNS a=ARG_ACTION {setReturnValues($a);}))?
// (^(THROWS .+)? don't allow
(^ (LOCALS ARG_ACTION) )? // TODO: copy these to gen'd code
(^ (OPTIONS .*)
| ^(AT ID ACTION) // TODO: copy
)*
ruleBlock { $isLeftRec = $ruleBlock.isLeftRec;}
exceptionGroup
)
;

exceptionGroup
: exceptionHandler* finallyClause?
;

exceptionHandler
: ^(CATCH ARG_ACTION ACTION)
;

finallyClause
: ^(FINALLY ACTION)
;

ruleModifier
: PUBLIC
| PRIVATE
| PROTECTED
;

ruleBlock returns [boolean isLeftRec]
@init{boolean lr=false; this.numAlts = $start.getChildCount();}
: ^( BLOCK
(
o=outerAlternative
{if ($o.isLeftRec) $isLeftRec = true;}
{currentOuterAltNumber++;}
)+
)
;

```

```

/** An alt is either prefix, suffix, binary, or ternary operation or "other" */
outerAlternative returns [boolean isLeftRec]
: (binary)=>      binary
                  {binaryAlt((AltAST)$start, currentOuterAltNumber); $isLeftRec=true;}
| (prefix)=>      prefix
                  {prefixAlt((AltAST)$start, currentOuterAltNumber);}
| (suffix)=>      suffix
                  {suffixAlt((AltAST)$start, currentOuterAltNumber); $isLeftRec=true;}
| nonLeftRecur   {otherAlt((AltAST)$start, currentOuterAltNumber);}
;

binary
: ^( ALT elementOptions? recurse element* recurse epsilonElement* )
  {setAltAssoc((AltAST)$ALT,currentOuterAltNumber);}
;

prefix
: ^( ALT elementOptions?
  element+
  recurse epsilonElement*
)
  {setAltAssoc((AltAST)$ALT,currentOuterAltNumber);}
;

suffix
: ^( ALT elementOptions? recurse element+ )
  {setAltAssoc((AltAST)$ALT,currentOuterAltNumber);}
;

nonLeftRecur
: ^(ALT elementOptions? element+)
;

recurse
: ^(ASSIGN ID recurseNoLabel)
| ^(PLUS_ASSIGN ID recurseNoLabel)
| recurseNoLabel
;

recurseNoLabel : {((CommonTree)input.LT(1)).getText().equals(ruleName)}? RULE_REF;

token returns [GrammarAST t=null]
: ^(ASSIGN ID s=token {$t = $s.t;})
| ^(PLUS_ASSIGN ID s=token {$t = $s.t;})
| b=STRING_LITERAL    {$t = $b;}
| ^(b=STRING_LITERAL elementOptions) {$t = $b;}
| ^(c=TOKEN_REF elementOptions) {$t = $c;}
| c=TOKEN_REF         {$t = $c;}

```

;

elementOptions

: ^(ELEMENT_OPTIONS elementOption*)

;

elementOption

: ID

| ^(ASSIGN ID ID)

| ^(ASSIGN ID STRING_LITERAL)

| ^(ASSIGN ID ACTION)

| ^(ASSIGN ID INT)

;

element

: atom

| ^(NOT element)

| ^(RANGE atom atom)

| ^(ASSIGN ID element)

| ^(PLUS_ASSIGN ID element)

| ^(SET setElement+)

| RULE_REF

| ebnf

| epsilonElement

;

epsilonElement

: ACTION

| SEMPRED

| EPSILON

| ^(ACTION elementOptions)

| ^(SEMPRED elementOptions)

;

setElement

: ^(STRING_LITERAL elementOptions)

| ^(TOKEN_REF elementOptions)

| STRING_LITERAL

| TOKEN_REF

;

ebnf: block

| ^(OPTIONAL block)

| ^(CLOSURE block)

| ^(POSITIVE_CLOSURE block)

;

block

: ^(BLOCK ACTION? alternative+)

;

alternative

: ^(ALT elementOptions? element+)

;

atom

: ^(RULE_REF ARG_ACTION? elementOptions?)

| ^(STRING_LITERAL elementOptions)

| STRING_LITERAL

| ^(TOKEN_REF elementOptions)

| TOKEN_REF

| ^(WILDCARD elementOptions)

| WILDCARD

| ^(DOT ID element)

;

Found in path(s):

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/LeftRecursiveRuleWalker.g

No license file was found, but licenses were detected in source scan.

/*

* [The "BSD license"]

* Copyright (c) 2012-2016 Terence Parr

* Copyright (c) 2012-2016 Sam Harwell

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

*

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. The name of the author may not be used to endorse or promote products

* derived from this software without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR

* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,

* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT

* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
 * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
 * THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 */

```
atn(startState, states, edges, rankdir, decisionRanks, useBox) ::= <<
digraph ATN {
rankdir=LR;
<decisionRanks; separator="\n">
<states; separator="\n">
<edges; separator="\n">
}
>>
```

```
dfa(name, startState, states, edges, rankdir, decisionRanks, useBox) ::= <<
digraph <name> {
<if(rankdir)>rankdir=<rankdir>;<endif>
<decisionRanks; separator="\n">
<states; separator="\n">
<edges; separator="\n">
}
>>
```

```
decision-rank(states) ::= <<
{rank=same; rankdir=TB; <states:{s | s<s>}; separator=" "; ">}
>>
```

```
edge(src,target,label,arrowhead,transitionIndex) ::= <<
<src><if(transitionIndex)>:p<transitionIndex><endif> -> <target> [fontsize=11, fontname="Courier", arrowsize=.7,
label = "<label>"<if(arrowhead)>, arrowhead = <arrowhead><endif>];
>>
```

```
action-edge(src,target,label,arrowhead,transitionIndex) ::= <<
<src><if(transitionIndex)>:p<transitionIndex><endif> -> <target> [fontsize=11, fontname="Courier", arrowsize=.7,
label = "<label>"<if(arrowhead)>, arrowhead = <arrowhead><endif>];
>>
```

```
epsilon-edge(src,label,target,arrowhead,transitionIndex,loopback=false) ::= <<
<src><if(transitionIndex)>:p<transitionIndex><endif> -> <target> [fontname="Times-Italic",
label="&epsilon;"<if(loopback)>, style="dashed"<endif>];
>>
```

```
state(state, label, name, transitions) ::= <%
<name>[fontsize=11,
label="
<! rest(transition) tests for decision states: these nodes have a non-empty set of transitions after the first one. !>
<if(rest(transitions))>
{
```



```

    <! Label on the left side of the record node. !>
    <label>
    |
    <! Named ports in order on right side of record node, no display text. !>
    {<transitions:{t|\<p<i0>>}; separator="|">}
    <else>
    <label>
    <endif>
    "
    <if(rest(transitions))>
    , shape=record, fixedsize=false
    <else>
    , shape=circle, fixedsize=true, width=.55
    <endif>
    , peripheries=1];
%>

stopstate(name,label,actionIndex,useBox) ::= <<
<name>[fontsize=11, label="<label><if(actionIndex)>,\naction:<actionIndex><endif>",
<if(useBox)>shape=polygon,sides=4,peripheries=2,fixedsize=false<else>shape=doublecircle, fixedsize=true,
width=.6<endif>];
>>

```

Found in path(s):

```
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/tool/templates/dot/graphs.stg
```

No license file was found, but licenses were detected in source scan.

```

/*
* [The "BSD license"]
* Copyright (c) 2012-2016 Terence Parr
* Copyright (c) 2012-2016 Sam Harwell
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
* derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

```

* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
 * IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
 * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
 * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
 * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
 * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
 * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
 * THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 */

```
javaTypeInitMap ::= [
  "int": "0",
  "long": "0",
  "float": "0.0f",
  "double": "0.0",
  "boolean": "false",
  "byte": "0",
  "short": "0",
  "char": "0",
  default: "null" // anything other than a primitive type is an object
]
```

// args must be <object-model-object>, <fields-resulting-in-STs>

```
ParserFile(file, parser, namedActions, contextSuperClass) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
package <file.genPackage>;
<endif>
<namedActions.header>
import org.antlr.v4.runtime.atn.*;
import org.antlr.v4.runtime.dfa.DFA;
import org.antlr.v4.runtime.*;
import org.antlr.v4.runtime.misc.*;
import org.antlr.v4.runtime.tree.*;
import java.util.List;
import java.util.Iterator;
import java.util.ArrayList;

<parser>
>>
```

```
ListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
package <file.genPackage>;
<endif>
<header>
```

```

import org.antlr.v4.runtime.tree.ParseTreeListener;

/**
 * This interface defines a complete listener for a parse tree produced by
 * { @link <file.parserName> }.
 */
public interface <file.grammarName>Listener extends ParseTreeListener {
    <file.listenerNames: {lname |
/**
<if(file.listenerLabelRuleNames.(lname))>
 * Enter a parse tree produced by the { @code <lname>\}
 * labeled alternative in { @link <file.parserName>#<file.listenerLabelRuleNames.(lname)>\}.
<else>
 * Enter a parse tree produced by { @link <file.parserName>#<lname>\}.
<endif>
 * @param ctx the parse tree
 */
void enter<lname; format="cap">(<file.parserName>.<lname; format="cap">Context ctx);
/**
<if(file.listenerLabelRuleNames.(lname))>
 * Exit a parse tree produced by the { @code <lname>\}
 * labeled alternative in { @link <file.parserName>#<file.listenerLabelRuleNames.(lname)>\}.
<else>
 * Exit a parse tree produced by { @link <file.parserName>#<lname>\}.
<endif>
 * @param ctx the parse tree
 */
void exit<lname; format="cap">(<file.parserName>.<lname; format="cap">Context ctx);}; separator="\n">
}
>>

BaseListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
package <file.genPackage>;
<endif>
<header>

import org.antlr.v4.runtime.ParserRuleContext;
import org.antlr.v4.runtime.tree.ErrorNode;
import org.antlr.v4.runtime.tree.TerminalNode;

/**
 * This class provides an empty implementation of { @link <file.grammarName>Listener },
 * which can be extended to create a listener which only needs to handle a subset
 * of the available methods.
 */
public class <file.grammarName>BaseListener implements <file.grammarName>Listener {

```

```

<file.listenerNames: {lname |
/**
 * { @inheritDoc\}
 *
 * \<p>The default implementation does nothing.\</p>
 */
@Override public void enter<lname; format="cap">(<file.parserName>.<lname; format="cap">Context ctx) { \}
/**
 * { @inheritDoc\}
 *
 * \<p>The default implementation does nothing.\</p>
 */
@Override public void exit<lname; format="cap">(<file.parserName>.<lname; format="cap">Context ctx) { \};
separator="\n">

/**
 * { @inheritDoc\}
 *
 * \<p>The default implementation does nothing.\</p>
 */
@Override public void enterEveryRule(ParserRuleContext ctx) { }
/**
 * { @inheritDoc\}
 *
 * \<p>The default implementation does nothing.\</p>
 */
@Override public void exitEveryRule(ParserRuleContext ctx) { }
/**
 * { @inheritDoc\}
 *
 * \<p>The default implementation does nothing.\</p>
 */
@Override public void visitTerminal(TerminalNode node) { }
/**
 * { @inheritDoc\}
 *
 * \<p>The default implementation does nothing.\</p>
 */
@Override public void visitErrorNode(ErrorNode node) { }
}
>>

```

```

VisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
package <file.genPackage>;
<endif>
<header>

```

```

import org.antlr.v4.runtime.tree.ParseTreeVisitor;

/**
 * This interface defines a complete generic visitor for a parse tree produced
 * by { @link <file.parserName> }.
 *
 * @param \<T> The return type of the visit operation. Use { @link Void } for
 * operations with no return type.
 */
public interface <file.grammarName>Visitor\<T> extends ParseTreeVisitor\<T> {
    <file.visitorNames:{ lname |
/**
<if(file.visitorLabelRuleNames.(lname))>
 * Visit a parse tree produced by the { @code <lname>\}
 * labeled alternative in { @link <file.parserName>#<file.visitorLabelRuleNames.(lname)>\}.
<else>
 * Visit a parse tree produced by { @link <file.parserName>#<lname>\}.
<endif>
 * @param ctx the parse tree
 * @return the visitor result
 */
    T visit<lname; format="cap">(<file.parserName>.<lname; format="cap">Context ctx);}; separator="\n"
    }
>>

BaseVisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
package <file.genPackage>;
<endif>
<header>
import org.antlr.v4.runtime.tree.AbstractParseTreeVisitor;

/**
 * This class provides an empty implementation of { @link <file.grammarName>Visitor },
 * which can be extended to create a visitor which only needs to handle a subset
 * of the available methods.
 *
 * @param \<T> The return type of the visit operation. Use { @link Void } for
 * operations with no return type.
 */
public class <file.grammarName>BaseVisitor\<T> extends AbstractParseTreeVisitor\<T> implements
<file.grammarName>Visitor\<T> {
    <file.visitorNames:{ lname |
/**
 * { @inheritDoc\}
 *
 * \<p>The default implementation returns the result of calling

```

```

* { @link #visitChildren\} on { @code ctx\}.\</p>
*/
@Override public T visit<lname; format="cap">(<file.parserName>.<lname; format="cap">Context ctx) { return
visitChildren(ctx); \}}; separator="\n">
}
>>

fileHeader(grammarFileName, ANTLRVersion) ::= <<
// Generated from <grammarFileName; format="java-escape"> by ANTLR <ANTLRVersion>
>>

Parser(parser, funcs, atn, sempredFuncs, superClass) ::= <<
<Parser_(ctor="parser_ctor", ...)>
>>

Parser_(parser, funcs, atn, sempredFuncs, ctor, superClass) ::= <<
@SuppressWarnings({"all", "warnings", "unchecked", "unused", "cast"})
public class <parser.name> extends <superClass; null="Parser"> {
static { RuntimeMetaData.checkVersion("<file.ANTLRVersion>", RuntimeMetaData.VERSION); }

protected static final DFA[] _decisionToDFA;
protected static final PredictionContextCache _sharedContextCache =
new PredictionContextCache();
<if(parser.tokens)>
public static final int
<parser.tokens:{k | <k>=<parser.tokens.(k)>}; separator=", ", wrap, anchor>;
<endif>
public static final int
<parser.rules:{r | RULE_<r.name> = <r.index>}; separator=", ", wrap, anchor>;
public static final String[] ruleNames = {
<parser.ruleNames:{r | "<r">}; separator=", ", wrap, anchor>
};

<vocabulary(parser.literalNames, parser.symbolicNames)>

@Override
public String getGrammarFileName() { return "<parser.grammarFileName; format="java-escape">"; }

@Override
public String[] getRuleNames() { return ruleNames; }

@Override
public String getSerializedATN() { return _serializedATN; }

@Override
public ATN getATN() { return _ATN; }

<namedActions.members>

```

```

<parser:(ctor)()>
<funcs; separator="\n">

<if(sempredFuncs)>
public boolean sempred(RuleContext _localctx, int ruleIndex, int predIndex) {
    switch (ruleIndex) {
        <parser.sempredFuncs.values:{ f}
    case <f.ruleIndex>:
        return <f.name>_sempred((<f.ctxType>)_localctx, predIndex);}; separator="\n">
    }
    return true;
    }
    <sempredFuncs.values; separator="\n">
<endif>

<atn>
}
>>

vocabulary(literalNames, symbolicNames) ::= <<
private static final String[] _LITERAL_NAMES = {
    <literalNames:{ t | <t>}; null="null", separator=", ", wrap, anchor>
};
private static final String[] _SYMBOLIC_NAMES = {
    <symbolicNames:{ t | <t>}; null="null", separator=", ", wrap, anchor>
};
public static final Vocabulary VOCABULARY = new VocabularyImpl(_LITERAL_NAMES,
    _SYMBOLIC_NAMES);

/**
 * @deprecated Use {@link #VOCABULARY} instead.
 */
@Deprecated
public static final String[] tokenNames;
static {
    tokenNames = new String[_SYMBOLIC_NAMES.length];
    for (int i = 0; i < tokenNames.length; i++) {
        tokenNames[i] = VOCABULARY.getLiteralName(i);
        if (tokenNames[i] == null) {
            tokenNames[i] = VOCABULARY.getSymbolicName(i);
        }

        if (tokenNames[i] == null) {
            tokenNames[i] = "<INVALID>";
        }
    }
}
}
}

```

```

@Override
@Deprecated
public String[] getTokenNames() {
    return tokenNames;
}

@Override

public Vocabulary getVocabulary() {
    return VOCABULARY;
}
>>

dumpActions(recog, argFuncs, actionFuncs, sempredFuncs) ::= <<
<if(actionFuncs)>
@Override
public void action(RuleContext _localctx, int ruleIndex, int actionIndex) {
    switch (ruleIndex) {
        <recog.actionFuncs.values:{f}
    case <f.ruleIndex>:
        <f.name>_action((<f.ctxType>)_localctx, actionIndex);
        break;}; separator="\n">
    }
}
<actionFuncs.values; separator="\n">
<endif>
<if(sempredFuncs)>
@Override
public boolean sempred(RuleContext _localctx, int ruleIndex, int predIndex) {
    switch (ruleIndex) {
        <recog.sempredFuncs.values:{f}
    case <f.ruleIndex>:
        return <f.name>_sempred((<f.ctxType>)_localctx, predIndex);}; separator="\n">
    }
    return true;
}
<sempredFuncs.values; separator="\n">
<endif>
>>

parser_ctor(p) ::= <<
public <p.name>(TokenStream input) {
    super(input);
    _interp = new ParserATNSimulator(this, _ATN, _decisionToDFA, _sharedContextCache);
}
>>

```

/* This generates a private method since the actionIndex is generated, making an


```

* overriding implementation impossible to maintain.
*/
RuleActionFunction(r, actions) ::= <<
private void <r.name>_action(<r.ctxType> _localctx, int actionIndex) {
    switch (actionIndex) {
        <actions:{index|
case <index>:
        <actions.(index)>
        break;}; separator="\n">
    }
}
>>

/* This generates a private method since the predIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleSempredFunction(r, actions) ::= <<
private boolean <r.name>_sempred(<r.ctxType> _localctx, int predIndex) {
    switch (predIndex) {
        <actions:{index|
case <index>:
        return <actions.(index)>;}; separator="\n">
    }
    return true;
}
>>

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
::= <<

<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>public final <endif><currentRule.ctxType>
<currentRule.name><(<args; separator=",">) throws RecognitionException {
    <currentRule.ctxType> _localctx = new <currentRule.ctxType>(<_ctx, getState()<currentRule.args:{a | ,
<a.name>}>>);
    enterRule(_localctx, <currentRule.startState>, RULE_<currentRule.name>);
    <namedActions.init>
    <locals; separator="\n">
    try {
        <if(currentRule.hasLookaheadBlock)>
        int _alt;
    <endif>
    <code>
    <postamble; separator="\n">
    <namedActions.after>
}

```

```

<if(exceptions)>
<exceptions; separator="\n">
<else>
catch (RecognitionException re) {
    _localctx.exception = re;
    _errHandler.reportError(this, re);
    _errHandler.recover(this, re);
}
<endif>
finally {
    <finallyAction>
    exitRule();
}
return _localctx;
}
>>

```

```

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
namedActions,finallyAction,postamble) ::=

```

```
<<
```

```
<ruleCtx>
```

```
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">
```

```

<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>public final <endif><currentRule.ctxType>
<currentRule.name><(args; separator=", "> throws RecognitionException {
return <currentRule.name>(0<currentRule.args:{a | , <a.name>>});
}

```

```

private <currentRule.ctxType> <currentRule.name>(int _p<args:{a | , <a>>}) throws RecognitionException {
    ParserRuleContext _parentctx = _ctx;
    int _parentState = getState();
    <currentRule.ctxType> _localctx = new <currentRule.ctxType>(_ctx, _parentState<currentRule.args:{a | ,
<a.name>>});
    <currentRule.ctxType> _prevctx = _localctx;
    int _startState = <currentRule.startState>;
    enterRecursionRule(_localctx, <currentRule.startState>, RULE_<currentRule.name>, _p);
    <namedActions.init>
    <locals; separator="\n">
    try {
    <if(currentRule.hasLookaheadBlock)>
        int _alt;
    <endif>
        <code>
        <postamble; separator="\n">
        <namedActions.after>
    }
    catch (RecognitionException re) {

```

```

    _localctx.exception = re;
    _errHandler.reportError(this, re);
    _errHandler.recover(this, re);
}
finally {
    <finallyAction>
    unrollRecursionContexts(_parentctx);
}
return _localctx;
}
>>

```

```

CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<
<if(currentOuterMostAltCodeBlock.altLabel)>_localctx = new <currentOuterMostAltCodeBlock.altLabel;
format="cap">Context(_localctx);<endif>
enterOuterAlt(_localctx, <currentOuterMostAltCodeBlock.alt.altNum>);
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>
>>

```

```

CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<
{
    <locals; separator="\n">
    <preamble; separator="\n">
    <ops; separator="\n">
}
>>

```

```

LL1AltBlock(choice, preamble, alts, error) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
<if(choice.label)><labelref(choice.label)> = _input.LT(1);<endif>
<preamble; separator="\n">
switch (_input.LA(1)) {
    <choice.altLook,alts:{look,alt| <cases(ttypes=look)>
    <alt>
    break;}; separator="\n">
default:
    <error>
}
>>

```

```

LL1OptionalBlock(choice, alts, error) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
switch (_input.LA(1)) {
    <choice.altLook,alts:{look,alt| <cases(ttypes=look)>
    <alt>
    break;}; separator="\n">
}
>>

```

default:

```
<error>
}
>>
```

```
LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
<preamble; separator="\n">
if (<expr>) {
  <alts; separator="\n">
}
<!else if ( !(<followExpr>) ) <error!>
>>
```

```
LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
<preamble; separator="\n">
while (<loopExpr>) {
  <alts; separator="\n">
  setState(<choice.loopBackStateNumber>);
  _errHandler.sync(this);
  <iteration>
}
>>
```

```
LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
setState(<choice.blockStartStateNumber>); <! alt block decision !>
_errHandler.sync(this);
<preamble; separator="\n">
do {
  <alts; separator="\n">
  setState(<choice.stateNumber>); <! loopback/exit decision !>
  _errHandler.sync(this);
  <iteration>
} while ( <loopExpr> );
>>
```

// LL(*) stuff

```
AltBlock(choice, preamble, alts, error) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
<if(choice.label)><labelref(choice.label)> = _input.LT(1);<endif>
<preamble; separator="\n">
switch ( getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx) ) {
  <alts:{alt |
```

```

case <i>:
  <alt>
  break;}; separator="\n">
}
>>

```

```

OptionalBlock(choice, alts, error) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
switch ( getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx) ) {
<alts:{ alt |
case <i><if(!choice.ast.greedy)>+1<endif>:
  <alt>
  break;}; separator="\n">
}
>>

```

```

StarBlock(choice, alts, sync, iteration) ::= <<
setState(<choice.stateNumber>);
_errHandler.sync(this);
_alt = getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx);
while ( _alt!=<choice.exitAlt> && _alt!=org.antlr.v4.runtime.atn.ATN.INVALID_ALT_NUMBER ) {
if ( _alt==1<if(!choice.ast.greedy)>+1<endif> ) {
  <iteration>
  <alts> <! should only be one !>
}
setState(<choice.loopBackStateNumber>);
_errHandler.sync(this);
_alt = getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx);
}
>>

```

```

PlusBlock(choice, alts, error) ::= <<
setState(<choice.blockStartStateNumber>); <! alt block decision !>
_errHandler.sync(this);
_alt = 1<if(!choice.ast.greedy)>+1<endif>;
do {
  switch (_alt) {
  <alts:{ alt |
case <i><if(!choice.ast.greedy)>+1<endif>:
  <alt>
  break;}; separator="\n">
  default:
  <error>
  }
  setState(<choice.loopBackStateNumber>); <! loopback/exit decision !>
  _errHandler.sync(this);
  _alt = getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx);
}

```

```

} while ( _alt!=<choice.exitAlt> && _alt!=org.antlr.v4.runtime.atn.ATN.INVALID_ALT_NUMBER );
>>

Sync(s) ::= "sync(<s.expecting.name>);"

ThrowNoViableAlt(t) ::= "throw new NoViableAltException(this);"

TestSetInline(s) ::= <<
<s.bitsets:{bits | <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>}; separator=" || ">
>>

// Java language spec 15.19 - shift operators mask operands rather than overflow to 0... need range test
testShiftInRange(shiftAmount) ::= <<
((<shiftAmount>) & ~0x3f) == 0
>>

// produces smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <%
(<testShiftInRange({<offsetShift(s.varName, bits.shift)>})> && ((1L \<< <offsetShift(s.varName, bits.shift)>) &
(<bits.ttypes:{ttype | (1L \<< <offsetShift(ttype, bits.shift)>)}; separator=" | ">)) != 0)
%>

isZero ::= [
"0":true,
default:false
]

offsetShift(shiftAmount, offset) ::= <%
<if(!isZero.(offset))><shiftAmount> - <offset><else><shiftAmount><endif>
%>

// produces more efficient bytecode when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
<bits.ttypes:{ttype | <s.varName>==<ttype>}; separator=" || ">
%>

cases(ttypes) ::= <<
<ttypes:{t | case <t>}; separator="\n">
>>

InvokeRule(r, argExprsChunks) ::= <<
setState(<r.stateNumber>);
<if(r.labels)><r.labels:[1 | <labelref(l)> =
]><endif><r.name><(<if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)><endif><endif><argExprsChunks>
);
>>

```

```

MatchToken(m) ::= <<
  setState(<m.stateNumber>);
  <if(m.labels)><m.labels:{1 | <labelref(l)> = }><endif>match(<m.name>);
>>

```

```

MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"

```

```

MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"

```

```

CommonSetStuff(m, expr, capture, invert) ::= <<
  setState(<m.stateNumber>);
  <if(m.labels)><m.labels:{1 | <labelref(l)> = }>_input.LT(1);<endif>
  <capture>
  if ( <if(invert)><m.varName> \<= 0 || <else>!<endif>(<expr> ) ) {
    <if(m.labels)><m.labels:{1 | <labelref(l)> = (Token)}><endif>_errHandler.recoverInline(this);
  }
  else {
    if ( _input.LA(1)==Token.EOF ) matchedEOF = true;
    _errHandler.reportMatch(this);
    consume();
  }
>>

```

```

Wildcard(w) ::= <<
  setState(<w.stateNumber>);
  <if(w.labels)><w.labels:{1 | <labelref(l)> = }><endif>matchWildcard();
>>

```

```

// ACTION STUFF

```

```

Action(a, foo, chunks) ::= "<chunks>"

```

```

ArgAction(a, chunks) ::= "<chunks>"

```

```

SemPred(p, chunks, failChunks) ::= <<
  setState(<p.stateNumber>);
  if (!(<chunks>)) throw new FailedPredicateException(this, <p.predicate><if(failChunks)>,
  <failChunks><elseif(p.msg)>, <p.msg><endif>);
>>

```

```

ExceptionClause(e, catchArg, catchAction) ::= <<
  catch (<catchArg>) {
    <catchAction>
  }
>>

```

```

// lexer actions are not associated with model objects

```

```

LexerSkipCommand() ::= "skip();"
LexerMoreCommand() ::= "more();"
LexerPopModeCommand() ::= "popMode();"

LexerTypeCommand(arg, grammar) ::= "_type = <arg>";
LexerChannelCommand(arg, grammar) ::= "_channel = <arg>";
LexerModeCommand(arg, grammar) ::= "_mode = <arg>";
LexerPushModeCommand(arg, grammar) ::= "pushMode(<arg>);"

ActionText(t) ::= "<t.text>"
ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "_localctx.<a.name>"
LocalRef(a) ::= "_localctx.<a.name>"
RetValRef(a) ::= "_localctx.<a.name>"
QRetValRef(a) ::= "<ctx(a)>.<a.dict>.<a.name>"
/** How to translate $tokenLabel */
TokenRef(t) ::= "<ctx(t)>.<t.name>"
LabelRef(t) ::= "<ctx(t)>.<t.name>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(t.name)>"
SetAttr(s,rhsChunks) ::= "<ctx(s)>.<s.name> = <rhsChunks>";

TokenLabelType() ::= "<file.TokenLabelType; null={Token}>"
InputSymbolType() ::= "<file.InputSymbolType; null={Token}>"

TokenPropertyRef_text(t) ::= "<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getText():null)"
TokenPropertyRef_type(t) ::= "<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getType():0)"
TokenPropertyRef_line(t) ::= "<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getLine():0)"
TokenPropertyRef_pos(t) ::= "<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getCharPositionInLine():0)"
TokenPropertyRef_channel(t) ::= "<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getChannel():0)"
TokenPropertyRef_index(t) ::= "<ctx(t)>.<t.label>!=null?<ctx(t)>.<t.label>.getTokenIndex():0)"
TokenPropertyRef_int(t) ::= "<ctx(t)>.<t.label>!=null?Integer.valueOf(<ctx(t)>.<t.label>.getText():0)"

RulePropertyRef_start(r) ::= "<ctx(r)>.<r.label>!=null?<ctx(r)>.<r.label>.start():null)"
RulePropertyRef_stop(r) ::= "<ctx(r)>.<r.label>!=null?<ctx(r)>.<r.label>.stop():null)"
RulePropertyRef_text(r) ::=
"<ctx(r)>.<r.label>!=null?_input.getText(<ctx(r)>.<r.label>.start,<ctx(r)>.<r.label>.stop):null)"
RulePropertyRef_ctx(r) ::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r) ::= "this"

ThisRulePropertyRef_start(r) ::= "_localctx.start"
ThisRulePropertyRef_stop(r) ::= "_localctx.stop"
ThisRulePropertyRef_text(r) ::= "_input.getText(_localctx.start, _input.LT(-1))"
ThisRulePropertyRef_ctx(r) ::= "_localctx"
ThisRulePropertyRef_parser(r) ::= "this"

NonLocalAttrRef(s) ::= "(<s.ruleName; format='cap'>Context)getInvokingContext(<s.ruleIndex>).<s.name>"
SetNonLocalAttr(s, rhsChunks) ::=
"(<s.ruleName; format='cap'>Context)getInvokingContext(<s.ruleIndex>).<s.name> = <rhsChunks>";

```



```

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.add(<labelref(a.label)>);"

TokenDecl(t) ::= "<TokenLabelType()> <t.name>"
TokenTypeDecl(t) ::= "int <t.name>);"
TokenListDecl(t) ::= "List<<Token> <t.name> = new ArrayList<<Token>()"
RuleContextDecl(r) ::= "<r.ctxName> <r.name>"
RuleContextListDecl(rdecl) ::= "List<<rdecl.ctxName>> <rdecl.name> = new ArrayList<<rdecl.ctxName>>()"

ContextTokenGetterDecl(t) ::=
    "public TerminalNode <t.name>() { return getToken(<parser.name>.<t.name>, 0); }"
ContextTokenListGetterDecl(t) ::=
    "public List<TerminalNode> <t.name>() { return getTokens(<parser.name>.<t.name>); }"
ContextTokenListIndexedGetterDecl(t) ::= <<
public TerminalNode <t.name>(int i) {
    return getToken(<parser.name>.<t.name>, i);
}
>>
ContextRuleGetterDecl(r) ::= <<
public <r.ctxName> <r.name>() {
    return getRuleContext(<r.ctxName>.class,0);
}
>>
ContextRuleListGetterDecl(r) ::= <<
public List<<r.ctxName>> <r.name>() {
    return getRuleContexts(<r.ctxName>.class);
}
>>
ContextRuleListIndexedGetterDecl(r) ::= <<
public <r.ctxName> <r.name>(int i) {
    return getRuleContext(<r.ctxName>.class,i);
}
>>

LexerRuleContext() ::= "RuleContext"

/** The rule context name is the rule followed by a suffix; e.g.,
 * r becomes rContext.
 */
RuleContextNameSuffix() ::= "Context"

ImplicitTokenLabel(tokenName) ::= "<tokenName>"
ImplicitRuleLabel(ruleName) ::= "<ruleName>"
ImplicitSetLabel(id) ::= "_tset<id>"
ListLabelName(label) ::= "<label>"

CaptureNextToken(d) ::= "<d.varName> = _input.LT(1);"
CaptureNextTokenType(d) ::= "<d.varName> = _input.LA(1);"

```

```

StructDecl(struct,ctorAttrs,attrs, getters,dispatchMethods,interfaces,extensionMembers)
 ::= <<
public static class <struct.name> extends
<if(contextSuperClass)><contextSuperClass><else>ParserRuleContext<endif><if(interfaces)> implements
<interfaces; separator=", "><endif> {
  <attrs:{ a | public <a>;}; separator="\n">
  <getters:{ g | <g>;}; separator="\n">
  <if(ctorAttrs)>public <struct.name>(ParserRuleContext parent, int invokingState) { super(parent, invokingState);
  }<endif>
  public <struct.name>(ParserRuleContext parent, int invokingState<ctorAttrs:{ a | , <a>>}) {
    super(parent, invokingState);
    <struct.ctorAttrs:{ a | this.<a.name> = <a.name>;}; separator="\n">
  }
  @Override public int getRuleIndex() { return RULE_<struct.derivedFromName>; }
<if(struct.provideCopyFrom)> <! don't need copy unless we have subclasses !>
  public <struct.name>() { }
  public void copyFrom(<struct.name> ctx) {
    super.copyFrom(ctx);
    <struct.attrs:{ a | this.<a.name> = ctx.<a.name>;}; separator="\n">
  }
<endif>
<dispatchMethods; separator="\n">
<extensionMembers; separator="\n">
}
>>

```

```

AltLabelStructDecl(struct,attrs, getters,dispatchMethods) ::= <<
public static class <struct.name> extends <currentRule.name; format="cap">Context {
  <attrs:{ a | public <a>;}; separator="\n">
  <getters:{ g | <g>;}; separator="\n">
  public <struct.name>(<currentRule.name; format="cap">Context ctx) { copyFrom(ctx); }
  <dispatchMethods; separator="\n">
}
>>

```

```

ListenerDispatchMethod(method) ::= <<
@Override
public void <if(method.isEnter)>enter<else>exit<endif>Rule(ParseTreeListener listener) {
  if ( listener instanceof <parser.grammarName>Listener )
    ((<parser.grammarName>Listener)listener).<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName;
    format="cap">(this);
}
>>

```

```

VisitorDispatchMethod(method) ::= <<
@Override
public <T> T accept(ParseTreeVisitor<? extends T> visitor) {

```

```

if ( visitor instanceof <parser.grammarName>Visitor ) return ((<parser.grammarName>Visitor\<? extends
T>)visitor).visit<struct.derivedFromName; format="cap">(this);
else return visitor.visitChildren(this);
}
>>

```

```

AttributeDecl(d) ::= "<d.type> <d.name><if(d.initValue)> = <d.initValue><endif>"

```

```

/** If we don't know location of label def x, use this template */
labelref(x) ::= "<if(!x.isLocal)>((<x.ctx.name>)_localctx).<endif><x.name>"

```

```

/** For any action chunk, what is correctly-typed context struct ptr? */
ctx(actionChunk) ::= "((<actionChunk.ctx.name>)_localctx)"

```

```

// used for left-recursive rules
recRuleAltPredicate(ruleName,opPrec) ::= "precpred(_ctx, <opPrec>)"
recRuleSetReturnAction(src,name) ::= "$<name>=$<src>.<name>";
recRuleSetStopToken() ::= "_ctx.stop = _input.LT(-1);"

```

```

recRuleAltStartAction(ruleName, ctxName, label, isListLabel) ::= <<
_localctx = new <ctxName>Context(_parentctx, _parentState);
<if(label)>
<if(isListLabel)>
_localctx.<label>.add(_prevctx);
<else>
_localctx.<label> = _prevctx;
<endif>
<endif>
<if(label)>_localctx.<label> = _prevctx;<endif>
pushNewRecursionContext(_localctx, _startState, RULE_<ruleName>);
>>

```

```

recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
_localctx = new <currentAltLabel; format="cap">Context(new <ruleName; format="cap">Context(_parentctx,
_parentState));
<if(label)>
<if(isListLabel)>
((<currentAltLabel; format="cap">Context)_localctx).<label>.add(_prevctx);
<else>
((<currentAltLabel; format="cap">Context)_localctx).<label> = _prevctx;
<endif>
<endif>
pushNewRecursionContext(_localctx, _startState, RULE_<ruleName>);
>>

```

```

recRuleReplaceContext(ctxName) ::= <<
_localctx = new <ctxName>Context(_localctx);
_ctx = _localctx;

```

```
_prevctx = _localctx;
```

```
>>
```

```
recRuleSetPrevCtx() ::= <<
```

```
if ( _parseListeners!=null ) triggerExitRuleEvent();
```

```
_prevctx = _localctx;
```

```
>>
```

```
LexerFile(lexerFile, lexer, namedActions) ::= <<
```

```
<fileHeader(lexerFile.grammarFileName, lexerFile.ANTLRVersion)>
```

```
<if(lexerFile.genPackage)>
```

```
package <lexerFile.genPackage>;
```

```
<endif>
```

```
<namedActions.header>
```

```
import org.antlr.v4.runtime.Lexer;
```

```
import org.antlr.v4.runtime.CharStream;
```

```
import org.antlr.v4.runtime.Token;
```

```
import org.antlr.v4.runtime.TokenStream;
```

```
import org.antlr.v4.runtime.*;
```

```
import org.antlr.v4.runtime.atn.*;
```

```
import org.antlr.v4.runtime.dfa.DFA;
```

```
import org.antlr.v4.runtime.misc.*;
```

```
<lexer>
```

```
>>
```

```
Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<
```

```
@SuppressWarnings({"all", "warnings", "unchecked", "unused", "cast"})
```

```
public class <lexer.name> extends <superClass; null="Lexer"> {
```

```
    static { RuntimeMetaData.checkVersion("<lexerFile.ANTLRVersion>", RuntimeMetaData.VERSION); }
```

```
    protected static final DFA[] _decisionToDFA;
```

```
    protected static final PredictionContextCache _sharedContextCache =
```

```
        new PredictionContextCache();
```

```
    public static final int
```

```
        <lexer.tokens:{k | <k>=<lexer.tokens.(k)>}; separator=", ", wrap, anchor>;
```

```
    <if(lexer.channels)>
```

```
    public static final int
```

```
        <lexer.channels:{k | <k>=<lexer.channels.(k)>}; separator=", ", wrap, anchor>;
```

```
    <endif>
```

```
    <rest(lexer.modes):{m| public static final int <m> = <i>;}; separator="\n">
```

```
    public static String[] modeNames = {
```

```
        <lexer.modes:{m| "<m>"}; separator=", ", wrap, anchor>
```

```
    };
```

```
    public static final String[] ruleNames = {
```

```
        <lexer.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor>
```

```

};

<vocabulary(lexer.literalNames, lexer.symbolicNames)>

<namedActions.members>

public <lexer.name>(CharStream input) {
    super(input);
    _interp = new LexerATNSimulator(this, _ATN, _decisionToDFA, _sharedContextCache);
}

@Override
public String getGrammarFileName() { return "<lexer.grammarFileName>"; }

@Override
public String[] getRuleNames() { return ruleNames; }

@Override
public String getSerializedATN() { return _serializedATN; }

@Override
public String[] getModeNames() { return modeNames; }

@Override
public ATN getATN() { return _ATN; }

<dumpActions(lexer, "", actionFuncs, sempredFuncs)>
<atn>
}
>>

SerializedATN(model) ::= <<
<if(rest(model.segments))>
<! requires segmented representation !>
private static final int _serializedATNSegments = <length(model.segments)>;
<model.segments:{segment|private static final String _serializedATNSegment<i0> =
"<segment; wrap={ "+<\n><\t>" }>"; separator="\n">
public static final String _serializedATN = Utils.join(
new String[] {
    <model.segments:{segment | _serializedATNSegment<i0>}; separator=",\n">
    },
    ""
);
<else>
<! only one segment, can be inlined !>
public static final String _serializedATN =
"<model.serialized; wrap={ "+<\n><\t>" }>";
<endif>

```

```

public static final ATN _ATN =
    new ATNDeserializer().deserialize(_serializedATN.toCharArray());
static {
    _decisionToDFA = new DFA[_ATN.getNumberOfDecisions()];
    for (int i = 0; i < _ATN.getNumberOfDecisions(); i++) {
        _decisionToDFA[i] = new DFA(_ATN.getDecisionState(i), i);
    }
}
<! org.antlr.v4.tool.DOTGenerator dot = new org.antlr.v4.tool.DOTGenerator(null);!>
<! System.out.println(dot.getDOT(_ATN.decisionToState.get(0), ruleNames, false));!>
<! System.out.println(dot.getDOT(_ATN.ruleToStartState[2], ruleNames, false));!>
}
>>

```

```

/** Using a type to init value map, try to init a type; if not in table
 * must be an object, default value is "null".
 */
initValue(typeName) ::= <<
<javaTypeInitMap.(typeName)>
>>

```

```
codeFileExtension() ::= ".java"
```

Found in path(s):

```
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/tool/templates/codegen/Java/Java.stg
```

No license file was found, but licenses were detected in source scan.

```

/*
 * [The "BSD license"]
 * Copyright (c) 2012-2016 Terence Parr
 * Copyright (c) 2012-2016 Sam Harwell
 * Copyright (c) 2014 Eric Vergnaud
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. The name of the author may not be used to endorse or promote products
 * derived from this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS'' AND ANY EXPRESS OR
 * IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

```

```

* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/

```

```

/** ANTLR tool checks output templates are compatible with tool code generation.

```

```

* For now, a simple string match used on x.y of x.y.z scheme.

```

```

* Must match Tool.VERSION during load to templates.

```

```

*

```

```

* REQUIRED.

```

```

*/

```

```

pythonTypeInitMap ::= [
  "bool":"False",
  "int":"0",
  "float":"0.0",
  "str": "",
  default:"None" // anything other than a primitive type is an object
]

```

```

// args must be <object-model-object>, <fields-resulting-in-STs>

```

```

ParserFile(file, parser, namedActions, contextSuperClass) ::= <<

```

```

<fileHeader(file.grammarFileName, file.ANTLRVersion)>

```

```

# encoding: utf-8

```

```

from antlr4 import *

```

```

from io import StringIO

```

```

<namedActions.header>

```

```

<parser>

```

```

>>

```

```

ListenerFile(file, header, namedActions) ::= <<

```

```

<fileHeader(file.grammarFileName, file.ANTLRVersion)>

```

```

from antlr4 import *

```

```

if __name__ is not None and "." in __name__:

```

```

    from <file.parserName> import <file.parserName>

```

```

else:

```

```

    from <file.parserName> import <file.parserName>

```

```

<header>

```

```

# This class defines a complete listener for a parse tree produced by <file.parserName>.

```

```

class <file.grammarName>Listener(ParseTreeListener):

    <file.listenerNames:{ lname |
# Enter a parse tree produced by <file.parserName>#<lname>.
def enter<lname; format="cap">(self, ctx:<file.parserName>.<lname; format="cap">Context):
    pass

# Exit a parse tree produced by <file.parserName>#<lname>.
def exit<lname; format="cap">(self, ctx:<file.parserName>.<lname; format="cap">Context):
    pass

}; separator="\n">

>>

```

```

VisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
from antlr4 import *
if __name__ is not None and "." in __name__:
    from .<file.parserName> import <file.parserName>
else:
    from <file.parserName> import <file.parserName>
<header>

# This class defines a complete generic visitor for a parse tree produced by <file.parserName>.

class <file.grammarName>Visitor(ParseTreeVisitor):

    <file.visitorNames:{ lname |
# Visit a parse tree produced by <file.parserName>#<lname>.
def visit<lname; format="cap">(self, ctx:<file.parserName>.<lname; format="cap">Context):
    return self.visitChildren(ctx)

}; separator="\n">

del <file.parserName>

>>

```

```

fileHeader(grammarFileName, ANTLRVersion) ::= <<
# Generated from <grammarFileName> by ANTLR <ANTLRVersion>
>>

Parser(parser, funcs, atn, sempredFuncs, superClass) ::= <<
<Parser_(ctor="parser_ctor", ...)>
>>

```



```

Parser_(parser, funcs, atn, sempredFuncs, ctor, superClass) ::= <<
<if(superClass)>
from .<superClass> import <superClass>

<endif>
<atn>

class <parser.name> ( <if(superClass)><superClass><else>Parser<endif> ):

    grammarFileName = "<parser.grammarFileName>"

    atn = ATNDeserializer().deserialize(serializedATN())

    decisionsToDFA = [ DFA(ds, i) for i, ds in enumerate(atn.decisionToState) ]

    sharedContextCache = PredictionContextCache()

    literalNames = [ <parser.literalNames:{t | <t>}; null="\<INVALID>\\"", separator=", ", wrap, anchor> ]

    symbolicNames = [ <parser.symbolicNames:{t | <t>}; null="\<INVALID>\\"", separator=", ", wrap, anchor> ]

    <parser.rules:{r | RULE_<r.name> = <r.index>}; separator="\n", wrap, anchor>

    ruleNames = [ <parser.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor> ]

    EOF = <TokenLabelType(>).EOF
    <if(parser.tokens)>
    <parser.tokens:{k | <k>=<parser.tokens.(k)>}; separator="\n", wrap, anchor>
    <endif>

    <parser:(ctor)(>

    <namedActions.members>

    <funcs; separator="\n">

    <if(sempredFuncs)>
    def sempred(self, localctx:RuleContext, ruleIndex:int, predIndex:int):
        if self._predicates == None:
            self._predicates = dict()
    <parser.sempredFuncs.values:{f |
        self._predicates[<f.ruleIndex>] = self.<f.name>_sempred}; separator="\n    ">
        pred = self._predicates.get(ruleIndex, None)
        if pred is None:
            raise Exception("No predicate with index:" + str(ruleIndex))
        else:
            return pred(localctx, predIndex)

```

```

    <sempredFuncs.values; separator="\n">
<endif>

>>

dumpActions(recog, argFuncs, actionFuncs, sempredFuncs) ::= <<
<if(actionFuncs)>
def action(self, localctx:RuleContext, ruleIndex:int, actionIndex:int):
    if self._actions is None:
        actions = dict()
    <recog.actionFuncs.values:{f|
        actions[<f.ruleIndex>] = self.<f.name>_action }; separator="\n">
        self._actions = actions
    action = self._actions.get(ruleIndex, None)
    if action is not None:
        action(localctx, actionIndex)
    else:
        raise Exception("No registered action for:" + str(ruleIndex))

<actionFuncs.values; separator="\n">

<endif>
<if(sempredFuncs)>
def sempred(self, localctx:RuleContext, ruleIndex:int, predIndex:int):
    if self._predicates is None:
        preds = dict()
    <recog.sempredFuncs.values:{f|
        preds[<f.ruleIndex>] = self.<f.name>_sempred}; separator="\n">
        self._predicates = preds
    pred = self._predicates.get(ruleIndex, None)
    if pred is not None:
        return pred(localctx, predIndex)
    else:
        raise Exception("No registered predicate for:" + str(ruleIndex))

<sempredFuncs.values; separator="\n">
<endif>

>>

parser_ctor(p) ::= <<
def __init__(self, input:TokenStream):
    super().__init__(input)
    self.checkVersion("<file.ANTLRVersion>")
    self._interp = ParserATNSimulator(self, self.atn, self.decisionsToDFA, self.sharedContextCache)
    self._predicates = None

```

```

>>

/* This generates a private method since the actionIndex is generated, making an
 * overriding implementation impossible to maintain.
 */
RuleActionFunction(r, actions) ::= <<

def <r.name>_action(self, localctx:<r.ctxType> , actionIndex:int):
  <actions:{index|
  <if(first(actions))>
    if actionIndex == <index>:
      <actions.(index)>
  <elseif(rest(actions))>
    elif actionIndex == <index>:
      <actions.(index)>
  <endif> }; separator="\n">
>>

/* This generates a private method since the predIndex is generated, making an
 * overriding implementation impossible to maintain.
 */
RuleSempredFunction(r, actions) ::= <<
def <r.name>_sempred(self, localctx:<r.ctxType>, predIndex:int):
  <actions:{index|
  <if(first(actions))>
    if predIndex == <index>:
      return <actions.(index)>
  <elseif(rest(actions))>
    elif predIndex == <index>:
      return <actions.(index)>
  <endif> }; separator="\n">
>>

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
::= <<

<ruleCtx>

<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

def <currentRule.name>(self<currentRule.args:{a | , <a.name><if(a.type)>:<a.type><endif>}>):

  localctx = <parser.name>.<currentRule.ctxType>(self, self._ctx, self.state<currentRule.args:{a | , <a.name>}>)
  self.enterRule(localctx, <currentRule.startState>, self.RULE_<currentRule.name>)
  <namedActions.init>
  <locals; separator="\n">

```

```

try:
  <code>
  <postamble; separator="\n">
  <namedActions.after>
<if(exceptions)>
  <exceptions; separator="\n">
<else>
except RecognitionException as re:
  localctx.exception = re
  self._errHandler.reportError(self, re)
  self._errHandler.recover(self, re)
<endif>
finally:
  <finallyAction>
  self.exitRule()
return localctx

>>

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
namedActions,finallyAction,postamble) ::=
<<

<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

def <currentRule.name>(self, _p:int=0<if(currentRule.args)>, <args:{a | , <a>}><endif>):
  _parentctx = self._ctx
  _parentState = self.state
  localctx = <parser.name>.<currentRule.ctxType>(self, self._ctx, _parentState<args:{a | , <a.name>}>)
  _prevctx = localctx
  _startState = <currentRule.startState>
  self.enterRecursionRule(localctx, <currentRule.startState>, self.RULE_<currentRule.name>, _p)
  <namedActions.init>
  <locals; separator="\n">
  try:
    <code>
    <postamble; separator="\n">
    <namedActions.after>
  except RecognitionException as re:
    localctx.exception = re
    self._errHandler.reportError(self, re)
    self._errHandler.recover(self, re)
  finally:
    <finallyAction>
    self.unrollRecursionContexts(_parentctx)
  return localctx

```

>>

```
CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<
<if(currentOuterMostAltCodeBlock.altLabel)>localctx = <parser.name>.<currentOuterMostAltCodeBlock.altLabel;
format="cap">Context(self, localctx)<endif>
self.enterOuterAlt(localctx, <currentOuterMostAltCodeBlock.alt.altNum>)
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>
>>
```

```
CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<
<locals; separator="\n">
<preamble; separator="\n">
<ops; separator="\n">
>>
```

```
LL1AltBlock(choice, preamble, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<if(choice.label)><labelref(choice.label)> = _input.LT(1)<endif>
<preamble; separator="\n">
token = self._input.LA(1)
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
  <alt>
  pass}; separator="\nel">
else:
  <error>
>>
```

```
LL1OptionalBlock(choice, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
token = self._input.LA(1)
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
  <alt>
  pass}; separator="\nel">
else:
  <error>
>>
```

```
LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<preamble; separator="\n">
if <expr>:
  <alts; separator="\n">
<else if ( !( <followExpr> ) ) <error>!>
```

>>

```
LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<preamble; separator="\n">
while <loopExpr>:
  <alts; separator="\n">
  self.state = <choice.loopBackStateNumber>
  self._errHandler.sync(self)
  <iteration>
```

>>

```
LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
self.state = <choice.blockStartStateNumber> <! alt block decision !>
self._errHandler.sync(self)
<preamble; separator="\n">
while True:
  <alts; separator="\n">
  self.state = <choice.stateNumber> <! loopback/exit decision !>
  self._errHandler.sync(self)
  <iteration>
  if not (<loopExpr>):
    break
```

>>

```
// LL(*) stuff
```

```
AltBlock(choice, preamble, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<if(choice.label)><labelref(choice.label)> = _input.LT(1)<endif>
<preamble; separator="\n">
la_ = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
<alts:{ alt |
if la_ == <i>:
  <alt>
  pass
}; separator="\nel">
```

>>

```
OptionalBlock(choice, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
```

```

la_ = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
<alts:{alt |
if la_ == <i><if(!choice.ast.greedy)>+1<endif>:
  <alt>
}; separator="\nел">

```

```
>>
```

```

StarBlock(choice, alts, sync, iteration) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
_alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
while _alt!=<choice.exitAlt> and _alt!=ATN.INVALID_ALT_NUMBER:
  if _alt==1<if(!choice.ast.greedy)>+1<endif>:
    <iteration>
    <alts> <! should only be one !>
  self.state = <choice.loopBackStateNumber>
  self._errHandler.sync(self)
  _alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)

```

```
>>
```

```

PlusBlock(choice, alts, error) ::= <<
self.state = <choice.blockStartStateNumber> <! alt block decision !>
self._errHandler.sync(self)
_alt = 1<if(!choice.ast.greedy)>+1<endif>
while _alt!=<choice.exitAlt> and _alt!=ATN.INVALID_ALT_NUMBER:
  <alts:{alt |
if _alt == <i><if(!choice.ast.greedy)>+1<endif>:
  <alt>
}; separator="\nел">
  else:
    <error>
  self.state = <choice.loopBackStateNumber> <! loopback/exit decision !>
  self._errHandler.sync(self)
  _alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)

```

```
>>
```

```
Sync(s) ::= "sync(<s.expecting.name>)"
```

```
ThrowNoViableAlt(t) ::= "raise NoViableAltException(self)"
```

```

TestSetInline(s) ::= <<
<s.bitsets:{bits | <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>}; separator=" or ">
>>

```

```

// Java language spec 15.19 - shift operators mask operands rather than overflow to 0... need range test
testShiftInRange(shiftAmount) ::= <<
((<shiftAmount>) & ~0x3f) == 0
>>

// produces smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <%
(<testShiftInRange({<offsetShiftVar(s.varName, bits.shift)>})> and ((1 <|< <offsetShiftVar(s.varName,
bits.shift)>) & (<bits.ttypes:{ttype | (1 <|< <offsetShiftType(ttype, bits.shift)>)}); separator=" | ">)) != 0)
%>

isZero ::= [
"0":true,
default:false
]

offsetShiftVar(shiftAmount, offset) ::= <%
<if(!isZero.(offset))><shiftAmount> - <offset><else><shiftAmount><endif>
%>

offsetShiftType(shiftAmount, offset) ::= <%
<if(!isZero.(offset))><parser.name>.<shiftAmount> - <offset><else><parser.name>.<shiftAmount><endif>
%>

// produces more efficient bytecode when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
<bits.ttypes:{ttype | <s.varName>==<parser.name>.<ttype>}; separator=" or ">
%>

cases(ttypes) ::= <<
if token in [<ttypes:{t | <parser.name>.<t>}; separator=", ">]:
>>

InvokeRule(r, argExprsChunks) ::= <<
self.state = <r.stateNumber>
<if(r.labels)><r.labels:{1 | <labelref(l)> =
}><endif>self.<r.name><(<if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)>,<endif><endif><argExprsChu
nks>)
>>

MatchToken(m) ::= <<
self.state = <m.stateNumber>
<if(m.labels)><m.labels:{1 | <labelref(l)> = }><endif>self.match(<parser.name>.<m.name>)
>>

MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"

MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"

```



```

CommonSetStuff(m, expr, capture, invert) ::= <<
self.state = <m.stateNumber>
<if(m.labels)><m.labels:{1 | <labelref(l)> = }>self._input.LT(1)<endif>
<capture>
<if(invert)>if <m.varName> \<= 0 or <expr><else>if not(<expr><endif>:
<if(m.labels)><m.labels:{1 | <labelref(l)> = }><else> <endif>self._errHandler.recoverInline(self)
else:
    self._errHandler.reportMatch(self)
    self.consume()
>>

```

```

Wildcard(w) ::= <<
self.state = <w.stateNumber>
<if(w.labels)><w.labels:{1 | <labelref(l)> = }><endif>self.matchWildcard()
>>

```

```
// ACTION STUFF
```

```
Action(a, foo, chunks) ::= "<chunks>"
```

```
ArgAction(a, chunks) ::= "<chunks>"
```

```

SemPred(p, chunks, failChunks) ::= <<
self.state = <p.stateNumber>
if not <chunks>:
    from antlr4.error.Errors import FailedPredicateException
    raise FailedPredicateException(self, <p.predicate><if(failChunks)>, <failChunks><elseif(p.msg)>,
<p.msg><endif>)
>>

```

```

ExceptionClause(e, catchArg, catchAction) ::= <<
catch (<catchArg>) {
    <catchAction>
}
>>

```

```
// lexer actions are not associated with model objects
```

```
LexerSkipCommand() ::= "skip()"
```

```
LexerMoreCommand() ::= "more()"
```

```
LexerPopModeCommand() ::= "popMode()"
```

```
LexerTypeCommand(arg, grammar) ::= "_type = <arg>"
```

```
LexerChannelCommand(arg, grammar) ::= "_channel = <arg>"
```

```
LexerModeCommand(arg, grammar) ::= "_mode = <arg>"
```

```
LexerPushModeCommand(arg, grammar) ::= "pushMode(<arg>)"
```

```

ActionText(t) ::= "<t.text>"
ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "localctx.<a.name>"
LocalRef(a) ::= "localctx.<a.name>"
RetValRef(a) ::= "localctx.<a.name>"
QRetValRef(a) ::= "<ctx(a)>.<a.dict>.<a.name>"
/** How to translate $tokenLabel */
TokenRef(t) ::= "<ctx(t)>.<t.name>"
LabelRef(t) ::= "<ctx(t)>.<t.name>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(t.name)>"
SetAttr(s,rhsChunks) ::= "<ctx(s)>.<s.name> = <rhsChunks>"

TokenLabelType() ::= "<file.TokenLabelType; null={Token}>"
InputSymbolType() ::= "<file.InputSymbolType; null={Token}>"

TokenPropertyRef_text(t) ::= "(None if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.text)"
TokenPropertyRef_type(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.type)"
TokenPropertyRef_line(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.line)"
TokenPropertyRef_pos(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.column)"
TokenPropertyRef_channel(t) ::= "(0 if (<ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.channel)"
TokenPropertyRef_index(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.tokenIndex)"
TokenPropertyRef_int(t) ::= "(0 if <ctx(t)>.<t.label> is None else int(<ctx(t)>.<t.label>.text))"

RulePropertyRef_start(r) ::= "(None if <ctx(r)>.<r.label> is None else <ctx(r)>.<r.label>.start)"
RulePropertyRef_stop(r) ::= "(None if <ctx(r)>.<r.label> is None else <ctx(r)>.<r.label>.stop)"
RulePropertyRef_text(r) ::= "(None if <ctx(r)>.<r.label> is None else
self._input.getText((<ctx(r)>.<r.label>.start,<ctx(r)>.<r.label>.stop)))"
RulePropertyRef_ctx(r) ::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r) ::= "self"

ThisRulePropertyRef_start(r) ::= "localctx.start"
ThisRulePropertyRef_stop(r) ::= "localctx.stop"
ThisRulePropertyRef_text(r) ::= "self._input.getText((localctx.start, self._input.LT(-1)))"
ThisRulePropertyRef_ctx(r) ::= "localctx"
ThisRulePropertyRef_parser(r) ::= "self"

NonLocalAttrRef(s) ::= "getInvokingContext(<s.ruleIndex>).<s.name>"
SetNonLocalAttr(s, rhsChunks) ::= "getInvokingContext(<s.ruleIndex>).<s.name> = <rhsChunks>"

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.append(<labelref(a.label)>)"

TokenDecl(t) ::= "self.<t.name> = None # <TokenLabelType()>"
TokenTypeDecl(t) ::= "self.<t.name> = 0 # <TokenLabelType()> type"
TokenListDecl(t) ::= "self.<t.name> = list() # of <TokenLabelType()>s"
RuleContextDecl(r) ::= "self.<r.name> = None # <r.ctxName>"
RuleContextListDecl(rdecl) ::= "self.<rdecl.name> = list() # of <rdecl.ctxName>s"

ContextTokenGetterDecl(t) ::= <<

```

```

def <t.name>(self):
    return self.getToken(<parser.name>.<t.name>, 0)
>>

// should never be called
ContextTokenListGetterDecl(t) ::= <<
def <t.name>_list(self):
    return self.getTokens(<parser.name>.<t.name>)
>>

ContextTokenListIndexedGetterDecl(t) ::= <<
def <t.name>(self, i:int=None):
    if i is None:
        return self.getTokens(<parser.name>.<t.name>)
    else:
        return self.getToken(<parser.name>.<t.name>, i)
>>

ContextRuleGetterDecl(r) ::= <<
def <r.name>(self):
    return self.getTypedRuleContext(<parser.name>.<r.ctxName>,0)

>>

// should never be called
ContextRuleListGetterDecl(r) ::= <<
def <r.name>_list(self):
    return self.getTypedRuleContexts(<parser.name>.<r.ctxName>)

>>

ContextRuleListIndexedGetterDecl(r) ::= <<
def <r.name>(self, i:int=None):
    if i is None:
        return self.getTypedRuleContexts(<parser.name>.<r.ctxName>)
    else:
        return self.getTypedRuleContext(<parser.name>.<r.ctxName>,i)

>>

LexerRuleContext() ::= "RuleContext"

/** The rule context name is the rule followed by a suffix; e.g.,
 * r becomes rContext.
 */
RuleContextNameSuffix() ::= "Context"

ImplicitTokenLabel(tokenName) ::= "_<tokenName>"

```

```

ImplicitRuleLabel(ruleName) ::= "_<ruleName>"
ImplicitSetLabel(id) ::= "_tset<id>"
ListLabelName(label) ::= "<label>"

CaptureNextToken(d) ::= "<d.varName> = self._input.LT(1)"
CaptureNextTokenType(d) ::= "<d.varName> = self._input.LA(1)"

StructDecl(struct,ctorAttrs,attrs,getters,dispatchMethods,interfaces,extensionMembers) ::= <<
class <struct.name>(<if(contextSuperClass)><contextSuperClass><else>ParserRuleContext<endif>):

    def __init__(self, parser, parent:ParserRuleContext=None, invokingState:int=-1<struct.ctorAttrs:{ a | ,
<a.name><if(a.type)>:<a.type><endif>=None }>):
        super().__init__(parent, invokingState)
        self.parser = parser
        <attrs:{ a | <a> }; separator="\n">
        <struct.ctorAttrs:{ a | self.<a.name> = <a.name> }; separator="\n">

        <getters:{ g | <g> }; separator="\n\n">

    def getRuleIndex(self):
        return <parser.name>.RULE_<struct.derivedFromName>

<if(struct.provideCopyFrom)> <! don't need copy unless we have subclasses !>
    def copyFrom(self, ctx:ParserRuleContext):
        super().copyFrom(ctx)
        <struct.attrs:{ a | self.<a.name> = ctx.<a.name> }; separator="\n">

<endif>
    <dispatchMethods; separator="\n">
    <extensionMembers; separator="\n">

>>

AltLabelStructDecl(struct,attrs,getters,dispatchMethods) ::= <<
class <struct.name>(<currentRule.name; format="cap">Context):

    def __init__(self, parser, ctx:ParserRuleContext): # actually a <parser.name>.<currentRule.name;
format="cap">Context
        super().__init__(parser)
        <attrs:{ a | <a> }; separator="\n">
        self.copyFrom(ctx)

        <getters:{ g | <g> }; separator="\n">

        <dispatchMethods; separator="\n">

>>

```

```

ListenerDispatchMethod(method) ::= <<
def <if(method.isEnter)>enter<else>exit<endif>Rule(self, listener:ParseTreeListener):
  if hasattr( listener, "<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName; format="cap">" ):
    listener.<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName; format="cap">(self)

>>

VisitorDispatchMethod(method) ::= <<
def accept(self, visitor:ParseTreeVisitor):
  if hasattr( visitor, "visit<struct.derivedFromName; format="cap">" ):
    return visitor.visit<struct.derivedFromName; format="cap">(self)
  else:
    return visitor.visitChildren(self)

>>

AttributeDecl(d) ::= "self.<d.name> = <if(d.initValue)><d.initValue><else>None<endif>"

/** If we don't know location of label def x, use this template */
labelref(x) ::= "<if(!x.isLocal)>localctx.<endif><x.name>"

/** For any action chunk, what is correctly-typed context struct ptr? */
ctx(actionChunk) ::= "localctx"

// used for left-recursive rules
recRuleAltPredicate(ruleName,opPrec) ::= "self.precpred(self._ctx, <opPrec>)"
recRuleSetReturnAction(src,name) ::= "$<name>=<src>.<name>"
recRuleSetStopToken() ::= "self._ctx.stop = self._input.LT(-1)"

recRuleAltStartAction(ruleName, ctxName, label) ::= <<
localctx = <parser.name>.<ctxName>Context(self, _parentctx, _parentState)
<if(label)>localctx.<label> = _prevctx<endif>
self.pushNewRecursionContext(localctx, _startState, self.RULE_<ruleName>)
>>

recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
localctx = <parser.name>.<currentAltLabel; format="cap">Context(self, <parser.name>.<ruleName;
format="cap">Context(self, _parentctx, _parentState))
<if(label)>
<if(isListLabel)>
localctx.<label>.append(_prevctx)
<else>
localctx.<label> = _prevctx
<endif>
<endif>
self.pushNewRecursionContext(localctx, _startState, self.RULE_<ruleName>)
>>

```

```

recRuleReplaceContext(ctxName) ::= <<
localctx = <parser.name>.<ctxName>Context(self, localctx)
self._ctx = localctx
_prevctx = localctx
>>

```

```

recRuleSetPrevCtx() ::= <<
if self._parseListeners is not None:
    self.triggerExitRuleEvent()
_prevctx = localctx
>>

```

```

LexerFile(lexerFile, lexer, namedActions) ::= <<
<fileHeader(lexerFile.grammarFileName, lexerFile.ANTLRVersion)>
from antlr4 import *
from io import StringIO

```

```

<namedActions.header>

```

```

<lexer>
>>

```

```

Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<

```

```

<atn>

```

```

class <lexer.name>(<if(superClass)><superClass><else>Lexer<endif>):

```

```

    atn = ATNDeserializer().deserialize(serializedATN())

```

```

    decisionsToDFA = [ DFA(ds, i) for i, ds in enumerate(atn.decisionToState) ]

```

```

    <rest(lexer.modes):{m| <m> = <i>}; separator="\n">

```

```

    <lexer.tokens:{k | <k> = <lexer.tokens.(k)>}; separator="\n", wrap, anchor>

```

```

    modeNames = [ <lexer.modes:{m| "<m>"}; separator=", ", wrap, anchor> ]

```

```

    literalNames = [ "\<INVALID>",
        <lexer.literalNames:{t | <t>}; separator=", ", wrap, anchor> ]

```

```

    symbolicNames = [ "\<INVALID>",
        <lexer.symbolicNames:{t | <t>}; separator=", ", wrap, anchor> ]

```

```

    ruleNames = [ <lexer.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor> ]

```

```

    grammarFileName = "<lexer.grammarFileName>"

```

```

def __init__(self, input=None):
    super().__init__(input)
    self.checkVersion("<lexerFile.ANTLRVersion>")
    self._interp = LexerATNSimulator(self, self.atn, self.decisionsToDFA, PredictionContextCache())
    self._actions = None
    self._predicates = None

<namedActions.members>

<dumpActions(lexer, "", actionFuncs, sempredFuncs)>

>>

```

```

SerializedATN(model) ::= <<
<! only one segment, can be inlined !>

```

```

def serializedATN():
    with StringIO() as buf:
        buf.write("<model.serialized; wrap={ }<\n>    buf.write("}>")
        return buf.getvalue()

>>

```

```

/** Using a type to init value map, try to init a type; if not in table
 * must be an object, default value is "null".
 */
initValue(typeName) ::= <<
<javaTypeInitMap.(typeName)>

>>

```

```

codeFileExtension() ::= ".py"

```

Found in path(s):

```

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/tool/templates/codegen/Python3/Python3.stg

```

No license file was found, but licenses were detected in source scan.

```

* [The "BSD license"]
* All rights reserved.
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.

```

- * 3. The name of the author may not be used to endorse or promote products
- * derived from this software without specific prior written permission.

[The "BSD licence"]

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

Found in path(s):

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/ANTLRParser.g

No license file was found, but licenses were detected in source scan.

/*

* [The "BSD license"]

* Copyright (c) 2016, Mike Lischke

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

*

- * 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
- * 3. The name of the author may not be used to endorse or promote products
* derived from this software without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

*/

Found in path(s):

```
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-  
jar/org/antlr/v4/tool/templates/codegen/Cpp/Files.stg
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* [The "BSD license"]
```

```
* Copyright (c) 2012-2016 Terence Parr
```

```
* Copyright (c) 2012-2016 Sam Harwell
```

```
* All rights reserved.
```

```
*
```

```
* Redistribution and use in source and binary forms, with or without
```

```
* modification, are permitted provided that the following conditions
```

```
* are met:
```

```
*
```

```
* 1. Redistributions of source code must retain the above copyright
```

```
* notice, this list of conditions and the following disclaimer.
```

```
* 2. Redistributions in binary form must reproduce the above copyright
```

```
* notice, this list of conditions and the following disclaimer in the
```

```
* documentation and/or other materials provided with the distribution.
```

```
* 3. The name of the author may not be used to endorse or promote products
```

```
* derived from this software without specific prior written permission.
```

```
*
```

```
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
```

```
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
```

```
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
```

```
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
```

```
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
```

```
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
```

```
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
```

```
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
```

```
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
```

```
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
```

```
*/
```

```
tree grammar SourceGenTriggers;
```

```
options {
```

```
language = Java;
```

```
tokenVocab = ANTLRParser;
```

```
ASTLabelType = GrammarAST;
```

```
}
```

```
@header {
```

```
package org.antlr.v4.codegen;
```

```
import org.antlr.v4.misc.Utils;
```

```
import org.antlr.v4.codegen.model.*;
```

```
import org.antlr.v4.codegen.model.decl.*;
```

```
import org.antlr.v4.tool.*;
```

```

import org.antlr.v4.tool.ast.*;
import java.util.Collections;
import java.util.Map;
import java.util.HashMap;
}

```

```

@members {
public OutputModelController controller;
public boolean hasLookaheadBlock;
public SourceGenTriggers(TreeNodeStream input, OutputModelController controller) {
this(input);
this.controller = controller;
}
}

```

```

dummy : block[null, null] ;

```

```

block[GrammarAST label, GrammarAST ebnfRoot] returns [List<? extends SrcOp> omos]
: ^( blk=BLOCK (^ (OPTIONS .+))?)
{ List<CodeBlockForAlt> alts = new ArrayList<CodeBlockForAlt>();
( alternative {alts.add($alternative.altCodeBlock);} )+
)
{
if ( alts.size()==1 && ebnfRoot==null) return alts;
if ( ebnfRoot==null ) {
Somos = DefaultOutputModelFactory.list(controller.getChoiceBlock((BlockAST)$blk, alts, $label));
}
else {
Choice choice = controller.getEBNFBlock($ebnfRoot, alts);
hasLookaheadBlock |= choice instanceof PlusBlock || choice instanceof StarBlock;
Somos = DefaultOutputModelFactory.list(choice);
}
}
;

```

```

alternative returns [CodeBlockForAlt altCodeBlock, List<SrcOp> ops]

```

```

@init {
boolean outerMost = inContext("RULE BLOCK");
}
@after {
controller.finishAlternative($altCodeBlock, $ops, outerMost);
}
: a=alt[outerMost] { $altCodeBlock=$a.altCodeBlock; $ops=$a.ops; }
;

```

```

alt[boolean outerMost] returns [CodeBlockForAlt altCodeBlock, List<SrcOp> ops]

```

```

@init {
// set alt if outer ALT only (the only ones with alt field set to Alternative object)

```

```

AltAST altAST = (AltAST)retval.start;
if ( outerMost ) controller.setCurrentOuterMostAlt(altAST.alt);
}
: {
List<SrcOp> elems = new ArrayList<SrcOp>();
// TODO: shouldn't we pass $start to controller.alternative()?
$altCodeBlock = controller.alternative(controller.getCurrentOuterMostAlt(), outerMost);
$altCodeBlock.ops = $ops = elems;
controller.setCurrentBlock($altCodeBlock);
}
^( ALT elementOptions? ( element {if ($element.omos!=null) elems.addAll($element.omos);} )+ )

| ^(ALT elementOptions? EPSILON)
    {$altCodeBlock = controller.epsilon(controller.getCurrentOuterMostAlt(), outerMost);}
;

element returns [List<? extends SrcOp> omos]
: labeledElement { $omos = $labeledElement.omos;}
| atom[null,false] { $omos = $atom.omos;}
| subrule { $omos = $subrule.omos;}
| ACTION { $omos = controller.action((ActionAST)$ACTION);}
| SEMPRED { $omos = controller.sempred((ActionAST)$SEMPRED);}
| ^(ACTION elementOptions) { $omos = controller.action((ActionAST)$ACTION);}
| ^(SEMPRED elementOptions) { $omos = controller.sempred((ActionAST)$SEMPRED);}
;

labeledElement returns [List<? extends SrcOp> omos]
: ^(ASSIGN ID atom[$ID,false] ) { $omos = $atom.omos;}
| ^(PLUS_ASSIGN ID atom[$ID,false]) { $omos = $atom.omos;}
| ^(ASSIGN ID block[$ID,null] ) { $omos = $block.omos;}
| ^(PLUS_ASSIGN ID block[$ID,null]) { $omos = $block.omos;}
;

subrule returns [List<? extends SrcOp> omos]
: ^(OPTIONAL b=block[null,$OPTIONAL])
{
$omos = $block.omos;
}
| ( ^(op=CLOSURE b=block[null,null])
| ^(op=POSITIVE_CLOSURE b=block[null,null])
)
{
List<CodeBlockForAlt> alts = new ArrayList<CodeBlockForAlt>();
SrcOp blk = $b.omos.get(0);
CodeBlockForAlt alt = new CodeBlockForAlt(controller.delegate);
alt.addOp(blk);
alts.add(alt);
SrcOp loop = controller.getEBNFBblock($op, alts); // "star it"

```

```

    hasLookaheadBlock |= loop instanceof PlusBlock || loop instanceof StarBlock;
    $omos = DefaultOutputModelFactory.list(loop);
}
| block[null, null]   {$omos = $block.omos;}
;

blockSet[GrammarAST label, boolean invert] returns [List<SrcOp> omos]
: ^(SET atom[label,invert]+) {$omos = controller.set($SET, $label, invert);}
;

/*
addElement
: STRING_LITERAL
| TOKEN_REF
| ^(RANGE STRING_LITERAL STRING_LITERAL)
;
*/

// TODO: combine ROOT/BANG into one then just make new op ref'ing return value of atom/terminal...
// TODO: same for NOT
atom[GrammarAST label, boolean invert] returns [List<SrcOp> omos]
: ^(NOT a=atom[$label, true]) {$omos = $a.omos;}
| range[label]   {$omos = $range.omos;}
| ^(DOT ID terminal[$label])
| ^(DOT ID ruleref[$label])
| ^(WILDCARD .)   {$omos = controller.wildcard($WILDCARD, $label);}
| WILDCARD       {$omos = controller.wildcard($WILDCARD, $label);}
| terminal[label] {$omos = $terminal.omos;}
| ruleref[label] {$omos = $ruleref.omos;}
| blockSet[$label, invert] {$omos = $blockSet.omos;}
;

ruleref[GrammarAST label] returns [List<SrcOp> omos]
: ^(RULE_REF ARG_ACTION? elementOptions?) {$omos = controller.ruleRef($RULE_REF, $label,
$ARG_ACTION);}
;

range[GrammarAST label] returns [List<SrcOp> omos]
: ^(RANGE a=STRING_LITERAL b=STRING_LITERAL)
;

terminal[GrammarAST label] returns [List<SrcOp> omos]
: ^(STRING_LITERAL .) {$omos = controller.stringRef($STRING_LITERAL, $label);}
| STRING_LITERAL   {$omos = controller.stringRef($STRING_LITERAL, $label);}
| ^(TOKEN_REF ARG_ACTION .) {$omos = controller.tokenRef($TOKEN_REF, $label, $ARG_ACTION);}
| ^(TOKEN_REF .)   {$omos = controller.tokenRef($TOKEN_REF, $label, null);}
| TOKEN_REF       {$omos = controller.tokenRef($TOKEN_REF, $label, null);}
;

```

elementOptions

```
: ^(ELEMENT_OPTIONS elementOption+)
;
```

elementOption

```
: ID
| ^(ASSIGN ID ID)
| ^(ASSIGN ID STRING_LITERAL)
| ^(ASSIGN ID ACTION)
| ^(ASSIGN ID INT)
;
```

Found in path(s):

```
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
jar/org/antlr/v4/codegen/SourceGenTriggers.g
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* [The "BSD license"]
```

```
* Copyright (c) 2012-2016 Terence Parr
```

```
* Copyright (c) 2012-2016 Sam Harwell
```

```
* All rights reserved.
```

```
*
```

```
* Redistribution and use in source and binary forms, with or without
```

```
* modification, are permitted provided that the following conditions
```

```
* are met:
```

```
*
```

```
* 1. Redistributions of source code must retain the above copyright
```

```
* notice, this list of conditions and the following disclaimer.
```

```
* 2. Redistributions in binary form must reproduce the above copyright
```

```
* notice, this list of conditions and the following disclaimer in the
```

```
* documentation and/or other materials provided with the distribution.
```

```
* 3. The name of the author may not be used to endorse or promote products
```

```
* derived from this software without specific prior written permission.
```

```
*
```

```
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
```

```
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
```

```
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
```

```
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
```

```
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
```

```
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
```

```
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
```

```
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
```

```
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
```

```
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
```

```
*/
```

```

lexer grammar ActionSplitter;

options { filter=true; }

@header {
package org.antlr.v4.parse;
import org.antlr.v4.tool.*;
import org.antlr.v4.tool.ast.*;
}

@members {
ActionSplitterListener delegate;

public ActionSplitter(CharStream input, ActionSplitterListener delegate) {
    this(input, new RecognizerSharedState());
    this.delegate = delegate;
}

/** force filtering (and return tokens). triggers all above actions. */
public List<Token> getActionTokens() {
    List<Token> chunks = new ArrayList<Token>();
    Token t = nextToken();
    while ( t.getType()!=Token.EOF ) {
        chunks.add(t);
        t = nextToken();
    }
    return chunks;
}

private boolean isIDStartChar(int c) {
    return c == '_' || Character.isLetter(c);
}
}

// ignore comments right away

COMMENT
: '/' ( options { greedy=false; } : . )* '*' { delegate.text($text); }
;

LINE_COMMENT
: '/' ~('\n'|\r)* '\r'? '\n' { delegate.text($text); }
;

SET_NONLOCAL_ATTR
: '$' x=ID ':' y=ID WS? '=' expr=ATTR_VALUE_EXPR ';'
{
    delegate.setNonLocalAttr($text, $x, $y, $expr);
}

```

```

}
;

NONLOCAL_ATTR
: '$ x=ID ':' y=ID { delegate.nonLocalAttr($text, $x, $y); }
;

QUALIFIED_ATTR
: '$ x=ID '!' y=ID { input.LA(1)!='(' ? { delegate.qualifiedAttr($text, $x, $y); }
;

SET_ATTR
: '$ x=ID WS? '=' expr=ATTR_VALUE_EXPR '
{
  delegate.setAttr($text, $x, $expr);
}
;

ATTR
: '$ x=ID { delegate.attr($text, $x); }
;

// Anything else is just random text
TEXT
@init { StringBuilder buf = new StringBuilder(); }
@after { delegate.text(buf.toString()); }
: ( c=~('\| '$) { buf.append((char)$c); }
| '\$' { buf.append('$'); }
| '\| c=~('$) { buf.append('\|').append((char)$c); }
| { !isIDStartChar(input.LA(2)) ? => '$' { buf.append('$'); }
)+
;

fragment
ID : ('a'..'z'|'A'..'Z'|'_') ('a'..'z'|'A'..'Z'|'0'..'9'|'_')*
;

/** Don't allow an = as first char to prevent $x == 3; kind of stuff. */
fragment
ATTR_VALUE_EXPR
: ~'=' (~';)*
;

fragment
WS : ('\t'|\n'|\r')+
;

Found in path(s):

```

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/ActionSplitter.g

No license file was found, but licenses were detected in source scan.

/*

* [The "BSD license"]

* Copyright (c) 2012-2016 Terence Parr

* Copyright (c) 2012-2016 Sam Harwell

* Copyright (c) 2014 Eric Vergnaud

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

*

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. The name of the author may not be used to endorse or promote products

* derived from this software without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR

* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES

* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.

* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,

* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT

* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY

* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT

* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF

* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

*/

/** ANTLR tool checks output templates are compatible with tool code generation.

* For now, a simple string match used on x.y of x.y.z scheme.

* Must match Tool.VERSION during load to templates.

*

* REQUIRED.

*/

pythonTypeInitMap ::= [

"bool": "False",

"int": "0",

"float": "0.0",

"str": "",

default: "None" // anything other than a primitive type is an object

]


```

// args must be <object-model-object>, <fields-resulting-in-STs>

ParserFile(file, parser, namedActions, contextSuperClass) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
var antlr4 = require('antlr4/index');
<if(file.genListener)>
var <file.grammarName>Listener = require('./<file.grammarName>Listener').<file.grammarName>Listener;
<endif>
<if(file.genVisitor)>
var <file.grammarName>Visitor = require('./<file.grammarName>Visitor').<file.grammarName>Visitor;
<endif>

<namedActions.header>
<parser>
>>

ListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
var antlr4 = require('antlr4/index');

// This class defines a complete listener for a parse tree produced by <file.parserName>.
function <file.grammarName>Listener() {
  antlr4.tree.ParseTreeListener.call(this);
  return this;
}

<file.grammarName>Listener.prototype = Object.create(antlr4.tree.ParseTreeListener.prototype);
<file.grammarName>Listener.prototype.constructor = <file.grammarName>Listener;

<file.listenerNames:{lname |
// Enter a parse tree produced by <file.parserName>#<lname>.
<file.grammarName>Listener.prototype.enter<lname; format="cap"> = function(ctx) {
\};

// Exit a parse tree produced by <file.parserName>#<lname>.
<file.grammarName>Listener.prototype.exit<lname; format="cap"> = function(ctx) {
\};

}; separator="\n">

exports.<file.grammarName>Listener = <file.grammarName>Listener;
>>

VisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
var antlr4 = require('antlr4/index');

```

```

// This class defines a complete generic visitor for a parse tree produced by <file.parserName>.

function <file.grammarName>Visitor() {
  antlr4.tree.ParseTreeVisitor.call(this);
  return this;
}

<file.grammarName>Visitor.prototype = Object.create(antlr4.tree.ParseTreeVisitor.prototype);
<file.grammarName>Visitor.prototype.constructor = <file.grammarName>Visitor;

<file.visitorNames:{lname |
// Visit a parse tree produced by <file.parserName>#<lname>.
<file.grammarName>Visitor.prototype.visit<lname; format="cap"> = function(ctx) {
  return this.visitChildren(ctx);
}
\};

}; separator="\n">

exports.<file.grammarName>Visitor = <file.grammarName>Visitor;
>>

fileHeader(grammarFileName, ANTLRVersion) ::= <<
// Generated from <grammarFileName; format="java-escape"> by ANTLR <ANTLRVersion>
// jshint ignore: start
>>

Parser(parser, funcs, atn, sempredFuncs, superClass) ::= <<
<if(superClass)>
var <superClass> = require('./<superClass>').<superClass>;
<endif>

var grammarFileName = "<parser.grammarFileName; format="java-escape">";

<atn>

var atn = new antlr4.atn.ATNDeserializer().deserialize(serializedATN);

var decisionsToDFA = atn.decisionToState.map( function(ds, index) { return new antlr4.dfa.DFA(ds, index); });

var sharedContextCache = new antlr4.PredictionContextCache();

var literalNames = [ <parser.literalNames:{t | <t>}; null="null", separator=", ", wrap, anchor> ];

var symbolicNames = [ <parser.symbolicNames:{t | <t>}; null="null", separator=", ", wrap, anchor> ];

var ruleNames = [ <parser.ruleNames:{r | "<r">}; separator=", ", wrap, anchor> ];

```

```

function <parser.name> (input) {
  <superClass; null="antlr4.Parser">.call(this, input);
  this._interp = new antlr4.atn.ParserATNSimulator(this, atn, decisionsToDFA, sharedContextCache);
  this.ruleNames = ruleNames;
  this.literalNames = literalNames;
  this.symbolicNames = symbolicNames;
  <namedActions.members>
  return this;
}

```

```

<parser.name>.prototype = Object.create(<superClass; null="antlr4.Parser">.prototype);
<parser.name>.prototype.constructor = <parser.name>;

```

```

Object.defineProperty(<parser.name>.prototype, "atn", {
  get : function() {
    return atn;
  }
});

```

```

<parser.name>.EOF = antlr4.Token.EOF;
<if(parser.tokens)>
<parser.tokens:{k | <parser.name>.<k> = <parser.tokens.(k)>;}; separator="\n", wrap, anchor>
<endif>

```

```

<parser.rules:{r | <parser.name>.RULE_<r.name> = <r.index>;}; separator="\n", wrap, anchor>

```

```

<funcs; separator="\n">

```

```

<if(semprPredFuncs)>
<parser.name>.prototype.semprPred = function(localctx, ruleIndex, predIndex) {
  switch(ruleIndex) {
    <parser.semprPredFuncs.values:{f | case <f.ruleIndex>:
      return this.<f.name>_semprPred(localctx, predIndex);}; separator="\n">
    default:
      throw "No predicate with index:" + ruleIndex;
  }
};

```

```

<semprPredFuncs.values; separator="\n">
<endif>

```

```

exports.<parser.name> = <parser.name>;

```

```

>>

```

```

dumpActions(recog, argFuncs, actionFuncs, semprPredFuncs) ::= <<
<if(actionFuncs)>

```

```

<lexer.name>.prototype.action = function(localctx, ruleIndex, actionIndex) {
  switch (ruleIndex) {
    <recog.actionFuncs.values:{f|
  case <f.ruleIndex>:
    this.<f.name>_action(localctx, actionIndex);
    break;}; separator="\n">
  default:
    throw "No registered action for:" + ruleIndex;
  }
};

```

```

<actionFuncs.values; separator="\n">
<endif>
<if(sempredFuncs)>
<lexer.name>.prototype.sempred = function(localctx, ruleIndex, predIndex) {
  switch (ruleIndex) {
    <recog.sempredFuncs.values:{f| case <f.ruleIndex>:
  return this.<f.name>_sempred(localctx, predIndex);}; separator="\n">
  default:
    throw "No registered predicate for:" + ruleIndex;
  }
};

```

```

<sempredFuncs.values; separator="\n">
<endif>
>>

```

```

/* This generates a private method since the actionIndex is generated, making an
* overriding implementation impossible to maintain.
*/

```

```

RuleActionFunction(r, actions) ::= <<

```

```

<lexer.name>.prototype.<r.name>_action = function(localctx , actionIndex) {
  switch (actionIndex) {
    <actions:{index|
  case <index>:
    <actions.(index)>
    break;}; separator="\n">
  default:
    throw "No registered action for:" + actionIndex;
  }
};
>>

```

```

/* This generates a private method since the predIndex is generated, making an
* overriding implementation impossible to maintain.
*/

```

```

RuleSempredFunction(r, actions) ::= <<
<if (r.factory.g.lexer)><lexer.name><else><parser.name><endif>.prototype.<r.name>_sempred = function(localctx,
predIndex) {
switch(predIndex) {
<actions:{index| case <index>:
return <actions.(index)>;}; separator="\n">
default:
throw "No predicate with index:" + predIndex;
}
};

>>

```

```

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
::= <<

```

```

<ruleCtx>

```

```

<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

```

```

<! Define fields of this parser to export the context classes !>

```

```

<parser.name>.<currentRule.ctxType> = <currentRule.ctxType>;

```

```

<parser.name>.prototype.<currentRule.name> = function(<currentRule.args:{a | <a.name>}; separator=", ">) {

```

```

var localctx = new <currentRule.ctxType>(this, this._ctx, this.state<currentRule.args:{a | , <a.name>}>);

```

```

this.enterRule(localctx, <currentRule.startState>, <parser.name>.RULE_<currentRule.name>);

```

```

<namedActions.init>

```

```

<locals; separator="\n">

```

```

try {

```

```

    <code>

```

```

    <postamble; separator="\n">

```

```

    <namedActions.after>

```

```

<if(exceptions)>

```

```

<exceptions; separator="\n">

```

```

<else>

```

```

} catch (re) {

```

```

    if(re instanceof antlr4.error.RecognitionException) {

```

```

        localctx.exception = re;

```

```

        this._errHandler.reportError(this, re);

```

```

        this._errHandler.recover(this, re);

```

```

    } else {

```

```

        throw re;

```

```

    }

```

```

}<endif> finally {

```

```

    <finallyAction>

```

```

    this.exitRule();

```

```

}

```

```

    return localctx;
};

>>

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
    namedActions,finallyAction,postamble) ::=
<<

<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>} separator="\n">

<parser.name>.prototype.<currentRule.name> = function(_p<if(currentRule.args)>, <args:{a | , <a}>><endif>) {
    if(_p===undefined) {
        _p = 0;
    }
    var _parentctx = this._ctx;
    var _parentState = this.state;
    var localctx = new <currentRule.ctxType>(this, this._ctx, _parentState<args:{a | , <a.name}>>);
    var _prevctx = localctx;
    var _startState = <currentRule.startState>;
    this.enterRecursionRule(localctx, <currentRule.startState>, <parser.name>.RULE_<currentRule.name>, _p);
    <namedActions.init>
    <locals; separator="\n">
    try {
        <code>
        <postamble; separator="\n">
        <namedActions.after>
    } catch( error) {
        if(error instanceof antlr4.error.RecognitionException) {
            localctx.exception = error;
            this._errHandler.reportError(this, error);
            this._errHandler.recover(this, error);
        } else {
            throw error;
        }
    } finally {
        <finallyAction>
        this.unrollRecursionContexts(_parentctx)
    }
    return localctx;
};

>>

CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<
<if(currentOuterMostAltCodeBlock.altLabel)>localctx = new <currentOuterMostAltCodeBlock.altLabel;
format="cap">Context(this, localctx);<endif>

```

```

this.enterOuterAlt(localctx, <currentOuterMostAltCodeBlock.alt.altNum>);
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>
>>

```

```

CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<
<locals; separator="\n">
<preamble; separator="\n">
<ops; separator="\n">
>>

```

```

LL1AltBlock(choice, preamble, alts, error) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
<if(choice.label)><labelref(choice.label)> = this._input.LT(1);<endif>
<preamble; separator="\n">
switch(this._input.LA(1)) {
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
  <alt>
  break;}; separator="\n">
default:
  <error>
}
>>

```

```

LL1OptionalBlock(choice, alts, error) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
switch (this._input.LA(1)) {
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
  <alt>
  break;}; separator="\n">
default:
  <error>
}
>>

```

```

LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
<preamble; separator="\n">
if(<expr>) {
  <alts; separator="\n">
}
<!else if ( !(<followExpr> ) ) <error!>
>>

```

```

LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
this.state = <choice.stateNumber>;

```

```

this._errHandler.sync(this);
<preamble; separator="\n">
while(<loopExpr>) {
  <alts; separator="\n">
  this.state = <choice.loopBackStateNumber>;
  this._errHandler.sync(this);
  <iteration>
}
>>

```

```

LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
this.state = <choice.blockStartStateNumber>; <! alt block decision !>
this._errHandler.sync(this);
<preamble; separator="\n">
do {
  <alts; separator="\n">
  this.state = <choice.stateNumber>; <! loopback/exit decision !>
  this._errHandler.sync(this);
  <iteration>
} while(<loopExpr>);
>>

```

```
// LL(*) stuff
```

```

AltBlock(choice, preamble, alts, error) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
<if(choice.label)><labelref(choice.label)> = _input.LT(1)<endif>
<preamble; separator="\n">
var la_ = this._interp.adaptivePredict(this._input,<choice.decision>,this._ctx);
switch(la_) {
<alts:{alt |
case <i>:
  <alt>
  break;
}; separator="\n">
}
>>

```

```

OptionalBlock(choice, alts, error) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
var la_ = this._interp.adaptivePredict(this._input,<choice.decision>,this._ctx);
<alts:{alt |
if(la_===<i><if(!choice.ast.greedy)>+1<endif>) {
  <alt>
}; separator="\n} else ">
}

```


>>

```
StarBlock(choice, alts, sync, iteration) ::= <<
this.state = <choice.stateNumber>;
this._errHandler.sync(this);
var _alt = this._interp.adaptivePredict(this._input,<choice.decision>,this._ctx)
while(_alt!=<choice.exitAlt> && _alt!=antlr4.atn.ATN.INVALID_ALT_NUMBER) {
  if(_alt===1<if(!choice.ast.greedy)>+1<endif>) {
    <iteration>
    <alts> <! should only be one !>
  }
  this.state = <choice.loopBackStateNumber>;
  this._errHandler.sync(this);
  _alt = this._interp.adaptivePredict(this._input,<choice.decision>,this._ctx);
}

```

>>

```
PlusBlock(choice, alts, error) ::= <<
this.state = <choice.blockStartStateNumber>; <! alt block decision !>
this._errHandler.sync(this);
var _alt = 1<if(!choice.ast.greedy)>+1<endif>;
do {
  switch (_alt) {
    <alts:{alt|
case <i><if(!choice.ast.greedy)>+1<endif>:
    <alt>
    break;}; separator="\n">
    default:
    <error>
  }
  this.state = <choice.loopBackStateNumber>; <! loopback/exit decision !>
  this._errHandler.sync(this);
  _alt = this._interp.adaptivePredict(this._input,<choice.decision>, this._ctx);
} while ( _alt!=<choice.exitAlt> && _alt!=antlr4.atn.ATN.INVALID_ALT_NUMBER );

```

>>

```
Sync(s) ::= "sync(<s.expecting.name>)"
```

```
ThrowNoViableAlt(t) ::= "throw new antlr4.error.NoViableAltException(this);"
```

```
TestSetInline(s) ::= <<
<s.bitsets:{bits | <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>}; separator=" || ">
>>

```

```
// Javascript language spec - shift operators are 32 bits long max
```

```
testShiftInRange(shiftAmount) ::= <<
```

```

((<shiftAmount>) & ~0x1f) == 0
>>

// produces smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <%
(<testShiftInRange({<offsetShiftVar(s.varName, bits.shift)>})> && ((1 \<\< <offsetShiftVar(s.varName,
bits.shift)>) & (<bits.ttypes:{ttype | (1 \<\< <offsetShiftType(ttype, bits.shift)>)}; separator=" | ">)) != 0)
%>

isZero ::= [
"0":true,
default:false
]

offsetShiftVar(shiftAmount, offset) ::= <%
<if(!isZero.(offset))><shiftAmount> - <offset><else><shiftAmount><endif>
%>

offsetShiftType(shiftAmount, offset) ::= <%
<if(!isZero.(offset))><parser.name>.<shiftAmount> - <offset><else><parser.name>.<shiftAmount><endif>
%>

// produces more efficient bytecode when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
<bits.ttypes:{ttype | <s.varName>===<parser.name>.<ttype>}; separator=" || ">
%>

cases(ttypes) ::= <<
<ttypes:{t | case <parser.name>.<t>:}; separator="\n">
>>

InvokeRule(r, argExprsChunks) ::= <<
this.state = <r.stateNumber>;
<if(r.labels)><r.labels:{l | <labelref(l)> =
}><endif>this.<r.name><(if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)><endif><endif><argExprsChu
nks>);
>>

MatchToken(m) ::= <<
this.state = <m.stateNumber>;
<if(m.labels)><m.labels:{l | <labelref(l)> = }><endif>this.match(<parser.name>.<m.name>);
>>

MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"

MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"

CommonSetStuff(m, expr, capture, invert) ::= <<

```

```

this.state = <m.stateNumber>;
<if(m.labels)><m.labels:{1 | <labelref(1)> = }>this._input.LT(1);<endif>
<capture>
<if(invert)>if(<m.varName>\<=0 || <expr><else>if(!(<expr>))<endif> {
  <if(m.labels)><m.labels:{1 | <labelref(1)> = }><endif>this._errHandler.recoverInline(this);
}
else {
  this._errHandler.reportMatch(this);
  this.consume();
}
>>

```

```

Wildcard(w) ::= <<
this.state = <w.stateNumber>;
<if(w.labels)><w.labels:{1 | <labelref(1)> = }><endif>matchWildcard();
>>

```

```
// ACTION STUFF
```

```
Action(a, foo, chunks) ::= "<chunks>"
```

```
ArgAction(a, chunks) ::= "<chunks>"
```

```

SemPred(p, chunks, failChunks) ::= <<
this.state = <p.stateNumber>;
if (!( <chunks>)) {
  throw new antlr4.error.FailedPredicateException(this, <p.predicate><if(failChunks)>,
<failChunks><elseif(p.msg)>, <p.msg><endif>);
}
>>

```

```

ExceptionClause(e, catchArg, catchAction) ::= <<
catch (<catchArg>) {
  <catchAction>
}
>>

```

```
// lexer actions are not associated with model objects
```

```

LexerSkipCommand() ::= "this.skip()"
LexerMoreCommand() ::= "this.more()"
LexerPopModeCommand() ::= "this.popMode()"
LexerTypeCommand(arg, grammar) ::= "this._type = <arg>"
LexerChannelCommand(arg, grammar) ::= "this._channel = <arg>"
LexerModeCommand(arg, grammar) ::= "this._mode = <arg>"
LexerPushModeCommand(arg, grammar) ::= "this.pushMode(<arg>)"

```

```
ActionText(t) ::= "<t.text>"
```

```

ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "localctx.<a.name>"
LocalRef(a) ::= "localctx.<a.name>"
RetValRef(a) ::= "localctx.<a.name>"
QRetValRef(a) ::= "<ctx(a)>.<a.dict>.<a.name>"
/** How to translate $tokenLabel */
TokenRef(t) ::= "<ctx(t)>.<t.name>"
LabelRef(t) ::= "<ctx(t)>.<t.name>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(t.name)>"
SetAttr(s,rhsChunks) ::= "<ctx(s)>.<s.name> = <rhsChunks>"

TokenLabelType() ::= "<file.TokenLabelType; null={Token}>"
InputSymbolType() ::= "<file.InputSymbolType; null={Token}>"

TokenPropertyRef_text(t) ::= "(<ctx(t)>.<t.label>===null ? null : <ctx(t)>.<t.label>.text)"
TokenPropertyRef_type(t) ::= "(<ctx(t)>.<t.label> === null ? 0 : <ctx(t)>.<t.label>.type)"
TokenPropertyRef_line(t) ::= "(<ctx(t)>.<t.label> === null ? 0 : <ctx(t)>.<t.label>.line)"
TokenPropertyRef_pos(t) ::= "(<ctx(t)>.<t.label> === null ? 0 : <ctx(t)>.<t.label>.column)"
TokenPropertyRef_channel(t) ::= "(<ctx(t)>.<t.label> === null ? 0 : <ctx(t)>.<t.label>.channel)"
TokenPropertyRef_index(t) ::= "(<ctx(t)>.<t.label> === null ? 0 : <ctx(t)>.<t.label>.tokenIndex)"
TokenPropertyRef_int(t) ::= "(<ctx(t)>.<t.label> === null ? 0 : parseInt(<ctx(t)>.<t.label>.text))"

RulePropertyRef_start(r) ::= "(<ctx(r)>.<r.label>===null ? null : <ctx(r)>.<r.label>.start)"
RulePropertyRef_stop(r) ::= "(<ctx(r)>.<r.label>===null ? null : <ctx(r)>.<r.label>.stop)"
RulePropertyRef_text(r) ::= "(<ctx(r)>.<r.label>===null ? null : this._input.getText(new antlr4.Interval(<ctx(r)>.<r.label>.start,<ctx(r)>.<r.label>.stop)))"
RulePropertyRef_ctx(r) ::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r) ::= "this"

ThisRulePropertyRef_start(r) ::= "localctx.start"
ThisRulePropertyRef_stop(r) ::= "localctx.stop"
ThisRulePropertyRef_text(r) ::= "this._input.getText(new antlr4.Interval(localctx.start, this._input.LT(-1)))"
ThisRulePropertyRef_ctx(r) ::= "localctx"
ThisRulePropertyRef_parser(r) ::= "this"

NonLocalAttrRef(s) ::= "getInvokingContext(<s.ruleIndex>).<s.name>"
SetNonLocalAttr(s, rhsChunks) ::= "getInvokingContext(<s.ruleIndex>).<s.name> = <rhsChunks>"

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.push(<labelref(a.label)>);"

TokenDecl(t) ::= "this.<t.name> = null; // <TokenLabelType()>"
TokenTypeDecl(t) ::= "var <t.name> = 0; // <TokenLabelType()> type"
TokenListDecl(t) ::= "this.<t.name> = []; // of <TokenLabelType()>s"
RuleContextDecl(r) ::= "this.<r.name> = null; // <r.ctxName>"
RuleContextListDecl(rdecl) ::= "this.<rdecl.name> = []; // of <rdecl.ctxName>s"

ContextTokenGetterDecl(t) ::= <<
<t.name> = function() {

```

```

    return this.getToken(<parser.name>.<t.name>, 0);
};
>>

// should never be called
ContextTokenListGetterDecl(t) ::= <<
def <t.name>_list(self):
    return self.getTokens(<parser.name>.<t.name>)
>>

ContextTokenListIndexedGetterDecl(t) ::= <<
<t.name> = function(i) {
    if(i===undefined) {
        i = null;
    }
    if(i===null) {
        return this.getTokens(<parser.name>.<t.name>);
    } else {
        return this.getToken(<parser.name>.<t.name>, i);
    }
};
>>

ContextRuleGetterDecl(r) ::= <<
<r.name> = function() {
    return this.getTypedRuleContext(<r.ctxName>,0);
};
>>

// should never be called
ContextRuleListGetterDecl(r) ::= <<
def <r.name>_list(self):
    return self.getTypedRuleContexts(<parser.name>.<r.ctxName>)
>>

ContextRuleListIndexedGetterDecl(r) ::= <<
<r.name> = function(i) {
    if(i===undefined) {
        i = null;
    }
    if(i===null) {
        return this.getTypedRuleContexts(<r.ctxName>);
    } else {
        return this.getTypedRuleContext(<r.ctxName>,i);
    }
};

```

>>

```
LexerRuleContext() ::= "RuleContext"
```

```
/** The rule context name is the rule followed by a suffix; e.g.,
```

```
* r becomes rContext.
```

```
*/
```

```
RuleContextNameSuffix() ::= "Context"
```

```
ImplicitTokenLabel(tokenName) ::= "_<tokenName>"
```

```
ImplicitRuleLabel(ruleName) ::= "_<ruleName>"
```

```
ImplicitSetLabel(id) ::= "_tset<id>"
```

```
ListLabelName(label) ::= "<label>"
```

```
CaptureNextToken(d) ::= "<d.varName> = self._input.LT(1)"
```

```
CaptureNextTokenType(d) ::= "<d.varName> = this._input.LA(1);"
```

```
StructDecl(struct,ctorAttrs,attrs, getters,dispatchMethods,interfaces,extensionMembers) ::= <<
```

```
function <struct.name>(parser, parent, invokingState<struct.ctorAttrs:{a | , <a.name>}>) {
```

```
  if(parent===undefined) {
```

```
    parent = null;
```

```
  }
```

```
  if(invokingState===undefined || invokingState===null) {
```

```
    invokingState = -1;
```

```
  }
```

```
  <if(contextSuperClass)><contextSuperClass><else>antlr4.ParserRuleContext<endif>.call(this, parent,  
invokingState);
```

```
    this.parser = parser;
```

```
    this.ruleIndex = <parser.name>.RULE_<struct.derivedFromName>;
```

```
    <attrs:{a | <a>}; separator="\n">
```

```
    <struct.ctorAttrs:{a | this.<a.name> = <a.name> || null;}; separator="\n">
```

```
    return this;
```

```
  }
```

```
<struct.name>.prototype =
```

```
Object.create(<if(contextSuperClass)><contextSuperClass><else>antlr4.ParserRuleContext<endif>.prototype);
```

```
<struct.name>.prototype.constructor = <struct.name>;
```

```
<getters:{g | <struct.name>.prototype.<g>}; separator="\n\n">
```

```
<if(struct.provideCopyFrom)> <! don't need copy unless we have subclasses !>
```

```
<struct.name>.prototype.copyFrom = function(ctx) {
```

```
<if(contextSuperClass)><contextSuperClass><else>antlr4.ParserRuleContext<endif>.prototype.copyFrom.call(this,  
ctx);
```

```
  <struct.attrs:{a | this.<a.name> = ctx.<a.name>}; separator="\n">
```

```
};
```

```
<endif>
```

```
<dispatchMethods; separator="\n">
```

```
<extensionMembers; separator="\n">
```

```
>>
```

```
AltLabelStructDecl(struct,attrs,getters,dispatchMethods) ::= <<
```

```
function <struct.name>(parser, ctx) {
```

```
  <currentRule.name; format="cap">Context.call(this, parser);
```

```
  <attrs:{a | <a>;}; separator="\n">
```

```
  <currentRule.name; format="cap">Context.prototype.copyFrom.call(this, ctx);
```

```
  return this;
```

```
}
```

```
<struct.name>.prototype = Object.create(<currentRule.name; format="cap">Context.prototype);
```

```
<struct.name>.prototype.constructor = <struct.name>;
```

```
<! Define fields of this parser to export this struct/context class !>
```

```
<parser.name>.<struct.name> = <struct.name>;
```

```
<getters:{g | <struct.name>.prototype.<g>;}; separator="\n\n">
```

```
<dispatchMethods; separator="\n">
```

```
>>
```

```
ListenerDispatchMethod(method) ::= <<
```

```
<struct.name>.prototype.<if(method.isEnter)>enter<else>exit<endif>Rule = function(listener) {
```

```
  if(listener instanceof <parser.grammarName>Listener) {
```

```
    listener.<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName; format="cap">(this);
```

```
  }
```

```
};
```

```
>>
```

```
VisitorDispatchMethod(method) ::= <<
```

```
<struct.name>.prototype.accept = function(visitor) {
```

```
  if ( visitor instanceof <parser.grammarName>Visitor ) {
```

```
    return visitor.visit<struct.derivedFromName; format="cap">(this);
```

```
  } else {
```

```
    return visitor.visitChildren(this);
```

```
  }
```

```
};
```

```
>>
```

```
AttributeDecl(d) ::= "this.<d.name> = <if(d.initValue)><d.initValue><else>null<endif>"
```

```
/** If we don't know location of label def x, use this template */
```

```
labelref(x) ::= "<if(!x.isLocal)>localctx.<endif><x.name>"
```

```

/** For any action chunk, what is correctly-typed context struct ptr? */
ctx(actionChunk) ::= "localctx"

// used for left-recursive rules
recRuleAltPredicate(ruleName,opPrec) ::= "this.precpred(this._ctx, <opPrec>)"
recRuleSetReturnAction(src,name) ::= "$<name>=<src>.<name>"
recRuleSetStopToken() ::= "this._ctx.stop = this._input.LT(-1);"

recRuleAltStartAction(ruleName, ctxName, label) ::= <<
localctx = new <ctxName>Context(this, _parentctx, _parentState);
<if(label)>localctx.<label> = _prevctx;<endif>
this.pushNewRecursionContext(localctx, _startState, <parser.name>.RULE_<ruleName>);
>>

recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
localctx = new <currentAltLabel; format="cap">Context(this, new <ruleName; format="cap">Context(this,
_parentctx, _parentState));
<if(label)>
<if(isListLabel)>
localctx.<label>.push(_prevctx);
<else>
localctx.<label> = _prevctx;
<endif>
<endif>
this.pushNewRecursionContext(localctx, _startState, <parser.name>.RULE_<ruleName>);
>>

recRuleReplaceContext(ctxName) ::= <<
localctx = new <ctxName>Context(this, localctx);
this._ctx = localctx;
_prevctx = localctx;
>>

recRuleSetPrevCtx() ::= <<
if(this._parseListeners!==null) {
    this.triggerExitRuleEvent();
}
_prevctx = localctx;
>>

LexerFile(lexerFile, lexer, namedActions) ::= <<
<fileHeader(lexerFile.grammarFileName, lexerFile.ANTLRVersion)>
var antlr4 = require('antlr4/index');

<namedActions.header>

<lexer>

```


>>

Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<

<atn>

var atn = new antlr4.atn.ATNDeserializer().deserialize(serializedATN);

var decisionsToDFA = atn.decisionToState.map(function(ds, index) { return new antlr4.dfa.DFA(ds, index); });

function <lexer.name>(input) {

<if(superClass)><superClass><else>antlr4.Lexer<endif>.call(this, input);

 this._interp = new antlr4.atn.LexerATNSimulator(this, atn, decisionsToDFA, new
antlr4.PredictionContextCache());

 return this;

}

<lexer.name>.prototype = Object.create(<if(superClass)><superClass><else>antlr4.Lexer<endif>.prototype);

<lexer.name>.prototype.constructor = <lexer.name>;

<lexer.name>.EOF = antlr4.Token.EOF;

<lexer.tokens:{k | <lexer.name>.<k> = <lexer.tokens.(k)>;}; separator="\n", wrap, anchor>

<rest(lexer.modes):{m | <lexer.name>.<m> = <i>;}; separator="\n">

<lexer.name>.prototype.modeNames = [<lexer.modes:{m | "<m>"}; separator=", ", wrap, anchor >];

<lexer.name>.prototype.literalNames = [<lexer.literalNames:{t | <t>}; null="null", separator=", ", wrap, anchor >];

<lexer.name>.prototype.symbolicNames = [<lexer.symbolicNames:{t | <t>}; null="null", separator=", ", wrap,
anchor >];

<lexer.name>.prototype.ruleNames = [<lexer.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor >];

<lexer.name>.prototype.grammarFileName = "<lexer.grammarFileName>";

<namedActions.members>

<dumpActions(lexer, "", actionFuncs, sempredFuncs)>

exports.<lexer.name> = <lexer.name>;

>>

SerializedATN(model) ::= <<

<! only one segment, can be inlined !>

```
var serializedATN = ["<model.serialized; wrap={",<n>  ">"].join("");
```

```
>>
```

```
/** Using a type to init value map, try to init a type; if not in table
```

```
* must be an object, default value is "null".
```

```
*/
```

```
initValue(typeName) ::= <<
```

```
<javaTypeInitMap.(typeName)>
```

```
>>
```

```
codeFileExtension() ::= ".js"
```

```
Found in path(s):
```

```
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
```

```
jar/org/antlr/v4/tool/templates/codegen/JavaScript/JavaScript.stg
```

```
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
[The "BSD licence"]
```

```
Copyright (c) 2006 Kay Roepke
```

```
All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
*/
```

```
/*
```

```
This file contains the actual layout of the messages emitted by ANTLR.
```

```
The text itself is coming out of the languages/*stg files, according to the chosen locale.
```

This file contains the format that mimicks GCC output.

*/

location(file, line, column) ::= "<file>:<line>:"

message(id, text) ::= "<text> (<id>)"

report(location, message, type) ::= "<location> <type>: <message>"

wantsSingleLineMessage() ::= "true"

Found in path(s):

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/templates/messages/formats/gnu.stg

No license file was found, but licenses were detected in source scan.

/*

* Copyright (c) 2012-2016 The ANTLR Project. All rights reserved.

* Use of this file is governed by the BSD 3-clause license that

* can be found in the LICENSE.txt file in the project root.

*/

/**

[The "BSD license"]

Copyright (c) 2011 Cay Horstmann

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

*/

Found in path(s):

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/gui/GraphicsSupport.java
No license file was found, but licenses were detected in source scan.

/*

[The "BSD licence"]

Copyright (c) 2006 Kay Roepke

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

*/

/*

This file contains the actual layout of the messages emitted by ANTLR.

This file contains the default format ANTLR uses.

*/

location(file, line, column) ::= "<file>:<line>:<column>:"

message(id, text) ::= "<id> <text>"

report(location, message, type) ::= "<type>(<message.id>): <location> <message.text>"

wantsSingleLineMessage() ::= "false"

Found in path(s):

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-

jar/org/antlr/v4/tool/templates/messages/formats/antlr.stg

No license file was found, but licenses were detected in source scan.

```
/*
 * [The "BSD license"]
 * Copyright (c) 2012-2016 Terence Parr
 * Copyright (c) 2012-2016 Sam Harwell
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. The name of the author may not be used to endorse or promote products
 * derived from this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
 * IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
 * IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
 * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
 * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
 * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
 * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
 * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
 * THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 */
```

```
/** templates used to generate make-compatible dependencies */
```

```
/** Generate "f : x, y, z" dependencies for input
 * dependencies and generated files. in and out
 * are File objects. For example, you can say
 * <f.canonicalPath>
 */
dependencies(grammarFileName,in,out) ::= <<
<if(in)><grammarFileName>: <in; separator=", "><endif>
<out:{ f | <f> : <grammarFileName>}; separator="\n">
>>
```

Found in path(s):

```
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/tool/templates/depend.stg
```

No license file was found, but licenses were detected in source scan.

```
/*
 * [The "BSD license"]
 * Copyright (c) 2012-2016 Terence Parr
 * Copyright (c) 2012-2016 Sam Harwell
 * Copyright (c) 2014 Eric Vergnaud
 * All rights reserved.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. The name of the author may not be used to endorse or promote products
 * derived from this software without specific prior written permission.
 *
 * THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
 * IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
 * OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
 * IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
 * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
 * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
 * DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
 * THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
 * (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
 * THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
 */

/** ANTLR tool checks output templates are compatible with tool code generation.
 * For now, a simple string match used on x.y of x.y.z scheme.
 * Must match Tool.VERSION during load to templates.
 *
 * REQUIRED.
 */

pythonTypeInitMap ::= [
  "bool":"False",
  "int":"0",
  "float":"0.0",
  "str": "",
  default:"None" // anything other than a primitive type is an object
]
```

```

// args must be <object-model-object>, <fields-resulting-in-STs>

ParserFile(file, parser, namedActions, contextSuperClass) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
# encoding: utf-8
from __future__ import print_function
from antlr4 import *
from io import StringIO

<namedActions.header>
<parser>

>>

ListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
from antlr4 import *
<header>

# This class defines a complete listener for a parse tree produced by <file.parserName>.
class <file.grammarName>Listener(ParseTreeListener):

    <file.listenerNames:{lname |
# Enter a parse tree produced by <file.parserName>#<lname>.
def enter<lname; format="cap">(self, ctx):
    pass

# Exit a parse tree produced by <file.parserName>#<lname>.
def exit<lname; format="cap">(self, ctx):
    pass

}; separator="\n">

>>

VisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
from antlr4 import *
<header>

# This class defines a complete generic visitor for a parse tree produced by <file.parserName>.

class <file.grammarName>Visitor(ParseTreeVisitor):

    <file.visitorNames:{lname |
# Visit a parse tree produced by <file.parserName>#<lname>.
def visit<lname; format="cap">(self, ctx):

```

```

    return self.visitChildren(ctx)

}; separator="\n">

>>

fileHeader(grammarFileName, ANTLRVersion) ::= <<
# Generated from <grammarFileName> by ANTLR <ANTLRVersion>
>>

Parser(parser, funcs, atn, sempredFuncs, superClass) ::= <<
<Parser_(ctor="parser_ctor", ...)>
>>

Parser_(parser, funcs, atn, sempredFuncs, ctor, superClass) ::= <<
<if(superClass)>
from .<superClass> import <superClass>

<endif>
<atn>

class <parser.name> ( <if(superClass)><superClass><else>Parser<endif> ):

    grammarFileName = "<parser.grammarFileName>"

    atn = ATNDeserializer().deserialize(serializedATN())

    decisionsToDFA = [ DFA(ds, i) for i, ds in enumerate(atn.decisionToState) ]

    sharedContextCache = PredictionContextCache()

    literalNames = [ <parser.literalNames:{t | u<t>}; null="u\"<INVALID>\"", separator=", ", wrap, anchor> ]

    symbolicNames = [ <parser.symbolicNames:{t | u<t>}; null="u\"<INVALID>\"", separator=", ", wrap, anchor> ]

    <parser.rules:{r | RULE_<r.name> = <r.index>}; separator="\n", wrap, anchor>

    ruleNames = [ <parser.ruleNames:{r | u"<r>"}; separator=", ", wrap, anchor> ]

    EOF = <TokenLabelType>.EOF
    <if(parser.tokens)>
    <parser.tokens:{k | <k>=<parser.tokens.(k)>}; separator="\n", wrap, anchor>
    <endif>

    <parser:(ctor)()>

    <namedActions.members>

```



```

<funcs; separator="\n">

<if(sempredFuncs)>
  def sempred(self, localctx, ruleIndex, predIndex):
    if self._predicates == None:
      self._predicates = dict()
<parser.sempredFuncs.values: { f |
  self._predicates[<f.ruleIndex>] = self.<f.name>_sempred}; separator="\n    ">
  pred = self._predicates.get(ruleIndex, None)
  if pred is None:
    raise Exception("No predicate with index:" + str(ruleIndex))
  else:
    return pred(localctx, predIndex)

  <sempredFuncs.values; separator="\n">
<endif>

>>

dumpActions(recog, argFuncs, actionFuncs, sempredFuncs) ::= <<
<if(actionFuncs)>
def action(self, localctx, ruleIndex, actionIndex):
  if self._actions is None:
    actions = dict()
<recog.actionFuncs.values: { f |
  actions[<f.ruleIndex>] = self.<f.name>_action }; separator="\n">
  self._actions = actions
  action = self._actions.get(ruleIndex, None)
  if action is not None:
    action(localctx, actionIndex)
  else:
    raise Exception("No registered action for:" + str(ruleIndex))

<actionFuncs.values; separator="\n">

<endif>
<if(sempredFuncs)>
def sempred(self, localctx, ruleIndex, predIndex):
  if self._predicates is None:
    preds = dict()
<recog.sempredFuncs.values: { f |
  preds[<f.ruleIndex>] = self.<f.name>_sempred}; separator="\n">
  self._predicates = preds
  pred = self._predicates.get(ruleIndex, None)

```

```

    if pred is not None:
        return pred(localctx, predIndex)
    else:
        raise Exception("No registered predicate for:" + str(ruleIndex))

<sempredFuncs.values; separator="\n">
<endif>
>>

parser_ctor(p) ::= <<
def __init__(self, input):
    super(<parser.name>, self).__init__(input)
    self.checkVersion("<file.ANTLRVersion>")
    self._interp = ParserATNSimulator(self, self.atn, self.decisionsToDFA, self.sharedContextCache)
    self._predicates = None

>>

/* This generates a private method since the actionIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleActionFunction(r, actions) ::= <<

def <r.name>_action(self, localctx , actionIndex):
<actions: {index|
<if(first(actions))>
    if actionIndex == <index>:
        <actions.(index)>
<elseif(rest(actions))>
    elif actionIndex == <index>:
        <actions.(index)>
<endif> }; separator="\n">
>>

/* This generates a private method since the predIndex is generated, making an
* overriding implementation impossible to maintain.
*/
RuleSempredFunction(r, actions) ::= <<
def <r.name>_sempred(self, localctx, predIndex):
    <actions: {index|
<if(first(actions))>
    if predIndex == <index>:
        return <actions.(index)>
<elseif(rest(actions))>
    elif predIndex == <index>:
        return <actions.(index)>
<endif> }; separator="\n">

```

>>

```
RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions) ::= <<
```

```
<ruleCtx>
```

```
<altLabelCtxs:{l | <altLabelCtxs.l>}; separator="\n">
```

```
def <currentRule.name>(self<currentRule.args:{a | , <a.name>}>):
```

```
    localctx = <parser.name>.<currentRule.ctxType>(self, self._ctx, self.state<currentRule.args:{a | , <a.name>}>)
```

```
    self.enterRule(localctx, <currentRule.startState>, self.RULE_<currentRule.name>)
```

```
    <namedActions.init>
```

```
    <locals; separator="\n">
```

```
    try:
```

```
        <code>
```

```
        <postamble; separator="\n">
```

```
        <namedActions.after>
```

```
    <if(exceptions)>
```

```
    <exceptions; separator="\n">
```

```
    <else>
```

```
    except RecognitionException as re:
```

```
        localctx.exception = re
```

```
        self._errHandler.reportError(self, re)
```

```
        self._errHandler.recover(self, re)
```

```
    <endif>
```

```
    finally:
```

```
        <finallyAction>
```

```
        self.exitRule()
```

```
    return localctx
```

>>

```
LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs, namedActions,finallyAction,postamble) ::=
```

```
<<
```

```
<ruleCtx>
```

```
<altLabelCtxs:{l | <altLabelCtxs.l>}; separator="\n">
```

```
def <currentRule.name>(self, _p=0<if(currentRule.args)>, <args:{a | , <a>}><endif>):
```

```
    _parentctx = self._ctx
```

```
    _parentState = self.state
```

```
    localctx = <parser.name>.<currentRule.ctxType>(self, self._ctx, _parentState<args:{a | , <a.name>}>)
```

```
    _prevctx = localctx
```

```
    _startState = <currentRule.startState>
```

```
    self.enterRecursionRule(localctx, <currentRule.startState>, self.RULE_<currentRule.name>, _p)
```

```

<namedActions.init>
<locals; separator="\n">
try:
  <code>
  <postamble; separator="\n">
  <namedActions.after>
except RecognitionException as re:
  localctx.exception = re
  self._errHandler.reportError(self, re)
  self._errHandler.recover(self, re)
finally:
  <finallyAction>
  self.unrollRecursionContexts(_parentctx)
return localctx

>>

CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<
<if(currentOuterMostAltCodeBlock.altLabel)>localctx = <parser.name>.<currentOuterMostAltCodeBlock.altLabel;
format="cap">Context(self, localctx)<endif>
self.enterOuterAlt(localctx, <currentOuterMostAltCodeBlock.alt.altNum>)
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>
>>

CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<
<locals; separator="\n">
<preamble; separator="\n">
<ops; separator="\n">
>>

LL1AltBlock(choice, preamble, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<if(choice.label)><labelref(choice.label)> = _input.LT(1)<endif>
<preamble; separator="\n">
token = self._input.LA(1)
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
  <alt>
  pass}; separator="\n1">
else:
  <error>

>>

LL1OptionalBlock(choice, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
token = self._input.LA(1)

```

```

<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
  <alt>
  pass }; separator="\n">
else:
  <error>
>>

```

```

LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<preamble; separator="\n">
if <expr>:
  <alts; separator="\n">

<!else if ( !(<followExpr> ) ) <error!>
>>

```

```

LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
<preamble; separator="\n">
while <loopExpr>:
  <alts; separator="\n">
  self.state = <choice.loopBackStateNumber>
  self._errHandler.sync(self)
  <iteration>

>>

```

```

LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
self.state = <choice.blockStartStateNumber> <! alt block decision !>
self._errHandler.sync(self)
<preamble; separator="\n">
while True:
  <alts; separator="\n">
  self.state = <choice.stateNumber> <! loopback/exit decision !>
  self._errHandler.sync(self)
  <iteration>
  if not (<loopExpr>):
    break

>>

```

```

// LL(*) stuff

```

```

AltBlock(choice, preamble, alts, error) ::= <<
self.state = <choice.stateNumber>

```

```

self._errHandler.sync(self)
<if(choice.label)><labelref(choice.label)> = _input.LT(1)<endif>
<preamble; separator="\n">
la_ = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
<alts:{ alt |
if la_ == <i>:
    <alt>
    pass
}; separator="\nel">

>>

```

```

OptionalBlock(choice, alts, error) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
la_ = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
<alts:{ alt |
if la_ == <i><if(!choice.ast.greedy)>+1<endif>:
    <alt>
}; separator="\nel">

>>

```

```

StarBlock(choice, alts, sync, iteration) ::= <<
self.state = <choice.stateNumber>
self._errHandler.sync(self)
_alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)
while _alt!=<choice.exitAlt> and _alt!=ATN.INVALID_ALT_NUMBER:
    if _alt==1<if(!choice.ast.greedy)>+1<endif>:
        <iteration>
        <alts> <! should only be one !>
    self.state = <choice.loopBackStateNumber>
    self._errHandler.sync(self)
    _alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)

>>

```

```

PlusBlock(choice, alts, error) ::= <<
self.state = <choice.blockStartStateNumber> <! alt block decision !>
self._errHandler.sync(self)
_alt = 1<if(!choice.ast.greedy)>+1<endif>
while _alt!=<choice.exitAlt> and _alt!=ATN.INVALID_ALT_NUMBER:
    <alts:{ alt|
if _alt == <i><if(!choice.ast.greedy)>+1<endif>:
    <alt>
}; separator="\nel">
    else:
        <error>

```

```

self.state = <choice.loopBackStateNumber> <! loopback/exit decision !>
self._errHandler.sync(self)
_alt = self._interp.adaptivePredict(self._input,<choice.decision>,self._ctx)

>>

Sync(s) ::= "sync(<s.expecting.name>)"

ThrowNoViableAlt(t) ::= "raise NoViableAltException(self)"

TestSetInline(s) ::= <<
<s.bitsets:{bits | <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>} ; separator=" or ">
>>

// Java language spec 15.19 - shift operators mask operands rather than overflow to 0... need range test
testShiftInRange(shiftAmount) ::= <<
((<shiftAmount>) & ~0x3f) == 0
>>

// produces smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <%
(<testShiftInRange({<offsetShiftVar(s.varName, bits.shift)>})> and ((1 <|< <offsetShiftVar(s.varName,
bits.shift)>) & (<bits.ttypes:{ttype | (1 <|< <offsetShiftType(ttype, bits.shift)>)}); separator=" | ">)) != 0)
%>

isZero ::= [
"0":true,
default:false
]

offsetShiftVar(shiftAmount, offset) ::= <%
<if(!isZero.(offset))><shiftAmount> - <offset><else><shiftAmount><endif>
%>

offsetShiftType(shiftAmount, offset) ::= <%
<if(!isZero.(offset))><parser.name>.<shiftAmount> - <offset><else><parser.name>.<shiftAmount><endif>
%>

// produces more efficient bytecode when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
<bits.ttypes:{ttype | <s.varName>==<parser.name>.<ttype>} ; separator=" or ">
%>

cases(ttypes) ::= <<
if token in [<ttypes:{t | <parser.name>.<t>} ; separator=", ">]:
>>

```

```

InvokeRule(r, argExprsChunks) ::= <<
self.state = <r.stateNumber>
<if(r.labels)><r.labels:{1 | <labelref(l)> =
}><endif>self.<r.name>(<if(r.ast.options.p)><r.ast.options.p><if(argExprsChunks)>,<endif><endif><argExprsChu
nks>)
>>

```

```

MatchToken(m) ::= <<
self.state = <m.stateNumber>
<if(m.labels)><m.labels:{1 | <labelref(l)> = }><endif>self.match(<parser.name>.<m.name>)
>>

```

```

MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"

```

```

MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"

```

```

CommonSetStuff(m, expr, capture, invert) ::= <<
self.state = <m.stateNumber>
<if(m.labels)><m.labels:{1 | <labelref(l)> = }>self._input.LT(1)<endif>
<capture>
<if(invert)>if <m.varName> \<= 0 or <expr><else>if not(<expr>)<endif>:
<if(m.labels)><m.labels:{1 | <labelref(l)> = }><else> <endif>self._errHandler.recoverInline(self)
else:
    self._errHandler.reportMatch(self)
    self.consume()
>>

```

```

Wildcard(w) ::= <<
self.state = <w.stateNumber>
<if(w.labels)><w.labels:{1 | <labelref(l)> = }><endif>self.matchWildcard()
>>

```

```

// ACTION STUFF

```

```

Action(a, foo, chunks) ::= "<chunks>"

```

```

ArgAction(a, chunks) ::= "<chunks>"

```

```

SemPred(p, chunks, failChunks) ::= <<
self.state = <p.stateNumber>
if not <chunks>:
    from antlr4.error.Errors import FailedPredicateException
    raise FailedPredicateException(self, <p.predicate><if(failChunks)>,<failChunks><elseif(p.msg)>,<p.msg><endif>)
>>

```

```

ExceptionClause(e, catchArg, catchAction) ::= <<
catch (<catchArg>) {

```



```

<catchAction>
}
>>

// lexer actions are not associated with model objects

LexerSkipCommand() ::= "skip()"
LexerMoreCommand() ::= "more()"
LexerPopModeCommand() ::= "popMode()"

LexerTypeCommand(arg, grammar) ::= "_type = <arg>"
LexerChannelCommand(arg, grammar) ::= "_channel = <arg>"
LexerModeCommand(arg, grammar) ::= "_mode = <arg>"
LexerPushModeCommand(arg, grammar) ::= "pushMode(<arg>)"

ActionText(t) ::= "<t.text>"
ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "localctx.<a.name>"
LocalRef(a) ::= "localctx.<a.name>"
RetValRef(a) ::= "localctx.<a.name>"
QRetValRef(a) ::= "<ctx(a)>.<a.dict>.<a.name>"
/** How to translate $tokenLabel */
TokenRef(t) ::= "<ctx(t)>.<t.name>"
LabelRef(t) ::= "<ctx(t)>.<t.name>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(t.name)>"
SetAttr(s,rhsChunks) ::= "<ctx(s)>.<s.name> = <rhsChunks>"

TokenLabelType() ::= "<file.TokenLabelType; null={Token}>"
InputSymbolType() ::= "<file.InputSymbolType; null={Token}>"

TokenPropertyRef_text(t) ::= "(None if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.text)"
TokenPropertyRef_type(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.type)"
TokenPropertyRef_line(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.line)"
TokenPropertyRef_pos(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.column)"
TokenPropertyRef_channel(t) ::= "(0 if (<ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.channel)"
TokenPropertyRef_index(t) ::= "(0 if <ctx(t)>.<t.label> is None else <ctx(t)>.<t.label>.tokenIndex)"
TokenPropertyRef_int(t) ::= "(0 if <ctx(t)>.<t.label> is None else int(<ctx(t)>.<t.label>.text))"

RulePropertyRef_start(r) ::= "(None if <ctx(r)>.<r.label> is None else <ctx(r)>.<r.label>.start)"
RulePropertyRef_stop(r) ::= "(None if <ctx(r)>.<r.label> is None else <ctx(r)>.<r.label>.stop)"
RulePropertyRef_text(r) ::= "(None if <ctx(r)>.<r.label> is None else
self._input.getText((<ctx(r)>.<r.label>.start,<ctx(r)>.<r.label>.stop)))"
RulePropertyRef_ctx(r) ::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r) ::= "self"

ThisRulePropertyRef_start(r) ::= "localctx.start"
ThisRulePropertyRef_stop(r) ::= "localctx.stop"
ThisRulePropertyRef_text(r) ::= "self._input.getText((localctx.start, self._input.LT(-1)))"

```

```

ThisRulePropertyRef_ctx(r) ::= "localctx"
ThisRulePropertyRef_parser(r) ::= "self"

NonLocalAttrRef(s) ::= "getInvokingContext(<s.ruleIndex>).<s.name>"
SetNonLocalAttr(s, rhsChunks) ::= "getInvokingContext(<s.ruleIndex>).<s.name> = <rhsChunks>"

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.append(<labelref(a.label)>)"

TokenDecl(t) ::= "self.<t.name> = None # <TokenLabelType()>"
TokenTypeDecl(t) ::= "self.<t.name> = 0 # <TokenLabelType()> type"
TokenListDecl(t) ::= "self.<t.name> = list() # of <TokenLabelType()>s"
RuleContextDecl(r) ::= "self.<r.name> = None # <r.ctxName>"
RuleContextListDecl(rdecl) ::= "self.<rdecl.name> = list() # of <rdecl.ctxName>s"

ContextTokenGetterDecl(t) ::= <<
def <t.name>(self):
    return self.getToken(<parser.name>.<t.name>, 0)
>>

// should never be called
ContextTokenListGetterDecl(t) ::= <<
def <t.name>_list(self):
    return self.getTokens(<parser.name>.<t.name>)
>>

ContextTokenListIndexedGetterDecl(t) ::= <<
def <t.name>(self, i=None):
    if i is None:
        return self.getTokens(<parser.name>.<t.name>)
    else:
        return self.getToken(<parser.name>.<t.name>, i)
>>

ContextRuleGetterDecl(r) ::= <<
def <r.name>(self):
    return self.getTypedRuleContext(<parser.name>.<r.ctxName>,0)
>>

// should never be called
ContextRuleListGetterDecl(r) ::= <<
def <r.name>_list(self):
    return self.getTypedRuleContexts(<parser.name>.<r.ctxName>)
>>

ContextRuleListIndexedGetterDecl(r) ::= <<
def <r.name>(self, i=None):

```

```

    if i is None:
        return self.getTypedRuleContexts(<parser.name>.<r.ctxName>)
    else:
        return self.getTypedRuleContext(<parser.name>.<r.ctxName>,i)

>>

LexerRuleContext() ::= "RuleContext"

/** The rule context name is the rule followed by a suffix; e.g.,
 * r becomes rContext.
 */
RuleContextNameSuffix() ::= "Context"

ImplicitTokenLabel(tokenName) ::= "_<tokenName>"
ImplicitRuleLabel(ruleName) ::= "_<ruleName>"
ImplicitSetLabel(id) ::= "_tset<id>"
ListLabelName(label) ::= "<label>"

CaptureNextToken(d) ::= "<d.varName> = self._input.LT(1)"
CaptureNextTokenType(d) ::= "<d.varName> = self._input.LA(1)"

StructDecl(struct,ctorAttrs,attrs, getters,dispatchMethods,interfaces,extensionMembers) ::= <<
class <struct.name>(<if(contextSuperClass)><contextSuperClass><else>ParserRuleContext<endif>):

    def __init__(self, parser, parent=None, invokingState=-1<struct.ctorAttrs:{a | , <a.name>=None}>):
        super(<parser.name>.<struct.name>, self).__init__(parent, invokingState)
        self.parser = parser
        <attrs:{a | <a>}; separator="\n">
        <struct.ctorAttrs:{a | self.<a.name> = <a.name>}; separator="\n">

    <getters:{g | <g>}; separator="\n\n">

    def getRuleIndex(self):
        return <parser.name>.RULE_<struct.derivedFromName>

<if(struct.provideCopyFrom)> <! don't need copy unless we have subclasses !>
    def copyFrom(self, ctx):
        super(<parser.name>.<struct.name>, self).copyFrom(ctx)
        <struct.attrs:{a | self.<a.name> = ctx.<a.name>}; separator="\n">

<endif>
    <dispatchMethods; separator="\n">
    <extensionMembers; separator="\n">

>>

AltLabelStructDecl(struct,attrs, getters,dispatchMethods) ::= <<

```

```

class <struct.name>(<currentRule.name; format="cap">Context):

    def __init__(self, parser, ctx): # actually a <parser.name>.<currentRule.name; format="cap">Context)
        super(<parser.name>.<struct.name>, self).__init__(parser)
        <attrs:{a | <a>}; separator="\n">
        self.copyFrom(ctx)

    <getters:{g | <g>}; separator="\n">

    <dispatchMethods; separator="\n">

>>

ListenerDispatchMethod(method) ::= <<
def <if(method.isEnter)>enter<else>exit<endif>Rule(self, listener):
    if hasattr(listener, "<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName; format="cap">"):
        listener.<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName; format="cap">(self)

>>

VisitorDispatchMethod(method) ::= <<
def accept(self, visitor):
    if hasattr(visitor, "visit<struct.derivedFromName; format="cap">"):
        return visitor.visit<struct.derivedFromName; format="cap">(self)
    else:
        return visitor.visitChildren(self)

>>

AttributeDecl(d) ::= "self.<d.name> = <if(d.initValue)><d.initValue><else>None<endif>"

/** If we don't know location of label def x, use this template */
labelref(x) ::= "<if(!x.isLocal)>localctx.<endif><x.name>"

/** For any action chunk, what is correctly-typed context struct ptr? */
ctx(actionChunk) ::= "localctx"

// used for left-recursive rules
recRuleAltPredicate(ruleName,opPrec) ::= "self.precpred(self._ctx, <opPrec>)"
recRuleSetReturnAction(src,name) ::= "$<name>=<src>.<name>"
recRuleSetStopToken() ::= "self._ctx.stop = self._input.LT(-1)"

recRuleAltStartAction(ruleName, ctxName, label) ::= <<
localctx = <parser.name>.<ctxName>Context(self, _parentctx, _parentState)
<if(label)>localctx.<label> = _prevctx<endif>
self.pushNewRecursionContext(localctx, _startState, self.RULE_<ruleName>)
>>

```

```

recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
localctx = <parser.name>.<currentAltLabel; format="cap">Context(self, <parser.name>.<ruleName;
format="cap">Context(self, _parentctx, _parentState))
<if(label)>
<if(isListLabel)>
localctx.<label>.append(_prevctx)
<else>
localctx.<label> = _prevctx
<endif>
<endif>
self.pushNewRecursionContext(localctx, _startState, self.RULE_<ruleName>)
>>

```

```

recRuleReplaceContext(ctxName) ::= <<
localctx = <parser.name>.<ctxName>Context(self, localctx)
self._ctx = localctx
_prevctx = localctx
>>

```

```

recRuleSetPrevCtx() ::= <<
if self._parseListeners is not None:
    self.triggerExitRuleEvent()
_prevctx = localctx
>>

```

```

LexerFile(lexerFile, lexer, namedActions) ::= <<
<fileHeader(lexerFile.grammarFileName, lexerFile.ANTLRVersion)>
# encoding: utf-8
from __future__ import print_function
from antlr4 import *
from io import StringIO

<namedActions.header>

<lexer>
>>

```

```

Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<

<atn>

class <lexer.name>(<if(superClass)><superClass><else>Lexer<endif>):

    atn = ATNDeserializer().deserialize(serializedATN())

    decisionsToDFA = [ DFA(ds, i) for i, ds in enumerate(atn.decisionToState) ]

```

```

<rest(lexer.modes):{m| <m> = <i>}; separator="\n">

<lexer.tokens:{k | <k> = <lexer.tokens.(k)>}; separator="\n", wrap, anchor>

modeNames = [ <lexer.modes:{m| u"<m>"}; separator=", ", wrap, anchor ]

literalNames = [ u"\<INVALID>",
  <lexer.literalNames:{t | u<t>}; separator=", ", wrap, anchor ]

symbolicNames = [ u"\<INVALID>",
  <lexer.symbolicNames:{t | u<t>}; separator=", ", wrap, anchor ]

ruleNames = [ <lexer.ruleNames:{r | u"<r>"}; separator=", ", wrap, anchor ]

grammarFileName = u"<lexer.grammarFileName>"

def __init__(self, input=None):
    super(<lexer.name>, self).__init__(input)
    self.checkVersion("<lexerFile.ANTLRVersion>")
    self._interp = LexerATNSimulator(self, self.atn, self.decisionsToDFA, PredictionContextCache())
    self._actions = None
    self._predicates = None

<namedActions.members>

<dumpActions(lexer, "", actionFuncs, sempredFuncs)>

>>

SerializedATN(model) ::= <<
<! only one segment, can be inlined !>

def serializedATN():
    with StringIO() as buf:
        buf.write(u"<model.serialized; wrap={"}<\n>      buf.write(u"}>")
        return buf.getvalue()

>>

/** Using a type to init value map, try to init a type; if not in table
 * must be an object, default value is "null".
 */
initValue(typeName) ::= <<
<javaTypeInitMap.(typeName)>
>>

codeFileExtension() ::= ".py"

```

Found in path(s):

```
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-  
jar/org/antlr/v4/tool/templates/codegen/Python2/Python2.stg
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* [The "BSD license"]
```

```
* Copyright (c) 2012-2016 Terence Parr
```

```
* Copyright (c) 2012-2016 Sam Harwell
```

```
* All rights reserved.
```

```
*
```

```
* Redistribution and use in source and binary forms, with or without
```

```
* modification, are permitted provided that the following conditions
```

```
* are met:
```

```
*
```

```
* 1. Redistributions of source code must retain the above copyright
```

```
* notice, this list of conditions and the following disclaimer.
```

```
* 2. Redistributions in binary form must reproduce the above copyright
```

```
* notice, this list of conditions and the following disclaimer in the
```

```
* documentation and/or other materials provided with the distribution.
```

```
* 3. The name of the author may not be used to endorse or promote products
```

```
* derived from this software without specific prior written permission.
```

```
*
```

```
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
```

```
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
```

```
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
```

```
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
```

```
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
```

```
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
```

```
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
```

```
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
```

```
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
```

```
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
```

```
*/
```

```
/** The definitive ANTLR v3 tree grammar to walk/visit ANTLR v4 grammars.
```

```
* Parses trees created by ANTLRParser.g.
```

```
*
```

```
* Rather than have multiple tree grammars, one for each visit, I'm
```

```
* creating this generic visitor that knows about context. All of the
```

```
* boilerplate pattern recognition is done here. Then, subclasses can
```

```
* override the methods they care about. This prevents a lot of the same
```

```
* context tracking stuff like "set current alternative for current
```

```
* rule node" that is repeated in lots of tree filters.
```

```
*/
```

```
tree grammar GrammarTreeVisitor;
```

```
options {
```

```
language    = Java;
tokenVocab  = ANTLRParser;
ASTLabelType = GrammarAST;
}
```

```
// Include the copyright in this source and also the generated source
```

```
@header {
```

```
/*
```

```
[The "BSD license"]
```

```
Copyright (c) 2011 Terence Parr
```

```
All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

```
*/
```

```
package org.antlr.v4.parse;
```

```
import org.antlr.v4.Tool;
```

```
import org.antlr.v4.tool.*;
```

```
import org.antlr.v4.tool.ast.*;
```

```
import java.lang.reflect.InvocationTargetException;
```

```
import java.lang.reflect.Method;
```

```
}
```

```
@members {
```

```
public String grammarName;
```

```
public GrammarAST currentRuleAST;
```

```
public String currentModeName = LexerGrammar.DEFAULT_MODE_NAME;
```

```
public String currentRuleName;
```



```

public GrammarAST currentOuterAltRoot;
public int currentOuterAltNumber = 1; // 1..n
public int rewriteEBNFLevel = 0;

public GrammarTreeVisitor() { this(null); }

// Should be abstract but can't make gen'd parser abstract;
// subclasses should implement else everything goes to stderr!
public ErrorManager getErrorManager() { return null; }

public void visitGrammar(GrammarAST t) { visit(t, "grammarSpec"); }
public void visit(GrammarAST t, String ruleName) {
    CommonTreeNodeStream nodes = new CommonTreeNodeStream(new GrammarASTAdaptor(), t);
    setTreeNodeStream(nodes);
    try {
        Method m = getClass().getMethod(ruleName);
        m.invoke(this);
    }
    catch (Throwable e) {
        ErrorManager errMgr = getErrorManager();
        if ( e instanceof InvocationTargetException ) {
            e = e.getCause();
        }
        //e.printStackTrace(System.err);
        if ( errMgr==null ) {
            System.err.println("can't find rule "+ruleName+
                " or tree structure error: "+t.toStringTree()
            );
            e.printStackTrace(System.err);
        }
        else errMgr.toolError(ErrorType.INTERNAL_ERROR, e);
    }
}

public void discoverGrammar(GrammarRootAST root, GrammarAST ID) { }
public void finishPrequels(GrammarAST firstPrequel) { }
public void finishGrammar(GrammarRootAST root, GrammarAST ID) { }

public void grammarOption(GrammarAST ID, GrammarAST valueAST) { }
public void ruleOption(GrammarAST ID, GrammarAST valueAST) { }
public void blockOption(GrammarAST ID, GrammarAST valueAST) { }
public void defineToken(GrammarAST ID) { }
public void defineChannel(GrammarAST ID) { }
public void globalNamedAction(GrammarAST scope, GrammarAST ID, ActionAST action) { }
public void importGrammar(GrammarAST label, GrammarAST ID) { }

public void modeDef(GrammarAST m, GrammarAST ID) { }

```

```

public void discoverRules(GrammarAST rules) { }
public void finishRules(GrammarAST rule) { }
public void discoverRule(RuleAST rule, GrammarAST ID, List<GrammarAST> modifiers,
    ActionAST arg, ActionAST returns, GrammarAST thrws,
    GrammarAST options, ActionAST locals,
    List<GrammarAST> actions,
    GrammarAST block) { }
public void finishRule(RuleAST rule, GrammarAST ID, GrammarAST block) { }
public void discoverLexerRule(RuleAST rule, GrammarAST ID, List<GrammarAST> modifiers,
    GrammarAST block) { }
public void finishLexerRule(RuleAST rule, GrammarAST ID, GrammarAST block) { }
public void ruleCatch(GrammarAST arg, ActionAST action) { }
public void finallyAction(ActionAST action) { }
public void discoverOuterAlt(AltAST alt) { }
public void finishOuterAlt(AltAST alt) { }
public void discoverAlt(AltAST alt) { }
public void finishAlt(AltAST alt) { }

public void ruleRef(GrammarAST ref, ActionAST arg) { }
public void tokenRef(TerminalAST ref) { }
public void elementOption(GrammarASTWithOptions t, GrammarAST ID, GrammarAST valueAST) { }
public void stringRef(TerminalAST ref) { }
public void wildcardRef(GrammarAST ref) { }
public void actionInAlt(ActionAST action) { }
public void sempredInAlt(PredAST pred) { }
public void label(GrammarAST op, GrammarAST ID, GrammarAST element) { }
public void lexerCallCommand(int outerAltNumber, GrammarAST ID, GrammarAST arg) { }
public void lexerCommand(int outerAltNumber, GrammarAST ID) { }

protected void enterGrammarSpec(GrammarAST tree) { }
protected void exitGrammarSpec(GrammarAST tree) { }

protected void enterPrequelConstructs(GrammarAST tree) { }
protected void exitPrequelConstructs(GrammarAST tree) { }

protected void enterPrequelConstruct(GrammarAST tree) { }
protected void exitPrequelConstruct(GrammarAST tree) { }

protected void enterOptionsSpec(GrammarAST tree) { }
protected void exitOptionsSpec(GrammarAST tree) { }

protected void enterOption(GrammarAST tree) { }
protected void exitOption(GrammarAST tree) { }

protected void enterOptionValue(GrammarAST tree) { }
protected void exitOptionValue(GrammarAST tree) { }

protected void enterDelegateGrammars(GrammarAST tree) { }

```

protected void exitDelegateGrammars(GrammarAST tree) { }

protected void enterDelegateGrammar(GrammarAST tree) { }

protected void exitDelegateGrammar(GrammarAST tree) { }

protected void enterTokensSpec(GrammarAST tree) { }

protected void exitTokensSpec(GrammarAST tree) { }

protected void enterTokenSpec(GrammarAST tree) { }

protected void exitTokenSpec(GrammarAST tree) { }

protected void enterChannelsSpec(GrammarAST tree) { }

protected void exitChannelsSpec(GrammarAST tree) { }

protected void enterChannelSpec(GrammarAST tree) { }

protected void exitChannelSpec(GrammarAST tree) { }

protected void enterAction(GrammarAST tree) { }

protected void exitAction(GrammarAST tree) { }

protected void enterRules(GrammarAST tree) { }

protected void exitRules(GrammarAST tree) { }

protected void enterMode(GrammarAST tree) { }

protected void exitMode(GrammarAST tree) { }

protected void enterLexerRule(GrammarAST tree) { }

protected void exitLexerRule(GrammarAST tree) { }

protected void enterRule(GrammarAST tree) { }

protected void exitRule(GrammarAST tree) { }

protected void enterExceptionGroup(GrammarAST tree) { }

protected void exitExceptionGroup(GrammarAST tree) { }

protected void enterExceptionHandler(GrammarAST tree) { }

protected void exitExceptionHandler(GrammarAST tree) { }

protected void enterFinallyClause(GrammarAST tree) { }

protected void exitFinallyClause(GrammarAST tree) { }

protected void enterLocals(GrammarAST tree) { }

protected void exitLocals(GrammarAST tree) { }

protected void enterRuleReturns(GrammarAST tree) { }

protected void exitRuleReturns(GrammarAST tree) { }

protected void enterThrowsSpec(GrammarAST tree) { }

protected void exitThrowsSpec(GrammarAST tree) { }

protected void enterRuleAction(GrammarAST tree) { }

protected void exitRuleAction(GrammarAST tree) { }

protected void enterRuleModifier(GrammarAST tree) { }

protected void exitRuleModifier(GrammarAST tree) { }

protected void enterLexerRuleBlock(GrammarAST tree) { }

protected void exitLexerRuleBlock(GrammarAST tree) { }

protected void enterRuleBlock(GrammarAST tree) { }

protected void exitRuleBlock(GrammarAST tree) { }

protected void enterLexerOuterAlternative(AltAST tree) { }

protected void exitLexerOuterAlternative(AltAST tree) { }

protected void enterOuterAlternative(AltAST tree) { }

protected void exitOuterAlternative(AltAST tree) { }

protected void enterLexerAlternative(GrammarAST tree) { }

protected void exitLexerAlternative(GrammarAST tree) { }

protected void enterLexerElements(GrammarAST tree) { }

protected void exitLexerElements(GrammarAST tree) { }

protected void enterLexerElement(GrammarAST tree) { }

protected void exitLexerElement(GrammarAST tree) { }

protected void enterLabeledLexerElement(GrammarAST tree) { }

protected void exitLabeledLexerElement(GrammarAST tree) { }

protected void enterLexerBlock(GrammarAST tree) { }

protected void exitLexerBlock(GrammarAST tree) { }

protected void enterLexerAtom(GrammarAST tree) { }

protected void exitLexerAtom(GrammarAST tree) { }

protected void enterActionElement(GrammarAST tree) { }

protected void exitActionElement(GrammarAST tree) { }

protected void enterAlternative(AltAST tree) { }

protected void exitAlternative(AltAST tree) { }

protected void enterLexerCommand(GrammarAST tree) { }

protected void exitLexerCommand(GrammarAST tree) { }

protected void enterLexerCommandExpr(GrammarAST tree) { }

protected void exitLexerCommandExpr(GrammarAST tree) { }

protected void enterElement(GrammarAST tree) { }

protected void exitElement(GrammarAST tree) { }

protected void enterAstOperand(GrammarAST tree) { }

protected void exitAstOperand(GrammarAST tree) { }

protected void enterLabeledElement(GrammarAST tree) { }

protected void exitLabeledElement(GrammarAST tree) { }

protected void enterSubrule(GrammarAST tree) { }

protected void exitSubrule(GrammarAST tree) { }

protected void enterLexerSubrule(GrammarAST tree) { }

protected void exitLexerSubrule(GrammarAST tree) { }

protected void enterBlockSuffix(GrammarAST tree) { }

protected void exitBlockSuffix(GrammarAST tree) { }

protected void enterEbnfSuffix(GrammarAST tree) { }

protected void exitEbnfSuffix(GrammarAST tree) { }

protected void enterAtom(GrammarAST tree) { }

protected void exitAtom(GrammarAST tree) { }

protected void enterBlockSet(GrammarAST tree) { }

protected void exitBlockSet(GrammarAST tree) { }

protected void enterSetElement(GrammarAST tree) { }

protected void exitSetElement(GrammarAST tree) { }

protected void enterBlock(GrammarAST tree) { }

protected void exitBlock(GrammarAST tree) { }

protected void enterRuleref(GrammarAST tree) { }

protected void exitRuleref(GrammarAST tree) { }

protected void enterRange(GrammarAST tree) { }

protected void exitRange(GrammarAST tree) { }

protected void enterTerminal(GrammarAST tree) { }

protected void exitTerminal(GrammarAST tree) { }

protected void enterElementOptions(GrammarAST tree) { }

protected void exitElementOptions(GrammarAST tree) { }

protected void enterElementOption(GrammarAST tree) { }

```
protected void exitElementOption(GrammarAST tree) { }
```

```
@Override
```

```
public void traceIn(String ruleName, int ruleIndex) {  
    System.err.println("enter "+ruleName+": "+input.LT(1));  
}
```

```
@Override
```

```
public void traceOut(String ruleName, int ruleIndex) {  
    System.err.println("exit "+ruleName+": "+input.LT(1));  
}  
}
```

```
grammarSpec
```

```
@init {
```

```
    enterGrammarSpec($start);
```

```
}
```

```
@after {
```

```
    exitGrammarSpec($start);
```

```
}
```

```
    : ^( GRAMMAR ID {grammarName=$ID.text;}  
        {discoverGrammar((GrammarRootAST)$GRAMMAR, $ID);}  
        prequelConstructs  
        {finishPrequels($prequelConstructs.firstOne);}  
        rules mode*  
        {finishGrammar((GrammarRootAST)$GRAMMAR, $ID);}  
    )
```

```
    ;
```

```
prequelConstructs
```

```
{finishPrequels($prequelConstructs.firstOne);}
```

```
rules mode*
```

```
{finishGrammar((GrammarRootAST)$GRAMMAR, $ID);}
```

```
)
```

```
;
```

```
prequelConstructs returns [GrammarAST firstOne=null]
```

```
@init {
```

```
    enterPrequelConstructs($start);
```

```
}
```

```
@after {
```

```
    exitPrequelConstructs($start);
```

```
}
```

```
    : {$firstOne=$start;} prequelConstruct+
```

```
    |
```

```
    ;
```

```
prequelConstruct
```

```
@init {
```

```
    enterPrequelConstructs($start);
```

```
}
```

```
@after {
```

```
    exitPrequelConstructs($start);
```

```
}
```

```
    : optionsSpec
```

```

| delegateGrammars
| tokensSpec
| channelsSpec
| action
;

optionsSpec
@init {
enterOptionsSpec($start);
}
@after {
exitOptionsSpec($start);
}
: ^(OPTIONS option*)
;

option
@init {
enterOption($start);
boolean rule = inContext("RULE ...");
boolean block = inContext("BLOCK ...");
}
@after {
exitOption($start);
}
: ^(a=ASSIGN ID v=optionValue)
{
if ( block ) blockOption($ID, $v.start); // most specific first
else if ( rule ) ruleOption($ID, $v.start);
else grammarOption($ID, $v.start);
}
;

optionValue returns [String v]
@init {
enterOptionValue($start);
$v = $start.token.getText();
}
@after {
exitOptionValue($start);
}
: ID
| STRING_LITERAL
| INT
;

delegateGrammars
@init {

```

```
enterDelegateGrammars($start);
}
@after {
exitDelegateGrammars($start);
}
: ^(IMPORT delegateGrammar+)
;
```

```
delegateGrammar
@init {
enterDelegateGrammar($start);
}
@after {
exitDelegateGrammar($start);
}
: ^(ASSIGN label=ID id=ID {importGrammar($label, $id);}
| id=ID {importGrammar(null, $id);}
;
```

```
tokensSpec
@init {
enterTokensSpec($start);
}
@after {
exitTokensSpec($start);
}
: ^(TOKENS_SPEC tokenSpec+)
;
```

```
tokenSpec
@init {
enterTokenSpec($start);
}
@after {
exitTokenSpec($start);
}
: ID {defineToken($ID);}
;
```

```
channelsSpec
@init {
enterChannelsSpec($start);
}
@after {
exitChannelsSpec($start);
}
: ^(CHANNELS channelSpec+)
;
```



```

channelSpec
@init {
    enterChannelSpec($start);
}
@after {
    exitChannelSpec($start);
}
: ID {defineChannel($ID);}
;

action
@init {
    enterAction($start);
}
@after {
    exitAction($start);
}
: ^(AT sc=ID? name=ID ACTION) {globalNamedAction($sc, $name, (ActionAST)$ACTION);}
;

rules
@init {
    enterRules($start);
}
@after {
    exitRules($start);
}
: ^(RULES {discoverRules($RULES);} (rule|lexerRule)* {finishRules($RULES);})
;

mode
@init {
    enterMode($start);
}
@after {
    exitMode($start);
}
: ^( MODE ID {currentModeName=$ID.text; modeDef($MODE, $ID);} lexerRule* )
;

lexerRule
@init {
    enterLexerRule($start);
    List<GrammarAST> mods = new ArrayList<GrammarAST>();
    currentOuterAltNumber=0;
}
@after {

```

```

exitLexerRule($start);
}
: ^( RULE TOKEN_REF
  {currentRuleName=$TOKEN_REF.text; currentRuleAST=$RULE;}
  (^ (RULEMODIFIERS m=FRAGMENT {mods.add($m);}))?
    {discoverLexerRule((RuleAST)$RULE, $TOKEN_REF, mods, (GrammarAST)input.LT(1));}
    lexerRuleBlock
    {
      finishLexerRule((RuleAST)$RULE, $TOKEN_REF, $lexerRuleBlock.start);
      currentRuleName=null; currentRuleAST=null;
    }
  )
;

rule
@init {
enterRule($start);
List<GrammarAST> mods = new ArrayList<GrammarAST>();
List<GrammarAST> actions = new ArrayList<GrammarAST>(); // track roots
currentOuterAltNumber=0;
}
@after {
exitRule($start);
}
: ^( RULE RULE_REF {currentRuleName=$RULE_REF.text; currentRuleAST=$RULE;}
  (^ (RULEMODIFIERS (m=ruleModifier {mods.add($m.start);}+)))?
  ARG_ACTION?
  ret=ruleReturns?
  thr=throwsSpec?
  loc=locals?
  ( opts=optionsSpec
  | a=ruleAction {actions.add($a.start);}
  )*
  {discoverRule((RuleAST)$RULE, $RULE_REF, mods, (ActionAST)$ARG_ACTION,
    $ret.start!=null?(ActionAST)$ret.start.getChild(0):null,
    $thr.start, $opts.start,
    $loc.start!=null?(ActionAST)$loc.start.getChild(0):null,
    actions, (GrammarAST)input.LT(1));}
  ruleBlock exceptionGroup
  {finishRule((RuleAST)$RULE, $RULE_REF, $ruleBlock.start); currentRuleName=null; currentRuleAST=null;}
  )
;

exceptionGroup
@init {
enterExceptionGroup($start);
}
@after {

```

```

exitExceptionGroup($start);
}
: exceptionHandler* finallyClause?
;

exceptionHandler
@init {
enterExceptionHandler($start);
}
@after {
exitExceptionHandler($start);
}
: ^(CATCH ARG_ACTION ACTION) {ruleCatch($ARG_ACTION, (ActionAST)$ACTION);}
;

finallyClause
@init {
enterFinallyClause($start);
}
@after {
exitFinallyClause($start);
}
: ^(FINALLY ACTION) {finallyAction((ActionAST)$ACTION);}
;

locals
@init {
enterLocals($start);
}
@after {
exitLocals($start);
}
: ^(LOCALS ARG_ACTION)
;

ruleReturns
@init {
enterRuleReturns($start);
}
@after {
exitRuleReturns($start);
}
: ^(RETURNS ARG_ACTION)
;

throwsSpec
@init {
enterThrowsSpec($start);

```

```

}
@after {
  exitThrowsSpec($start);
}
: ^(THROWS ID+)
;

```

ruleAction

```

@init {
  enterRuleAction($start);
}
@after {
  exitRuleAction($start);
}
: ^(AT ID ACTION)
;

```

ruleModifier

```

@init {
  enterRuleModifier($start);
}
@after {
  exitRuleModifier($start);
}
: PUBLIC
| PRIVATE
| PROTECTED
| FRAGMENT
;

```

lexerRuleBlock

```

@init {
  enterLexerRuleBlock($start);
}
@after {
  exitLexerRuleBlock($start);
}
: ^( BLOCK
  ( {
    currentOuterAltRoot = (GrammarAST)input.LT(1);
    currentOuterAltNumber++;
  }
  lexerOuterAlternative
)+
)
;

```

ruleBlock

```

@init {
  enterRuleBlock($start);
}
@after {
  exitRuleBlock($start);
}
: ^( BLOCK
  ( {
    currentOuterAltRoot = (GrammarAST)input.LT(1);
    currentOuterAltNumber++;
  }
  outerAlternative
  )+
  )
;

```

```

lexerOuterAlternative
@init {
  enterLexerOuterAlternative((AltAST)$start);
  discoverOuterAlt((AltAST)$start);
}
@after {
  finishOuterAlt((AltAST)$start);
  exitLexerOuterAlternative((AltAST)$start);
}
: lexerAlternative
;

```

```

outerAlternative
@init {
  enterOuterAlternative((AltAST)$start);
  discoverOuterAlt((AltAST)$start);
}
@after {
  finishOuterAlt((AltAST)$start);
  exitOuterAlternative((AltAST)$start);
}
: alternative
;

```

```

lexerAlternative
@init {
  enterLexerAlternative($start);
}
@after {
  exitLexerAlternative($start);
}

```

```
: ^(LEXER_ALT_ACTION lexerElements lexerCommand+)
| lexerElements
;
```

lexerElements

```
@init {
enterLexerElements($start);
}
@after {
exitLexerElements($start);
}
: ^(ALT lexerElement+)
;
```

lexerElement

```
@init {
enterLexerElement($start);
}
@after {
exitLexerElement($start);
}
: labeledLexerElement
| lexerAtom
| lexerSubrule
| ACTION {actionInAlt((ActionAST)$ACTION);}
| SEMPRED {sempredInAlt((PredAST)$SEMPRED);}
| ^(ACTION elementOptions) {actionInAlt((ActionAST)$ACTION);}
| ^(SEMPRED elementOptions) {sempredInAlt((PredAST)$SEMPRED);}
| EPSILON
;
```

labeledLexerElement

```
@init {
enterLabeledLexerElement($start);
}
@after {
exitLabeledLexerElement($start);
}
: ^((ASSIGN|PLUS_ASSIGN) ID (lexerAtom|block))
;
```

lexerBlock

```
@init {
enterLexerBlock($start);
}
@after {
exitLexerBlock($start);
}
```

```
: ^(BLOCK optionsSpec? lexerAlternative+)
```

```
;
```

```
lexerAtom
```

```
@init {
```

```
enterLexerAtom($start);
```

```
}
```

```
@after {
```

```
exitLexerAtom($start);
```

```
}
```

```
: terminal
```

```
| ^(NOT blockSet)
```

```
| blockSet
```

```
| ^(WILDCARD elementOptions)
```

```
| WILDCARD
```

```
| LEXER_CHAR_SET
```

```
| range
```

```
| ruleref
```

```
;
```

```
actionElement
```

```
@init {
```

```
enterActionElement($start);
```

```
}
```

```
@after {
```

```
exitActionElement($start);
```

```
}
```

```
: ACTION
```

```
| ^(ACTION elementOptions)
```

```
| SEMPRED
```

```
| ^(SEMPRED elementOptions)
```

```
;
```

```
alternative
```

```
@init {
```

```
enterAlternative((AltAST)$start);
```

```
discoverAlt((AltAST)$start);
```

```
}
```

```
@after {
```

```
finishAlt((AltAST)$start);
```

```
exitAlternative((AltAST)$start);
```

```
}
```

```
: ^(ALT elementOptions? element+)
```

```
| ^(ALT elementOptions? EPSILON)
```

```
;
```

```
lexerCommand
```

```
@init {
```

```

enterLexerCommand($start);
}
@after {
exitLexerCommand($start);
}
: ^(LEXER_ACTION_CALL ID lexerCommandExpr)
  {lexerCallCommand(currentOuterAltNumber, $ID, $lexerCommandExpr.start);}
| ID
  {lexerCommand(currentOuterAltNumber, $ID);}
;

```

```

lexerCommandExpr
@init {
enterLexerCommandExpr($start);
}
@after {
exitLexerCommandExpr($start);
}
: ID
| INT
;

```

```

element
@init {
enterElement($start);
}
@after {
exitElement($start);
}
: labeledElement
| atom
| subrule
| ACTION    {actionInAlt((ActionAST)$ACTION);}
| SEMPRED   {sempredInAlt((PredAST)$SEMPRED);}
| ^(ACTION elementOptions) {actionInAlt((ActionAST)$ACTION);}
| ^(SEMPRED elementOptions) {sempredInAlt((PredAST)$SEMPRED);}

| ^(NOT blockSet)
| ^(NOT block)
;

```

```

astOperand
@init {
enterAstOperand($start);
}
@after {
exitAstOperand($start);
}

```



```

: atom
| ^(NOT blockSet)
| ^(NOT block)
;

labeledElement
@init {
  enterLabeledElement($start);
}
@after {
  exitLabeledElement($start);
}
: ^((ASSIGN|PLUS_ASSIGN) ID element) {label($start, $ID, $element.start);}
;

subrule
@init {
  enterSubrule($start);
}
@after {
  exitSubrule($start);
}
: ^(blockSuffix block)
| block
;

lexerSubrule
@init {
  enterLexerSubrule($start);
}
@after {
  exitLexerSubrule($start);
}
: ^(blockSuffix lexerBlock)
| lexerBlock
;

blockSuffix
@init {
  enterBlockSuffix($start);
}
@after {
  exitBlockSuffix($start);
}
: ebnfSuffix
;

ebnfSuffix

```

```

@init {
  enterEbnfSuffix($start);
}
@after {
  exitEbnfSuffix($start);
}
: OPTIONAL
| CLOSURE
| POSITIVE_CLOSURE
;

```

atom

```

@init {
  enterAtom($start);
}
@after {
  exitAtom($start);
}
: ^(DOT ID terminal)
| ^(DOT ID ruleref)
| ^(WILDCARD elementOptions) {wildcardRef($WILDCARD);}
| WILDCARD {wildcardRef($WILDCARD);}
| terminal
| blockSet
| ruleref
;

```

blockSet

```

@init {
  enterBlockSet($start);
}
@after {
  exitBlockSet($start);
}
: ^(SET setElement+)
;

```

setElement

```

@init {
  enterSetElement($start);
}
@after {
  exitSetElement($start);
}
: ^(STRING_LITERAL elementOptions) {stringRef((TerminalAST)$STRING_LITERAL);}
| ^(TOKEN_REF elementOptions) {tokenRef((TerminalAST)$TOKEN_REF);}
| STRING_LITERAL {stringRef((TerminalAST)$STRING_LITERAL);}
| TOKEN_REF {tokenRef((TerminalAST)$TOKEN_REF);}

```

```

| ^(RANGE a=STRING_LITERAL b=STRING_LITERAL)
{
stringRef((TerminalAST)$a);
stringRef((TerminalAST)$b);
}
| LEXER_CHAR_SET
;

block
@init {
enterBlock($start);
}
@after {
exitBlock($start);
}
: ^(BLOCK optionsSpec? ruleAction* ACTION? alternative+)
;

ruleref
@init {
enterRuleref($start);
}
@after {
exitRuleref($start);
}
: ^(RULE_REF arg=ARG_ACTION? elementOptions?)
{
ruleRef($RULE_REF, (ActionAST)$ARG_ACTION);
if ( $arg!=null ) actionInAlt((ActionAST)$arg);
}
;

range
@init {
enterRange($start);
}
@after {
exitRange($start);
}
: ^(RANGE STRING_LITERAL STRING_LITERAL)
;

terminal
@init {
enterTerminal($start);
}
@after {
exitTerminal($start);
}

```

```

}
: ^(STRING_LITERAL elementOptions)
  {stringRef((TerminalAST)$STRING_LITERAL);}
| STRING_LITERAL {stringRef((TerminalAST)$STRING_LITERAL);}
| ^(TOKEN_REF elementOptions) {tokenRef((TerminalAST)$TOKEN_REF);}
| TOKEN_REF {tokenRef((TerminalAST)$TOKEN_REF);}
;

elementOptions
@init {
  enterElementOptions($start);
}
@after {
  exitElementOptions($start);
}
: ^(ELEMENT_OPTIONS elementOption[(GrammarASTWithOptions)$start.getParent()]*);

elementOption[GrammarASTWithOptions t]
@init {
  enterElementOption($start);
}
@after {
  exitElementOption($start);
}
: ID {elementOption(t, $ID, null);}
| ^(ASSIGN id=ID v=ID) {elementOption(t, $id, $v);}
| ^(ASSIGN ID v=STRING_LITERAL) {elementOption(t, $ID, $v);}
| ^(ASSIGN ID v=ACTION) {elementOption(t, $ID, $v);}
| ^(ASSIGN ID v=INT) {elementOption(t, $ID, $v);}
;

```

Found in path(s):

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/GrammarTreeVisitor.g

No license file was found, but licenses were detected in source scan.

```

/*
* [The "BSD license"]
* Copyright (c) 2012-2016 Terence Parr
* Copyright (c) 2012-2016 Sam Harwell
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright

```

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* 3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

*/

tree grammar ATNBuilder;

```
options {
    language = Java;
    tokenVocab = ANTLRParser;
    ASTLabelType = GrammarAST;
    // filter = true;
}
```

// Include the copyright in this source and also the generated source

@header {

/*

[The "BSD license"]

Copyright (c) 2010 Terence Parr

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT

NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

*/

```
package org.antlr.v4.parse;
import org.antlr.v4.tool.*;
import org.antlr.v4.tool.ast.*;
import org.antlr.v4.automata.ATNFactory;
}
```

```
@members {
    ATNFactory factory;
    public ATNBuilder(TreeNodeStream input, ATNFactory factory) {
        this(input);
        this.factory = factory;
    }
}
```

dummy : block[null] ; // avoid error about no start rule

ruleBlock[GrammarAST ebnfRoot] returns [ATNFactory.Handle p]

```
@init {
    List<ATNFactory.Handle> alts = new ArrayList<ATNFactory.Handle>();
    int alt = 1;
    factory.setCurrentOuterAlt(alt);
}
: ^(BLOCK
    (^ (OPTIONS .*))?)
    ( a=alternative
        {alts.add($a.p); factory.setCurrentOuterAlt(++alt);}
    )+
)
{ $p = factory.block((BlockAST)$BLOCK, ebnfRoot, alts); }
;
```

block[GrammarAST ebnfRoot] returns [ATNFactory.Handle p]

```
@init {List<ATNFactory.Handle> alts = new ArrayList<ATNFactory.Handle>();}
: ^(BLOCK (^ (OPTIONS .*))?) (a=alternative {alts.add($a.p);})+
{ $p = factory.block((BlockAST)$BLOCK, ebnfRoot, alts); }
;
```

alternative returns [ATNFactory.Handle p]

```
@init {List<ATNFactory.Handle> els = new ArrayList<ATNFactory.Handle>();}
: ^(LEXER_ALT_ACTION a=alternative lexerCommands)
{ $p = factory.lexerAltCommands($a.p,$lexerCommands.p); }
| ^(ALT elementOptions? EPSILON) { $p = factory.epsilon($EPSILON); }
```

```
| ^(ALT elementOptions? (e=element {els.add($e.p);})+) {$p = factory.alt(els);}
;
```

lexerCommands returns [ATNFactory.Handle p]

```
@init {List<ATNFactory.Handle> cmds = new ArrayList<ATNFactory.Handle>();}
: (c=lexerCommand {if ($c.cmd != null) cmds.add($c.cmd);})+
{
  $p = factory.alt(cmds);
}
;
```

lexerCommand returns [ATNFactory.Handle cmd]

```
: ^(LEXER_ACTION_CALL ID lexerCommandExpr)
  {$cmd = factory.lexerCallCommand($ID, $lexerCommandExpr.start);}
| ID
  {$cmd = factory.lexerCommand($ID);}
;
```

lexerCommandExpr

```
: ID
| INT
;
```

element returns [ATNFactory.Handle p]

```
: labeledElement {$p = $labeledElement.p;}
| atom {$p = $atom.p;}
| subrule {$p = $subrule.p;}
| ACTION {$p = factory.action((ActionAST)$ACTION);}
| SEMPRED {$p = factory.sempred((PredAST)$SEMPRED);}
| ^(ACTION .) {$p = factory.action((ActionAST)$ACTION);}
| ^(SEMPRED .) {$p = factory.sempred((PredAST)$SEMPRED);}
| ^(NOT b=blockSet[true]) {$p = $b.p;}
| LEXER_CHAR_SET {$p = factory.charSetLiteral($start);}
;
```

astOperand returns [ATNFactory.Handle p]

```
: atom {$p = $atom.p;}
| ^(NOT blockSet[true]) {$p = $blockSet.p;}
;
```

labeledElement returns [ATNFactory.Handle p]

```
: ^(ASSIGN ID element) {$p = factory.label($element.p);}
| ^(PLUS_ASSIGN ID element) {$p = factory.listLabel($element.p);}
;
```

subrule returns [ATNFactory.Handle p]

```
: ^(OPTIONAL block[$start]) {$p = $block.p;}
| ^(CLOSURE block[$start]) {$p = $block.p;}
;
```

```

| ^(POSITIVE_CLOSURE block[$start]) {$p = $block.p;}
| block[null]    {$p = $block.p;}
;

blockSet[boolean invert] returns [ATNFactory.Handle p]
@init {List<GrammarAST> alts = new ArrayList<GrammarAST>();}
: ^(SET (setElement {alts.add($setElement.start);})+) {$p = factory.set($start, alts, $invert);}
;

/** Don't combine with atom otherwise it will build spurious ATN nodes */
setElement
: ^(STRING_LITERAL .)
| ^(TOKEN_REF .)
| STRING_LITERAL
| TOKEN_REF
| ^(RANGE a=STRING_LITERAL b=STRING_LITERAL)
| LEXER_CHAR_SET
;

atom returns [ATNFactory.Handle p]
: range    {$p = $range.p;}
| ^(DOT ID terminal) {$p = $terminal.p;}
| ^(DOT ID ruleref) {$p = $ruleref.p;}
| ^(WILDCARD .) {$p = factory.wildcard($start);}
| WILDCARD    {$p = factory.wildcard($start);}
| blockSet[false] {$p = $blockSet.p;}
| terminal    {$p = $terminal.p;}
| ruleref     {$p = $ruleref.p;}
;

ruleref returns [ATNFactory.Handle p]
: ^(RULE_REF ARG_ACTION? ^(ELEMENT_OPTIONS .*)) {$p = factory.ruleRef($RULE_REF);}
| ^(RULE_REF ARG_ACTION?)    {$p = factory.ruleRef($RULE_REF);}
| RULE_REF    {$p = factory.ruleRef($RULE_REF);}
;

range returns [ATNFactory.Handle p]
: ^(RANGE a=STRING_LITERAL b=STRING_LITERAL) {$p = factory.range($a,$b);}
;

terminal returns [ATNFactory.Handle p]
: ^(STRING_LITERAL .) {$p = factory.stringLiteral((TerminalAST)$start);}
| STRING_LITERAL    {$p = factory.stringLiteral((TerminalAST)$start);}
| ^(TOKEN_REF ARG_ACTION .) {$p = factory.tokenRef((TerminalAST)$start);}
| ^(TOKEN_REF .)    {$p = factory.tokenRef((TerminalAST)$start);}
| TOKEN_REF    {$p = factory.tokenRef((TerminalAST)$start);}
;

```



```
elementOptions
: ^(ELEMENT_OPTIONS elementOption*)
;
```

```
elementOption
: ID
| ^(ASSIGN ID ID)
| ^(ASSIGN ID STRING_LITERAL)
| ^(ASSIGN ID ACTION)
| ^(ASSIGN ID INT)
;
```

Found in path(s):

* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-jar/org/antlr/v4/parse/ATNBuilder.g

No license file was found, but licenses were detected in source scan.

```
/*
* [The "BSD license"]
* Copyright (c) 2012-2016 Terence Parr
* Copyright (c) 2012-2016 Sam Harwell
* Copyright (c) 2015 Janyou
* All rights reserved.
*
* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:
*
* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
* 3. The name of the author may not be used to endorse or promote products
* derived from this software without specific prior written permission.
*
* THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR
* IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES
* OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED.
* IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT,
* INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
* NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
* DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY
* THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
* (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
* THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.
*/
```

```
SwiftTypeInitMap ::= [
```

```

"Int":"0",
"Int64":"0",
"Float":"0.0",
"Double":"0.0",
"Bool":"false",
default:"nil" // anything other than a primitive type is an object
]
SwiftTypeMap ::= [
  "int":"Int",
  "float":"Float",
  "long":"Int64",
  "double":"Double",
  "bool":"Bool",
  "boolean":"Bool",
  default : key
]
// args must be <object-model-object>, <fields-resulting-in-STs>

```

```

ParserFile(file, parser, namedActions,contextSuperClass) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
<!package <file.genPackage>;!>
<endif>
<namedActions.header>
import Antlr4

<parser>
>>

```

```

ListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
<!package <file.genPackage>;!>
<endif>
<header>
import Antlr4

/**
 * This interface defines a complete listener for a parse tree produced by
 * { @link <file.parserName> }.
 */
public protocol <file.grammarName>Listener: ParseTreeListener {
  <file.listenerNames:{(lname) |
/**
<if(file.listenerLabelRuleNames.(lname))>
 * Enter a parse tree produced by the { @code <lname>}
 * labeled alternative in { @link <file.parserName>#<file.listenerLabelRuleNames.(lname)>}|.
<else>

```

```

* Enter a parse tree produced by { @link <file.parserName>#<lname>\}.
<endif>
- Parameters:
  - ctx: the parse tree
*/
func enter<lname; format="cap">(_ ctx: <file.parserName>.<lname; format="cap">Context)
/**
<if(file.listenerLabelRuleNames.(lname))>
* Exit a parse tree produced by the { @code <lname>\}
* labeled alternative in { @link <file.parserName>#<file.listenerLabelRuleNames.(lname)>\}.
<else>
* Exit a parse tree produced by { @link <file.parserName>#<lname>\}.
<endif>
- Parameters:
  - ctx: the parse tree
*/
func exit<lname; format="cap">(_ ctx: <file.parserName>.<lname; format="cap">Context)); separator="\n">
}
>>

```

```

BaseListenerFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
<!package <file.genPackage>;!>
<endif>
<header>

```

```
import Antlr4
```

```

/**
* This class provides an empty implementation of { @link <file.grammarName>Listener},
* which can be extended to create a listener which only needs to handle a subset
* of the available methods.
*/
open class <file.grammarName>BaseListener: <file.grammarName>Listener {
  public init() { \}
  <file.listenerNames:{lname |

/**
* { @inheritDoc\}
*
* \<p>The default implementation does nothing.\</p>
*/
open func enter<lname; format="cap">(_ ctx: <file.parserName>.<lname; format="cap">Context) { \}
/**
* { @inheritDoc\}
*

```

```

* \<p>The default implementation does nothing.\</p>
*/
open func exit<Iname; format="cap">(_ ctx: <file.parserName>.<Iname; format="cap">Context) { \};
separator="\n">

/**
 * { @inheritDoc\}
 *
 * \<p>The default implementation does nothing.\</p>
 */
open func enterEveryRule(_ ctx: ParserRuleContext) { }
/**
 * { @inheritDoc\}
 *
 * \<p>The default implementation does nothing.\</p>
 */
open func exitEveryRule(_ ctx: ParserRuleContext) { }
/**
 * { @inheritDoc\}
 *
 * \<p>The default implementation does nothing.\</p>
 */
open func visitTerminal(_ node: TerminalNode) { }
/**
 * { @inheritDoc\}
 *
 * \<p>The default implementation does nothing.\</p>
 */
open func visitErrorNode(_ node: ErrorNode) { }
}
>>

VisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
<!package <file.genPackage>;!>
<endif>
<header>
import Antlr4

/**
 * This interface defines a complete generic visitor for a parse tree produced
 * by { @link <file.parserName>}.
 *
 * @param \<T> The return type of the visit operation. Use { @link Void} for
 * operations with no return type.
 */
open class <file.grammarName>Visitor\<T>: ParseTreeVisitor\<T> {

```

```

<file.visitorNames:{ lname |
/**
<if(file.visitorLabelRuleNames.(lname))>
* Visit a parse tree produced by the { @code <lname>\}
* labeled alternative in { @link <file.parserName>#<file.visitorLabelRuleNames.(lname)>\}.
<else>
* Visit a parse tree produced by { @link <file.parserName>#<lname>\}.
<endif>
- Parameters:
- ctx: the parse tree
- returns: the visitor result
*/
open func visit<lname; format="cap">(_ ctx: <file.parserName>.<lname; format="cap">Context) -> T{
fatalError(#function + " must be overridden")
\}
}; separator="\n">
}
>>

```

```

BaseVisitorFile(file, header, namedActions) ::= <<
<fileHeader(file.grammarFileName, file.ANTLRVersion)>
<if(file.genPackage)>
<!package <file.genPackage>;!>
<endif>
<header>
import Antlr4

/**
* This class provides an empty implementation of { @link <file.grammarName>Visitor},
* which can be extended to create a visitor which only needs to handle a subset
* of the available methods.
*
* @param \<T> The return type of the visit operation. Use { @link Void} for
* operations with no return type.
*/
open class <file.grammarName>BaseVisitor\<T>: AbstractParseTreeVisitor\<T> {
<file.visitorNames:{ lname |
/**
* { @inheritDoc\}
*
* \<p>The default implementation returns the result of calling
* { @link #visitChildren\} on { @code ctx\}.\</p>
*/
open func visit<lname; format="cap">(_ ctx: <file.parserName>.<lname; format="cap">Context) -> T? { return
visitChildren(ctx) \}; separator="\n">
}
>>

```

```

fileHeader(grammarFileName, ANTLRVersion) ::= <<
// Generated from <grammarFileName; format="java-escape"> by ANTLR <ANTLRVersion>
>>

Parser(parser, funcs, atn, sempredFuncs, superClass) ::= <<
<Parser_(ctor="parser_ctor", ...)>
>>

Parser_(parser, funcs, atn, sempredFuncs, ctor, superClass) ::= <<
</*!@SuppressWarnings({"all", "warnings", "unchecked", "unused", "cast"})!>
open class <parser.name>: <superClass; null="Parser"> {

    internal static var _decisionToDFA: [DFA] = {
        var decisionToDFA = [DFA]()
        let length = <parser.name>._ATN.getNumberOfDecisions()
        for i in 0..\<length {
            </*! decisionToDFA[i] = DFA(<parser.name>._ATN.getDecisionState(i)!, i)!>
            decisionToDFA.append(DFA(<parser.name>._ATN.getDecisionState(i)!, i))
        }
        return decisionToDFA
    }()
    internal static let _sharedContextCache: PredictionContextCache = PredictionContextCache()
    <if(parser.tokens)>
    public enum Tokens: Int {
        case EOF = -1, <parser.tokens:{k | <k> = <parser.tokens.(k)>}; separator=", ", wrap, anchor>
    }
    <endif>
    public static let <parser.rules:{r | RULE_<r.name> = <r.index>}; separator=", ", wrap, anchor>
    public static let ruleNames: [String] = [
        <parser.ruleNames:{r | "<r>"}; separator=", ", wrap, anchor>
    ]

    <vocabulary(parser.literalNames, parser.symbolicNames)>

    override
    open func getGrammarFileName() -> String { return "<parser.grammarFileName; format="java-escape">" }

    override
    open func getRuleNames() -> [String] { return <parser.name>.ruleNames }

    override
    open func getSerializedATN() -> String { return <parser.name>._serializedATN }

    override
    open func getATN() -> ATN { return <parser.name>._ATN }

    <namedActions.members>
    <parser:(ctor)()>

```

```

<funcs; separator="\n">

<if(sempredFuncs)>
  override
  open func sempred(_ localctx:RuleContext?, _ ruleIndex: Int, _ predIndex: Int) throws -> Bool {
    switch (ruleIndex) {
      <parser.sempredFuncs.values: { f |
    case <f.ruleIndex>:
      return try <f.name>_sempred(_ localctx?.castdown(<f.ctxType>.self), predIndex); separator="\n">
      default: return true
    }
    <!return true;!>
  }
  <sempredFuncs.values; separator="\n">
<endif>

<atn>
  public static let _serializedATN : String = <parser.name>ATN().jsonString
  public static let _ATN: ATN = ATNDeserializer().deserializeFromJson(_serializedATN)
}
>>

vocabulary(literalNames, symbolicNames) ::= <<
private static let _LITERAL_NAMES: [String?] = [
  <literalNames: { t | <t> }; null="nil", separator=", ", wrap, anchor>
]
private static let _SYMBOLIC_NAMES: [String?] = [
  <symbolicNames: { t | <t> }; null="nil", separator=", ", wrap, anchor>
]
public static let VOCABULARY: Vocabulary = Vocabulary(_LITERAL_NAMES, _SYMBOLIC_NAMES)

/**
 * @deprecated Use {@link #VOCABULARY} instead.
 */
//@Deprecated
public let tokenNames: [String?]? = {
  let length = _SYMBOLIC_NAMES.count
  var tokenNames = [String?](repeating: nil, count: length)
  for i in 0..

```

```
return tokenNames
}()
```

```
override
<!--@Deprecated!>
open func getTokenNames() -> [String?]? {
    return tokenNames
}
>>
```

```
dumpActions(recog, argFuncs, actionFuncs, sempredFuncs) ::= <<
<if(actionFuncs)>
override
open func action(_ _localctx: RuleContext?, _ ruleIndex: Int, _ actionIndex: Int) throws {
    switch (ruleIndex) {
        <recog.actionFuncs.values:{f|
case <f.ruleIndex>:
        <f.name>_action((_localctx as <f.ctxType>?), actionIndex)
            }; separator="\n">
        default: break
    }
}
<actionFuncs.values; separator="\n">
<endif>
<if(sempredFuncs)>
override
open func sempred(_ _localctx: RuleContext?, _ ruleIndex: Int, _ predIndex: Int) throws -> Bool{
    switch (ruleIndex) {
        <recog.sempredFuncs.values:{f|
case <f.ruleIndex>:
        return try <f.name>_sempred(_localctx?.castdown(<f.ctxType>.self), predIndex); separator="\n">
        default: return true
    }
}
<!return true;!>
}
<sempredFuncs.values; separator="\n">
<endif>
>>
```

```
parser_ctor(p) ::= <<
```

```
open override func getVocabulary() -> Vocabulary {
    return <p.name>.VOCABULARY
}
```

```
public override init(_ input:TokenStream)throws {
    RuntimeMetaData.checkVersion("4.6", RuntimeMetaData.VERSION)
    try super.init(input)
```



```

_interp = ParserATNSimulator(self,<p.name>._ATN,<p.name>._decisionToDFA,
<parser.name>._sharedContextCache)
}
>>

```

```

/* This generates a private method since the actionIndex is generated, making an
* overriding implementation impossible to maintain.
*/

```

```

RuleActionFunction(r, actions) ::= <<
private func <r.name>_action(_ localctx: <r.ctxType>?, _ actionIndex: Int) {
switch (actionIndex) {
<actions:{index|
case <index>:
<actions.(index)>
}; separator="\n">
default: break
}
}
>>

```

```

/* This generates a private method since the predIndex is generated, making an
* overriding implementation impossible to maintain.
*/

```

```

RuleSempredFunction(r, actions) ::= <<
private func <r.name>_sempred(_ localctx: <r.ctxType>!, _ predIndex: Int) throws -> Bool {
switch (predIndex) {
<actions:{index|
case <index>:return <actions.(index)>}; separator="\n">
default: return true
}
<!return true;!>
}
>>

```

```

RuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,namedActions,finallyAction,postamble,exceptions)
::= <<
<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">
@discardableResult
<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>open func
<endif><currentRule.name><(if(first(args))>_ <endif><args; separator=", _">) throws -> <currentRule.ctxType> {
var _localctx: <currentRule.ctxType> = <currentRule.ctxType>(_ctx, getState())<currentRule.args:{a | ,
<a.name>}>>)
try enterRule(_localctx, <currentRule.startState>, <parser.name>.RULE_<currentRule.name>)
<namedActions.init>
<locals; separator="\n">
defer {
<finallyAction>

```

```

    try! exitRule()
  }
do {
<if(currentRule.hasLookaheadBlock)>
  var _alt:Int
<endif>
  <code>
  <postamble; separator="\n">
  <namedActions.after>
  }
<if(exceptions)>
<exceptions; separator="\n">
<else>
catch ANTLRException.recognition(let re) {
  _localctx.exception = re
  _errHandler.reportError(self, re)
  try _errHandler.recover(self, re)
  }
<endif>

return _localctx
}
>>

```

```

LeftRecursiveRuleFunction(currentRule,args,code,locals,ruleCtx,altLabelCtxs,
  namedActions,finallyAction,postamble) ::=
<<

```

```

<ruleCtx>
<altLabelCtxs:{l | <altLabelCtxs.(l)>}; separator="\n">

<if(currentRule.modifiers)><currentRule.modifiers:{f | <f> }><else>public final <endif> func <currentRule.name>(
<if(first(args))>_ <endif><args; separator=", _">) throws -> <currentRule.ctxType> {
  return try <currentRule.name>(0<currentRule.args:{a | , <a.name>}>)
  }
}
@discardableResult
private func <currentRule.name>(_p<args:{a | , <a>}>: Int) throws -> <currentRule.ctxType> {
  let _parentctx: ParserRuleContext? = _ctx
  var _parentState: Int = getState()
  var _localctx: <currentRule.ctxType> = <currentRule.ctxType>(_ctx, _parentState<currentRule.args:{a | ,
<a.name>}>)
  var _prevctx: <currentRule.ctxType> = _localctx
  var _startState: Int = <currentRule.startState>
  try enterRecursionRule(_localctx, <currentRule.startState>, <parser.name>.RULE_<currentRule.name>, _p)
  <namedActions.init>
  <locals; separator="\n">
  defer {
    <finallyAction>
  }
}

```

```

    try! unrollRecursionContexts(_parentctx)
  }
do {
<if(currentRule.hasLookaheadBlock)>
  var _alt: Int
<endif>
  <code>
  <postamble; separator="\n">
  <namedActions.after>
  }
  catch ANTLRException.recognition(let re) {
    _localctx.exception = re
    _errHandler.reportError(self, re)
    try _errHandler.recover(self, re)
  }

  return _localctx;
}
>>

```

```

CodeBlockForOuterMostAlt(currentOuterMostAltCodeBlock, locals, preamble, ops) ::= <<
<if(currentOuterMostAltCodeBlock.altLabel)>_localctx = <currentOuterMostAltCodeBlock.altLabel;
format="cap">Context(_localctx);<endif>
try enterOuterAlt(_localctx, <currentOuterMostAltCodeBlock.alt.altNum>)
<CodeBlockForAlt(currentAltCodeBlock=currentOuterMostAltCodeBlock, ...)>
>>

```

```

CodeBlockForAlt(currentAltCodeBlock, locals, preamble, ops) ::= <<
<!/{!>
<locals; separator="\n">
<preamble; separator="\n">
<ops; separator="\n">
<!/{!>
>>

```

```

LL1AltBlock(choice, preamble, alts, error) ::= <<
setState(<choice.stateNumber>)
try _errHandler.sync(self)
<if(choice.label)><labelref(choice.label)> = try _input.LT(1)<endif>
<preamble; separator="\n">
switch (<parser.name>.Tokens(rawValue: try _input.LA(1))!) {
<choice.altLook,alts:{look,alt | <cases(ttypes=look)>
  <alt>
  break }; separator="\n">
default:
  <error>
}
>>

```

```

LL1OptionalBlock(choice, alts, error) ::= <<
setState(<choice.stateNumber>)
try _errHandler.sync(self)
switch (<parser.name>.Tokens(rawValue: try _input.LA(1))!) {
<choice.altLook,alts:{look,alt| <cases(ttypes=look)>
<alt>
break}; separator="\n">
default:
<error>
}
>>

```

```

LL1OptionalBlockSingleAlt(choice, expr, alts, preamble, error, followExpr) ::= <<
setState(<choice.stateNumber>)
try _errHandler.sync(self)
<preamble; separator="\n">
if (<expr>) {
<alts; separator="\n">
}
<!else if ( !(<followExpr> ) <error>!>
>>

```

```

LL1StarBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
setState(<choice.stateNumber>)
try _errHandler.sync(self)
<preamble; separator="\n">
while (<loopExpr>) {
<alts; separator="\n">
setState(<choice.loopBackStateNumber>)
try _errHandler.sync(self)
<iteration>
}
>>

```

```

LL1PlusBlockSingleAlt(choice, loopExpr, alts, preamble, iteration) ::= <<
setState(<choice.blockStartStateNumber>) <! alt block decision !>
try _errHandler.sync(self)
<preamble; separator="\n">
repeat {
<alts; separator="\n">
setState(<choice.stateNumber>); <! loopback/exit decision !>
try _errHandler.sync(self)
<iteration>
} while (<loopExpr>)
>>

```

```

// LL(*) stuff

```

```

AltBlock(choice, preamble, alts, error) ::= <<
setState(<choice.stateNumber>)
try _errHandler.sync(self)
<if(choice.label)><labelref(choice.label)> = try _input.LT(1)<endif>
<preamble; separator="\n">
switch(try getInterpreter().adaptivePredict(_input,<choice.decision>, _ctx)) {
<alts:{alt |
case <i>:
<alt>
break }; separator="\n">
default: break
}
>>

```

```

OptionalBlock(choice, alts, error) ::= <<
setState(<choice.stateNumber>)
try _errHandler.sync(self)
switch (try getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx)) {
<alts:{alt |
case <i><if(!choice.ast.greedy)>+1<endif>:
<alt>
break }; separator="\n">
default: break
}
>>

```

```

StarBlock(choice, alts, sync, iteration) ::= <<
setState(<choice.stateNumber>)
try _errHandler.sync(self)
_alt = try getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx)
while (_alt != <choice.exitAlt> && _alt != ATN.INVALID_ALT_NUMBER) {
if ( _alt==1<if(!choice.ast.greedy)>+1<endif> ) {
<iteration>
<alts> <! should only be one !>
}
setState(<choice.loopBackStateNumber>)
try _errHandler.sync(self)
_alt = try getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx)
}
>>

```

```

PlusBlock(choice, alts, error) ::= <<
setState(<choice.blockStartStateNumber>); <! alt block decision !>
try _errHandler.sync(self)
_alt = 1<if(!choice.ast.greedy)>+1<endif>;
repeat {
switch (_alt) {

```

```

<alts:{alt|
case <i><if(!choice.ast.greedy)>+1<endif>:
<alt>
break}; separator="\n">
default:
<error>
}
setState(<choice.loopBackStateNumber>); <! loopback/exit decision !>
try _errHandler.sync(self)
_alt = try getInterpreter().adaptivePredict(_input,<choice.decision>,_ctx)
} while (_alt != <choice.exitAlt> && _alt != ATN.INVALID_ALT_NUMBER)
>>

Sync(s) ::= "sync(<s.expecting.name>);"

ThrowNoViableAlt(t) ::= "throw try ANTLRException.recognition(e: NoViableAltException(self))"

TestSetInline(s) ::= <<
<!<s.bitsets:{bits | <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s,
bits)><endif>} ; separator=" || ">!>
//closure
{ () -> Bool in
    <if(rest(s.bitsets)>var<else>let<endif> testSet: Bool = <first(s.bitsets):{bits |
<if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s, bits)><else><bitsetInlineComparison(s, bits)><endif>}>
    <rest(s.bitsets):{bits | testSet = testSet || <if(rest(rest(bits.ttypes)))><bitsetBitfieldComparison(s,
bits)><else><bitsetInlineComparison(s, bits)><endif>} ; separator="\n">
    return testSet
}()
>>

// Java language spec 15.19 - shift operators mask operands rather than overflow to 0... need range test
testShiftInRange(shiftAmount) ::= <<
((<shiftAmount>) & ~0x3f) == 0
>>

// produces smaller bytecode only when bits.ttypes contains more than two items
bitsetBitfieldComparison(s, bits) ::= <<
<!(<testShiftInRange({<offsetShift(s.varName, bits.shift)>}) && ((1 \<< <offsetShift(s.varName, bits.shift)>) &
(<bits.ttypes:{ ttype | 1 \<< <offsetShift(ttype, bits.shift)>}); separator=" | ">)) != 0)!>
{ () -> Bool in
    <! let test: Bool = (<testShiftInRange({<offsetShift(s.varName, bits.shift)>})>)!>
    <!var temp: Int64 = Int64(<offsetShift(s.varName, bits.shift)>)!>
    <!temp = (temp \< 0) ? (64 + (temp % 64)) : (temp % 64)!>
    <!let test1: Int64 = (Int64(1) \<< temp)!>
    <!var test2: Int64 = (<first(bits.ttypes):{ttype | Utils.bitLeftShift(<offsetShift(parserName(ttype), bits.shift)>)}>)!>
    <!<rest(bits.ttypes):{ttype | test2 = test2 | Utils.bitLeftShift(<offsetShift(parserName(ttype), bits.shift)>)}>};
separator="\n">!>
    let testArray: [Int] = [<s.varName>, <bits.ttypes:{ ttype |<parserName(ttype)>}; separator=", ">]

```

```

<!var test2: Int64 = Utils.testBitLeftShiftArray(testArray)!>
return Utils.testBitLeftShiftArray(testArray, <bits.shift>)
}()
>>

isZero ::= [
"0": true,
default: false
]
parserName(ttype) ::= <%
<parser.name>.Tokens.<ttype>.rawValue
%>
offsetShift(shiftAmount, offset) ::= <%
<if(!isZero.(offset))><shiftAmount> - <offset><else><shiftAmount><endif>
%>

// produces more efficient bytecode when bits.ttypes contains at most two items
bitsetInlineComparison(s, bits) ::= <%
<bits.ttypes:{ttype | <s.varName> == <parser.name>.Tokens.<ttype>.rawValue}; separator=" || ">
%>

cases(ttypes) ::= <<
<trunc(ttypes): {t | case .<t>:fallthrough} ; separator="\n">
<last(ttypes): {t | case .<t>:} ; separator="\n">
>>

InvokeRule(r, argExprsChunks) ::= <<
setState(<r.stateNumber>)
<if(r.labels)>
try {
let assignmentValue = try
<r.name><(if(r.ast.options.p))<r.ast.options.p><if(argExprsChunks)><endif><endif><argExprsChunks>
<r.labels:{l | <labelref(l)> = assignmentValue} ; separator="\n">
}()
<else>try
<r.name><(if(r.ast.options.p))<r.ast.options.p><if(argExprsChunks)><endif><endif><argExprsChunks><endif>
>>

MatchToken(m) ::= <<
setState(<m.stateNumber>)
<if(m.labels)>
try {
let assignmentValue = try match(<parser.name>.Tokens.<m.name>.rawValue)
<m.labels:{l | <labelref(l)> = assignmentValue} ; separator="\n">
}()
<else>try match(<parser.name>.Tokens.<m.name>.rawValue)<endif>
>>

```

```
MatchSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, false)>"
```

```
MatchNotSet(m, expr, capture) ::= "<CommonSetStuff(m, expr, capture, true)>"
```

```
CommonSetStuff(m, expr, capture, invert) ::= <<  
  setState(<m.stateNumber>)  
  <if(m.labels)><m.labels:{1 | <labelref(l)> = }>try _input.LT(1)<endif>  
  <capture>  
  if (<if(invert)><m.varName> \<= 0 || <else>!<endif><expr>) {  
    <if(m.labels)><m.labels:{1 | <labelref(l)> = }><endif>try _errHandler.recoverInline(self)<if(m.labels)> as  
    Token<endif>  
  }  
  else {  
    _errHandler.reportMatch(self)  
    try consume()  
  }  
>>
```

```
Wildcard(w) ::= <<  
  setState(<w.stateNumber>)  
  <if(w.labels)><w.labels:{1 | <labelref(l)> = }><endif>try matchWildcard();  
>>
```

```
// ACTION STUFF
```

```
Action(a, foo, chunks) ::= "<chunks>"
```

```
ArgAction(a, chunks) ::= "<chunks>"
```

```
SemPred(p, chunks, failChunks) ::= <<  
  setState(<p.stateNumber>)  
  if (!(<chunks>)) {  
    throw try ANTLRException.recognition(e:FailedPredicateException(self, <p.predicate><if(failChunks)>,  
    <failChunks><elseif(p.msg)>, <p.msg><endif>))  
  }  
>>
```

```
ExceptionClause(e, catchArg, catchAction) ::= <<  
  catch (<catchArg>) {  
    <catchAction>  
  }  
>>
```

```
// lexer actions are not associated with model objects
```

```
LexerSkipCommand() ::= "skip()"
```

```
LexerMoreCommand() ::= "more()"
```

```
LexerPopModeCommand() ::= "popMode()"
```



```

LexerTypeCommand(arg) ::= "_type = <arg>"
LexerChannelCommand(arg) ::= "_channel = <arg>"
LexerModeCommand(arg) ::= "_mode = <arg>"
LexerPushModeCommand(arg) ::= "pushMode(<arg>)"

ActionText(t) ::= "<t.text>"
ActionTemplate(t) ::= "<t.st>"
ArgRef(a) ::= "_localctx.<a.name>"
LocalRef(a) ::= "_localctx.<a.name>"
RetValRef(a) ::= "_localctx.<a.name>"
QRetValRef(a) ::= "<ctx(a)>.<a.dict>.<a.name>"
/** How to translate $tokenLabel */
TokenRef(t) ::= "<ctx(t)>.<t.name>"
LabelRef(t) ::= "<ctx(t)>.<t.name>"
ListLabelRef(t) ::= "<ctx(t)>.<ListLabelName(t.name)>"
SetAttr(s,rhsChunks) ::= "<ctx(s)>.<s.name> = <rhsChunks>"

TokenLabelType() ::= "<file.TokenLabelType; null={Token}>"
InputSymbolType() ::= "<file.InputSymbolType; null={Token}>"

TokenPropertyRef_text(t) ::= "<ctx(t)>.<t.label> != nil ? <ctx(t)>.<t.label>!.getText()! : \"\""
TokenPropertyRef_type(t) ::= "<ctx(t)>.<t.label> != nil ? <ctx(t)>.<t.label>!.getType() : 0)"
TokenPropertyRef_line(t) ::= "<ctx(t)>.<t.label> != nil ? <ctx(t)>.<t.label>!.getLine() : 0)"
TokenPropertyRef_pos(t) ::= "<ctx(t)>.<t.label> != nil ? <ctx(t)>.<t.label>!.getCharPositionInLine() : 0)"
TokenPropertyRef_channel(t) ::= "<ctx(t)>.<t.label> != nil ? <ctx(t)>.<t.label>!.getChannel() : 0)"
TokenPropertyRef_index(t) ::= "<ctx(t)>.<t.label> != nil ? <ctx(t)>.<t.label>!.getTokenIndex() : 0)"
TokenPropertyRef_int(t) ::= "<ctx(t)>.<t.label> != nil ? Int(<ctx(t)>.<t.label>!.getText()!) : 0)"

RulePropertyRef_start(r) ::= "<ctx(r)>.<r.label> != nil ? (<ctx(r)>.<r.label>!.start?.description ?? \"\") : \"\""
RulePropertyRef_stop(r) ::= "<ctx(r)>.<r.label> != nil ? (<ctx(r)>.<r.label>!.stop?.description ?? \"\") : \"\""
RulePropertyRef_text(r) ::= "<ctx(r)>.<r.label> != nil ? try
_input.getText(<ctx(r)>.<r.label>!.start,<ctx(r)>.<r.label>!.stop) : \"\""
RulePropertyRef_ctx(r) ::= "<ctx(r)>.<r.label>"
RulePropertyRef_parser(r) ::= "self"

ThisRulePropertyRef_start(r) ::= "_localctx.start"
ThisRulePropertyRef_stop(r) ::= "_localctx.stop"
ThisRulePropertyRef_text(r) ::= "(try _input.getText(_localctx.start, try _input.LT(-1)))"
ThisRulePropertyRef_ctx(r) ::= "_localctx"
ThisRulePropertyRef_parser(r) ::= "self"

NonLocalAttrRef(s) ::= "((<s.ruleName; format=\"cap\">Context)getInvokingContext(<s.ruleIndex>)).<s.name>"
SetNonLocalAttr(s, rhsChunks) ::=
"((<s.ruleName; format=\"cap\">Context)getInvokingContext(<s.ruleIndex>)).<s.name> = <rhsChunks>"

AddToLabelList(a) ::= "<ctx(a.label)>.<a.listName>.append(<labelref(a.label)>)"

```

```

TokenDecl(t) ::= "<t.name>: <SwiftTypeMap.(TokenLabelType())>!"
TokenTypeDecl(t) ::= "var <t.name>: Int = 0"
TokenListDecl(t) ::= "<t.name>: Array\<Token> = Array\<Token>()"
RuleContextDecl(r) ::= "<r.name>: <r.ctxName>!"
RuleContextListDecl(rdecl) ::= "<rdecl.name>: Array\<<rdecl.ctxName>> = Array\<<rdecl.ctxName>>()"

ContextTokenGetterDecl(t) ::=
    "open func <t.name>() -> TerminalNode? { return getToken(<parser.name>.Tokens.<t.name>.rawValue, 0) }"
ContextTokenListGetterDecl(t) ::=
    "open func <t.name>() -> Array\<TerminalNode> { return getTokens(<parser.name>.Tokens.<t.name>.rawValue)
    }"
ContextTokenListIndexedGetterDecl(t) ::= <<
open func <t.name>(_ i: Int) -> TerminalNode? {
    return getToken(<parser.name>.Tokens.<t.name>.rawValue, i)
}
>>
ContextRuleGetterDecl(r) ::= <<
open func <r.name>() -> <r.ctxName>? {
    return getRuleContext(<r.ctxName>.self, 0)
}
>>
ContextRuleListGetterDecl(r) ::= <<
open func <r.name>() -> Array\<<r.ctxName>\> {
    return getRuleContexts(<r.ctxName>.self)
}
>>
ContextRuleListIndexedGetterDecl(r) ::= <<
open func <r.name>(_ i: Int) -> <r.ctxName>? {
    return getRuleContext(<r.ctxName>.self, i)
}
>>

LexerRuleContext() ::= "RuleContext"

/** The rule context name is the rule followed by a suffix; e.g.,
 * r becomes rContext.
 */
RuleContextNameSuffix() ::= "Context"

ImplicitTokenLabel(tokenName) ::= "_<tokenName>"
ImplicitRuleLabel(ruleName) ::= "_<ruleName>"
ImplicitSetLabel(id) ::= "_tset<id>"
ListLabelName(label) ::= "<label>"

CaptureNextToken(d) ::= "<d.varName> = try _input.LT(1)"
CaptureNextTokenType(d) ::= "<d.varName> = try _input.LA(1)"

StructDecl(struct, ctorAttrs, attrs, getters, dispatchMethods, interfaces, extensionMembers,

```

```

    superClass={ParserRuleContext}) ::= <<
open class
<struct.name>:<if(contextSuperClass)><contextSuperClass><else>ParserRuleContext<endif><if(interfaces)>,
<interfaces; separator=", "><endif> {
  <attrs:{a | public var <a>}; separator="\n">
  <getters:{g | <g>}; separator="\n">
  <! <if(ctorAttrs)>public init(_ parent: ParserRuleContext, _ invokingState: Int) { super.init(parent, invokingState)
  <endif> !>
  <if(ctorAttrs)>
  public convenience init(_ parent: ParserRuleContext?, _ invokingState: Int<ctorAttrs:{a | , _ <a>}>) {
  self.init(parent, invokingState)
  <struct.ctorAttrs:{a | self.<a.name> = <a.name>;}; separator="\n">
  }
  <endif>
  open override func getRuleIndex() -> Int { return <parser.name>.RULE_<struct.derivedFromName> }
  <if(struct.provideCopyFrom)> <! don't need copy unless we have subclasses !>
  <!public init() { }!>
  public func copyFrom(_ ctx: <struct.name>) {
  super.copyFrom(ctx)
  <struct.attrs:{a | self.<a.name> = ctx.<a.name>;}; separator="\n">
  }
  <endif>
  <dispatchMethods; separator="\n">
  <extensionMembers; separator="\n">
  }
  >>

```

```

AltLabelStructDecl(struct,attrs,getters,dispatchMethods) ::= <<
public final class <struct.name>: <currentRule.name; format="cap">Context {
  <attrs:{a | public var <a>}; separator="\n">
  <getters:{g | <g>}; separator="\n">
  public init(_ ctx: <currentRule.name; format="cap">Context) {
  super.init()
  copyFrom(ctx)
  }
  <dispatchMethods; separator="\n">
  }
  >>

```

```

ListenerDispatchMethod(method) ::= <<
override
open func <if(method.isEnter)>enter<else>exit<endif>Rule(_ listener: ParseTreeListener) {
  if listener is <parser.grammarName>Listener {
  (listener as!
  <parser.grammarName>Listener).<if(method.isEnter)>enter<else>exit<endif><struct.derivedFromName;
  format="cap">(self)
  }
  }
}

```

>>

```
VisitorDispatchMethod(method) ::= <<
override
open func accept<T>(_ visitor: ParseTreeVisitor<T>) -> T? {
if visitor is <parser.grammarName>Visitor {
    return (visitor as! <parser.grammarName>Visitor<T>).visit<struct.derivedFromName; format="cap">(self)
} else if visitor is <parser.grammarName>BaseVisitor {
    return (visitor as! <parser.grammarName>BaseVisitor<T>).visit<struct.derivedFromName; format="cap">(self)
}
} else {
    return visitor.visitChildren(self)
}
}
>>
```

```
AttributeDecl(d) ::= "<d.name>: <SwiftTypeMap.(d.type)><if(d.initValue)> = <d.initValue><else>!<endif>"
```

```
/** If we don't know location of label def x, use this template (_localctx as! <x.ctx.name> */
labelref(x) ::= "<if(!x.isLocal)>_localctx.castdown(<x.ctx.name>.self).<endif><x.name>"
```

```
/** For any action chunk, what is correctly-typed context struct ptr? */
ctx(actionChunk) ::= "_localctx.castdown(<actionChunk.ctx.name>.self)"
```

```
// used for left-recursive rules
```

```
recRuleAltPredicate(ruleName,opPrec) ::= "precpred(_ctx, <opPrec>)"
recRuleSetReturnAction(src,name) ::= "$<name>=<src>.<name>"
recRuleSetStopToken() ::= "_ctx!.stop = try _input.LT(-1)"
```

```
recRuleAltStartAction(ruleName, ctxName, label, isListLabel) ::= <<
_localctx = <ctxName>Context(_parentctx, _parentState);
<if(label)>
<if(isListLabel)>
_localctx.<label>.append(_prevctx)
<else>
_localctx.<label> = _prevctx
<endif>
<endif>
<if(label)>_localctx.<label> = _prevctx;<endif>
try pushNewRecursionContext(_localctx, _startState, <parser.name>.RULE_<ruleName>)
>>
```

```
recRuleLabeledAltStartAction(ruleName, currentAltLabel, label, isListLabel) ::= <<
_localctx = <currentAltLabel; format="cap">Context( <ruleName; format="cap">Context(_parentctx,
_parentState))
<if(label)>
<if(isListLabel)>
(_localctx as! <currentAltLabel; format="cap">Context).<label>.append(_prevctx)
```

```

<else>
(_localctx as! <currentAltLabel; format="cap">Context).<label> = _prevctx
<endif>
<endif>
try pushNewRecursionContext(_localctx, _startState, <parser.name>.RULE_<ruleName>)
>>

recRuleReplaceContext(ctxName) ::= <<
_localctx = <ctxName>Context(_localctx)
_ctx = _localctx
_prevctx = _localctx
>>

recRuleSetPrevCtx() ::= <<
if _parseListeners != nil {
  try triggerExitRuleEvent()
}
_prevctx = _localctx
>>

LexerFile(lexerFile, lexer, namedActions) ::= <<
<fileHeader(lexerFile.grammarFileName, lexerFile.ANTLRVersion)>
<if(lexerFile.genPackage)>
<!package <lexerFile.genPackage>;!>
<endif>
<namedActions.header>
import Antlr4

<lexer>
>>
Lexer(lexer, atn, actionFuncs, sempredFuncs, superClass) ::= <<
open class <lexer.name>: <superClass; null="Lexer"> {
  internal static var _decisionToDFA: [DFA] = {
    var decisionToDFA = [DFA]()
    let length = <lexer.name>._ATN.getNumberOfDecisions()
    for i in 0..<length {
      <! decisionToDFA[i] = DFA(<lexer.name>._ATN.getDecisionState(i)!, i);!>
      decisionToDFA.append(DFA(<lexer.name>._ATN.getDecisionState(i)!, i))
    }
    return decisionToDFA
  }()

  internal static let _sharedContextCache:PredictionContextCache = PredictionContextCache()
  public static let <lexer.tokens:{k | <k>=<lexer.tokens.(k)>}>; separator=", ", wrap, anchor>
  <if(lexer.channels)>
    public let <lexer.channels:{k | <k>=<lexer.channels.(k)>}>; separator=", ", wrap, anchor>
  <endif>

```

```

<rest(lexer.modes):{m| public static let <m>: Int = <i>;}; separator="\n">
public static let modeNames: [String] = [
  <lexer.modes:{m| "<m>"}; separator=", ", wrap, anchor>
]

public static let ruleNames: [String] = [
  <lexer.ruleNames:{r| "<r>"}; separator=", ", wrap, anchor>
]

<vocabulary(lexer.literalNames, lexer.symbolicNames)>

<namedActions.members>
  open override func getVocabulary() -> Vocabulary {
    return <lexer.name>.VOCABULARY
  }

public override init(_ input: CharStream) {
  RuntimeMetaData.checkVersion("<lexerFile.ANTLRVersion>", RuntimeMetaData.VERSION)
  super.init(input)
  _interp = LexerATNSimulator(self, <lexer.name>._ATN, <lexer.name>._decisionToDFA,
<lexer.name>._sharedContextCache)
}

override
open func getGrammarFileName() -> String { return "<lexer.grammarFileName>" }

  override
open func getRuleNames() -> [String] { return <lexer.name>.ruleNames }

override
open func getSerializedATN() -> String { return <lexer.name>._serializedATN }

override
open func getModeNames() -> [String] { return <lexer.name>.modeNames }

override
open func getATN() -> ATN { return <lexer.name>._ATN }

<dumpActions(lexer, "", actionFuncs, sempredFuncs)>
<atn>
  public static let _serializedATN: String = <lexer.name>ATN().jsonString
  public static let _ATN: ATN = ATNDeserializer().deserializeFromJson(_serializedATN)
}
>>

/** Don't need to define anything. The tool generates a XParserATN.swift file (and same for lexer)
* which is referenced from static field _serializedATN. This json string is passed to
* deserializeFromJson(). Note this is not the "serialization as array of ints" that other targets

```

```
* do. It is more or less the output of ATNPrinter which gets read back in.
```

```
*/
```

```
SerializedATN(model) ::= <<
```

```
>>
```

```
/** Using a type to init value map, try to init a type; if not in table
```

```
* must be an object, default value is "null".
```

```
*/
```

```
initValue(typeName) ::= <<
```

```
<SwiftTypeInitMap.(typeName)>
```

```
>>
```

```
codeFileExtension() ::= ".swift"
```

```
Found in path(s):
```

```
* /opt/cola/permits/1166873170_1621514800.65/0/antlr4-4-6-sources-1-
```

```
jar/org/antlr/v4/tool/templates/codegen/Swift/Swift.stg
```

1.154 groovy-datetime 3.0.9

1.154.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Licensed to the Apache Software Foundation (ASF) under one
```

```
* or more contributor license agreements. See the NOTICE file
```

```
* distributed with this work for additional information
```

```
* regarding copyright ownership. The ASF licenses this file
```

```
* to you under the Apache License, Version 2.0 (the
```

```
* "License"); you may not use this file except in compliance
```

```
* with the License. You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing,
```

```
* software distributed under the License is distributed on an
```

```
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
```

```
* KIND, either express or implied. See the License for the
```

```
* specific language governing permissions and limitations
```

```
* under the License.
```

```
*/
```

```
Found in path(s):
```

```
* /opt/cola/permits/1268277769_1644386391.06/0/groovy-datetime-3-0-9-sources-
```

```
jar/org/apache/groovy/datetime/extensions/DateTimeExtensions.java
```

```
* /opt/cola/permits/1268277769_1644386391.06/0/groovy-datetime-3-0-9-sources-
```

```
jar/org/apache/groovy/datetime/extensions/DateTimeStaticExtensions.java
```

1.155 commons-compress 1.20

1.155.1 Available under license :

Apache Commons Compress
Copyright 2002-2020 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

The files in the package org.apache.commons.compress.archivers.sevenz
were derived from the LZMA SDK, version 9.20 (C/ and CPP/7zip/),
which has been placed in the public domain:

"LZMA SDK is placed in the public domain." (<http://www.7-zip.org/sdk.html>)

The test file lbzip2_32767.bz2 has been copied from libbzip2's source
repository:

This program, "bzip2", the associated library "libbzip2", and all
documentation, are copyright (C) 1996-2019 Julian R Seward. All
rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. The origin of this software must not be misrepresented; you must
not claim that you wrote the original software. If you use this
software in a product, an acknowledgment in the product
documentation would be appreciated but is not required.
3. Altered source versions must be plainly marked as such, and must
not be misrepresented as being the original software.
4. The name of the author may not be used to endorse or promote
products derived from this software without specific prior written
permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS

OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Julian Seward, jseward@acm.org
Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a

copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct

or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of

this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.156 netty-codec-redis 4.1.93.Final

1.156.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!--  
~ Copyright 2016 The Netty Project  
~  
~ The Netty Project licenses this file to you under the Apache License,  
~ version 2.0 (the "License"); you may not use this file except in compliance  
~ with the License. You may obtain a copy of the License at:  
~  
~ https://www.apache.org/licenses/LICENSE-2.0  
~  
~ Unless required by applicable law or agreed to in writing, software  
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
~ License for the specific language governing permissions and limitations  
~ under the License.  
-->
```

Found in path(s):

```
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-jar/META-  
INF/maven/io.netty/netty-codec-redis/pom.xml
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2016 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License, version 2.0 (the
 * "License"); you may not use this file except in compliance with the License. You may obtain a
 * copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-
jar/io/netty/handler/codec/redis/RedisCodecUtil.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-
jar/io/netty/handler/codec/redis/AbstractStringRedisMessage.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-
jar/io/netty/handler/codec/redis/DefaultLastBulkStringRedisContent.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-
jar/io/netty/handler/codec/redis/DefaultBulkStringRedisContent.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-
jar/io/netty/handler/codec/redis/ArrayHeaderRedisMessage.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-
jar/io/netty/handler/codec/redis/IntegerRedisMessage.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-
jar/io/netty/handler/codec/redis/FullBulkStringRedisMessage.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-
jar/io/netty/handler/codec/redis/RedisCodecException.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-
jar/io/netty/handler/codec/redis/package-info.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-
jar/io/netty/handler/codec/redis/RedisEncoder.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-
jar/io/netty/handler/codec/redis/RedisMessage.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-
jar/io/netty/handler/codec/redis/RedisArrayAggregator.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-
jar/io/netty/handler/codec/redis/RedisDecoder.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-
jar/io/netty/handler/codec/redis/ErrorRedisMessage.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-
```

```
jar/io/netty/handler/codec/redis/BulkStringRedisContent.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-
jar/io/netty/handler/codec/redis/SimpleStringRedisMessage.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-
jar/io/netty/handler/codec/redis/BulkStringHeaderRedisMessage.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-
jar/io/netty/handler/codec/redis/RedisMessagePool.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-
jar/io/netty/handler/codec/redis/RedisConstants.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-
jar/io/netty/handler/codec/redis/RedisBulkStringAggregator.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-
jar/io/netty/handler/codec/redis/FixedRedisMessagePool.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-
jar/io/netty/handler/codec/redis/ArrayRedisMessage.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-
jar/io/netty/handler/codec/redis/LastBulkStringRedisContent.java
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-
jar/io/netty/handler/codec/redis/RedisMessageType.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2018 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version 2.0 (the
* "License"); you may not use this file except in compliance with the License. You may obtain a
* copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1698848044_1685285757.6811302/0/netty-codec-redis-4-1-93-final-sources-
jar/io/netty/handler/codec/redis/InlineCommandRedisMessage.java
```

1.157 j2objc-annotations 1.3

1.157.1 Available under license :

For org.w3c.dom code.

See <<http://www.w3.org/Consortium/Legal/>>.

The MIT License

Copyright (c) 2007 Mockito contributors

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2007-2009, JSR305 expert group
All rights reserved.

<http://www.opensource.org/licenses/bsd-license.php>

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the JSR305 expert group nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE

POSSIBILITY OF SUCH DAMAGE.

```
/*
 * Licensed to the Apache Software Foundation (ASF) under one or more
 * contributor license agreements. See the NOTICE file distributed with
 * this work for additional information regarding copyright ownership.
 * The ASF licenses this file to You under the Apache License, Version 2.0
 * (the "License"); you may not use this file except in compliance with
 * the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

```
package java.security;
```

```
import java.io.Serializable;
```

```
/**
 * Legacy security code; do not use.
 */
public abstract class Permission implements Guard, Serializable {
    public Permission(String name) { }

    public final String getName() { return null; }

    public void checkGuard(Object obj) throws SecurityException { }

    public PermissionCollection newPermissionCollection() {
        return new AllPermissionCollection();
    }

    public abstract String getActions();

    public abstract boolean implies(Permission permission);
}
```

```
=====
== NOTICE file corresponding to the section 4 d of      ==
== the Apache License, Version 2.0,                      ==
== in this case for the Android-specific code.          ==
=====
```

Android Code
Copyright 2005-2008 The Android Open Source Project

This product includes software developed as part of
The Android Open Source Project (<http://source.android.com>).

```
=====
== NOTICE file corresponding to the section 4 d of      ==
== the Apache License, Version 2.0,                    ==
== in this case for the Apache Harmony distribution.    ==
=====
```

Apache Harmony
Copyright 2006 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Portions of Harmony were originally developed by
Intel Corporation and are licensed to the Apache Software
Foundation under the "Software Grant and Corporate Contribution
License Agreement", informally known as the "Intel Harmony CLA".

```
=====
== NOTICE file for the ICU License.                    ==
=====
```

Copyright (c) 1995-2014 International Business Machines Corporation and others

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, and/or sell copies of the Software, and to permit persons
to whom the Software is furnished to do so, provided that the above
copyright notice(s) and this permission notice appear in all copies of
the Software and that both the above copyright notice(s) and this
permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT
OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR
HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY
SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER
RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF
CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN

CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

All trademarks and registered trademarks mentioned herein are the property of their respective owners.

=====
== NOTICE file for the KXML License. ==
=====

Copyright (c) 2002,2003, Stefan Hausteijn, Oberhausen, Rhld., Germany

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====
== NOTICE file for the W3C License. ==
=====

Copyright (c) 2000 World Wide Web Consortium, (Massachusetts Institute of Technology, Institut National de Recherche en Informatique et en Automatique, Keio University). All Rights Reserved. This program is distributed under the W3C's Software Intellectual Property License. This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

See W3C License <http://www.w3.org/Consortium/Legal/> for more details.

=====
== NOTICE file for the fdlibm License. ==
=====

Copyright (C) 1993 by Sun Microsystems, Inc. All rights reserved.

Developed at SunSoft, a Sun Microsystems, Inc. business.

Permission to use, copy, modify, and distribute this software is freely granted, provided that this notice is preserved.

Copyright (C) 2003, International Business Machines Corporation and *
others. All Rights Reserved. *

Created on May 2, 2003

To change the template for this generated file go to
Window>Preferences>Java>Code Generation>Code and Comments

(C) Copyright IBM Corp. 1996-2005 - All Rights Reserved *

*

The original version of this source code and documentation is copyrighted *
and owned by IBM, These materials are provided under terms of a License *
Agreement between IBM and Sun. This technology is protected by multiple *
US and International patents. This notice and attribution to IBM may not *
to removed. *

(C) Copyright IBM Corp. and others, 1996-2009 - All Rights Reserved *

*

The original version of this source code and documentation is copyrighted *
and owned by IBM, These materials are provided under terms of a License *
Agreement between IBM and Sun. This technology is protected by multiple *
US and International patents. This notice and attribution to IBM may not *
to removed. *

(C) Copyright IBM Corp. and others, 1996-2009 - All Rights Reserved *

*

The original version of this source code and documentation is copyrighted *
and owned by IBM, These materials are provided under terms of a License *
Agreement between IBM and Sun. This technology is protected by multiple *
US and International patents. This notice and attribution to IBM may not *
to removed. *

* file name: UBiDiProps.java

* encoding: US-ASCII

* tab size: 8 (not used)

* indentation:4

*

* created on: 2005jan16

* created by: Markus W. Scherer

*

* Low-level Unicode bidi/shaping properties access.

* Java port of ubidi_props.h/c.

Copyright (C) 2003-2004, International Business Machines Corporation and *
others. All Rights Reserved. *

Copyright (C) 2003-2004, International Business Machines Corporation and *
others. All Rights Reserved. *

Copyright (C) 2004, International Business Machines Corporation and *
others. All Rights Reserved. *

Copyright (C) 2009, International Business Machines Corporation and *
others. All Rights Reserved. *

Copyright (C) 2009-2010, International Business Machines Corporation and *
others. All Rights Reserved. *

Copyright (C) 2010, International Business Machines Corporation and *
others. All Rights Reserved. *

(C) Copyright IBM Corp. 1996-2003 - All Rights Reserved *
*
The original version of this source code and documentation is copyrighted *
and owned by IBM, These materials are provided under terms of a License *
Agreement between IBM and Sun. This technology is protected by multiple *
US and International patents. This notice and attribution to IBM may not *
to removed. *
#*****

This locale data is based on the ICU's Vietnamese locale data (rev. 1.38)
found at:

<http://oss.software.ibm.com/cvs/icu/icu/source/data/locales/vi.txt?rev=1.38>

(C) Copyright IBM Corp. 1999-2003 - All Rights Reserved

The original version of this source code and documentation is
copyrighted and owned by IBM. These materials are provided
under terms of a License Agreement between IBM and Sun.
This technology is protected by multiple US and International
patents. This notice and attribution to IBM may not be removed.

(C) Copyright Taligent, Inc. 1996 - 1997, All Rights Reserved
(C) Copyright IBM Corp. 1996 - 1998, All Rights Reserved

The original version of this source code and documentation is
copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary

of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents.

This notice and attribution to Taligent may not be removed.
Taligent is a registered trademark of Taligent, Inc.

(C) Copyright Taligent, Inc. 1996 - All Rights Reserved
(C) Copyright IBM Corp. 1996 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents. This notice and attribution to Taligent may not be removed.
Taligent is a registered trademark of Taligent, Inc.

(C) Copyright Taligent, Inc. 1996 - All Rights Reserved
(C) Copyright IBM Corp. 1996-1998 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents. This notice and attribution to Taligent may not be removed.
Taligent is a registered trademark of Taligent, Inc.

(C) Copyright Taligent, Inc. 1996, 1997 - All Rights Reserved
(C) Copyright IBM Corp. 1996 - 1998 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents. This notice and attribution to Taligent may not be removed.
Taligent is a registered trademark of Taligent, Inc.

(C) Copyright Taligent, Inc. 1996, 1997 - All Rights Reserved
(C) Copyright IBM Corp. 1996 - 1998 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents.

This notice and attribution to Taligent may not be removed.
Taligent is a registered trademark of Taligent, Inc.

(C) Copyright Taligent, Inc. 1996, 1997 - All Rights Reserved
(C) Copyright IBM Corp. 1996 - 1999 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents.

This notice and attribution to Taligent may not be removed.
Taligent is a registered trademark of Taligent, Inc.

(C) Copyright Taligent, Inc. 1996, 1997 - All Rights Reserved
(C) Copyright IBM Corp. 1996 - 2002 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents.

This notice and attribution to Taligent may not be removed.
Taligent is a registered trademark of Taligent, Inc.

(C) Copyright Taligent, Inc. 1996, 1997 - All Rights Reserved
(C) Copyright IBM Corp. 1996, 1997 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents. This notice and attribution to Taligent may not be removed.

Taligent is a registered trademark of Taligent, Inc.

(C) Copyright Taligent, Inc. 1996, 1997 - All Rights Reserved
(C) Copyright IBM Corp. 1996-1998 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents. This notice and attribution to Taligent may not be removed.
Taligent is a registered trademark of Taligent, Inc.

(C) Copyright Taligent, Inc. 1996,1997 - All Rights Reserved
(C) Copyright IBM Corp. 1996, 1997 - All Rights Reserved

(C) Copyright Taligent, Inc. 1996-1998 - All Rights Reserved
(C) Copyright IBM Corp. 1996-1998 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents. This notice and attribution to Taligent may not be removed.
Taligent is a registered trademark of Taligent, Inc.

(C) Copyright Taligent, Inc. 1996-1998 - All Rights Reserved
(C) Copyright IBM Corp. 1996-1998 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents. This notice and attribution to Taligent may not be removed.
Taligent is a registered trademark of Taligent, Inc.

* Copyright (C) 1996-2004, International Business Machines Corporation and *
* others. All Rights Reserved. *

Oracle designates certain files in this repository as subject to the "Classpath" exception.
The designated files include the following notices. In the following notices, the
LICENSE file referred to is:

START LICENSE file

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license
document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share
and change it. By contrast, the GNU General Public License is intended to
guarantee your freedom to share and change free software--to make sure the
software is free for all its users. This General Public License applies to
most of the Free Software Foundation's software and to any other program whose
authors commit to using it. (Some other Free Software Foundation software is
covered by the GNU Library General Public License instead.) You can apply it to
your programs, too.

When we speak of free software, we are referring to freedom, not price. Our
General Public Licenses are designed to make sure that you have the freedom to
distribute copies of free software (and charge for this service if you wish),
that you receive source code or can get it if you want it, that you can change
the software or use pieces of it in new free programs; and that you know you
can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny
you these rights or to ask you to surrender the rights. These restrictions
translate to certain responsibilities for you if you distribute copies of the
software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for
a fee, you must give the recipients all the rights that you have. You must
make sure that they, too, receive or can get the source code. And you must
show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above

on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the

rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of

that version or of any later version published by the Free Software Foundation.

If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.
```

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
signature of Ty Coon, 1 April 1989
```

```
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are subject to the following clarification and special exception to the GPL, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

END LICENSE file

<!--

Copyright (c) 1998, 1999, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation,

Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

<!--

Copyright (c) 1998, 2003, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

<!--

Copyright (c) 1998, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that

accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

<!--

Copyright (c) 1998, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

<!--

Copyright (c) 1998, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

<!--

Copyright (c) 2000, 2004, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

<!--

Copyright (c) 2000, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as

published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

<!--

Copyright (c) 2001, 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

<!--

Copyright (c) 2001, 2010, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

<!--

Copyright (c) 2003, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

<!--

Copyright (c) 1999, 2007, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

<!--

Copyright (c) 1999, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 2001, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 1998, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version

2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1998, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1998, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1998, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1998, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License

version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1999, 2001, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1999, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT

ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1999, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2000, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2000, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2000, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this

particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2001, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it

under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2003, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2003, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2003, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

<?xml version="1.0" encoding="UTF-8"?>

<!--

Copyright (c) 2003, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

<?xml version="1.0"?>

<!--

Copyright (c) 2003, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation,

Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 1998, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

<code>Replaceable</code> is an interface representing a
string of characters that supports the replacement of a range of
itself with a new string of characters. It is used by APIs that
change a piece of text while retaining metadata. Metadata is data
other than the Unicode characters returned by `char32At()`. One
example of metadata is style attributes; another is an edit
history, marking each character with an author and revision number.

<p>An implicit aspect of the <code>Replaceable</code> API is that
during a replace operation, new characters take on the metadata of
the old characters. For example, if the string "the bold
font" has range (4, 8) replaced with "strong", then it becomes "the
strong font".

<p><code>Replaceable</code> specifies ranges using a start

offset and a limit offset. The range of characters thus specified includes the characters at offset start..limit-1. That is, the start offset is inclusive, and the limit offset is exclusive.

<p><code>Replaceable</code> also includes API to access characters in the string: <code>length()</code>, <code>charAt()</code>, <code>char32At()</code>, and <code>extractBetween()</code>.

<p>For a subclass to support metadata, typical behavior of <code>replace()</code> is the following:

Set the metadata of the new text to the metadata of the first character replaced

If no characters are replaced, use the metadata of the previous character

If there is no previous character (i.e. start == 0), use the following character

If there is no following character (i.e. the replaceable was empty), use default metadata

If the code point U+FFFF is seen, it should be interpreted as a special marker having no metadata

If this is not the behavior, the subclass should document any differences.

<p>Copyright © IBM Corporation 1999. All rights reserved.

@author Alan Liu

@stable ICU 2.0

<code>ReplaceableString</code> is an adapter class that implements the <code>Replaceable</code> API around an ordinary <code>StringBuffer</code>.

<p>Note: This class does not support attributes and is not intended for general use. Most clients will need to implement { @link Replaceable } in their text representation class.

<p>Copyright © IBM Corporation 1999. All rights reserved.

@see Replaceable

@author Alan Liu

@stable ICU 2.0

Copyright (C) 1991-2007 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

Generated automatically from the Common Locale Data Repository. DO NOT EDIT!

Copyright (C) 1991-2011 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that (a) the above copyright notice(s) and this permission notice appear with all copies of the

Data Files or Software, (b) both the above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1994, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1994, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1994, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1994, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1994, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1994, 2013, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1995, 2000, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or

FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1995, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1995, 2007, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided

by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1995, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1995, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1995, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1995, 2013, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1996, 2004, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any

questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1996, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1996, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation,

Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1996, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1996, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that

accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1996, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1996, 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1996, 2013, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1997, 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as

published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1997, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1997, 2007, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1997, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1997, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1997, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1997, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1997, 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1997, 2013, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1998, 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or

FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1998, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1998, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided

by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1998, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1999, 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1999, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1999, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 1999, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any

questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2000, 2003, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2000, 2004, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation,

Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2000, 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2000, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that

accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2000, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2000, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2000, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2000, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as

published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2000, 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2000, 2013, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2001, 2002, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2001, 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2001, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2001, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2001, 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2002, 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2002, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or

FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2002, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2003, 2004, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided

by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2003, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2003, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2003, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2003, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2003, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any

questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2004, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2005, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation,

Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2005, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2005, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that

accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2005, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2005, 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2005, 2013 Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as

published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2007, 2008, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2008, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (C) 2014 The Android Open Source Project
Copyright (c) 2009, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1994, 1995, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA

or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1994, 1998, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1994, 2000, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 1994, 2001, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 1994, 2002, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version

2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1994, 2003, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1994, 2004, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1994, 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1994, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License

version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1994, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1994, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT

ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1994, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1994, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1994, 2013, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1995, 1996, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this

particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1995, 1997, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1995, 1999, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it

under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1995, 2000, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1995, 2001, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1995, 2003, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1995, 2004, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1995, 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1995, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1995, 2007, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any

questions.

Copyright (c) 1995, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1995, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 1995, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 1995, 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,

Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 1995, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 1996, 1997, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1996, 1998, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1996, 1999, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that

accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1996, 2000, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1996, 2001, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or

FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1996, 2002, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1996, 2003, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1996, 2004, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1996, 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided

by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1996, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1996, 2007, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as

published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1996, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1996, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1996, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1996, 2011, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1996, 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1996, 2013, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1996, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1997, 1998, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1997, 1999, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA

or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1997, 2000, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1997, 2001, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 1997, 2002, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 1997, 2003, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version

2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1997, 2004, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1997, 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1997, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1997, 2007, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License

version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1997, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1997, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT

ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1997, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1997, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1997, 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1997, 2013, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this

particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1997, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1998, 2001, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it

under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1998, 2002, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1998, 2003, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1998, 2004, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1998, 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1998, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1998, 2007, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1998, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any

questions.

Copyright (c) 1998, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1998, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 1998, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 1998, 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,

Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 1998, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 1999, 2000, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1999, 2001, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1999, 2002, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that

accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1999, 2003, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1999, 2004, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or

FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1999, 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1999, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1999, 2007, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1999, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided

by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1999, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1999, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as

published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1999, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1999, 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 1999, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2000, 2001, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2000, 2002, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2000, 2003, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2000, 2004, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2000, 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2000, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA

or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2000, 2007, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2000, 2007, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation,

Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 2000, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 2000, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2000, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2000, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that

accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2000, 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2000, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or

FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2001, 2002, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2001, 2003, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2001, 2004, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2001, 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided

by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2001, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2001, 2007, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as

published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2001, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2001, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2001, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2001, 2011, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2001, 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2001, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2002, 2003, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2002, 2004, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2002, 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA

or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2002, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2002, 2007, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 2002, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 2002, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version

2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2002, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2002, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2002, 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2002, 2013, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License

version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2002, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2003, 2004, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT

ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2003, 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2003, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2003, 2007, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2003, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this

particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2003, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2003, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it

under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2003, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2003, 2013, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2003, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2003,2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2004, 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2004, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2004, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any

questions.

Copyright (c) 2004, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2004, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 2004, 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 2004, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,

Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 2005, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 2005, 2007, Oracle and/or its affiliates. All rights reserved.

Copyright (c) 2005, 2007, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or

FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2005, 2007, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

(C) Copyright Taligent, Inc. 1996, 1997 - All Rights Reserved
(C) Copyright IBM Corp. 1996 - 1999 - All Rights Reserved

The original version of this source code and documentation is copyrighted and owned by Taligent, Inc., a wholly-owned subsidiary of IBM. These materials are provided under terms of a License Agreement between Taligent and Sun. This technology is protected by multiple US and International patents.

This notice and attribution to Taligent may not be removed.
Taligent is a registered trademark of Taligent, Inc.

Copyright (c) 2005, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2005, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA

or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2005, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2005, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 2005, 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

Copyright (c) 2005, Oracle and/or its affiliates. All rights reserved.

Copyright (c) 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License

version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2006, 2007, Oracle and/or its affiliates. All rights reserved.

Copyright (c) 2006, 2007, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2006, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this

particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2006, 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it

under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2007, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2007, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2007, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2007, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2007, 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2007, Oracle and/or its affiliates. All rights reserved.

Copyright (c) 2007, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2008, 2009, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version

2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2008, 2009, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2008, 2009, Oracle and/or its affiliates. All rights reserved.

DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that

accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2008, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2008, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or

FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2008, 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2009, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2009, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided

by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2009, 2013, Oracle and/or its affiliates. All rights reserved.
Copyright 2009 Google Inc. All Rights Reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it

under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2010, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2010, 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2010, 2013, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2012, 2013, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright (c) 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any

questions.

Copyright (c) 2013, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

Copyright 2015 Google Inc.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Google designates this particular file as subject to the "Classpath" exception as provided by Google in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Licensed Materials - Property of IBM

(C) Copyright IBM Corp. 1999 All Rights Reserved.

(C) IBM Corp. 1997-1998. All Rights Reserved.

The program is provided "as is" without any warranty express or implied, including the warranty of non-infringement and the implied warranties of merchantability and fitness for a particular purpose. IBM will not be liable for any damages suffered by you as a result of using the Program. In no event will IBM be liable for any special, indirect or consequential damages or lost profits even if IBM has been advised of the possibility of their occurrence. IBM will not be liable for any third party claims against you.

is licensed under the same terms. The copyright and license information for java/net/Inet4AddressImpl.java follows.

Copyright (c) 2002, 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

licensed under the same terms. The copyright and license information for java/net/PlainDatagramSocketImpl.java follows.

Copyright (c) 2007, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

licensed under the same terms. The copyright and license information for `java/net/PlainSocketImpl.java` follows.

Copyright (c) 2007, 2008, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA

or visit www.oracle.com if you need additional information or have any questions.

licensed under the same terms. The copyright and license information for `sun/nio/ch/FileChannelImpl.java` follows.

Copyright (c) 2000, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

licensed under the same terms. The copyright and license information for `sun/nio/ch/FileDispatcherImpl.java` follows.

Copyright (c) 2000, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License

version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

licensed under the same terms. The copyright and license information for sun/nio/ch/InheritedChannel.java follows.

Copyright (c) 2003, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

licensed under the same terms. The copyright and license information for sun/nio/ch/ServerSocketChannelImpl.java follows.

Copyright (c) 2000, 2012, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it

under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

same terms. The copyright and license information for sun/nio/ch/Net.java follows.

Copyright (c) 2000, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

the same terms. The copyright and license information for
java/io/FileSystem.java follows.

Copyright (c) 1998, 2005, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version
2 along with this work; if not, write to the Free Software Foundation,
Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA
or visit www.oracle.com if you need additional information or have any
questions.

the same terms. The copyright and license information for
java/lang/Long.java follows.

Copyright (c) 1994, 2009, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it
under the terms of the GNU General Public License version 2 only, as
published by the Free Software Foundation. Oracle designates this
particular file as subject to the "Classpath" exception as provided
by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT
ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or
FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License
version 2 for more details (a copy is included in the LICENSE file that
accompanied this code).

You should have received a copy of the GNU General Public License version

2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

the same terms. The copyright and license information for `sun/nio/ch/IOStatus.java` follows.

Copyright (c) 2002, 2003, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

under the same terms. The copyright and license information for `java/io/UnixFileSystem.java` follows.

Copyright (c) 1998, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

under the same terms. The copyright and license information for `java/lang/Integer.java` follows.

Copyright (c) 1994, 2010, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

under the same terms. The copyright and license information for `java/net/NetworkInterface.java` follows.

Copyright (c) 2000, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

under the same terms. The copyright and license information for `java/net/SocketOptions.java` follows.

Copyright (c) 1996, 2006, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA

or visit www.oracle.com if you need additional information or have any questions.

under the same terms. The copyright and license information for `java/util/zip/ZipFile.java` follows.

Copyright (c) 1995, 2011, Oracle and/or its affiliates. All rights reserved.
DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS FILE HEADER.

This code is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License version 2 only, as published by the Free Software Foundation. Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code.

This code is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License version 2 for more details (a copy is included in the LICENSE file that accompanied this code).

You should have received a copy of the GNU General Public License version 2 along with this work; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA.

Please contact Oracle, 500 Oracle Parkway, Redwood Shores, CA 94065 USA or visit www.oracle.com if you need additional information or have any questions.

=====
== NOTICE file corresponding to section 4(d) of the Apache License, ==
== Version 2.0, in this case for the Apache Xalan Java distribution. ==
=====

Apache Xalan (Xalan XSLT processor)
Copyright 1999-2006 The Apache Software Foundation

Apache Xalan (Xalan serializer)
Copyright 1999-2006 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software was originally based on the following:

- software copyright (c) 1999-2002, Lotus Development Corporation.,
<http://www.lotus.com>.
- software copyright (c) 2001-2002, Sun Microsystems.,
<http://www.sun.com>.
- software copyright (c) 2003, IBM Corporation.,
<http://www.ibm.com>.

The binary distribution package (ie. jars, samples and documentation) of this product includes software developed by the following:

- The Apache Software Foundation
 - Xerces Java - see LICENSE.txt
 - JAXP 1.3 APIs - see LICENSE.txt
 - Bytecode Engineering Library - see LICENSE.txt
 - Regular Expression - see LICENSE.txt
- Scott Hudson, Frank Flannery, C. Scott Ananian
 - CUP Parser Generator runtime (javacup\runtime) - see LICENSE.txt

The source distribution package (ie. all source and tools required to build Xalan Java) of this product includes software developed by the following:

- The Apache Software Foundation
 - Xerces Java - see LICENSE.txt
 - JAXP 1.3 APIs - see LICENSE.txt
 - Bytecode Engineering Library - see LICENSE.txt
 - Regular Expression - see LICENSE.txt
 - Ant - see LICENSE.txt
 - Stylebook doc tool - see LICENSE.txt
- Elliot Joel Berk and C. Scott Ananian
 - Lexical Analyzer Generator (JLex) - see LICENSE.txt

Apache Xerces Java
Copyright 1999-2006 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Portions of Apache Xerces Java in xercesImpl.jar and xml-apis.jar were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- voluntary contributions made by Paul Eng on behalf of the Apache Software Foundation that were originally developed at iClick, Inc.,

software copyright (c) 1999.

Apache xml-commons xml-apis (redistribution of xml-apis.jar)

Apache XML Commons

Copyright 2001-2003,2006 The Apache Software Foundation.

This product includes software developed at

The Apache Software Foundation (<http://www.apache.org/>).

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- software copyright (c) 2000 World Wide Web Consortium, <http://www.w3.org>

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and

2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a

pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free software, and you are welcome to redistribute it under certain conditions; type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may

consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are subject to the following clarification and special exception to the GPL, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

ICU

There are two licenses here:

- ICU license
- Unicode Terms of Use

ICU License - ICU 1.8.1 and later

From <http://source.icu-project.org/repos/icu/icu/trunk/license.html>

X License (old version). For license pedigree see the

ICU FAQ at <http://icu-project.org/userguide/icufaq.html>

COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2014 International Business Machines Corporation and others

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the

Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

All trademarks and registered trademarks mentioned herein are the property of their respective owners.

Unicode Terms of Use, from <http://www.unicode.org/copyright.html>

For the general privacy policy governing access to this site, see the Unicode Privacy Policy. For trademark usage, see the Unicode Consortium Name and Trademark Usage Policy.

Notice to End User: Terms of Use

Carefully read the following legal agreement ("Agreement"). Use or copying of the software and/or codes provided with this agreement (The "Software") constitutes your acceptance of these terms. If you have any questions about these terms of use, please contact the Unicode Consortium.

A. Unicode Copyright.

1. Copyright 1991-2014 Unicode, Inc. All rights reserved.
2. Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without fee, to modify such documents and files to create derivative works conforming to the Unicode Standard, subject to Terms and Conditions herein.
3. Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files solely for informational purposes in the creation of products supporting the Unicode Standard, subject to the Terms and Conditions herein.
4. Further specifications of rights and restrictions pertaining to the use of the particular set of data files known as the "Unicode Character Database" can be found in Exhibit 1.

5. Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions (Unicode 5.0 and earlier), these are found on the back of the title page. The online code charts carry specific restrictions. All other files, including online documentation of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.

6. No license is granted to "mirror" the Unicode website where a fee is charged for access to the "mirror" site.

7. Modification is not permitted with respect to this document. All copies of this document must be verbatim.

B. Restricted Rights Legend. Any technical data or software which is licensed to the United States of America, its agencies and/or instrumentalities under this Agreement is commercial technical data or commercial computer software developed exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure by the Government is subject to restrictions as set forth in DFARS 202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

C. Warranties and Disclaimers.

1. This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are periodically added to the information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode may make improvements and/or changes in the product(s) and/or program(s) described in this publication and/or website at any time.

2. If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim will be exchange of the defective media within ninety (90) days of original purchase.

3. EXCEPT AS PROVIDED IN SECTION C.2, THIS PUBLICATION AND/OR SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE AND ITS LICENSORS ASSUME NO RESPONSIBILITY FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.

D. Waiver of Damages. In no event shall Unicode or its licensors be liable for any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the use, modification or distribution of this information or its derivatives.

E. Trademarks & Logos.

1. The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc. Use of the information and materials found on this website indicates your acknowledgement of Unicode, Inc.'s exclusive worldwide rights in the

- Unicode Word Mark, the Unicode Logo, and the Unicode trade names.
2. The Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.
 3. All third party trademarks referenced herein are the property of their respective owners.

F. Miscellaneous.

1. Jurisdiction and Venue. This server is operated from a location in the State of California, United States of America. Unicode makes no representation that the materials are appropriate for use in other locations. If you access this server from other locations, you are responsible for compliance with local laws. This Agreement, all use of this site and any claims and damages resulting from use of this site are governed solely by the laws of the State of California without regard to any principles which would apply the laws of a different jurisdiction. The user agrees that any disputes regarding this site shall be resolved solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.
2. Modification by Unicode Unicode shall have the right to modify this Agreement at any time by posting it to this site. The user may not assign any part of this Agreement without Unicodes prior written consent.
3. Taxes. The user agrees to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicodes net income.
4. Severability. If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of this Agreement shall remain in effect.
5. Entire Agreement. This Agreement constitutes the entire agreement between the parties.

EXHIBIT 1

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>. Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>. Software includes any source code published in the Unicode Standard or under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>.

NOTICE TO USER: Carefully read the following legal agreement. BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR

SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2014 Unicode, Inc. All rights reserved.

Distributed under the Terms of Use in

<http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that

- (a) this copyright and permission notice appear with all copies of the Data Files or Software,
- (b) this copyright and permission notice appear in associated documentation, and
- (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS.

IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

JUnit

Common Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS COMMON PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:

- i) changes to the Program, and

- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
 - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
 - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
 - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
 - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise

of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against a Contributor with respect to a patent applicable to software (including a cross-claim or counterclaim in a lawsuit), then any patent licenses granted by that Contributor to such Recipient under this Agreement shall terminate as of the date such litigation is filed. In addition, if Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. IBM is the initial Agreement Steward. IBM may assign the responsibility to

serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>. Unicode Software includes any source code published in the Unicode Standard or under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>.

NOTICE TO USER: Carefully read the following legal agreement. BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2006 Unicode, Inc. All rights reserved. Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy

of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

1.158 groovy-testng 3.0.9

1.158.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

- * Licensed to the Apache Software Foundation (ASF) under one
- * or more contributor license agreements. See the NOTICE file
- * distributed with this work for additional information
- * regarding copyright ownership. The ASF licenses this file
- * to you under the Apache License, Version 2.0 (the
- * "License"); you may not use this file except in compliance
- * with the License. You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing,
- * software distributed under the License is distributed on an
- * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
- * KIND, either express or implied. See the License for the

- * specific language governing permissions and limitations
- * under the License.
- */

Found in path(s):

- * /opt/cola/permits/1551849313_1675381051.4035022/0/groovy-testng-3-0-9-sources-1-jar/org/codehaus/groovy/testng/TestNgRunner.java
- * /opt/cola/permits/1551849313_1675381051.4035022/0/groovy-testng-3-0-9-sources-1-jar/org/apache/groovy/plugin/testng/TestNgRunner.java

No license file was found, but licenses were detected in source scan.

```
#
# Licensed to the Apache Software Foundation (ASF) under one
# or more contributor license agreements. See the NOTICE file
# distributed with this work for additional information
# regarding copyright ownership. The ASF licenses this file
# to you under the Apache License, Version 2.0 (the
# "License"); you may not use this file except in compliance
# with the License. You may obtain a copy of the License at
#
# http://www.apache.org/licenses/LICENSE-2.0
#
# Unless required by applicable law or agreed to in writing,
# software distributed under the License is distributed on an
# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
# KIND, either express or implied. See the License for the
# specific language governing permissions and limitations
# under the License.
#
```

org.apache.groovy.plugin.testng.TestNgRunner

Found in path(s):

- * /opt/cola/permits/1551849313_1675381051.4035022/0/groovy-testng-3-0-9-sources-1-jar/META-INF/services/org.apache.groovy.plugin.GroovyRunner

1.159 dropwizard-logging 2.0.28

1.159.1 Available under license :

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:

- i) changes to the Program, and

- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
 - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
 - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
 - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
 - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the

right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation. No license file was found, but licenses were detected in source scan.

/*

- * Logback: the reliable, generic, fast and flexible logging framework.
- * Copyright (C) 1999-2015, QOS.ch. All rights reserved.
- *
- * This program and the accompanying materials are dual-licensed under
- * either the terms of the Eclipse Public License v1.0 as published by
- * the Eclipse Foundation
- *
- * or (per the licensee's choosing)
- *
- * under the terms of the GNU Lesser General Public License version 2.1
- * as published by the Free Software Foundation.
- */

Found in path(s):

* /opt/cola/permits/1670772660_1683726510.4201603/0/dropwizard-logging-2-0-28-sources-1-jar/io/dropwizard/logging/ResilientOutputStreamBase.java

1.160 log4j-over-slf4j 1.7.32

1.160.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

* /opt/cola/permits/1198379913_1630347367.42/0/log4j-over-slf4j-1-7-32-jar/META-INF/maven/org.slf4j/log4j-over-slf4j/pom.xml

1.161 Iz4-java 1.8.0

1.161.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes

of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.162 netty-transport-native-epoll 4.1.93.Final

1.162.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!--
~ Copyright 2014 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->
```

Found in path(s):

```
* /opt/cola/permits/1743695363_1689241101.3854547/0/netty-transport-native-epoll-4-1-93-final-sources-1-
jar/META-INF/maven/io.netty/netty-transport-native-epoll/pom.xml
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
```

*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1743695363_1689241101.3854547/0/netty-transport-native-epoll-4-1-93-final-sources-1-jar/netty_epoll_native.c

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2016 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/1743695363_1689241101.3854547/0/netty-transport-native-epoll-4-1-93-final-sources-1-jar/netty_epoll_linuxsocket.h

* /opt/cola/permits/1743695363_1689241101.3854547/0/netty-transport-native-epoll-4-1-93-final-sources-1-jar/netty_epoll_linuxsocket.c

1.163 guice 4.0

1.163.1 Available under license :

Google Guice - Core Library
Copyright 2006-2015 Google, Inc.

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.164 jackson-annotations 2.14.1

1.164.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation,

and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s)

with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.165 commons-collections 4.4

1.165.1 Available under license :

Apache Commons Collections
Copyright 2001-2019 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.166 commons-logging 1.2

1.166.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2001-2006 The Apache Software Foundation.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/LogFactory.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2001-2004,2006 The Apache Software Foundation.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/impl/AvalonLogger.java
```

No license file was found, but licenses were detected in source scan.


```
/*
 * Copyright 2004 The Apache Software Foundation.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/impl/WeakHashtable.java
```

No license file was found, but licenses were detected in source scan.

2004 The Apache Software Foundation.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Found in path(s):

```
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/package.html
```

```
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-
jar/org/apache/commons/logging/impl/package.html
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2001-2004 The Apache Software Foundation.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
```

* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/LogConfigurationException.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/Log4JLogger.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/LogFactoryImpl.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/Jdk13LumberjackLogger.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/SimpleLog.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/Jdk14Logger.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/LogSource.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/NoOpLog.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/LogKitLogger.java
* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/Log.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2005 The Apache Software Foundation.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1135840457_1613613080.13/0/commons-logging-1-1-sources-9-jar/org/apache/commons/logging/impl/ServletContextCleaner.java

1.167 grpc-api 1.24.0

1.167.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the

Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works

as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.168 hikaricp-java7 2.4.13

1.168.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2013,2014 Brett Wooldridge

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-
zip/com/zaxxer/hikari/pool/HikariPool.java

* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-
zip/com/zaxxer/hikari/metrics/dropwizard/CodaHaleMetricsTracker.java

* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-
zip/com/zaxxer/hikari/metrics/MetricsTracker.java

* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-
zip/com/zaxxer/hikari/metrics/MetricsTrackerFactory.java

* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-
zip/com/zaxxer/hikari/HikariJNDIFactory.java

* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-
zip/com/zaxxer/hikari/metrics/dropwizard/CodahaleMetricsTrackerFactory.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2015 Brett Wooldridge

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-
zip/com/zaxxer/hikari/util/ClockSource.java

* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-
zip/com/zaxxer/hikari/metrics/PoolStats.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2013, 2014 Brett Wooldridge

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-
zip/com/zaxxer/hikari/metrics/prometheus/PrometheusMetricsTrackerFactory.java
 - * /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-
zip/com/zaxxer/hikari/pool/PoolBase.java
 - * /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-
zip/com/zaxxer/hikari/metrics/prometheus/HikariCPCollector.java
 - * /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-
zip/com/zaxxer/hikari/metrics/prometheus/PrometheusMetricsTracker.java
- No license file was found, but licenses were detected in source scan.

/*

- * Copyright (C) 2014 Brett Wooldridge
- *
- * Licensed under the Apache License, Version 2.0 (the "License");
- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-
zip/com/zaxxer/hikari/pool/PoolEntry.java
 - * /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-
zip/com/zaxxer/hikari/metrics/dropwizard/CodahaleHealthChecker.java
- No license file was found, but licenses were detected in source scan.

/*

- * Copyright (C) 2013 Brett Wooldridge
- *
- * Licensed under the Apache License, Version 2.0 (the "License");
- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at
- *

* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-
zip/com/zaxxer/hikari/pool/ProxyStatement.java
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-
zip/com/zaxxer/hikari/pool/ProxyPreparedStatement.java
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-
zip/com/zaxxer/hikari/pool/ProxyCallableStatement.java
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-
zip/com/zaxxer/hikari/util/UtilityElf.java
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-
zip/com/zaxxer/hikari/hibernate/HikariConfigurationUtil.java
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-
zip/com/zaxxer/hikari/util/PropertyElf.java
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-
zip/com/zaxxer/hikari/HikariDataSource.java
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-
zip/com/zaxxer/hikari/hibernate/HikariConnectionProvider.java
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-
zip/com/zaxxer/hikari/HikariPoolMXBean.java
* /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-
zip/com/zaxxer/hikari/HikariConfigMXBean.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2013, 2014 Brett Wooldridge
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

- * /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-
zip/com/zaxxer/hikari/HikariConfig.java
- * /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-
zip/com/zaxxer/hikari/util/FastList.java
- * /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-
zip/com/zaxxer/hikari/pool/ProxyLeakTask.java
- * /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-
zip/com/zaxxer/hikari/pool/ProxyResultSet.java
- * /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-
zip/com/zaxxer/hikari/pool/ProxyConnection.java
- * /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-
zip/com/zaxxer/hikari/util/DriverDataSource.java
- * /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-
zip/com/zaxxer/hikari/pool/ProxyFactory.java
- * /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-
zip/com/zaxxer/hikari/util/ConcurrentBag.java
- * /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-
zip/com/zaxxer/hikari/util/SuspendResumeLock.java
- * /opt/cola/permits/203480980_1651176812.86/0/hikaricp-java7-2-4-13-sources-
zip/com/zaxxer/hikari/util/JavassistProxyFactory.java

1.169 netty-transport-udt 4.1.93.Final

1.169.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2012 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

- * /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-
jar/io/netty/channel/udt/UdtMessage.java
- * /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-

jar/io/netty/channel/udt/package-info.java
* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-jar/io/netty/channel/udt/nio/package-info.java
* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-jar/io/netty/channel/udt/UdtChannelConfig.java
* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-jar/io/netty/channel/udt/DefaultUdtChannelConfig.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2013 The Netty Project  
*  
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
* License for the specific language governing permissions and limitations  
* under the License.  
*/
```

Found in path(s):

* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-jar/io/netty/channel/udt/UdtServerChannelConfig.java
* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-jar/io/netty/channel/udt/UdtChannelOption.java
* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-jar/io/netty/channel/udt/DefaultUdtServerChannelConfig.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2013 The Netty Project  
*  
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
* License for the specific language governing permissions and limitations  
* under the License.
```

*/

Found in path(s):

* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-jar/io/netty/channel/udt/UdtServerChannel.java

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2012 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:

~

~ <https://www.apache.org/licenses/LICENSE-2.0>

~

~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.

-->

Found in path(s):

* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-transport-udt/pom.xml

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2012 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-jar/io/netty/channel/udt/nio/NioUdtByteAcceptorChannel.java

* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-

```
jar/io/netty/channel/udt/nio/NioUdtMessageAcceptorChannel.java
* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-
jar/io/netty/channel/udt/nio/NioUdtProvider.java
* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-
jar/io/netty/channel/udt/nio/NioUdtMessageRendezvousChannel.java
* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-
jar/io/netty/channel/udt/nio/NioUdtByteConnectorChannel.java
* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-
jar/io/netty/channel/udt/nio/NioUdtAcceptorChannel.java
* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-
jar/io/netty/channel/udt/UdtChannel.java
* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-
jar/io/netty/channel/udt/nio/NioUdtByteRendezvousChannel.java
* /opt/cola/permits/1698848079_1685285737.3106787/0/netty-transport-udt-4-1-93-final-sources-
jar/io/netty/channel/udt/nio/NioUdtMessageConnectorChannel.java
```

1.170 jackson-jaxrs 2.15.0

1.170.1 Available under license :

```
# Jackson JSON processor
```

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

```
## Licensing
```

Jackson core and extension components may be licensed under different licenses.

To find the details that apply to this artifact see the accompanying LICENSE file.

For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

```
## Credits
```

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson JSON processor databind module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

1.171 commons-cli 1.3.1

1.171.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes

of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache Commons CLI

Copyright 2001-2015 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

1.172 jest-common 0.1.1

1.172.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2012 Real Logic Ltd.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1636752241_1681746198.4137597/0/jest-common-0-1-1-sources-1-
jar/io/searchbox/client/util/PaddedAtomicInteger.java

1.173 dropwizard-jackson 2.0.28

1.173.1 Available under license :

Apache-2.0

1.174 auto-common 0.10

1.174.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2016 Google, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1275989236_1645584374.25/0/auto-common-0-10-sources-jar/com/google/auto/common/Overrides.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2014 Google, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

- * /opt/cola/permits/1275989236_1645584374.25/0/auto-common-0-10-sources-jar/com/google/auto/common/AnnotationMirrors.java
- * /opt/cola/permits/1275989236_1645584374.25/0/auto-common-0-10-sources-jar/com/google/auto/common/BasicAnnotationProcessor.java
- * /opt/cola/permits/1275989236_1645584374.25/0/auto-common-0-10-sources-jar/com/google/auto/common/AnnotationValues.java
- * /opt/cola/permits/1275989236_1645584374.25/0/auto-common-0-10-sources-jar/com/google/auto/common/MoreTypes.java
- * /opt/cola/permits/1275989236_1645584374.25/0/auto-common-0-10-sources-jar/com/google/auto/common/SuperficialValidation.java
- * /opt/cola/permits/1275989236_1645584374.25/0/auto-common-0-10-sources-jar/com/google/auto/common/Visibility.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2017 Google, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

- * /opt/cola/permits/1275989236_1645584374.25/0/auto-common-0-10-sources-jar/com/google/auto/common/GeneratedAnnotations.java
- * /opt/cola/permits/1275989236_1645584374.25/0/auto-common-0-10-sources-jar/com/google/auto/common/GeneratedAnnotationSpecs.java
- * /opt/cola/permits/1275989236_1645584374.25/0/auto-common-0-10-sources-jar/com/google/auto/common/SimpleTypeAnnotationValue.java
- * /opt/cola/permits/1275989236_1645584374.25/0/auto-common-0-10-sources-jar/com/google/auto/common/SimpleAnnotationMirror.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2013 Google, Inc.

* Copyright (C) 2013 Square, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

* /opt/cola/permits/1275989236_1645584374.25/0/auto-common-0-10-sources-jar/com/google/auto/common/MoreElements.java

1.175 derby 10.14.2.0

1.175.1 Available under license :

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" lang="en-us" xml:lang="en-us">
<!--
```

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to You under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
-->
<head>
<meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
<meta name="copyright" content="(C) Copyright 2005" />
<meta name="DC.rights.owner" content="(C) Copyright 2005" />
<meta content="public" name="security" />
<meta content="index, follow" name="Robots" />
<meta http-equiv="PICS-Label" content='(PICS-1.1 "http://www.icra.org/ratingsv02.html" l gen true r (cz 1 lz 1 nz 1 oz 1 vz 1) "http://www.rsac.org/ratingsv01.html" l gen true r (n 0 s 0 v 0 l 0) "http://www.classify.org/safesurf/" l
```

```
gen true r (SS~~000 1))' />
<meta content="reference" name="DC.Type" />
<meta name="DC.Title" content="License" />
<meta name="abstract" content="" />
<meta name="description" content="" />
<meta content="Apache, license" name="DC.subject" />
<meta content="Apache, license" name="keywords" />
<meta content="XHTML" name="DC.Format" />
<meta content="rdevlicense" name="DC.Identifier" />
<meta content="en-us" name="DC.Language" />
<link href="commonltr.css" type="text/css" rel="stylesheet" />
<title>License</title>
</head>
<body id="rdevlicense"><a name="rdevlicense"><!-- --></a>
```

```
<h1 class="topictitle1">License</h1>
```

```
<div><p />
```

```
<div class="section"><h2 class="sectiontitle">The Apache License, Version 2.0</h2>
<pre>
```

```
    Apache License
    Version 2.0, January 2004
    http://www.apache.org/licenses/
```

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions

of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the

Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct,

indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

</div>

</div>

</body>

</html>

4

```
textLjava/lang/String;sqlStateWhenMissing<init>(Ljava/lang/String;Ljava/lang/String;)VCodeLineNumberTableLocalVariableTablethis=Lorg/apache/derbyTesting/functionTests/tests/lang/Permission;SourceFilePermission.java ;org/apache/derbyTesting/functionTests/tests/lang/Permissionjava/lang/Object()V!Y**+*,#$ %&
```

<?xml version="1.0" encoding="UTF-8"?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"

"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml" lang="en-us" xml:lang="en-us">

<!--

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to You under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-->

<head>

<meta content="text/html; charset=utf-8" http-equiv="Content-Type" />

<meta name="copyright" content="(C) Copyright 2005" />

<meta name="DC.rights.owner" content="(C) Copyright 2005" />

<meta content="public" name="security" />

<meta content="index, follow" name="Robots" />

<meta http-equiv="PICS-Label" content='(PICS-1.1 "http://www.icra.org/ratingsv02.html" l gen true r (cz 1 lz 1 nz 1 oz 1 vz 1) "http://www.rsac.org/ratingsv01.html" l gen true r (n 0 s 0 v 0 l 0) "http://www.classify.org/safesurf/" l gen true r (SS~000 1))' />

<meta content="reference" name="DC.Type" />

<meta name="DC.Title" content="License" />

<meta name="abstract" content="" />

<meta name="description" content="" />

<meta content="Apache, license" name="DC.subject" />

<meta content="Apache, license" name="keywords" />

```
<meta content="XHTML" name="DC.Format" />
<meta content="rreflicense" name="DC.Identifier" />
<meta content="en-us" name="DC.Language" />
<link href="commonltr.css" type="text/css" rel="stylesheet" />
<title>License</title>
</head>
<body id="rreflicense"><a name="rreflicense"><!-- --></a>
```

```
<h1 class="topictitle1">License</h1>
```

```
<div><p />
```

```
<div class="section"><h2 class="sectiontitle">The Apache License, Version 2.0</h2>
```

```
<pre>
```

```
    Apache License
    Version 2.0, January 2004
    http://www.apache.org/licenses/
```

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition,

"submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional

attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

</div>

</div>

<div />

</body>


```
</html>
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" lang="en-us" xml:lang="en-us">
<!--
```

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to You under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
-->
```

```
<head>
<meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
<meta name="copyright" content="(C) Copyright 2005" />
<meta name="DC.rights.owner" content="(C) Copyright 2005" />
<meta content="public" name="security" />
<meta content="index, follow" name="Robots" />
<meta http-equiv="PICS-Label" content="(PICS-1.1 "http://www.icra.org/ratingsv02.html" l gen true r (cz 1 lz 1 nz 1 oz 1 vz 1) "http://www.rsac.org/ratingsv01.html" l gen true r (n 0 s 0 v 0 l 0) "http://www.classify.org/safesurf/" l gen true r (SS~000 1))' />
<meta content="reference" name="DC.Type" />
<meta name="DC.Title" content="License" />
<meta name="abstract" content="" />
<meta name="description" content="" />
<meta content="Apache, license" name="DC.subject" />
<meta content="Apache, license" name="keywords" />
<meta content="XHTML" name="DC.Format" />
<meta content="rgslicense" name="DC.Identifier" />
<meta content="en-us" name="DC.Language" />
<link href="commonltr.css" type="text/css" rel="stylesheet" />
<title>License</title>
</head>
<body id="rgslicense"><a name="rgslicense"><!-- --></a>
```

```
<h1 class="topicTitle1">License</h1>
```

<div><p />

<div class="section"><h2 class="sectiontitle">The Apache License, Version 2.0</h2>
<pre>

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and

for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition,

"submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work

constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for

inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

</div>

</div>

</body>

</html>

```
=====
== NOTICE file corresponding to section 4(d) of the Apache License,
== Version 2.0, in this case for the Apache Derby distribution.
==
== DO NOT EDIT THIS FILE DIRECTLY. IT IS GENERATED
== BY THE buildnotice TARGET IN THE TOP LEVEL build.xml FILE.
==
=====
```

Apache Derby

Copyright 2004-2018 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

=====
Portions of Derby were originally developed by
International Business Machines Corporation and are
licensed to the Apache Software Foundation under the
"Software Grant and Corporate Contribution License Agreement",
informally known as the "Derby CLA".
The following copyright notice(s) were affixed to portions of the code
with which this file is now or was at one time distributed
and are placed here unaltered.

(C) Copyright 1997,2004 International Business Machines Corporation. All rights reserved.

(C) Copyright IBM Corp. 2003.

=====
The portion of the functionTests under 'nist' was originally
developed by the National Institute of Standards and Technology (NIST),
an agency of the United States Department of Commerce, and adapted by
International Business Machines Corporation in accordance with the NIST
Software Acknowledgment and Redistribution document at
http://www.itl.nist.gov/div897/ctg/sql_form.htm

=====
The Derby build relies on source files supplied by the Apache Felix
project. The following notice covers the Felix files:

Apache Felix Main
Copyright 2008 The Apache Software Foundation

I. Included Software

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).
Licensed under the Apache License 2.0.

This product includes software developed at
The OSGi Alliance (<http://www.osgi.org/>).
Copyright (c) OSGi Alliance (2000, 2007).
Licensed under the Apache License 2.0.

This product includes software from <http://kxml.sourceforge.net>.
Copyright (c) 2002,2003, Stefan Haustein, Oberhausen, Rhld., Germany.
Licensed under BSD License.

II. Used Software

This product uses software developed at
The OSGi Alliance (<http://www.osgi.org/>).
Copyright (c) OSGi Alliance (2000, 2007).
Licensed under the Apache License 2.0.

III. License Summary

- Apache License 2.0
- BSD License

=====

The Derby build relies on jar files supplied by the Apache Lucene project. The following notice covers the Lucene files:

Apache Lucene
Copyright 2013 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

Includes software from other Apache Software Foundation projects,
including, but not limited to:

- Apache Ant
- Apache Jakarta Regexp
- Apache Commons
- Apache Xerces

ICU4J, (under analysis/icu) is licensed under an MIT styles license
and Copyright (c) 1995-2008 International Business Machines Corporation and others

Some data files (under analysis/icu/src/data) are derived from Unicode data such
as the Unicode Character Database. See <http://unicode.org/copyright.html> for more
details.

Brics Automaton (under core/src/java/org/apache/lucene/util/automaton) is BSD-licensed, created by Anders Mller. See <http://www.brics.dk/automaton/>

The levenshtein automata tables (under core/src/java/org/apache/lucene/util/automaton) were automatically generated with the moman/finenight FSA library, created by Jean-Philippe Barrette-LaPierre. This library is available under an MIT license, see <http://sites.google.com/site/rrettesite/moman> and <http://bitbucket.org/jpbarrette/moman/overview/>

The class org.apache.lucene.util.WeakIdentityMap was derived from the Apache CXF project and is Apache License 2.0.

The Google Code Prettify is Apache License 2.0.
See <http://code.google.com/p/google-code-prettify/>

JUnit (junit-4.10) is licensed under the Common Public License v. 1.0
See <http://junit.sourceforge.net/cpl-v10.html>

This product includes code (JaspellTernarySearchTrie) from Java Spelling Checking Package (jaspell): <http://jaspell.sourceforge.net/>
License: The BSD License (<http://www.opensource.org/licenses/bsd-license.php>)

The snowball stemmers in
analysis/common/src/java/net/sf/snowball
were developed by Martin Porter and Richard Boulton.
The snowball stopword lists in
analysis/common/src/resources/org/apache/lucene/analysis/snowball
were developed by Martin Porter and Richard Boulton.
The full snowball package is available from
<http://snowball.tartarus.org/>

The KStem stemmer in
analysis/common/src/org/apache/lucene/analysis/en
was developed by Bob Krovetz and Sergio Guzman-Lara (CIIR-UMass Amherst)
under the BSD-license.

The Arabic,Persian,Romanian,Bulgarian, and Hindi analyzers (common) come with a default stopword list that is BSD-licensed created by Jacques Savoy. These files reside in:
analysis/common/src/resources/org/apache/lucene/analysis/ar/stopwords.txt,
analysis/common/src/resources/org/apache/lucene/analysis/fa/stopwords.txt,
analysis/common/src/resources/org/apache/lucene/analysis/ro/stopwords.txt,
analysis/common/src/resources/org/apache/lucene/analysis/bg/stopwords.txt,
analysis/common/src/resources/org/apache/lucene/analysis/hi/stopwords.txt
See <http://members.unine.ch/jacques.savoy/clef/index.html>.

The German,Spanish,Finnish,French,Hungarian,Italian,Portuguese,Russian and Swedish light stemmers (common) are based on BSD-licensed reference implementations created by Jacques Savoy and Ljiljana Dolamic. These files reside in:

analysis/common/src/java/org/apache/lucene/analysis/de/GermanLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/de/GermanMinimalStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/es/SpanishLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/fin/FinnishLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/fr/FrenchMinimalStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/hu/HungarianLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/it/ItalianLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/pt/PortugueseLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/ru/RussianLightStemmer.java
analysis/common/src/java/org/apache/lucene/analysis/sv/SwedishLightStemmer.java

The Stempel analyzer (stempel) includes BSD-licensed software developed by the Egothor project <http://egothor.sf.net/>, created by Leo Galambos, Martin Kvapil, and Edmond Nolan.

The Polish analyzer (stempel) comes with a default stopword list that is BSD-licensed created by the Carrot2 project. The file resides in `stempel/src/resources/org/apache/lucene/analysis/pl/stopwords.txt`. See <http://project.carrot2.org/license.html>.

The SmartChineseAnalyzer source code (smartcn) was provided by Xiaoping Gao and copyright 2009 by www.imdict.net.

WordBreakTestUnicode_*.java (under `modules/analysis/common/src/test/`) is derived from Unicode data such as the Unicode Character Database. See <http://unicode.org/copyright.html> for more details.

The Morfologik analyzer (morfologik) includes BSD-licensed software developed by Dawid Weiss and Marcin Mikowski (<http://morfologik.blogspot.com/>).

Morfologik uses data from Polish ispell/myspell dictionary (<http://www.sjp.pl/slovník/en/>) licenced on the terms of (inter alia) LGPL and Creative Commons ShareAlike.

Morfologic includes data from BSD-licensed dictionary of Polish (SGJP) (<http://sgjp.pl/morfeusz/>)

Servlet-api.jar and javax.servlet-*.jar are under the CDDL license, the original source code for this can be found at <http://www.eclipse.org/jetty/downloads.php>

=====
Kuromoji Japanese Morphological Analyzer - Apache Lucene Integration
=====

This software includes a binary and/or source version of data from

mecab-ipadic-2.7.0-20070801

which can be obtained from

<http://atilika.com/releases/mecab-ipadic/mecab-ipadic-2.7.0-20070801.tar.gz>

or

<http://jaist.dl.sourceforge.net/project/mecab/mecab-ipadic/2.7.0-20070801/mecab-ipadic-2.7.0-20070801.tar.gz>

=====
mecab-ipadic-2.7.0-20070801 Notice
=====

Nara Institute of Science and Technology (NAIST),
the copyright holders, disclaims all warranties with regard to this
software, including all implied warranties of merchantability and
fitness, in no event shall NAIST be liable for
any special, indirect or consequential damages or any damages
whatsoever resulting from loss of use, data or profits, whether in an
action of contract, negligence or other tortuous action, arising out
of or in connection with the use or performance of this software.

A large portion of the dictionary entries
originate from ICOT Free Software. The following conditions for ICOT
Free Software applies to the current dictionary as well.

Each User may also freely distribute the Program, whether in its
original form or modified, to any third party or parties, PROVIDED
that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear
on, or be attached to, the Program, which is distributed substantially
in the same form as set out herein and that such intended
distribution, if actually made, will neither violate or otherwise
contravene any of the laws and regulations of the countries having
jurisdiction over the User or the intended distribution itself.

NO WARRANTY

The program was produced on an experimental basis in the course of the
research and development conducted during the project and is provided
to users as so produced on an experimental basis. Accordingly, the
program is provided without any warranty whatsoever, whether express,
implied, statutory or otherwise. The term "warranty" used herein
includes, but is not limited to, any warranty of the quality,
performance, merchantability and fitness for a particular purpose of
the program and the nonexistence of any infringement or violation of
any right of any third party.

Each user of the program will agree and understand, and be deemed to

have agreed and understood, that there is no warranty whatsoever for the program and, accordingly, the entire risk arising from or otherwise connected with the program is assumed by the user.

Therefore, neither ICOT, the copyright holder, or any other organization that participated in or was otherwise related to the development of the program and their respective officials, directors, officers and other employees shall be held liable for any and all damages, including, without limitation, general, special, incidental and consequential damages, arising out of or otherwise in connection with the use or inability to use the program or any product, material or result produced or otherwise obtained by using the program, regardless of whether they have been advised of, or otherwise had knowledge of, the possibility of such damages at any time during the project or thereafter. Each user will be deemed to have agreed to the foregoing by his or her commencement of use of the program. The term "use" as used herein includes, but is not limited to, the use, modification, copying and distribution of the program and the production of secondary products from the program.

In the case where the program, whether in its original form or modified, was distributed or delivered to or received by a user from any person, organization or entity other than ICOT, unless it makes or grants independently of ICOT any specific warranty to the user in writing, such person, organization or entity, will also be exempted from and not be held liable to the user for any such damages as noted above as far as the program is concerned.

=====

The Derby build relies on a jar file supplied by the JSON Simple project, hosted at <https://code.google.com/p/json-simple/>.

The JSON simple jar file is licensed under the Apache 2.0 License.

No other notice covers that jar file.

```
<?xml version="1.0" encoding="UTF-8"?>
```

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
```

```
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
```

```
<html xmlns="http://www.w3.org/1999/xhtml" lang="en-us" xml:lang="en-us">
```

```
<!--
```

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership.

The ASF licenses this file to You under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
-->
<head>
<meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
<meta name="copyright" content="(C) Copyright 2005" />
<meta name="DC.rights.owner" content="(C) Copyright 2005" />
<meta content="public" name="security" />
<meta content="index, follow" name="Robots" />
<meta http-equiv="PICS-Label" content="(PICS-1.1 "http://www.icra.org/ratingsv02.html" l gen true r (cz 1 lz 1 nz 1 oz 1 vz 1) "http://www.rsac.org/ratingsv01.html" l gen true r (n 0 s 0 v 0 l 0) "http://www.classify.org/safesurf/" l gen true r (SS~~000 1))' />
<meta content="reference" name="DC.Type" />
<meta name="DC.Title" content="License" />
<meta content="Apache, license" name="DC.subject" />
<meta content="Apache, license" name="keywords" />
<meta content="XHTML" name="DC.Format" />
<meta content="rtunlicense" name="DC.Identifier" />
<meta content="en-us" name="DC.Language" />
<link href="commonltr.css" type="text/css" rel="stylesheet" />
<title>License</title>
</head>
<body id="rtunlicense"><a name="rtunlicense"><!-- --></a>
```

```
<h1 class="topicTitle1">License</h1>
```

```
<div>
<div class="section"><h2 class="sectionTitle">The Apache License, Version 2.0</h2>
<pre>
    Apache License
    Version 2.0, January 2004
    http://www.apache.org/licenses/
```

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the

purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of

the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or

FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

</div>

</div>

<div />

</body>

</html>

<?xml version="1.0" encoding="UTF-8"?>

<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"

"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">

<html xmlns="http://www.w3.org/1999/xhtml" lang="en-us" xml:lang="en-us">

<!--

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to You under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-->

<head>

<meta content="text/html; charset=utf-8" http-equiv="Content-Type" />

<meta name="copyright" content="(C) Copyright 2005" />

<meta name="DC.rights.owner" content="(C) Copyright 2005" />

<meta content="public" name="security" />

<meta content="index, follow" name="Robots" />

<meta http-equiv="PICS-Label" content="(PICS-1.1 "http://www.icra.org/ratingsv02.html" l gen true r (cz 1 lz 1 nz 1 oz 1 vz 1) "http://www.rsac.org/ratingsv01.html" l gen true r (n 0 s 0 v 0 l 0) "http://www.classify.org/safesurf/" l gen true r (SS~~000 1))' />

<meta content="reference" name="DC.Type" />

```
<meta name="DC.Title" content="License" />
<meta content="Apache, license" name="DC.subject" />
<meta content="Apache, license" name="keywords" />
<meta content="XHTML" name="DC.Format" />
<meta content="radminlicense" name="DC.Identifier" />
<meta content="en-us" name="DC.Language" />
<link href="commonltr.css" type="text/css" rel="stylesheet" />
<title>License</title>
</head>
<body id="radminlicense"><a name="radminlicense"><!-- --></a>
```

```
<h1 class="topicTitle1">License</h1>
```

```
<div>
<div class="section"><h2 class="sectionTitle">The Apache License, Version 2.0</h2>
<pre>
        Apache License
        Version 2.0, January 2004
        http://www.apache.org/licenses/
```

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to

the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of

such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

</div>

</div>

</body>

```
</html>
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" lang="en-us" xml:lang="en-us">
<!--
```

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to You under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
-->
```

```
<head>
<meta content="text/html; charset=utf-8" http-equiv="Content-Type" />
<meta name="copyright" content="(C) Copyright 2005" />
<meta name="DC.rights.owner" content="(C) Copyright 2005" />
<meta content="public" name="security" />
<meta content="index, follow" name="Robots" />
<meta http-equiv="PICS-Label" content='(PICS-1.1 "http://www.icra.org/ratingsv02.html" l gen true r (cz 1 lz 1 nz 1 oz 1 vz 1) "http://www.rsac.org/ratingsv01.html" l gen true r (n 0 s 0 v 0 l 0) "http://www.classify.org/safesurf/" l gen true r (SS~000 1))' />
<meta content="reference" name="DC.Type" />
<meta name="DC.Title" content="License" />
<meta content="Apache, license" name="DC.subject" />
<meta content="Apache, license" name="keywords" />
<meta content="XHTML" name="DC.Format" />
<meta content="rtoolslicense" name="DC.Identifier" />
<meta content="en-us" name="DC.Language" />
<link href="commonltr.css" type="text/css" rel="stylesheet" />
<title>License</title>
</head>
<body id="rtoolslicense"><a name="rtoolslicense"><!-- --></a>
```

```
<h1 class="topicitle1">License</h1>
```

```
<div>
```

```
<div class="section"><h2 class="sectiontitle">The Apache License, Version 2.0</h2>
```


<pre>

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or

merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition,

"submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license

agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

</pre>

</div>

</div>

<div />

</body>

</html>

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity

on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one

of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a

result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
<?xml version="1.0" encoding="UTF-8"?>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
"http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" lang="en-us" xml:lang="en-us">
<!--
```

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to You under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-->

<head>

<meta content="text/html; charset=utf-8" http-equiv="Content-Type" />

<meta name="copyright" content="(C) Copyright 2005" />

<meta name="DC.rights.owner" content="(C) Copyright 2005" />

<meta content="public" name="security" />

<meta content="index,follow" name="Robots" />

<meta http-equiv="PICS-Label" content='(PICS-1.1 "http://www.icra.org/ratingsv02.html" l gen true r (cz 1 lz 1 nz 1 oz 1 vz 1) "http://www.rsac.org/ratingsv01.html" l gen true r (n 0 s 0 v 0 l 0) "http://www.classify.org/safesurf/" l gen true r (SS~~000 1))' />

<meta content="reference" name="DC.Type" />

<meta name="DC.Title" content="License" />

<meta name="abstract" content="" />

<meta name="description" content="" />

<meta content="Apache, license" name="DC.subject" />

<meta content="Apache, license" name="keywords" />

<meta content="XHTML" name="DC.Format" />

<meta content="rseclicense" name="DC.Identifier" />

<meta content="en-us" name="DC.Language" />

<link href="commonltr.css" type="text/css" rel="stylesheet" />

<title>License</title>

</head>

<body id="rseclicense"><!-- -->

<h1 class="topictitle1">License</h1>

<div><p />

<div class="section"><h2 class="sectiontitle">The Apache License, Version 2.0</h2>

<pre>

Apache License

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition,

"submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without

modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following

boilerplate notice, with the fields enclosed by brackets "[]"
replaced with your own identifying information. (Don't include
the brackets!) The text should be enclosed in the appropriate
comment syntax for the file format. We also recommend that a
file or class name and description of purpose be included on the
same "printed page" as the copyright notice for easier
identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
implied. See the License for the specific language governing
permissions and limitations under the License.

</pre>

</div>

</div>

<div />

</body>

</html>

1.176 slf4j 1.7.36

1.176.1 Available under license :

Copyright (c) 2004-2022 QOS.ch Sarl
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining
a copy of this software and associated documentation files (the
"Software"), to deal in the Software without restriction, including
without limitation the rights to use, copy, modify, merge, publish,
distribute, sublicense, and/or sell copies of the Software, and to
permit persons to whom the Software is furnished to do so, subject to
the following conditions:

The above copyright notice and this permission notice shall be

included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 1999-2005 The Apache Software Foundation

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Copyright (c) 2004-2007 QOS.ch
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Copyright (c) 2004-2013 QOS.ch
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to

permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).
Copyright (c) 2004-2022 QOS.ch Sarl (Switzerland)
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by

the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be

liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

Copyright (c) 2004-2022 QOS.ch

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.177 jackson 2.15.0

1.177.1 Available under license :

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007. It is currently developed by a community of developers.

Copyright

Copyright 2007-, Tatu Saloranta (tatu.saloranta@iki.fi)

Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0. To find the details that apply to this artifact see the accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.178 httpcore-nio 4.4.4

1.178.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but

excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. **Grant of Copyright License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - (d) If the Work includes a "NOTICE" text file as part of its

distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise,

unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

```
/*
* =====
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing,
* software distributed under the License is distributed on an
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
* KIND, either express or implied. See the License for the
* specific language governing permissions and limitations
* under the License.
* =====
*
* This software consists of voluntary contributions made by many
* individuals on behalf of the Apache Software Foundation. For more
* information on the Apache Software Foundation, please see
* <http://www.apache.org/>.
*
*/
```

```
/**
* Embedded non-blocking server and server bootstrap.
*/
package org.apache.http.impl.nio.bootstrap;
```

Apache HttpCore NIO
Copyright 2005-2015 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

1.179 commons-exec 1.0.1

1.179.1 Available under license :

```
/*
* Apache License
* Version 2.0, January 2004
* http://www.apache.org/licenses/
```

*
* TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION
*

* 1. Definitions.
*

* "License" shall mean the terms and conditions for use, reproduction,
* and distribution as defined by Sections 1 through 9 of this document.
*

* "Licensor" shall mean the copyright owner or entity authorized by
* the copyright owner that is granting the License.
*

* "Legal Entity" shall mean the union of the acting entity and all
* other entities that control, are controlled by, or are under common
* control with that entity. For the purposes of this definition,
* "control" means (i) the power, direct or indirect, to cause the
* direction or management of such entity, whether by contract or
* otherwise, or (ii) ownership of fifty percent (50%) or more of the
* outstanding shares, or (iii) beneficial ownership of such entity.
*

* "You" (or "Your") shall mean an individual or Legal Entity
* exercising permissions granted by this License.
*

* "Source" form shall mean the preferred form for making modifications,
* including but not limited to software source code, documentation
* source, and configuration files.
*

* "Object" form shall mean any form resulting from mechanical
* transformation or translation of a Source form, including but
* not limited to compiled object code, generated documentation,
* and conversions to other media types.
*

* "Work" shall mean the work of authorship, whether in Source or
* Object form, made available under the License, as indicated by a
* copyright notice that is included in or attached to the work
* (an example is provided in the Appendix below).
*

* "Derivative Works" shall mean any work, whether in Source or Object
* form, that is based on (or derived from) the Work and for which the
* editorial revisions, annotations, elaborations, or other modifications
* represent, as a whole, an original work of authorship. For the purposes
* of this License, Derivative Works shall not include works that remain
* separable from, or merely link (or bind by name) to the interfaces of,
* the Work and Derivative Works thereof.
*

* "Contribution" shall mean any work of authorship, including
* the original version of the Work and any modifications or additions
* to that Work or Derivative Works thereof, that is intentionally
* submitted to Licensor for inclusion in the Work by the copyright owner

* or by an individual or Legal Entity authorized to submit on behalf of
* the copyright owner. For the purposes of this definition, "submitted"
* means any form of electronic, verbal, or written communication sent
* to the Licensor or its representatives, including but not limited to
* communication on electronic mailing lists, source code control systems,
* and issue tracking systems that are managed by, or on behalf of, the
* Licensor for the purpose of discussing and improving the Work, but
* excluding communication that is conspicuously marked or otherwise
* designated in writing by the copyright owner as "Not a Contribution."

* "Contributor" shall mean Licensor and any individual or Legal Entity
* on behalf of whom a Contribution has been received by Licensor and
* subsequently incorporated within the Work.

* 2. Grant of Copyright License. Subject to the terms and conditions of
* this License, each Contributor hereby grants to You a perpetual,
* worldwide, non-exclusive, no-charge, royalty-free, irrevocable
* copyright license to reproduce, prepare Derivative Works of,
* publicly display, publicly perform, sublicense, and distribute the
* Work and such Derivative Works in Source or Object form.

* 3. Grant of Patent License. Subject to the terms and conditions of
* this License, each Contributor hereby grants to You a perpetual,
* worldwide, non-exclusive, no-charge, royalty-free, irrevocable
* (except as stated in this section) patent license to make, have made,
* use, offer to sell, sell, import, and otherwise transfer the Work,
* where such license applies only to those patent claims licensable
* by such Contributor that are necessarily infringed by their
* Contribution(s) alone or by combination of their Contribution(s)
* with the Work to which such Contribution(s) was submitted. If You
* institute patent litigation against any entity (including a
* cross-claim or counterclaim in a lawsuit) alleging that the Work
* or a Contribution incorporated within the Work constitutes direct
* or contributory patent infringement, then any patent licenses
* granted to You under this License for that Work shall terminate
* as of the date such litigation is filed.

* 4. Redistribution. You may reproduce and distribute copies of the
* Work or Derivative Works thereof in any medium, with or without
* modifications, and in Source or Object form, provided that You
* meet the following conditions:

* (a) You must give any other recipients of the Work or
* Derivative Works a copy of this License; and

* (b) You must cause any modified files to carry prominent notices
* stating that You changed the files; and

* (c) You must retain, in the Source form of any Derivative Works
* that You distribute, all copyright, patent, trademark, and
* attribution notices from the Source form of the Work,
* excluding those notices that do not pertain to any part of
* the Derivative Works; and
*

* (d) If the Work includes a "NOTICE" text file as part of its
* distribution, then any Derivative Works that You distribute must
* include a readable copy of the attribution notices contained
* within such NOTICE file, excluding those notices that do not
* pertain to any part of the Derivative Works, in at least one
* of the following places: within a NOTICE text file distributed
* as part of the Derivative Works; within the Source form or
* documentation, if provided along with the Derivative Works; or,
* within a display generated by the Derivative Works, if and
* wherever such third-party notices normally appear. The contents
* of the NOTICE file are for informational purposes only and
* do not modify the License. You may add Your own attribution
* notices within Derivative Works that You distribute, alongside
* or as an addendum to the NOTICE text from the Work, provided
* that such additional attribution notices cannot be construed
* as modifying the License.
*

* You may add Your own copyright statement to Your modifications and
* may provide additional or different license terms and conditions
* for use, reproduction, or distribution of Your modifications, or
* for any such Derivative Works as a whole, provided Your use,
* reproduction, and distribution of the Work otherwise complies with
* the conditions stated in this License.
*

* 5. Submission of Contributions. Unless You explicitly state otherwise,
* any Contribution intentionally submitted for inclusion in the Work
* by You to the Licensor shall be under the terms and conditions of
* this License, without any additional terms or conditions.

* Notwithstanding the above, nothing herein shall supersede or modify
* the terms of any separate license agreement you may have executed
* with Licensor regarding such Contributions.
*

* 6. Trademarks. This License does not grant permission to use the trade
* names, trademarks, service marks, or product names of the Licensor,
* except as required for reasonable and customary use in describing the
* origin of the Work and reproducing the content of the NOTICE file.
*

* 7. Disclaimer of Warranty. Unless required by applicable law or
* agreed to in writing, Licensor provides the Work (and each
* Contributor provides its Contributions) on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
* implied, including, without limitation, any warranties or conditions

* of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
* PARTICULAR PURPOSE. You are solely responsible for determining the
* appropriateness of using or redistributing the Work and assume any
* risks associated with Your exercise of permissions under this License.

* 8. Limitation of Liability. In no event and under no legal theory,
* whether in tort (including negligence), contract, or otherwise,
* unless required by applicable law (such as deliberate and grossly
* negligent acts) or agreed to in writing, shall any Contributor be
* liable to You for damages, including any direct, indirect, special,
* incidental, or consequential damages of any character arising as a
* result of this License or out of the use or inability to use the
* Work (including but not limited to damages for loss of goodwill,
* work stoppage, computer failure or malfunction, or any and all
* other commercial damages or losses), even if such Contributor
* has been advised of the possibility of such damages.

* 9. Accepting Warranty or Additional Liability. While redistributing
* the Work or Derivative Works thereof, You may choose to offer,
* and charge a fee for, acceptance of support, warranty, indemnity,
* or other liability obligations and/or rights consistent with this
* License. However, in accepting such obligations, You may act only
* on Your own behalf and on Your sole responsibility, not on behalf
* of any other Contributor, and only if You agree to indemnify,
* defend, and hold each Contributor harmless for any liability
* incurred by, or claims asserted against, such Contributor by reason
* of your accepting any such warranty or additional liability.

* END OF TERMS AND CONDITIONS

* APPENDIX: How to apply the Apache License to your work.

* To apply the Apache License to your work, attach the following
* boilerplate notice, with the fields enclosed by brackets "[]"
* replaced with your own identifying information. (Don't include
* the brackets!) The text should be enclosed in the appropriate
* comment syntax for the file format. We also recommend that a
* file or class name and description of purpose be included on the
* same "printed page" as the copyright notice for easier
* identification within third-party archives.

* Copyright [yyyy] [name of copyright owner]

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at

* <http://www.apache.org/licenses/LICENSE-2.0>

*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Apache Commons Exec
Copyright 2005-2009 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

1.180 netty-codec-mqtt 4.1.93.Final

1.180.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2020 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-
jar/io/netty/handler/codec/mqtt/MqttUnsubAckPayload.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-
jar/io/netty/handler/codec/mqtt/MqttMessageIdAndPropertiesVariableHeader.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-
jar/io/netty/handler/codec/mqtt/MqttReasonCodeAndPropertiesVariableHeader.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-
jar/io/netty/handler/codec/mqtt/MqttSubscriptionOption.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-
jar/io/netty/handler/codec/mqtt/MqttPubReplyMessageVariableHeader.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-
jar/io/netty/handler/codec/mqtt/MqttProperties.java
```


No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2021 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-
jar/io/netty/handler/codec/mqtt/MqttConstant.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-
jar/io/netty/handler/codec/mqtt/MqttMessageIdVariableHeader.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-
jar/io/netty/handler/codec/mqtt/MqttUnsubscribeMessage.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-
jar/io/netty/handler/codec/mqtt/MqttCodecUtil.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-
jar/io/netty/handler/codec/mqtt/MqttTopicSubscription.java
```

* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttMessage.java

* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttPublishMessage.java

* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttConnectPayload.java

* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttDecoder.java

* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttConnectVariableHeader.java

* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttMessageType.java

* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttPublishVariableHeader.java

* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttIdentifierRejectedException.java

* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttConnectReturnCode.java

* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttFixedHeader.java

* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttUnsubAckMessage.java

* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttMessageFactory.java

* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttSubscribeMessage.java

* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttUnacceptableProtocolVersionException.java

* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttVersion.java

* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttSubscribePayload.java

* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttEncoder.java

* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttSubAckPayload.java

* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttUnsubscribePayload.java

* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttPubAckMessage.java

* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttConnAckMessage.java

* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttConnAckVariableHeader.java

* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttSubAckMessage.java

* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/io/netty/handler/codec/mqtt/MqttConnectMessage.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-
jar/io/netty/handler/codec/mqtt/MqttMessageBuilders.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License, version 2.0 (the
 * "License"); you may not use this file except in compliance with the License. You may obtain a
 * copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-
jar/io/netty/handler/codec/mqtt/MqttQoS.java
* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-
jar/io/netty/handler/codec/mqtt/package-info.java
```

No license file was found, but licenses were detected in source scan.

```
<!--
 ~ Copyright 2014 The Netty Project
```

~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ <https://www.apache.org/licenses/LICENSE-2.0>
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->

Found in path(s):

* /opt/cola/permits/1698848123_1685285751.427286/0/netty-codec-mqtt-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-codec-mqtt/pom.xml

1.181 juel-api 2.2.7

1.181.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2006-2009 Odysseus Software GmbH
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/CompositeELResolver.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/ELResolver.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/MethodInfo.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/PropertyNotFoundException.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/ListELResolver.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/FunctionMapper.java

```
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/ArrayELResolver.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/ValueExpression.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-
jar/javax/el/MethodNotFoundException.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/ELContextListener.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-
jar/javax/el/ResourceBundleELResolver.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/Expression.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/ELContext.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/BeanELResolver.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/ValueReference.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/ELException.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/ExpressionFactory.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/MapELResolver.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/MethodExpression.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/VariableMapper.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-jar/javax/el/ELContextEvent.java
* /opt/cola/permits/1128408631_1611918005.99/0/juel-api-2-2-7-sources-1-
jar/javax/el/PropertyNotWritableException.java
```

1.182 jackson-xc 2.15.0

1.182.1 Available under license :

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers, as well as supported commercially by FasterXML.com.

Licensing

Jackson core and extension components may be licensed under different licenses.

To find the details that apply to this artifact see the accompanying LICENSE file.

For more information, including possible other licensing options, contact FasterXML.com (<http://fasterxml.com>).

Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson JSON processor `jackson-module-jaxb-annotations` module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

1.183 gson 2.10.1

1.183.1 Available under license :

Google Gson

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]"

replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2008-2011 Google Inc.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation

source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable

(except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and

may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify,

defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.184 groovy-nio 3.0.9

1.184.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*

- * Unless required by applicable law or agreed to in writing,
- * software distributed under the License is distributed on an
- * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
- * KIND, either express or implied. See the License for the
- * specific language governing permissions and limitations
- * under the License.
- */

Found in path(s):

- * /opt/cola/permits/1223666029_1635937309.22/0/groovy-nio-3-0-9-sources-jar/org/codehaus/groovy/runtime/NioGroovyMethods.java
- * /opt/cola/permits/1223666029_1635937309.22/0/groovy-nio-3-0-9-sources-jar/org/apache/groovy/nio/runtime/WritablePath.java
- * /opt/cola/permits/1223666029_1635937309.22/0/groovy-nio-3-0-9-sources-jar/org/apache/groovy/nio/extensions/NioExtensions.java
- * /opt/cola/permits/1223666029_1635937309.22/0/groovy-nio-3-0-9-sources-jar/org/codehaus/groovy/runtime/WritablePath.java

1.185 logback-core 1.2.3

1.185.1 Available under license :

/**

- * Logback: the reliable, generic, fast and flexible logging framework.
- * Copyright (C) 1999-2015, QOS.ch. All rights reserved.
- *
- * This program and the accompanying materials are dual-licensed under
- * either the terms of the Eclipse Public License v1.0 as published by
- * the Eclipse Foundation
- *
- * or (per the licensee's choosing)
- *
- * under the terms of the GNU Lesser General Public License version 2.1
- * as published by the Free Software Foundation.
- */

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other

Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was

received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

License names:

Eclipse Public License - v 1.0

GNU Lesser General Public License

1.186 groovy-groovydoc 3.0.9

1.186.1 Available under license :

No license file was found, but licenses were detected in source scan.

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

- * /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/allclasses-frame.html
- * /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/packageLevel/packageDocStructuredData.xml
- * /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/deprecated-list.html
- * /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/classLevel/classDocName.html
- * /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/index-all.html

* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/overview-frame.html
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/classLevel/classDocStructuredData.xml
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/help-doc.html
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/packageLevel/package-summary.html
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/package.html
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/package.html
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/packageLevel/package-frame.html
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/rootDocStructuredData.xml
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/overview-summary.html
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/index.html

No license file was found, but licenses were detected in source scan.

/*

* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing,
* software distributed under the License is distributed on an
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
* KIND, either express or implied. See the License for the
* specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/groovydoc/GroovyRootDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/groovydoc/GroovyExecutableMemberDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/GroovyDocParserI.java

* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyClassDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/FileSystemResourceManager.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/antlr4/GroovyDocParser.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/ClasspathResourceManager.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/apache/groovy/antlr/GroovydocVisitor.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/groovydoc/GroovyProgramElementDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/ArrayClassDocWrapper.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/groovydoc/GroovyTag.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/groovydoc/GroovyParameter.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyMemberDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/antlr4/GroovydocJavaVisitor.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/groovydoc/GroovyDocErrorReporter.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyPackageDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyAbstractableElementDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/groovydoc/GroovyConstructorDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/FileOutputTool.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/groovydoc/GroovyFieldDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyProgramElementDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyClassDocAssembler.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyType.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyExecutableMemberDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyMethodDoc.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/GroovyDocParser.java
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/OutputTool.java

* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/GroovyDocTemplateInfo.java

* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyAnnotationRef.java

* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/groovydoc/GroovyPackageDoc.java

* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/GroovyDocTool.java

* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/groovydoc/GroovyMethodDoc.java

* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/ResourceManager.java

* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/groovydoc/GroovyMemberDoc.java

* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/groovydoc/GroovyDoc.java

* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/Main.groovy

* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyParameter.java

* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/groovydoc/GroovyClassDoc.java

* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyRootDoc.java

* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/groovydoc/GroovyAnnotationRef.java

* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/GroovyRootDocBuilder.java

* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/groovydoc/GroovyType.java

* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/LinkArgument.java

* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/apache/groovy/groovydoc/tools/GroovyDocUtil.java

* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyConstructorDoc.java

* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/ExternalGroovyClassDoc.java

* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/MockOutputTool.java

* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/GroovyDocWriter.java

* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyTag.java

* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyFieldDoc.java

* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-jar/org/codehaus/groovy/tools/groovydoc/GroovyDocTemplateEngine.java

```
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-  
jar/org/codehaus/groovy/tools/groovydoc/SimpleGroovyDoc.java
```

No license file was found, but licenses were detected in source scan.

```
# to you under the Apache License, Version 2.0 (the  
# "License"); you may not use this file except in compliance  
# with the License. You may obtain a copy of the License at  
# http://www.apache.org/licenses/LICENSE-2.0  
# software distributed under the License is distributed on an
```

Found in path(s):

```
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-  
jar/org/codehaus/groovy/tools/groovydoc/Main.properties
```

No license file was found, but licenses were detected in source scan.

```
/*! normalize.css v2.1.0 | MIT License | git.io/normalize */
```

Found in path(s):

```
* /opt/cola/permits/1268276226_1644386929.71/0/groovy-groovydoc-3-0-9-sources-  
jar/org/codehaus/groovy/tools/groovydoc/gstringTemplates/topLevel/styleSheet.css
```

1.187 dropwizard-jersey 2.0.28

1.187.1 Available under license :

Apache-2.0

1.188 hdrhistogram 2.1.9

1.188.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Written by Gil Tene of Azul Systems, and released to the public domain,
```

```
* as explained at http://creativecommons.org/publicdomain/zero/1.0/
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-  
jar/org/HdrHistogram/WriterReaderPhaser.java
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Written by Gil Tene of Azul Systems, and released to the public domain,
```

```
* as explained at http://creativecommons.org/publicdomain/zero/1.0/
```

```
*
```

```
* @author Gil Tene
```

*/

Found in path(s):

- * /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/AtomicHistogram.java
- * /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/RecordedValuesIterator.java
- * /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/DoubleRecorder.java
- * /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/ShortCountsHistogram.java
- * /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/EncodableHistogram.java
- * /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/ZigZagEncoding.java
- * /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/HistogramLogReader.java
- * /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/DoublePercentileIterator.java
- * /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/DoubleHistogramIterationValue.java
- * /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/DoubleHistogram.java
- * /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/HistogramIterationValue.java
- * /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/AllValuesIterator.java
- * /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/DoubleLinearIterator.java
- * /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/Histogram.java
- * /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/AbstractHistogram.java
- * /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/ConcurrentHistogram.java
- * /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/Version.java
- * /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/Recorder.java
- * /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/DoubleRecordedValuesIterator.java
- * /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/LogarithmicIterator.java
- * /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/HistogramLogProcessor.java
- * /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/SingleWriterDoubleRecorder.java
- * /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/AbstractHistogramIterator.java
- * /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/DoubleAllValuesIterator.java


```
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/IntCountsHistogram.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/SynchronizedDoubleHistogram.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/PercentileIterator.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/SingleWriterRecorder.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/ConcurrentDoubleHistogram.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/SynchronizedHistogram.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/DoubleLogarithmicIterator.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/AbstractHistogramLogReader.java
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/LinearIterator.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* package-info.java
* Written by Gil Tene of Azul Systems, and released to the public domain,
* as explained at http://creativecommons.org/publicdomain/zero/1.0/
*/
```

Found in path(s):

```
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-jar/org/HdrHistogram/package-
info.java
```

No license file was found, but licenses were detected in source scan.

```
/**
* Written by Gil Tene of Azul Systems, and released to the public domain,
* as explained at http://creativecommons.org/publicdomain/zero/1.0/
*
* @author Gil Tene
*/
```

```
package org.HdrHistogram;
```

```
final class Version {
    public static final String version="$VERSION$";
    public static final String build_time="$BUILD_TIMES$";
}
```

Found in path(s):

```
* /opt/cola/permits/174180979_1651176763.07/0/hdrhistogram-2-1-9-sources-
jar/org/HdrHistogram/Version.java.template
```

1.189 guice 4.0.0

1.189.1 Available under license :

Google Guice - Core Library
Copyright 2006-2015 Google, Inc.

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]"

replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of

this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only

on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.190 guice-grapher 3.0

1.190.1 Available under license :

Google Guice - Extensions - Grapher
Copyright 2006-2011 Google, Inc.

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of

the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works

that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A

PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.191 netty-transport-native-kqueue

4.1.93.Final

1.191.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2016 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1743888319_1689253531.703963/0/netty-transport-native-kqueue-4-1-93-final-sources-1-jar/netty_kqueue_eventarray.h
* /opt/cola/permits/1743888319_1689253531.703963/0/netty-transport-native-kqueue-4-1-93-final-sources-1-jar/netty_kqueue_eventarray.c
* /opt/cola/permits/1743888319_1689253531.703963/0/netty-transport-native-kqueue-4-1-93-final-sources-1-jar/netty_kqueue_native.c
* /opt/cola/permits/1743888319_1689253531.703963/0/netty-transport-native-kqueue-4-1-93-final-sources-1-jar/netty_kqueue_bsdsocket.c
* /opt/cola/permits/1743888319_1689253531.703963/0/netty-transport-native-kqueue-4-1-93-final-sources-1-jar/netty_kqueue_bsdsocket.h
```

No license file was found, but licenses were detected in source scan.

```
<!--
~ Copyright 2016 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
```

~ with the License. You may obtain a copy of the License at:
~
~ <https://www.apache.org/licenses/LICENSE-2.0>
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->

Found in path(s):

* /opt/cola/permits/1743888319_1689253531.703963/0/netty-transport-native-kqueue-4-1-93-final-sources-1-jar/META-INF/maven/io.netty/netty-transport-native-kqueue/pom.xml

1.192 javassist 3.28.0-GA

1.192.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Javassist, a Java-bytecode translator toolkit.
 * Copyright (C) 2004 Bill Burke. All Rights Reserved.
 *
 * The contents of this file are subject to the Mozilla Public License Version
 * 1.1 (the "License"); you may not use this file except in compliance with
 * the License. Alternatively, the contents of this file may be used under
 * the terms of the GNU Lesser General Public License Version 2.1 or later,
 * or the Apache License Version 2.0.
 *
 * Software distributed under the License is distributed on an "AS IS" basis,
 * WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License
 * for the specific language governing rights and limitations under the
 * License.
 */
```

Found in path(s):

* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/annotation/MemberValueVisitor.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/annotation/LongMemberValue.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/annotation/ByteMemberValue.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/annotation/StringMemberValue.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/annotation/Annotation.java

* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/annotation/BooleanMemberValue.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/annotation/IntegerMemberValue.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/annotation/DoubleMemberValue.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/annotation/ClassMemberValue.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/annotation/ShortMemberValue.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/annotation/MemberValue.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/annotation/FloatMemberValue.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/annotation/AnnotationMemberValue.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/annotation/CharMemberValue.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/annotation/EnumMemberValue.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/annotation/ArrayMemberValue.java

No license file was found, but licenses were detected in source scan.

/*

* Javassist, a Java-bytecode translator toolkit.

* Copyright (C) 1999- Shigeru Chiba. All Rights Reserved.

*

* The contents of this file are subject to the Mozilla Public License Version

* 1.1 (the "License"); you may not use this file except in compliance with

* the License. Alternatively, the contents of this file may be used under

* the terms of the GNU Lesser General Public License Version 2.1 or later,

* or the Apache License Version 2.0.

*

* Software distributed under the License is distributed on an "AS IS" basis,

* WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License

* for the specific language governing rights and limitations under the

* License.

*/

Found in path(s):

* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/ArrayInit.java

* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/EnclosingMethodAttribute.java

* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/IntConst.java

* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-

jar/javassist/convert/TransformBefore.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/StackMap.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/tools/reflect/Sample.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/ClassPoolTail.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/compiler/MemberResolver.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/util/proxy/ProxyObject.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/convert/Transformer.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/LineNumberAttribute.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/ClassClassPath.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/compiler/ast/Variable.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/compiler/ast/Declarator.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/compiler/KeywordTable.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CtConstructor.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/compiler/SyntaxError.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/Javac.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/ByteArrayClassPath.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/ClassFilePrinter.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CtClass.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/ClassPool.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/compiler/ast/NewExpr.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/util/HotSwapper.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CtBehavior.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CtMember.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/compiler/ast/AssignExpr.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/TokenId.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/compiler/CompileError.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/rmi/Proxy.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/compiler/AccessorMaker.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/util/proxy/ProxyObjectOutputStream.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/tools/rmi/AppletServer.java

* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/ParameterAnnotationsAttribute.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/analysis/IntQueue.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/analysis/Executor.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/analysis/Frame.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/ClassMap.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CannotCompileException.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CtNewWrappedConstructor.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/stackmap/TypeData.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/util/proxy/SecurityActions.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/DuplicateMemberException.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/ByteStream.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CtNewClass.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/analysis/MultiArrayType.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/util/proxy/MethodHandler.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CtField.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/ConstPool.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/reflect/Metaobject.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/rmi/ObjectNotFoundException.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/scopedpool/SoftValueHashMap.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/expr/Handler.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/analysis/MultiType.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/runtime/Cflow.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CtNewMethod.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/scopedpool/ScopedClassPoolFactory.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/reflect/CannotCreateException.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/rmi/StubGenerator.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CtArray.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-

jar/javassist/tools/web/Webserver.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/SyntheticAttribute.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/compiler/ast/Symbol.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/runtime/DotClass.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/compiler/ast/InstanceOfExpr.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/runtime/Desc.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/tools/reflect/Compiler.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/analysis/Util.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/compiler/MemberCodeGen.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/ClassPath.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CtMethod.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/tools/reflect/CannotInvokeException.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/stackmap/MapMaker.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/NestHostAttribute.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/runtime/Inner.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/Loader.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/BadBytecode.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/expr/Instanceof.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/tools/reflect/Reflection.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/util/proxy/DefineClassHelper.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/Translator.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/Expr.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/ConstantAttribute.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/tools/rmi/ObjectImporter.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/compiler/ast/CondExpr.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/expr/FieldAccess.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/CtNewWrappedMethod.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/CodeAnalyzer.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/compiler/ast/CastExpr.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-

jar/javassist/util/proxy/FactoryHelper.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/analysis/Subroutine.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/stackmap/TypeTag.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/ClassFileWriter.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/CodeIterator.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/compiler/NoFieldException.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/expr/ExprEditor.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/MethodInfo.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/compiler/ast/MethodDecl.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/DeprecatedAttribute.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/Lex.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/Parser.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/scopedpool/ScopedClassPoolFactoryImpl.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/ExceptionTable.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/ClassFile.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/expr/NewArray.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/framedump.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/annotation/NoSuchClassError.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/compiler/ast/BinExpr.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/AttributeInfo.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/Callback.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/convert/TransformAfter.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/InstructionPrinter.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/tools/reflect/ClassMetaobject.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/bytecode/analysis/ControlFlow.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/compiler/ast/StringL.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/compiler/ast/DoubleConst.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-
jar/javassist/util/proxy/ProxyFactory.java

* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/ASTList.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/Descriptor.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/Stmnt.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/SerialVersionUID.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/Modifier.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/util/proxy/Proxy.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/convert/TransformAccessArrayField.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/ASTree.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/StackMapTable.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/reflect/CannotReflectException.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/convert/TransformReadField.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/SignatureAttribute.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/Pair.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/AccessFlag.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/expr/ConstructorCall.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/scopedpool/ScopedClassPoolRepository.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/convert/TransformNewClass.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/TypeChecker.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/annotation/AnnotationsWriter.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CtNewConstructor.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/Bytecode.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/FieldDecl.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/annotation/AnnotationImpl.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/expr/Cast.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/scopedpool/ScopedClassPool.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/util/proxy/DefinePackageHelper.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/SourceFileAttribute.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/stackmap/TypedBlock.java

* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/LocalVariableTypeAttribute.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/NestMembersAttribute.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/util/proxy/MethodFilter.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/analysis/Analyzer.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/stackmap/Tracer.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/util/HotSwapAgent.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ProceedHandler.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CtClassType.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/Opcode.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/JvstTypeChecker.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/CodeGen.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/analysis/Type.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/Keyword.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/web/Viewer.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/Member.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/JvstCodeGen.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/expr/MethodCall.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/convert/TransformCall.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/rmi/Sample.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/CodeAttribute.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/LoaderClassPath.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/stackmap/BasicBlock.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/CallExpr.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/AnnotationDefaultAttribute.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CodeConverter.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/InnerClassesAttribute.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/expr/Expr.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/analysis/FramePrinter.java
* /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/util/proxy/SerializedProxy.java

- * /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/SymbolTable.java
- * /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/AnnotationsAttribute.java
- * /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/Dump.java
- * /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/ByteArray.java
- * /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/URLClassPath.java
- * /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/rmi/RemoteException.java
- * /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/compiler/ast/Visitor.java
- * /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/LongVector.java
- * /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/rmi/RemoteRef.java
- * /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/convert/TransformFieldAccess.java
- * /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/LocalVariableAttribute.java
- * /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/scopedpool/ScopedClassPoolRepositoryImpl.java
- * /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/web/BadHttpRequest.java
- * /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/FieldInfo.java
- * /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/reflect/Metalevel.java
- * /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/NotFoundException.java
- * /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/expr/NewExpr.java
- * /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/Mnemonic.java
- * /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/util/proxy/RuntimeSupport.java
- * /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/convert/TransformNew.java
- * /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/util/proxy/ProxyObjectInputStream.java
- * /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/tools/reflect/Loader.java
- * /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/convert/TransformWriteField.java
- * /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/ExceptionsAttribute.java
- * /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/CtPrimitiveType.java
- * /opt/cola/permits/1255880306_1642609938.26/0/javassist-3-28-0-ga-sources-jar/javassist/bytecode/analysis/SubroutineScanner.java

1.193 commons-configuration 1.8

1.193.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes

of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You

meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor,

except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Apache Commons Configuration

Copyright 2001-2012 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

1.194 activation-api 1.2.2

1.194.1 Available under license :

Copyright (c) 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

- Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
- Neither the name of the Eclipse Foundation, Inc. nor the names of its
contributors may be used to endorse or promote products derived
from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO,
THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR
CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL,
EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,

PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Eclipse Distribution License - v 1.0

Copyright (c) 2007, Eclipse Foundation, Inc. and its licensors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Notices for Jakarta Activation

This content is produced and maintained by Jakarta Activation project.

* Project home: <https://projects.eclipse.org/projects/ee4j.jaf>

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Distribution License v. 1.0, which is available at <http://www.eclipse.org/org/documents/edl-v10.php>.

SPDX-License-Identifier: BSD-3-Clause

Source Code

The project maintains the following source code repositories:

* <https://github.com/eclipse-ee4j/jaf>

Third-party Content

This project leverages the following third party content.

JUnit (4.12)

* License: Eclipse Public License

1.195 websocket-api 9.4.51.v20230217

1.195.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
 - i) changes to the Program, and
 - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own

license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.
- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
 - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
 - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
 - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
 - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and

b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems,

and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and

limitations under the License.

=====
Jetty Web Container

Copyright 1995-2018 Mort Bay Consulting Pty Ltd.
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd
unless otherwise noted.

Jetty is dual licensed under both

* The Apache 2.0 License

<http://www.apache.org/licenses/LICENSE-2.0.html>

and

* The Eclipse Public 1.0 License

<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

Eclipse

The following artifacts are EPL.

* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.

* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.

* org.eclipse.jetty.orbit:javax.mail.glassfish

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

* javax.servlet:javax.servlet-api

* javax.annotation:javax.annotation-api

* javax.transaction:javax.transaction-api

* javax.websocket:javax.websocket-api

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

org.ow2.asm:asm-commons

org.ow2.asm:asm

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec

org.apache.taglibs:taglibs-standard-impl

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

org.mortbay.jasper:apache-jsp

org.apache.tomcat:tomcat-jasper

org.apache.tomcat:tomcat-juli

org.apache.tomcat:tomcat-jsp-api

org.apache.tomcat:tomcat-el-api

org.apache.tomcat:tomcat-jasper-el

org.apache.tomcat:tomcat-api

org.apache.tomcat:tomcat-util-scan

org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el
org.apache.tomcat:tomcat-jasper-el
org.apache.tomcat:tomcat-el-api

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville. Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

1.196 jline 2.14.6

1.196.1 Available under license :

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.197 groovy-json 3.0.9

1.197.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
#
# Licensed to the Apache Software Foundation (ASF) under one
# or more contributor license agreements. See the NOTICE file
# distributed with this work for additional information
# regarding copyright ownership. The ASF licenses this file
# to you under the Apache License, Version 2.0 (the
# "License"); you may not use this file except in compliance
# with the License. You may obtain a copy of the License at
#
# http://www.apache.org/licenses/LICENSE-2.0
#
# Unless required by applicable law or agreed to in writing,
# software distributed under the License is distributed on an
# "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
# KIND, either express or implied. See the License for the
# specific language governing permissions and limitations
# under the License.
#
org.apache.groovy.json.DefaultFastStringServiceFactory
```

Found in path(s):

```
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/META-
INF/services/org.apache.groovy.json.FastStringServiceFactory
```

No license file was found, but licenses were detected in source scan.

```
/*
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing,
* software distributed under the License is distributed on an
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
* KIND, either express or implied. See the License for the
* specific language governing permissions and limitations
```

* under the License.

*/

Found in path(s):

* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/CharacterSource.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/JsonBuilder.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/Value.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/Dates.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/JsonDelegate.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/FastStringService.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/CharScanner.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/StringEscapeUtils.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/Type.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/ValueContainer.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/DefaultFastStringServiceFactory.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/StreamingJsonBuilder.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/JsonParserCharArray.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/LazyMap.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/ByteScanner.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/ValueList.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/DefaultFastStringService.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/ValueMapImpl.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/JsonFastParser.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/Exceptions.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/JsonParserType.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/JsonParserLax.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/ValueMap.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-

jar/org/apache/groovy/json/internal/CharBuf.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/JsonToken.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/Cache.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/Sys.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/JsonSlurper.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/JsonStringDecoder.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/JsonOutput.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/JsonParser.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/JsonTokenType.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/JsonException.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/JsonLexer.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/MapItemValue.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/JsonSlurperClassic.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/CharSequenceValue.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/ReaderCharacterSource.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/JsonParserUsingCharacterSource.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/IO.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/SimpleCache.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/FastStringServiceFactory.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/Chr.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/CacheType.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/BaseJsonParser.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/FastStringUtils.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/ArrayUtils.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/JsonGenerator.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/NumberValue.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/groovy/json/DefaultJsonGenerator.java
* /opt/cola/permits/1223665998_1635937393.33/0/groovy-json-3-0-9-sources-jar/org/apache/groovy/json/internal/LazyValueMap.java

1.198 jetty-client 9.4.51.v20230217

1.198.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
 - i) changes to the Program, and
 - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.
- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
 - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
 - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
 - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the

Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside

or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer,

and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====
Jetty Web Container
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd unless otherwise noted.

Jetty is dual licensed under both

* The Apache 2.0 License
<http://www.apache.org/licenses/LICENSE-2.0.html>

and

- * The Eclipse Public 1.0 License
<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

Eclipse

The following artifacts are EPL.

- * org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.

- * org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.

- * org.eclipse.jetty.orbit:javax.mail.glassfish

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

- * javax.servlet:javax.servlet-api
- * javax.annotation:javax.annotation-api
- * javax.transaction:javax.transaction-api
- * javax.websocket:javax.websocket-api

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

- * java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

org.ow2.asm:asm-commons

org.ow2.asm:asm

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec

org.apache.taglibs:taglibs-standard-impl

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

org.mortbay.jasper:apache-jsp

org.apache.tomcat:tomcat-jasper

org.apache.tomcat:tomcat-juli

org.apache.tomcat:tomcat-jsp-api

org.apache.tomcat:tomcat-el-api

org.apache.tomcat:tomcat-jasper-el

org.apache.tomcat:tomcat-api

org.apache.tomcat:tomcat-util-scan

org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el

org.apache.tomcat:tomcat-jasper-el

org.apache.tomcat:tomcat-el-api

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

1.199 metrics-jetty 4.1.29

1.199.1 Available under license :

Apache-2.0

1.200 dropwizard-configuration 2.0.34

1.200.1 Available under license :

Dropwizard

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

This product includes software developed by Coda Hale and Yammer, Inc.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.201 okhttp 2.7.5

1.201.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section)

patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or

otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.202 mysql-jdbc 8.0.22

1.202.1 Available under license :

/*

* Copyright (c) 2017, 2020, Oracle and/or its affiliates.

*

* This program is free software; you can redistribute it and/or modify it under
* the terms of the GNU General Public License, version 2.0, as published by the
* Free Software Foundation.

*

* This program is also distributed with certain software (including but not
* limited to OpenSSL) that is licensed under separate terms, as designated in a
* particular file or component or in included license documentation. The
* authors of MySQL hereby grant you an additional permission to link the
* program and your derivative works with the separately licensed software that
* they have included with MySQL.

*

* Without limiting anything contained in the foregoing, this file, which is
* part of MySQL Connector/J, is also subject to the Universal FOSS Exception,
* version 1.0, a copy of which can be found at
* <http://oss.oracle.com/licenses/universal-foss-exception>.

*

* This program is distributed in the hope that it will be useful, but WITHOUT
* ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS
* FOR A PARTICULAR PURPOSE. See the GNU General Public License, version 2.0,
* for more details.

*

* You should have received a copy of the GNU General Public License along with
* this program; if not, write to the Free Software Foundation, Inc.,
* 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

*/

Found license 'General Public License 2.0' in '# This program is free software; you can redistribute it and/or modify it under # the terms of the GNU General Public License, version 2.0, as published by the # limited to OpenSSL) that is licensed under separate terms, as designated in a # This program is distributed in the hope that it will be useful, but WITHOUT # ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS # FOR A PARTICULAR PURPOSE. See the GNU General Public License, version 2.0, # for more details. # You should have received a copy of the GNU General Public License along with License: % {lic_tag}'
Licensing Information User Manual

MySQL Connector/J 8.0

Introduction

This License Information User Manual contains Oracle's product license and other licensing information, including licensing information for third-party software which may be included in this distribution of MySQL Connector/J 8.0.

Last updated: August 2020

Licensing Information

This is a release of MySQL Connector/J 8.0, brought to you by the MySQL team at Oracle. This software is released under version 2 of the GNU General Public License (GPLv2), as set forth below, with the following additional permissions:

This distribution of MySQL Connector/J 8.0 is distributed with certain software that is licensed under separate terms, as designated in a particular file or component or in the license documentation. Without limiting your rights under the GPLv2, the authors of MySQL hereby grant you an additional permission to link the program and your derivative works with the separately licensed software that they have included with the program.

Without limiting the foregoing grant of rights under the GPLv2 and additional permission as to separately licensed software, this Connector is also subject to the Universal FOSS Exception, version 1.0, a copy of which is reproduced below and can also be found along with its FAQ at <http://oss.oracle.com/licenses/universal-foss-exception>.

Copyright (c) 2017, 2020, Oracle and/or its affiliates.

Election of GPLv2

For the avoidance of doubt, except that if any license choice other than GPL or LGPL is available it will apply instead, Oracle elects to use only the General Public License version 2 (GPLv2) at this time for

any software where a choice of GPL license versions is made available with the language indicating that GPLv2 or any later version may be used, or where a choice of which version of the GPL is applied is otherwise unspecified.

GNU General Public License Version 2.0, June 1991

The following applies to all products licensed under the GNU General Public License, Version 2.0: You may not use the identified files except in compliance with the GNU General Public License, Version 2.0 (the "License.") You may obtain a copy of the License at <http://www.gnu.org/licenses/gpl-2.0.txt>. A copy of the license is also reproduced below. Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====
=====

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim
copies of this license document, but changing it is not
allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program

is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not

compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the

integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.

THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

```
This program is free software; you can redistribute it and/or  
modify it under the terms of the GNU General Public License as  
published by the Free Software Foundation; either version 2 of  
  
the License, or (at your option) any later version.
```

```
This program is distributed in the hope that it will be useful,  
but WITHOUT ANY WARRANTY; without even the implied warranty of  
MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the  
GNU General Public License for more details.
```

```
You should have received a copy of the GNU General Public License  
along with this program; if not, write to the Free Software  
Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA  
02110-1301 USA.
```

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details
type 'show w'. This is free software, and you are welcome
to redistribute it under certain conditions; type 'show c'
for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

=====
=====

The Universal FOSS Exception, Version 1.0

In addition to the rights set forth in the other license(s) included in the distribution for this software, data, and/or documentation (collectively the "Software", and such licenses collectively with this additional permission the "Software License"), the copyright holders wish to facilitate interoperability with other software, data, and/or documentation distributed with complete corresponding source under a license that is OSI-approved and/or categorized by the FSF as free (collectively "Other FOSS"). We therefore hereby grant the following additional permission with respect to the use and distribution of the Software with Other FOSS, and the constants, function signatures, data

structures and other invocation methods used to run or interact with each of them (as to each, such software's "Interfaces"):

- i. The Software's Interfaces may, to the extent permitted by the license of the Other FOSS, be copied into, used and distributed in the Other FOSS in order to enable interoperability, without requiring a change to the license of the Other FOSS other than as to any Interfaces of the Software embedded therein. The Software's Interfaces remain at all times under the Software License, including without limitation as used in the Other FOSS (which upon any such use also then contains a portion of the Software under the Software License).
- ii. The Other FOSS's Interfaces may, to the extent permitted by the license of the Other FOSS, be copied into, used and distributed in the Software in order to enable interoperability, without requiring that such Interfaces be licensed under the terms of the Software License or otherwise altering their original terms, if this does not require any portion of the Software other than such Interfaces to be licensed under the terms other than the Software License.
- iii. If only Interfaces and no other code is copied between the Software and the Other FOSS in either direction, the use and/or distribution of the Software with the Other FOSS shall not be deemed to require that the Other FOSS be licensed under the license of the Software, other than as to any Interfaces of the Software copied into the Other FOSS. This includes, by way of example and without limitation, statically or dynamically linking the Software together with Other FOSS after enabling interoperability using the Interfaces of one or both, and distributing the resulting combination under different licenses for the respective portions thereof. For avoidance of doubt, a license which is OSI-approved or categorized by the FSF as free, includes, for the purpose of this permission, such licenses with additional permissions, and any license that has previously been so approved or categorized as free, even if now deprecated or otherwise no longer recognized as approved or free. Nothing in this additional permission grants any right to distribute any portion of the Software on terms other than those of the Software License or grants any additional permission of any kind for use or distribution of the Software in conjunction with software other than Other FOSS.

=====
=====

Licenses for Third-Party Components

The following sections contain licensing information for libraries that may be included with this product. We are thankful to all individuals that have created these. Standard licenses referenced herein are detailed in the Standard Licenses section.

c3p0 JDBC Library

The MySQL Connector/J implements interfaces that are included in c3p0, although no part of c3p0 is included or distributed with MySQL.

Copyright (C) 2019 Machinery For Change, Inc.

- * This library is free software; you can redistribute it and/or modify
- * it under the terms of EITHER:
- *
 - * 1) The GNU Lesser General Public License (LGPL), version 2.1, as
 - * published by the Free Software Foundation
 - *
 - * OR
 - *
 - * 2) The Eclipse Public License (EPL), version 1.0
 - * You may choose which license to accept if you wish to redistribute
 - * or modify this work. You may offer derivatives of this work
 - * under the license you have chosen, or you may provide the same
 - * choice of license which you have been offered here.
 - *
 - * This software is distributed in the hope that it will be useful,
 - * but WITHOUT ANY WARRANTY; without even the implied warranty of
 - * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.
 - *
 - * You should have received copies of both LGPL v2.1 and EPL v1.0
 - * along with this software; see the files LICENSE-EPL and LICENSE-LGPL.
 - * If not, the text of these licenses are currently available at
 - *
 - * LGPL v2.1: <http://www.gnu.org/licenses/old-licenses/lgpl-2.1.html>
 - * EPL v1.0: <http://www.eclipse.org/org/documents/epl-v10.php>

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:

i) changes to the Program, and

ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the

rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
 - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
 - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
 - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
 - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL,

SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the

intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

The LGPL v2.1 can be found in GNU Lesser General Public License Version 2.1, February 1999.

=====
=====

Google Protocol Buffers

Copyright 2008 Google Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner of the input file used when generating it. This code is not standalone and requires a support library to be linked with it. This support library is itself covered by the above license.

=====
=====

Java Hamcrest

Copyright (c) 2000-2015 www.hamcrest.org
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Hamcrest nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====
=====

jboss-common-jdbc-wrapper.jar

This product may include a copy of jboss-common-jdbc-wrapper.jar in both source and object code in the following /src/lib/jboss-common-jdbc-wrapper.jar. The terms of the Oracle license do NOT apply to jboss-common-jdbc-wrapper.jar; it is licensed under the following license, separately from the Oracle programs you receive. If you do not wish to install this library, you may remove the file /src/lib/jboss-common-jdbc-wrapper.jar, but the Oracle program might not operate properly or at all without the library.

This component is licensed under GNU Lesser General Public License Version 2.1, February 1999. See the 'Standard Licenses' section for license text.

=====

=====

JUnit 5

COPYRIGHT: Copyright 2015-2020 the original author or authors.

Eclipse Public License - v 2.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

a) in the case of the initial Contributor, the initial content Distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are Distributed by that particular Contributor. A Contribution "originates" from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include changes or additions to the Program that are not Modified Works.

"Contributor" means any person or entity that Distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions Distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement or any Secondary License (as applicable), including Contributors.

"Derivative Works" shall mean any work, whether in Source Code or other form, that is based on (or derived from) the Program and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship.

"Modified Works" shall mean any work in Source Code or other form that

results from an addition to, deletion from, or modification of the contents of the Program, including, for purposes of clarity any new file in Source Code form that contains any contents of the Program. Modified Works shall not include works that contain only declarations, interfaces, types, classes, structures, or files of the Program solely in each case in order to link to, bind by name, or subclass the Program or Modified Works thereof.

"Distribute" means the acts of a) distributing or b) making available in any manner that enables the transfer of a copy.

"Source Code" means the form of a Program preferred for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Secondary License" means either the GNU General Public License, Version 2.0, or any later versions of that license, including any exceptions or additional permissions as identified by the initial Contributor.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, Distribute and sublicense the Contribution of such Contributor, if any, and such Derivative Works.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in Source Code or other form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby

assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to Distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

e) Notwithstanding the terms of any Secondary License, no Contributor makes additional grants to any Recipient (other than those set forth in this Agreement) as a result of such Recipient's receipt of the Program under the terms of a Secondary License (if permitted under the terms of Section 3).

3. REQUIREMENTS

3.1 If a Contributor Distributes the Program in any form, then:

a) the Program must also be made available as Source Code, in accordance with section 3.2, and the Contributor must accompany the Program with a statement that the Source Code for the Program is available under this Agreement, and informs Recipients how to obtain it in a reasonable manner on or through a medium customarily used for software exchange; and

b) the Contributor may Distribute the Program under a license different than this Agreement, provided that such license:

i) effectively disclaims on behalf of all other Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all other Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) does not attempt to limit or alter the recipients' rights in the Source Code under section 3.2; and

iv) requires any subsequent distribution of the Program by any party to be under a license that satisfies the requirements of this section 3.

3.2 When the Program is Distributed as Source Code:

a) it must be made available under this Agreement, or if the Program (i) is combined with other material in a separate file or files made available under a Secondary License, and (ii) the initial Contributor attached to the Source Code the notice described in Exhibit A of this Agreement, then the Program may be made available under the terms of such Secondary Licenses, and

b) a copy of this Agreement must be included with each copy of the Program.

3.3 Contributors may not remove or alter any copyright, patent, trademark, attribution notices, disclaimers of warranty, or limitations of liability ("notices") contained within the Program from any copy of the Program which they Distribute, provided that Contributors may add their own appropriate notices.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to

pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, AND TO THE EXTENT PERMITTED BY APPLICABLE LAW, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's

rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be Distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to Distribute the Program (including its Contributions) under the new version.

Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved. Nothing in this Agreement is intended to be enforceable by any entity that is not a Contributor or Recipient. No third-party beneficiary rights are created under this Agreement.

Exhibit A - Form of Secondary Licenses Notice

"This Source Code may also be made available under the following Secondary Licenses when the conditions for such availability set forth in the Eclipse Public License, v. 2.0 are satisfied: { name license(s), version(s), and exceptions or additional permissions here }."

Simply including a copy of this Agreement, including this Exhibit A is not sufficient to license the Source Code under Secondary Licenses.

If it is not possible or desirable to put the notice in a particular file, then You may include the notice in a location (such as a LICENSE file in a relevant directory) where a recipient would be likely to look for such a notice.

You may add additional accurate notices of copyright ownership.

=====

This product may include a number of subcomponents with separate copyright notices and license terms. Your use of the source code for

these subcomponents is subject to the terms and conditions of the subcomponent's license, as noted in the LICENSE-<subcomponent>.md files.

==== Copyright from source files ====

/*

* Copyright 2015-2020 the original author or authors.

*

* All rights reserved. This program and the accompanying materials are
* made available under the terms of the Eclipse Public License v2.0 which
* accompanies this distribution and is available at

*

* <https://www.eclipse.org/legal/epl-v20.html>

*/

Additional licenses

=====

==== junit-jupiter-params & junit-platform-console =====

Directories include an Apache license file

Apache License Version 2.0, January 2004

Additional external dependencies

=====

<https://github.com/apiguardian-team/apiguardian/archive/r1.1.0.zip>

/*

* Copyright 2002-2017 the original author or authors.

*

The above component is licensed under
Apache License Version 2.0, January 2004

<https://github.com/ota4j-team/opentest4j/archive/r1.2.0.zip>

/*

* Copyright 2015-2018 the original author or authors.

*

The above component is licensed under
Apache License Version 2.0, January 2004

=====

NanoXML

NanoXML

* Copyright (C) 2000-2002 Marc De Scheemaeker, All Rights Reserved.

- *
 - * This software is provided 'as-is', without any express or implied warranty.
 - * In no event will the authors be held liable for any damages arising from the use of this software.
- *
 - * Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:
- *
 1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
 2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
 3. This notice may not be removed or altered from any source distribution.

=====
=====

rox.jar

rox.jar
Copyright (c) 2006, James Greenfield
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the <ORGANIZATION> nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER

CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====
=====

Simple Logging Facade for Java (SLF4J)

Simple Logging Facade for Java (SLF4J)

Copyright (c) 2004-2011 QOS.ch
All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====
=====

Unicode Data Files

Unicode Data Files
COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1991-2014 Unicode, Inc. All rights reserved. Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

=====
=====

Standard Licenses

GNU Lesser General Public License Version 2.1, February 1999

The following applies to all products licensed under the GNU Lesser General Public License, Version 2.1: You may not use the identified files except in compliance with the GNU Lesser General Public License, Version 2.1 (the "License"). You may obtain a copy of the License at <http://www.gnu.org/licenses/lgpl-2.1.html>. A copy of the license is also reproduced below. Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing

permissions and limitations under the License.

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use,
not price. Our General Public Licenses are designed to make sure that
you have the freedom to distribute copies of free software (and charge
for this service if you wish); that you receive source code or can get
it if you want it; that you can change the software and use pieces of
it in new free programs; and that you are informed that you can do
these things.

To protect your rights, we need to make restrictions that forbid
distributors to deny you these rights or to ask you to surrender these
rights. These restrictions translate to certain responsibilities for
you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis
or for a fee, you must give the recipients all the rights that we gave
you. You must make sure that they, too, receive or can get the source
code. If you link other code with the library, you must provide
complete object files to the recipients, so that they can relink them
with the library after making changes to the library and recompiling
it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library

to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not

covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If

identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding

machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library

facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.
- b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by

all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free

Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or

modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

=====
=====

Apache License Version 2.0, January 2004

The following applies to all products licensed under the Apache 2.0 License: You may not use the identified files except in compliance with the Apache License, Version 2.0 (the "License.") You may obtain a copy of the License at <http://www.apache.org/licenses/LICENSE-2.0>. A copy of the license is also reproduced below. Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Apache License Version 2.0, January 2004 <http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted"

means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution

notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained

within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your

exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.

You may obtain a copy of the License at
<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions

and limitations under the License.

=====
=====

Written Offer for Source Code

For any software that you receive from Oracle in binary form which is licensed under an open source license that gives you the right to receive the source code for that binary, you can obtain a copy of the applicable source code by visiting <http://www.oracle.com/goto/opensourcecode>. If the source code for the binary was not provided to you with the binary, you can also receive a copy of the source code on physical media by submitting a written request to the address listed below or by sending an email to Oracle using the following link:

<http://www.oracle.com/goto/opensourcecode/request>.

Oracle America, Inc.
Attn: Senior Vice President
Development and Engineering Legal
500 Oracle Parkway, 10th Floor
Redwood Shores, CA 94065

Your request should include:

- * The name of the binary for which you are requesting the source code
- * The name and version number of the Oracle product containing the binary
- * The date you received the Oracle product
- * Your name
- * Your company name (if applicable)
- * Your return mailing address and email, and
- * A telephone number in the event we need to reach you.

We may charge you a fee to cover the cost of physical media and processing.

Your request must be sent

- a. within three (3) years of the date you received the Oracle product that included the binary that is the subject of your request, or
- b. in the case of code licensed under the GPL v3 for as long as Oracle offers spare parts or customer support for that product model.

1.203 grpc-protobuf-lite 1.24.0

1.203.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The gRPC Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1638411428_1681425252.4968038/0/grpc-protobuf-lite-1-24-0-sources-1-
jar/io/grpc/protobuf/lite/ProtoInputStream.java
* /opt/cola/permits/1638411428_1681425252.4968038/0/grpc-protobuf-lite-1-24-0-sources-1-
jar/io/grpc/protobuf/lite/ProtoLiteUtils.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2017 The gRPC Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1638411428_1681425252.4968038/0/grpc-protobuf-lite-1-24-0-sources-1-
jar/io/grpc/protobuf/lite/package-info.java
```

1.204 feign-core 8.15.1

1.204.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2008 Google Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Types.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 Netflix, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/SynchronousMethodHandler.java
```

```
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/InvocationHandlerFactory.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2015 Netflix, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Param.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/QueryParam.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2013 Netflix, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-
jar/feign/codec/Decoder.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-
jar/feign/codec/Encoder.java
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2013 Netflix, Inc.
```

*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/RequestTemplate.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/auth/BasicAuthRequestInterceptor.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/RetryableException.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/ReflectiveFeign.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/codec/ErrorDecoder.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Logger.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Request.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/codec/EncodeException.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/codec/StringDecoder.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Retriyer.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/codec/DecodeException.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Util.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/auth/Base64.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/FeignException.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Client.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/MethodMetadata.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Response.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Feign.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/RequestInterceptor.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Contract.java
* /opt/ws_local/PERMITS_SQL/1041687624_1590960580.15/0/feign-core-8-15-1-sources-jar/feign/Target.java

1.205 assertj-core 3.9.1

1.206 rxjava 1.3.0

1.206.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright 2017 Netflix, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OnSubscribeFlatMapSingle.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OnSubscribeFlatMapCompletable.java
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 *
 * Original License: https://github.com/JCTools/JCTools/blob/master/LICENSE
```


* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/SpmcArrayQueue.java>

*/

Found in path(s):

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/unsafe/SpmcArrayQueue.java

No license file was found, but licenses were detected in source scan.

/*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*

* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>

* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/SpscLinkedQueue.java>

*/

Found in path(s):

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/unsafe/SpscLinkedQueue.java

No license file was found, but licenses were detected in source scan.

====

Copyright 2014 Netflix, Inc.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and

limitations under the License.

====

This package "rx.internal.operators" is for internal implementation details and can change at any time.

It is excluded from the public Javadocs (<http://netflix.github.io/RxJava/javadoc/>) and should not be relied upon by any code.

In short, changes to public signatures of these classes will not be accounted for in the versioning of RxJava.

Found in path(s):

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/README.md

No license file was found, but licenses were detected in source scan.

/**

* Copyright 2015 Netflix, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/BackpressureUtils.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/producers/ProducerObserverArbiter.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/producers/SingleDelayedProducer.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/producers/QueuedProducer.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/producers/SingleProducer.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/producers/ProducerArbiter.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/producers/QueuedValueProducer.java

No license file was found, but licenses were detected in source scan.

/**

* Copyright 2014 Netflix, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Modified from <http://www.javacodegeeks.com/2013/08/simple-and-lightweight-pool-implementation.html>
*/

Found in path(s):

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/OpenHashSet.java

No license file was found, but licenses were detected in source scan.

/*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>
* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/SpSCAtomicArrayQueue.java>
*/

Found in path(s):

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/atomic/SpSCExactAtomicArrayQueue.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/atomic/SpSCAtomicArrayQueue.java

No license file was found, but licenses were detected in source scan.

/**

* Copyright 2014 Netflix, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in
* compliance with the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software distributed under the License is
* distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
or implied. See
* the License for the specific language governing permissions and limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/util/UtilityFunctions.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/Observable.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>
* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/MessagePassingQueue.java>
*/

Found in path(s):

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/util/unsafe/MessagePassingQueue.java
No license file was found, but licenses were detected in source scan.

/**
* Copyright 2015 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>

*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/observables/AsyncOnSubscribe.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/singles/BlockingSingle.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleDoAfterTerminate.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/SingleSubscriber.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/BlockingUtils.java

No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>
* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/SpscLinkedAtomicQueue.java>
*/

Found in path(s):

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/atomic/SpscLinkedAtomicQueue.java

No license file was found, but licenses were detected in source scan.

/**
* Copyright 2014 Netflix, Inc.
* <p/>
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at

* <p/>
* <http://www.apache.org/licenses/LICENSE-2.0>
* <p/>
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/ScalarSynchronousSingle.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>
* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/SpSCArrayQueue.java>
*/

Found in path(s):

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/unsafe/SpSCArrayQueue.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>
* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/LinkedListNode.java>
*/

Found in path(s):

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/atomic/LinkedListNode.java

No license file was found, but licenses were detected in source scan.

<!--

Copyright 2014 Netflix, Inc.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

-->

Found in path(s):

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/package.html

No license file was found, but licenses were detected in source scan.

/*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

*
* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>
* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/BaseLinkedQueue.java>
*/

Found in path(s):

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/unsafe/BaseLinkedQueue.java

No license file was found, but licenses were detected in source scan.

/**

* Copyright 2015 Netflix, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in
* compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License is
* distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express
or implied. See

* the License for the specific language governing permissions and limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/Single.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeCombineLatest.java

No license file was found, but licenses were detected in source scan.

/*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*

* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>

* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/SpSCUnboundedAtomicArrayQueue.java>

*/

Found in path(s):

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/atomic/SpScUnboundedAtomicArrayQueue.java
No license file was found, but licenses were detected in source scan.

/*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>
* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/MpscLinkedAtomicQueue.java>
*/

Found in path(s):

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/atomic/MpscLinkedAtomicQueue.java
No license file was found, but licenses were detected in source scan.

/*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>
* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/util/Pow2.java>
*/

Found in path(s):

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/unsafe/Pow2.java

No license file was found, but licenses were detected in source scan.

/**

* Copyright one 2014 Netflix, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeToMultimap.java

No license file was found, but licenses were detected in source scan.

/*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*

* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>

* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/SpSCUnboundedArrayQueue.java>

*/

Found in path(s):

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/unsafe/SpSCUnboundedArrayQueue.java

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright 2014 Netflix, Inc.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorOnBackpressureDrop.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/exceptions/OnCompletedFailedException.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorSubscribeOn.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/Scheduler.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/observers/SerializedSubscriber.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/CompletableOnSubscribeMerge.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Function.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Action.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/plugins/RxJavaObservableExecutionHookDefault.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subjects/PublishSubject.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OnSubscribeAutoConnect.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorTakeLast.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/observables/ConnectableObservable.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorElementAt.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorReplay.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OnSubscribeSingle.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/Producer.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorToObservableList.java
```

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/RxRingBuffer.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Action1.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subjects/BehaviorSubject.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subjects/SubjectSubscriptionManager.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorTimeoutWithSelector.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/Notification.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Func6.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/schedulers/NewThreadScheduler.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/FuncN.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorDoOnUnsubscribe.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/BlockingOperatorToFuture.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeJoin.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subjects/UnicastSubject.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Action8.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/observers/TestObserver.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Action3.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/Completable.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorOnBackpressureBuffer.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/Subscription.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorTakeWhile.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/CompletableOnSubscribeMergeDelayErrorIterable.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorDematerialize.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/BufferUntilSubscriber.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/observables/SyncOnSubscribe.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorToObservableSortedList.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Func8.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorGroupBy.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/CompletableOnSubscribeMergeIterable.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/exceptions/UnsubscribeFailedException.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-

jar/rx/internal/operators/CompletableOnSubscribeTimeout.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
 jar/rx/internal/operators/OnSubscribeAmb.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
 jar/rx/internal/operators/OnSubscribeFromArray.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
 jar/rx/internal/operators/OnSubscribeGroupJoin.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
 jar/rx/internal/operators/NotificationLite.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
 jar/rx/internal/schedulers/CachedThreadScheduler.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
 jar/rx/internal/operators/BlockingOperatorNext.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
 jar/rx/internal/schedulers/SleepingAction.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
 jar/rx/schedulers/TestScheduler.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
 jar/rx/internal/schedulers/TrampolineScheduler.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
 jar/rx/internal/operators/OperatorTakeLastTimed.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
 jar/rx/exceptions/OnErrorNotImplementedException.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
 jar/rx/internal/operators/OperatorDoOnRequest.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
 jar/rx/internal/operators/OperatorAsObservable.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
 jar/rx/subscriptions/SerialSubscription.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
 jar/rx/internal/subscriptions/SequentialSubscription.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
 jar/rx/internal/operators/OperatorMaterialize.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Action4.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
 jar/rx/observers/SerializedObserver.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
 jar/rx/internal/operators/OperatorIgnoreElements.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Action2.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
 jar/rx/internal/schedulers/EventLoopsScheduler.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
 jar/rx/plugins/RxJavaErrorHandler.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
 jar/rx/internal/operators/OperatorWithLatestFromMany.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Functions.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/Observer.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-

jar/rx/internal/operators/CachedObservable.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorDoOnSubscribe.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorObserveOn.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Action6.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Func4.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/schedulers/ImmediateScheduler.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Action7.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/BlockingOperatorToIterator.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/observables/GroupedObservable.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorTakeUntilPredicate.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorThrottleFirst.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/Subscriber.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorTimeoutBase.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorAll.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Action5.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorTimeInterval.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OnSubscribeDoOnEach.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorMapNotification.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OnSubscribeDefer.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/plugins/RxJavaObservableExecutionHook.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorCast.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorSingle.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subjects/Subject.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorTake.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/OperatorTimestamp.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Action0.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/operators/CompletableOnSubscribeConcat.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/internal/schedulers/ImmediateScheduler.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/exceptions/Exceptions.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subscriptions/MultipleAssignmentSubscription.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleDoOnEvent.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/package-info.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorSkipWhile.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorMerge.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorSkipLastTimed.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/observers/Subscribers.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subscriptions/BooleanSubscription.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorSkip.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/exceptions/MissingBackpressureException.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorTimeout.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/schedulers/NewThreadScheduler.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/schedulers/TrampolineScheduler.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/CompletableOnSubscribeMergeDelayErrorArray.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeFilter.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/BlockingOperatorLatest.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/BackpressureDrainManager.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/CompletableOnSubscribeMergeArray.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorSequenceEqual.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/observers/TestSubscriber.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/IndexedRingBuffer.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeToMap.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subscriptions/RefCountSubscription.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorSkipLast.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-

jar/rx/schedulers/Stamped.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
 jar/rx/internal/operators/OperatorOnErrorResumeNextViaFunction.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
 jar/rx/internal/operators/OnSubscribeSwitchIfEmpty.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
 jar/rx/internal/operators/CompletableOnSubscribeConcatArray.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Action9.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
 jar/rx/internal/operators/OnSubscribeUsing.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
 jar/rx/internal/operators/OperatorTakeUntil.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/plugins/RxJavaPlugins.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
 jar/rx/internal/util/LinkedList.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
 jar/rx/internal/operators/SingleOnSubscribeMap.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
 jar/rx/internal/util/ScalarSynchronousObservable.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
 jar/rx/internal/operators/OnSubscribeRedo.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Func2.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subjects/TestSubject.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
 jar/rx/subscriptions/CompositeSubscription.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
 jar/rx/internal/operators/OnSubscribeMap.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
 jar/rx/internal/operators/OperatorZipIterable.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
 jar/rx/internal/operators/OperatorZip.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
 jar/rx/internal/operators/BlockingOperatorMostRecent.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
 jar/rx/internal/operators/OnSubscribeToObservableFuture.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subjects/ReplaySubject.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Func1.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
 jar/rx/subscriptions/Subscriptions.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
 jar/rx/internal/operators/OperatorAny.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
 jar/rx/subjects/SerializedSubject.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
 jar/rx/exceptions/CompositeException.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/ActionN.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Func0.java
 * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subjects/AsyncSubject.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/schedulers/package-info.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorSerialize.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/exceptions/OnErrorThrowable.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/schedulers/Schedulers.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorScan.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/CompletableOnSubscribeConcatIterable.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Func9.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/SubscriptionList.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/observers/Observers.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeFromIterable.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorUnsubscribeOn.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/schedulers/TimeInterval.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Func5.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeRange.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/exceptions/OnErrorFailedException.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/observables/BlockingObservable.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/schedulers/GenericScheduledExecutorService.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Func7.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/observers/SafeSubscriber.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Func3.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorDelay.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

*
* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>
* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/ConcurrentCircularArrayQueue.java>
*/

Found in path(s):

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/unsafe/ConcurrentCircularArrayQueue.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016 Netflix, Inc.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/SingleEmitter.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/CompletableSubscriber.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/CompletableFromEmitter.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/CompletableEmitter.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>
* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/ConcurrentSequencedCircularArrayQueue.java>
*/

Found in path(s):

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/unsafe/ConcurrentSequencedCircularArrayQueue.java

No license file was found, but licenses were detected in source scan.

/*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

*

* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>
* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/BaseLinkedAtomicQueue.java>
*/

Found in path(s):

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/atomic/BaseLinkedAtomicQueue.java

No license file was found, but licenses were detected in source scan.

/*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.

*

* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>
* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools->

core/src/main/java/org/jctools/queues/MpscLinkedQueue.java

*/

Found in path(s):

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/unsafe/MpscLinkedQueue.java

No license file was found, but licenses were detected in source scan.

/**

* Copyright 2014 Netflix, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy of
* the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.

*/

Found in path(s):

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Actions.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorDoAfterTerminate.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorWindowWithTime.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorWindowWithStartEndObservable.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorWindowWithObservableFactory.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeDelaySubscriptionOther.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeRefCount.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeSkipTimed.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorMapPair.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/PlatformDependent.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorDelayWithSelector.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorMulticast.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorDebounceWithSelector.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleOnSubscribeDelaySubscriptionOther.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/RxThreadFactory.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorOnBackpressureLatest.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/atomic/SpSCLinkedListArrayQueue.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeDelaySubscriptionWithSelector.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorWindowWithObservable.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/schedulers/ExecutorScheduler.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorDistinctUntilChanged.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorPublish.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorDistinct.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/schedulers/NewThreadWorker.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/schedulers/ScheduledAction.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorSampleWithObservable.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorBufferWithTime.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeDelaySubscription.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorSkipUntil.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorEagerConcatMap.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeTimerPeriodically.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorBufferWithStartEndObservable.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorBufferWithSize.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorWithLatestFrom.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeTimerOnce.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorBufferWithSingleObservable.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorDebounceWithTime.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorTakeTimed.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorSwitch.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorRetryWithPredicate.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorSampleWithTime.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OperatorWindowWithSize.java

No license file was found, but licenses were detected in source scan.

This package contains code that relies on `sun.misc.Unsafe`. Before using it you **MUST** assert `UnsafeAccess.isUnsafeAvailable() == true`

Much of the code in this package comes from or is inspired by the JCTools project:
<https://github.com/JCTools/JCTools>

JCTools has now published artifacts (<https://github.com/JCTools/JCTools/issues/17>) so RxJava could add JCTools as a "shadow" dependency (<https://github.com/ReactiveX/RxJava/issues/1735>).

RxJava has a "zero dependency" policy for the core library, so if we do add it as a dependency, it won't be an externally visible dependency that results in a separate jar.

The license for the JCTools code is <https://github.com/JCTools/JCTools/blob/master/LICENSE>

As of June 10 2014 when this code was copied the LICENSE read as:

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "{}" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright {yyyy} {name of copyright owner}

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/unsafe/README.md

No license file was found, but licenses were detected in source scan.

/**

* Copyright 2016 Netflix, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/plugins/RxJavaHooks.java
- * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeOnAssemblyCompletable.java
- * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/subscriptions/Unsubscribed.java
- * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/ActionNotificationObserver.java
- * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/BackpressureOverflow.java
- * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/observers/SafeCompletableSubscriber.java
- * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/exceptions/package-info.java
- * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeCreate.java
- * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/EmptyObservableHolder.java
- * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleDelay.java
- * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleTakeUntilCompletable.java
- * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/ActionSubscriber.java
- * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/InternalObservableUtils.java
- * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/plugins/RxJavaSingleExecutionHookDefault.java
- * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/observables/package-info.java
- * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/exceptions/AssemblyStackTraceException.java
- * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/observers/AsyncCompletableSubscriber.java
- * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subjects/package-info.java
- * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleFromObservable.java
- * /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-

jar/rx/internal/operators/SingleOnErrorReturn.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleToObservable.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/ActionObserver.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/Cancellable.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/observers/package-info.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/plugins/RxJavaCompletableExecutionHook.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleDoOnSubscribe.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/plugins/package-info.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleDoOnUnsubscribe.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeOnAssemblySingle.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/ObserverSubscriber.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleObserveOn.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/plugins/RxJavaSingleExecutionHook.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleLiftObservableOperator.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/singles/package-info.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/annotations/package-info.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleFromCallable.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeLift.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeFlattenIterable.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeOnAssembly.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/AssertableSubscriberObservable.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/schedulers/SchedulePeriodicHelper.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeDetach.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/subscriptions/CancellableSubscription.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/schedulers/GenericScheduledExecutorServiceFactory.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleTakeUntilSingle.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-

jar/rx/internal/schedulers/SchedulerWhen.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/observers/AssertableSubscriber.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/Emitter.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeThrow.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/subscriptions/package-info.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/functions/package-info.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/CompletableFlatMapSingleToCompletable.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleTimeout.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleFromFuture.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleFromEmitter.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/NeverObservableHolder.java
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleTakeUntilObservable.java
No license file was found, but licenses were detected in source scan.

/*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*
* Inspired from <https://code.google.com/p/guava-libraries/source/browse/guava/src/com/google/common/annotations/Beta.java>
*/

Found in path(s):
* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/annotations/Experimental.java
No license file was found, but licenses were detected in source scan.

/**
* Copyright 2014 Netflix, Inc.
*

```

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
/**
* This plugin class provides 2 ways to customize {@link Scheduler} functionality
* 1. You may redefine entire schedulers, if you so choose. To do so, override
* the 3 methods that return Scheduler (io(), computation(), newThread()).
* 2. You may wrap/decorate an {@link Action0}, before it is handed off to a Scheduler. The system-
* supplied Schedulers (Schedulers.ioScheduler, Schedulers.computationScheduler,
* Scheduler.newThreadScheduler) all use this hook, so it's a convenient way to
* modify Scheduler functionality without redefining Schedulers wholesale.
*
* Also, when redefining Schedulers, you are free to use/not use the onSchedule decoration hook.
* <p>
* See {@link RxJavaPlugins} or the RxJava GitHub Wiki for information on configuring plugins:
* <a
href="https://github.com/ReactiveX/RxJava/wiki/Plugins">https://github.com/ReactiveX/RxJava/wiki/Plugins</a>.
*/

```

Found in path(s):

```

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-
jar/rx/plugins/RxJavaSchedulersHook.java

```

No license file was found, but licenses were detected in source scan.

```

/*
* Copyright (C) 2010 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*

```

* Originally from <https://code.google.com/p/guava-libraries/source/browse/guava/src/com/google/common/annotations/Beta.java>
*/

Found in path(s):

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/annotations/Beta.java

No license file was found, but licenses were detected in source scan.

/**

* Copyright 2016 Netflix, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not

* use this file except in compliance with the License. You may obtain a copy of

* the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations under

* the License.

*/

Found in path(s):

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/ExceptionsUtils.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeConcatMap.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeCollect.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/DeferredScalarSubscriber.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/DeferredScalarSubscriberSafe.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribePublishMulticast.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/OnSubscribeReduceSeed.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleOperatorOnErrorResumeNext.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/operators/SingleOperatorZip.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/schedulers/SchedulerLifecycle.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/SuppressAnimalSniffer.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-

jar/rx/internal/operators/OnSubscribeFromCallable.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-

jar/rx/internal/operators/SingleOnSubscribeUsing.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-

jar/rx/internal/operators/OnSubscribeTakeLastOne.java

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-

jar/rx/internal/operators/OnSubscribeReduce.java

No license file was found, but licenses were detected in source scan.

/*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*

* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>

* Original location: [https://github.com/JCTools/JCTools/blob/master/jctools-](https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/MpmcArrayQueue.java)

[core/src/main/java/org/jctools/queues/MpmcArrayQueue.java](https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/MpmcArrayQueue.java)

*/

Found in path(s):

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-

jar/rx/internal/util/unsafe/MpmcArrayQueue.java

No license file was found, but licenses were detected in source scan.

/*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*

* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>

* Original location: [https://github.com/JCTools/JCTools/blob/master/jctools-](https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/QueueProgressIndicators.java)

[core/src/main/java/org/jctools/queues/QueueProgressIndicators.java](https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/QueueProgressIndicators.java)

*/

Found in path(s):

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/unsafe/QueueProgressIndicators.java

No license file was found, but licenses were detected in source scan.

/**

* Copyright 2014 Netflix, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

/*

* This mechanism for getting UNSAFE originally from:

*

* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>

* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/util/UnsafeAccess.java>

*/

Found in path(s):

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/unsafe/UnsafeAccess.java

No license file was found, but licenses were detected in source scan.

/*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*

* Original License: <https://github.com/JCTools/JCTools/blob/master/LICENSE>
* Original location: <https://github.com/JCTools/JCTools/blob/master/jctools-core/src/main/java/org/jctools/queues/atomic/AtomicReferenceArrayQueue.java>
*/

Found in path(s):

* /opt/cola/permits/1128344293_1676352144.1405265/0/rxjava-1-3-0-sources-1-jar/rx/internal/util/atomic/AtomicReferenceArrayQueue.java

1.207 dropwizard-jackson 2.0.34

1.207.1 Available under license :

Apache-2.0

1.208 annotations 3.0.1

1.208.1 Available under license :

GNU Lesser Public License

<http://www.gnu.org/licenses/lgpl.html>

/*

* FindBugs - Find Bugs in Java programs

* Copyright (C) 2005, University of Maryland

*

* This library is free software; you can redistribute it and/or

* modify it under the terms of the GNU Lesser General Public

* License as published by the Free Software Foundation; either

* version 2.1 of the License, or (at your option) any later version.

*

* This library is distributed in the hope that it will be useful,

* but WITHOUT ANY WARRANTY; without even the implied warranty of

* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU

* Lesser General Public License for more details.

*

* You should have received a copy of the GNU Lesser General Public

* License along with this library; if not, write to the Free Software

* Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

*/

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies

of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts

as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is

linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact

all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest

your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License.

Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

- a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact

that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the

integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE

IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library 'Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

1.209 jsoup 1.15.3

1.209.1 Available under license :

The MIT License

Copyright (c) 2009-2022 Jonathan Hedley <<https://jsoup.org/>>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.210 snappy 0.3

1.210.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2011 the original author or authors.

- * See the notice.md file distributed with this work for additional
- * information regarding copyright ownership.
- *
- * Licensed under the Apache License, Version 2.0 (the "License");
- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-jar/org/iq80/snappy/Memory.java
- * /opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-jar/org/iq80/snappy/SnappyCompressor.java
- * /opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-jar/org/iq80/snappy/Main.java
- * /opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-jar/org/iq80/snappy/UnsafeMemory.java
- * /opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-jar/org/iq80/snappy/SnappyDecompressor.java
- * /opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-jar/org/iq80/snappy/SnappyInternalUtils.java
- * /opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-jar/org/iq80/snappy/CorruptionException.java
- * /opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-jar/org/iq80/snappy/Snappy.java
- * /opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-jar/org/iq80/snappy/SlowMemory.java
- * /opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-jar/org/iq80/snappy/SnappyInputStream.java
- * /opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-jar/org/iq80/snappy/Crc32C.java
- * /opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-jar/org/iq80/snappy/SnappyOutputStream.java
- * /opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-jar/org/iq80/snappy/BufferRecycler.java
- * /opt/cola/permits/1722433605_1686901730.8528392/0/snappy-0-3-sources-3-jar/org/iq80/snappy/HadoopSnappyCodec.java

1.211 re2j 1.2

1.211.1 Available under license :

No license file was found, but licenses were detected in source scan.

// Copyright 2010 Google Inc. All Rights Reserved.

Found in path(s):

* /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Matcher.java

* /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Pattern.java

No license file was found, but licenses were detected in source scan.

// Copyright 2011 The Go Authors. All rights reserved.

Found in path(s):

* /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Simplify.java

No license file was found, but licenses were detected in source scan.

// Copyright 2010 The Go Authors. All rights reserved.

Found in path(s):

* /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Parser.java

* /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Regex.java

* /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Utils.java

* /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Machine.java

* /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Inst.java

* /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Prog.java

* /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/CharClass.java

* /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/RE2.java

* /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Compiler.java

* /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-

jar/com/google/re2j/PatternSyntaxException.java

* /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/MachineInput.java

* /opt/cola/permits/1157317048_1619537047.34/0/re2j-1-2-sources-1-jar/com/google/re2j/Unicode.java

1.212 error_prone_annotations 2.11.0

1.212.1 Available under license :

No license file was found, but licenses were detected in source scan.

Copyright 2015 The Error Prone Authors.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

* /opt/cola/permits/1295545178_1648483747.7/0/error-prone-annotations-2-11-0-1-jar/META-INF/maven/com.google.errorprone/error_prone_annotations/pom.xml

1.213 feign-jackson 8.15.1

1.213.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2013 Netflix, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/ws_local/PERMITS_SQL/1041687872_1590954410.55/0/feign-jackson-8-15-1-sources-jar/feign/jackson/JacksonDecoder.java

* /opt/ws_local/PERMITS_SQL/1041687872_1590954410.55/0/feign-jackson-8-15-1-sources-jar/feign/jackson/JacksonEncoder.java

1.214 javax-el 3.0.0

1.214.1 Available under license :

/*

* DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.

*

* Copyright (c) 1997-2010 Oracle and/or its affiliates. All rights reserved.

*

* The contents of this file are subject to the terms of either the GNU

* General Public License Version 2 only ("GPL") or the Common Development
* and Distribution License("CDDL") (collectively, the "License"). You
* may not use this file except in compliance with the License. You can
* obtain a copy of the License at
* https://glassfish.dev.java.net/public/CDDL+GPL_1_1.html
* or `packager/legal/LICENSE.txt`. See the License for the specific
* language governing permissions and limitations under the License.
*
* When distributing the software, include this License Header Notice in each
* file and include the License file at `packager/legal/LICENSE.txt`.
*
* GPL Classpath Exception:
* Oracle designates this particular file as subject to the "Classpath"
* exception as provided by Oracle in the GPL Version 2 section of the License
* file that accompanied this code.
*
* Modifications:
* If applicable, add the following below the License Header, with the fields
* enclosed by brackets [] replaced by your own identifying information:
* "Portions Copyright [year] [name of copyright owner]"
*
* Contributor(s):
* If you wish your version of this file to be governed by only the CDDL or
* only the GPL Version 2, indicate your decision by adding "[Contributor]
* elects to include this software in this distribution under the [CDDL or GPL
* Version 2] license." If you don't indicate a single choice of license, a
* recipient has the option to distribute your version of this file under
* either the CDDL, the GPL Version 2 or to extend the choice of license to
* its licensees as provided above. However, if you add GPL Version 2 code
* and therefore, elected the GPL Version 2 license, then the option applies
* only if the new code is made subject to such option by the copyright
* holder.
*
*
* This file incorporates work covered by the following copyright and
* permission notice:
*
* Copyright 2004 The Apache Software Foundation
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. Contributor. means each individual or entity that creates or contributes to the creation of Modifications.

1.2. Contributor Version. means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. Covered Software. means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. Executable. means the Covered Software in any form other than Source Code.

1.5. Initial Developer. means the individual or entity that first makes Original Software available under this License.

1.6. Larger Work. means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. License. means this document.

1.8. Licensable. means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. Modifications. means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. Original Software. means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. Patent Claims. means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. Source Code. means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. You. (or .Your.) means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, .You. includes any entity which controls, is controlled by, or is under

common control with You. For purposes of this definition, .control. means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of

Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN .AS IS. BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as .Participant.) alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a .commercial item., as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of .commercial computer software. (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and .commercial computer software documentation. as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys. fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no

warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this

License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software

Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author
```

```
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.
```

The hypothetical commands ``show w'` and ``show c'` should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than ``show w'` and ``show c'`; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

```
Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.
```

```
signature of Ty Coon, 1 April 1989
```

```
Ty Coon, President of Vice
```

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Sun Microsystems, Inc. are subject to the following clarification and special exception to the GPL Version 2, but only where Sun has expressly included in the particular source file's header the words

```
"Sun designates this particular file as subject to the "Classpath" exception as provided by Sun in the License file that accompanied this code."
```

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module.? An independent module is a module which is not derived from or based on this library.? If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so.? If you do not wish to do so, delete this exception statement from your version.

1.215 jcommander 1.78

1.215.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (C) 2010 the original author or authors.
 * See the notice.md file distributed with this work for additional
 * information regarding copyright ownership.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-
jar/com/beust/jcommander/IUsageFormatter.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-
jar/com/beust/jcommander/UnixStyleUsageFormatter.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-
jar/com/beust/jcommander/JCommander.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-
jar/com/beust/jcommander/DefaultUsageFormatter.java
```

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (C) 2010 the original author or authors.
 * See the notice.md file distributed with this work for additional
 * information regarding copyright ownership.
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
```

- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/IStringConverterFactory.java
- * /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/converters/URLConverter.java
- * /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/internal/Lists.java
- * /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/ParameterException.java
- * /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/internal/DefaultConverterFactory.java
- * /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/converters/IntegerConverter.java
- * /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/converters/FileConverter.java
- * /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/converters/StringConverter.java
- * /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/IStringConverter.java
- * /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/internal/Sets.java
- * /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/converters/LongConverter.java
- * /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/internal/Maps.java
- * /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/converters/InetAddressConverter.java
- * /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/Parameters.java
- * /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/ParameterDescription.java
- * /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/converters/URICConverter.java
- * /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/converters/BaseConverter.java
- * /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/converters/CharArrayConverter.java
- * /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/converters/PathConverter.java
- * /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/ParametersDelegate.java
- * /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-

jar/com/beust/jcommander/ResourceBundle.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-
jar/com/beust/jcommander/defaultprovider/PropertyFileDefaultProvider.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-
jar/com/beust/jcommander/IDefaultProvider.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-
jar/com/beust/jcommander/converters/DoubleConverter.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-
jar/com/beust/jcommander/converters/BigDecimalConverter.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-
jar/com/beust/jcommander/converters/FloatConverter.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-
jar/com/beust/jcommander/MissingCommandException.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-
jar/com/beust/jcommander/converters/NoConverter.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-
jar/com/beust/jcommander/converters/BooleanConverter.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-
jar/com/beust/jcommander/Parameter.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-
jar/com/beust/jcommander/converters/ISO8601DateConverter.java
No license file was found, but licenses were detected in source scan.

/**

* Copyright (C) 2011 the original author or authors.
* See the notice.md file distributed with this work for additional
* information regarding copyright ownership.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-
jar/com/beust/jcommander/validators/NoValidator.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-
jar/com/beust/jcommander/validators/PositiveInteger.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-
jar/com/beust/jcommander/validators/NoValueValidator.java

* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/IPParameterValidator.java
* /opt/cola/permits/1135840359_1613613123.36/0/jcommander-1-78-sources-2-jar/com/beust/jcommander/IPParameterValidator2.java

1.216 j2objc-annotations 2.8

1.216.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2012 Google Inc. All Rights Reserved.  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

* /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-jar/com/google/j2objc/annotations/Weak.java
* /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-jar/com/google/j2objc/annotations/AutoreleasePool.java

No license file was found, but licenses were detected in source scan.

```
/*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```


Found in path(s):

- * /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-jar/com/google/j2objc/annotations/OnDealloc.java
- * /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-jar/com/google/j2objc/annotations/J2ObjCIncompatible.java
- * /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-jar/com/google/j2objc/annotations/LoopTranslation.java
- * /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-jar/com/google/j2objc/annotations/RetainedLocalRef.java
- * /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-jar/com/google/j2objc/annotations/ReflectionSupport.java
- * /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-jar/com/google/j2objc/annotations/Property.java
- * /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-jar/com/google/j2objc/annotations/WeakOuter.java
- * /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-jar/com/google/j2objc/annotations/RetainedWith.java
- * /opt/cola/permits/1704412778_1685746927.655543/0/j2objc-annotations-2-8-sources-jar/com/google/j2objc/annotations/ObjectiveCName.java

1.217 metrics-annotation 4.2.9

1.217.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity

exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided

that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity,

or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2010-2013 Coda Hale and Yammer, Inc., 2014-2020 Dropwizard Team

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.218 grpc-protobuf 1.24.0

1.218.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014 The gRPC Authors

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1638411420_1681425254.0085146/0/grpc-protobuf-1-24-0-sources-1-jar/io/grpc/protobuf/ProtoUtils.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2017 The gRPC Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1638411420_1681425254.0085146/0/grpc-protobuf-1-24-0-sources-1-jar/io/grpc/protobuf/StatusProto.java
* /opt/cola/permits/1638411420_1681425254.0085146/0/grpc-protobuf-1-24-0-sources-1-jar/io/grpc/protobuf/ProtoServiceDescriptorSupplier.java
* /opt/cola/permits/1638411420_1681425254.0085146/0/grpc-protobuf-1-24-0-sources-1-jar/io/grpc/protobuf/ProtoMethodDescriptorSupplier.java
* /opt/cola/permits/1638411420_1681425254.0085146/0/grpc-protobuf-1-24-0-sources-1-jar/io/grpc/protobuf/package-info.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016 The gRPC Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
*
*/

- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

* /opt/cola/permits/1638411420_1681425254.0085146/0/grpc-protobuf-1-24-0-sources-1-jar/io/grpc/protobuf/ProtoFileDescriptorSupplier.java

1.219 groovy-sql 3.0.9

1.219.1 Available under license :

No license file was found, but licenses were detected in source scan.

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

* /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/package.html

No license file was found, but licenses were detected in source scan.

/*

- * Licensed to the Apache Software Foundation (ASF) under one
- * or more contributor license agreements. See the NOTICE file
- * distributed with this work for additional information
- * regarding copyright ownership. The ASF licenses this file
- * to you under the Apache License, Version 2.0 (the
- * "License"); you may not use this file except in compliance

- * with the License. You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing,
- * software distributed under the License is distributed on an
- * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
- * KIND, either express or implied. See the License for the
- * specific language governing permissions and limitations
- * under the License.
- */

Found in path(s):

- * /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/Sql.java
- * /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/GroovyResultSetProxy.java
- * /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/ResultSetMetaDataWrapper.java
- * /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/BatchingPreparedStatementWrapper.java
- * /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/InOutParameter.java
- * /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/InParameter.java
- * /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/SqlWhereVisitor.java
- * /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/SqlWithParams.java
- * /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/org/apache/groovy/sql/extensions/SqlExtensions.java
- * /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/GroovyResultSetExtension.java
- * /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/CallResultSet.java
- * /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/SqlOrderByVisitor.java
- * /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/DataSet.java
- * /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/GroovyResultSet.java
- * /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/ExtractIndexAndSql.java
- * /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/ResultSetOutParameter.java
- * /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/BatchingStatementWrapper.java
- * /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/OutParameter.java
- * /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/GroovyRowResult.java
- * /opt/cola/permits/1268277660_1644387356.91/0/groovy-sql-3-0-9-sources-jar/groovy/sql/ExpandedVariable.java

1.220 jackson-datatype-jdk8 2.14.1

1.220.1 Available under license :

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and
You must cause any modified files to carry prominent notices stating that You changed the files; and
You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

1.221 commons-cli 1.4

1.221.1 Available under license :

Apache Commons CLI

Copyright 2001-2017 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License

Version 2.0, January 2004

<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all

other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and

subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed

as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the

Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.222 metrics-jmx 4.1.29

1.222.1 Available under license :

Apache-2.0

1.223 jackson-annotations 2.15.0

1.223.1 Available under license :

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers.

Copyright

Copyright 2007-, Tatu Saloranta (tatu.saloranta@iki.fi)

Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0

To find the details that apply to this artifact see the accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

(a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

(b) You must cause any modified files to carry prominent notices stating that You changed the files; and

(c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.224 jackson-dataformat-yaml 2.15.0

1.224.1 Available under license :

This copy of Jackson JSON processor YAML module is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers.

Copyright

Copyright 2007-, Tatu Saloranta (tatu.saloranta@iki.fi)

Licensing

Jackson components are licensed under Apache (Software) License, version 2.0, as per accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

1.225 groovy-xml 3.0.9

1.225.1 Available under license :

No license file was found, but licenses were detected in source scan.

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/package.html
- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/streamingmarkupsupport/package.html
- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/util/slurpersupport/package.html
- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/dom/package.html
- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/slurpersupport/package.html

No license file was found, but licenses were detected in source scan.

/*

- * Licensed to the Apache Software Foundation (ASF) under one
- * or more contributor license agreements. See the NOTICE file
- * distributed with this work for additional information
- * regarding copyright ownership. The ASF licenses this file
- * to you under the Apache License, Version 2.0 (the
- * "License"); you may not use this file except in compliance
- * with the License. You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing,
- * software distributed under the License is distributed on an
- * "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
- * KIND, either express or implied. See the License for the
- * specific language governing permissions and limitations
- * under the License.
- */

Found in path(s):

- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/markupsupport/DoubleQuoteFilter.java
- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/markupsupport/StandardControlToUndefined.java
- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/util/slurpersupport/FilteredAttributes.java
- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/XmlParserFactory.groovy
- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/streamingmarkupsupport/Builder.java
- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/util/slurpersupport/NodeChild.java
- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/slurpersupport/FilteredNodeChildren.java
- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/NamespaceBuilder.java

- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/slurpersupport/Attribute.java
- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/org/apache/groovy/xml/tools/DomToGroovy.java
- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/util/slurpersupport/NodeIterator.java
- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/util/slurpersupport/NoChildren.java
- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/markupsupport/StandardXmlAttributeFilter.java
- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/util/XmlSlurper.java
- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/markupsupport/SurrogateToUndefined.java
- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/StreamingSAXBuilder.groovy
- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/DOMBuilder.java
- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/slurpersupport/Node.java
- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/FactorySupport.java
- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/markupsupport/SingleQuoteFilter.java
- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/Namespace.java
- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/util/slurpersupport/Attribute.java
- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/SAXBuilder.java
- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/StaxBuilder.groovy
- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/slurpersupport/NodeChild.java
- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/util/XmlUtil.java
- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/util/slurpersupport/Attributes.java
- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/NamespaceBuilderSupport.java
- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/util/XmlNodePrinter.java
- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/util/slurpersupport/NamespaceAwareHashMap.java
- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/XmlSlurperFactory.groovy
- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/markupsupport/StandardXmlFilter.java
- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/util/slurpersupport/NodeChildren.java
- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/XmlSlurper.java
- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/slurpersupport/GPathResult.java
- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/slurpersupport/ReplacementNode.java
- * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-

jar/groovy/xml/streamingmarkupsupport/BaseMarkupBuilder.java
 * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/XmlNodePrinter.java
 * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
 jar/groovy/xml/slurpersupport/NamespaceAwareHashMap.java
 * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
 jar/groovy/xml/dom/DOMCategory.java
 * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
 jar/groovy/xml/StreamingDOMBuilder.groovy
 * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
 jar/groovy/xml/slurpersupport/NodeParents.java
 * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
 jar/groovy/xml/slurpersupport/FilteredAttributes.java
 * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/util/XmlParser.java
 * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
 jar/groovy/xml/slurpersupport/NodeIterator.java
 * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/XmlParser.java
 * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
 jar/groovy/util/slurpersupport/NodeParents.java
 * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
 jar/groovy/xml/streamingmarkupsupport/StreamingMarkupWriter.java
 * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
 jar/groovy/xml/slurpersupport/NodeChildren.java
 * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
 jar/groovy/xml/MarkupBuilderHelper.java
 * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
 jar/groovy/util/slurpersupport/GPathResult.java
 * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
 jar/groovy/util/slurpersupport/ReplacementNode.java
 * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/MarkupBuilder.java
 * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
 jar/org/codehaus/groovy/tools/xml/DomToGroovy.java
 * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
 jar/groovy/util/slurpersupport/FilteredNodeChildren.java
 * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/Entity.groovy
 * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
 jar/groovy/xml/streamingmarkupsupport/AbstractStreamingBuilder.groovy
 * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
 jar/groovy/xml/StreamingMarkupBuilder.groovy
 * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-jar/groovy/xml/XmlUtil.java
 * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
 jar/org/apache/groovy/xml/extensions/XmlExtensions.java
 * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
 jar/groovy/xml/slurpersupport/NoChildren.java
 * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
 jar/groovy/xml/slurpersupport/Attributes.java
 * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
 jar/org/codehaus/groovy/runtime/XmlGroovyMethods.java
 * /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-


```
jar/groovy/util/slurpersupport/Node.java
* /opt/cola/permits/1223666021_1635937383.64/0/groovy-xml-3-0-9-sources-
jar/groovy/xml/markupsupport/AllControlToUndefined.java
```

1.226 netty-handler-proxy 4.1.93.Final

1.226.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
<!--
~ Copyright 2014 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->
```

Found in path(s):

```
* /opt/cola/permits/1698848157_1685285743.4325588/0/netty-handler-proxy-4-1-93-final-sources-jar/META-
INF/maven/io.netty/netty-handler-proxy/pom.xml
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

* /opt/cola/permits/1698848157_1685285743.4325588/0/netty-handler-proxy-4-1-93-final-sources-jar/io/netty/handler/proxy/ProxyConnectionEvent.java
* /opt/cola/permits/1698848157_1685285743.4325588/0/netty-handler-proxy-4-1-93-final-sources-jar/io/netty/handler/proxy/ProxyConnectException.java
* /opt/cola/permits/1698848157_1685285743.4325588/0/netty-handler-proxy-4-1-93-final-sources-jar/io/netty/handler/proxy/Socks4ProxyHandler.java
* /opt/cola/permits/1698848157_1685285743.4325588/0/netty-handler-proxy-4-1-93-final-sources-jar/io/netty/handler/proxy/HttpProxyHandler.java
* /opt/cola/permits/1698848157_1685285743.4325588/0/netty-handler-proxy-4-1-93-final-sources-jar/io/netty/handler/proxy/package-info.java
* /opt/cola/permits/1698848157_1685285743.4325588/0/netty-handler-proxy-4-1-93-final-sources-jar/io/netty/handler/proxy/Socks5ProxyHandler.java
* /opt/cola/permits/1698848157_1685285743.4325588/0/netty-handler-proxy-4-1-93-final-sources-jar/io/netty/handler/proxy/ProxyHandler.java

1.227 okhttp 4.5.0

1.227.1 Available under license :

Note that publicsuffices.gz is compiled from The Public Suffix List:

https://publicsuffix.org/list/public_suffix_list.dat

It is subject to the terms of the Mozilla Public License, v. 2.0:

<https://mozilla.org/MPL/2.0/>

/*

* Copyright (C) 2014 Square, Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

1.228 jackson-module-parameter-names

2.15.0

1.228.1 Available under license :

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007. It is currently developed by a community of developers.

Licensing

Jackson components are licensed under Apache (Software) License, version 2.0, as per accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

This copy of Jackson JSON processor Java 8 parameter names module is licensed under the Apache (Software) License, version 2.0 ("the License"). See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

1.229 ant 1.7.1

1.229.1 Available under license :

```
=====
== NOTICE file corresponding to the section 4 d of      ==
== the Apache License, Version 2.0,                    ==
== in this case for the Apache Ant distribution.        ==
=====
```

Apache Ant
Copyright 1999-2008 The Apache Software Foundation

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

This product includes also software developed by :
- the W3C consortium (<http://www.w3c.org>) ,
- the SAX project (<http://www.saxproject.org>)

The <sync> task is based on code Copyright (c) 2002, Landmark

Graphics Corp that has been kindly donated to the Apache Software Foundation.

Portions of this software were originally based on the following:

- software copyright (c) 1999, IBM Corporation., <http://www.ibm.com>.
- software copyright (c) 1999, Sun Microsystems., <http://www.sun.com>.
- voluntary contributions made by Paul Eng on behalf of the Apache Software Foundation that were originally developed at iClick, Inc., software copyright (c) 1999.

/*

* Apache License
* Version 2.0, January 2004
* <http://www.apache.org/licenses/>

*

* TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

*

* 1. Definitions.

*

* "License" shall mean the terms and conditions for use, reproduction,
* and distribution as defined by Sections 1 through 9 of this document.

*

* "Licensor" shall mean the copyright owner or entity authorized by
* the copyright owner that is granting the License.

*

* "Legal Entity" shall mean the union of the acting entity and all
* other entities that control, are controlled by, or are under common
* control with that entity. For the purposes of this definition,
* "control" means (i) the power, direct or indirect, to cause the
* direction or management of such entity, whether by contract or
* otherwise, or (ii) ownership of fifty percent (50%) or more of the
* outstanding shares, or (iii) beneficial ownership of such entity.

*

* "You" (or "Your") shall mean an individual or Legal Entity
* exercising permissions granted by this License.

*

* "Source" form shall mean the preferred form for making modifications,
* including but not limited to software source code, documentation
* source, and configuration files.

*

* "Object" form shall mean any form resulting from mechanical
* transformation or translation of a Source form, including but
* not limited to compiled object code, generated documentation,
* and conversions to other media types.

*

* "Work" shall mean the work of authorship, whether in Source or
* Object form, made available under the License, as indicated by a
* copyright notice that is included in or attached to the work
* (an example is provided in the Appendix below).

*
* "Derivative Works" shall mean any work, whether in Source or Object
* form, that is based on (or derived from) the Work and for which the
* editorial revisions, annotations, elaborations, or other modifications
* represent, as a whole, an original work of authorship. For the purposes
* of this License, Derivative Works shall not include works that remain
* separable from, or merely link (or bind by name) to the interfaces of,
* the Work and Derivative Works thereof.

*
* "Contribution" shall mean any work of authorship, including
* the original version of the Work and any modifications or additions
* to that Work or Derivative Works thereof, that is intentionally
* submitted to Licensor for inclusion in the Work by the copyright owner
* or by an individual or Legal Entity authorized to submit on behalf of
* the copyright owner. For the purposes of this definition, "submitted"
* means any form of electronic, verbal, or written communication sent
* to the Licensor or its representatives, including but not limited to
* communication on electronic mailing lists, source code control systems,
* and issue tracking systems that are managed by, or on behalf of, the
* Licensor for the purpose of discussing and improving the Work, but
* excluding communication that is conspicuously marked or otherwise
* designated in writing by the copyright owner as "Not a Contribution."

*
* "Contributor" shall mean Licensor and any individual or Legal Entity
* on behalf of whom a Contribution has been received by Licensor and
* subsequently incorporated within the Work.

*
* 2. Grant of Copyright License. Subject to the terms and conditions of
* this License, each Contributor hereby grants to You a perpetual,
* worldwide, non-exclusive, no-charge, royalty-free, irrevocable
* copyright license to reproduce, prepare Derivative Works of,
* publicly display, publicly perform, sublicense, and distribute the
* Work and such Derivative Works in Source or Object form.

*
* 3. Grant of Patent License. Subject to the terms and conditions of
* this License, each Contributor hereby grants to You a perpetual,
* worldwide, non-exclusive, no-charge, royalty-free, irrevocable
* (except as stated in this section) patent license to make, have made,
* use, offer to sell, sell, import, and otherwise transfer the Work,
* where such license applies only to those patent claims licensable
* by such Contributor that are necessarily infringed by their
* Contribution(s) alone or by combination of their Contribution(s)
* with the Work to which such Contribution(s) was submitted. If You
* institute patent litigation against any entity (including a
* cross-claim or counterclaim in a lawsuit) alleging that the Work
* or a Contribution incorporated within the Work constitutes direct
* or contributory patent infringement, then any patent licenses
* granted to You under this License for that Work shall terminate

- * as of the date such litigation is filed.
- *
- * 4. Redistribution. You may reproduce and distribute copies of the
- * Work or Derivative Works thereof in any medium, with or without
- * modifications, and in Source or Object form, provided that You
- * meet the following conditions:
- *
- * (a) You must give any other recipients of the Work or
- * Derivative Works a copy of this License; and
- *
- * (b) You must cause any modified files to carry prominent notices
- * stating that You changed the files; and
- *
- * (c) You must retain, in the Source form of any Derivative Works
- * that You distribute, all copyright, patent, trademark, and
- * attribution notices from the Source form of the Work,
- * excluding those notices that do not pertain to any part of
- * the Derivative Works; and
- *
- * (d) If the Work includes a "NOTICE" text file as part of its
- * distribution, then any Derivative Works that You distribute must
- * include a readable copy of the attribution notices contained
- * within such NOTICE file, excluding those notices that do not
- * pertain to any part of the Derivative Works, in at least one
- * of the following places: within a NOTICE text file distributed
- * as part of the Derivative Works; within the Source form or
- * documentation, if provided along with the Derivative Works; or,
- * within a display generated by the Derivative Works, if and
- * wherever such third-party notices normally appear. The contents
- * of the NOTICE file are for informational purposes only and
- * do not modify the License. You may add Your own attribution
- * notices within Derivative Works that You distribute, alongside
- * or as an addendum to the NOTICE text from the Work, provided
- * that such additional attribution notices cannot be construed
- * as modifying the License.
- *
- * You may add Your own copyright statement to Your modifications and
- * may provide additional or different license terms and conditions
- * for use, reproduction, or distribution of Your modifications, or
- * for any such Derivative Works as a whole, provided Your use,
- * reproduction, and distribution of the Work otherwise complies with
- * the conditions stated in this License.
- *
- * 5. Submission of Contributions. Unless You explicitly state otherwise,
- * any Contribution intentionally submitted for inclusion in the Work
- * by You to the Licensor shall be under the terms and conditions of
- * this License, without any additional terms or conditions.
- * Notwithstanding the above, nothing herein shall supersede or modify

* the terms of any separate license agreement you may have executed
* with Licensor regarding such Contributions.

*

* 6. Trademarks. This License does not grant permission to use the trade
* names, trademarks, service marks, or product names of the Licensor,
* except as required for reasonable and customary use in describing the
* origin of the Work and reproducing the content of the NOTICE file.

*

* 7. Disclaimer of Warranty. Unless required by applicable law or
* agreed to in writing, Licensor provides the Work (and each
* Contributor provides its Contributions) on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
* implied, including, without limitation, any warranties or conditions
* of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
* PARTICULAR PURPOSE. You are solely responsible for determining the
* appropriateness of using or redistributing the Work and assume any
* risks associated with Your exercise of permissions under this License.

*

* 8. Limitation of Liability. In no event and under no legal theory,
* whether in tort (including negligence), contract, or otherwise,
* unless required by applicable law (such as deliberate and grossly
* negligent acts) or agreed to in writing, shall any Contributor be
* liable to You for damages, including any direct, indirect, special,
* incidental, or consequential damages of any character arising as a
* result of this License or out of the use or inability to use the
* Work (including but not limited to damages for loss of goodwill,
* work stoppage, computer failure or malfunction, or any and all
* other commercial damages or losses), even if such Contributor
* has been advised of the possibility of such damages.

*

* 9. Accepting Warranty or Additional Liability. While redistributing
* the Work or Derivative Works thereof, You may choose to offer,
* and charge a fee for, acceptance of support, warranty, indemnity,
* or other liability obligations and/or rights consistent with this
* License. However, in accepting such obligations, You may act only
* on Your own behalf and on Your sole responsibility, not on behalf
* of any other Contributor, and only if You agree to indemnify,
* defend, and hold each Contributor harmless for any liability
* incurred by, or claims asserted against, such Contributor by reason
* of your accepting any such warranty or additional liability.

*

* END OF TERMS AND CONDITIONS

*

* APPENDIX: How to apply the Apache License to your work.

*

* To apply the Apache License to your work, attach the following
* boilerplate notice, with the fields enclosed by brackets "[]"
* replaced with your own identifying information. (Don't include

```

* the brackets!) The text should be enclosed in the appropriate
* comment syntax for the file format. We also recommend that a
* file or class name and description of purpose be included on the
* same "printed page" as the copyright notice for easier
* identification within third-party archives.
*
* Copyright [yyyy] [name of copyright owner]
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

```

1.230 joni 2.1.29

1.230.1 Available under license :

No license file was found, but licenses were detected in source scan.

```

/*
* Permission is hereby granted, free of charge, to any person obtaining a copy of
* this software and associated documentation files (the "Software"), to deal in
* the Software without restriction, including without limitation the rights to
* use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies
* of the Software, and to permit persons to whom the Software is furnished to do
* so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in all
* copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
* SOFTWARE.
*/

```

Found in path(s):

* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/Option.java
 * /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/Syntax.java
 * /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/Config.java
 * /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/Token.java
 * /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/constants/internal/StringType.java
 * /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/Region.java
 * /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ast/QuantifierNode.java
 * /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/exception/ValueException.java
 * /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ArrayCompiler.java
 * /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ast/CTypeNode.java
 * /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/UnsetAddrList.java
 * /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ByteCodePrinter.java
 * /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ast/Node.java
 * /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/exception/SyntaxException.java
 * /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/constants/internal/AnchorType.java
 * /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/Parser.java
 * /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/OptEnvironment.java
 * /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/Matcher.java
 * /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/StackMachine.java
 * /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/CodeRangeBuffer.java
 * /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ast/ListNode.java
 * /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/exception/JOniException.java
 * /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/OptAnchorInfo.java
 * /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/constants/internal/EncloseType.java
 * /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/constants/internal/StackPopLevel.java
 * /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/constants/internal/OPSize.java
 * /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ScannerSupport.java
 * /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/WarnCallback.java
 * /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ast/AnchorNode.java
 * /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ApplyCaseFoldArg.java
 * /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ast/StateNode.java
 * /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/constants/internal/StackType.java
 * /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/MinMaxLen.java
 * /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/constants/internal/TargetInfo.java
 * /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/Analyser.java
 * /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ApplyCaseFold.java
 * /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ScanEnvironment.java
 * /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-

```

jar/org/joni/constants/internal/Traverse.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ast/AnyCharNode.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/OptExactInfo.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-
jar/org/joni/constants/internal/NodeStatus.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-
jar/org/joni/exception/InternalException.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/NativeMachine.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ast/BackRefNode.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ast/CallNode.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-
jar/org/joni/exception/ErrorMessage.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ByteCodeMachine.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/Regex.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-
jar/org/joni/constants/internal/TokenType.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/Compiler.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/BitSet.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-
jar/org/joni/constants/internal/Arguments.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/OptMapInfo.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-
jar/org/joni/constants/SyntaxProperties.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/StackEntry.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/CaptureTreeNode.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/Search.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/BitStatus.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ast/CClassNode.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ast/StringNode.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/MatcherFactory.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/ast/EncloseNode.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/constants/MetaChar.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/Lexer.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-
jar/org/joni/constants/internal/OPCode.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-
jar/org/joni/constants/internal/NodeType.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/NodeOptInfo.java
* /opt/cola/permits/1606864788_1679439951.658974/0/joni-2-1-29-sources-1-jar/org/joni/NameEntry.java

```

1.231 jsr305 3.0.2

1.231.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright (c) 2005 Brian Goetz

* Released under the Creative Commons Attribution License

* (<http://creativecommons.org/licenses/by/2.5>)

* Official home: <http://www.jcip.net>

*/

Found in path(s):

* /opt/cola/permits/1656638364_1682593601.2844107/0/jsr305-3-0-2-sources-9-jar/javax/annotation/concurrent/ThreadSafe.java

* /opt/cola/permits/1656638364_1682593601.2844107/0/jsr305-3-0-2-sources-9-jar/javax/annotation/concurrent/NotThreadSafe.java

* /opt/cola/permits/1656638364_1682593601.2844107/0/jsr305-3-0-2-sources-9-jar/javax/annotation/concurrent/Immutable.java

* /opt/cola/permits/1656638364_1682593601.2844107/0/jsr305-3-0-2-sources-9-jar/javax/annotation/concurrent/GuardedBy.java

1.232 dropwizard-core 2.0.28

1.232.1 Available under license :

Apache-2.0

1.233 netty-codec-xml 4.1.93.Final

1.233.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-jar/io/netty/handler/codec/xml/XmlDecoder.java

* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-jar/io/netty/handler/codec/xml/XmlDocumentEnd.java

* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-jar/io/netty/handler/codec/xml/XmlProcessingInstruction.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-jar/io/netty/handler/codec/xml/XmlNamespace.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-jar/io/netty/handler/codec/xml/XmlDocumentStart.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-jar/io/netty/handler/codec/xml/XmlElement.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-jar/io/netty/handler/codec/xml/XmlEntityReference.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-jar/io/netty/handler/codec/xml/XmlComment.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-jar/io/netty/handler/codec/xml/XmlCharacters.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-jar/io/netty/handler/codec/xml/XmlDTD.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-jar/io/netty/handler/codec/xml/XmlCdata.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-jar/io/netty/handler/codec/xml/XmlElementStart.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-jar/io/netty/handler/codec/xml/XmlSpace.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-jar/io/netty/handler/codec/xml/package-info.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-jar/io/netty/handler/codec/xml/XmlAttribute.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-jar/io/netty/handler/codec/xml/XmlElementEnd.java
* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-jar/io/netty/handler/codec/xml/XmlContent.java
No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2014 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:

~

~ <https://www.apache.org/licenses/LICENSE-2.0>

~

~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.

-->

Found in path(s):

* /opt/cola/permits/1698847989_1685285749.8351583/0/netty-codec-xml-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-codec-xml/pom.xml

1.234 jetty-security 9.4.51.v20230217

1.234.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
 - i) changes to the Program, and
 - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.
- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
 - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
 - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and

- consequential damages, such as lost profits;
- iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
 - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other

Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement

and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or

otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual,

worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. **Grant of Patent License.** Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. **Redistribution.** You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

 - (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents

of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====
Jetty Web Container

Copyright 1995-2018 Mort Bay Consulting Pty Ltd.
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd unless otherwise noted.

Jetty is dual licensed under both

* The Apache 2.0 License
<http://www.apache.org/licenses/LICENSE-2.0.html>

and

* The Eclipse Public 1.0 License
<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

Eclipse

The following artifacts are EPL.

* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.

* org.eclipse.jetty.orbit:javafx.security.auth.message

The following artifacts are EPL and CDDL 1.0.

* org.eclipse.jetty.orbit:javafx.mail.glassfish

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

* javax.servlet:javax.servlet-api

* javax.annotation:javax.annotation-api

* javax.transaction:javax.transaction-api

* javax.websocket:javax.websocket-api

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

org.ow2.asm:asm-commons
org.ow2.asm:asm

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec
org.apache.taglibs:taglibs-standard-impl

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

org.mortbay.jasper:apache-jsp
org.apache.tomcat:tomcat-jasper
org.apache.tomcat:tomcat-juli
org.apache.tomcat:tomcat-jsp-api
org.apache.tomcat:tomcat-el-api
org.apache.tomcat:tomcat-jasper-el
org.apache.tomcat:tomcat-api
org.apache.tomcat:tomcat-util-scan
org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el
org.apache.tomcat:tomcat-jasper-el
org.apache.tomcat:tomcat-el-api

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville. Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

1.235 swagger-annotations 2.0.7

1.235.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright 2017 SmartBear Software
 * <p>
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 * <p>
 * http://www.apache.org/licenses/LICENSE-2.0
 * <p>
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/media/DiscriminatorMapping.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/Operation.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/callbacks/Callbacks.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/media/Schema.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/links/LinkParameter.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/headers/Header.java
```


* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/OpenAPIDefinition.java

* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/servers/Servers.java

* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/responses/ApiResponseResponses.java

* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/security/OAuthScope.java

* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/Parameter.java

* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/info/License.java

* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/parameters/RequestBody.java

* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/servers/ServerVariable.java

* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/tags/Tags.java

* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/links/Link.java

* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/security/OAuthFlows.java

* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/Parameters.java

* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/security/SecurityRequirement.java

* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/media/ExampleObject.java

* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/security/SecuritySchemes.java

* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/ExternalDocumentation.java

* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/security/SecurityScheme.java

* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/info/Contact.java

* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/tags/Tag.java

* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/media/Encoding.java

* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/media/Content.java

* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/extensions/Extensions.java

* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/info/Info.java

* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-jar/io/swagger/v3/oas/annotations/servers/Server.java

```
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-
jar/io/swagger/v3/oas/annotations/security/OAuthFlow.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-
jar/io/swagger/v3/oas/annotations/security/SecurityRequirements.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-
jar/io/swagger/v3/oas/annotations/Hidden.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-
jar/io/swagger/v3/oas/annotations/callbacks/Callback.java
* /opt/cola/permits/1618783067_1681509181.9620898/0/swagger-annotations-2-0-7-sources-1-
jar/io/swagger/v3/oas/annotations/responses/ApiResponse.java
```

1.236 open-csv 5.7.1

1.236.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
```

Copyright 2007 Kyle Miller.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/bean/MappingStrategy.java
```

```
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/bean/CsvToBean.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

* Copyright 2007 Kyle Miller.

```
*
```

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at

```
*
```

* <http://www.apache.org/licenses/LICENSE-2.0>

*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1460265720_1667461690.2601388/opencv-5-7-1-sources-
jar/com/opencv/bean/HeaderColumnNameMappingStrategy.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2013 Mark Rogers.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1460265720_1667461690.2601388/opencv-5-7-1-sources-
jar/com/opencv/bean/CsvToBeanFilter.java
No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

* /opt/cola/permits/1460265720_1667461690.2601388/opencv-5-7-1-sources-jar/META-
INF/maven/com.opencv/opencv/pom.xml
No license file was found, but licenses were detected in source scan.

/*
Copyright 2005 Bytecode Pty Ltd.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

*/

/**

* <p>A very simple CSV parser released under a commercial-friendly license.

* This just implements splitting a single line into fields.</p>

*

* <p>The purpose of the CSVParser is to take a single string and parse it into

* its elements based on the delimiter, quote and escape characters.</p>

*

* <p>The CSVParser has grown organically based on user requests and does not truly match

* any current requirements (though it can be configured to match or come close). There

* are no plans to change this as it will break existing requirements. Consider using

* the RFC4180Parser for less configurability but closer match to the RFC4180 requirements.</p>

*

* @author Glen Smith

* @author Rainer Pruy

*/

Found in path(s):

* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/CSVParser.java

No license file was found, but licenses were detected in source scan.

/*

Copyright 2015 Bytecode Pty Ltd.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

*/

/**

* A very simple CSV writer released under a commercial-friendly license.

*

* @author Glen Smith

*/

Found in path(s):

* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/CSVWriter.java

No license file was found, but licenses were detected in source scan.

/**

* A very simple CSV parser for Java released under a commercial-friendly license.

*

* @see opencsv.sourceforge.net

*/

/*

* Copyright 2016 Andrew Rucker Jones.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/package-info.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2018 Andrew Rucker Jones.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-

jar/com/opencsv/bean/AbstractMappingStrategy.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/bean/AbstractFieldMap.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/bean/CsvNumber.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/bean/HeaderIndex.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/bean/ConverterNumber.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/bean/comparator/LiteralComparator.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/bean/RegexToBeanField.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/bean/BeanFieldJoinIntegerIndex.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/bean/PositionToBeanField.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/bean/comparator/package-info.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/bean/FieldMap.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/bean/FieldMapByPosition.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/bean/AbstractFieldMapEntry.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/bean/FieldMapByPositionEntry.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/bean/ComplexFieldMapEntry.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-
jar/com/opencsv/bean/BeanFieldJoinStringIndex.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016 Andrew Rucker Jones.
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

- * /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/exceptions/CsvBadConverterException.java
- * /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/exceptions/CsvRequiredFieldEmptyException.java
- * /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/CsvBindByPosition.java
- * /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/AbstractBeanField.java
- * /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/ConverterDate.java
- * /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/CsvToBeanBuilder.java
- * /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/util/OpencsvUtils.java
- * /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/exceptions/CsvMalformedLineException.java
- * /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/exceptions/CsvException.java
- * /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/ConverterPrimitiveTypes.java
- * /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/customconverter/package-info.java
- * /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/CsvCustomBindByName.java
- * /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/CsvDate.java
- * /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/customconverter/ConvertFrenchToBoolean.java
- * /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/exceptions/CsvDataTypeMismatchException.java
- * /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/StatefulBeanToCsvBuilder.java
- * /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/stream/reader/package-info.java
- * /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/CsvBindByName.java
- * /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/exceptions/CsvConstraintViolationException.java
- * /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/package-info.java
- * /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/exceptions/CsvRuntimeException.java
- * /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/exceptions/CsvMultilineLimitBrokenException.java
- * /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/customconverter/ConvertGermanToBoolean.java

* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/enums/package-info.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/exceptions/package-info.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/exceptions/CsvBeanIntrospectionException.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/CsvCustomBindByPosition.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/StatefulBeanToCsv.java
No license file was found, but licenses were detected in source scan.

/*

Copyright 2005 Bytecode Pty Ltd.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/CSVParserBuilder.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/ResultSetHelper.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/CSVReaderBuilder.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/ResultSetHelperService.java
No license file was found, but licenses were detected in source scan.

/*

Copyright 2005 Bytecode Pty Ltd.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

*/

/**

* A very simple CSV reader released under a commercial-friendly license.

*

* @author Glen Smith

*/

Found in path(s):

* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/CSVReader.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2017 arjones.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/concurrent/package-info.java

No license file was found, but licenses were detected in source scan.

/*

Copyright 2018 Bytecode Pty Ltd.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software

distributed under the License is distributed on an "AS IS" BASIS,

WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/CSVParserWriter.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2015 Scott Conway

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/ResultSetColumnNameHelperService.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2007,2010 Kyle Miller.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

```
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-  
jar/com/opencsv/bean/HeaderColumnNameTranslateMappingStrategy.java
```

No license file was found, but licenses were detected in source scan.

```
# Licensed under the Apache License, Version 2.0 (the "License");
```

```
# you may not use this file except in compliance with the License.
```

```
# You may obtain a copy of the License at
```

```
# http://www.apache.org/licenses/LICENSE-2.0
```

```
# distributed under the License is distributed on an "AS IS" BASIS,
```

Found in path(s):

```
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-  
jar/convertLanguageToBoolean.properties
```

```
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/opencsv_pt_BR.properties
```

```
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/opencsv.properties
```

```
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-  
jar/convertLanguageToBoolean_en.properties
```

```
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/opencsv_en.properties
```

```
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-  
jar/convertLanguageToBoolean_de.properties
```

```
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/opencsv_de.properties
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2017 Andrew Rucker Jones.
```

```
*
```

```
* Licensed under the Apache License, Version 2.0 (the "License");
```

```
* you may not use this file except in compliance with the License.
```

```
* You may obtain a copy of the License at
```

```
*
```

```
* http://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS,
```

```
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
```

```
* See the License for the specific language governing permissions and
```

```
* limitations under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-  
jar/com/opencsv/bean/concurrent/ProcessCsvBean.java
```

```
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-  
jar/com/opencsv/bean/CsvConverter.java
```

```
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-  
jar/com/opencsv/bean/util/OrderedObject.java
```

```
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-  
jar/com/opencsv/bean/CsvBindAndSplitByPosition.java
```

* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/BeanFieldSingleValue.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/BeanFieldSplit.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/CsvBindAndJoinByPosition.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/concurrent/ProcessCsvLine.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/CsvBindAndSplitByName.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/concurrent/IntolerantThreadPoolExecutor.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/concurrent/AccumulateCsvResults.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/FieldMapByNameEntry.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/AbstractCsvConverter.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/FieldMapByName.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/BeanFieldJoin.java
* /opt/cola/permits/1460265720_1667461690.2601388/0/opencsv-5-7-1-sources-jar/com/opencsv/bean/CsvBindAndJoinByName.java

1.237 netty-codec-memcache 4.1.93.Final

1.237.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2013 The Netty Project  
*  
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
* License for the specific language governing permissions and limitations  
* under the License.  
*/
```

Found in path(s):

* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/LastMemcacheContent.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheResponseDecoder.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheMessage.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/FullBinaryMemcacheRequest.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheResponseEncoder.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheObjectAggregator.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheRequestDecoder.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheRequest.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/DefaultLastMemcacheContent.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/DefaultFullBinaryMemcacheRequest.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/FullMemcacheMessage.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/AbstractBinaryMemcacheDecoder.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/MemcacheMessage.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheRequestEncoder.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/DefaultBinaryMemcacheResponse.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/AbstractMemcacheObject.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheResponse.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/package-info.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/AbstractBinaryMemcacheMessage.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/AbstractMemcacheObjectEncoder.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/DefaultFullBinaryMemcacheResponse.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheOpcodes.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/AbstractMemcacheObjectDecoder.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/io/netty/handler/codec/memcache/MemcacheContent.java

```
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-
jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheResponseStatus.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-
jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheClientCodec.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-
jar/io/netty/handler/codec/memcache/binary/AbstractBinaryMemcacheEncoder.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-
jar/io/netty/handler/codec/memcache/AbstractMemcacheObjectAggregator.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-
jar/io/netty/handler/codec/memcache/binary/FullBinaryMemcacheResponse.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-
jar/io/netty/handler/codec/memcache/binary/DefaultBinaryMemcacheRequest.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-
jar/io/netty/handler/codec/memcache/binary/BinaryMemcacheServerCodec.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-
jar/io/netty/handler/codec/memcache/package-info.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-
jar/io/netty/handler/codec/memcache/DefaultMemcacheContent.java
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-
jar/io/netty/handler/codec/memcache/MemcacheObject.java
```

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2013 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:

~

~ <https://www.apache.org/licenses/LICENSE-2.0>

~

~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.

-->

Found in path(s):

```
* /opt/cola/permits/1698848016_1685285748.07515/0/netty-codec-memcache-4-1-93-final-sources-jar/META-
INF/maven/io.netty.netty-codec-memcache/pom.xml
```

1.238 guice-assistedinject 4.0

1.238.1 Available under license :

Google Guice - Extensions - AssistedInject
Copyright 2006-2015 Google, Inc.

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a

file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.239 groovy-ant 3.0.9

1.239.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

-->

Found in path(s):

- * /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-jar/groovy/ant/antlib.xml
- * /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-

jar/org/codehaus/groovy/antlib.xml

* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-

jar/org/codehaus/groovy/ant/package.html

No license file was found, but licenses were detected in source scan.

/*

* Licensed to the Apache Software Foundation (ASF) under one

* or more contributor license agreements. See the NOTICE file

* distributed with this work for additional information

* regarding copyright ownership. The ASF licenses this file

* to you under the Apache License, Version 2.0 (the

* "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing,

* software distributed under the License is distributed on an

* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY

* KIND, either express or implied. See the License for the

* specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-

jar/org/codehaus/groovy/ant/FileIterator.java

* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-

jar/org/codehaus/groovy/ant/LoggingHelper.java

* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-

jar/org/codehaus/groovy/ant/AntProjectPropertiesDelegate.java

* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-

jar/org/codehaus/groovy/ant/RootLoaderRef.java

* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-

jar/org/codehaus/groovy/ant/CompileTaskSupport.java

* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-

jar/groovy/util/FileNameFinder.groovy

* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-

jar/org/codehaus/groovy/ant/FileSystemCompilerFacade.java

* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-

jar/org/codehaus/groovy/ant/GenerateStubsTask.java

* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-

jar/groovy/util/AntBuilder.java

* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-

jar/org/codehaus/groovy/ant/Groovydoc.java

* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-

jar/org/codehaus/groovy/ant/UberCompileTask.java

* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-

jar/org/codehaus/groovy/ant/Groovyc.java
* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-
jar/org/codehaus/groovy/ant/VerifyClass.java
* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-
jar/groovy/ant/FileNameFinder.groovy
* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-
jar/org/codehaus/groovy/ant/Groovy.java
* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-
jar/groovy/ant/AntBuilder.java
* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-
jar/org/codehaus/groovy/ant/FileScanner.java
* /opt/cola/permits/1551849020_1675381023.6764045/0/groovy-ant-3-0-9-sources-2-
jar/org/codehaus/groovy/ant/GroovycTask.java

1.240 elasticsearch 8.8.1

1.240.1 Available under license :

Source code in this repository is covered by (i) a dual license under the Server Side Public License, v 1 and the Elastic License 2.0 or (ii) an Apache License 2.0 compatible license or (iii) solely under the Elastic License 2.0, in each case, as noted in the applicable header. The default throughout the repository is a dual license under the Server Side Public License, v 1 and the Elastic License 2.0, unless the header specifies another license. Code that is licensed solely under the Elastic License 2.0 is found only in the x-pack folder.

Server Side Public License
VERSION 1, OCTOBER 16, 2018

Copyright © 2018 MongoDB, Inc.

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

TERMS AND CONDITIONS

0. Definitions.

“This License” refers to Server Side Public License.

“Copyright” also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

“The Program” refers to any copyrightable work licensed under this License. Each licensee is addressed as “you”. “Licensees” and “recipients” may be individuals or organizations.

To “modify” a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an

exact copy. The resulting work is called a “modified version” of the earlier work or a work “based on” the earlier work.

A “covered work” means either the unmodified Program or a work based on the Program.

To “propagate” a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To “convey” a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays “Appropriate Legal Notices” to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The “source code” for a work means the preferred form of the work for making modifications to it. “Object code” means any non-source form of a work.

A “Standard Interface” means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language. The “System Libraries” of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A “Major Component”, in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The “Corresponding Source” for a work in object code form means all the

source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program, subject to section 13. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law. Subject to section 13, you may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program. You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to “keep intact all notices”.
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program, in or on a volume of a storage or distribution medium, is called an “aggregate” if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.
- c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.
- d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source. Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to

satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A “User Product” is either (1) a “consumer product”, which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, “normally used” refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

“Installation Information” for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially

and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

“Additional permissions” are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions. When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or
- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or
- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or
- f) Requiring indemnification of licensors and authors of that material

by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered “further restrictions” within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms. Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An “entity transaction” is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A “contributor” is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's “contributor version”.

A contributor's “essential patent claims” are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further

modification of the contributor version. For purposes of this definition, “control” includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a “patent license” is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To “grant” such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. “Knowingly relying” means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is “discriminatory” if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from

those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot use, propagate or convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not use, propagate or convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Offering the Program as a Service.

If you make the functionality of the Program or a modified version available to third parties as a service, you must make the Service Source Code available via network download to everyone at no charge, under the terms of this License. Making the functionality of the Program or modified version available to third parties as a service includes, without limitation, enabling third parties to interact with the functionality of the Program or modified version remotely through a computer network, offering a service the value of which entirely or primarily derives from the value of the Program or modified version, or offering a service that accomplishes for users the primary purpose of the Program or modified version.

“Service Source Code” means the Corresponding Source for the Program or the modified version, and the Corresponding Source for all programs that you use to make the Program or modified version available as a service, including, without limitation, management software, user interfaces, application program interfaces, automation software, monitoring software, backup software, storage software and hosting software, all such that a user could run an instance of the service using the Service Source Code you make available.

14. Revised Versions of this License.

MongoDB, Inc. may publish revised and/or new versions of the Server Side

Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the Server Side Public License “or any later version” applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by MongoDB, Inc. If the Program does not specify a version number of the Server Side Public License, you may choose any version ever published by MongoDB, Inc.

If the Program specifies that a proxy can decide which future versions of the Server Side Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM “AS IS” WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing

courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

Elastic License 2.0

URL: <https://www.elastic.co/licensing/elastic-license>

Acceptance

By using the software, you agree to all of the terms and conditions below.

Copyright License

The licensor grants you a non-exclusive, royalty-free, worldwide, non-sublicensable, non-transferable license to use, copy, distribute, make available, and prepare derivative works of the software, in each case subject to the limitations and conditions below.

Limitations

You may not provide the software to third parties as a hosted or managed service, where the service provides users with access to any substantial set of the features or functionality of the software.

You may not move, change, disable, or circumvent the license key functionality in the software, and you may not remove or obscure any functionality in the software that is protected by the license key.

You may not alter, remove, or obscure any licensing, copyright, or other notices of the licensor in the software. Any use of the licensor's trademarks is subject to applicable law.

Patents

The licensor grants you a license, under any patent claims the licensor can license, or becomes able to license, to make, have made, use, sell, offer for sale, import and have imported the software, in each case subject to the limitations and conditions in this license. This license does not cover any patent claims that you cause to be infringed by modifications or additions to the software. If you or your company make any written claim that the software

infringes or contributes to infringement of any patent, your patent license for the software granted under these terms ends immediately. If your company makes such a claim, your patent license ends immediately for work on behalf of your company.

Notices

You must ensure that anyone who gets a copy of any part of the software from you also gets a copy of these terms.

If you modify the software, you must include in any modified copies of the software prominent notices stating that you have modified the software.

No Other Rights

These terms do not imply any licenses other than those expressly granted in these terms.

Termination

If you use the software in violation of these terms, such use is not licensed, and your licenses will automatically terminate. If the licensor provides you with a notice of your violation, and you cease all violation of this license no later than 30 days after you receive that notice, your licenses will be reinstated retroactively. However, if you violate these terms after such reinstatement, any additional violation of these terms will cause your licenses to terminate automatically and permanently.

No Liability

As far as the law allows, the software comes as is, without any warranty or condition, and the licensor will not be liable to you for any damages arising out of these terms or the use or nature of the software, under any kind of legal claim.

Definitions

The ****licensor**** is the entity offering these terms, and the ****software**** is the software the licensor makes available under these terms, including any portion of it.

****you**** refers to the individual or entity agreeing to these terms.

****your company**** is any legal entity, sole proprietorship, or other kind of organization that you work for, plus all organizations that have control over, are under the control of, or are under common control with that organization. ****control**** means ownership of substantially all the assets of an entity, or the power to direct its management and policies by vote, contract, or

otherwise. Control can be direct or indirect.

****your licenses**** are all the licenses granted to you for the software under these terms.

****use**** means anything you do with the software requiring one of your licenses.

****trademark**** means trademarks, service marks, and similar rights.

1.241 error_prone_annotations 2.18.0

1.241.1 Available under license :

No license file was found, but licenses were detected in source scan.

<!--

Copyright 2015 The Error Prone Authors.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

-->

Found in path(s):

* /opt/cola/permits/1606613656_1679417956.422988/0/error-prone-annotations-2-18-0-1-jar/META-INF/maven/com.google.errorprone/error_prone_annotations/pom.xml

1.242 metrics-json 4.1.29

1.242.1 Available under license :

Apache-2.0

1.243 jackson-datatype-jdk8 2.15.0

1.243.1 Available under license :

This copy of Jackson JSON processor Java 8 datatype module is licensed under the Apache (Software) License, version 2.0 ("the License").

See the License for details about distribution rights, and the

specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>
Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007. It is currently developed by a community of developers.

Licensing

Jackson components are licensed under Apache (Software) License, version 2.0, as per accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

1.244 c3p0 0.9.5.4

1.244.1 Available under license :

Found license 'Eclipse Public License 1.0' in '* This library is free software; you can redistribute it and/or modify *

1) The GNU Lesser General Public License (LGPL), version 2.1, as * published by the Free Software Foundation * 2) The Eclipse Public License (EPL), version 1.0 * This software is distributed in the hope that it will be useful, * but WITHOUT ANY WARRANTY; without even the implied warranty of * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. * LGPL v2.1:

<http://www.gnu.org/licenses/old-licenses/lgpl-2.1.html>

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:

- i) changes to the Program, and

- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b)

above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Found license 'GNU Lesser General Public License' in '* This library is free software; you can redistribute it and/or modify * 1) The GNU Lesser General Public License (LGPL), version 2.1, as * published by the Free Software Foundation * 2) The Eclipse Public License (EPL), version 1.0 * This software is distributed in the hope that it will be useful, * but WITHOUT ANY WARRANTY; without even the implied warranty of * MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. * LGPL v2.1: <http://www.gnu.org/licenses/old-licenses/lgpl-2.1.html>'

/*

* Distributed as part of c3p0 v.0.9.5.3

*

* Copyright (C) 2018 Machinery For Change, Inc.

*

* Author: Steve Waldman <swaldman@mchange.com>

*

* This library is free software; you can redistribute it and/or modify
* it under the terms of EITHER:

*

* 1) The GNU Lesser General Public License (LGPL), version 2.1, as
* published by the Free Software Foundation

*

* OR

*

* 2) The Eclipse Public License (EPL), version 1.0

*

* You may choose which license to accept if you wish to redistribute
* or modify this work. You may offer derivatives of this work
* under the license you have chosen, or you may provide the same
* choice of license which you have been offered here.

*

* This software is distributed in the hope that it will be useful,
* but WITHOUT ANY WARRANTY; without even the implied warranty of
* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

*

* You should have received copies of both LGPL v2.1 and EPL v1.0
* along with this software; see the files LICENSE-EPL and LICENSE-LGPL.
* If not, the text of these licenses are currently available at

*

* LGPL v2.1: <http://www.gnu.org/licenses/old-licenses/lgpl-2.1.html>

* EPL v1.0: <http://www.eclipse.org/org/documents/epl-v10.php>

*

*/

1.245 commons-net 3.9.0

1.245.1 Available under license :

Apache Commons Net
Copyright 2001-2022 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]"

replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.246 jackson-datatype-jsr310 2.15.0

1.246.1 Available under license :

This copy of Jackson JSON processor Java 8 Date/Time module is licensed under the Apache (Software) License, version 2.0 ("the License").
See the License for details about distribution rights, and the specific rights regarding derivative works.

You may obtain a copy of the License at:

<http://www.apache.org/licenses/LICENSE-2.0>

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.
It is currently developed by a community of developers.

Licensing

Jackson components are licensed under Apache (Software) License, version 2.0, as per accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS file, which is included

in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

1.247 netty-resolver-dns-classes-macos

4.1.93.Final

1.247.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2019 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1698848048_1685285724.8163495/0/netty-resolver-dns-classes-macos-4-1-93-final-sources-
jar/io/netty/resolver/dns/macos/package-info.java
* /opt/cola/permits/1698848048_1685285724.8163495/0/netty-resolver-dns-classes-macos-4-1-93-final-sources-
jar/io/netty/resolver/dns/macos/MacOSDnsServerAddressStreamProvider.java
* /opt/cola/permits/1698848048_1685285724.8163495/0/netty-resolver-dns-classes-macos-4-1-93-final-sources-
jar/io/netty/resolver/dns/macos/DnsResolver.java
```

No license file was found, but licenses were detected in source scan.

```
<!--
 ~ Copyright 2021 The Netty Project
 ~
 ~ The Netty Project licenses this file to you under the Apache License,
 ~ version 2.0 (the "License"); you may not use this file except in compliance
 ~ with the License. You may obtain a copy of the License at:
 ~
 ~ https://www.apache.org/licenses/LICENSE-2.0
 ~
 ~ Unless required by applicable law or agreed to in writing, software
 ~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 ~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
```

~ License for the specific language governing permissions and limitations

~ under the License.

-->

Found in path(s):

* /opt/cola/permits/1698848048_1685285724.8163495/0/netty-resolver-dns-classes-macos-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-resolver-dns-classes-macos/pom.xml

1.248 asm 9.2

1.248.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
// All rights reserved.  
// Redistribution and use in source and binary forms, with or without  
// modification, are permitted provided that the following conditions  
// are met:  
// 1. Redistributions of source code must retain the above copyright  
// notice, this list of conditions and the following disclaimer.  
// 2. Redistributions in binary form must reproduce the above copyright  
// notice, this list of conditions and the following disclaimer in the  
// documentation and/or other materials provided with the distribution.  
// 3. Neither the name of the copyright holders nor the names of its  
// this software without specific prior written permission.
```

Found in path(s):

```
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/ConstantDynamic.java  
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/Label.java  
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-  
jar/org/objectweb/asm/signature/SignatureVisitor.java  
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/ClassVisitor.java  
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/CurrentFrame.java  
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-  
jar/org/objectweb/asm/signature/SignatureWriter.java  
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/ClassReader.java  
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-  
jar/org/objectweb/asm/ClassTooLargeException.java  
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/AnnotationWriter.java  
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/FieldVisitor.java  
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/Attribute.java  
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/Opcodes.java  
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/Context.java  
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/SymbolTable.java  
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-  
jar/org/objectweb/asm/RecordComponentWriter.java  
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/ModuleVisitor.java  
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-
```

jar/org/objectweb/asm/MethodTooLargeException.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/FieldWriter.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/ModuleWriter.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/AnnotationVisitor.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/Handler.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/MethodWriter.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/ByteVector.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/Frame.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/TypeReference.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/Edge.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/Symbol.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/MethodVisitor.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/Type.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/TypePath.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/signature/SignatureReader.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/RecordComponentVisitor.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/Handle.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/ClassWriter.java
* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/Constants.java
No license file was found, but licenses were detected in source scan.

2011 INRIA, France Telecom

* All rights reserved.

*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

- * 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.
- * 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in the
* documentation and/or other materials provided with the distribution.
- * 3. Neither the name of the copyright holders nor the names of its
* contributors may be used to endorse or promote products derived from
* this software without specific prior written permission.

*

* THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS"
* AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
* ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE
* LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
* CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF
* SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS
* INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN
* CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
* ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF

* THE POSSIBILITY OF SUCH DAMAGE.

Found in path(s):

* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/signature/package.html

* /opt/cola/permits/1183834240_1627488405.61/0/asm-9-2-sources-jar/org/objectweb/asm/package.html

1.249 dropwizard-servlets 2.0.28

1.249.1 Available under license :

Apache-2.0

1.250 commons-io 2.4

1.250.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but

not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their

Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with

the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.
Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

Found in path(s):

* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-
jar/com/hubspot/jinjava/lib/filter/AbstractFilter.java

No license file was found, but licenses were detected in source scan.

/*

Copyright (c) 2014 HubSpot Inc.

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-
jar/com/hubspot/jinjava/tree/parse/TokenScanner.java

No license file was found, but licenses were detected in source scan.

* Copyright (c) 2014 HubSpot Inc.

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

Found in path(s):

- * /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/JinjavaConfig.java
- * /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/tag/IncludeTag.java
- * /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/tag/IfTag.java
- * /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/tag/CycleTag.java
- * /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/util/HelperStringTokenizer.java
- * /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/tree/ExpressionNode.java
- * /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/tree/TextNode.java
- * /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/tree/Node.java
- * /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/tree/TreeParser.java
- * /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/interpret/Context.java
- * /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/AbsFilter.java
- * /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/interpret/JinjavaInterpreter.java
- * /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/util/Variable.java
- * /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/tag/IfchangedTag.java
- * /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/tag/ExtendsTag.java
- * /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/tree/TagNode.java
- * /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/tag/BlockTag.java
- * /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/tag/Tag.java
- * /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/util/ObjectIterator.java
- * /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/tree/RootNode.java
- * /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/tag/ForTag.java
- * /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/FilterLibrary.java
- * /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/Jinjava.java
- * /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-

jar/com/hubspot/jinjava/lib/tag/SetTag.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-
jar/com/hubspot/jinjava/lib/filter/CutFilter.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-
jar/com/hubspot/jinjava/lib/filter/EscapeFilter.java
No license file was found, but licenses were detected in source scan.

/*****

Copyright (c) 2014 HubSpot Inc.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

*****/

Found in path(s):

* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-
jar/com/hubspot/jinjava/lib/filter/EscapeJsFilter.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-
jar/com/hubspot/jinjava/lib/filter/Filter.java
No license file was found, but licenses were detected in source scan.

/*****

Copyright (c) 2014 HubSpot Inc.

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

*****/

Found in path(s):

* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-

jar/com/hubspot/jinjava/lib/filter/UpperFilter.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-
jar/com/hubspot/jinjava/lib/filter/LowerFilter.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-
jar/com/hubspot/jinjava/util/Logging.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-
jar/com/hubspot/jinjava/lib/filter/DivisibleFilter.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-
jar/com/hubspot/jinjava/lib/filter/Md5Filter.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-
jar/com/hubspot/jinjava/loader/FileLocator.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-
jar/com/hubspot/jinjava/lib/filter/AddFilter.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-
jar/com/hubspot/jinjava/lib/filter/DivideFilter.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-
jar/com/hubspot/jinjava/tree/parse/NoteToken.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-
jar/com/hubspot/jinjava/tree/parse/TextToken.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-
jar/com/hubspot/jinjava/lib/tag/TagLibrary.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-
jar/com/hubspot/jinjava/lib/SimpleLibrary.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-
jar/com/hubspot/jinjava/lib/Importable.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-
jar/com/hubspot/jinjava/util/ForLoop.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-
jar/com/hubspot/jinjava/tree/parse/TokenScannerSymbols.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-
jar/com/hubspot/jinjava/lib/filter/DefaultFilter.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-
jar/com/hubspot/jinjava/lib/filter/AdvancedFilter.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-
jar/com/hubspot/jinjava/lib/filter/MultiplyFilter.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-
jar/com/hubspot/jinjava/loader/ResourceLocator.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-
jar/com/hubspot/jinjava/tree/parse/Token.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-
jar/com/hubspot/jinjava/lib/tag/ElseTag.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-
jar/com/hubspot/jinjava/lib/filter/RandomFilter.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-
jar/com/hubspot/jinjava/lib/filter/LengthFilter.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-
jar/com/hubspot/jinjava/tree/parse/TagToken.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-

jar/com/hubspot/jinjava/lib/filter/TruncateFilter.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-
jar/com/hubspot/jinjava/util/ObjectTruthValue.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-
jar/com/hubspot/jinjava/interpret/InterpretException.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-
jar/com/hubspot/jinjava/lib/filter/DatetimeFilter.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-
jar/com/hubspot/jinjava/tree/parse/ExpressionToken.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-
jar/com/hubspot/jinjava/lib/filter/ReverseFilter.java

No license file was found, but licenses were detected in source scan.

```
/**  
 * Licensed under the Apache License, Version 2.0 (the "License");  
 * you may not use this file except in compliance with the License.  
 * You may obtain a copy of the License at  
 *  
 * http://www.apache.org/licenses/LICENSE-2.0  
 *  
 * Unless required by applicable law or agreed to in writing, software  
 * distributed under the License is distributed on an "AS IS" BASIS,  
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
 * See the License for the specific language governing permissions and  
 * limitations under the License.  
 */
```

Found in path(s):

* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-
jar/com/hubspot/jinjava/lib/filter/BoolFilter.java
* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-
jar/com/hubspot/jinjava/interpret/DynamicVariableResolver.java

No license file was found, but licenses were detected in source scan.

```
/**  
 * Copyright (c) 2017 HubSpot Inc.  
 *  
 * Licensed under the Apache License, Version 2.0 (the "License");  
 * you may not use this file except in compliance with the License.  
 * You may obtain a copy of the License at  
 *  
 * http://www.apache.org/licenses/LICENSE-2.0  
 *  
 * Unless required by applicable law or agreed to in writing, software  
 * distributed under the License is distributed on an "AS IS" BASIS,  
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
 * See the License for the specific language governing permissions and  
 * limitations under the License.
```

Found in path(s):

* /opt/cola/permits/1613098423_1679654368.0746422/0/jinjava-2-6-0-sources-2-jar/com/hubspot/jinjava/lib/filter/EscapeJinjavaFilter.java

1.252 lombok 1.16.6

1.252.1 Available under license :

Copyright (C) 2009-2015 The Project Lombok Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.253 cyrus-sasl 2.1.28

1.253.1 Notifications :

This product includes software developed by Computing Services at Carnegie Mellon University (<http://www.cmu.edu/computing/>).

1.253.2 Available under license :

APPLE PUBLIC SOURCE LICENSE

Version 1.1 - April 19,1999

Please read this License carefully before downloading this software.

By downloading and using this software, you are agreeing to be bound by the terms of this License. If you do not or cannot agree to the terms of this License, please do not download or use the software.

1. General; Definitions. This License applies to any program or other work which Apple Computer, Inc. ("Apple") publicly announces as subject to this Apple Public Source License and which contains a

notice placed by Apple identifying such program or work as "Original Code" and stating that it is subject to the terms of this Apple Public Source License version 1.1 (or subsequent version thereof), as it may be revised from time to time by Apple ("License"). As used in this License:

1.1 "Affected Original Code" means only those specific portions of Original Code that allegedly infringe upon any party's intellectual property rights or are otherwise the subject of a claim of infringement.

1.2 "Applicable Patent Rights" mean: (a) in the case where Apple is the grantor of rights, (i) claims of patents that are now or hereafter acquired, owned by or assigned to Apple and (ii) that cover subject matter contained in the Original Code, but only to the extent necessary to use, reproduce and/or distribute the Original Code without infringement; and (b) in the case where You are the grantor of rights, (i) claims of patents that are now or hereafter acquired, owned by or assigned to You and (ii) that cover subject matter in Your Modifications, taken alone or in combination with Original Code.

1.3 "Covered Code" means the Original Code, Modifications, the combination of Original Code and any Modifications, and/or any respective portions thereof.

1.4 "Deploy" means to use, sublicense or distribute Covered Code other than for Your internal research and development (R&D), and includes without limitation, any and all internal use or distribution of Covered Code within Your business or organization except for R&D use, as well as direct or indirect sublicensing or distribution of Covered Code by You to any third party in any form or manner.

1.5 "Larger Work" means a work which combines Covered Code or portions thereof with code not governed by the terms of this License.

1.6 "Modifications" mean any addition to, deletion from, and/or change to, the substance and/or structure of Covered Code. When code is released as a series of files, a Modification is: (a) any addition to or deletion from the contents of a file containing Covered Code; and/or (b) any new file or other representation of computer program statements that contains any part of Covered Code.

1.7 "Original Code" means (a) the Source Code of a program or other work as originally made available by Apple under this License, including the Source Code of any updates or upgrades to such programs or works made available by Apple under this License, and that has been expressly identified by Apple as such in the header file(s) of such work; and (b) the object code compiled from such Source Code and

originally made available by Apple under this License.

1.8 "Source Code" means the human readable form of a program or other work that is suitable for making modifications to it, including all modules it contains, plus any associated interface definition files, scripts used to control compilation and installation of an executable (object code).

1.9 "You" or "Your" means an individual or a legal entity exercising rights under this License. For legal entities, "You" or "Your" includes any entity which controls, is controlled by, or is under common control with, You, where "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of fifty percent (50%) or more of the outstanding shares or beneficial ownership of such entity.

2. Permitted Uses; Conditions & Restrictions. Subject to the terms and conditions of this License, Apple hereby grants You, effective on the date You accept this License and download the Original Code, a world-wide, royalty-free, non-exclusive license, to the extent of Apple's Applicable Patent Rights and copyrights covering the Original Code, to do the following:

2.1 You may use, copy, modify and distribute Original Code, with or without Modifications, solely for Your internal research and development, provided that You must in each instance:

(a) retain and reproduce in all copies of Original Code the copyright and other proprietary notices and disclaimers of Apple as they appear in the Original Code, and keep intact all notices in the Original Code that refer to this License;

(b) include a copy of this License with every copy of Source Code of Covered Code and documentation You distribute, and You may not offer or impose any terms on such Source Code that alter or restrict this License or the recipients' rights hereunder, except as permitted under Section 6; and

(c) completely and accurately document all Modifications that you have made and the date of each such Modification, designate the version of the Original Code you used, prominently include a file carrying such information with the Modifications, and duplicate the notice in Exhibit A in each file of the Source Code of all such Modifications.

2.2 You may Deploy Covered Code, provided that You must in each instance:

(a) satisfy all the conditions of Section 2.1 with respect to the Source Code of the Covered Code;

(b) make all Your Deployed Modifications publicly available in Source Code form via electronic distribution (e.g. download from a web site) under the terms of this License and subject to the license grants set forth in Section 3 below, and any additional terms You may choose to offer under Section 6. You must continue to make the Source Code of Your Deployed Modifications available for as long as you Deploy the Covered Code or twelve (12) months from the date of initial Deployment, whichever is longer;

(c) if You Deploy Covered Code containing Modifications made by You, inform others of how to obtain those Modifications by filling out and submitting the information found at <http://www.apple.com/publicsource/modifications.html>, if available; and

(d) if You Deploy Covered Code in object code, executable form only, include a prominent notice, in the code itself as well as in related documentation, stating that Source Code of the Covered Code is available under the terms of this License with information on how and where to obtain such Source Code.

3. Your Grants. In consideration of, and as a condition to, the licenses granted to You under this License:

(a) You hereby grant to Apple and all third parties a non-exclusive, royalty-free license, under Your Applicable Patent Rights and other intellectual property rights owned or controlled by You, to use, reproduce, modify, distribute and Deploy Your Modifications of the same scope and extent as Apple's licenses under Sections 2.1 and 2.2; and

(b) You hereby grant to Apple and its subsidiaries a non-exclusive, worldwide, royalty-free, perpetual and irrevocable license, under Your Applicable Patent Rights and other intellectual property rights owned or controlled by You, to use, reproduce, execute, compile, display, perform, modify or have modified (for Apple and/or its subsidiaries), sublicense and distribute Your Modifications, in any form, through multiple tiers of distribution.

4. Larger Works. You may create a Larger Work by combining Covered Code with other code not governed by the terms of this License and distribute the Larger Work as a single product. In each such instance, You must make sure the requirements of this License are fulfilled for the Covered Code or any portion thereof.

5. Limitations on Patent License. Except as expressly stated in Section 2, no other patent rights, express or implied, are granted by Apple herein. Modifications and/or Larger Works may require additional patent licenses from Apple which Apple may grant in its sole discretion.

6. Additional Terms. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations and/or other rights consistent with the scope of the license granted herein ("Additional Terms") to one or more recipients of Covered Code. However, You may do so only on Your own behalf and as Your sole responsibility, and not on behalf of Apple. You must obtain the recipient's agreement that any such Additional Terms are offered by You alone, and You hereby agree to indemnify, defend and hold Apple harmless for any liability incurred by or claims asserted against Apple by reason of any such Additional Terms.

7. Versions of the License. Apple may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Once Original Code has been published under a particular version of this License, You may continue to use it under the terms of that version. You may also choose to use such Original Code under the terms of any subsequent version of this License published by Apple. No one other than Apple has the right to modify the terms applicable to Covered Code created under this License.

8. NO WARRANTY OR SUPPORT. The Original Code may contain in whole or in part pre-release, untested, or not fully tested works. The Original Code may contain errors that could cause failures or loss of data, and may be incomplete or contain inaccuracies. You expressly acknowledge and agree that use of the Original Code, or any portion thereof, is at Your sole and entire risk. THE ORIGINAL CODE IS PROVIDED "AS IS" AND WITHOUT WARRANTY, UPGRADES OR SUPPORT OF ANY KIND AND APPLE AND APPLE'S LICENSOR(S) (FOR THE PURPOSES OF SECTIONS 8 AND 9, APPLE AND APPLE'S LICENSOR(S) ARE COLLECTIVELY REFERRED TO AS "APPLE") EXPRESSLY DISCLAIM ALL WARRANTIES AND/OR CONDITIONS, EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES AND/OR CONDITIONS OF MERCHANTABILITY OR SATISFACTORY QUALITY AND FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. APPLE DOES NOT WARRANT THAT THE FUNCTIONS CONTAINED IN THE ORIGINAL CODE WILL MEET YOUR REQUIREMENTS, OR THAT THE OPERATION OF THE ORIGINAL CODE WILL BE UNINTERRUPTED OR ERROR- FREE, OR THAT DEFECTS IN THE ORIGINAL CODE WILL BE CORRECTED. NO ORAL OR WRITTEN INFORMATION OR ADVICE GIVEN BY APPLE OR AN APPLE AUTHORIZED REPRESENTATIVE SHALL CREATE A WARRANTY OR IN ANY WAY INCREASE THE SCOPE OF THIS WARRANTY. You acknowledge that the Original Code is not intended for use in the operation of nuclear facilities, aircraft

navigation, communication systems, or air traffic control machines in which case the failure of the Original Code could lead to death, personal injury, or severe physical or environmental damage.

9. Liability.

9.1 Infringement. If any portion of, or functionality implemented by, the Original Code becomes the subject of a claim of infringement, Apple may, at its option: (a) attempt to procure the rights necessary for Apple and You to continue using the Affected Original Code; (b) modify the Affected Original Code so that it is no longer infringing; or (c) suspend Your rights to use, reproduce, modify, sublicense and distribute the Affected Original Code until a final determination of the claim is made by a court or governmental administrative agency of competent jurisdiction and Apple lifts the suspension as set forth below. Such suspension of rights will be effective immediately upon Apple's posting of a notice to such effect on the Apple web site that is used for implementation of this License. Upon such final determination being made, if Apple is legally able, without the payment of a fee or royalty, to resume use, reproduction, modification, sublicensing and distribution of the Affected Original Code, Apple will lift the suspension of rights to the Affected Original Code by posting a notice to such effect on the Apple web site that is used for implementation of this License. If Apple suspends Your rights to Affected Original Code, nothing in this License shall be construed to restrict You, at Your option and subject to applicable law, from replacing the Affected Original Code with non-infringing code or independently negotiating for necessary rights from such third party.

9.2 LIMITATION OF LIABILITY. UNDER NO CIRCUMSTANCES SHALL APPLE BE LIABLE FOR ANY INCIDENTAL, SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES ARISING OUT OF OR RELATING TO THIS LICENSE OR YOUR USE OR INABILITY TO USE THE ORIGINAL CODE, OR ANY PORTION THEREOF, WHETHER UNDER A THEORY OF CONTRACT, WARRANTY, TORT (INCLUDING NEGLIGENCE), PRODUCTS LIABILITY OR OTHERWISE, EVEN IF APPLE HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES AND NOTWITHSTANDING THE FAILURE OF ESSENTIAL PURPOSE OF ANY REMEDY. In no event shall Apple's total liability to You for all damages under this License exceed the amount of fifty dollars (\$50.00).

10. Trademarks. This License does not grant any rights to use the trademarks or trade names "Apple", "Apple Computer", "Mac OS X", "Mac OS X Server" or any other trademarks or trade names belonging to Apple (collectively "Apple Marks") and no Apple Marks may be used to endorse or promote products derived from the Original Code other than as permitted by and in strict compliance at all times with Apple's third party trademark usage guidelines which are posted at

<http://www.apple.com/legal/guidelinesfor3rdparties.html>.

11. Ownership. Apple retains all rights, title and interest in and to the Original Code and any Modifications made by or on behalf of Apple ("Apple Modifications"), and such Apple Modifications will not be automatically subject to this License. Apple may, at its sole discretion, choose to license such Apple Modifications under this License, or on different terms from those contained in this License or may choose not to license them at all. Apple's development, use, reproduction, modification, sublicensing and distribution of Covered Code will not be subject to this License.

12. Termination.

12.1 Termination. This License and the rights granted hereunder will terminate:

(a) automatically without notice from Apple if You fail to comply with any term(s) of this License and fail to cure such breach within 30 days of becoming aware of such breach; (b) immediately in the event of the circumstances described in Section 13.5(b); or (c) automatically without notice from Apple if You, at any time during the term of this License, commence an action for patent infringement against Apple.

12.2 Effect of Termination. Upon termination, You agree to immediately stop any further use, reproduction, modification, sublicensing and distribution of the Covered Code and to destroy all copies of the Covered Code that are in your possession or control. All sublicenses to the Covered Code which have been properly granted prior to termination shall survive any termination of this License. Provisions which, by their nature, should remain in effect beyond the termination of this License shall survive, including but not limited to Sections 3, 5, 8, 9, 10, 11, 12.2 and 13. Neither party will be liable to the other for compensation, indemnity or damages of any sort solely as a result of terminating this License in accordance with its terms, and termination of this License will be without prejudice to any other right or remedy of either party.

13. Miscellaneous.

13.1 Government End Users. The Covered Code is a "commercial item" as defined in FAR 2.101. Government software and technical data rights in the Covered Code include only those rights customarily provided to the public as defined in this License. This customary commercial license in technical data and software is provided in accordance with FAR 12.211 (Technical Data) and 12.212 (Computer Software) and, for Department of Defense purchases, DFAR 252.227-7015 (Technical Data -- Commercial Items) and 227.7202-3 (Rights in Commercial Computer

Software or Computer Software Documentation). Accordingly, all U.S. Government End Users acquire Covered Code with only those rights set forth herein.

13.2 Relationship of Parties. This License will not be construed as creating an agency, partnership, joint venture or any other form of legal association between You and Apple, and You will not represent to the contrary, whether expressly, by implication, appearance or otherwise.

13.3 Independent Development. Nothing in this License will impair Apple's right to acquire, license, develop, have others develop for it, market and/or distribute technology or products that perform the same or similar functions as, or otherwise compete with, Modifications, Larger Works, technology or products that You may develop, produce, market or distribute.

13.4 Waiver; Construction. Failure by Apple to enforce any provision of this License will not be deemed a waiver of future enforcement of that or any other provision. Any law or regulation which provides that the language of a contract shall be construed against the drafter will not apply to this License.

13.5 Severability. (a) If for any reason a court of competent jurisdiction finds any provision of this License, or portion thereof, to be unenforceable, that provision of the License will be enforced to the maximum extent permissible so as to effect the economic benefits and intent of the parties, and the remainder of this License will continue in full force and effect. (b) Notwithstanding the foregoing, if applicable law prohibits or restricts You from fully and/or specifically complying with Sections 2 and/or 3 or prevents the enforceability of either of those Sections, this License will immediately terminate and You must immediately discontinue any use of the Covered Code and destroy all copies of it that are in your possession or control.

13.6 Dispute Resolution. Any litigation or other dispute resolution between You and Apple relating to this License shall take place in the Northern District of California, and You and Apple hereby consent to the personal jurisdiction of, and venue in, the state and federal courts within that District with respect to this License. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded.

13.7 Entire Agreement; Governing Law. This License constitutes the entire agreement between the parties with respect to the subject matter hereof. This License shall be governed by the laws of the United States and the State of California, except that body of

California law concerning conflicts of law.

Where You are located in the province of Quebec, Canada, the following clause applies: The parties hereby confirm that they have requested that this License and all related documents be drafted in English. Les parties ont exigé que le présent contrat et tous les documents connexes soient rédigés en anglais.

EXHIBIT A.

"Portions Copyright (c) 1999 Apple Computer, Inc. All Rights Reserved. This file contains Original Code and/or Modifications of Original Code as defined in and that are subject to the Apple Public Source License Version 1.1 (the "License"). You may not use this file except in compliance with the License. Please obtain a copy of the License at <http://www.apple.com/publicsource> and read it before using this file.

The Original Code and all software distributed under the License are distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, AND APPLE HEREBY DISCLAIMS ALL SUCH WARRANTIES, INCLUDING WITHOUT LIMITATION, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON- INFRINGEMENT. Please see the License for the specific language governing rights and limitations under the License."

/* CMU libsasl

* Tim Martin

* Rob Earhart

* Rob Siemborski

*/

/*

* Copyright (c) 1998-2003 Carnegie Mellon University. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

*

* 1. Redistributions of source code must retain the above copyright

* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in

* the documentation and/or other materials provided with the

* distribution.

*

* 3. The name "Carnegie Mellon University" must not be used to

* endorse or promote products derived from this software without

* prior written permission. For permission or any other legal

* details, please contact
* Office of Technology Transfer
* Carnegie Mellon University
* 5000 Forbes Avenue
* Pittsburgh, PA 15213-3890
* (412) 268-4387, fax: (412) 268-7395
* tech-transfer@andrew.cmu.edu
*

* 4. Redistributions of any form whatsoever must retain the following
* acknowledgment:
* "This product includes software developed by Computing Services
* at Carnegie Mellon University (<http://www.cmu.edu/computing/>)."
*

* CARNEGIE MELLON UNIVERSITY DISCLAIMS ALL WARRANTIES WITH REGARD TO
* THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY
* AND FITNESS, IN NO EVENT SHALL CARNEGIE MELLON UNIVERSITY BE LIABLE
* FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
* WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN
* AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING
* OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
*/

Copyright (C) 1995-1997 Eric Young (eay@mincom.oz.au)
All rights reserved.

This package is an DES implementation written by Eric Young (eay@mincom.oz.au).
The implementation was written so as to conform with MIT's libdes.

This library is free for commercial and non-commercial use as long as
the following conditions are adhered to. The following conditions
apply to all code found in this distribution.

Copyright remains Eric Young's, and as such any Copyright notices in
the code are not to be removed.

If this package is used in a product, Eric Young should be given attribution
as the author of that the SSL library. This can be in the form of a textual
message at program startup or in documentation (online or textual) provided
with the package.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. All advertising materials mentioning features or use of this software
must display the following acknowledgement:

This product includes software developed by Eric Young (eay@mincom.oz.au)

THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The license and distribution terms for any publically available version or derivative of this code cannot be changed. i.e. this code cannot simply be copied and put under another distribution license [including the GNU Public License.]

The reason behind this being stated in this direct manner is past experience in code simply being copied and the attribution removed from it and then being distributed as part of other packages. This implementation was a non-trivial and unpaid effort.

```
/* CMU libsasl
```

```
* Tim Martin
```

```
* Rob Earhart
```

```
* Rob Siemborski
```

```
*/
```

```
/*
```

```
* Copyright (c) 2001 Carnegie Mellon University. All rights reserved.
```

```
*
```

```
* Redistribution and use in source and binary forms, with or without
```

```
* modification, are permitted provided that the following conditions
```

```
* are met:
```

```
*
```

```
* 1. Redistributions of source code must retain the above copyright
```

```
* notice, this list of conditions and the following disclaimer.
```

```
*
```

```
* 2. Redistributions in binary form must reproduce the above copyright
```

```
* notice, this list of conditions and the following disclaimer in
```

```
* the documentation and/or other materials provided with the
```

```
* distribution.
```

```
*
```

```
* 3. The name "Carnegie Mellon University" must not be used to
```

```
* endorse or promote products derived from this software without
```

```
* prior written permission. For permission or any other legal
```

```
* details, please contact
```

```
* Office of Technology Transfer
```

* Carnegie Mellon University
* 5000 Forbes Avenue
* Pittsburgh, PA 15213-3890
* (412) 268-4387, fax: (412) 268-7395
* tech-transfer@andrew.cmu.edu
*
* 4. Redistributions of any form whatsoever must retain the following
* acknowledgment:
* "This product includes software developed by Computing Services
* at Carnegie Mellon University (<http://www.cmu.edu/computing/>)."
*
* CARNEGIE MELLON UNIVERSITY DISCLAIMS ALL WARRANTIES WITH REGARD TO
* THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY
* AND FITNESS, IN NO EVENT SHALL CARNEGIE MELLON UNIVERSITY BE LIABLE
* FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
* WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN
* AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING
* OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
*/

1.254 dropwizard-auth-ldap 1.0.4

1.254.1 Available under license :

No license file was found, but licenses were detected in source scan.

<url><http://www.apache.org/licenses/LICENSE-2.0.txt></url>

Found in path(s):

* /opt/cola/permits/1309839528_1650278640.46/0/dropwizard-auth-ldap-1-0-4-sources-1-jar/META-INF/maven/com.yammer.dropwizard/dropwizard-auth-ldap/pom.xml

1.255 netty-codec-http 4.1.93.Final

1.255.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2012 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

- * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
- * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
- * License for the specific language governing permissions and limitations
- * under the License.
- */

Found in path(s):

- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/PingWebSocketFrame.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/DefaultHttpMessage.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpMethod.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/DefaultHttpRequest.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/HttpData.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpResponseEncoder.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpRequest.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/package-info.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/rtsp/RtspResponseEncoder.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpClientCodec.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/DefaultHttpHeaders.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket00FrameEncoder.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/MemoryAttribute.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/package-info.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/AbstractDiskHttpData.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpContentEncoder.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshakerFactory.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/HttpPostRequestDecoder.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/CookieDecoder.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpContentDecompressor.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-

jar/io/netty/handler/codec/http/HttpVersion.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker00.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/multipart/HttpDataFactory.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/SpdyHttpEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/rtsp/RtspRequestDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/HttpObjectAggregator.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/DefaultCookie.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/multipart/InternalAttribute.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/package-info.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/multipart/InterfaceHttpPostRequestDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/SpdyHttpResponseStreamIdHandler.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketHandshakeException.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/multipart/DiskFileUpload.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/HttpHeaders.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/HttpConstants.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/HttpResponseDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/TextWebSocketFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/rtsp/RtspObjectDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/HttpResponse.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/multipart/FileUpload.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/multipart/HttpPostMultipartRequestDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/SpdySession.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/multipart/AbstractHttpData.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/QueryStringDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-

jar/io/netty/handler/codec/http/HttpObject.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/HttpContent.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/rtsp/RtspResponseDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/multipart/MixedAttribute.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/rtsp/RtspMethods.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/rtsp/package-info.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/multipart/MixedFileUpload.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/multipart/HttpPostRequestEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/PongWebSocketFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/rtsp/RtspResponseStatuses.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/DefaultLastHttpContent.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker07.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketUtil.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/SpdyHttpHeaders.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/HttpObjectDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/multipart/HttpPostBodyUtil.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/BinaryWebSocketFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/HttpContentCompressor.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/HTTPHeaderDateFormat.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/multipart/DefaultHttpDataFactory.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/multipart/CaseIgnoringComparator.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker13.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-

jar/io/netty/handler/codec/http/HttpRequestEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/DefaultSpdySettingsFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/ContinuationWebSocketFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/HttpObjectEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/HttpMessage.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/multipart/MemoryFileUpload.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/rtsp/RtspHeaders.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketVersion.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/multipart/AbstractMemoryHttpData.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/multipart/DiskAttribute.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/rtsp/RtspVersions.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/multipart/HttpPostStandardRequestDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/DefaultHttpContent.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/multipart/Attribute.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/DefaultHttpObject.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/QueryStringEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/HttpResponseStatus.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/HttpContentDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/HttpServerCodec.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/rtsp/RtspObjectEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/LastHttpContent.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/HttpRequestDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshaker08.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/Cookie.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-

```
jar/io/netty/handler/codec/rtsp/RtspRequestEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/DefaultHttpResponse.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/package-info.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/multipart/InterfaceHttpData.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version 2.0 (the
* "License"); you may not use this file except in compliance with the License. You may obtain a
* copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
* express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/HttpClientUpgradeHandler.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/HttpServerUpgradeHandler.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2019 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
// (BSD License: https://www.opensource.org/licenses/bsd-license)
```

```
// All rights reserved.
// Redistribution and use in source and binary forms, with or
// * Redistributions of source code must retain the above
// copyright notice, this list of conditions and the
// following disclaimer.
// * Redistributions in binary form must reproduce the above
// following disclaimer in the documentation and/or other
// * Neither the name of the Webbit nor the names of
```

Found in path(s):

```
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocket07FrameDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocket13FrameDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocket08FrameDecoder.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2013 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version
* 2.0 (the "License"); you may not use this file except in compliance with the
* License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/cors/CorsConfig.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/cors/CorsHandler.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2014 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
*/
```

- * <https://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
- * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
- * License for the specific language governing permissions and limitations
- * under the License.
- */

Found in path(s):

- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyFrameDecoder.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockZlibDecoder.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateDecoder.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockRawDecoder.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyProtocolException.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/Utf8FrameValidator.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtension.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateEncoder.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerFrameDeflateDecoder.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateFrameServerExtensionHandshaker.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockDecoder.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/ClientCookieEncoder.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketServerExtensionHandshaker.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerFrameDeflateEncoder.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateClientExtensionHandshaker.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/package-info.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketClientExtension.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionData.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-

jar/io/netty/handler/codec/http/HttpHeadersEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/package-info.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/ServerCookieEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketClientExtensionHandler.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateServerExtensionHandshaker.
java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketClientExtensionHandshaker.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateFrameClientExtensionHandshaker.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/HttpHeaderNames.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketServerExtensionHandler.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/HttpHeaderValues.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/SpdyFrameCodec.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/HttpStatusClass.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/HttpMessageUtil.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketServerExtension.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionUtil.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/rtsp/RtspHeaderNames.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/SpdyFrameDecoderDelegate.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/DeflateEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/SpdyFrameEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/rtsp/RtspHeaderValues.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/compression/WebSocketClientCompressionHandler.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/HttpChunkedInput.java

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/WebSocketServerCompressionHandler.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/extensions/compression/PerMessageDeflateDecoder.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2015 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpScheme.java

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/CookieUtil.java

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/cookie/Cookie.java

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/cookie/CookieUtil.java

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/cookie/ClientCookieEncoder.java

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/cookie/CookieDecoder.java

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/cookie/ClientCookieDecoder.java

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/cookie/ServerCookieEncoder.java

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/cookie/ServerCookieDecoder.java

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpExpectationFailedEvent.java

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/cookie/CookieHeaderNames.java

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/EmptyHttpHeaders.java

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-

jar/io/netty/handler/codec/rtsp/RtspEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/cookie/CookieEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/cookie/DefaultCookie.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/CombinedHttpHeaders.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/rtsp/RtspDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/cookie/package-info.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/HttpUtil.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2017 The Netty Project  
*  
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
* License for the specific language governing permissions and limitations  
* under the License.  
*/
```

Found in path(s):

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/HttpServerExpectContinueHandler.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/ReadOnlyHttpHeaders.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketScheme.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2013 The Netty Project  
*  
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:  
*  
* https://www.apache.org/licenses/LICENSE-2.0
```


- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
- * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
- * License for the specific language governing permissions and limitations
- * under the License.
- */

Found in path(s):

- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyStreamFrame.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdySynStreamFrame.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientProtocolHandshakeHandler.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyVersion.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockRawEncoder.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdySynStreamFrame.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeadersFrame.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyHttpCodec.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/DefaultFullHttpRequest.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientProtocolHandler.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketFrameEncoder.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyDataFrame.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/FullHttpRequest.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdyHeaderBlockZlibEncoder.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdySessionHandler.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdyRstStreamFrame.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/DefaultSpdySynReplyFrame.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/spdy/SpdySettingsFrame.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketFrameAggregator.java
- * /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-

jar/io/netty/handler/codec/http/ComposedLastHttpContent.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/SpdyRstStreamFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/SpdyStreamFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/SpdyGoAwayFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/SpdySynReplyFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/SpdyHttpDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketProtocolHandler.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/SpdyCodecUtil.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/SpdySessionStatus.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/SpdyStreamStatus.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/DefaultFullHttpResponse.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/DefaultSpdyDataFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/FullHttpResponse.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/SpdyPingFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/SpdyFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/FullHttpRequest.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/DefaultSpdyHeadersFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/DefaultSpdyWindowUpdateFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/SpdyHeaders.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketFrameDecoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/SpdyHeaderBlockEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/SpdyWindowUpdateFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/DefaultSpdyPingFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/DefaultSpdyGoAwayFrame.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-

```
jar/io/netty/handler/codec/http/cors/package-info.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/SpdyHeaderBlockJZlibEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/spdy/DefaultSpdyHeaders.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2012 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
// (BSD License: https://www.opensource.org/licenses/bsd-license)
// All rights reserved.
// Redistribution and use in source and binary forms, with or
// * Redistributions of source code must retain the above
// copyright notice, this list of conditions and the
// following disclaimer.
// * Redistributions in binary form must reproduce the above
// following disclaimer in the documentation and/or other
// * Neither the name of the Webbit nor the names of
```

Found in path(s):

```
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocket08FrameEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocket13FrameEncoder.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocket07FrameEncoder.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2015 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version
* 2.0 (the "License"); you may not use this file except in compliance with the
* License. You may obtain a copy of the License at:
*
*
```

* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/cors/CorsConfigBuilder.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright 2021 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/HttpMessageDecoderResult.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/CompressionEncoderFactory.java
No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2012 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ <https://www.apache.org/licenses/LICENSE-2.0>
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->

Found in path(s):

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-codec-http/pom.xml

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2019 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshakerFactory.java

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/CloseWebSocketFrame.java

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerProtocolHandshakeHandler.java

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker.java

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerProtocolHandler.java

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker00.java

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker13.java

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocket00FrameDecoder.java

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientProtocolConfig.java

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketDecoderConfig.java

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-

```
jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker08.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketServerProtocolConfig.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionFilter.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/extensions/WebSocketExtensionFilterProvider.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketServerHandshaker07.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/WebSocketCloseStatus.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/websocketx/CorruptedWebSocketFrameException.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2022 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/TooLongHTTPHeaderException.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/TooLongHttpContentException.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/HTTPHeaderValidationUtil.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/TooLongHttpLineException.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-
jar/io/netty/handler/codec/http/multipart/AbstractMixedHttpData.java
No license file was found, but licenses were detected in source scan.
```

```
# The Netty Project licenses this file to you under the Apache License,
# version 2.0 (the "License"); you may not use this file except in compliance
# with the License. You may obtain a copy of the License at:
# distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
```

Found in path(s):

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/META-INF/native-image/io.netty/netty-codec-http/native-image.properties

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2019 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

/*

* Adaptation of <https://bjoern.hoehrmann.de/utf-8/decoder/dfa/>

*

* Copyright (c) 2008-2009 Bjoern Hoehrmann <bjoern@hoehrmann.de>

*

* Permission is hereby granted, free of charge, to any person obtaining a copy of this software
* and associated documentation files (the "Software"), to deal in the Software without restriction,
* including without limitation the rights to use, copy, modify, merge, publish, distribute,
* sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:

*

* The above copyright notice and this permission notice shall be included in all copies or
* substantial portions of the Software.

*

* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING
* BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR
* PURPOSE AND
* NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE
* FOR ANY CLAIM,
* DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE,
* ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE
* SOFTWARE.

*/

Found in path(s):

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/Utf8Validator.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2016 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/HttpServerKeepAliveHandler.java

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketChunkedInput.java

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/multipart/FileUploadUtil.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2020 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codec/http/websocketx/WebSocketClientHandshakeException.java

* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codecs/http/multipart/DeleteFileOnExitHook.java
* /opt/cola/permits/1698848030_1685285723.526563/0/netty-codec-http-4-1-93-final-sources-jar/io/netty/handler/codecs/http/websocketx/WebSocketServerHandshakeException.java

1.256 groovy-swing 3.0.9

1.256.1 Available under license :

No license file was found, but licenses were detected in source scan.

Licensed to the Apache Software Foundation (ASF) under one or more contributor license agreements. See the NOTICE file distributed with this work for additional information regarding copyright ownership. The ASF licenses this file to you under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Found in path(s):

* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/package.html
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/binding/package.html
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/model/package.html
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/impl/package.html
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/model/package.html
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/apache/groovy/swing/binding/package.html
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/package.html
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/codehaus/groovy/binding/package.html

No license file was found, but licenses were detected in source scan.

/*

* Licensed to the Apache Software Foundation (ASF) under one

* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing,
* software distributed under the License is distributed on an
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
* KIND, either express or implied. See the License for the
* specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/binding/JListProperties.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/org/apache/groovy/swing/binding/ClosureSourceBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/BindFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/table/TableSorter.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/RootPaneContainerFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/impl/TableLayoutCell.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/BoxFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/binding/JTableProperties.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/ComponentFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/binding/AbstractButtonProperties.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/SwingBorderFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/TableModelFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/ImageIconFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/binding/JComboBoxProperties.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/binding/JScrollBarProperties.java

- * /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/apache/groovy/swing/binding/BindingProxy.java
- * /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/WidgetFactory.groovy
- * /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/SplitPaneFactory.groovy
- * /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/BindProxyFactory.groovy
- * /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/codehaus/groovy/runtime/SwingGroovyMethods.java
- * /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/binding/JTableMetaMethods.groovy
- * /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/binding/JComponentProperties.java
- * /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/inspect/swingui/TableSorter.java
- * /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/LookAndFeelHelper.groovy
- * /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/binding/AbstractSyntheticBinding.java
- * /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/inspect/swingui/TableMap.java
- * /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/model/ValueHolder.java
- * /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/TableFactory.groovy
- * /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/model/NestedValueModel.java
- * /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/ColumnFactory.groovy
- * /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/codehaus/groovy/binding/ClosureTriggerBinding.java
- * /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/impl/ListWrapperListModel.java
- * /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/binding/JComboBoxMetaMethods.groovy
- * /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/model/FormModel.java
- * /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/TabbedPaneFactory.groovy
- * /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/BeanFactory.groovy
- * /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/apache/groovy/swing/binding/MutualPropertyBinding.java
- * /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/impl/DefaultAction.java
- * /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/model/DefaultTableColumn.java
- * /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/model/PropertyModel.java

* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/codehaus/groovy/binding/EventTriggerBinding.java

* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/RendererFactory.groovy

* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/codehaus/groovy/binding/BindingProxy.java

* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/codehaus/groovy/binding/MutualPropertyBinding.java

* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/codehaus/groovy/binding/SwingTimerTriggerBinding.java

* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/RichActionWidgetFactory.groovy

* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/ActionFactory.groovy

* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/BindGroupFactory.groovy

* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/codehaus/groovy/binding/PropertyPathFullBinding.java

* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/ButtonGroupFactory.groovy

* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/codehaus/groovy/binding/AggregateBinding.java

* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/impl/ClosureRenderer.java

* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/EtchedBorderFactory.groovy

* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/binding/JTextComponentProperties.java

* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/model/PropertyModel.java

* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/MatteBorderFactory.groovy

* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/apache/groovy/swing/binding/PropertyBinding.java

* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/apache/groovy/swing/binding/ClosureTriggerBinding.java

* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/apache/groovy/swing/binding/SwingTimerTriggerBinding.java

* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/codehaus/groovy/binding/ClosureSourceBinding.java

* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/apache/groovy/swing/binding/TriggerBinding.java

* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/impl/TableLayout.java

* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/codehaus/groovy/binding/BindingUpdatable.java

* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/CompoundBorderFactory.groovy

* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/binding/JSpinnerProperties.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/DialogFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/binding/AbstractSyntheticMetaMethods.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/ScrollPaneFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/codehaus/groovy/binding/PropertyChangeProxyTargetBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/EmptyBorderFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/SeparatorFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/apache/groovy/swing/binding/PropertyPathFullBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/codehaus/groovy/binding/TriggerBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/impl/TableLayoutRow.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/model/ClosureModel.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/LayoutFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/model/DefaultTableModel.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/SwingBuilder.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/ListFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/codehaus/groovy/binding/PropertyBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/TextArgWidgetFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/codehaus/groovy/binding/TargetBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/CollectionFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/model/ValueHolder.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/codehaus/groovy/binding/SourceBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/BoxLayoutFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/BevelBorderFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/apache/groovy/swing/binding/PropertyChangeProxyTargetBinding.java

* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/WindowFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/binding/JSliderProperties.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/FrameFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/model/ValueModel.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/apache/groovy/swing/binding/TargetBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/CellEditorFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/model/ClosureModel.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/GridBagFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/apache/groovy/swing/extensions/SwingExtensions.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/LineBorderFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/apache/groovy/swing/binding/BindPath.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/apache/groovy/swing/binding/BindingUpdatable.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/ColumnModelFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/impl/ClosureCellEditor.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/TableLayoutFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/model/NestedValueModel.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/InternalFrameFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/codehaus/groovy/binding/FullBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/apache/groovy/swing/binding/SourceBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/org/apache/groovy/swing/binding/EventTriggerBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/factory/FormattedTextFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/binding/JListMetaMethods.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/table/TableMap.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-jar/groovy/swing/model/FormModel.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-

jar/groovy/swing/model/ValueModel.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/org/apache/groovy/swing/binding/FullBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/TitledBorderFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/model/DefaultTableColumn.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/MapFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/org/codehaus/groovy/binding/AbstractFullBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/org/codehaus/groovy/binding/BindPath.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/model/DefaultTableModel.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/groovy/swing/factory/ComboBoxFactory.groovy
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/org/apache/groovy/swing/binding/AbstractFullBinding.java
* /opt/cola/permits/1268277696_1644386512.94/0/groovy-swing-3-0-9-sources-
jar/org/apache/groovy/swing/binding/AggregateBinding.java

1.257 zlib 1.2.13

1.257.1 Available under license :

Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization obtaining a copy of the software and accompanying documentation covered by this license (the "Software") to use, reproduce, display, distribute, execute, and transmit the Software, and to prepare derivative works of the Software, and to permit third-parties to whom the Software is furnished to do so, all subject to the following:

The copyright notices in the Software and this entire statement, including the above license grant, this restriction and the following disclaimer, must be included in all copies of the Software, in whole or in part, and all derivative works of the Software, unless such copies or derivative works are solely in the form of machine-executable object code generated by a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER

DEALINGS IN THE SOFTWARE.

Copyright notice:

(C) 1995-2022 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly Mark Adler
jloup@gzip.org madler@alumni.caltech.edu

1.258 netty-handler 4.1.93.Final

1.258.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2022 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-

jar/io/netty/handler/ssl/BouncyCastlePemReader.java

* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-

jar/io/netty/handler/ssl/OpenSslCertificateCompressionAlgorithm.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2012 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-

jar/io/netty/handler/traffic/ChannelTrafficShapingHandler.java

* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-

jar/io/netty/handler/traffic/GlobalTrafficShapingHandler.java

* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-

jar/io/netty/handler/traffic/TrafficCounter.java

* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-

jar/io/netty/handler/traffic/package-info.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2013 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,

* version 2.0 (the "License"); you may not use this file except in compliance

* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the

* License for the specific language governing permissions and limitations

* under the License.

*/

Found in path(s):

* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/SslHandshakeCompletionEvent.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2015 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/ClientAuth.java

* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslSessionTicketKey.java

* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/SslContextBuilder.java

* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/ApplicationProtocolNegotiationHandler.java

* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/util/LazyJavaxX509Certificate.java

* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/ApplicationProtocolNames.java

* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/ApplicationProtocolAccessor.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2011 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/traffic/AbstractTrafficShapingHandler.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2017 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/SslCompletionEvent.java

* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/AbstractSniHandler.java

* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/Conscrypt.java

* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/SniCompletionEvent.java

* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/ConscryptAlpnSslEngine.java

* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/ocsp/OcspClientHandler.java

* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/OptionalSslHandler.java

* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/JdkAlpnSslUtils.java

* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/ocsp/package-info.java

* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/SslCloseCompletionEvent.java

```
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-  
jar/io/netty/handler/ssl/SslClientHelloHandler.java
```

```
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-  
jar/io/netty/handler/ssl/JdkAlpnSslEngine.java
```

No license file was found, but licenses were detected in source scan.

```
# The Netty Project licenses this file to you under the Apache License,  
# version 2.0 (the "License"); you may not use this file except in compliance  
# with the License. You may obtain a copy of the License at:  
# distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
```

Found in path(s):

```
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/META-INF/native-  
image/io.netty.netty-handler/native-image.properties
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2014 The Netty Project
```

```
*
```

```
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:
```

```
*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
* License for the specific language governing permissions and limitations  
* under the License.
```

```
*/
```

```
// Try the OpenJDK's proprietary implementation.
```

Found in path(s):

```
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-  
jar/io/netty/handler/ssl/util/SelfSignedCertificate.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2023 The Netty Project
```

```
*
```

```
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:
```

```
*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/pcap/State.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/traffic/GlobalChannelTrafficShapingHandler.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2012 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

- * /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/timeout/TimeoutException.java
- * /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/stream/ChunkedNioFile.java
- * /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/timeout/IdleStateEvent.java
- * /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/logging/package-info.java
- * /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/stream/ChunkedFile.java
- * /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/SslHandler.java
- * /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/stream/ChunkedWriteHandler.java
- * /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/stream/ChunkedNioStream.java
- * /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/timeout/IdleState.java
- * /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/package-info.java
- * /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/NotSslRecordException.java
- * /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/util/package-info.java
- * /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/logging/LogLevel.java
- * /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/timeout/ReadTimeoutHandler.java
- * /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/timeout/WriteTimeoutException.java
- * /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/timeout/package-info.java
- * /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/stream/ChunkedStream.java
- * /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/stream/ChunkedInput.java
- * /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/logging/LoggingHandler.java
- * /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/timeout/WriteTimeoutHandler.java
- * /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/timeout/IdleStateHandler.java
- * /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/timeout/ReadTimeoutException.java
- * /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/stream/package-info.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2022 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License, version
 * 2.0 (the "License"); you may not use this file except in compliance with the
 * License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations under
 * the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/OpenSslCertificateCompressionConfig.java
No license file was found, but licenses were detected in source scan.
```

```
<!--
 ~ Copyright 2012 The Netty Project
 ~
 ~ The Netty Project licenses this file to you under the Apache License,
 ~ version 2.0 (the "License"); you may not use this file except in compliance
 ~ with the License. You may obtain a copy of the License at:
 ~
 ~ https://www.apache.org/licenses/LICENSE-2.0
 ~
 ~ Unless required by applicable law or agreed to in writing, software
 ~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 ~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 ~ License for the specific language governing permissions and limitations
 ~ under the License.
-->
```

Found in path(s):

```
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/META-
INF/maven/io.netty/netty-handler/pom.xml
No license file was found, but licenses were detected in source scan.
```

```
/*
 * Copyright 2020 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
```

* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/logging/ByteBufFormat.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/address/ResolveAddressHandler.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/SslClosedEngineException.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/SslHandshakeTimeoutException.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ipfilter/IpSubnetFilterRuleComparator.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/util/FingerprintTrustManagerFactoryBuilder.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ipfilter/IpSubnetFilter.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License, version
* 2.0 (the "License"); you may not use this file except in compliance with the
* License. You may obtain a copy of the License at:
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/flow/FlowControlHandler.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/OpenSsl.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/SslUtils.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/OpenSslEngineMap.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/OpenSslServerContext.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/JdkAlpnApplicationProtocolNegotiator.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/OpenSslApplicationProtocolNegotiator.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/ApplicationProtocolUtil.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/CipherSuiteFilter.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/util/SimpleTrustManagerFactory.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ipfilter/IpFilterRule.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/JdkSslServerContext.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/SniHandler.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/util/LazyX509Certificate.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/JdkSslEngine.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
```

jar/io/netty/handler/ipfilter/IpSubnetFilterRule.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/IdentityCipherSuiteFilter.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/OpenSslSessionStats.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/OpenSslDefaultApplicationProtocolNegotiator.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/traffic/GlobalChannelTrafficCounter.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/JdkApplicationProtocolNegotiator.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/OpenSslServerSessionContext.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/ApplicationProtocolNegotiator.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/JettyAlpnSslEngine.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ipfilter/IpFilterRuleType.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/SslProvider.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/OpenSslClientContext.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/JdkDefaultApplicationProtocolNegotiator.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/JdkNpnApplicationProtocolNegotiator.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/util/ThreadLocalInsecureRandom.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/OpenSslNpnApplicationProtocolNegotiator.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ipfilter/RuleBasedIpFilter.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/PemReader.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/SupportedCipherSuiteFilter.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/SslContext.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/JdkBaseApplicationProtocolNegotiator.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/util/FingerprintTrustManagerFactory.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ipfilter/UniqueIpFilter.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ipfilter/package-info.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-

jar/io/netty/handler/ssl/util/InsecureTrustManagerFactory.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/CipherSuiteConverter.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/Java7SslParametersUtils.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/OpenSslEngine.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/OpenSslSessionContext.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/JdkSslClientContext.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ipfilter/AbstractRemoteAddressFilter.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/OpenSslContext.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/ApplicationProtocolConfig.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/util/BouncyCastleSelfSignedCertGenerator.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/util/OpenJdkSelfSignedCertGenerator.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/JdkSslContext.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/JettyNpnSslEngine.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright 2021 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/AsyncRunnable.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/OpenSslAsyncPrivateKeyMethod.java

```
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/BouncyCastle.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/GroupsConverter.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/OpenSslSessionId.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/OpenSslContextOption.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/BouncyCastleAlpnSslUtils.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/BouncyCastleAlpnSslEngine.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/OpenSslSessionCache.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/SslContextOption.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/OpenSslClientSessionCache.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/SslProtocols.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/Ciphers.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2019 The Netty Project
```

```
*
```

```
* The Netty Project licenses this file to you under the Apache License,
```

```
* version 2.0 (the "License"); you may not use this file except in compliance
```

```
* with the License. You may obtain a copy of the License at:
```

```
*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
```

```
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
```

```
* License for the specific language governing permissions and limitations
```

```
* under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/address/package-info.java
```

```
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/SslMasterKeyHandler.java
```

```
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/util/X509KeyManagerWrapper.java
```

```
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
```

jar/io/netty/handler/address/DynamicAddressConnectHandler.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/util/SimpleKeyManagerFactory.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/PseudoRandomFunction.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/OpenSslPrivateKeyMethod.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/util/KeyManagerFactoryWrapper.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/util/TrustManagerFactoryWrapper.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2023 The Netty Project  
*  
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
* License for the specific language governing permissions and limitations  
* under the License.  
*/
```

Found in path(s):
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-
jar/io/netty/handler/ssl/StacklessSSLHandshakeException.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright 2018 The Netty Project  
*  
* The Netty Project licenses this file to you under the Apache License,  
* version 2.0 (the "License"); you may not use this file except in compliance  
* with the License. You may obtain a copy of the License at:  
*  
* https://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
* License for the specific language governing permissions and limitations  
* under the License.
```

*/

Found in path(s):

* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslKeyMaterial.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/SignatureAlgorithmConverter.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/DefaultOpenSslKeyMaterial.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslCachingKeyMaterialProvider.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslCachingX509KeyManagerFactory.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/ExtendedOpenSslSession.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslX509TrustManagerWrapper.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslSession.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslPrivateKey.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslX509KeyManagerFactory.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslKeyMaterialProvider.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2020 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/pcap/PcapWriteHandler.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/pcap/PcapHeaders.java

* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/pcap/TCPpacket.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/pcap/package-info.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/pcap/UDPPacket.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/pcap/EthernetPacket.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/pcap/PcapWriter.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/pcap/IPPacket.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2016 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/flow/package-info.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslCertificateException.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/OpenSslKeyMaterialManager.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/DelegatingSslContext.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/PemPrivateKey.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/PemX509Certificate.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/ReferenceCountedOpenSslContext.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/util/X509TrustManagerWrapper.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-

jar/io/netty/handler/ssl/PemValue.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/ReferenceCountedOpenSslEngine.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/flush/FlushConsolidationHandler.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/ReferenceCountedOpenSslClientContext.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/flush/package-info.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/Java8SslUtils.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/ReferenceCountedOpenSslServerContext.java
* /opt/cola/permits/1698848164_1685285720.1511803/0/netty-handler-4-1-93-final-sources-jar/io/netty/handler/ssl/PemEncoded.java

1.259 jetty-jmx 9.4.51.v20230217

1.259.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
 - i) changes to the Program, and
 - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of

software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.
- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
 - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
 - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
 - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
 - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

a) promptly notify the Commercial Contributor in writing of such claim, and
b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to

communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
 - (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of

the Derivative Works; and

(d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

See the License for the specific language governing permissions and limitations under the License.

=====
Jetty Web Container

Copyright 1995-2018 Mort Bay Consulting Pty Ltd.
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd unless otherwise noted.

Jetty is dual licensed under both

* The Apache 2.0 License

<http://www.apache.org/licenses/LICENSE-2.0.html>

and

* The Eclipse Public 1.0 License

<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

Eclipse

The following artifacts are EPL.

* org.eclipse.jetty.orbit:org.eclipse.jdt.core

The following artifacts are EPL and ASL2.

* org.eclipse.jetty.orbit:javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.

* org.eclipse.jetty.orbit:javax.mail.glassfish

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

* javax.servlet:javax.servlet-api

* javax.annotation:javax.annotation-api

* javax.transaction:javax.transaction-api

* javax.websocket:javax.websocket-api

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

org.ow2.asm:asm-commons

org.ow2.asm:asm

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec

org.apache.taglibs:taglibs-standard-impl

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

org.mortbay.jasper:apache-jsp

org.apache.tomcat:tomcat-jasper

org.apache.tomcat:tomcat-juli

org.apache.tomcat:tomcat-jsp-api

org.apache.tomcat:tomcat-el-api

org.apache.tomcat:tomcat-jasper-el

org.apache.tomcat:tomcat-api

org.apache.tomcat:tomcat-util-scan

org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el
org.apache.tomcat:tomcat-jasper-el
org.apache.tomcat:tomcat-el-api

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville. Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

1.260 jetty-proxy 9.4.51.v20230217

1.260.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and

b) in the case of each subsequent Contributor:

- i) changes to the Program, and
- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.
- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure

any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
 - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
 - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
 - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
 - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such

Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or

Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

=====
Jetty Web Container
Copyright 1995-2018 Mort Bay Consulting Pty Ltd.
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd
unless otherwise noted.

Jetty is dual licensed under both

* The Apache 2.0 License
<http://www.apache.org/licenses/LICENSE-2.0.html>

and

* The Eclipse Public 1.0 License
<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

Eclipse

The following artifacts are EPL.

* org.eclipse.jetty.orbit;org.eclipse.jdt.core

The following artifacts are EPL and ASL2.

* org.eclipse.jetty.orbit;javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.

* org.eclipse.jetty.orbit;javax.mail.glassfish

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.
<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

- * javax.servlet:javax.servlet-api
- * javax.annotation:javax.annotation-api
- * javax.transaction:javax.transaction-api
- * javax.websocket:javax.websocket-api

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

- * java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

- org.ow2.asm:asm-commons
- org.ow2.asm:asm

Apache

The following artifacts are ASL2 licensed.

- org.apache.taglibs:taglibs-standard-spec
- org.apache.taglibs:taglibs-standard-impl

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

org.mortbay.jasper:apache-jsp
org.apache.tomcat:tomcat-jasper
org.apache.tomcat:tomcat-juli
org.apache.tomcat:tomcat-jsp-api
org.apache.tomcat:tomcat-el-api
org.apache.tomcat:tomcat-jasper-el
org.apache.tomcat:tomcat-api
org.apache.tomcat:tomcat-util-scan
org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el
org.apache.tomcat:tomcat-jasper-el
org.apache.tomcat:tomcat-el-api

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville.

Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

1.261 httpcomponents-client 4.5.6

1.261.1 Available under license :

Apache HttpClient

Copyright 1999-2018 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner

or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
 - (b) You must cause any modified files to carry prominent notices stating that You changed the files; and

- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions

of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.262 jaxb-api 2.3.1

1.262.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)Version 1.1

1. Definitions.

- 1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.
- 1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.
- 1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.
- 1.4. "Executable" means the Covered Software in any form other than Source Code.
- 1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.
- 1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.
- 1.7. "License" means this document.
- 1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.
- 1.9. "Modifications" means the Source Code and Executable form of any of the following:
 - A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;
 - B. Any new file that contains any part of the Original Software or previous Modification; or
 - C. Any new file that is contributed or otherwise made available under the terms of this License.
- 1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in

compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Oracle is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABILITY, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE

OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. If You assert a patent infringement claim against Participant alleging that the Participant Software directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.

6.4. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. ? 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire

Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

NOTICE PURSUANT TO SECTION 9 OF THE COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL)

The code released under the CDDL shall be governed by the laws of the State of California (excluding conflict-of-law provisions). Any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California and the state courts of the State of California, with venue lying in Santa Clara County, California.

The GNU General Public License (GPL) Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc. 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding

source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous

contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C)

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author

Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'. This is free software, and you are welcome to redistribute it under certain conditions; type `show c' for details.

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program `Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program

is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL VERSION 2

Certain source files distributed by Oracle are subject to the following clarification and special exception to the GPL Version 2, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the License file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License Version 2 cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

1.263 jackson-databind 2.15.0

1.263.1 Available under license :

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library.

It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers.

Copyright

Copyright 2007-, Tatu Saloranta (tatu.saloranta@iki.fi)

Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0

To find the details that apply to this artifact see the accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.
4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:
 - (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and

- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or

agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");

you may not use this file except in compliance with the License.

You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.264 metrics-health-checks 4.2.9

1.264.1 Available under license :

No license file was found, but licenses were detected in source scan.

Manifest-Version: 1.0

Automatic-Module-Name: com.codahale.metrics.health

Build-Jdk-Spec: 11

Bundle-Description: An addition to Metrics which provides the ability to run application-specific health checks, allowing you to check your application's health in production.

Bundle-License: <https://www.apache.org/licenses/LICENSE-2.0.html>

Bundle-ManifestVersion: 2

Bundle-Name: Metrics Health Checks

Bundle-SymbolicName: io.dropwizard.metrics.healthchecks

Bundle-Version: 4.2.9

Created-By: Apache Maven Bundle Plugin 5.1.4

Export-Package: com.codahale.metrics.health;uses:="com.codahale.metrics";version="4.2.9",com.codahale.metrics.health.jvm;uses:="com.codahale.metrics.health,com.codahale.metrics.jvm";version="4.2.9",com.codahale.metrics.health.annotation;version="4.2.9"

Implementation-Title: Metrics Health Checks

Implementation-Version: 4.2.9

Import-Package: org.slf4j;version="[1.6.0,2.0.0)",com.codahale.metrics;version="[4.2,5)",com.codahale.metrics.health,com.codahale.metrics.health.annotation,com.codahale.metrics.jvm;version="[4.2,5)";resolution:=optional

Require-Capability: osgi.ee;filter="(&(osgi.ee=JavaSE)(version=1.8))"

Tool: Bnd-5.1.1.202006162103

Found in path(s):

* /opt/cola/permits/1303106868_1649401354.9/0/metrics-healthchecks-4-2-9-jar/META-INF/MANIFEST.MF

1.265 netty-codec-stomp 4.1.93.Final

1.265.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1698848108_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-
jar/io/netty/handler/codec/stomp/StompConstants.java
* /opt/cola/permits/1698848108_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-
jar/io/netty/handler/codec/stomp/StompHeaders.java
* /opt/cola/permits/1698848108_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-
jar/io/netty/handler/codec/stomp/StompCommand.java
* /opt/cola/permits/1698848108_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-
jar/io/netty/handler/codec/stomp/DefaultStompFrame.java
* /opt/cola/permits/1698848108_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-
jar/io/netty/handler/codec/stomp/StompHeadersSubframe.java
* /opt/cola/permits/1698848108_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-
jar/io/netty/handler/codec/stomp/StompSubframeDecoder.java
* /opt/cola/permits/1698848108_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-
jar/io/netty/handler/codec/stomp/StompContentSubframe.java
* /opt/cola/permits/1698848108_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-
jar/io/netty/handler/codec/stomp/LastStompContentSubframe.java
* /opt/cola/permits/1698848108_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-
jar/io/netty/handler/codec/stomp/StompSubframe.java
* /opt/cola/permits/1698848108_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-
jar/io/netty/handler/codec/stomp/StompSubframeEncoder.java
* /opt/cola/permits/1698848108_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-
jar/io/netty/handler/codec/stomp/StompFrame.java
* /opt/cola/permits/1698848108_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-
jar/io/netty/handler/codec/stomp/StompSubframeAggregator.java
* /opt/cola/permits/1698848108_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-
```

```
jar/io/netty/handler/codec/stomp/package-info.java
* /opt/cola/permits/1698848108_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-
jar/io/netty/handler/codec/stomp/DefaultLastStompContentSubframe.java
* /opt/cola/permits/1698848108_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-
jar/io/netty/handler/codec/stomp/DefaultStompHeaders.java
* /opt/cola/permits/1698848108_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-
jar/io/netty/handler/codec/stomp/DefaultStompContentSubframe.java
* /opt/cola/permits/1698848108_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-
jar/io/netty/handler/codec/stomp/DefaultStompHeadersSubframe.java
No license file was found, but licenses were detected in source scan.
```

```
<!--
~ Copyright 2014 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ https://www.apache.org/licenses/LICENSE-2.0
~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->
```

Found in path(s):

```
* /opt/cola/permits/1698848108_1685285740.2876117/0/netty-codec-stomp-4-1-93-final-sources-jar/META-
INF/maven/io.netty/netty-codec-stomp/pom.xml
```

1.266 quartz 2.3.2

1.266.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date

such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

You must give any other recipients of the Work or Derivative Works a copy of this License; and

You must cause any modified files to carry prominent notices stating that You changed the files; and

You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and

If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.

7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.

8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or

any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.

9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software
distributed under the License is distributed on an "AS IS" BASIS,
WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
See the License for the specific language governing permissions and
limitations under the License.

1.267 guava 31.1-jre

1.267.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2009 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>


```
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Outer class that exists solely to let us write {@code Partially.GwtIncompatible} instead of plain
* {@code GwtIncompatible}. This is more accurate for {@link Futures#catching}, which is available
* under GWT but with a slightly different signature.
*
* <p>We can't use {@code PartiallyGwtIncompatible} because then the GWT compiler wouldn't recognize
* it as a {@code GwtIncompatible} annotation. And for {@code Futures.catching}, we need the GWT
* compiler to autostrip the normal server method in order to expose the special, inherited GWT
* version.
*/
```

Found in path(s):

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/Partially.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright (C) 2014 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/Network.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/PredecessorsFunction.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/ImmutableGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/MutableGraph.java
```

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/RecursiveDeleteOption.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/SuccessorsFunction.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/Graph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/ImmutableNetwork.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/Graphs.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/TopKSelector.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/MutableNetwork.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/InsecureRecursiveDeleteException.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2018 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express

* or implied. See the License for the specific language governing permissions and limitations under
* the License.

*/

Found in path(s):

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/JdkBackedImmutableSet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/ImmutableSupplier.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ExecutionSequencer.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/JdkBackedImmutableMultiset.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2009 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License");

- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.
- */

Found in path(s):

- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableSortedSet.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableAsList.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ComparisonChain.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableClassToInstanceMap.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SingletonImmutableList.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/TableCollectors.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/DiscreteDomain.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedMap.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedSetFauxverideShim.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SingletonImmutableTable.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableEnumSet.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/EmptyImmutableSetMultimap.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractIndexedListIterator.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableList.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableTable.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ComputationException.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableSetMultimap.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/collect/ForwardingTable.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ArrayTable.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2011 The Guava Authors.  
*  
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
* in compliance with the License. You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software distributed under the License  
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
* or implied. See the License for the specific language governing permissions and limitations under  
* the License.  
*/
```

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/hash/package-info.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2008 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/PeekingIterator.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ImmutableEntry.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ImmutableBiMap.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Serialization.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/HashBasedTable.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableMapValues.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableMultiset.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableMapKeySet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedSet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/CollectPreconditions.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Tables.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/UnmodifiableIterator.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SingletonImmutableBiMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/thirdparty/publicsuffix/PublicSuffixPatterns.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/StandardRowSortedTable.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableMapEntrySet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Collections2.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/StandardTable.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableCollection.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableBiMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Table.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/TreeBasedTable.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableListMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Platform.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Range.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/EmptyImmutableListMultimap.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2021 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express

* or implied. See the License for the specific language governing permissions and limitations under
* the License.

*/

Found in path(s):

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/NullnessCasts.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/NullnessCasts.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/NullnessCasts.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2011 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express

* or implied. See the License for the specific language governing permissions and limitations under
* the License.

*/

Found in path(s):

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/CycleDetectingLockFactory.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/AbstractHasher.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/UnsignedInteger.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/UnsignedLongs.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/CacheStats.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/FunctionalEquivalence.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/TypeParameter.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/DoubleMath.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/MessageDigestHashFunction.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/PairwiseEquivalence.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/BloomFilter.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ListeningScheduledExecutorService.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/TreeRangeSet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/Weigher.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/net/HttpHeaders.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Present.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/Crc32cHashFunction.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RegularContiguousSet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/LoadingCache.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/AbstractCache.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/FutureCallback.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableMultiset.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/Murmur3_32HashFunction.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/RemovalListener.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/Types.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/HashCode.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/IntMath.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/Funnel.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/DoubleUtils.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/AbstractNonStreamingHashFunction.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AsyncFunction.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/BoundType.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/HashingOutputStream.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/AbstractLoadingCache.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/LongMath.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ExecutionError.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/package-info.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/HashFunction.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/package-info.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/CacheBuilderSpec.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/Cache.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/EmptyContiguousSet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractScheduledService.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/Hashing.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/Uninterruptibles.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Optional.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/ParseRequest.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractSortedMultiset.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Enums.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/UnsignedInts.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/DescendingImmutableSortedMultiset.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/RemovalCause.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/AbstractCompositeHashFunction.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/UnsignedLong.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Absent.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingExecutorService.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/PrimitiveSink.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/AbstractStreamingHasher.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/ForwardingLoadingCache.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingListeningExecutorService.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/Funnels.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/net/MediaType.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/MathPreconditions.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Ticker.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/ForwardingCache.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/BigIntegerMath.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/Hasher.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/WrappingExecutorService.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/net/HostAndPort.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/Murmur3_128HashFunction.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/RemovalNotification.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/BloomFilterStrategies.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/RemovalListeners.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/CacheLoader.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/UncheckedExecutionException.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Queues.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractListeningExecutorService.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2019 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/CompactHashing.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/IncidentEdgeSet.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2016 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
* See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/LinkedHashMultimapGwtSerializationDependencies.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/EndpointPairIterator.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/ForwardingNetwork.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/ForwardingGraph.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/AbstractGraph.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/ElementOrder.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/NetworkConnections.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/UndirectedNetworkConnections.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/EdgesConnecting.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/MultiEdgesConnecting.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Comparators.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/AbstractGraphBuilder.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/GraphConnections.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/AbstractDirectedNetworkConnections.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/AbstractNetwork.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/ImmutableValueGraph.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/ValueGraph.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/UndirectedGraphConnections.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/MapRetrievalCache.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/HashMultimapGwtSerializationDependencies.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/ValueGraphBuilder.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/StandardMutableNetwork.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/NetworkBuilder.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/MutableValueGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/StandardMutableValueGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/ForwardingValueGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/GraphConstants.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/UndirectedMultiNetworkConnections.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/StandardMutableGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/EndpointPair.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/AbstractValueGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/StandardValueGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/DirectedMultiNetworkConnections.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/GraphBuilder.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ArrayListMultimapGwtSerializationDependencies.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/AbstractUndirectedNetworkConnections.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RangeGwtSerializationDependencies.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/DirectedGraphConnections.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/MapIteratorCache.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/CollectCollectors.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/MoreCollectors.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableMultisetGwtSerializationDependencies.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/StandardNetwork.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/DirectedNetworkConnections.java
No license file was found, but licenses were detected in source scan.

// Copyright 2011 Google Inc. All Rights Reserved.

Found in path(s):

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/hash/Fingerprint2011.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2008 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License

* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express

* or implied. See the License for the specific language governing permissions and limitations under

* the License.

*/

Found in path(s):

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/escape/UnicodeEscaper.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/Joiner.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/net/InetAddresses.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/io/MultiReader.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/FluentIterable.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/net/PercentEscaper.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/primitives/Doubles.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/primitives/Chars.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/primitives/Bytes.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/SequentialExecutor.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/primitives/Longs.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/primitives/Ints.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/primitives/Booleans.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/ListenableFutureTask.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/escape/Escaper.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/primitives/Shorts.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/internal/Finalizer.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/io/FileBackedOutputStream.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/thirdparty/publicsuffix/TrieParser.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/Stopwatch.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/CharMatcher.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/primitives/Floats.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/Converter.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2020 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software distributed under the License
 * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
 * express
 * or implied. See the License for the specific language governing permissions and limitations under
 * the License.
 */
/**
 * Holder for web specializations of methods of { @code Ints }. Intended to be empty for regular
 * version.
 */
```

Found in path(s):

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/primitives/IntsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright (C) 2014 The Guava Authors
 *
 * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
 * in compliance with the License. You may obtain a copy of the License at
```

*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/TrustedListenableFutureTask.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/Subscriber.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/MoreObjects.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ListenerCallQueue.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/Quantiles.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/Dispatcher.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/SubscriberRegistry.java
No license file was found, but licenses were detected in source scan.

/*
* Written by Doug Lea with assistance from members of JCP JSR-166
* Expert Group and released to the public domain, as explained at
* <http://creativecommons.org/publicdomain/zero/1.0/>
*/

Found in path(s):

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/LongAdder.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/LongAdder.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/Striped64.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/Striped64.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AtomicDoubleArray.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2011 The Guava Authors

*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software distributed under the
* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,
either
* express or implied. See the License for the specific language governing permissions and
* limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ForwardingSortedMultiset.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ImmutableSortedMultisetFauxverideShim.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/GeneralRange.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/Count.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/RegularImmutableSortedMultiset.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/SortedIterable.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/RangeSet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/AbstractRangeSet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/SortedIterables.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ImmutableSortedMultiset.java
No license file was found, but licenses were detected in source scan.

/*
* Copyright (C) 2015 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.
* You may obtain a copy of the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

- * See the License for the specific language governing permissions and
- * limitations under the License.

*/

Found in path(s):

- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/package-info.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableBiMapFauxverideShim.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/CollectSpliterators.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2011 The Guava Authors

*

- * Licensed under the Apache License, Version 2.0 (the "License");
- * you may not use this file except in compliance with the License.
- * You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software
- * distributed under the License is distributed on an "AS IS" BASIS,
- * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
- * See the License for the specific language governing permissions and
- * limitations under the License.

*/

Found in path(s):

- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AtomicLongMap.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/GwtTransient.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2020 The Guava Authors

*

- * Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
- * in compliance with the License. You may obtain a copy of the License at
- *
- * <http://www.apache.org/licenses/LICENSE-2.0>
- *
- * Unless required by applicable law or agreed to in writing, software distributed under the License
- * is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
- express
- * or implied. See the License for the specific language governing permissions and limitations under

* the License.

*/

Found in path(s):

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/util/concurrent/OverflowAvoidingLockSupport.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/math/BigDecimalMath.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/io/Java8Compatibility.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/hash/Java8Compatibility.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/math/ToDoubleRounder.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/base/Java8Compatibility.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2010 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/collect/ForwardingListMultimap.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/collect/UnmodifiableListIterator.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/collect/RowSortedTable.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/collect/MinMaxPriorityQueue.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/collect/ForwardingImmutableCollection.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/collect/AbstractSequentialIterator.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/collect/SortedMapDifference.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ForwardingSortedSetMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ForwardingSetMultimap.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2021 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/html/ParametricNullness.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/ParametricNullness.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/net/ParametricNullness.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/math/ParametricNullness.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/xml/ParametricNullness.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/hash/ParametricNullness.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/cache/ParametricNullness.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/eventbus/ParametricNullness.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/primitives/ParametricNullness.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/html/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/cache/ElementTypesAreNonnullByDefault.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/escape/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/xml/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ParametricNullness.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/net/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/ParametricNullness.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/ParametricNullness.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/ParametricNullness.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/ElementTypesAreNonnullByDefault.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/escape/ParametricNullness.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/graph/ParametricNullness.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2006 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License

* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

express

* or implied. See the License for the specific language governing permissions and limitations under

* the License.

*/

Found in path(s):

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ImmediateFuture.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/FakeTimeLimiter.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/GwtFuturesCatchingSpecialization.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/escape/CharEscaperBuilder.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/TimeoutFuture.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/Futures.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/CollectionFuture.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/CaseFormat.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/GwtFluentFutureCatchingSpecialization.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/annotations/VisibleForTesting.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/FuturesGetChecked.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/UncheckedTimeoutException.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/TimeLimiter.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/TypeToken.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractCatchingFuture.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/escape/CharEscaper.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractTransformFuture.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/SimpleTimeLimiter.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/FluentFuture.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/AppendableWriter.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AggregateFuture.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/PatternFilenameFilter.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2007 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

* or implied. See the License for the specific language governing permissions and limitations under the License.

*/

/*

* This following method is a modified version of one found in

* <http://gee.cs.oswego.edu/cgi-bin/viewcvs.cgi/jsr166/src/test/tck/AbstractExecutorServiceTest.java?revision=1.30>

* which contained the following notice:

*

* Written by Doug Lea with assistance from members of JCP JSR-166 Expert Group and released to the public domain, as explained at <http://creativecommons.org/publicdomain/zero/1.0/>

*

* Other contributors include Andrew Wright, Jeffrey Hayes, Pat Fisher, Mike Judd.

*/

Found in path(s):

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/MoreExecutors.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2016 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express

* or implied. See the License for the specific language governing permissions and limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/PatternCompiler.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/JdkPattern.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/CommonMatcher.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/CommonPattern.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2012 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express

* or implied. See the License for the specific language governing permissions and limitations under
* the License.

*/

/*

* This method was rewritten in Java from an intermediate step of the Murmur hash function in
* <http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp>, which contained the
* following header:

*

* MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author
* hereby disclaims copyright to this source code.

*/

Found in path(s):

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/SmallCharMatcher.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2013 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/VerifyException.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/Verify.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/eventbus/SubscriberExceptionContext.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/io/CharSequenceReader.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/WrappingScheduledExecutorService.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/eventbus/SubscriberExceptionHandler.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/reflect/TypeVisitor.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/FilteredMultimapValues.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/AbstractTable.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/Runnables.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/hash/HashingInputStream.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/Utf8.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/thirdparty/publicsuffix/PublicSuffixType.java
No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2009 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express

* or implied. See the License for the specific language governing permissions and limitations under

* the License.

*/

Found in path(s):

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/MapMaker.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/JdkFutureAdapters.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/xml/XmlEscapers.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/ByteArrayDataInput.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Cut.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/Callables.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/annotations/GwtIncompatible.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractExecutionThreadService.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/annotations/GwtCompatible.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/escape/Escapers.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/SignedBytes.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SparseImmutableTable.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/LocalCache.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/escape/ArrayBasedCharEscaper.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/net/HostSpecifier.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/escape/Platform.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/CacheBuilder.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/UnsignedBytes.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingFuture.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/net/InternetDomainName.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingFluentFuture.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingListenableFuture.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/Service.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/TypeResolver.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Splitter.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/LineProcessor.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/MapMakerInternalMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/cache/ReferenceEntry.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableTable.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractIdleService.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/net/UrlEscapers.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Platform.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/escape/ArrayBasedEscaperMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractService.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/DenseImmutableTable.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/ByteProcessor.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/SettableFuture.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/escape/ArrayBasedUnicodeEscaper.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/ByteArrayDataOutput.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/html/HtmlEscapers.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2007 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License

* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either

express

* or implied. See the License for the specific language governing permissions and limitations under

* the License.

*/

Found in path(s):

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/package-info.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/FinalizablePhantomReference.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/LineBuffer.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Function.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/LittleEndianDataOutputStream.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Throwables.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/CountingOutputStream.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/Closeables.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/DeadEvent.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Preconditions.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Supplier.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ListenableFuture.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/MultiInputStream.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/Primitives.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/package-info.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Objects.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/LineReader.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Interners.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/AsyncEventBus.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/CountingInputStream.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/Subscribe.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/package-info.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/FinalizableReference.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/DirectExecutor.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/AbstractIterator.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ExecutionList.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/package-info.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/ByteStreams.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/EnumMultiset.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/FinalizableReferenceQueue.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Functions.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/AllowConcurrentEvents.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/HashBiMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/Resources.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/FinalizableSoftReference.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/CharStreams.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Defaults.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Predicate.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Charsets.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/Suppliers.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/FinalizableWeakReference.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/Files.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AbstractFuture.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/Flushables.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/eventbus/EventBus.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/io/LittleEndianDataInputStream.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/Predicates.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2012 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/DescendingMultiset.java  
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/util/concurrent/ForwardingBlockingDeque.java  
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/FilteredSetMultimap.java  
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/FilteredEntryMultimap.java  
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/RegularImmutableAsList.java  
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/CompactLinkedHashSet.java  
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/AbstractMultimap.java  
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ForwardingImmutableList.java  
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/ForwardingImmutableMap.java  
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/TransformedIterator.java  
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/DescendingImmutableSortedSet.java  
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/EvictingQueue.java  
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-  
jar/com/google/common/collect/CompactLinkedHashMap.java
```

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingDeque.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/FilteredEntrySetMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractNavigableMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/FilteredKeySetMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/FilteredMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableEnumMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractSortedKeySortedSetMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AllEqualOrdering.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/UnmodifiableSortedMultiset.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingBlockingDeque.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/TreeTraverser.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingNavigableSet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SortedMultisetBridge.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RangeMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingNavigableMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/CompactHashSet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/CompactHashMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/FilteredKeyListMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/TransformedListIterator.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingImmutableSet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/TreeRangeMap.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2020 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

```
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
/**
* Holder for web specializations of methods of { @code Floats }. Intended to be empty for regular
* version.
*/
```

Found in path(s):

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/primitives/FloatsMethodsForWeb.java
```

No license file was found, but licenses were detected in source scan.

```
/*
* Copyright (C) 2015 The Guava Authors
*
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/hash/MacHashFunction.java
```

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/hash/LittleEndianByteArray.java
```

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/CombinedFuture.java
```

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/io/ReaderInputStream.java
```

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/InterruptibleTask.java
```

```
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/AggregateFutureState.java
```

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/hash/FarmHashFingerprint64.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/AsyncCallable.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ConsumingQueueIterator.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/Platform.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2012 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express

* or implied. See the License for the specific language governing permissions and limitations under
* the License.

*/

Found in path(s):

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/FilteredKeyMultimap.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ListenableScheduledFuture.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/BaseEncoding.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableRangeMap.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/Stats.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/PairedStats.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/math/StatsAccumulator.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/xml/package-info.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/io/Closer.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/reflect/package-info.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/SmoothRateLimiter.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/hash/SipHashFunction.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/reflect/Parameter.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/io/FileWriteMode.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/math/PairedStatsAccumulator.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/CartesianList.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/reflect/TypeCapture.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/hash/LongAddable.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/hash/LongAddables.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/cache/LongAddable.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/escape/package-info.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/ServiceManager.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/reflect/Invokable.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/cache/LongAddables.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/html/package-info.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/io/CharSource.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/StandardSystemProperty.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/hash/ChecksumHashFunction.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/hash/AbstractByteHasher.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/reflect/ClassPath.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/reflect/TypeToInstanceMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/math/LinearTransformation.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/io/CharSink.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/io/ByteSource.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/io/ByteSink.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/reflect/ImmutableTypeToInstanceMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/reflect/AbstractInvocationHandler.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/RateLimiter.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ImmutableRangeSet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/reflect/MutableTypeToInstanceMap.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2013 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/io/MoreFiles.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/MultimapBuilder.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ImmutableMapEntry.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2009 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
* in compliance with the License. You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software distributed under the  
* License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND,  
either  
* express or implied. See the License for the specific language governing permissions and
```

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableSortedAsList.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2016 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express

* or implied. See the License for the specific language governing permissions and limitations under
* the License.

*/

/**

* Holder for extra methods of { @code Objects } only in web. Intended to be empty for regular
* version.

*/

Found in path(s):

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/base/ExtraObjectsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2007 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License");
* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/LinkedHashMultiset.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/UsingToStringOrdering.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/MutableClassToInstanceMap.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingListIterator.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ArrayListMultimap.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Synchronized.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ImmutableSet.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingSortedSet.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ComparatorOrdering.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/RegularImmutableSet.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ListMultimap.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractMapEntry.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ConcurrentHashMultiset.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Iterables.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SingletonImmutableSet.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/NullsFirstOrdering.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/EnumBiMap.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractMultiset.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/TreeMultiset.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ExplicitOrdering.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ForwardingMap.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Lists.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/AbstractBiMap.java
- * /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/collect/ForwardingMapEntry.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ReverseNaturalOrdering.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/LinkedListMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ForwardingQueue.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/HashMultiset.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/AbstractMapBasedMultiset.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/AbstractSortedSetMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/Multiset.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/LexicographicalOrdering.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/Ordering.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/AbstractListMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/BiMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ClassToInstanceMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/NaturalOrdering.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ForwardingSortedMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ReverseOrdering.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/Iterators.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ForwardingConcurrentMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/TreeMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/SortedSetMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ImmutableList.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/Multimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/LinkedHashMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/package-info.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/collect/HashMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/AbstractMapBasedMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ByFunctionOrdering.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/MapDifference.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/Sets.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/Interner.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/SetMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/NullsLastOrdering.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/AbstractIterator.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ForwardingMultiset.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ForwardingIterator.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ForwardingSet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ForwardingList.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ForwardingMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/Multisets.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/EnumHashBiMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ForwardingObject.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/Maps.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/AbstractSetMultimap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/Multimaps.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/CompoundOrdering.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ForwardingCollection.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2011 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not
* use this file except in compliance with the License. You may obtain a copy of
* the License at
*
* <http://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations under
* the License.
*/

Found in path(s):

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/SortedMultiset.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/SortedMultisets.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2007 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

/**

* Returns an array containing all of the elements in the specified collection. This method

* returns the elements in the order they are returned by the collection's iterator. The returned

* array is "safe" in that no references to it are maintained by the collection. The caller is

* thus free to modify the returned array.

*

* <p>This method assumes that the collection size doesn't change while the method is running.

*

* <p>TODO(kevinb): support concurrently modified collections?

*

* @param c the collection for which to return an array of elements

*/

Found in path(s):

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ObjectArrays.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2008 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

/*

* This method was rewritten in Java from an intermediate step of the Murmur hash function in

* <http://code.google.com/p/smhasher/source/browse/trunk/MurmurHash3.cpp>, which contained the

* following header:

*

* MurmurHash3 was written by Austin Appleby, and is placed in the public domain. The author

* hereby disclaims copyright to this source code.

*/

Found in path(s):

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/Hashing.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2018 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

Found in path(s):

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/IndexedImmutableSet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/JdkBackedImmutableBiMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/JdkBackedImmutableMap.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/BaseImmutableMultimap.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2010 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express

* or implied. See the License for the specific language governing permissions and limitations under
* the License.

*/

Found in path(s):

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/annotations/package-info.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/Atomics.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/primitives/package-info.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/SortedLists.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/net/package-info.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/annotations/Beta.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/collect/ContiguousSet.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ForwardingBlockingQueue.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-jar/com/google/common/util/concurrent/ThreadFactoryBuilder.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/base/Ascii.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/Equivalence.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/UncaughtExceptionHandler.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/ListeningExecutorService.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/Monitor.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/base/Strings.java

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2017 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/Traverser.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/ClosingFuture.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/AbstractBaseGraph.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/graph/BaseGraph.java

No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2020 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
* in compliance with the License. You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
*/
```

* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.

*/
/**

* Holder for web specializations of methods of { @code Shorts }. Intended to be empty for regular
* version.
*/

Found in path(s):

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/primitives/ShortsMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2005 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.

*/

Found in path(s):

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/reflect/Reflection.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2015 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you
* may not use this file except in compliance with the License. You may
* obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or

* implied. See the License for the specific language governing
* permissions and limitations under the License.
*/

Found in path(s):

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/Streams.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2019 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express

* or implied. See the License for the specific language governing permissions and limitations under
* the License.

*/

Found in path(s):

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/primitives/Platform.java

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/Internal.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2017 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express

* or implied. See the License for the specific language governing permissions and limitations under
* the License.

*/

Found in path(s):

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-

jar/com/google/common/util/concurrent/ForwardingLock.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/ForwardingCondition.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/primitives/ImmutableIntArray.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/hash/AbstractHashFunction.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/primitives/ImmutableDoubleArray.java
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/primitives/ImmutableLongArray.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2020 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License");  
* you may not use this file except in compliance with the License.  
* You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software  
* distributed under the License is distributed on an "AS IS" BASIS,  
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.  
* See the License for the specific language governing permissions and  
* limitations under the License.  
*/
```

Found in path(s):
* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/ServiceManagerBridge.java
No license file was found, but licenses were detected in source scan.

```
/*  
* Copyright (C) 2020 The Guava Authors  
*  
* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except  
* in compliance with the License. You may obtain a copy of the License at  
*  
* http://www.apache.org/licenses/LICENSE-2.0  
*  
* Unless required by applicable law or agreed to in writing, software distributed under the License  
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either  
express  
* or implied. See the License for the specific language governing permissions and limitations under  
* the License.  
*/
```

/**

* Holder for web specializations of methods of { @code Doubles }. Intended to be empty for regular
* version.
*/

Found in path(s):

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/primitives/DoublesMethodsForWeb.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2009 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License");

* you may not use this file except in compliance with the License.

* You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software

* distributed under the License is distributed on an "AS IS" BASIS,

* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.

* See the License for the specific language governing permissions and

* limitations under the License.

*/

/**

* Not supported. You are attempting to create a map that may contain a non-{@code Comparable}

* key. Proper calls will resolve to the version in { @code ImmutableSortedMap }, not this dummy

* version.

*

* @throws UnsupportedOperationException always

* @deprecated Pass a key of type { @code Comparable } to use { @link

* `ImmutableSortedMap#of(Comparable, Object)`.

*/

Found in path(s):

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/collect/ImmutableSortedMapFauxverideShim.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright (C) 2011 The Guava Authors

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except

* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express
* or implied. See the License for the specific language governing permissions and limitations under
* the License.

*/

/*

* This method was written by Doug Lea with assistance from members of JCP JSR-166 Expert Group
* and released to the public domain, as explained at
* <http://creativecommons.org/licenses/publicdomain>

*

* As of 2010/06/11, this method is identical to the (package private) hash method in OpenJDK 7's
* `java.util.HashMap` class.

*/

Found in path(s):

* /opt/cola/permits/1301953781_1649307346.56/0/guava-31-1-jre-sources-1-
jar/com/google/common/util/concurrent/Striped.java

1.268 groovy-docgenerator 3.0.9

1.268.1 Available under license :

No license file was found, but licenses were detected in source scan.

Licensed to the Apache Software Foundation (ASF) under one
or more contributor license agreements. See the NOTICE file
distributed with this work for additional information
regarding copyright ownership. The ASF licenses this file
to you under the Apache License, Version 2.0 (the
"License"); you may not use this file except in compliance
with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE>

2.0

Unless required by applicable law or agreed to in writing,
software distributed under the License is distributed on an
"AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
KIND, either express or implied. See the License for the
specific language governing permissions and limitations
under the License.

Found in path(s):

* /opt/cola/permits/1268275768_1644387006.67/0/groovy-docgenerator-3-0-9-sources-
jar/org/apache/groovy/docgenerator/template.index-all.html

* /opt/cola/permits/1268275768_1644387006.67/0/groovy-docgenerator-3-0-9-sources-
jar/org/apache/groovy/docgenerator/overview-summary.html

```
* /opt/cola/permits/1268275768_1644387006.67/0/groovy-docgenerator-3-0-9-sources-
jar/org/apache/groovy/docgenerator/template.package-summary.html
* /opt/cola/permits/1268275768_1644387006.67/0/groovy-docgenerator-3-0-9-sources-
jar/org/apache/groovy/docgenerator/template.class.html
* /opt/cola/permits/1268275768_1644387006.67/0/groovy-docgenerator-3-0-9-sources-
jar/org/apache/groovy/docgenerator/template.overview-frame.html
* /opt/cola/permits/1268275768_1644387006.67/0/groovy-docgenerator-3-0-9-sources-
jar/org/apache/groovy/docgenerator/index.html
* /opt/cola/permits/1268275768_1644387006.67/0/groovy-docgenerator-3-0-9-sources-
jar/org/apache/groovy/docgenerator/template.allclasses-frame.html
* /opt/cola/permits/1268275768_1644387006.67/0/groovy-docgenerator-3-0-9-sources-
jar/org/apache/groovy/docgenerator/template.package-frame.html
No license file was found, but licenses were detected in source scan.
```

```
/*! normalize.css v2.1.0 | MIT License | git.io/normalize */
```

Found in path(s):

```
* /opt/cola/permits/1268275768_1644387006.67/0/groovy-docgenerator-3-0-9-sources-
jar/org/apache/groovy/docgenerator/stylesheets.css
No license file was found, but licenses were detected in source scan.
```

```
/*
```

```
* Licensed to the Apache Software Foundation (ASF) under one
* or more contributor license agreements. See the NOTICE file
* distributed with this work for additional information
* regarding copyright ownership. The ASF licenses this file
* to you under the Apache License, Version 2.0 (the
* "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at
*
* http://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing,
* software distributed under the License is distributed on an
* "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY
* KIND, either express or implied. See the License for the
* specific language governing permissions and limitations
* under the License.
*/
```

Found in path(s):

```
* /opt/cola/permits/1268275768_1644387006.67/0/groovy-docgenerator-3-0-9-sources-
jar/org/apache/groovy/docgenerator/DocGenerator.groovy
No license file was found, but licenses were detected in source scan.
```

```
# to you under the Apache License, Version 2.0 (the
# "License"); you may not use this file except in compliance
# with the License. You may obtain a copy of the License at
```


<http://www.apache.org/licenses/LICENSE-2.0>
software distributed under the License is distributed on an

Found in path(s):

* /opt/cola/permits/1268275768_1644387006.67/0/groovy-docgenerator-3-0-9-sources-jar/org/apache/groovy/docgenerator/DocGenerator.properties

1.269 cglib 3.3.0

1.269.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work

(an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses

granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]"

replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

This product includes software developed by
The Apache Software Foundation (<http://www.apache.org/>).

1.270 protobuf 2.6.1

1.270.1 Available under license :

This file contains a list of people who have made large contributions to the public version of Protocol Buffers.

Original Protocol Buffers design and implementation:

Sanjay Ghemawat <sanjay@google.com>

Jeff Dean <jeff@google.com>

Daniel Dulitz <daniel@google.com>

Craig Silverstein

Paul Haahr <haahr@google.com>

Corey Anderson <corin@google.com>

(and many others)

Proto2 C++ and Java primary author:

Kenton Varda <kenton@google.com>

Proto2 Python primary authors:

Will Robinson <robinson@google.com>

Petar Petrov <petar@google.com>

Large code contributions:

Jason Hsueh <jasonh@google.com>

Joseph Schorr <jschorr@google.com>

Wenbo Zhu <wenboz@google.com>

Large quantity of code reviews:

Scott Bruce <sbruce@google.com>

Frank Yellin

Neal Norwitz <nnorwitz@google.com>

Jeffrey Yasskin <jyasskin@google.com>

Ambrose Feinstein <ambrose@google.com>

Documentation:

Lisa Carey <lcarey@google.com>

Maven packaging:

Gregory Kick <gak@google.com>

Patch contributors:

Kevin Ko <kevin.s.ko@gmail.com>

- * Small patch to handle trailing slashes in --proto_path flag.

Johan Euphrosine <proppy@aminche.com>

- * Small patch to fix Python CallMethod().

Ulrich Kunitz <kune@deine-taler.de>

- * Small optimizations to Python serialization.

Leandro Lucarella <llucax@gmail.com>

- * VI syntax highlighting tweaks.

- * Fix compiler to not make output executable.

Dilip Joseph <dilip.antony.joseph@gmail.com>

- * Heuristic detection of sub-messages when printing unknown fields in text format.

Brian Atkinson <nairb774@gmail.com>

- * Added @Override annotation to generated Java code where appropriate.

Vincent Choinire <Choiniere.Vincent@hydro.qc.ca>

- * Tru64 support.

Monty Taylor <monty.taylor@gmail.com>

- * Solaris 10 + Sun Studio fixes.

Alek Storm <alek.storm@gmail.com>

- * Slicing support for repeated scalar fields for the Python API.

Oleg Smolsky <oleg.smolsky@gmail.com>

- * MS Visual Studio error format option.

- * Detect unordered_map in stl_hash.m4.

Brian Olson <brianolson@google.com>

- * gzip/zlib I/O support.

Michael Poole <mdpoole@troilus.org>

- * Fixed warnings about generated constructors not explicitly initializing all fields (only present with certain compiler settings).

- * Added generation of field number constants.

Wink Saville <wink@google.com>

- * Fixed initialization ordering problem in logging code.

Will Pierce <willp@nuclei.com>

- * Small patch improving performance of in Python serialization.

Alexandre Vassalotti <alexandre@peadrop.com>

- * Emacs mode for Protocol Buffers (editors/protobuf-mode.el).

Scott Stafford <scott.stafford@gmail.com>

- * Added Swap(), SwapElements(), and RemoveLast() to Reflection interface.

Alexander Melnikov <alm@sibmail.ru>

- * HPUX support.

Oliver Jowett <oliver.jowett@gmail.com>

- * Detect whether zlib is new enough in configure script.
- * Fixes for Solaris 10 32/64-bit confusion.

Evan Jones <evanj@mit.edu>

- * Optimize Java serialization code when writing a small message to a stream.
- * Optimize Java serialization of strings so that UTF-8 encoding happens only once per string per serialization call.
- * Clean up some Java warnings.
- * Fix bug with permanent callbacks that delete themselves when run.

Michael Kucharski <m.kucharski@gmail.com>

- * Added CodedInputStream.getTotalBytesRead().

Kacper Kowalik <xarthisius.kk@gmail.com>

- * Fixed m4/acx_pthread.m4 problem for some Linux distributions.

William Orr <will@worrbase.com>

- * Fixed detection of sched_yield on Solaris.
- * Added atomicops for Solaris

Copyright 2008, Google Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,

DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright 2008, Google Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner of the input file used when generating it. This code is not standalone and requires a support library to be linked with it. This support library is itself covered by the above license.

This file contains a list of people who've made non-trivial
contribution to the Google C++ Testing Framework project. People
who commit code to the project are encouraged to add their names
here. Please keep the list sorted by first names.

Ajay Joshi <jaj@google.com>

Balazs Dn <balazs.dan@gmail.com>

Bharat Mediratta <bharat@menalto.com>

Chandler Carruth <chandlerc@google.com>

Chris Prince <cprince@google.com>

Chris Taylor <taylorc@google.com>

Dan Egnor <egnor@google.com>
Eric Roman <eroman@chromium.org>
Hady Zalek <hady.zalek@gmail.com>
Jeffrey Yasskin <jyasskin@google.com>
Ji Sigursson <joi@google.com>
Keir Mierle <mierle@gmail.com>
Keith Ray <keith.ray@gmail.com>
Kenton Varda <kenton@google.com>
Manuel Klimek <klimek@google.com>
Markus Heule <markus.heule@gmail.com>
Mika Raento <mikie@iki.fi>
Mikls Fazekas <mfazekas@szemafor.com>
Pasi Valminen <pasi.valminen@gmail.com>
Patrick Hanna <phanna@google.com>
Patrick Riley <pfr@google.com>
Peter Kaminski <piotrk@google.com>
Preston Jackson <preston.a.jackson@gmail.com>
Rainer Klaffenboeck <rainer.klaffenboeck@dynatrace.com>
Russ Cox <rsc@google.com>
Russ Rufer <russ@pentad.com>
Sean Mcafee <eefacm@gmail.com>
Sigurur sgeirsson <siggi@google.com>
Tracy Bialik <tracy@pentad.com>
Vadim Berman <vadimb@google.com>
Vlad Losev <vladl@google.com>
Zhanyong Wan <wan@google.com>

1.271 netty-resolver 4.1.93.Final

1.271.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
 * Copyright 2021 The Netty Project  
 *  
 * The Netty Project licenses this file to you under the Apache License,  
 * version 2.0 (the "License"); you may not use this file except in compliance  
 * with the License. You may obtain a copy of the License at:  
 *  
 * https://www.apache.org/licenses/LICENSE-2.0  
 *  
 * Unless required by applicable law or agreed to in writing, software  
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT  
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the  
 * License for the specific language governing permissions and limitations  
 * under the License.  
*/
```

Found in path(s):

* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/io/netty/resolver/HostsFileEntriesProvider.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2014 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/io/netty/resolver/NoopAddressResolver.java

* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/io/netty/resolver/NoopAddressResolverGroup.java

* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/io/netty/resolver/AddressResolverGroup.java

* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/io/netty/resolver/NameResolver.java

* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/io/netty/resolver/package-info.java

* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/io/netty/resolver/SimpleNameResolver.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2016 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT

* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/io/netty/resolver/RoundRobinInetAddressResolver.java

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2014 The Netty Project

~

~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:

~

~ <https://www.apache.org/licenses/LICENSE-2.0>

~

~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.

-->

Found in path(s):

* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-resolver/pom.xml

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2015 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

```
* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-
jar/io/netty/resolver/DefaultAddressResolverGroup.java
* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-
jar/io/netty/resolver/InetAddressResolver.java
* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-
jar/io/netty/resolver/HostsFileEntriesResolver.java
* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-
jar/io/netty/resolver/AbstractAddressResolver.java
* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-
jar/io/netty/resolver/DefaultHostsFileEntriesResolver.java
* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-
jar/io/netty/resolver/AddressResolver.java
* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-
jar/io/netty/resolver/HostsFileParser.java
* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-
jar/io/netty/resolver/InetSocketAddressResolver.java
* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-
jar/io/netty/resolver/DefaultNameResolver.java
* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-
jar/io/netty/resolver/CompositeNameResolver.java
```

No license file was found, but licenses were detected in source scan.

```
/*
```

```
* Copyright 2017 The Netty Project
```

```
*
```

```
* The Netty Project licenses this file to you under the Apache License,
```

```
* version 2.0 (the "License"); you may not use this file except in compliance
```

```
* with the License. You may obtain a copy of the License at:
```

```
*
```

```
* https://www.apache.org/licenses/LICENSE-2.0
```

```
*
```

```
* Unless required by applicable law or agreed to in writing, software
```

```
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
```

```
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
```

```
* License for the specific language governing permissions and limitations
```

```
* under the License.
```

```
*/
```

Found in path(s):

```
* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-
jar/io/netty/resolver/HostsFileEntries.java
```

```
* /opt/cola/permits/1698848093_1685285744.9963214/0/netty-resolver-4-1-93-final-sources-
jar/io/netty/resolver/ResolvedAddressTypes.java
```

1.272 dropwizard-util 2.0.28

1.272.1 Available under license :

Apache-2.0

1.273 dropwizard-util 2.0.34

1.273.1 Available under license :

Apache-2.0

1.274 hppc 0.8.1

1.274.1 Available under license :

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a

cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise,

any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright 2010-2013, Carrot Search s.c., Boznicza 11/56, Poznan, Poland

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

ACKNOWLEDGEMENT

=====

HPPC borrowed code, ideas or both from:

- * Apache Lucene, <http://lucene.apache.org/>
(Apache license)
- * Fastutil, <http://fastutil.di.unimi.it/>
(Apache license)
- * Kolobokey, <https://github.com/OpenHFT/Kolobokey>
(Apache license)

1.275 logback-core 1.2.11

1.275.1 Available under license :

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:

- i) changes to the Program, and

- ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents " mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.

- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.

- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

a) it complies with the terms and conditions of this Agreement; and

b) its license agreement:

i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;

ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;

iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and

iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

a) it must be made available under this Agreement; and

b) a copy of this Agreement must be included with each copy of the Program.

Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must: a) promptly notify the Commercial Contributor in writing of such claim, and b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the

Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Found license 'Eclipse Public License 1.0' in '* Copyright (C) 1999-2015, QOS.ch. All rights reserved. * This program and the accompanying materials are dual-licensed under * either the terms of the Eclipse Public License v1.0 as published by * under the terms of the GNU Lesser General Public License version 2.1 * as published by the Free Software Foundation.'

Found license 'GNU Lesser General Public License' in '* Copyright (C) 1999-2015, QOS.ch. All rights reserved. * This program and the accompanying materials are dual-licensed under * either the terms of the Eclipse Public License v1.0 as published by * under the terms of the GNU Lesser General Public License version 2.1 * as published by the Free Software Foundation.'

1.276 auto-service 1.0-rc6

1.276.1 Available under license :

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2013 Google LLC

*

* Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except
* in compliance with the License. You may obtain a copy of the License at

*

* <http://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software distributed under the License
* is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either
express

* or implied. See the License for the specific language governing permissions and limitations under
* the License.

*/

Found in path(s):

* /opt/cola/permits/1613098386_1679654443.4759493/0/auto-service-1-0-rc6-sources-1-
jar/com/google/auto/service/processor/package-info.java

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2008 Google LLC
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * http://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1613098386_1679654443.4759493/0/auto-service-1-0-rc6-sources-1-
jar/com/google/auto/service/processor/AutoServiceProcessor.java
* /opt/cola/permits/1613098386_1679654443.4759493/0/auto-service-1-0-rc6-sources-1-
jar/com/google/auto/service/processor/ServicesFiles.java
```

1.277 lombok 1.18.12

1.277.1 Available under license :

Copyright (C) 2009-2015 The Project Lombok Authors.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

1.278 activation-api 1.1.1

1.278.1 Available under license :

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous Modifications;

B. Any new file that contains any part of the

Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or

otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent

license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients'

rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the

right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of

becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

```
/*
 * DO NOT ALTER OR REMOVE COPYRIGHT NOTICES OR THIS HEADER.
 *
 * Copyright 1997-2007 Sun Microsystems, Inc. All rights reserved.
 *
 * The contents of this file are subject to the terms of either the GNU
 * General Public License Version 2 only ("GPL") or the Common Development
 * and Distribution License("CDDL") (collectively, the "License"). You
 * may not use this file except in compliance with the License. You can obtain
 * a copy of the License at https://glassfish.dev.java.net/public/CDDL+GPL.html
 * or glassfish/bootstrap/legal/LICENSE.txt. See the License for the specific
 * language governing permissions and limitations under the License.
 *
 * When distributing the software, include this License Header Notice in each
 * file and include the License file at glassfish/bootstrap/legal/LICENSE.txt.
 * Sun designates this particular file as subject to the "Classpath" exception
 * as provided by Sun in the GPL Version 2 section of the License file that
 * accompanied this code. If applicable, add the following below the License
 * Header, with the fields enclosed by brackets [] replaced by your own
 * identifying information: "Portions Copyrighted [year]
 * [name of copyright owner]"
 *
 * Contributor(s):
 *
 * If you wish your version of this file to be governed by only the CDDL or
 * only the GPL Version 2, indicate your decision by adding "[Contributor]
 * elects to include this software in this distribution under the [CDDL or GPL
 * Version 2] license." If you don't indicate a single choice of license, a
 * recipient has the option to distribute your version of this file under
 * either the CDDL, the GPL Version 2 or to extend the choice of license to
 * its licensees as provided above. However, if you add GPL Version 2 code
 * and therefore, elected the GPL Version 2 license, then the option applies
 * only if the new code is made subject to such option by the copyright
 * holder.
 */
```

The GNU General Public License (GPL)

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.
59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice

placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many

people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

One line to give the program's name and a brief idea of what it does.

Copyright (C) <year> <name of author>

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

Gnomovision version 69, Copyright (C) year name of author Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type 'show w'. This is free

software, and you are welcome to redistribute it under certain conditions;
type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

signature of Ty Coon, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

"CLASSPATH" EXCEPTION TO THE GPL

Certain source files distributed by Oracle America and/or its affiliates are subject to the following clarification and special exception to the GPL, but only where Oracle has expressly included in the particular source file's header the words "Oracle designates this particular file as subject to the "Classpath" exception as provided by Oracle in the LICENSE file that accompanied this code."

Linking this library statically or dynamically with other modules is making a combined work based on this library. Thus, the terms and conditions of the GNU General Public License cover the whole combination.

As a special exception, the copyright holders of this library give you permission to link this library with independent modules to produce an executable, regardless of the license terms of these independent modules, and to copy and distribute the resulting executable under terms of your choice, provided that you also meet, for each linked independent module, the terms and conditions of the license of that module. An independent module is a module which is not derived from or based on this library. If you modify this library, you may extend this exception to your version of the library, but you are not obligated to do so. If you do not wish to do so, delete this exception statement from your version.

1.279 failureaccess 1.0.1

1.280 profiler 1.1.1

1.280.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*  
* jQuery Templates Plugin 1.0.0pre  
* http://github.com/jquery/jquery-tmpl  
* Requires jQuery 1.4.2  
*  
* Copyright Software Freedom Conservancy, Inc.  
* Dual licensed under the MIT or GPL Version 2 licenses.  
* http://jquery.org/license  
*/
```

Found in path(s):

```
* /opt/cola/permits/1257333100_1642801922.15/0/gae-mini-profiler-1-1-1-sources-  
jar/ca/jimr/gae/profiler/resources/jquery.templ.min.js
```

No license file was found, but licenses were detected in source scan.

```
/*!  
* jQuery JavaScript Library v1.6.2  
* http://jquery.com/  
*  
* Copyright 2011, John Resig  
* Dual licensed under the MIT or GPL Version 2 licenses.  
* http://jquery.org/license  
*  
* Includes Sizzle.js  
* http://sizzlejs.com/  
* Copyright 2011, The Dojo Foundation  
* Released under the MIT, BSD, and GPL Licenses.  
*  
* Date: Thu Jun 30 14:16:56 2011 -0400  
*/
```

Found in path(s):

```
* /opt/cola/permits/1257333100_1642801922.15/0/gae-mini-profiler-1-1-1-sources-  
jar/ca/jimr/gae/profiler/resources/jquery-1.6.2.min.js
```

No license file was found, but licenses were detected in source scan.

```
/**
```

* Copyright (C) 2011 by Jim Riecken
*
* Permission is hereby granted, free of charge, to any person obtaining a copy
* of this software and associated documentation files (the "Software"), to deal
* in the Software without restriction, including without limitation the rights
* to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
* copies of the Software, and to permit persons to whom the Software is
* furnished to do so, subject to the following conditions:
*
* The above copyright notice and this permission notice shall be included in
* all copies or substantial portions of the Software.
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
* OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
* THE SOFTWARE.
*/

Found in path(s):

* /opt/cola/permits/1257333100_1642801922.15/0/gae-mini-profiler-1-1-1-sources-jar/com/google/appengine/tools/appstats/MiniProfilerAppstats.java
* /opt/cola/permits/1257333100_1642801922.15/0/gae-mini-profiler-1-1-1-sources-jar/ca/jimr/gae/profiler/MiniProfiler.java
* /opt/cola/permits/1257333100_1642801922.15/0/gae-mini-profiler-1-1-1-sources-jar/ca/jimr/gae/profiler/MiniProfilerFilter.java
* /opt/cola/permits/1257333100_1642801922.15/0/gae-mini-profiler-1-1-1-sources-jar/ca/jimr/gae/profiler/resources/MiniProfilerResourceLoader.java
* /opt/cola/permits/1257333100_1642801922.15/0/gae-mini-profiler-1-1-1-sources-jar/ca/jimr/gae/profiler/MiniProfilerServlet.java

1.281 jetty-servlets 9.4.51.v20230217

1.281.1 Available under license :

This program and the accompanying materials are made available under the terms of the Eclipse Public License 2.0 which is available at <http://www.eclipse.org/legal/epl-2.0>, or the Apache Software License 2.0 which is available at <https://www.apache.org/licenses/LICENSE-2.0>.

Eclipse Public License - v 1.0

THE ACCOMPANYING PROGRAM IS PROVIDED UNDER THE TERMS OF THIS ECLIPSE PUBLIC LICENSE ("AGREEMENT"). ANY USE, REPRODUCTION OR DISTRIBUTION OF THE PROGRAM

CONSTITUTES RECIPIENT'S ACCEPTANCE OF THIS AGREEMENT.

1. DEFINITIONS

"Contribution" means:

- a) in the case of the initial Contributor, the initial code and documentation distributed under this Agreement, and
- b) in the case of each subsequent Contributor:
 - i) changes to the Program, and
 - ii) additions to the Program;

where such changes and/or additions to the Program originate from and are distributed by that particular Contributor. A Contribution 'originates' from a Contributor if it was added to the Program by such Contributor itself or anyone acting on such Contributor's behalf. Contributions do not include additions to the Program which: (i) are separate modules of software distributed in conjunction with the Program under their own license agreement, and (ii) are not derivative works of the Program.

"Contributor" means any person or entity that distributes the Program.

"Licensed Patents" mean patent claims licensable by a Contributor which are necessarily infringed by the use or sale of its Contribution alone or when combined with the Program.

"Program" means the Contributions distributed in accordance with this Agreement.

"Recipient" means anyone who receives the Program under this Agreement, including all Contributors.

2. GRANT OF RIGHTS

- a) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free copyright license to reproduce, prepare derivative works of, publicly display, publicly perform, distribute and sublicense the Contribution of such Contributor, if any, and such derivative works, in source code and object code form.
- b) Subject to the terms of this Agreement, each Contributor hereby grants Recipient a non-exclusive, worldwide, royalty-free patent license under Licensed Patents to make, use, sell, offer to sell, import and otherwise transfer the Contribution of such Contributor, if any, in source code and object code form. This patent license shall apply to the combination of the Contribution and the Program if, at the time the Contribution is added by the Contributor, such addition of the Contribution causes such combination to be covered by the Licensed Patents. The patent license shall not apply to any other combinations which include the Contribution. No hardware per se is licensed hereunder.

- c) Recipient understands that although each Contributor grants the licenses to its Contributions set forth herein, no assurances are provided by any Contributor that the Program does not infringe the patent or other intellectual property rights of any other entity. Each Contributor disclaims any liability to Recipient for claims brought by any other entity based on infringement of intellectual property rights or otherwise. As a condition to exercising the rights and licenses granted hereunder, each Recipient hereby assumes sole responsibility to secure any other intellectual property rights needed, if any. For example, if a third party patent license is required to allow Recipient to distribute the Program, it is Recipient's responsibility to acquire that license before distributing the Program.
- d) Each Contributor represents that to its knowledge it has sufficient copyright rights in its Contribution, if any, to grant the copyright license set forth in this Agreement.

3. REQUIREMENTS

A Contributor may choose to distribute the Program in object code form under its own license agreement, provided that:

- a) it complies with the terms and conditions of this Agreement; and
- b) its license agreement:
 - i) effectively disclaims on behalf of all Contributors all warranties and conditions, express and implied, including warranties or conditions of title and non-infringement, and implied warranties or conditions of merchantability and fitness for a particular purpose;
 - ii) effectively excludes on behalf of all Contributors all liability for damages, including direct, indirect, special, incidental and consequential damages, such as lost profits;
 - iii) states that any provisions which differ from this Agreement are offered by that Contributor alone and not by any other party; and
 - iv) states that source code for the Program is available from such Contributor, and informs licensees how to obtain it in a reasonable manner on or through a medium customarily used for software exchange.

When the Program is made available in source code form:

- a) it must be made available under this Agreement; and
- b) a copy of this Agreement must be included with each copy of the Program. Contributors may not remove or alter any copyright notices contained within the Program.

Each Contributor must identify itself as the originator of its Contribution, if any, in a manner that reasonably allows subsequent Recipients to identify the originator of the Contribution.

4. COMMERCIAL DISTRIBUTION

Commercial distributors of software may accept certain responsibilities with respect to end users, business partners and the like. While this license is intended to facilitate the commercial use of the Program, the Contributor who includes the Program in a commercial product offering should do so in a manner which does not create potential liability for other Contributors. Therefore, if a Contributor includes the Program in a commercial product offering, such Contributor ("Commercial Contributor") hereby agrees to defend and indemnify every other Contributor ("Indemnified Contributor") against any losses, damages and costs (collectively "Losses") arising from claims, lawsuits and other legal actions brought by a third party against the Indemnified Contributor to the extent caused by the acts or omissions of such Commercial Contributor in connection with its distribution of the Program in a commercial product offering. The obligations in this section do not apply to any claims or Losses relating to any actual or alleged intellectual property infringement. In order to qualify, an Indemnified Contributor must:

- a) promptly notify the Commercial Contributor in writing of such claim, and
- b) allow the Commercial Contributor to control, and cooperate with the Commercial Contributor in, the defense and any related settlement negotiations. The Indemnified Contributor may participate in any such claim at its own expense.

For example, a Contributor might include the Program in a commercial product offering, Product X. That Contributor is then a Commercial Contributor. If that Commercial Contributor then makes performance claims, or offers warranties related to Product X, those performance claims and warranties are such Commercial Contributor's responsibility alone. Under this section, the Commercial Contributor would have to defend claims against the other Contributors related to those performance claims and warranties, and if a court requires any other Contributor to pay any damages as a result, the Commercial Contributor must pay those damages.

5. NO WARRANTY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, THE PROGRAM IS PROVIDED ON AN "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, EITHER EXPRESS OR IMPLIED INCLUDING, WITHOUT LIMITATION, ANY WARRANTIES OR CONDITIONS OF TITLE, NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Each Recipient is solely responsible for determining the appropriateness of using and distributing the Program and assumes all risks associated with its exercise of rights under this Agreement, including but not limited to the risks and costs of program errors, compliance with applicable laws, damage to or loss of data, programs or equipment, and unavailability or interruption of operations.

6. DISCLAIMER OF LIABILITY

EXCEPT AS EXPRESSLY SET FORTH IN THIS AGREEMENT, NEITHER RECIPIENT NOR ANY CONTRIBUTORS SHALL HAVE ANY LIABILITY FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING WITHOUT LIMITATION LOST PROFITS), HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OR DISTRIBUTION OF THE PROGRAM OR THE EXERCISE OF ANY RIGHTS GRANTED HEREUNDER, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

7. GENERAL

If any provision of this Agreement is invalid or unenforceable under applicable law, it shall not affect the validity or enforceability of the remainder of the terms of this Agreement, and without further action by the parties hereto, such provision shall be reformed to the minimum extent necessary to make such provision valid and enforceable.

If Recipient institutes patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Program itself (excluding combinations of the Program with other software or hardware) infringes such Recipient's patent(s), then such Recipient's rights granted under Section 2(b) shall terminate as of the date such litigation is filed.

All Recipient's rights under this Agreement shall terminate if it fails to comply with any of the material terms or conditions of this Agreement and does not cure such failure in a reasonable period of time after becoming aware of such noncompliance. If all Recipient's rights under this Agreement terminate, Recipient agrees to cease use and distribution of the Program as soon as reasonably practicable. However, Recipient's obligations under this Agreement and any licenses granted by Recipient relating to the Program shall continue and survive.

Everyone is permitted to copy and distribute copies of this Agreement, but in order to avoid inconsistency the Agreement is copyrighted and may only be modified in the following manner. The Agreement Steward reserves the right to publish new versions (including revisions) of this Agreement from time to time. No one other than the Agreement Steward has the right to modify this Agreement. The Eclipse Foundation is the initial Agreement Steward. The Eclipse Foundation may assign the responsibility to serve as the Agreement Steward to a suitable separate entity. Each new version of the Agreement will be given a distinguishing version number. The Program (including Contributions) may always be distributed subject to the version of the Agreement under which it was received. In addition, after a new version of the Agreement is published, Contributor may elect to distribute the Program (including its Contributions) under the new version. Except as expressly stated in Sections 2(a) and 2(b) above, Recipient receives no rights or licenses to the intellectual property of any Contributor under this Agreement, whether expressly, by implication, estoppel or otherwise. All rights in the

Program not expressly granted under this Agreement are reserved.

This Agreement is governed by the laws of the State of New York and the intellectual property laws of the United States of America. No party to this Agreement will bring a legal action under this Agreement more than one year after the cause of action arose. Each party waives its rights to a jury trial in any resulting litigation.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate

as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify

the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include

the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====
Jetty Web Container

Copyright 1995-2018 Mort Bay Consulting Pty Ltd.
=====

The Jetty Web Container is Copyright Mort Bay Consulting Pty Ltd unless otherwise noted.

Jetty is dual licensed under both

* The Apache 2.0 License

<http://www.apache.org/licenses/LICENSE-2.0.html>

and

* The Eclipse Public 1.0 License

<http://www.eclipse.org/legal/epl-v10.html>

Jetty may be distributed under either license.

Eclipse

The following artifacts are EPL.

* org.eclipse.jetty.orbit;org.eclipse.jdt.core

The following artifacts are EPL and ASL2.

* org.eclipse.jetty.orbit;javax.security.auth.message

The following artifacts are EPL and CDDL 1.0.

* org.eclipse.jetty.orbit:javax.mail.glassfish

Oracle

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

* javax.servlet:javax.servlet-api

* javax.annotation:javax.annotation-api

* javax.transaction:javax.transaction-api

* javax.websocket:javax.websocket-api

Oracle OpenJDK

If ALPN is used to negotiate HTTP/2 connections, then the following artifacts may be included in the distribution or downloaded when ALPN module is selected.

* java.sun.security.ssl

These artifacts replace/modify OpenJDK classes. The modifications are hosted at github and both modified and original are under GPL v2 with classpath exceptions.

<http://openjdk.java.net/legal/gplv2+ce.html>

OW2

The following artifacts are licensed by the OW2 Foundation according to the terms of <http://asm.ow2.org/license.html>

org.ow2.asm:asm-commons

org.ow2.asm:asm

Apache

The following artifacts are ASL2 licensed.

org.apache.taglibs:taglibs-standard-spec

org.apache.taglibs:taglibs-standard-impl

MortBay

The following artifacts are ASL2 licensed. Based on selected classes from following Apache Tomcat jars, all ASL2 licensed.

org.mortbay.jasper:apache-jsp
org.apache.tomcat:tomcat-jasper
org.apache.tomcat:tomcat-juli
org.apache.tomcat:tomcat-jsp-api
org.apache.tomcat:tomcat-el-api
org.apache.tomcat:tomcat-jasper-el
org.apache.tomcat:tomcat-api
org.apache.tomcat:tomcat-util-scan
org.apache.tomcat:tomcat-util

org.mortbay.jasper:apache-el
org.apache.tomcat:tomcat-jasper-el
org.apache.tomcat:tomcat-el-api

Mortbay

The following artifacts are CDDL + GPLv2 with classpath exception.

<https://glassfish.dev.java.net/nonav/public/CDDL+GPL.html>

org.eclipse.jetty.toolchain:jetty-schemas

Assorted

The UnixCrypt.java code implements the one way cryptography used by Unix systems for simple password protection. Copyright 1996 Aki Yoshida, modified April 2001 by Iris Van den Broeke, Daniel Deville. Permission to use, copy, modify and distribute UnixCrypt for non-commercial or commercial purposes and without fee is granted provided that the copyright notice appears in all copies.

1.282 ant-antlr 1.10.11

1.282.1 Available under license :

Apache Ant

Copyright 1999-2021 The Apache Software Foundation

This product includes software developed at
The Apache Software Foundation (<https://www.apache.org/>).

The <sync> task is based on code Copyright (c) 2002, Landmark
Graphics Corp that has been kindly donated to the Apache Software
Foundation.

```
/*
 *           Apache License
 *           Version 2.0, January 2004
 *           http://www.apache.org/licenses/
 *
 * TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION
 *
 * 1. Definitions.
 *
 * "License" shall mean the terms and conditions for use, reproduction,
 * and distribution as defined by Sections 1 through 9 of this document.
 *
 * "Licensor" shall mean the copyright owner or entity authorized by
 * the copyright owner that is granting the License.
 *
 * "Legal Entity" shall mean the union of the acting entity and all
 * other entities that control, are controlled by, or are under common
 * control with that entity. For the purposes of this definition,
 * "control" means (i) the power, direct or indirect, to cause the
 * direction or management of such entity, whether by contract or
 * otherwise, or (ii) ownership of fifty percent (50%) or more of the
 * outstanding shares, or (iii) beneficial ownership of such entity.
 *
 * "You" (or "Your") shall mean an individual or Legal Entity
 * exercising permissions granted by this License.
 *
 * "Source" form shall mean the preferred form for making modifications,
 * including but not limited to software source code, documentation
 * source, and configuration files.
 *
 * "Object" form shall mean any form resulting from mechanical
 * transformation or translation of a Source form, including but
 * not limited to compiled object code, generated documentation,
 * and conversions to other media types.
 *
 * "Work" shall mean the work of authorship, whether in Source or
 * Object form, made available under the License, as indicated by a
 * copyright notice that is included in or attached to the work
```

* (an example is provided in the Appendix below).

*

* "Derivative Works" shall mean any work, whether in Source or Object
* form, that is based on (or derived from) the Work and for which the
* editorial revisions, annotations, elaborations, or other modifications
* represent, as a whole, an original work of authorship. For the purposes
* of this License, Derivative Works shall not include works that remain
* separable from, or merely link (or bind by name) to the interfaces of,
* the Work and Derivative Works thereof.

*

* "Contribution" shall mean any work of authorship, including
* the original version of the Work and any modifications or additions
* to that Work or Derivative Works thereof, that is intentionally
* submitted to Licensor for inclusion in the Work by the copyright owner
* or by an individual or Legal Entity authorized to submit on behalf of
* the copyright owner. For the purposes of this definition, "submitted"
* means any form of electronic, verbal, or written communication sent
* to the Licensor or its representatives, including but not limited to
* communication on electronic mailing lists, source code control systems,
* and issue tracking systems that are managed by, or on behalf of, the
* Licensor for the purpose of discussing and improving the Work, but
* excluding communication that is conspicuously marked or otherwise
* designated in writing by the copyright owner as "Not a Contribution."

*

* "Contributor" shall mean Licensor and any individual or Legal Entity
* on behalf of whom a Contribution has been received by Licensor and
* subsequently incorporated within the Work.

*

* 2. Grant of Copyright License. Subject to the terms and conditions of
* this License, each Contributor hereby grants to You a perpetual,
* worldwide, non-exclusive, no-charge, royalty-free, irrevocable
* copyright license to reproduce, prepare Derivative Works of,
* publicly display, publicly perform, sublicense, and distribute the
* Work and such Derivative Works in Source or Object form.

*

* 3. Grant of Patent License. Subject to the terms and conditions of
* this License, each Contributor hereby grants to You a perpetual,
* worldwide, non-exclusive, no-charge, royalty-free, irrevocable
* (except as stated in this section) patent license to make, have made,
* use, offer to sell, sell, import, and otherwise transfer the Work,
* where such license applies only to those patent claims licensable
* by such Contributor that are necessarily infringed by their
* Contribution(s) alone or by combination of their Contribution(s)
* with the Work to which such Contribution(s) was submitted. If You
* institute patent litigation against any entity (including a
* cross-claim or counterclaim in a lawsuit) alleging that the Work
* or a Contribution incorporated within the Work constitutes direct
* or contributory patent infringement, then any patent licenses

* granted to You under this License for that Work shall terminate
* as of the date such litigation is filed.

*
* 4. Redistribution. You may reproduce and distribute copies of the
* Work or Derivative Works thereof in any medium, with or without
* modifications, and in Source or Object form, provided that You
* meet the following conditions:

* (a) You must give any other recipients of the Work or
* Derivative Works a copy of this License; and

* (b) You must cause any modified files to carry prominent notices
* stating that You changed the files; and

* (c) You must retain, in the Source form of any Derivative Works
* that You distribute, all copyright, patent, trademark, and
* attribution notices from the Source form of the Work,
* excluding those notices that do not pertain to any part of
* the Derivative Works; and

* (d) If the Work includes a "NOTICE" text file as part of its
* distribution, then any Derivative Works that You distribute must
* include a readable copy of the attribution notices contained
* within such NOTICE file, excluding those notices that do not
* pertain to any part of the Derivative Works, in at least one
* of the following places: within a NOTICE text file distributed
* as part of the Derivative Works; within the Source form or
* documentation, if provided along with the Derivative Works; or,
* within a display generated by the Derivative Works, if and
* wherever such third-party notices normally appear. The contents
* of the NOTICE file are for informational purposes only and
* do not modify the License. You may add Your own attribution
* notices within Derivative Works that You distribute, alongside
* or as an addendum to the NOTICE text from the Work, provided
* that such additional attribution notices cannot be construed
* as modifying the License.

* You may add Your own copyright statement to Your modifications and
* may provide additional or different license terms and conditions
* for use, reproduction, or distribution of Your modifications, or
* for any such Derivative Works as a whole, provided Your use,
* reproduction, and distribution of the Work otherwise complies with
* the conditions stated in this License.

* 5. Submission of Contributions. Unless You explicitly state otherwise,
* any Contribution intentionally submitted for inclusion in the Work
* by You to the Licensor shall be under the terms and conditions of
* this License, without any additional terms or conditions.

* Notwithstanding the above, nothing herein shall supersede or modify
* the terms of any separate license agreement you may have executed
* with Licensor regarding such Contributions.

*

* 6. Trademarks. This License does not grant permission to use the trade
* names, trademarks, service marks, or product names of the Licensor,
* except as required for reasonable and customary use in describing the
* origin of the Work and reproducing the content of the NOTICE file.

*

* 7. Disclaimer of Warranty. Unless required by applicable law or
* agreed to in writing, Licensor provides the Work (and each
* Contributor provides its Contributions) on an "AS IS" BASIS,
* WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or
* implied, including, without limitation, any warranties or conditions
* of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A
* PARTICULAR PURPOSE. You are solely responsible for determining the
* appropriateness of using or redistributing the Work and assume any
* risks associated with Your exercise of permissions under this License.

*

* 8. Limitation of Liability. In no event and under no legal theory,
* whether in tort (including negligence), contract, or otherwise,
* unless required by applicable law (such as deliberate and grossly
* negligent acts) or agreed to in writing, shall any Contributor be
* liable to You for damages, including any direct, indirect, special,
* incidental, or consequential damages of any character arising as a
* result of this License or out of the use or inability to use the
* Work (including but not limited to damages for loss of goodwill,
* work stoppage, computer failure or malfunction, or any and all
* other commercial damages or losses), even if such Contributor
* has been advised of the possibility of such damages.

*

* 9. Accepting Warranty or Additional Liability. While redistributing
* the Work or Derivative Works thereof, You may choose to offer,
* and charge a fee for, acceptance of support, warranty, indemnity,
* or other liability obligations and/or rights consistent with this
* License. However, in accepting such obligations, You may act only
* on Your own behalf and on Your sole responsibility, not on behalf
* of any other Contributor, and only if You agree to indemnify,
* defend, and hold each Contributor harmless for any liability
* incurred by, or claims asserted against, such Contributor by reason
* of your accepting any such warranty or additional liability.

*

* END OF TERMS AND CONDITIONS

*

* APPENDIX: How to apply the Apache License to your work.

*

* To apply the Apache License to your work, attach the following
* boilerplate notice, with the fields enclosed by brackets "[]"

* replaced with your own identifying information. (Don't include
 * the brackets!) The text should be enclosed in the appropriate
 * comment syntax for the file format. We also recommend that a
 * file or class name and description of purpose be included on the
 * same "printed page" as the copyright notice for easier
 * identification within third-party archives.
 *
 * Copyright [yyyy] [name of copyright owner]
 *
 * Licensed under the Apache License, Version 2.0 (the "License");
 * you may not use this file except in compliance with the License.
 * You may obtain a copy of the License at
 *
 * <https://www.apache.org/licenses/LICENSE-2.0>
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS,
 * WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied.
 * See the License for the specific language governing permissions and
 * limitations under the License.
 */

W3C SOFTWARE NOTICE AND LICENSE

<https://www.w3.org/Consortium/Legal/2002/copyright-software-20021231>

This work (and included software, documentation such as READMEs, or other related items) is being provided by the copyright holders under the following license. By obtaining, using and/or copying this work, you (the licensee) agree that you have read, understood, and will comply with the following terms and conditions.

Permission to copy, modify, and distribute this software and its documentation, with or without modification, for any purpose and without fee or royalty is hereby granted, provided that you include the following on ALL copies of the software and documentation or portions thereof, including modifications:

1. The full text of this NOTICE in a location viewable to users of the redistributed or derivative work.
2. Any pre-existing intellectual property disclaimers, notices, or terms and conditions. If none exist, the W3C Software Short Notice should be included (hypertext is preferred, text is permitted) within the body of any redistributed or derivative code.
3. Notice of any changes or modifications to the files, including the date changes were made. (We recommend you provide URIs to the location from which the code is derived.)

THIS SOFTWARE AND DOCUMENTATION IS PROVIDED "AS IS," AND COPYRIGHT HOLDERS MAKE NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED

TO, WARRANTIES OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF THE SOFTWARE OR DOCUMENTATION WILL NOT INFRINGE ANY THIRD PARTY PATENTS, COPYRIGHTS, TRADEMARKS OR OTHER RIGHTS.

COPYRIGHT HOLDERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THE SOFTWARE OR DOCUMENTATION.

The name and trademarks of copyright holders may NOT be used in advertising or publicity pertaining to the software without specific, written prior permission. Title to copyright in this software and any associated documentation will at all times remain with copyright holders.

This formulation of W3C's notice and license became active on December 31 2002. This version removes the copyright ownership notice such that this license can be used with materials other than those owned by the W3C, reflects that ERCIM is now a host of the W3C, includes references to this specific dated version of the license, and removes the ambiguous grant of "use". Otherwise, this version is the same as the previous version and is written so as to preserve the Free Software Foundation's assessment of GPL compatibility and OSI's certification under the Open Source Definition. Please see our Copyright FAQ for common questions about using materials from our site, including specific terms and conditions for packages like libwww, Amaya, and Jigsaw. Other questions about this notice can be directed to site-policy@w3.org.

Joseph Reagle <site-policy@w3.org>

This license came from: <http://www.megginson.com/SAX/copying.html>
However please note future versions of SAX may be covered
under <http://saxproject.org/?selected=pd>

SAX2 is Free!

I hereby abandon any property rights to SAX 2.0 (the Simple API for XML), and release all of the SAX 2.0 source code, compiled code, and documentation contained in this distribution into the Public Domain. SAX comes with NO WARRANTY or guarantee of fitness for any purpose.

David Megginson, david@megginson.com
2000-05-05

1.283 geoip-api 1.2.11

1.283.1 Available under license :

/**

* Location.java

*

* Copyright (C) 2004 MaxMind LLC. All Rights Reserved.

*

* This library is free software; you can redistribute it and/or

* modify it under the terms of the GNU General Lesser Public

* License as published by the Free Software Foundation; either

* version 2 of the License, or (at your option) any later version.

*

* This library is distributed in the hope that it will be useful,

* but WITHOUT ANY WARRANTY; without even the implied warranty of

* MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU

* General Public License for more details.

*

* You should have received a copy of the GNU Lesser General Public

* License along with this library; if not, write to the Free Software

* Foundation, Inc., 59 Temple Place, Suite 330, Boston, MA 02111-1307 USA

*/

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA

Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations
below.

When we speak of free software, we are referring to freedom of use,

not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

^L

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary

General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

^L

GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License").

Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

^L

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may

distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

^L

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

- e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

^L

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.
- b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and

all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

^L

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if

written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

^L

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

^L

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301, USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

1.284 tap4j 4.1

1.284.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * The MIT License
 *
 * Copyright (c) 2010 tap4j team (see AUTHORS)
 *
 * Permission is hereby granted, free of charge, to any person obtaining a copy
 * of this software and associated documentation files (the "Software"), to deal
 * in the Software without restriction, including without limitation the rights
 * to use, copy, modify, merge, publish, distribute, sublicense, and/or sell
 * copies of the Software, and to permit persons to whom the Software is
 * furnished to do so, subject to the following conditions:
 *
 * The above copyright notice and this permission notice shall be included in
 * all copies or substantial portions of the Software.
 *
 * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
 * IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
 * FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
 * AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
 * LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM,
 * OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN
 * THE SOFTWARE.
 */
```

Found in path(s):

```
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/util/package-info.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/util/StatusValues.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/producer/package-
info.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/TestSet.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-
jar/org/tap4j/representer/Tap13Representer.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/TestResult.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/TapResult.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/parser/Parser.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-
jar/org/tap4j/representer/RepresenterException.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/parser/package-info.java
* /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/BailOut.java
```

- * /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/util/DirectiveValues.java
- * /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/consumer/TapConsumerException.java
- * /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/consumer/TapConsumerFactory.java
- * /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/AbstractTapElementDiagnostic.java
- * /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/TapElement.java
- * /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/SkipPlan.java
- * /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/Footer.java
- * /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/producer/TapProducer.java
- * /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/Comment.java
- * /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/Header.java
- * /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/package-info.java
- * /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/producer/Producer.java
- * /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/representer/TapJUnitRepresenter.java
- * /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/consumer/package-info.java
- * /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/parser/Tap13Parser.java
- * /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/parser/Memento.java
- * /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/representer/DumperOptions.java
- * /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/Plan.java
- * /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/parser/ParserException.java
- * /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/producer/ProducerException.java
- * /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/representer/package-info.java
- * /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/representer/Representer.java
- * /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/util/TapVersionValues.java
- * /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/Text.java
- * /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/producer/TapProducerFactory.java
- * /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/model/Directive.java
- * /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/consumer/TapConsumerImpl.java
- * /opt/cola/permits/1613098593_1679654363.3271081/0/tap4j-4-1-sources-2-jar/org/tap4j/consumer/TapConsumer.java

1.285 guice-multibindings 4.0

1.285.1 Available under license :

Google Guice - Extensions - MultiBindings
Copyright 2006-2015 Google, Inc.

This product includes software developed at
The Apache Software Foundation (<http://www.apache.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object

form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a

file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.286 jakarta xml bind api 2.3.3

1.286.1 Available under license :

Eclipse Distribution License - v 1.0

Copyright (c) 2007, Eclipse Foundation, Inc. and its licensors.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

/*

* Copyright (c) 2005, 2019 Oracle and/or its affiliates. All rights reserved.

*

* This program and the accompanying materials are made available under the
* terms of the Eclipse Distribution License v. 1.0, which is available at
* <http://www.eclipse.org/org/documents/edl-v10.php>.

*

* SPDX-License-Identifier: BSD-3-Clause

*/

COMMON DEVELOPMENT AND DISTRIBUTION LICENSE (CDDL) Version 1.0

1. Definitions.

1.1. "Contributor" means each individual or entity that creates or contributes to the creation of Modifications.

1.2. "Contributor Version" means the combination of the Original Software, prior Modifications used by a Contributor (if any), and the Modifications made by that particular Contributor.

1.3. "Covered Software" means (a) the Original Software, or (b) Modifications, or (c) the combination of files containing Original Software with files containing Modifications, in each case including portions thereof.

1.4. "Executable" means the Covered Software in any form other than Source Code.

1.5. "Initial Developer" means the individual or entity that first makes Original Software available under this License.

1.6. "Larger Work" means a work which combines Covered Software or portions thereof with code not governed by the terms of this License.

1.7. "License" means this document.

1.8. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.

1.9. "Modifications" means the Source Code and Executable form of any of the following:

A. Any file that results from an addition to, deletion from or modification of the contents of a file containing Original Software or previous

Modifications;

B. Any new file that contains any part of the Original Software or previous Modification; or

C. Any new file that is contributed or otherwise made available under the terms of this License.

1.10. "Original Software" means the Source Code and Executable form of computer software code that is originally released under this License.

1.11. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.

1.12. "Source Code" means (a) the common form of computer software code in which modifications are made and (b) associated documentation included in or with such code.

1.13. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. License Grants.

2.1. The Initial Developer Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, the Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer, to use, reproduce, modify, display, perform, sublicense and distribute the Original Software (or portions thereof), with or without Modifications, and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using or selling of Original Software, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Software (or portions thereof).

(c) The licenses granted in Sections 2.1(a) and (b) are effective on the date Initial Developer first distributes or otherwise makes the Original Software available to a third party under the terms of this License.

(d) Notwithstanding Section 2.1(b) above, no patent license is granted: (1) for code that You delete from the Original Software, or (2) for infringements caused by: (i) the modification of the Original Software, or (ii) the combination of the Original Software with other software or devices.

2.2. Contributor Grant.

Conditioned upon Your compliance with Section 3.1 below and subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license:

(a) under intellectual property rights (other than patent or trademark) Licensable by Contributor to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof), either on an unmodified basis, with other Modifications, as Covered Software and/or as part of a Larger Work; and

(b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: (1) Modifications made by that Contributor (or portions thereof); and (2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).

(c) The licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first distributes or otherwise makes the Modifications

available to a third party.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: (1) for any code that Contributor has deleted from the Contributor Version; (2) for infringements caused by: (i) third party modifications of Contributor Version, or (ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or (3) under Patent Claims infringed by Covered Software in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Availability of Source Code.

Any Covered Software that You distribute or otherwise make available in Executable form must also be made available in Source Code form and that Source Code form must be distributed only under the terms of this License. You must include a copy of this License with every copy of the Source Code form of the Covered Software You distribute or otherwise make available. You must inform recipients of any such Covered Software in Executable form as to how they can obtain such Covered Software in Source Code form in a reasonable manner on or through a medium customarily used for software exchange.

3.2. Modifications.

The Modifications that You create or to which You contribute are governed by the terms of this License. You represent that You believe Your Modifications are Your original creation(s) and/or You have sufficient rights to grant the rights conveyed by this License.

3.3. Required Notices.

You must include a notice in each of Your Modifications that identifies You as the Contributor of the Modification. You may not remove or alter any copyright, patent or trademark notices contained within the Covered Software, or any notices of licensing or any descriptive text giving attribution to any Contributor or the Initial Developer.

3.4. Application of Additional Terms.

You may not offer or impose any terms on any Covered Software in Source Code form that alters or restricts the applicable version of this License or the recipients' rights hereunder. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Software. However, you may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear that any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer.

3.5. Distribution of Executable Versions.

You may distribute the Executable form of the Covered Software under the terms of this License or under the terms of a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable form does not attempt to limit or alter the recipient's rights in the Source Code form from the rights set forth in this License. If You distribute the Covered Software in Executable form under a different license, You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.6. Larger Works.

You may create a Larger Work by combining Covered Software with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Software.

4. Versions of the License.

4.1. New Versions.

Sun Microsystems, Inc. is the initial license steward and may publish revised and/or new versions of this License

from time to time. Each version will be given a distinguishing version number. Except as provided in Section 4.3, no one other than the license steward has the right to modify this License.

4.2. Effect of New Versions.

You may always continue to use, distribute or otherwise make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. If the Initial Developer includes a notice in the Original Software prohibiting it from being distributed or otherwise made available under any subsequent version of the License, You must distribute and make the Covered Software available under the terms of the version of the License under which You originally received the Covered Software. Otherwise, You may also choose to use, distribute or otherwise make the Covered Software available under the terms of any subsequent version of the License published by the license steward.

4.3. Modified Versions.

When You are an Initial Developer and You want to create a new license for Your Original Software, You may create and use a modified version of this License if You: (a) rename the license and remove any references to the name of the license steward (except to note that the license differs from this License); and (b) otherwise make it clear that the license contains terms which differ from this License.

5. DISCLAIMER OF WARRANTY.

COVERED SOFTWARE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED SOFTWARE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED SOFTWARE IS WITH YOU. SHOULD ANY COVERED SOFTWARE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED SOFTWARE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

6. TERMINATION.

6.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming aware of the breach. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

6.2. If You assert a patent infringement claim (excluding declaratory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You assert such claim is referred to as "Participant") alleging that the Participant Software (meaning the Contributor Version where the Participant is a Contributor or the Original Software where the Participant is the Initial Developer) directly or indirectly infringes any patent, then any and all rights granted directly or indirectly to You by such Participant, the Initial Developer (if the Initial Developer is not the Participant) and all Contributors under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively and automatically at the expiration of such 60 day notice period, unless if within such 60 day period You withdraw Your claim with respect to the Participant Software against such Participant either unilaterally or pursuant to a written agreement with Participant.

6.3. In the event of termination under Sections 6.1 or 6.2 above, all end user licenses that have been validly granted by You or any distributor hereunder prior to termination (excluding licenses granted to You by any distributor) shall survive termination.

7. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED SOFTWARE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOST PROFITS, LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES, EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO

NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

8. U.S. GOVERNMENT END USERS.

The Covered Software is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" (as that term is defined at 48 C.F.R. 252.227-7014(a)(1)) and "commercial computer software documentation" as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Software with only those rights set forth herein. This U.S. Government Rights clause is in lieu of, and supersedes, any other FAR, DFAR, or other clause or provision that addresses Government rights in computer software under this License.

9. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by the law of the jurisdiction specified in a notice contained within the Original Software (except to the extent applicable law, if any, provides otherwise), excluding such jurisdiction's conflict-of-law provisions. Any litigation relating to this License shall be subject to the jurisdiction of the courts located in the jurisdiction and venue specified in a notice contained within the Original Software, with the losing party responsible for costs, including, without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License. You agree that You alone are responsible for compliance with the United States export administration regulations (and the export control laws and regulation of any other countries) when You use, distribute or otherwise make available any Covered Software.

10. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to

distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

Copyright (c) 2017, 2018 Oracle and/or its affiliates. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the Eclipse Foundation, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

[/]: # " Copyright (c) 2018, 2019 Oracle and/or its affiliates. All rights reserved. "

[/]: # " "

[/]: # " This program and the accompanying materials are made available under the "

[/]: # " terms of the Eclipse Distribution License v. 1.0, which is available at "

[/]: # " <http://www.eclipse.org/org/documents/edl-v10.php>. "

[/]: # " "

[/]: # " SPDX-License-Identifier: BSD-3-Clause "

Notices for Jakarta XML Binding

This content is produced and maintained by the Jakarta XML Binding project.

* Project home: <https://projects.eclipse.org/projects/ee4j.jaxb>

Trademarks

Jakarta XML Binding is a trademark of the Eclipse Foundation.

Copyright

All content is the property of the respective authors or their employers. For more information regarding authorship of content, please consult the listed source code repository logs.

Declared Project Licenses

This program and the accompanying materials are made available under the terms of the Eclipse Distribution License v. 1.0 which is available at <http://www.eclipse.org/org/documents/edl-v10.php>.

SPDX-License-Identifier: BSD-3-Clause

Source Code

The project maintains the following source code repositories:

- * <https://github.com/eclipse-ee4j/jaxb-api>
- * <https://github.com/eclipse-ee4j/jaxb-tck>

Third-party Content

This project leverages the following third party content.

Apache River (3.0.0)

- * License: Apache-2.0 AND BSD-3-Clause

ASM 7 (n/a)

- * License: BSD-3-Clause
- * Project: <https://asm.ow2.io/>
- * Source: <https://repository.ow2.org/nexus/#nexus-search;gav~org.ow2.asm~asm-commons~~~~kw,versionexpand>

JTHarness (5.0)

- * License: (GPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0)
- * Project: <https://wiki.openjdk.java.net/display/CodeTools/JT+Harness>
- * Source: <http://hg.openjdk.java.net/code-tools/jtharness/>

normalize.css (3.0.2)

- * License: MIT

SigTest (n/a)

* License: GPL-2.0 OR GPL-2.0 WITH Classpath-exception-2.0

Cryptography

Content may contain encryption software. The country in which you are currently may have restrictions on the import, possession, and use, and/or re-export to another country, of encryption software. BEFORE using any encryption software, please check the country's laws, regulations and policies concerning the import, possession, or use, and re-export of encryption software, to see if this is permitted.

1.287 joda-time 2.10.1

1.287.1 Available under license :

=====

= NOTICE file corresponding to section 4d of the Apache License Version 2.0 =

=====

This product includes software developed by
Joda.org (<https://www.joda.org/>).

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.

3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed

as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. **Submission of Contributions.** Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions. Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed with Licensor regarding such Contributions.
6. **Trademarks.** This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. **Disclaimer of Warranty.** Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. **Limitation of Liability.** In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. **Accepting Warranty or Additional Liability.** While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this

License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

1.288 jsch 0.2.4

1.288.1 Available under license :

JZlib 0.0.* were released under the GNU LGPL license. Later, we have switched over to a BSD-style license.

Copyright (c) 2000-2011 ymnk, JCraft,Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,

this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names of the authors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL JCRAFT, INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

jBCrypt is subject to the following license:

```
/*
 * Copyright (c) 2006 Damien Miller <djm@mindrot.org>
 *
 * Permission to use, copy, modify, and distribute this software for any
 * purpose with or without fee is hereby granted, provided that the above
 * copyright notice and this permission notice appear in all copies.
 *
 * THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES
 * WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF
 * MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR
 * ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
 * WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN
 * ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF
 * OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
 */
```

JSch 0.0.* was released under the GNU LGPL license. Later, we have switched over to a BSD-style license.

Copyright (c) 2002-2015 Atsuhiko Yamanaka, JCraft, Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The names of the authors may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED ``AS IS" AND ANY EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL JCRAFT, INC. OR ANY CONTRIBUTORS TO THIS SOFTWARE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.289 proto-google-common-protos 1.12.0

1.290 bouncy-castle 1.72

1.290.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
public DomainParameters(BigInteger p, BigInteger g, BigInteger q, BigInteger j,
```

Found in path(s):

```
* /opt/cola/permits/1487838996_1674089109.076011/0/src-116-  
zip/org/bouncycastle/asn1/x9/DomainParameters.java
```

No license file was found, but licenses were detected in source scan.

```
/**
```

```
* Copyright (c) 2011 Tim Buktu (tbuktu@hotmail.com)
```

```
*
```

```
* Permission is hereby granted, free of charge, to any person obtaining a  
* copy of this software and associated documentation files (the "Software"),  
* to deal in the Software without restriction, including without limitation  
* the rights to use, copy, modify, merge, publish, distribute, sublicense,  
* and/or sell copies of the Software, and to permit persons to whom the  
* Software is furnished to do so, subject to the following conditions:
```

```
*
```

```
* The above copyright notice and this permission notice shall be included in  
* all copies or substantial portions of the Software.
```

```
*
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
* IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY,
* FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE
* AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER
* LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING
* FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER
* DEALINGS IN THE SOFTWARE.
*/
```

Found in path(s):

```
* /opt/cola/permits/1487838996_1674089109.076011/0/src-116-
zip/org/bouncycastle/pqc/legacy/math/ntru/euclid/test/IntEuclideanTest.java
No license file was found, but licenses were detected in source scan.
```

```
/**
* The Bouncy Castle License
*
* Copyright (c) 2000-2022 The Legion Of The Bouncy Castle Inc. (https://www.bouncycastle.org)
* <p>
* Permission is hereby granted, free of charge, to any person obtaining a copy of this software
* and associated documentation files (the "Software"), to deal in the Software without restriction,
* including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense,
* and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so,
* subject to the following conditions:
* <p>
* The above copyright notice and this permission notice shall be included in all copies or substantial
* portions of the Software.
* <p>
* THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR
IMPLIED,
* INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A
PARTICULAR
* PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT
HOLDERS BE
* LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF
CONTRACT, TORT OR
* OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR
OTHER
* DEALINGS IN THE SOFTWARE.
*/
```

Found in path(s):

```
* /opt/cola/permits/1487838996_1674089109.076011/0/src-116-zip/org/bouncycastle/LICENSE.java
No license file was found, but licenses were detected in source scan.
```

```
// now keep space is free to use
```

Found in path(s):

* /opt/cola/permits/1487838996_1674089109.076011/0/src-116-
zip/org/bouncycastle/pqc/legacy/crypto/gmss/GMSSPrivateKeyParameters.java
No license file was found, but licenses were detected in source scan.

/**

* Magic value for proprietary OpenSSH private key.
**/

Found in path(s):

* /opt/cola/permits/1487838996_1674089109.076011/0/src-116-
zip/org/bouncycastle/crypto/util/OpenSSHPrivateKeyUtil.java
No license file was found, but licenses were detected in source scan.

/**

* Poly1305 message authentication code, designed by D. J. Bernstein.
* <p>
* Poly1305 computes a 128-bit (16 bytes) authenticator, using a 128 bit nonce and a 256 bit key
* consisting of a 128 bit key applied to an underlying cipher, and a 128 bit key (with 106
* effective key bits) used in the authenticator.
* <p>
* The polynomial calculation in this implementation is adapted from the public domain <a
* href="https://github.com/floodyberry/poly1305-donna">poly1305-donna-unrolled C implementation
* by Andrew M (@floodyberry).
* @see Poly1305KeyGenerator
*/

Found in path(s):

* /opt/cola/permits/1487838996_1674089109.076011/0/src-116-zip/org/bouncycastle/crypto/mac/Poly1305.java
No license file was found, but licenses were detected in source scan.

/**

* Contains the polynomial classes used in the NTRU round 3 algorithm.
*
* <p>
* This implementation is based on the C reference implementation submitted for the round 3 NIST PQC
competition,
* released under CC0-1.0 license.
* </p>
*
* <p><a href="https://csrc.nist.gov/CSRC/media/Projects/post-quantum-cryptography/documents/round-
3/submissions/NTRU-Round3.zip">NIST submission files</p>
* <p>License of reference
implementation</p>
*/

Found in path(s):

* /opt/cola/permits/1487838996_1674089109.076011/0/src-116-zip/org/bouncycastle/pqc/math/ntru/package-

info.java

No license file was found, but licenses were detected in source scan.

```
/**
 * SPHINCS-256 signer.
 * <p>
 * This implementation is heavily based on the reference implementation in SUPERCOP, the main difference being
 the digests used
 * for message hashing and tree construction are now configurable (within limits...) and that the implementation
 produces
 * detached signatures.
 * </p>
 * <p>
 * The SPHINCS reference implementation is public domain, as per the statement in the second last paragraph of
 * section 1 in https://eprint.iacr.org/2014/795.pdf
 * </p>
 */
```

Found in path(s):

```
* /opt/cola/permits/1487838996_1674089109.076011/0/src-116-
zip/org/bouncycastle/pqc/crypto/sphincs/SPHINCS256Signer.java
No license file was found, but licenses were detected in source scan.
```

```
/**
 * The NTRU algorithm based on the round 3 submission of the NIST post-quantum cryptography. For the old
 NTRU, see
 * { @link org.bouncycastle.pqc.legacy.crypto.ntru }.
 *
 * <p>
 * This implementation is based on the C reference implementation submitted for the round 3 NIST PQC
 competition,
 * released under CC0-1.0 license.
 * </p>
 *
 * <p><a href="https://csrc.nist.gov/CSRC/media/Projects/post-quantum-cryptography/documents/round-
3/submissions/NTRU-Round3.zip">NIST submission files</a></p>
 * <p><a href="https://github.com/jschanck/ntru/blob/master/LICENSE">License of reference
 implementation</a></p>
 *
 * @see <a href="https://csrc.nist.gov/Projects/post-quantum-cryptography/round-3-submissions">NIST round 3
 PQC submissions page</a>
 * @see <a href="https://ntru.org">NTRU website</a>
 * @see <a href="https://ntru.org/f/ntru-20190330.pdf">NTRU specification</a>
 */
```

Found in path(s):

```
* /opt/cola/permits/1487838996_1674089109.076011/0/src-116-zip/org/bouncycastle/pqc/crypto/ntru/package-
info.java
```

1.291 netty-transport-native-unix-common

4.1.93.Final

1.291.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2018 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
 * License for the specific language governing permissions and limitations
 * under the License.
 */
```

Found in path(s):

```
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-
jar/io/netty/channel/unix/Buffer.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-
jar/io/netty/channel/unix/PreferredDirectByteBufAllocator.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-
jar/netty_unix_buffer.c
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-
jar/netty_unix_buffer.h
```

No license file was found, but licenses were detected in source scan.

```
/*
 * Copyright 2014 The Netty Project
 *
 * The Netty Project licenses this file to you under the Apache License,
 * version 2.0 (the "License"); you may not use this file except in compliance
 * with the License. You may obtain a copy of the License at:
 *
 * https://www.apache.org/licenses/LICENSE-2.0
 *
 * Unless required by applicable law or agreed to in writing, software
 * distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
 * WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
```


* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/UnixChannelOption.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/Unix.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/IovArray.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/package-info.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2022 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/RawUnixChannelOption.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/IntegerUnixChannelOption.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/GenericUnixChannelOption.java

No license file was found, but licenses were detected in source scan.

<!--

~ Copyright 2016 The Netty Project
~
~ The Netty Project licenses this file to you under the Apache License,
~ version 2.0 (the "License"); you may not use this file except in compliance
~ with the License. You may obtain a copy of the License at:
~
~ <https://www.apache.org/licenses/LICENSE-2.0>

~
~ Unless required by applicable law or agreed to in writing, software
~ distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
~ WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
~ License for the specific language governing permissions and limitations
~ under the License.
-->

Found in path(s):

* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/META-INF/maven/io.netty/netty-transport-native-unix-common/pom.xml

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2021 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*

* <https://www.apache.org/licenses/LICENSE-2.0>

*

* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.

*/

Found in path(s):

* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/DomainDatagramChannelConfig.java

* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/DomainDatagramChannel.java

* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/DomainDatagramSocketAddress.java

* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/SegmentedDatagramPacket.java

* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/DomainDatagramPacket.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2015 The Netty Project

*

* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:

*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/DomainSocketChannel.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/NativeInetAddress.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/DomainSocketReadMode.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/netty_unix_filedescriptor.h
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/Errors.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/DomainSocketChannelConfig.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/netty_unix_errors.c
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/DatagramSocketAddress.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/netty_unix_filedescriptor.c
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/DomainSocketAddress.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/netty_unix_errors.h
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/netty_unix_socket.c
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/Socket.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/FileDescriptor.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/netty_unix_socket.h
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/ServerDomainSocketChannel.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/UnixChannel.java

No license file was found, but licenses were detected in source scan.

/*

* Copyright 2017 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/netty_unix_jni.h
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/UnixChannelUtil.java

No license file was found, but licenses were detected in source scan.

/*
* Copyright 2016 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* <https://www.apache.org/licenses/LICENSE-2.0>
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/

Found in path(s):

* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/LimitsStaticallyReferencedJniMethods.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/netty_unix_limits.c
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/ErrorsStaticallyReferencedJniMethods.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-jar/io/netty/channel/unix/PeerCredentials.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-

```
jar/netty_unix_limits.h
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-
jar/io/netty/channel/unix/SocketWritableByteChannel.java
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-
jar/netty_unix_util.h
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-
jar/netty_unix_util.c
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-
jar/io/netty/channel/unix/Limits.java
No license file was found, but licenses were detected in source scan.
```

```
/*
* Copyright 2020 The Netty Project
*
* The Netty Project licenses this file to you under the Apache License,
* version 2.0 (the "License"); you may not use this file except in compliance
* with the License. You may obtain a copy of the License at:
*
* https://www.apache.org/licenses/LICENSE-2.0
*
* Unless required by applicable law or agreed to in writing, software
* distributed under the License is distributed on an "AS IS" BASIS, WITHOUT
* WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the
* License for the specific language governing permissions and limitations
* under the License.
*/
```

```
Found in path(s):
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-
jar/netty_unix.h
* /opt/cola/permits/1698847988_1685285741.888796/0/netty-transport-native-unix-common-4-1-93-final-sources-
jar/netty_unix.c
```

1.292 xz-java 1.9

1.292.1 Available under license :

Licensing of XZ for Java

=====

All the files in this package have been written by Lasse Collin, Igor Pavlov, and/or Brett Okken. All these files have been put into the public domain. You can do whatever you want with these files.

This software is provided "as is", without any warranty.

1.293 jul-to-slf4j 1.7.32

1.293.1 Available under license :

No license file was found, but licenses were detected in source scan.

```
/**
 * Copyright (c) 2004-2011 QOS.ch
 * All rights reserved.
 *
 * Permission is hereby granted, free of charge, to any person obtaining
 * a copy of this software and associated documentation files (the
 * "Software"), to deal in the Software without restriction, including
 * without limitation the rights to use, copy, modify, merge, publish,
 * distribute, sublicense, and/or sell copies of the Software, and to
 * permit persons to whom the Software is furnished to do so, subject to
 * the following conditions:
 *
 * The above copyright notice and this permission notice shall be
 * included in all copies or substantial portions of the Software.
 *
 * THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND,
 * EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF
 * MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND
 * NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE
 * LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION
 * OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION
 * WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.
 */
```

Found in path(s):

```
*/opt/cola/permits/1182802247_1629961496.53/0/jul-to-slf4j-1-7-32-sources-
jar/org/slf4j/bridge/SLF4JBridgeHandler.java
```

1.294 mysql 5.7.41

1.294.1 Available under license :

This file contains a list of people who have made large contributions to the public version of Protocol Buffers.

Original Protocol Buffers design and implementation:

Sanjay Ghemawat <sanjay@google.com>

Jeff Dean <jeff@google.com>

Daniel Dulitz <daniel@google.com>

Craig Silverstein

Paul Haahr <haahr@google.com>

Corey Anderson <corin@google.com>
(and many others)

Proto2 C++ and Java primary author:
Kenton Varda <kenton@google.com>

Proto2 Python primary authors:
Will Robinson <robinson@google.com>
Petar Petrov <petar@google.com>

Large code contributions:
Jason Hsueh <jasonh@google.com>
Joseph Schorr <jschorr@google.com>
Wenbo Zhu <wenboz@google.com>

Large quantity of code reviews:
Scott Bruce <sbruce@google.com>
Frank Yellin
Neal Norwitz <nnorwitz@google.com>
Jeffrey Yasskin <jyasskin@google.com>
Ambrose Feinstein <ambrose@google.com>

Documentation:
Lisa Carey <lcarey@google.com>

Maven packaging:
Gregory Kick <gak@google.com>

Patch contributors:
Kevin Ko <kevin.s.ko@gmail.com>
* Small patch to handle trailing slashes in --proto_path flag.
Johan Euphrosine <proppy@aminche.com>
* Small patch to fix Python CallMethod().
Ulrich Kunitz <kune@deine-taler.de>
* Small optimizations to Python serialization.
Leandro Lucarella <llucax@gmail.com>
* VI syntax highlighting tweaks.
* Fix compiler to not make output executable.
Dilip Joseph <dilip.antony.joseph@gmail.com>
* Heuristic detection of sub-messages when printing unknown fields in text format.
Brian Atkinson <nairb774@gmail.com>
* Added @Override annotation to generated Java code where appropriate.
Vincent Choinire <Choiniere.Vincent@hydro.qc.ca>
* Tru64 support.
Monty Taylor <monty.taylor@gmail.com>
* Solaris 10 + Sun Studio fixes.
Alek Storm <alek.storm@gmail.com>

* Slicing support for repeated scalar fields for the Python API.
Oleg Smolsky <oleg.smolsky@gmail.com>
* MS Visual Studio error format option.
* Detect unordered_map in stl_hash.m4.
Brian Olson <brianolson@google.com>
* gzip/zlib I/O support.
Michael Poole <mdpooole@troilus.org>
* Fixed warnings about generated constructors not explicitly initializing
all fields (only present with certain compiler settings).
* Added generation of field number constants.
Wink Saville <wink@google.com>
* Fixed initialization ordering problem in logging code.
Will Pierce <willp@nuclei.com>
* Small patch improving performance of in Python serialization.
Alexandre Vassalotti <alexandre@peadrop.com>
* Emacs mode for Protocol Buffers (editors/protobuf-mode.el).
Scott Stafford <scott.stafford@gmail.com>
* Added Swap(), SwapElements(), and RemoveLast() to Reflection interface.
Alexander Melnikov <alm@sibmail.ru>
* HPUX support.
Oliver Jowett <oliver.jowett@gmail.com>
* Detect whether zlib is new enough in configure script.
* Fixes for Solaris 10 32/64-bit confusion.
Evan Jones <evanj@mit.edu>
* Optimize Java serialization code when writing a small message to a stream.
* Optimize Java serialization of strings so that UTF-8 encoding happens only
once per string per serialization call.
* Clean up some Java warnings.
* Fix bug with permanent callbacks that delete themselves when run.
Michael Kucharski <m.kucharski@gmail.com>
* Added CodedInputStream.getTotalBytesRead().
Kacper Kowalik <xarthisius.kk@gmail.com>
* Fixed m4/acx_pthread.m4 problem for some Linux distributions.
William Orr <will@worrbase.com>
* Fixed detection of sched_yield on Solaris.
* Added atomicops for Solaris

Copyright (c) 1992, 1993

The Regents of the University of California. All rights reserved.

This code is derived from software contributed to Berkeley by
Christos Zoulas of Cornell University.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright

notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

3. Neither the name of the University nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Libevent is available for use under the following license, commonly known as the 3-clause (or "modified") BSD license:

=====

Copyright (c) 2000-2007 Niels Provos <provos@citi.umich.edu>

Copyright (c) 2007-2012 Niels Provos and Nick Mathewson

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

Portions of Libevent are based on works by others, also made available by

them under the three-clause BSD license above. The copyright notices are available in the corresponding source files; the license is as above. Here's a list:

log.c:

Copyright (c) 2000 Dug Song <dugsong@monkey.org>
Copyright (c) 1993 The Regents of the University of California.

strncpy.c:

Copyright (c) 1998 Todd C. Miller <Todd.Miller@courtesan.com>

win32select.c:

Copyright (c) 2003 Michael A. Davis <mike@datanerds.net>

evport.c:

Copyright (c) 2007 Sun Microsystems

ht-internal.h:

Copyright (c) 2002 Christopher Clark

minheap-internal.h:

Copyright (c) 2006 Maxim Yegorushkin <maxim.yegorushkin@gmail.com>

=====

The arc4module is available under the following, sometimes called the "OpenBSD" license:

Copyright (c) 1996, David Mazieres <dm@uun.org>
Copyright (c) 2008, Damien Miller <djm@openbsd.org>

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

=====

The Windows timer code is based on code from libutp, which is distributed under this license, sometimes called the "MIT" license.

Copyright (c) 2010 BitTorrent, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

MEMCACHED CONTRIBUTORS

This file contains a list of people who have contributed code and effort to the memcached project. If you don't see your name mentioned send email to the memcached mailing list so you can be immortalized.

Also see the ChangeLog for even more people who have helped over the years by submitting fixes, patches and reporting bugs.

Major authors:

Brad Fitzpatrick <brad@danga.com> -- maintainer, original implementations

Anatoly Vorobey <mellon@pobox.com> -- lots of the modern server code

Steven Grimm <sgrimm@facebook.com> -- iov writing (less CPU), UDP mode, non-2.0 slab mantissas, multithread, ...

Other Contributors

Evan Martin <evan@danga.com>

Nathan Neulinger <nneul@umr.edu>

Eric Hodel <drbrain@segment7.net>

Michael Johnson <ahze@ahze.net>

Paul Querna <chip@corelands.com>

Jamie McCarthy <jamie@mccarthy.vg>
Philip Neustrom <philipn@gmail.com>
Andrew O'Brien <andrewo@oriel.com.au>
Josh Rotenberg <joshrotenberg@gmail.com>
Robin H. Johnson <robbat2@gentoo.org>
Tim Yardley <liquid@haveheart.com>
Paolo Borelli <paolo.borelli@gmail.com>
Eli Bingham <eli@pandora.com>
Jean-Francois Bustarret <jfbustarret@wat.tv>
Paul G <paul-lists@perforge.com>
Paul Lindner <lindner@inuus.com>
Dormando <dormando@rydia.net>
Dustin Sallings <dustin@spy.net>
Chris Goffinet <goffinet@yahoo-inc.com>
Tomash Brechko <tomash.brechko@gmail.com>
Brian Aker <brian@tangent.org>
Trond Norbye <trond.norbye@sun.com>
License Disclaimer:

All contents of this directory are Copyright (c) the Dojo Foundation, with the following exceptions:

_crypto.js - internally uses AES algorithm

* AES algorithm copyright Chris Veness (CLA signed and permission given to use code under BSD license)

Taken from <http://www.movable-type.co.uk/scripts/aes.html>

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories <http://www.unicode.org/Public/>,
<http://www.unicode.org/reports/>,
and <http://www.unicode.org/cldr/data/>. Unicode Software includes any source code published in the Unicode Standard or under
the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and
<http://www.unicode.org/cldr/data/>.

NOTICE TO USER: Carefully read the following legal agreement. BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright 1991-2007 Unicode, Inc. All rights reserved. Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any

associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder. Dojo is available under *either* the terms of the modified BSD license *or* the Academic Free License version 2.1. As a recipient of Dojo, you may choose which license to receive this code under (except as noted in per-module LICENSE files). Some modules may not be the copyright of the Dojo Foundation. These modules contain explicit declarations of copyright in both the LICENSE files in the directories in which they reside and in the code itself. No external contributions are allowed under licenses which are fundamentally incompatible with the AFL or BSD licenses that Dojo is distributed under.

The text of the AFL and BSD licenses is reproduced below.

The "New" BSD License:

Copyright (c) 2005-2011, The Dojo Foundation
All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the Dojo Foundation nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The Academic Free License, v. 2.1:

This Academic Free License (the "License") applies to any original work of authorship (the "Original Work") whose owner (the "Licensor") has placed the following notice immediately following the copyright notice for the Original Work:

Licensed under the Academic Free License version 2.1

1) Grant of Copyright License. Licensor hereby grants You a world-wide, royalty-free, non-exclusive, perpetual, sublicenseable license to do the following:

- a) to reproduce the Original Work in copies;
- b) to prepare derivative works ("Derivative Works") based upon the Original Work;
- c) to distribute copies of the Original Work and Derivative Works to the public;
- d) to perform the Original Work publicly; and
- e) to display the Original Work publicly.

2) Grant of Patent License. Licensor hereby grants You a world-wide, royalty-free, non-exclusive, perpetual, sublicenseable license, under patent claims owned or controlled by the Licensor that are embodied in the Original Work as furnished by the Licensor, to make, use, sell and offer for sale the Original Work and Derivative Works.

3) Grant of Source Code License. The term "Source Code" means the preferred form of the Original Work for making modifications to it and all available documentation describing how to modify the Original Work. Licensor hereby agrees to provide a machine-readable copy of the Source Code of the Original Work along with each copy of the Original Work that Licensor distributes. Licensor reserves the right to satisfy this obligation by placing a machine-readable copy of the Source Code in an information repository reasonably calculated to permit inexpensive and convenient access by You for as long as Licensor continues to distribute the Original Work, and by publishing the address of that information repository in a notice immediately following the copyright notice that applies to the Original Work.

4) Exclusions From License Grant. Neither the names of Licensor, nor the names of any contributors to the Original Work, nor any of their trademarks or service marks, may be used to endorse or promote products derived from this Original Work without express prior written permission of the Licensor. Nothing in this License shall be deemed to grant any rights to trademarks, copyrights, patents, trade secrets or any other intellectual property of Licensor except as expressly stated herein. No patent license is granted to make, use, sell or offer to sell embodiments of any patent claims other than the licensed claims defined in Section 2. No right is granted to the trademarks of Licensor even if such marks are included in the Original Work. Nothing in this License shall be interpreted to prohibit Licensor from licensing under different terms from this License any Original Work that Licensor otherwise would have a right to license.

5) This section intentionally omitted.

6) Attribution Rights. You must retain, in the Source Code of any Derivative Works that You create, all copyright, patent or trademark notices from the Source Code of the Original Work, as well as any notices of licensing and any descriptive text identified therein as an "Attribution Notice." You must cause the Source Code for any Derivative Works that You create to carry a prominent Attribution Notice reasonably calculated to inform recipients that You have modified the Original Work.

7) Warranty of Provenance and Disclaimer of Warranty. Licensor warrants that the copyright in and to the Original Work and the patent rights granted herein by Licensor are owned by the Licensor or are sublicensed to You under the terms of this License with the permission of the contributor(s) of those copyrights and patent rights. Except as expressly stated in the immediately preceding

sentence, the Original Work is provided under this License on an "AS IS" BASIS and WITHOUT WARRANTY, either express or implied, including, without limitation, the warranties of NON-INFRINGEMENT, MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY OF THE ORIGINAL WORK IS WITH YOU. This DISCLAIMER OF WARRANTY constitutes an essential part of this License. No license to Original Work is granted hereunder except under this disclaimer.

8) Limitation of Liability. Under no circumstances and under no legal theory, whether in tort (including negligence), contract, or otherwise, shall the Licensor be liable to any person for any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or the use of the Original Work including, without limitation, damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses. This limitation of liability shall not apply to liability for death or personal injury resulting from Licensor's negligence to the extent applicable law prohibits such limitation. Some jurisdictions do not allow the exclusion or limitation of incidental or consequential damages, so this exclusion and limitation may not apply to You.

9) Acceptance and Termination. If You distribute copies of the Original Work or a Derivative Work, You must make a reasonable effort under the circumstances to obtain the express assent of recipients to the terms of this License. Nothing else but this License (or another written agreement between Licensor and You) grants You permission to create Derivative Works based upon the Original Work or to exercise any of the rights granted in Section 1 herein, and any attempt to do so except under the terms of this License (or another written agreement between Licensor and You) is expressly prohibited by U.S. copyright law, the equivalent laws of other countries, and by international treaty. Therefore, by exercising any of the rights granted to You in Section 1 herein, You indicate Your acceptance of this License and all of its terms and conditions.

10) Termination for Patent Action. This License shall terminate automatically and You may no longer exercise any of the rights granted to You by this License as of the date You commence an action, including a cross-claim or counterclaim, against Licensor or any licensee alleging that the Original Work infringes a patent. This termination provision shall not apply for an action alleging patent infringement by combinations of the Original Work with other software or hardware.

11) Jurisdiction, Venue and Governing Law. Any action or suit relating to this License may be brought only in the courts of a jurisdiction wherein the Licensor resides or in which Licensor conducts its primary business, and under the laws of that jurisdiction excluding its conflict-of-law provisions. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any use of the Original Work outside the scope of this License or after its termination shall be subject to the requirements and penalties of the U.S. Copyright Act, 17 U.S.C. 101 et seq., the equivalent laws of other countries, and international treaty. This

section shall survive the termination of this License.

12) Attorneys Fees. In any action to enforce the terms of this License or seeking damages relating thereto, the prevailing party shall be entitled to recover its costs and expenses, including, without limitation, reasonable attorneys' fees and costs incurred in connection with such action, including any appeal of such action. This section shall survive the termination of this License.

13) Miscellaneous. This License represents the complete agreement concerning the subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable.

14) Definition of "You" in This License. "You" throughout this License, whether in upper or lower case, means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License. For legal entities, "You" includes any entity that controls, is controlled by, or is under common control with you. For purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

15) Right to Use. You may use the Original Work in all ways not otherwise restricted or conditioned by this License or by law, and Licensor promises not to interfere with or be responsible for such uses by You.

This license is Copyright (C) 2003-2004 Lawrence E. Rosen. All rights reserved. Permission is hereby granted to copy and distribute this license without modification. This license may not be modified without the express written permission of its copyright owner.

/*

Copyright (c) 2020, 2022, Oracle and/or its affiliates.

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License, version 2.0, as published by the Free Software Foundation.

This program is also distributed with certain software (including but not limited to OpenSSL) that is licensed under separate terms, as designated in a particular file or component or in included license documentation. The authors of MySQL hereby grant you an additional permission to link the program and your derivative works with the separately licensed software that they have included with MySQL.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of

MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License, version 2.0, for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
*/

LICENSE ISSUES

=====

The OpenSSL toolkit stays under a dual license, i.e. both the conditions of the OpenSSL License and the original SSLeay license apply to the toolkit. See below for the actual license texts. Actually both licenses are BSD-style Open Source licenses. In case of any license issues related to OpenSSL please contact openssl-core@openssl.org.

OpenSSL License

/* =====

* Copyright (c) 1998-1999 The OpenSSL Project. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

*

* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.

*

* 3. All advertising materials mentioning features or use of this
* software must display the following acknowledgment:
* "This product includes software developed by the OpenSSL Project
* for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"

*

* 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to
* endorse or promote products derived from this software without
* prior written permission. For written permission, please contact
* openssl-core@openssl.org.

*

* 5. Products derived from this software may not be called "OpenSSL"
* nor may "OpenSSL" appear in their names without prior written
* permission of the OpenSSL Project.

*
 * 6. Redistributions of any form whatsoever must retain the following
 * acknowledgment:
 * "This product includes software developed by the OpenSSL Project
 * for use in the OpenSSL Toolkit (<http://www.openssl.org/>)"
 *
 * THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS" AND ANY
 * EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 * PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
 * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
 * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
 * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
 * LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
 * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
 * STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
 * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
 * OF THE POSSIBILITY OF SUCH DAMAGE.
 * =====
 *
 * This product includes cryptographic software written by Eric Young
 * (eay@cryptsoft.com). This product includes software written by Tim
 * Hudson (tjh@cryptsoft.com).
 *
 */

Original SSLeay License

/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)
 * All rights reserved.
 *
 * This package is an SSL implementation written
 * by Eric Young (eay@cryptsoft.com).
 * The implementation was written so as to conform with Netscapes SSL.
 *
 * This library is free for commercial and non-commercial use as long as
 * the following conditions are aheared to. The following conditions
 * apply to all code found in this distribution, be it the RC4, RSA,
 * lhash, DES, etc., code; not just the SSL code. The SSL documentation
 * included with this distribution is covered by the same copyright terms
 * except that the holder is Tim Hudson (tjh@cryptsoft.com).
 *
 * Copyright remains Eric Young's, and as such any Copyright notices in
 * the code are not to be removed.
 * If this package is used in a product, Eric Young should be given attribution
 * as the author of the parts of the library used.
 * This can be in the form of a textual message at program startup or

* in documentation (online or textual) provided with the package.
 *
 * Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 * 1. Redistributions of source code must retain the copyright
 * notice, this list of conditions and the following disclaimer.
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in the
 * documentation and/or other materials provided with the distribution.
 * 3. All advertising materials mentioning features or use of this software
 * must display the following acknowledgement:
 * "This product includes cryptographic software written by
 * Eric Young (eay@cryptsoft.com)"
 * The word 'cryptographic' can be left out if the routines from the library
 * being used are not cryptographic related :-).
 * 4. If you include any Windows specific code (or a derivative thereof) from
 * the apps directory (application code) you must include an acknowledgement:
 * "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"
 *
 * THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS'' AND
 * ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
 * ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
 * FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
 * DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
 * OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
 * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
 * LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
 * OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
 * SUCH DAMAGE.
 *
 * The licence and distribution terms for any publically available version or
 * derivative of this code cannot be changed. i.e. this code cannot simply be
 * copied and put under another distribution licence
 * [including the GNU Public Licence.]
 */

Copyright (c) 2003, Danga Interactive, Inc.
 All rights reserved.

Redistribution and use in source and binary forms, with or without
 modification, are permitted provided that the following conditions are
 met:

* Redistributions of source code must retain the above copyright
 notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above

copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of the Danga Interactive nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Portions of this software contain modifications contributed by Percona, Inc.

These contributions are used with the following license:

Copyright (c) 2008, 2009, Percona Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the Percona Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE

OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Portions of this software contain modifications contributed by Google, Inc.

These contributions are used with the following license:

Copyright (c) 2008, Google Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Licensing Information User Manual

MySQL 5.7.28 (and later)

Introduction

This License Information User Manual contains Oracle's product license and other licensing information, including licensing information for third-party software which may be included in this distribution of MySQL 5.7.28 (and later).

Last updated: November 2022

Licensing Information

This is a release of MySQL 5.7.28 (and later), brought to you by the

MySQL team at Oracle. This software is released under version 2 of the GNU General Public License (GPLv2), as set forth below, with the following additional permissions:

This distribution of MySQL 5.7.28 (and later) is distributed with certain software (including but not limited to OpenSSL) that is licensed under separate terms, as designated in a particular file or component or in the license documentation. Without limiting your rights under the GPLv2, the authors of MySQL hereby grant you an additional permission to link the program and your derivative works with the separately licensed software that they have included with the program.

This distribution includes the MySQL C API client library (libmysqlclient) otherwise known as MySQL Connector/C. Without limiting the foregoing grant of rights under the GPLv2 and additional permission as to separately licensed software, this Connector is also subject to the Universal FOSS Exception, version 1.0, a copy of which is reproduced below and can also be found along with its FAQ at <http://oss.oracle.com/licenses/universal-foss-exception>.

Copyright (c) 1997, 2022, Oracle and/or its affiliates.

Election of GPLv2

For the avoidance of doubt, except that if any license choice other than GPL or LGPL is available it will apply instead, Oracle elects to use only the General Public License version 2 (GPLv2) at this time for any software where a choice of GPL license versions is made available with the language indicating that GPLv2 or any later version may be used, or where a choice of which version of the GPL is applied is otherwise unspecified.

GNU General Public License Version 2.0, June 1991

The following applies to all products licensed under the GNU General Public License, Version 2.0: You may not use the identified files except in compliance with the GNU General Public License, Version 2.0 (the "License.") You may obtain a copy of the License at <http://www.gnu.org/licenses/gpl-2.0.txt>. A copy of the license is also reproduced below. Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

=====
=====

GNU GENERAL PUBLIC LICENSE

Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.,
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim
copies of this license document, but changing it is not
allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Lesser General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on,

we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.

- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.

- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,

c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of

the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA.

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details  
type 'show w'. This is free software, and you are welcome  
to redistribute it under certain conditions; type 'show c'  
for details.
```

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than 'show w' and 'show c'; they could even be mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program 'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989

Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License.

=====
=====

The Universal FOSS Exception, Version 1.0

In addition to the rights set forth in the other license(s) included in the distribution for this software, data, and/or documentation (collectively the "Software", and such licenses collectively with this additional permission the "Software License"), the copyright holders wish to facilitate interoperability with other software, data, and/or documentation distributed with complete corresponding source under a license that is OSI-approved and/or categorized by the FSF as free (collectively "Other FOSS"). We therefore hereby grant the following additional permission with respect to the use and distribution of the Software with Other FOSS, and the constants, function signatures, data structures and other invocation methods used to run or interact with each of them (as to each, such software's "Interfaces"):

- i. The Software's Interfaces may, to the extent permitted by the license of the Other FOSS, be copied into, used and distributed in the Other FOSS in order to enable interoperability, without requiring a change to the license of the Other FOSS other than as to any Interfaces of the Software embedded therein. The Software's Interfaces remain at all times under the Software License, including without limitation as used in the Other FOSS (which upon any such use also then contains a portion of the Software under the Software License).
- ii. The Other FOSS's Interfaces may, to the extent permitted by the license of the Other FOSS, be copied into, used and distributed in the Software in order to enable interoperability, without requiring that such Interfaces be licensed under the terms of the Software License or otherwise altering their original terms, if this does not require any portion of the Software other than such Interfaces

to be licensed under the terms other than the Software License.

iii. If only Interfaces and no other code is copied between the Software and the Other FOSS in either direction, the use and/or distribution of the Software with the Other FOSS shall not be deemed to require that the Other FOSS be licensed under the license of the Software, other than as to any Interfaces of the Software copied into the Other FOSS. This includes, by way of example and without limitation, statically or dynamically linking the Software together with Other FOSS after enabling interoperability using the Interfaces of one or both, and distributing the resulting combination under different licenses for the respective portions thereof. For avoidance of doubt, a license which is OSI-approved or categorized by the FSF as free, includes, for the purpose of this permission, such licenses with additional permissions, and any license that has previously been so approved or categorized as free, even if now deprecated or otherwise no longer recognized as approved or free. Nothing in this additional permission grants any right to distribute any portion of the Software on terms other than those of the Software License or grants any additional permission of any kind for use or distribution of the Software in conjunction with software other than Other FOSS.

=====
=====

Licenses for Third-Party Components

The following sections contain licensing information for libraries that may be included with this product. We are thankful to all individuals that have created these. Standard licenses referenced herein are detailed in the Standard Licenses section.

argparse

argparse is (c) 2006-2009 Steven J. Bethard <steven.bethard@gmail.com>.

The argparse module was contributed to Python as of Python 2.7 and thus was licensed under the Python license. Same license applies to all files in the argparse package project.

For details about the Python License, please see doc/Python-License.txt.

History

Before (and including) argparse 1.1, the argparse package was licensed under Apache License v2.0.

After argparse 1.1, all project files from the argparse project were deleted due to license compatibility issues between Apache License 2.0 and GNU GPL v2.

The project repository then had a clean start with some files taken from Python 2.7.1, so definitely all files are under Python License now.

```
#####  
#####  
PSF LICENSE AGREEMENT FOR PYTHON 2.7.11
```

1. This LICENSE AGREEMENT is between the Python Software Foundation ("PSF"), and the Individual or Organization ("Licensee") accessing and otherwise using Python 2.7.11 software in source or binary form and its associated documentation.
2. Subject to the terms and conditions of this License Agreement, PSF hereby grants Licensee a nonexclusive, royalty-free, world-wide license to reproduce, analyze, test, perform and/or display publicly, prepare derivative works, distribute, and otherwise use Python 2.7.11 alone or in any derivative version, provided, however, that PSF's License Agreement and PSF's notice of copyright, i.e., "Copyright (c) 2001-2016 Python Software Foundation; All Rights Reserved" are retained in Python 2.7.11 alone or in any derivative version prepared by Licensee.
3. In the event Licensee prepares a derivative work that is based on or incorporates Python 2.7.11 or any part thereof, and wants to make the derivative work available to others as provided herein, then Licensee hereby agrees to include in any such work a brief summary of the changes made to Python 2.7.11.
4. PSF is making Python 2.7.11 available to Licensee on an "AS IS" basis.
PSF MAKES NO REPRESENTATIONS OR WARRANTIES, EXPRESS OR IMPLIED. BY WAY OF EXAMPLE, BUT NOT LIMITATION, PSF MAKES NO AND DISCLAIMS ANY REPRESENTATION OR WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PARTICULAR PURPOSE OR THAT THE USE OF PYTHON 2.7.11 WILL NOT INFRINGE ANY THIRD PARTY RIGHTS.
5. PSF SHALL NOT BE LIABLE TO LICENSEE OR ANY OTHER USERS OF PYTHON 2.7.11 FOR ANY INCIDENTAL, SPECIAL, OR CONSEQUENTIAL DAMAGES OR LOSS AS A RESULT OF MODIFYING, DISTRIBUTING, OR OTHERWISE USING PYTHON 2.7.11, OR ANY DERIVATIVE THEREOF, EVEN IF ADVISED OF THE POSSIBILITY THEREOF.
6. This License Agreement will automatically terminate upon a material breach of its terms and conditions.
7. Nothing in this License Agreement shall be deemed to create any relationship of agency, partnership, or joint venture between PSF and Licensee. This

License Agreement does not grant permission to use PSF trademarks or trade name in a trademark sense to endorse or promote products or services of Licensee, or any third party.

8. By copying, installing or otherwise using Python 2.7.11, Licensee agrees to be bound by the terms and conditions of this License Agreement.

=====
=====

Boost C++ Libraries

Use of any of this software is governed by the terms of the license below:

Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization obtaining a copy of the software and accompanying documentation covered by this license (the "Software") to use, reproduce, display, distribute, execute, and transmit the Software, and to prepare derivative works of the Software, and to permit third-parties to whom the Software is furnished to do so, all subject to the following:

The copyright notices in the Software and this entire statement, including the above license grant, this restriction and the following disclaimer, must be included in all copies of the Software, in whole or in part, and all derivative works of the Software, unless such copies or derivative works are solely in the form of machine-executable object code generated by a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====
=====

Corosync

Copyright (c) 2002-2004 MontaVista Software, Inc.

Copyright (c) 2005-2010 RedHat, Inc.

All rights reserved.

This software licensed under BSD license, the text of which follows:

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- Neither the name of the MontaVista Software, Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====
=====

Cyrus SASL

* Copyright (c) 1998-2003 Carnegie Mellon University. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without
* modification, are permitted provided that the following conditions
* are met:

*

* 1. Redistributions of source code must retain the above copyright
* notice, this list of conditions and the following disclaimer.

*

* 2. Redistributions in binary form must reproduce the above copyright
* notice, this list of conditions and the following disclaimer in
* the documentation and/or other materials provided with the
* distribution.

*

- * 3. The name "Carnegie Mellon University" must not be used to
- * endorse or promote products derived from this software without
- * prior written permission. For permission or any other legal
- * details, please contact
- * Office of Technology Transfer
- * Carnegie Mellon University
- * 5000 Forbes Avenue
- * Pittsburgh, PA 15213-3890
- * (412) 268-4387, fax: (412) 268-7395
- * tech-transfer@andrew.cmu.edu
- *
- * 4. Redistributions of any form whatsoever must retain the following
- * acknowledgment:
- * "This product includes software developed by Computing Services
- * at Carnegie Mellon University (<http://www.cmu.edu/computing/>)."
- *
- * CARNEGIE MELLON UNIVERSITY DISCLAIMS ALL WARRANTIES WITH REGARD TO
- * THIS SOFTWARE, INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY
- * AND FITNESS, IN NO EVENT SHALL CARNEGIE MELLON UNIVERSITY BE LIABLE
- * FOR ANY SPECIAL, INDIRECT OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES
- * WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN
- * AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING
- * OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.
- */

The following files

```
./lib
  saslint.h auxprop.c canonusr.c checkpw.c client.c common.c config.c
  external.c saslutil.c server.c seterror.c dlopen.c
./plugins
  scram.c gssapi.c
./common
  plugin_common.c
```

have a license header similar to the above with the following copyright:

```
/*
* Copyright (c) 1998-2016 Carnegie Mellon University. All rights reserved.
*
```

./lib/md5.c includes the following license header:

```
/* MD5C.C - RSA Data Security, Inc., MD5 message-digest algorithm
*/
```

```
/* Function names changed to avoid namespace collisions: Rob Siemborski */
```

```
/* Copyright (C) 1991-2, RSA Data Security, Inc. Created 1991. All
rights reserved.
```

License to copy and use this software is granted provided that it is identified as the "RSA Data Security, Inc. MD5 Message-Digest Algorithm" in all material mentioning or referencing this software or this function.

License is also granted to make and use derivative works provided that such works are identified as "derived from the RSA Data Security, Inc. MD5 Message-Digest Algorithm" in all material mentioning or referencing the derived work.

RSA Data Security, Inc. makes no representations concerning either the merchantability of this software or the suitability of this software for any particular purpose. It is provided "as is" without express or implied warranty of any kind.

These notices must be retained in any copies of any part of this documentation and/or software.

*/

=====
=====

dtoa.c

The author of this software is David M. Gay.

Copyright (c) 1991, 2000, 2001 by Lucent Technologies.

Permission to use, copy, modify, and distribute this software for any purpose without fee is hereby granted, provided that this entire notice is included in all copies of any software which is or includes a copy or modification of this software and in all copies of the supporting documentation for such software.

THIS SOFTWARE IS BEING PROVIDED "AS IS", WITHOUT ANY EXPRESS OR IMPLIED WARRANTY. IN PARTICULAR, NEITHER THE AUTHOR NOR LUCENT MAKES ANY REPRESENTATION OR WARRANTY OF ANY KIND CONCERNING THE MERCHANTABILITY OF THIS SOFTWARE OR ITS FITNESS FOR ANY PARTICULAR PURPOSE.

=====
=====

Editline Library (libedit)

Some files are:

Copyright (c) 1992, 1993

The Regents of the University of California. All rights reserved.

This code is derived from software contributed to
Berkeley by Christos Zoulas of Cornell University.

Redistribution and use in source and binary forms,
with or without modification, are permitted provided
that the following conditions are met:

1. Redistributions of source code must retain the
above copyright notice, this list of conditions
and the following disclaimer.
2. Redistributions in binary form must reproduce the
above copyright notice, this list of conditions and
the following disclaimer in the documentation and/or
other materials provided with the distribution.
3. Neither the name of the University nor the names of
its contributors may be used to endorse or promote
products derived from this software without specific
prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS
"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING,
BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY
AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO
EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR
CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO,
PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE,
DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED
AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING
IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
OF THE POSSIBILITY OF SUCH DAMAGE.

Some files are:

Copyright (c) 2001 The NetBSD Foundation, Inc.
All rights reserved.

This code is derived from software contributed to The NetBSD Foundation
by Anthony Mallet.

Redistribution and use in source and binary forms,
with or without modification, are permitted provided

that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE NETBSD FOUNDATION, INC. AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE FOUNDATION OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Some files are:

Copyright (c) 1997 The NetBSD Foundation, Inc.
All rights reserved.

This code is derived from software contributed to The NetBSD Foundation

by Jaromir Dolecek.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE NETBSD FOUNDATION, INC.

AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE FOUNDATION OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Some files are:

Copyright (c) 1998 Todd C. Miller <Todd.Miller@courtesan.com>

Permission to use, copy, modify, and distribute this software for any purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND TODD C. MILLER DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL TODD C. MILLER BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

=====
=====

Facebook Fast Checksum Patch

Facebook Fast Checksum Patch

Copyright (C) 2009-2010 Facebook, Inc. All Rights Reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice,

this list of conditions and the following disclaimer.

2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY FACEBOOK, INC. "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL FACEBOOK, INC. BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Also included:

crc32.c -- compute the CRC-32 of a buf stream
Copyright (C) 1995-2005 Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.
3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly jloup@gzip.org
Mark Adler madler@alumni.caltech.edu

=====
=====

Facebook Patches

Copyright (c) 2012, Facebook, Inc.
All rights reserved.
Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice,

this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice,

this list of conditions and the following disclaimer in the documentation

and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====
=====

FindGTest.cmake

FindGTest.cmake helper script (part of CMake)

Copyright 2009 Kitware, Inc.

Copyright 2009 Philip Lowman

Copyright 2009 Daniel Blezek

Distributed under the OSI-approved BSD License (the "License");

see accompanying file Copyright.txt for details.

This software is distributed WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

See the License for more information.

=====
(To distributed this file outside of CMake, substitute the full License text for the above reference.)

Thanks to Daniel Blezek for the GTEST_ADD_TESTS code

Text of Copyright.txt mentioned above:

CMake - Cross Platform Makefile Generator

Copyright 2000-2009 Kitware, Inc., Insight Software Consortium

All rights reserved.

Redistribution and use in source and binary forms, with or without

modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the names of Kitware, Inc., the Insight Software Consortium, nor the names of their contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====
=====

Fred Fish's Dbug Library

NOTICE

Copyright Abandoned, 1987, Fred Fish

This previously copyrighted work has been placed into the public domain by the author and may be freely used for any purpose, private or commercial.

Because of the number of inquiries I was receiving about the use of this product in commercially developed works I have decided to simply make it public domain to further its unrestricted use. I specifically would be most happy to see this material become a part of the standard Unix distributions by AT&T and the Berkeley Computer Science Research Group, and a standard part of the GNU system from the Free Software Foundation.

I would appreciate it, as a courtesy, if this notice is left in all copies and derivative works. Thank you.

The author makes no warranty of any kind with respect to this product and explicitly disclaims any implied warranties of merchantability or fitness for any particular purpose.

The `debug_analyze.c` file is subject to the following notice:

Copyright June 1987, Binayak Banerjee
All rights reserved.

This program may be freely distributed under the same terms and conditions as Fred Fish's Dbug package.

=====
=====

getarg

getarg Function (getarg.h), getarg.c files)

Copyright (c) 1997 - 2000 Kungliga Tekniska Hgskolan
(Royal Institute of Technology, Stockholm, Sweden).
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the Institute nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE INSTITUTE AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE INSTITUTE OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL

DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====
=====

Google Controlling Master Thread I/O Rate Patch

Copyright (c) 2009, Google Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====
=====

Google Perftools (TCMalloc utility)

Google Perftools (TCMalloc utility)

Copyright (c) 1998-2006, Google Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====
=====

Google Protocol Buffers

Protocol Buffers (aka Google protobuf)

Google Protocol Buffers - protobuf
Copyright 2008, Google Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above

copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner of the input file used when generating it. This code is not standalone and requires a support library to be linked with it. This support library is itself covered by the above license.

=====
=====

Google SMP Patch

Google SMP patch

Copyright (c) 2008, Google Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the

documentation and/or other materials provided with the distribution.

* Neither the name of the Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====
=====

Google Test (including GMock)

Google Mock (GMock) is an extension to Google Test for writing and using C++ mock classes. Google Test (including the Google Mock extension) is licensed under the following terms:

Copyright 2008, Google Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF

SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====
=====

ICU4C Unicode Libraries

This Oracle Product includes or references ICU4C, which is licensed to Oracle under the following terms:

Copyright (c) 1995-2013 International Business Machines Corporation and others

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

All trademarks and registered trademarks mentioned herein are the property of their respective owners.

The following Third-Party Software Licenses are also included as part of ICU4C:

1. Unicode Data Files and Software

EXHIBIT 1

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories

<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, and

<http://www.unicode.org/cldr/data/>. Unicode Data Files do not include PDF

online code charts under the directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard or under

the directories <http://www.unicode.org/Public/>,

<http://www.unicode.org/reports/>, and <http://www.unicode.org/cldr/data/>.

NOTICE TO USER: Carefully read the following legal agreement. BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"), YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT. IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright ?? 1991-2013 Unicode, Inc. All rights reserved. Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that (a) the above copyright notice(s) and this permission notice appear with all copies of the Data Files or Software, (b) both the above copyright notice(s) and this permission notice appear in associated documentation, and (c) there is clear notice in each modified Data File or in the Software as well as in the documentation associated with the Data File(s) or Software that the data or software has been modified.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization of the copyright holder.

Unicode and the Unicode logo are trademarks of Unicode, Inc. in the United States and other countries. All third party trademarks referenced herein are the property of their respective owners.

2. Chinese/Japanese Word Break Dictionary Data (cjdict.txt)

The Google Chrome software developed by Google is licensed under the BSD license. Other software included in this distribution is provided under other licenses, as set forth below.

#

The BSD License

<http://opensource.org/licenses/bsd-license.php>

Copyright (C) 2006-2008, Google Inc.

#

All rights reserved.

#

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

#

Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

#

#

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

#

#

The word list in cjdict.txt are generated by combining three word lists

```

listed
# below with further processing for compound word breaking. The frequency is
generated
# with an iterative training against Google web corpora.
#
# * Libtabe (Chinese)
# - https://sourceforge.net/project/?group\_id=1519
# - Its license terms and conditions are shown below.
#
# * IPADIC (Japanese)
# - http://chasen.aist-nara.ac.jp/chasen/distribution.html
# - Its license terms and conditions are shown below.
#
# -----COPYING.libtabe ---- BEGIN-----
#
# /*
# * Copyright (c) 1999 TaBE Project.
# * Copyright (c) 1999 Pai-Hsiang Hsiao.
# * All rights reserved.
# *
# * Redistribution and use in source and binary forms, with or without
# * modification, are permitted provided that the following conditions
# * are met:
# *
# * . Redistributions of source code must retain the above copyright
# * notice, this list of conditions and the following disclaimer.
# * . Redistributions in binary form must reproduce the above copyright
# * notice, this list of conditions and the following disclaimer in
# * the documentation and/or other materials provided with the
# * distribution.
# * . Neither the name of the TaBE Project nor the names of its
# * contributors may be used to endorse or promote products derived
# * from this software without specific prior written permission.
# *
# * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
# * "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
# * LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
# * FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
# * REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
# * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
# * (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
# * SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
# * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
# * STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
# * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
# * OF THE POSSIBILITY OF SUCH DAMAGE.
# */
#

```

```

# /*
# * Copyright (c) 1999 Computer Systems and Communication Lab,
# *      Institute of Information Science, Academia Sinica.
# * All rights reserved.
# *
# * Redistribution and use in source and binary forms, with or without
# * modification, are permitted provided that the following conditions
# * are met:
# *
# * . Redistributions of source code must retain the above copyright
# * notice, this list of conditions and the following disclaimer.
# * . Redistributions in binary form must reproduce the above copyright
# * notice, this list of conditions and the following disclaimer in
# * the documentation and/or other materials provided with the
# * distribution.
# * . Neither the name of the Computer Systems and Communication Lab
# * nor the names of its contributors may be used to endorse or
# * promote products derived from this software without specific
# * prior written permission.
# *
# * THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS
# * "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT
# * LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS
# * FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE
# * REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT,
# * INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
# * (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
# * SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
# * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
# * STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
# * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
# * OF THE POSSIBILITY OF SUCH DAMAGE.
# */
#
# Copyright 1996 Chih-Hao Tsai @ Beckman Institute, University of Illinois
# c-tsai4@uiuc.edu http://casper.beckman.uiuc.edu/~c-tsai4
#
# -----COPYING.libtabe-----END-----
#
#
# -----COPYING.ipadic-----BEGIN-----
#
# Copyright 2000, 2001, 2002, 2003 Nara Institute of Science
# and Technology. All Rights Reserved.
#
# Use, reproduction, and distribution of this software is permitted.
# Any copy of this software, whether in its original form or modified,

```

must include both the above copyright notice and the following
paragraphs.

Nara Institute of Science and Technology (NAIST),
the copyright holders, disclaims all warranties with regard to this
software, including all implied warranties of merchantability and
fitness, in no event shall NAIST be liable for
any special, indirect or consequential damages or any damages
whatsoever resulting from loss of use, data or profits, whether in an
action of contract, negligence or other tortious action, arising out
of or in connection with the use or performance of this software.

A large portion of the dictionary entries
originate from ICOT Free Software. The following conditions for ICOT
Free Software applies to the current dictionary as well.

Each User may also freely distribute the Program, whether in its
original form or modified, to any third party or parties, PROVIDED
that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear
on, or be attached to, the Program, which is distributed substantially
in the same form as set out herein and that such intended
distribution, if actually made, will neither violate or otherwise
contravene any of the laws and regulations of the countries having
jurisdiction over the User or the intended distribution itself.

NO WARRANTY

The program was produced on an experimental basis in the course of the
research and development conducted during the project and is provided
to users as so produced on an experimental basis. Accordingly, the
program is provided without any warranty whatsoever, whether express,
implied, statutory or otherwise. The term "warranty" used herein
includes, but is not limited to, any warranty of the quality,
performance, merchantability and fitness for a particular purpose of
the program and the nonexistence of any infringement or violation of
any right of any third party.

Each user of the program will agree and understand, and be deemed to
have agreed and understood, that there is no warranty whatsoever for
the program and, accordingly, the entire risk arising from or
otherwise connected with the program is assumed by the user.

Therefore, neither ICOT, the copyright holder, or any other
organization that participated in or was otherwise related to the
development of the program and their respective officials, directors,
officers and other employees shall be held liable for any and all
damages, including, without limitation, general, special, incidental
and consequential damages, arising out of or otherwise in connection

```
# with the use or inability to use the program or any product, material
# or result produced or otherwise obtained by using the program,
# regardless of whether they have been advised of, or otherwise had
# knowledge of, the possibility of such damages at any time during the
# project or thereafter. Each user will be deemed to have agreed to the
# foregoing by his or her commencement of use of the program. The term
# "use" as used herein includes, but is not limited to, the use,
# modification, copying and distribution of the program and the
# production of secondary products from the program.
#
# In the case where the program, whether in its original form or
# modified, was distributed or delivered to or received by a user from
# any person, organization or entity other than ICOT, unless it makes or
# grants independently of ICOT any specific warranty to the user in
# writing, such person, organization or entity, will also be exempted
# from and not be held liable to the user for any such damages as noted
# above as far as the program is concerned.
#
# -----COPYING.ipadic-----END-----
```

3. Lao Word Break Dictionary Data (laodict.txt)

```
# Copyright (c) 2013 International Business Machines Corporation
# and others. All Rights Reserved.
#
# Project: http://code.google.com/p/lao-dictionary/
# Dictionary: http://lao-dictionary.googlecode.com/git/Lao-Dictionary.txt
# License:
http://lao-dictionary.googlecode.com/git/Lao-Dictionary-LICENSE.txt
# (copied below)
#
# This file is derived from the above dictionary, with slight modifications.
# -----
#
# Copyright (C) 2013 Brian Eugene Wilson, Robert Martin Campbell.
# All rights reserved.
#
# Redistribution and use in source and binary forms, with or without
# modification,
# are permitted provided that the following conditions are met:
#
# Redistributions of source code must retain the above copyright notice,
# this
# list of conditions and the following disclaimer. Redistributions in
# binary
# form must reproduce the above copyright notice, this list of conditions
# and
```

the following disclaimer in the documentation and/or other materials
provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS
IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED
WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE
LIABLE FOR
ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES;
LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED
AND ON
ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT
(INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF
THIS
SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

4. Time Zone Database

ICU uses the public domain data and code derived from Time Zone Database for its time zone support. The ownership of the TZ database is explained in BCP 175: Procedure for Maintaining the Time Zone Database section 7.

7. Database Ownership

The TZ database itself is not an IETF Contribution or an IETF document. Rather it is a pre-existing and regularly updated work that is in the public domain, and is intended to remain in the public domain. Therefore, BCPs 78 [RFC5378] and 79 [RFC3979] do not apply to the TZ Database or contributions that individuals make to it. Should any claims be made and substantiated against the TZ Database, the organization that is providing the IANA Considerations defined in this RFC, under the memorandum of understanding with the IETF, currently ICANN, may act in accordance with all competent court orders. No ownership claims will be made by ICANN or the IETF Trust on the database or the code. Any person making a contribution to the database or code waives all rights to future claims in that contribution or in the TZ Database.

=====
=====

Janson

Include the following verbatim in the documentation:

Licence Text:

Copyright (c) (c) 2009-2013 Petri Lehtinen <petri@digip.org>

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====
=====

jemalloc

Copyright (C) 2002-present Jason Evans <jasone@canonware.com>.

All rights reserved.

Copyright (C) 2007-2012 Mozilla Foundation. All rights reserved.

Copyright (C) 2009-present Facebook, Inc. All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice(s), this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice(s), this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDER(S) ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED

WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE
DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER(S) BE LIABLE FOR ANY
DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES
(INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR
SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER
CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

=====
=====

lib_sql.cc

Copyright (c) 2000
SWsoft company

This material is provided "as is", with absolutely no warranty
expressed or implied. Any use is at your own risk.

Permission to use or copy this software for any purpose is hereby
granted without fee, provided the above notices are retained on
all copies. Permission to modify the code and to distribute modified
code is granted, provided the above notices are retained, and a
notice that the code was modified is included with the above copyright
notice.

This code was modified by the MySQL team.

=====
=====

Libaio

You may be receiving a copy of the Libaio library with this MySQL
product. The terms of the Oracle license do NOT apply to the Libaio
library; it is licensed under the following license, separately from
the Oracle programs you receive. If you do not wish to install this
program, you may delete its files.

This component is licensed under
GNU Lesser General Public License v2.1, February 1999.
See the 'Standard Licenses' section for license text.

=====
=====

libeditline-color

Copyright (c) 1992, 1993

The Regents of the University of California. All rights reserved.

This code is derived from software contributed to Berkeley by
Christos Zoulas of Cornell University.

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors
may be used to endorse or promote products derived from this software
without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS" AND
ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE
ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE
FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
SUCH DAMAGE.

=====
=====

libevent

Copyright (c) 2000-2007 Niels Provos <provos@citi.umich.edu>

Copyright (c) 2007-2012 Niels Provos and Nick Mathewson

Redistribution and use in source and binary forms, with or without
modification, are permitted provided that the following conditions
are met:

1. Redistributions of source code must retain the above copyright
notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright
notice, this list of conditions and the following disclaimer in the
documentation and/or other materials provided with the distribution.

3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====

Portions of Libevent are based on works by others, also made available by them under the three-clause BSD license above. The copyright notices are available in the corresponding source files; the license is as above. Here's a list:

log.c:

Copyright (c) 2000 Dug Song <dugsong@monkey.org>
Copyright (c) 1993 The Regents of the University of California.

strlcpy.c:

Copyright (c) 1998 Todd C. Miller <Todd.Miller@courtesan.com>

win32select.c:

Copyright (c) 2003 Michael A. Davis <mike@datanerds.net>

evport.c:

Copyright (c) 2007 Sun Microsystems

ht-internal.h:

Copyright (c) 2002 Christopher Clark

minheap-internal.h:

Copyright (c) 2006 Maxim Yegorushkin <maxim.yegorushkin@gmail.com>

=====

The arc4module is available under the following, sometimes called the "OpenBSD" license:

Copyright (c) 1996, David Mazieres <dm@uun.org>
Copyright (c) 2008, Damien Miller <djm@openbsd.org>

Permission to use, copy, modify, and distribute this software for any

purpose with or without fee is hereby granted, provided that the above copyright notice and this permission notice appear in all copies.

THE SOFTWARE IS PROVIDED "AS IS" AND THE AUTHOR DISCLAIMS ALL WARRANTIES WITH REGARD TO THIS SOFTWARE INCLUDING ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY SPECIAL, DIRECT, INDIRECT, OR CONSEQUENTIAL DAMAGES OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

=====

The Windows timer code is based on code from libutp, which is distributed under this license, sometimes called the "MIT" license.

Copyright (c) 2010 BitTorrent, Inc.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====

libgcc & libstdc++ Libraries

GNU GENERAL PUBLIC LICENSE
Version 3, 29 June 2007

Copyright (C) 2007 Free Software Foundation, Inc. <<http://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The GNU General Public License is a free, copyleft license for software and other kinds of works.

The licenses for most software and other practical works are designed to take away your freedom to share and change the works. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change all versions of a program--to make sure it remains free software for all its users. We, the Free Software Foundation, use the GNU General Public License for most of our software; it applies also to any other work released this way by its authors. You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for them if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs, and that you know you can do these things.

To protect your rights, we need to prevent others from denying you these rights or asking you to surrender the rights. Therefore, you have certain responsibilities if you distribute copies of the software, or if you modify it: responsibilities to respect the freedom of others.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must pass on to the recipients the same freedoms that you received. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their rights.

Developers that use the GNU GPL protect your rights with two steps: (1) assert copyright on the software, and (2) offer you this License giving you legal permission to copy, distribute and/or modify it.

For the developers' and authors' protection, the GPL clearly explains that there is no warranty for this free software. For both users' and authors' sake, the GPL requires that modified versions be marked as changed, so that their problems will not be attributed erroneously to authors of previous versions.

Some devices are designed to deny users access to install or run modified versions of the software inside them, although the manufacturer can do so. This is fundamentally incompatible with

the aim of protecting users' freedom to change the software. The systematic pattern of such abuse occurs in the area of products for individuals to use, which is precisely where it is most unacceptable. Therefore, we have designed this version of the GPL to prohibit the practice for those products. If such problems arise substantially in other domains, we stand ready to extend this provision to those domains in future versions of the GPL, as needed to protect the freedom of users.

Finally, every program is threatened constantly by software patents. States should not allow patents to restrict development and use of software on general-purpose computers, but in those that do, we wish to avoid the special danger that patents applied to a free program could make it effectively proprietary. To prevent this, the GPL assures that patents cannot be used to render the program non-free.

The precise terms and conditions for copying, distribution and modification follow.

TERMS AND CONDITIONS

0. Definitions.

"This License" refers to version 3 of the GNU General Public License.

"Copyright" also means copyright-like laws that apply to other kinds of works, such as semiconductor masks.

"The Program" refers to any copyrightable work licensed under this License. Each licensee is addressed as "you". "Licensees" and "recipients" may be individuals or organizations.

To "modify" a work means to copy from or adapt all or part of the work in a fashion requiring copyright permission, other than the making of an exact copy. The resulting work is called a "modified version" of the earlier work or a work "based on" the earlier work.

A "covered work" means either the unmodified Program or a work based on the Program.

To "propagate" a work means to do anything with it that, without permission, would make you directly or secondarily liable for infringement under applicable copyright law, except executing it on a computer or modifying a private copy. Propagation includes copying, distribution (with or without modification), making available to the public, and in some countries other activities as well.

To "convey" a work means any kind of propagation that enables other parties to make or receive copies. Mere interaction with a user through a computer network, with no transfer of a copy, is not conveying.

An interactive user interface displays "Appropriate Legal Notices" to the extent that it includes a convenient and prominently visible feature that (1) displays an appropriate copyright notice, and (2) tells the user that there is no warranty for the work (except to the extent that warranties are provided), that licensees may convey the work under this License, and how to view a copy of this License. If the interface presents a list of user commands or options, such as a menu, a prominent item in the list meets this criterion.

1. Source Code.

The "source code" for a work means the preferred form of the work for making modifications to it. "Object code" means any non-source form of a work.

A "Standard Interface" means an interface that either is an official standard defined by a recognized standards body, or, in the case of interfaces specified for a particular programming language, one that is widely used among developers working in that language.

The "System Libraries" of an executable work include anything, other than the work as a whole, that (a) is included in the normal form of packaging a Major Component, but which is not part of that Major Component, and (b) serves only to enable use of the work with that Major Component, or to implement a Standard Interface for which an implementation is available to the public in source code form. A "Major Component", in this context, means a major essential component (kernel, window system, and so on) of the specific operating system (if any) on which the executable work runs, or a compiler used to produce the work, or an object code interpreter used to run it.

The "Corresponding Source" for a work in object code form means all the source code needed to generate, install, and (for an executable work) run the object code and to modify the work, including scripts to control those activities. However, it does not include the work's System Libraries, or general-purpose tools or generally available free programs which are used unmodified in performing those activities but which are not part of the work. For example, Corresponding Source includes interface definition files associated with source files for the work, and the source code for shared libraries and dynamically linked subprograms that the work is specifically designed to require, such as by intimate data communication or control flow between those subprograms and other parts of the

work.

The Corresponding Source need not include anything that users can regenerate automatically from other parts of the Corresponding Source.

The Corresponding Source for a work in source code form is that same work.

2. Basic Permissions.

All rights granted under this License are granted for the term of copyright on the Program, and are irrevocable provided the stated conditions are met. This License explicitly affirms your unlimited permission to run the unmodified Program. The output from running a covered work is covered by this License only if the output, given its content, constitutes a covered work. This License acknowledges your rights of fair use or other equivalent, as provided by copyright law.

You may make, run and propagate covered works that you do not convey, without conditions so long as your license otherwise remains in force. You may convey covered works to others for the sole purpose of having them make modifications exclusively for you, or provide you with facilities for running those works, provided that you comply with the terms of this License in conveying all material for which you do not control copyright. Those thus making or running the covered works for you must do so exclusively on your behalf, under your direction and control, on terms that prohibit them from making any copies of your copyrighted material outside their relationship with you.

Conveying under any other circumstances is permitted solely under the conditions stated below. Sublicensing is not allowed; section 10 makes it unnecessary.

3. Protecting Users' Legal Rights From Anti-Circumvention Law.

No covered work shall be deemed part of an effective technological measure under any applicable law fulfilling obligations under article 11 of the WIPO copyright treaty adopted on 20 December 1996, or similar laws prohibiting or restricting circumvention of such measures.

When you convey a covered work, you waive any legal power to forbid circumvention of technological measures to the extent such circumvention is effected by exercising rights under this License with respect to the covered work, and you disclaim any intention to limit operation

or modification of the work as a means of enforcing, against the work's users, your or third parties' legal rights to forbid circumvention of technological measures.

4. Conveying Verbatim Copies.

You may convey verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice; keep intact all notices stating that this License and any non-permissive terms added in accord with section 7 apply to the code; keep intact all notices of the absence of any warranty; and give all recipients a copy of this License along with the Program.

You may charge any price or no price for each copy that you convey, and you may offer support or warranty protection for a fee.

5. Conveying Modified Source Versions.

You may convey a work based on the Program, or the modifications to produce it from the Program, in the form of source code under the terms of section 4, provided that you also meet all of these conditions:

- a) The work must carry prominent notices stating that you modified it, and giving a relevant date.
- b) The work must carry prominent notices stating that it is released under this License and any conditions added under section 7. This requirement modifies the requirement in section 4 to "keep intact all notices".
- c) You must license the entire work, as a whole, under this License to anyone who comes into possession of a copy. This License will therefore apply, along with any applicable section 7 additional terms, to the whole of the work, and all its parts, regardless of how they are packaged. This License gives no permission to license the work in any other way, but it does not invalidate such permission if you have separately received it.
- d) If the work has interactive user interfaces, each must display Appropriate Legal Notices; however, if the Program has interactive interfaces that do not display Appropriate Legal Notices, your work need not make them do so.

A compilation of a covered work with other separate and independent works, which are not by their nature extensions of the covered work, and which are not combined with it such as to form a larger program,

in or on a volume of a storage or distribution medium, is called an "aggregate" if the compilation and its resulting copyright are not used to limit the access or legal rights of the compilation's users beyond what the individual works permit. Inclusion of a covered work in an aggregate does not cause this License to apply to the other parts of the aggregate.

6. Conveying Non-Source Forms.

You may convey a covered work in object code form under the terms of sections 4 and 5, provided that you also convey the machine-readable Corresponding Source under the terms of this License, in one of these ways:

- a) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by the Corresponding Source fixed on a durable physical medium customarily used for software interchange.
- b) Convey the object code in, or embodied in, a physical product (including a physical distribution medium), accompanied by a written offer, valid for at least three years and valid for as long as you offer spare parts or customer support for that product model, to give anyone who possesses the object code either (1) a copy of the Corresponding Source for all the software in the product that is covered by this License, on a durable physical medium customarily used for software interchange, for a price no more than your reasonable cost of physically performing this conveying of source, or (2) access to copy the Corresponding Source from a network server at no charge.
- c) Convey individual copies of the object code with a copy of the written offer to provide the Corresponding Source. This alternative is allowed only occasionally and noncommercially, and only if you received the object code with such an offer, in accord with subsection 6b.
- d) Convey the object code by offering access from a designated place (gratis or for a charge), and offer equivalent access to the Corresponding Source in the same way through the same place at no further charge. You need not require recipients to copy the Corresponding Source along with the object code. If the place to copy the object code is a network server, the Corresponding Source may be on a different server (operated by you or a third party) that supports equivalent copying facilities, provided you maintain clear directions next to the object code saying where to find the Corresponding Source.

Regardless of what server hosts the Corresponding Source, you remain obligated to ensure that it is available for as long as needed to satisfy these requirements.

e) Convey the object code using peer-to-peer transmission, provided you inform other peers where the object code and Corresponding Source of the work are being offered to the general public at no charge under subsection 6d.

A separable portion of the object code, whose source code is excluded from the Corresponding Source as a System Library, need not be included in conveying the object code work.

A "User Product" is either (1) a "consumer product", which means any tangible personal property which is normally used for personal, family, or household purposes, or (2) anything designed or sold for incorporation into a dwelling. In determining whether a product is a consumer product, doubtful cases shall be resolved in favor of coverage. For a particular product received by a particular user, "normally used" refers to a typical or common use of that class of product, regardless of the status of the particular user or of the way in which the particular user actually uses, or expects or is expected to use, the product. A product is a consumer product regardless of whether the product has substantial commercial, industrial or non-consumer uses, unless such uses represent the only significant mode of use of the product.

"Installation Information" for a User Product means any methods, procedures, authorization keys, or other information required to install and execute modified versions of a covered work in that User Product from a modified version of its Corresponding Source. The information must suffice to ensure that the continued functioning of the modified object code is in no case prevented or interfered with solely because modification has been made.

If you convey an object code work under this section in, or with, or specifically for use in, a User Product, and the conveying occurs as part of a transaction in which the right of possession and use of the User Product is transferred to the recipient in perpetuity or for a fixed term (regardless of how the transaction is characterized), the Corresponding Source conveyed under this section must be accompanied by the Installation Information. But this requirement does not apply if neither you nor any third party retains the ability to install modified object code on the User Product (for example, the work has been installed in ROM).

The requirement to provide Installation Information does not include a requirement to continue to provide support service, warranty, or

updates for a work that has been modified or installed by the recipient, or for the User Product in which it has been modified or installed. Access to a network may be denied when the modification itself materially and adversely affects the operation of the network or violates the rules and protocols for communication across the network.

Corresponding Source conveyed, and Installation Information provided, in accord with this section must be in a format that is publicly documented (and with an implementation available to the public in source code form), and must require no special password or key for unpacking, reading or copying.

7. Additional Terms.

"Additional permissions" are terms that supplement the terms of this License by making exceptions from one or more of its conditions. Additional permissions that are applicable to the entire Program shall be treated as though they were included in this License, to the extent that they are valid under applicable law. If additional permissions apply only to part of the Program, that part may be used separately under those permissions, but the entire Program remains governed by this License without regard to the additional permissions.

When you convey a copy of a covered work, you may at your option remove any additional permissions from that copy, or from any part of it. (Additional permissions may be written to require their own removal in certain cases when you modify the work.) You may place additional permissions on material, added by you to a covered work, for which you have or can give appropriate copyright permission.

Notwithstanding any other provision of this License, for material you add to a covered work, you may (if authorized by the copyright holders of that material) supplement the terms of this License with terms:

- a) Disclaiming warranty or limiting liability differently from the terms of sections 15 and 16 of this License; or
- b) Requiring preservation of specified reasonable legal notices or author attributions in that material or in the Appropriate Legal Notices displayed by works containing it; or
- c) Prohibiting misrepresentation of the origin of that material, or requiring that modified versions of such material be marked in reasonable ways as different from the original version; or

- d) Limiting the use for publicity purposes of names of licensors or authors of the material; or

- e) Declining to grant rights under trademark law for use of some trade names, trademarks, or service marks; or

- f) Requiring indemnification of licensors and authors of that material by anyone who conveys the material (or modified versions of it) with contractual assumptions of liability to the recipient, for any liability that these contractual assumptions directly impose on those licensors and authors.

All other non-permissive additional terms are considered "further restrictions" within the meaning of section 10. If the Program as you received it, or any part of it, contains a notice stating that it is governed by this License along with a term that is a further restriction, you may remove that term. If a license document contains a further restriction but permits relicensing or conveying under this License, you may add to a covered work material governed by the terms of that license document, provided that the further restriction does not survive such relicensing or conveying.

If you add terms to a covered work in accord with this section, you must place, in the relevant source files, a statement of the additional terms that apply to those files, or a notice indicating where to find the applicable terms.

Additional terms, permissive or non-permissive, may be stated in the form of a separately written license, or stated as exceptions; the above requirements apply either way.

8. Termination.

You may not propagate or modify a covered work except as expressly provided under this License. Any attempt otherwise to propagate or modify it is void, and will automatically terminate your rights under this License (including any patent licenses granted under the third paragraph of section 11).

However, if you cease all violation of this License, then your license from a particular copyright holder is reinstated (a) provisionally, unless and until the copyright holder explicitly and finally terminates your license, and (b) permanently, if the copyright holder fails to notify you of the violation by some reasonable means prior to 60 days after the cessation.

Moreover, your license from a particular copyright holder is reinstated permanently if the copyright holder notifies you of the

violation by some reasonable means, this is the first time you have received notice of violation of this License (for any work) from that copyright holder, and you cure the violation prior to 30 days after your receipt of the notice.

Termination of your rights under this section does not terminate the licenses of parties who have received copies or rights from you under this License. If your rights have been terminated and not permanently reinstated, you do not qualify to receive new licenses for the same material under section 10.

9. Acceptance Not Required for Having Copies.

You are not required to accept this License in order to receive or run a copy of the Program. Ancillary propagation of a covered work occurring solely as a consequence of using peer-to-peer transmission to receive a copy likewise does not require acceptance. However, nothing other than this License grants you permission to propagate or modify any covered work. These actions infringe copyright if you do not accept this License. Therefore, by modifying or propagating a covered work, you indicate your acceptance of this License to do so.

10. Automatic Licensing of Downstream Recipients.

Each time you convey a covered work, the recipient automatically receives a license from the original licensors, to run, modify and propagate that work, subject to this License. You are not responsible for enforcing compliance by third parties with this License.

An "entity transaction" is a transaction transferring control of an organization, or substantially all assets of one, or subdividing an organization, or merging organizations. If propagation of a covered work results from an entity transaction, each party to that transaction who receives a copy of the work also receives whatever licenses to the work the party's predecessor in interest had or could give under the previous paragraph, plus a right to possession of the Corresponding Source of the work from the predecessor in interest, if the predecessor has it or can get it with reasonable efforts.

You may not impose any further restrictions on the exercise of the rights granted or affirmed under this License. For example, you may not impose a license fee, royalty, or other charge for exercise of rights granted under this License, and you may not initiate litigation (including a cross-claim or counterclaim in a lawsuit) alleging that any patent claim is infringed by making, using, selling, offering for sale, or importing the Program or any portion of it.

11. Patents.

A "contributor" is a copyright holder who authorizes use under this License of the Program or a work on which the Program is based. The work thus licensed is called the contributor's "contributor version".

A contributor's "essential patent claims" are all patent claims owned or controlled by the contributor, whether already acquired or hereafter acquired, that would be infringed by some manner, permitted by this License, of making, using, or selling its contributor version, but do not include claims that would be infringed only as a consequence of further modification of the contributor version. For purposes of this definition, "control" includes the right to grant patent sublicenses in a manner consistent with the requirements of this License.

Each contributor grants you a non-exclusive, worldwide, royalty-free patent license under the contributor's essential patent claims, to make, use, sell, offer for sale, import and otherwise run, modify and propagate the contents of its contributor version.

In the following three paragraphs, a "patent license" is any express agreement or commitment, however denominated, not to enforce a patent (such as an express permission to practice a patent or covenant not to sue for patent infringement). To "grant" such a patent license to a party means to make such an agreement or commitment not to enforce a patent against the party.

If you convey a covered work, knowingly relying on a patent license, and the Corresponding Source of the work is not available for anyone to copy, free of charge and under the terms of this License, through a publicly available network server or other readily accessible means, then you must either (1) cause the Corresponding Source to be so available, or (2) arrange to deprive yourself of the benefit of the patent license for this particular work, or (3) arrange, in a manner consistent with the requirements of this License, to extend the patent license to downstream recipients. "Knowingly relying" means you have actual knowledge that, but for the patent license, your conveying the covered work in a country, or your recipient's use of the covered work in a country, would infringe one or more identifiable patents in that country that you have reason to believe are valid.

If, pursuant to or in connection with a single transaction or arrangement, you convey, or propagate by procuring conveyance of, a covered work, and grant a patent license to some of the parties receiving the covered work authorizing them to use, propagate, modify or convey a specific copy of the covered work, then the

patent license you grant is automatically extended to all recipients of the covered work and works based on it.

A patent license is "discriminatory" if it does not include within the scope of its coverage, prohibits the exercise of, or is conditioned on the non-exercise of one or more of the rights that are specifically granted under this License. You may not convey a covered work if you are a party to an arrangement with a third party that is in the business of distributing software, under which you make payment to the third party based on the extent of your activity of conveying the work, and under which the third party grants, to any of the parties who would receive the covered work from you, a discriminatory patent license (a) in connection with copies of the covered work conveyed by you (or copies made from those copies), or (b) primarily for and in connection with specific products or compilations that contain the covered work, unless you entered into that arrangement, or that patent license was granted, prior to 28 March 2007.

Nothing in this License shall be construed as excluding or limiting any implied license or other defenses to infringement that may otherwise be available to you under applicable patent law.

12. No Surrender of Others' Freedom.

If conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot convey a covered work so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not convey it at all. For example, if you agree to terms that obligate you to collect a royalty for further conveying from those to whom you convey the Program, the only way you could satisfy both those terms and this License would be to refrain entirely from conveying the Program.

13. Use with the GNU Affero General Public License.

Notwithstanding any other provision of this License, you have permission to link or combine any covered work with a work licensed under version 3 of the GNU Affero General Public License into a single combined work, and to convey the resulting work. The terms of this License will continue to apply to the part which is the covered work, but the special requirements of the GNU Affero General Public License, section 13, concerning interaction through a network will apply to the combination as such.

14. Revised Versions of this License.

The Free Software Foundation may publish revised and/or new versions of the GNU General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies that a certain numbered version of the GNU General Public License "or any later version" applies to it, you have the option of following the terms and conditions either of that numbered version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of the GNU General Public License, you may choose any version ever published by the Free Software Foundation.

If the Program specifies that a proxy can decide which future versions of the GNU General Public License can be used, that proxy's public statement of acceptance of a version permanently authorizes you to choose that version for the Program.

Later license versions may give you additional or different permissions. However, no additional obligations are imposed on any author or copyright holder as a result of your choosing to follow a later version.

15. Disclaimer of Warranty.

THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. Limitation of Liability.

IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MODIFIES AND/OR CONVEYS THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

17. Interpretation of Sections 15 and 16.

If the disclaimer of warranty and limitation of liability provided above cannot be given local legal effect according to their terms, reviewing courts shall apply local law that most closely approximates an absolute waiver of all civil liability in connection with the Program, unless a warranty or assumption of liability accompanies a copy of the Program in return for a fee.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively state the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the program's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This program is free software: you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation, either version 3 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program. If not, see
<<http://www.gnu.org/licenses/>>.

Also add information on how to contact you by electronic and paper mail.

If the program does terminal interaction, make it output a short notice like this when it starts in an interactive mode:

<program> Copyright (C) <year> <name of author>

This program comes with ABSOLUTELY NO WARRANTY; for details type 'show w'.
This is free software, and you are welcome to redistribute it
under certain conditions; type 'show c' for details.

The hypothetical commands 'show w' and 'show c' should show the appropriate parts of the General Public License. Of course, your program's commands might be different; for a GUI interface, you would use an "about box".

You should also get your employer (if you work as a programmer) or school, if any, to sign a "copyright disclaimer" for the program, if necessary. For more information on this, and how to apply and follow the GNU GPL, see <<http://www.gnu.org/licenses/>>.

The GNU General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Lesser General Public License instead of this License. But first, please read <<http://www.gnu.org/philosophy/why-not-lgpl.html>>.

==

==

GCC RUNTIME LIBRARY EXCEPTION

Version 3.1, 31 March 2009

Copyright (c) 2009 Free Software Foundation, Inc. <<http://fsf.org/>>

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

This GCC Runtime Library Exception ("Exception") is an additional permission under section 7 of the GNU General Public License, version 3 ("GPLv3"). It applies to a given file (the "Runtime Library") that bears a notice placed by the copyright holder of the file stating that the file is governed by GPLv3 along with this Exception.

When you use GCC to compile a program, GCC may combine portions of certain GCC header files and runtime libraries with the compiled program. The purpose of this Exception is to allow compilation of non-GPL (including proprietary) programs to use, in this way, the header files and runtime libraries covered by this Exception.

0. Definitions.

A file is an "Independent Module" if it either requires the Runtime Library for execution after a Compilation Process, or makes use of

an interface provided by the Runtime Library, but is not otherwise based on the Runtime Library.

"GCC" means a version of the GNU Compiler Collection, with or without modifications, governed by version 3 (or a specified later version) of the GNU General Public License (GPL) with the option of using any subsequent versions published by the FSF.

"GPL-compatible Software" is software whose conditions of propagation, modification and use would permit combination with GCC in accord with the license of GCC.

"Target Code" refers to output from any compiler for a real or virtual target processor architecture, in executable form or suitable for input to an assembler, loader, linker and/or execution phase. Notwithstanding that, Target Code does not include data in any format that is used as a compiler intermediate representation, or used for producing a compiler intermediate representation.

The "Compilation Process" transforms code entirely represented in non-intermediate languages designed for human-written code, and/or in Java Virtual Machine byte code, into Target Code. Thus, for example, use of source code generators and preprocessors need not be considered part of the Compilation Process, since the Compilation Process can be understood as starting with the output of the generators or preprocessors.

A Compilation Process is "Eligible" if it is done using GCC, alone or with other GPL-compatible software, or if it is done without using any work based on GCC. For example, using non-GPL-compatible Software to optimize any GCC intermediate representations would not qualify as an Eligible Compilation Process.

1. Grant of Additional Permission.

You have permission to propagate a work of Target Code formed by combining the Runtime Library with Independent Modules, even if such propagation would otherwise violate the terms of GPLv3, provided that all Target Code was generated by Eligible Compilation Processes. You may then convey such a combination under terms of your choice, consistent with the licensing of the Independent Modules.

2. No Weakening of GCC Copyleft.

The availability of this Exception does not imply any general presumption that third-party software is unaffected by the copyleft requirements of the license of GCC.

==

==

Copyright (c) 1994
Hewlett-Packard Company

Permission to use, copy, modify, distribute and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation. Hewlett-Packard Company makes no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

==

==

Copyright (c) 1996,1997
Silicon Graphics Computer Systems, Inc.

Permission to use, copy, modify, distribute and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies and that both that copyright notice and this permission notice appear in supporting documentation. Silicon Graphics makes no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

==

==

shared_count.hpp
@ Copyright (c) 2001, 2002, 2003 Peter Dimov and Multi Media Ltd.

shared_ptr.hpp
Copyright (C) 1998, 1999 Greg Colvin and Beman Dawes.
Copyright (C) 2001, 2002, 2003 Peter Dimov

weak_ptr.hpp
Copyright (C) 2001, 2002, 2003 Peter Dimov

enable_shared_from_this.hpp
Copyright (C) 2002 Peter Dimov

Distributed under the Boost Software License, Version 1.0.

Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or

organization obtaining a copy of the software and accompanying documentation covered by this license (the "Software") to use, reproduce, display, distribute, execute, and transmit the Software, and to prepare derivative works of the Software, and to permit third-parties to whom the Software is furnished to do so, all subject to the following:

The copyright notices in the Software and this entire statement, including the above license grant, this restriction and the following disclaimer, must be included in all copies of the Software, in whole or in part, and all derivative works of the Software, unless such copies or derivative works are solely in the form of machine-executable object code generated by a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

==

==

Copyright (C) 2004 Ami Tavory and Vladimir Dreizin, IBM-HRL.

Permission to use, copy, modify, sell, and distribute this software is hereby granted without fee, provided that the above copyright notice appears in all copies, and that both that copyright notice and this permission notice appear in supporting documentation. None of the above authors, nor IBM Haifa Research Laboratories, make any representation about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

==

=====
=====

libssh

You are receiving a copy of libssh as part of MySQL Shell (a component of the MySQL server) in object code form. The terms of the Oracle license do NOT apply to libssh; libssh is licensed under the LGPLv2.1 license, separate from MySQL. If you do not wish to install this library, you may remove it, but the Oracle program might not operate properly or at all without it. Depending on the operating system the library can be found in the following locations:

- Linux: <librarydir-prefix>/mysql-shell/libssh.so
- OSX: <librarydir-prefix>/mysql-shell/libssh.dylib
- Windows: <installation-path>\bin\libssh.dll

GNU LESSER GENERAL PUBLIC LICENSE

Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

This component is licensed under
GNU Lesser General Public License v2.1, February 1999.
See the 'Standard Licenses' section for license text.

Additional Libraries Used by libssh
libssh has dependencies on the following libraries:

libgcrypt v1.7.3

The library is distributed under the terms of the GNU Lesser
General Public License (LGPL); see the file COPYING.LIB for the
actual terms. The helper programs (e.g. gcryptrnd and getrandom)
as well as the documentation are distributed under the terms of
the GNU General Public License (GPL); see the file COPYING for the
actual terms. The file LICENSES has notices about contributions
that require these additional notices are distributed.

Oracle's libssh implementation does not use any of the GPL licensed files
that are included with the libgcrypt distribution

libpgg-error v1.24

Oracle uses a subset of the files in libpgg-error to build libssh,
All of the files used by Oracle are licensed under the LGPLv2.1

Libpgg-error is free software; you can redistribute it and/or modify
it under the terms of the GNU Lesser General Public License as
published by the Free Software Foundation; either version 2.1 of the
License, or (at your option) any later version. See the file
COPYING.LIB for copyright and warranty information. See the file
AUTHORS for a list of authors and important mail addresses.

However, some files (for example src/mkernnos.awk) used in the build process of the library and the manual are covered by a different license. Please see the header of these files and the file COPYING for copyright and warranty information on these files. A special exception in the copyright license of these files makes sure that the output in the build process, which is used in libgpg-error, is not affected by the GPL.

COPYING:

GNU GENERAL PUBLIC LICENSE
Version 2, June 1991

Copyright (C) 1989, 1991 Free Software Foundation, Inc.

51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public License is intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users. This General Public License applies to most of the Free Software Foundation's software and to any other program whose authors commit to using it. (Some other Free Software Foundation software is covered by the GNU Library General Public License instead.) You can apply it to your programs, too.

When we speak of free software, we are referring to freedom, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish), that you receive source code or can get it if you want it, that you can change the software or use pieces of it in new free programs; and that you know you can do these things.

To protect your rights, we need to make restrictions that forbid anyone to deny you these rights or to ask you to surrender the rights. These restrictions translate to certain responsibilities for you if you distribute copies of the software, or if you modify it.

For example, if you distribute copies of such a program, whether gratis or for a fee, you must give the recipients all the rights that you have. You must make sure that they, too, receive or can get the source code. And you must show them these terms so they know their

rights.

We protect your rights with two steps: (1) copyright the software, and (2) offer you this license which gives you legal permission to copy, distribute and/or modify the software.

Also, for each author's protection and ours, we want to make certain that everyone understands that there is no warranty for this free software. If the software is modified by someone else and passed on, we want its recipients to know that what they have is not the original, so that any problems introduced by others will not reflect on the original authors' reputations.

Finally, any free program is threatened constantly by software patents. We wish to avoid the danger that redistributors of a free program will individually obtain patent licenses, in effect making the program proprietary. To prevent this, we have made it clear that any patent must be licensed for everyone's free use or not licensed at all.

The precise terms and conditions for copying, distribution and modification follow.

GNU GENERAL PUBLIC LICENSE

TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License applies to any program or other work which contains a notice placed by the copyright holder saying it may be distributed under the terms of this General Public License. The "Program", below, refers to any such program or work, and a "work based on the Program" means either the Program or any derivative work under copyright law: that is to say, a work containing the Program or a portion of it, either verbatim or with modifications and/or translated into another language. (Hereinafter, translation is included without limitation in the term "modification".) Each licensee is addressed as "you".

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running the Program is not restricted, and the output from the Program is covered only if its contents constitute a work based on the Program (independent of having been made by running the Program). Whether that is true depends on what the Program does.

1. You may copy and distribute verbatim copies of the Program's source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and give any other recipients of the Program a copy of this License

along with the Program.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Program or any portion of it, thus forming a work based on the Program, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) You must cause the modified files to carry prominent notices stating that you changed the files and the date of any change.
- b) You must cause any work that you distribute or publish, that in whole or in part contains or is derived from the Program or any part thereof, to be licensed as a whole at no charge to all third parties under the terms of this License.
- c) If the modified program normally reads commands interactively when run, you must cause it, when started running for such interactive use in the most ordinary way, to print or display an announcement including an appropriate copyright notice and a notice that there is no warranty (or else, saying that you provide a warranty) and that users may redistribute the program under these conditions, and telling the user how to view a copy of this License. (Exception: if the Program itself is interactive but does not normally print such an announcement, your work based on the Program is not required to print an announcement.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Program, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Program, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Program.

In addition, mere aggregation of another work not based on the Program with the Program (or with a work based on the Program) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may copy and distribute the Program (or a work based on it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you also do one of the following:

- a) Accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- b) Accompany it with a written offer, valid for at least three years, to give any third party, for a charge no more than your cost of physically performing source distribution, a complete machine-readable copy of the corresponding source code, to be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange; or,
- c) Accompany it with the information you received as to the offer to distribute corresponding source code. (This alternative is allowed only for noncommercial distribution and only if you received the program in object code or executable form with such an offer, in accord with Subsection b above.)

The source code for a work means the preferred form of the work for making modifications to it. For an executable work, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the executable. However, as a special exception, the source code distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

If distribution of executable or object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place counts as distribution of the source code, even though third parties are not compelled to copy the source along with the object code.

4. You may not copy, modify, sublicense, or distribute the Program except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense or distribute the Program is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

5. You are not required to accept this License, since you have not

signed it. However, nothing else grants you permission to modify or distribute the Program or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Program (or any work based on the Program), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Program or works based on it.

6. Each time you redistribute the Program (or any work based on the Program), the recipient automatically receives a license from the original licensor to copy, distribute or modify the Program subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties to this License.

7. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Program at all. For example, if a patent license would not permit royalty-free redistribution of the Program by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Program.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system, which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

8. If the distribution and/or use of the Program is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Program under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

9. The Free Software Foundation may publish revised and/or new versions of the General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Program specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Program does not specify a version number of this License, you may choose any version ever published by the Free Software Foundation.

10. If you wish to incorporate parts of the Program into other free programs whose distribution conditions are different, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

11. BECAUSE THE PROGRAM IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE PROGRAM, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE PROGRAM "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE PROGRAM IS WITH YOU. SHOULD THE PROGRAM PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

12. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE PROGRAM AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE PROGRAM (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE PROGRAM TO OPERATE WITH ANY OTHER

PROGRAMS), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Programs

If you develop a new program, and you want it to be of the greatest possible use to the public, the best way to achieve this is to make it free software which everyone can redistribute and change under these terms.

To do so, attach the following notices to the program. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

```
<one line to give the program's name and a brief idea of what it does.>  
Copyright (C) <year> <name of author>
```

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License as published by the Free Software Foundation; either version 2 of the License, or (at your option) any later version.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

If the program is interactive, make it output a short notice like this when it starts in an interactive mode:

```
Gnomovision version 69, Copyright (C) year name of author  
Gnomovision comes with ABSOLUTELY NO WARRANTY; for details type `show w'.  
This is free software, and you are welcome to redistribute it  
under certain conditions; type `show c' for details.
```

The hypothetical commands `show w' and `show c' should show the appropriate parts of the General Public License. Of course, the commands you use may be called something other than `show w' and `show c'; they could even be

mouse-clicks or menu items--whatever suits your program.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the program, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the program
'Gnomovision' (which makes passes at compilers) written by James Hacker.

<signature of Ty Coon>, 1 April 1989
Ty Coon, President of Vice

This General Public License does not permit incorporating your program into proprietary programs. If your program is a subroutine library, you may consider it more useful to permit linking proprietary applications with the library. If this is what you want to do, use the GNU Library General Public License instead of this License.

COPYING.LIB:

GNU LESSER GENERAL PUBLIC LICENSE
Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies
of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts
as the successor of the GNU Library Public License, version 2, hence
the version number 2.1.]

Preamble

The licenses for most software are designed to take away your
freedom to share and change it. By contrast, the GNU General Public
Licenses are intended to guarantee your freedom to share and change
free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some
specially designated software packages--typically libraries--of the
Free Software Foundation and other authors who decide to use it. You
can use it too, but we suggest you first think carefully about whether
this license or the ordinary General Public License is the better
strategy to use in any particular case, based on the explanations
below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using

a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a "work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License").

Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy, and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices

stating that you changed the files and the date of any change.

c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.

d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in

these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not. Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

- e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

- a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.
- b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the

Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those

countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>

Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990

Ty Coon, President of Vice

That's all there is to it!

=====
=====

LZ4

LZ4 Library

Copyright (c) 2011-2016, Yann Collet

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====
=====

md5 (Message-Digest Algorithm 5)

md5 (Message-Digest Algorithm 5)

This code implements the MD5 message-digest algorithm. The algorithm is due to Ron Rivest. This code was written by Colin Plumb in 1993, no copyright is claimed. This code is in the public domain; do with it what you wish.

Equivalent code is available from RSA Data Security, Inc. This code has been tested against that, and is equivalent, except that you don't need to include two pages of legalese with every copy.

The code has been modified by Mikael Ronstroem to handle calculating a hash value of a key that is always a multiple of 4 bytes long. Word 0 of the calculated 4-word hash value is returned as the hash value.

=====
=====

MeCab

Copyright (c) 2001-2008, Taku Kudo
Copyright (c) 2004-2008, Nippon Telegraph and Telephone Corporation
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of the Nippon Telegraph and Telephone Corporation nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====
=====

MeCab Dictionary

Copyright 2000, 2001, 2002, 2003 Nara Institute of Science and Technology.
All Rights Reserved.

Use, reproduction, and distribution of this software is permitted. Any copy of this software, whether in its original form or modified, must include both the above copyright notice and the following paragraphs.

Nara Institute of Science and Technology (NAIST), the copyright holders, disclaims all warranties with regard to this software, including all implied warranties of merchantability and fitness, in no event shall NAIST be liable for any special, indirect or consequential damages or any damages whatsoever resulting from loss of use, data or profits, whether in an action of contract, negligence or other tortuous action, arising out of or in connection with the use or performance of this software.

A large portion of the dictionary entries originate from ICOT Free Software. The following conditions for ICOT Free Software applies to the current dictionary as well.

Each User may also freely distribute the Program, whether in its original form or modified, to any third party or parties, PROVIDED that the provisions of Section 3 ("NO WARRANTY") will ALWAYS appear on, or be attached to, the Program, which is distributed substantially in the same form as set out herein and that such intended distribution, if actually made, will neither violate or otherwise contravene any of the laws and regulations of the countries having jurisdiction over the User or the intended distribution itself.

NO WARRANTY

The program was produced on an experimental basis in the course of the research and development conducted during the project and is provided to users as so produced on an experimental basis. Accordingly, the program is provided without any warranty whatsoever, whether express, implied, statutory or otherwise. The term "warranty" used herein includes, but is not limited to, any warranty of the quality, performance, merchantability and fitness for a particular purpose of the program and the nonexistence of any infringement or violation of any right of any third party.

Each user of the program will agree and understand, and be deemed to have agreed and understood, that there is no warranty whatsoever for the program and, accordingly, the entire risk arising from or otherwise connected with the program is assumed by the user.

Therefore, neither ICOT, the copyright holder, or any other organization that participated in or was otherwise related to the development of the program and their respective officials, directors, officers and other employees shall be held liable for any and all damages, including, without limitation, general, special, incidental and consequential damages, arising out of or otherwise in connection with the use or inability to use the program or any product, material or result produced or otherwise obtained by using the program, regardless of whether they have been advised of, or otherwise had knowledge of, the possibility of such damages at any time during the project or thereafter. Each user will be deemed to have agreed to the foregoing by his or her commencement of use of the program. The term "use" as used herein includes, but is not limited to, the use, modification, copying and distribution of the program and the production of secondary products from the program.

In the case where the program, whether in its original form or modified, was distributed or delivered to or received by a user from any person, organization or entity other than ICOT, unless it makes or grants independently of ICOT any specific warranty to the user in writing, such person, organization or entity, will also be exempted from and not be held liable to the user for any such damages as noted above as far as the program is concerned.

=====
=====

memcached

Copyright (c) 2003, Danga Interactive, Inc.
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of the Danga Interactive nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS

"AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====
=====

nt_servc (Windows NT Service class library)

Windows NT Service class library

Copyright Abandoned 1998 Irena Pancirov - Irnet Snc

This file is public domain and comes with NO WARRANTY of any kind

=====
=====

OpenSSL 1.x

You are receiving a copy of OpenSSL as part of this product in object code form. The terms of the Oracle license do NOT apply to OpenSSL. OpenSSL is licensed under a double license, of the OpenSSL License and the original SSLeay license, separate from the Oracle product. If you do not wish to install this library, you may remove it, but the Oracle program might not operate properly or at all without it.

LICENSE ISSUES

=====

The OpenSSL toolkit stays under a double license, i.e. both the conditions of the OpenSSL License and the original SSLeay license apply to the toolkit. See below for the actual license texts.

OpenSSL License

/* =====

* Copyright (c) 1998-2019 The OpenSSL Project. All rights reserved.

*

* Redistribution and use in source and binary forms, with or without
 * modification, are permitted provided that the following conditions
 * are met:
 *
 * 1. Redistributions of source code must retain the above copyright
 * notice, this list of conditions and the following disclaimer.
 *
 * 2. Redistributions in binary form must reproduce the above copyright
 * notice, this list of conditions and the following disclaimer in
 * the documentation and/or other materials provided with the
 * distribution.
 *
 * 3. All advertising materials mentioning features or use of this
 * software must display the following acknowledgment:
 * "This product includes software developed by the OpenSSL Project
 * for use in the OpenSSL Toolkit. (<http://www.openssl.org/>)"
 *
 * 4. The names "OpenSSL Toolkit" and "OpenSSL Project" must not be used to
 * endorse or promote products derived from this software without
 * prior written permission. For written permission, please contact
 * openssl-core@openssl.org.
 *
 * 5. Products derived from this software may not be called "OpenSSL"
 * nor may "OpenSSL" appear in their names without prior written
 * permission of the OpenSSL Project.
 *
 * 6. Redistributions of any form whatsoever must retain the following
 * acknowledgment:
 * "This product includes software developed by the OpenSSL Project
 * for use in the OpenSSL Toolkit (<http://www.openssl.org/>)"
 *
 * THIS SOFTWARE IS PROVIDED BY THE OpenSSL PROJECT ``AS IS'' AND ANY
 * EXPRESSED OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE
 * IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR
 * PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE OpenSSL PROJECT OR
 * ITS CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL,
 * SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT
 * NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;
 * LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
 * HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT,
 * STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)
 * ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED
 * OF THE POSSIBILITY OF SUCH DAMAGE.
 * =====
 *
 * This product includes cryptographic software written by Eric Young
 * (eay@cryptsoft.com). This product includes software written by Tim
 * Hudson (tjh@cryptsoft.com).

*
*/

Original SSLeay License

/* Copyright (C) 1995-1998 Eric Young (eay@cryptsoft.com)

* All rights reserved.

*

* This package is an SSL implementation written

* by Eric Young (eay@cryptsoft.com).

* The implementation was written so as to conform with Netscapes SSL.

*

* This library is free for commercial and non-commercial use as long as

* the following conditions are aheared to. The following conditions

* apply to all code found in this distribution, be it the RC4, RSA,

* lhash, DES, etc., code; not just the SSL code. The SSL documentation

* included with this distribution is covered by the same copyright terms

* except that the holder is Tim Hudson (tjh@cryptsoft.com).

*

* Copyright remains Eric Young's, and as such any Copyright notices in

* the code are not to be removed.

* If this package is used in a product, Eric Young should be given attribution

* as the author of the parts of the library used.

* This can be in the form of a textual message at program startup or

* in documentation (online or textual) provided with the package.

*

* Redistribution and use in source and binary forms, with or without

* modification, are permitted provided that the following conditions

* are met:

* 1. Redistributions of source code must retain the copyright

* notice, this list of conditions and the following disclaimer.

* 2. Redistributions in binary form must reproduce the above copyright

* notice, this list of conditions and the following disclaimer in the

* documentation and/or other materials provided with the distribution.

* 3. All advertising materials mentioning features or use of this software

* must display the following acknowledgement:

* "This product includes cryptographic software written by

* Eric Young (eay@cryptsoft.com)"

* The word 'cryptographic' can be left out if the rouines from the library

* being used are not cryptographic related :-).

* 4. If you include any Windows specific code (or a derivative thereof) from

* the apps directory (application code) you must include an acknowledgement:

* "This product includes software written by Tim Hudson (tjh@cryptsoft.com)"

*

* THIS SOFTWARE IS PROVIDED BY ERIC YOUNG ``AS IS" AND

* ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE

* IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE

* ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR OR CONTRIBUTORS BE LIABLE
* FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL
* DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS
* OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION)
* HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT
* LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY
* OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF
* SUCH DAMAGE.

*

* The licence and distribution terms for any publically available version or
* derivative of this code cannot be changed. i.e. this code cannot simply be
* copied and put under another distribution licence
* [including the GNU Public Licence.]

*/

=====
=====

Percona Multiple I/O Threads Patch

Copyright (c) 2008, 2009 Percona Inc
All rights reserved.

Redistribution and use of this software in source and binary forms,
with or without modification, are permitted provided that the
following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of Percona Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission of Percona Inc.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====
=====

Pion

This Oracle Product includes or references Pion which is licensed to Oracle under the following terms:

Boost Software License - Version 1.0 - August 17th, 2003

Permission is hereby granted, free of charge, to any person or organization obtaining a copy of the software and accompanying documentation covered by this license (the "Software") to use, reproduce, display, distribute, execute, and transmit the Software, and to prepare derivative works of the Software, and to permit third-parties to whom the Software is furnished to do so, all subject to the following:

The copyright notices in the Software and this entire statement, including the above license grant, this restriction and the following disclaimer, must be included in all copies of the Software, in whole or in part, and all derivative works of the Software, unless such copies or derivative works are solely in the form of machine-executable object code generated by a source language processor.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. IN NO EVENT SHALL THE COPYRIGHT HOLDERS OR ANYONE DISTRIBUTING THE SOFTWARE BE LIABLE FOR ANY DAMAGES OR OTHER LIABILITY, WHETHER IN CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====
=====

RapidJSON v1.1.0

Copyright (C) 2015 THL A29 Limited, a Tencent company, and Milo Yip. All rights reserved.

If you have downloaded a copy of the RapidJSON binary from Tencent, please note that the RapidJSON binary is licensed under the MIT License.

If you have downloaded a copy of the RapidJSON source code from Tencent, please note that RapidJSON source code is licensed under the MIT License, except for the third-party components listed below which are subject to different license terms. Your integration of RapidJSON into your own projects may require compliance with the MIT License, as well as the other

licenses applicable to the third-party components included within RapidJSON.
To avoid the problematic JSON license in your own projects, it's sufficient to exclude the bin/jsonchecker/ directory, as it's the only code under the JSON license.

A copy of the MIT License is included in this file.

Other dependencies and licenses:

Open Source Software Licensed Under the BSD License:

The msinttypes r29
Copyright (c) 2006-2013 Alexander Chemeris
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the name of copyright holder nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS ``AS IS'' AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS AND CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Open Source Software Licensed Under the JSON License:

json.org
Copyright (c) 2002 JSON.org
All Rights Reserved.

JSON_checker
Copyright (c) 2002 JSON.org
All Rights Reserved.

Terms of the JSON License:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

The Software shall be used for Good, not Evil.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Terms of the MIT License:

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====

RegEX-Spencer Library

The following software may be included in this product: Henry Spencer's Regular-Expression Library (RegEX-Spencer)

Copyright 1992, 1993, 1994 Henry Spencer. All rights reserved.
This software is not subject to any license of the American Telephone and Telegraph Company or of the Regents of the University of California.

Permission is granted to anyone to use this software for any purpose on any computer system, and to alter it and redistribute it, subject to the following restrictions:

1. The author is not responsible for the consequences of use of this software, no matter how awful, even if they arise from flaws in it.
2. The origin of this software must not be misrepresented, either by explicit claim or by omission. Since few users ever read sources, credits must appear in the documentation.
3. Altered versions must be plainly marked as such, and must not be misrepresented as being the original software. Since few users ever read sources, credits must appear in the documentation.
4. This notice may not be removed or altered.

Richard A. O'Keefe String Library

The Richard O'Keefe String Library is subject to the following notice:

These files are in the public domain. This includes getopt.c, which is the work of Henry Spencer, University of Toronto Zoology, who says of it "None of this software is derived from Bell software. I had no access to the source for Bell's versions at the time I wrote it. This software is hereby explicitly placed in the public domain. It may be used for any purpose on any machine by anyone." I would greatly prefer it if *my* material received no military use.

The t_ctype.h file is subject to the following notice:

Copyright (C) 1998, 1999 by Pruet Boonma, all rights reserved.
Copyright (C) 1998 by Theppitak Karoonboonyanan, all rights reserved.

Permission to use, copy, modify, distribute and sell this software and its documentation for any purpose is hereby granted without fee, provided that the above copyright notice appear in all copies.

Smaphan Raruenrom and Pruet Boonma makes no representations about the suitability of this software for any purpose. It is provided "as is" without express or implied warranty.

=====
=====

sajson

Copyright (c) 2012 Chad Austin

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

=====
=====

SHA-1 in C

SHA-1 in C

By Steve Reid <steve@edmweb.com>

100% Public Domain

=====
=====

Time Zone Information

Unless specified below, all files in the tz code and data (including this LICENSE file) are in the public domain. If the files date.c, newstrftime.3, and strftime.c are present, they contain material derived from BSD and use the BSD 3-clause license. tzdata:

```
# This file is in the public domain, so clarified as of
# 2009-05-17 by Arthur David Olson.
/* Copyright 1985, 1987, 1988 The Regents of the University of California.
All rights reserved.
```

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. Neither the name of the University nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE REGENTS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE REGENTS OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE. */

```
=====
=====
```

Unicode Data Files

```
# unidata-5.2.0.txt
# Date: 2009-09-22, 16:23:42 PDT [KW]
#
# This file defines the Default Unicode Collation Element Table
# (DUCET) for the Unicode Collation Algorithm
#
# Copyright (c) 2001-2009 Unicode, Inc.
# For terms of use, see http://www.unicode.org/terms\_of\_use.html
#
# See UTS #10, Unicode Collation Algorithm, for more information.
#
# Diagnostic weight ranges
```


Primary weight range: 0200..3ACA (14539)
Secondary weight range: 0020..0192 (371)
Variant secondaries: 0159..015E (6)
Digit secondaries: 015F..0192 (52)
Tertiary weight range: 0002..001F (30)

@version 5.2.0

=== http://www.unicode.org/terms_of_use.html

For the general privacy policy governing access to this site, see the Unicode Privacy Policy.

Unicode Copyright

Copyright (c) 1991-2020 Unicode, Inc. All rights reserved.

Definitions

Unicode Data Files ("DATA FILES") include all data files under the directories:

<https://www.unicode.org/Public/>

<https://www.unicode.org/reports/>

<https://www.unicode.org/ivd/data/>

Unicode Data Files do not include PDF online code charts under the directory:

<https://www.unicode.org/Public/>

Unicode Software ("SOFTWARE") includes any source code published in the Unicode Standard

or any source code or compiled code under the directories:

<https://www.unicode.org/Public/PROGRAMS/>

<https://www.unicode.org/Public/cldr/>

<http://site.icu-project.org/download/>

Terms of Use

Certain documents and files on this website contain a legend indicating that "Modification is permitted." Any person is hereby authorized, without fee, to modify such documents and files to create derivative works conforming to the Unicode(R) Standard, subject to Terms and Conditions herein.

Any person is hereby authorized, without fee, to view, use, reproduce, and distribute all documents and files, subject to the Terms and Conditions herein.

Further specifications of rights and restrictions pertaining to the use of the Unicode DATA FILES and SOFTWARE can be found in the Unicode Data Files and Software License.

Each version of the Unicode Standard has further specifications of rights and restrictions of use. For the book editions (Unicode 5.0 and earlier), these are found on the back of the title page.

The Unicode PDF online code charts carry specific restrictions. Those restrictions are incorporated as the first page of each PDF code chart.

All other files, including online documentation of the core specification for Unicode 6.0 and later, are covered under these general Terms of Use.

No license is granted to "mirror" the Unicode website where a fee is charged

for access to the "mirror" site.

Modification is not permitted with respect to this document. All copies of this document must be verbatim.

Restricted Rights Legend

Any technical data or software which is licensed to the United States of America, its agencies and/or instrumentalities under this Agreement is commercial technical data or commercial computer software developed exclusively at private expense as defined in FAR 2.101, or DFARS 252.227-7014 (June 1995), as applicable. For technical data, use, duplication, or disclosure by the Government is subject to restrictions as set forth in DFARS 202.227-7015 Technical Data, Commercial and Items (Nov 1995) and this Agreement. For Software, in accordance with FAR 12-212 or DFARS 227-7202, as applicable, use, duplication or disclosure by the Government is subject to the restrictions set forth in this Agreement.

Warranties and Disclaimers

This publication and/or website may include technical or typographical errors or other inaccuracies. Changes are periodically added to the information herein; these changes will be incorporated in new editions of the publication and/or website. Unicode, Inc. may make improvements and/or changes in the product(s) and/or program(s) described in this publication and/or website at any time.

If this file has been purchased on magnetic or optical media from Unicode, Inc. the sole and exclusive remedy for any claim will be exchange of the defective media within ninety (90) days of original purchase.

EXCEPT AS PROVIDED IN SECTION E.2, THIS PUBLICATION AND/OR SOFTWARE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND EITHER EXPRESS, IMPLIED, OR STATUTORY, INCLUDING, BUT NOT LIMITED TO, ANY WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, OR NON-INFRINGEMENT. UNICODE, INC. AND ITS LICENSORS ASSUME NO RESPONSIBILITY FOR ERRORS OR OMISSIONS IN THIS PUBLICATION AND/OR SOFTWARE OR OTHER DOCUMENTS WHICH ARE REFERENCED BY OR LINKED TO THIS PUBLICATION OR THE UNICODE WEBSITE.

Waiver of Damages

In no event shall Unicode, Inc. or its licensors be liable for any special, incidental, indirect or consequential damages of any kind, or any damages whatsoever, whether or not Unicode, Inc. was advised of the possibility of the damage, including, without limitation, those resulting from the following: loss of use, data or profits, in connection with the use, modification or distribution of this information or its derivatives.

Trademarks & Logos

The Unicode Word Mark and the Unicode Logo are trademarks of Unicode, Inc. The Unicode Consortium and Unicode, Inc. are trade names of Unicode, Inc. Use of the information and materials found on this website indicates your acknowledgement of Unicode, Inc.'s exclusive worldwide rights in the Unicode

Word Mark, the Unicode Logo, and the Unicode trade names.

The Unicode Consortium Name and Trademark Usage Policy (Trademark Policy) are incorporated herein by reference and you agree to abide by the provisions of the Trademark Policy, which may be changed from time to time in the sole discretion of Unicode, Inc.

All third party trademarks referenced herein are the property of their respective owners.

Miscellaneous

Jurisdiction and Venue. This website is operated from a location in the State of California, United States of America. Unicode, Inc. makes no representation that the materials are appropriate for use in other locations.

If you access this website from other locations, you are responsible for compliance with local laws. This Agreement, all use of this website and any claims and damages resulting from use of this website are governed solely by the laws of the State of California without regard to any principles which would apply the laws of a different jurisdiction. The user agrees that any disputes regarding this website shall be resolved solely in the courts located in Santa Clara County, California. The user agrees said courts have personal jurisdiction and agree to waive any right to transfer the dispute to any other forum.

Modification by Unicode, Inc. Unicode, Inc. shall have the right to modify this Agreement at any time by posting it to this website. The user may not assign any part of this Agreement without Unicode, Inc.s prior written consent.

Taxes. The user agrees to pay any taxes arising from access to this website or use of the information herein, except for those based on Unicodes net income.

Severability. If any provision of this Agreement is declared invalid or unenforceable, the remaining provisions of this Agreement shall remain in effect.

Entire Agreement. This Agreement constitutes the entire agreement between the parties.

=====
=====

Unicode Data Files

UNICODE, INC. LICENSE AGREEMENT - DATA FILES AND SOFTWARE

Unicode Data Files include all data files under the directories
<http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>,
<http://www.unicode.org/cldr/data/>, <http://source.icu-project.org/repos/icu/>,

and <http://www.unicode.org/utility/trac/browser/>.

Unicode Data Files do not include PDF online code charts under the directory <http://www.unicode.org/Public/>.

Software includes any source code published in the Unicode Standard or under the directories <http://www.unicode.org/Public/>, <http://www.unicode.org/reports/>, <http://www.unicode.org/cldr/data/>, <http://source.icu-project.org/repos/icu/>, and <http://www.unicode.org/utility/trac/browser/>.

NOTICE TO USER: Carefully read the following legal agreement.
BY DOWNLOADING, INSTALLING, COPYING OR OTHERWISE USING UNICODE INC.'S DATA FILES ("DATA FILES"), AND/OR SOFTWARE ("SOFTWARE"),
YOU UNEQUIVOCALLY ACCEPT, AND AGREE TO BE BOUND BY, ALL OF THE TERMS AND CONDITIONS OF THIS AGREEMENT.
IF YOU DO NOT AGREE, DO NOT DOWNLOAD, INSTALL, COPY, DISTRIBUTE OR USE THE DATA FILES OR SOFTWARE.

COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1991-2016 Unicode, Inc. All rights reserved.
Distributed under the Terms of Use in <http://www.unicode.org/copyright.html>.

Permission is hereby granted, free of charge, to any person obtaining a copy of the Unicode data files and any associated documentation (the "Data Files") or Unicode software and any associated documentation (the "Software") to deal in the Data Files or Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Data Files or Software, and to permit persons to whom the Data Files or Software are furnished to do so, provided that either (a) this copyright and permission notice appear with all copies of the Data Files or Software, or (b) this copyright and permission notice appear in associated Documentation.

THE DATA FILES AND SOFTWARE ARE PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THE DATA FILES OR SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in these Data Files or Software without prior written authorization

of the copyright holder.

=====

ICU-LICENSE

ICU License - ICU 1.8.1 and later

COPYRIGHT AND PERMISSION NOTICE

Copyright (c) 1995-2016 International Business Machines Corporation and others

All rights reserved.

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, provided that the above copyright notice(s) and this permission notice appear in all copies of the Software and that both the above copyright notice(s) and this permission notice appear in supporting documentation.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NONINFRINGEMENT OF THIRD PARTY RIGHTS. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR HOLDERS INCLUDED IN THIS NOTICE BE LIABLE FOR ANY CLAIM, OR ANY SPECIAL INDIRECT OR CONSEQUENTIAL DAMAGES, OR ANY DAMAGES WHATSOEVER RESULTING FROM LOSS OF USE, DATA OR PROFITS, WHETHER IN AN ACTION OF CONTRACT, NEGLIGENCE OR OTHER TORTIOUS ACTION, ARISING OUT OF OR IN CONNECTION WITH THE USE OR PERFORMANCE OF THIS SOFTWARE.

Except as contained in this notice, the name of a copyright holder shall not be used in advertising or otherwise to promote the sale, use or other dealings in this Software without prior written authorization of the copyright holder.

All trademarks and registered trademarks mentioned herein are the property of their respective owners.

=====

=====

xxHash

Copyright (c) 2012-2014, Yann Collet
All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

=====
=====

zlib

Oracle gratefully acknowledges the contributions of Jean-loup Gailly and Mark Adler in creating the zlib general purpose compression library which is used in this product.

Copyright (C) 1995-2022 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.

3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly Mark Adler
jloup@gzip.org madler@alumni.caltech.edu

If you use the zlib library in a product, we would appreciate *not* receiving lengthy legal documents to sign. The sources are provided for free but without warranty of any kind. The library has been entirely written by Jean-loup Gailly and Mark Adler; it does not include third-party code.

If you redistribute modified sources, we would appreciate that you include in the file ChangeLog history information documenting your changes. Please read the FAQ for more information on the distribution of modified source versions.

=====
=====

Standard Licenses

GNU Lesser General Public License v2.1, February 1999

The following applies to all products licensed under the GNU Lesser General Public License, Version 2.1: You may not use the identified files except in compliance with the GNU Lesser General Public License, Version 2.1 (the "License"). You may obtain a copy of the License at <http://www.gnu.org/licenses/lgpl-2.1.html>. A copy of the license is also reproduced below. Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

GNU LESSER GENERAL PUBLIC LICENSE Version 2.1, February 1999

Copyright (C) 1991, 1999 Free Software Foundation, Inc.
51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

[This is the first released version of the Lesser GPL. It also counts as the successor of the GNU Library Public License, version 2, hence the version number 2.1.]

Preamble

The licenses for most software are designed to take away your freedom to share and change it. By contrast, the GNU General Public Licenses are intended to guarantee your freedom to share and change free software--to make sure the software is free for all its users.

This license, the Lesser General Public License, applies to some specially designated software packages--typically libraries--of the Free Software Foundation and other authors who decide to use it. You can use it too, but we suggest you first think carefully about whether this license or the ordinary General Public License is the better strategy to use in any particular case, based on the explanations below.

When we speak of free software, we are referring to freedom of use, not price. Our General Public Licenses are designed to make sure that you have the freedom to distribute copies of free software (and charge for this service if you wish); that you receive source code or can get it if you want it; that you can change the software and use pieces of it in new free programs; and that you are informed that you can do these things.

To protect your rights, we need to make restrictions that forbid distributors to deny you these rights or to ask you to surrender these rights. These restrictions translate to certain responsibilities for you if you distribute copies of the library or if you modify it.

For example, if you distribute copies of the library, whether gratis or for a fee, you must give the recipients all the rights that we gave you. You must make sure that they, too, receive or can get the source code. If you link other code with the library, you must provide complete object files to the recipients, so that they can relink them with the library after making changes to the library and recompiling it. And you must show them these terms so they know their rights.

We protect your rights with a two-step method: (1) we copyright the library, and (2) we offer you this license, which gives you legal permission to copy, distribute and/or modify the library.

To protect each distributor, we want to make it very clear that there is no warranty for the free library. Also, if the library is modified by someone else and passed on, the recipients should know that what they have is not the original version, so that the original author's reputation will not be affected by problems that might be introduced by others.

Finally, software patents pose a constant threat to the existence of any free program. We wish to make sure that a company cannot effectively restrict the users of a free program by obtaining a restrictive license from a patent holder. Therefore, we insist that

any patent license obtained for a version of the library must be consistent with the full freedom of use specified in this license.

Most GNU software, including some libraries, is covered by the ordinary GNU General Public License. This license, the GNU Lesser General Public License, applies to certain designated libraries, and is quite different from the ordinary General Public License. We use this license for certain libraries in order to permit linking those libraries into non-free programs.

When a program is linked with a library, whether statically or using a shared library, the combination of the two is legally speaking a combined work, a derivative of the original library. The ordinary General Public License therefore permits such linking only if the entire combination fits its criteria of freedom. The Lesser General Public License permits more lax criteria for linking other code with the library.

We call this license the "Lesser" General Public License because it does Less to protect the user's freedom than the ordinary General Public License. It also provides other free software developers Less of an advantage over competing non-free programs. These disadvantages are the reason we use the ordinary General Public License for many libraries. However, the Lesser license provides advantages in certain special circumstances.

For example, on rare occasions, there may be a special need to encourage the widest possible use of a certain library, so that it becomes a de-facto standard. To achieve this, non-free programs must be allowed to use the library. A more frequent case is that a free library does the same job as widely used non-free libraries. In this case, there is little to gain by limiting the free library to free software only, so we use the Lesser General Public License.

In other cases, permission to use a particular library in non-free programs enables a greater number of people to use a large body of free software. For example, permission to use the GNU C Library in non-free programs enables many more people to use the whole GNU operating system, as well as its variant, the GNU/Linux operating system.

Although the Lesser General Public License is Less protective of the users' freedom, it does ensure that the user of a program that is linked with the Library has the freedom and the wherewithal to run that program using a modified version of the Library.

The precise terms and conditions for copying, distribution and modification follow. Pay close attention to the difference between a

"work based on the library" and a "work that uses the library". The former contains code derived from the library, whereas the latter must be combined with the library in order to run.

GNU LESSER GENERAL PUBLIC LICENSE TERMS AND CONDITIONS FOR COPYING, DISTRIBUTION AND MODIFICATION

0. This License Agreement applies to any software library or other program which contains a notice placed by the copyright holder or other authorized party saying it may be distributed under the terms of this Lesser General Public License (also called "this License"). Each licensee is addressed as "you".

A "library" means a collection of software functions and/or data prepared so as to be conveniently linked with application programs (which use some of those functions and data) to form executables.

The "Library", below, refers to any such software library or work which has been distributed under these terms. A "work based on the Library" means either the Library or any derivative work under copyright law: that is to say, a work containing the Library or a portion of it, either verbatim or with modifications and/or translated straightforwardly into another language. (Hereinafter, translation is included without limitation in the term "modification".)

"Source code" for a work means the preferred form of the work for making modifications to it. For a library, complete source code means all the source code for all modules it contains, plus any associated interface definition files, plus the scripts used to control compilation and installation of the library.

Activities other than copying, distribution and modification are not covered by this License; they are outside its scope. The act of running a program using the Library is not restricted, and output from such a program is covered only if its contents constitute a work based on the Library (independent of the use of the Library in a tool for writing it). Whether that is true depends on what the Library does and what the program that uses the Library does.

1. You may copy and distribute verbatim copies of the Library's complete source code as you receive it, in any medium, provided that you conspicuously and appropriately publish on each copy an appropriate copyright notice and disclaimer of warranty; keep intact all the notices that refer to this License and to the absence of any warranty; and distribute a copy of this License along with the Library.

You may charge a fee for the physical act of transferring a copy,

and you may at your option offer warranty protection in exchange for a fee.

2. You may modify your copy or copies of the Library or any portion of it, thus forming a work based on the Library, and copy and distribute such modifications or work under the terms of Section 1 above, provided that you also meet all of these conditions:

- a) The modified work must itself be a software library.
- b) You must cause the files modified to carry prominent notices stating that you changed the files and the date of any change.
- c) You must cause the whole of the work to be licensed at no charge to all third parties under the terms of this License.
- d) If a facility in the modified Library refers to a function or a table of data to be supplied by an application program that uses the facility, other than as an argument passed when the facility is invoked, then you must make a good faith effort to ensure that, in the event an application does not supply such function or table, the facility still operates, and performs whatever part of its purpose remains meaningful.

(For example, a function in a library to compute square roots has a purpose that is entirely well-defined independent of the application. Therefore, Subsection 2d requires that any application-supplied function or table used by this function must be optional: if the application does not supply it, the square root function must still compute square roots.)

These requirements apply to the modified work as a whole. If identifiable sections of that work are not derived from the Library, and can be reasonably considered independent and separate works in themselves, then this License, and its terms, do not apply to those sections when you distribute them as separate works. But when you distribute the same sections as part of a whole which is a work based on the Library, the distribution of the whole must be on the terms of this License, whose permissions for other licensees extend to the entire whole, and thus to each and every part regardless of who wrote it.

Thus, it is not the intent of this section to claim rights or contest your rights to work written entirely by you; rather, the intent is to exercise the right to control the distribution of derivative or collective works based on the Library.

In addition, mere aggregation of another work not based on the Library

with the Library (or with a work based on the Library) on a volume of a storage or distribution medium does not bring the other work under the scope of this License.

3. You may opt to apply the terms of the ordinary GNU General Public License instead of this License to a given copy of the Library. To do this, you must alter all the notices that refer to this License, so that they refer to the ordinary GNU General Public License, version 2, instead of to this License. (If a newer version than version 2 of the ordinary GNU General Public License has appeared, then you can specify that version instead if you wish.) Do not make any other change in these notices.

Once this change is made in a given copy, it is irreversible for that copy, so the ordinary GNU General Public License applies to all subsequent copies and derivative works made from that copy.

This option is useful when you wish to copy part of the code of the Library into a program that is not a library.

4. You may copy and distribute the Library (or a portion or derivative of it, under Section 2) in object code or executable form under the terms of Sections 1 and 2 above provided that you accompany it with the complete corresponding machine-readable source code, which must be distributed under the terms of Sections 1 and 2 above on a medium customarily used for software interchange.

If distribution of object code is made by offering access to copy from a designated place, then offering equivalent access to copy the source code from the same place satisfies the requirement to distribute the source code, even though third parties are not compelled to copy the source along with the object code.

5. A program that contains no derivative of any portion of the Library, but is designed to work with the Library by being compiled or linked with it, is called a "work that uses the Library". Such a work, in isolation, is not a derivative work of the Library, and therefore falls outside the scope of this License.

However, linking a "work that uses the Library" with the Library creates an executable that is a derivative of the Library (because it contains portions of the Library), rather than a "work that uses the library". The executable is therefore covered by this License. Section 6 states terms for distribution of such executables.

When a "work that uses the Library" uses material from a header file that is part of the Library, the object code for the work may be a derivative work of the Library even though the source code is not.

Whether this is true is especially significant if the work can be linked without the Library, or if the work is itself a library. The threshold for this to be true is not precisely defined by law.

If such an object file uses only numerical parameters, data structure layouts and accessors, and small macros and small inline functions (ten lines or less in length), then the use of the object file is unrestricted, regardless of whether it is legally a derivative work. (Executables containing this object code plus portions of the Library will still fall under Section 6.)

Otherwise, if the work is a derivative of the Library, you may distribute the object code for the work under the terms of Section 6. Any executables containing that work also fall under Section 6, whether or not they are linked directly with the Library itself.

6. As an exception to the Sections above, you may also combine or link a "work that uses the Library" with the Library to produce a work containing portions of the Library, and distribute that work under terms of your choice, provided that the terms permit modification of the work for the customer's own use and reverse engineering for debugging such modifications.

You must give prominent notice with each copy of the work that the Library is used in it and that the Library and its use are covered by this License. You must supply a copy of this License. If the work during execution displays copyright notices, you must include the copyright notice for the Library among them, as well as a reference directing the user to the copy of this License. Also, you must do one of these things:

a) Accompany the work with the complete corresponding machine-readable source code for the Library including whatever changes were used in the work (which must be distributed under Sections 1 and 2 above); and, if the work is an executable linked with the Library, with the complete machine-readable "work that uses the Library", as object code and/or source code, so that the user can modify the Library and then relink to produce a modified executable containing the modified Library. (It is understood that the user who changes the contents of definitions files in the Library will not necessarily be able to recompile the application to use the modified definitions.)

b) Use a suitable shared library mechanism for linking with the Library. A suitable mechanism is one that (1) uses at run time a copy of the library already present on the user's computer system, rather than copying library functions into the executable, and (2) will operate properly with a modified version of the library, if

the user installs one, as long as the modified version is interface-compatible with the version that the work was made with.

c) Accompany the work with a written offer, valid for at least three years, to give the same user the materials specified in Subsection 6a, above, for a charge no more than the cost of performing this distribution.

d) If distribution of the work is made by offering access to copy from a designated place, offer equivalent access to copy the above specified materials from the same place.

e) Verify that the user has already received a copy of these materials or that you have already sent this user a copy.

For an executable, the required form of the "work that uses the Library" must include any data and utility programs needed for reproducing the executable from it. However, as a special exception, the materials to be distributed need not include anything that is normally distributed (in either source or binary form) with the major components (compiler, kernel, and so on) of the operating system on which the executable runs, unless that component itself accompanies the executable.

It may happen that this requirement contradicts the license restrictions of other proprietary libraries that do not normally accompany the operating system. Such a contradiction means you cannot use both them and the Library together in an executable that you distribute.

7. You may place library facilities that are a work based on the Library side-by-side in a single library together with other library facilities not covered by this License, and distribute such a combined library, provided that the separate distribution of the work based on the Library and of the other library facilities is otherwise permitted, and provided that you do these two things:

a) Accompany the combined library with a copy of the same work based on the Library, uncombined with any other library facilities. This must be distributed under the terms of the Sections above.

b) Give prominent notice with the combined library of the fact that part of it is a work based on the Library, and explaining where to find the accompanying uncombined form of the same work.

8. You may not copy, modify, sublicense, link with, or distribute the Library except as expressly provided under this License. Any

attempt otherwise to copy, modify, sublicense, link with, or distribute the Library is void, and will automatically terminate your rights under this License. However, parties who have received copies, or rights, from you under this License will not have their licenses terminated so long as such parties remain in full compliance.

9. You are not required to accept this License, since you have not signed it. However, nothing else grants you permission to modify or distribute the Library or its derivative works. These actions are prohibited by law if you do not accept this License. Therefore, by modifying or distributing the Library (or any work based on the Library), you indicate your acceptance of this License to do so, and all its terms and conditions for copying, distributing or modifying the Library or works based on it.

10. Each time you redistribute the Library (or any work based on the Library), the recipient automatically receives a license from the original licensor to copy, distribute, link with or modify the Library subject to these terms and conditions. You may not impose any further restrictions on the recipients' exercise of the rights granted herein. You are not responsible for enforcing compliance by third parties with this License.

11. If, as a consequence of a court judgment or allegation of patent infringement or for any other reason (not limited to patent issues), conditions are imposed on you (whether by court order, agreement or otherwise) that contradict the conditions of this License, they do not excuse you from the conditions of this License. If you cannot distribute so as to satisfy simultaneously your obligations under this License and any other pertinent obligations, then as a consequence you may not distribute the Library at all. For example, if a patent license would not permit royalty-free redistribution of the Library by all those who receive copies directly or indirectly through you, then the only way you could satisfy both it and this License would be to refrain entirely from distribution of the Library.

If any portion of this section is held invalid or unenforceable under any particular circumstance, the balance of the section is intended to apply, and the section as a whole is intended to apply in other circumstances.

It is not the purpose of this section to induce you to infringe any patents or other property right claims or to contest validity of any such claims; this section has the sole purpose of protecting the integrity of the free software distribution system which is implemented by public license practices. Many people have made generous contributions to the wide range of software distributed through that system in reliance on consistent application of that

system; it is up to the author/donor to decide if he or she is willing to distribute software through any other system and a licensee cannot impose that choice.

This section is intended to make thoroughly clear what is believed to be a consequence of the rest of this License.

12. If the distribution and/or use of the Library is restricted in certain countries either by patents or by copyrighted interfaces, the original copyright holder who places the Library under this License may add an explicit geographical distribution limitation excluding those countries, so that distribution is permitted only in or among countries not thus excluded. In such case, this License incorporates the limitation as if written in the body of this License.

13. The Free Software Foundation may publish revised and/or new versions of the Lesser General Public License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns.

Each version is given a distinguishing version number. If the Library specifies a version number of this License which applies to it and "any later version", you have the option of following the terms and conditions either of that version or of any later version published by the Free Software Foundation. If the Library does not specify a license version number, you may choose any version ever published by the Free Software Foundation.

14. If you wish to incorporate parts of the Library into other free programs whose distribution conditions are incompatible with these, write to the author to ask for permission. For software which is copyrighted by the Free Software Foundation, write to the Free Software Foundation; we sometimes make exceptions for this. Our decision will be guided by the two goals of preserving the free status of all derivatives of our free software and of promoting the sharing and reuse of software generally.

NO WARRANTY

15. BECAUSE THE LIBRARY IS LICENSED FREE OF CHARGE, THERE IS NO WARRANTY FOR THE LIBRARY, TO THE EXTENT PERMITTED BY APPLICABLE LAW. EXCEPT WHEN OTHERWISE STATED IN WRITING THE COPYRIGHT HOLDERS AND/OR OTHER PARTIES PROVIDE THE LIBRARY "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE LIBRARY IS WITH YOU. SHOULD THE LIBRARY PROVE DEFECTIVE, YOU ASSUME THE COST OF ALL NECESSARY SERVICING, REPAIR OR CORRECTION.

16. IN NO EVENT UNLESS REQUIRED BY APPLICABLE LAW OR AGREED TO IN WRITING WILL ANY COPYRIGHT HOLDER, OR ANY OTHER PARTY WHO MAY MODIFY AND/OR REDISTRIBUTE THE LIBRARY AS PERMITTED ABOVE, BE LIABLE TO YOU FOR DAMAGES, INCLUDING ANY GENERAL, SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF THE USE OR INABILITY TO USE THE LIBRARY (INCLUDING BUT NOT LIMITED TO LOSS OF DATA OR DATA BEING RENDERED INACCURATE OR LOSSES SUSTAINED BY YOU OR THIRD PARTIES OR A FAILURE OF THE LIBRARY TO OPERATE WITH ANY OTHER SOFTWARE), EVEN IF SUCH HOLDER OR OTHER PARTY HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

END OF TERMS AND CONDITIONS

How to Apply These Terms to Your New Libraries

If you develop a new library, and you want it to be of the greatest possible use to the public, we recommend making it free software that everyone can redistribute and change. You can do so by permitting redistribution under these terms (or, alternatively, under the terms of the ordinary General Public License).

To apply these terms, attach the following notices to the library. It is safest to attach them to the start of each source file to most effectively convey the exclusion of warranty; and each file should have at least the "copyright" line and a pointer to where the full notice is found.

<one line to give the library's name and a brief idea of what it does.>
Copyright (C) <year> <name of author>

This library is free software; you can redistribute it and/or modify it under the terms of the GNU Lesser General Public License as published by the Free Software Foundation; either version 2.1 of the License, or (at your option) any later version.

This library is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU Lesser General Public License for more details.

You should have received a copy of the GNU Lesser General Public License along with this library; if not, write to the Free Software Foundation, Inc., 51 Franklin Street, Fifth Floor, Boston, MA 02110-1301 USA

Also add information on how to contact you by electronic and paper mail.

You should also get your employer (if you work as a programmer) or your school, if any, to sign a "copyright disclaimer" for the library, if necessary. Here is a sample; alter the names:

Yoyodyne, Inc., hereby disclaims all copyright interest in the library `Frob' (a library for tweaking knobs) written by James Random Hacker.

<signature of Ty Coon>, 1 April 1990
Ty Coon, President of Vice

That's all there is to it!

=====
=====

Written Offer for Source Code

For any software that you receive from Oracle in binary form which is licensed under an open source license that gives you the right to receive the source code for that binary, you can obtain a copy of the applicable source code by visiting <http://www.oracle.com/goto/opensourcecode>. If the source code for the binary was not provided to you with the binary, you can also receive a copy of the source code on physical media by submitting a written request to the address listed below or by sending an email to Oracle using the following link:
<http://www.oracle.com/goto/opensourcecode/request>.

Oracle America, Inc.
Attn: Senior Vice President
Development and Engineering Legal
500 Oracle Parkway, 10th Floor
Redwood Shores, CA 94065

Your request should include:

- * The name of the binary for which you are requesting the source code
- * The name and version number of the Oracle product containing the binary
- * The date you received the Oracle product
- * Your name
- * Your company name (if applicable)

* Your return mailing address and email, and

* A telephone number in the event we need to reach you.

We may charge you a fee to cover the cost of physical media and processing.

Your request must be sent

- a. within three (3) years of the date you received the Oracle product that included the binary that is the subject of your request, or
- b. in the case of code licensed under the GPL v3 for as long as Oracle offers spare parts or customer support for that product model.

CMake - Cross Platform Makefile Generator

Copyright 2000-2013 Kitware, Inc.

Copyright 2000-2011 Insight Software Consortium

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.
- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
- * Neither the names of Kitware, Inc., the Insight Software Consortium, nor the names of their contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT HOLDER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

The above copyright and license notice applies to distributions of CMake in source and binary form. Some source files contain additional notices of original copyright by their contributors; see each source for details. Third-party software packages supplied with CMake under compatible licenses provide their own copyright notices documented in corresponding subdirectories.

CMake was initially developed by Kitware with the following sponsorship:

- * National Library of Medicine at the National Institutes of Health as part of the Insight Segmentation and Registration Toolkit (ITK).
- * US National Labs (Los Alamos, Livermore, Sandia) ASC Parallel Visualization Initiative.
- * National Alliance for Medical Image Computing (NAMIC) is funded by the National Institutes of Health through the NIH Roadmap for Medical Research, Grant U54 EB005149.

* Kitware, Inc.

This repository uses 2 different licenses :

- all files in the `lib` directory use a BSD 2-Clause license
- all other files use a GPLv2 license, unless explicitly stated otherwise

Relevant license is reminded at the top of each source file, and with presence of COPYING or LICENSE file in associated directories.

This model is selected to emphasize that files in the `lib` directory are designed to be included into 3rd party applications, while all other files, in `programs`, `tests` or `examples`, are intended to be used "as is", as part of their intended scenarios, with no intention to support 3rd party integration use cases.

Copyright 1992, 1993, 1994 Henry Spencer. All rights reserved.

This software is not subject to any license of the American Telephone and Telegraph Company or of the Regents of the University of California.

Permission is granted to anyone to use this software for any purpose on any computer system, and to alter it and redistribute it, subject to the following restrictions:

1. The author is not responsible for the consequences of use of this software, no matter how awful, even if they arise from flaws in it.
2. The origin of this software must not be misrepresented, either by

explicit claim or by omission. Since few users ever read sources, credits must appear in the documentation.

3. Altered versions must be plainly marked as such, and must not be misrepresented as being the original software. Since few users ever read sources, credits must appear in the documentation.

4. This notice may not be removed or altered.

License Disclaimer:

All contents of this directory are Copyright (c) the Dojo Foundation, with the following exceptions:

dojo.css:

* parts Copyright (c) 2007, Yahoo! Inc. All rights reserved.
Distributed under the terms of the BSD License

The Program includes all or portions of the following software which was obtained under the terms and conditions of the BSD License.

<http://developer.yahoo.com/yui/license.html>

Copyright (c) 2007, Yahoo! Inc.

All rights reserved.

Redistribution and use of this software in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

* Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

* Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

* Neither the name of Yahoo! Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission of Yahoo! Inc.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY

EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF

MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE

COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY,

OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES;

LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY,

WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE)

ARISING IN ANY WAY

OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Copyright 2008, Google Inc.

All rights reserved.

Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

- * Redistributions of source code must retain the above copyright notice, this list of conditions and the following disclaimer.

- * Redistributions in binary form must reproduce the above copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.

- * Neither the name of Google Inc. nor the names of its contributors may be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE COPYRIGHT HOLDERS AND CONTRIBUTORS "AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE COPYRIGHT OWNER OR CONTRIBUTORS BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

Code generated by the Protocol Buffer compiler is owned by the owner of the input file used when generating it. This code is not standalone and requires a support library to be linked with it. This support library is itself covered by the above license.
Copyright (c) 2014, 2019, Oracle and/or its affiliates. All rights reserved.

This program is free software; you can redistribute it and/or modify it under the terms of the GNU General Public License, version 2.0, as published by the Free Software Foundation.

This program is also distributed with certain software (including but not limited to OpenSSL) that is licensed under separate terms, as designated in a particular file or component or in included license documentation. The authors of MySQL hereby grant you an additional permission to link the program and your derivative works with the separately licensed software that they have included with MySQL.

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE. See the GNU General Public License, version 2.0, for more details.

You should have received a copy of the GNU General Public License along with this program; if not, write to the Free Software Foundation, Inc., 51 Franklin St, Fifth Floor, Boston, MA 02110-1301 USA
Redistribution and use in source and binary forms, with or without modification, are permitted provided that the following conditions are met:

1. Redistributions of source code must retain the copyright notice, this list of conditions and the following disclaimer.
2. Redistributions in binary form must reproduce the copyright notice, this list of conditions and the following disclaimer in the documentation and/or other materials provided with the distribution.
3. The name of the author may not be used to endorse or promote products derived from this software without specific prior written permission.

THIS SOFTWARE IS PROVIDED BY THE AUTHOR ``AS IS" AND ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE DISCLAIMED. IN NO EVENT SHALL THE AUTHOR BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO, PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE USE OF THIS SOFTWARE, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE.

1.295 commons-compiler 2.6.1

1.296 jackson 2.14.1

1.296.1 Available under license :

Jackson JSON processor

Jackson is a high-performance, Free/Open Source JSON processing library. It was originally written by Tatu Saloranta (tatu.saloranta@iki.fi), and has been in development since 2007.

It is currently developed by a community of developers.

Licensing

Jackson 2.x core and extension components are licensed under Apache License 2.0
To find the details that apply to this artifact see the accompanying LICENSE file.

Credits

A list of contributors may be found from CREDITS(-2.x) file, which is included in some artifacts (usually source distributions); but is always available from the source code management (SCM) system project uses.

Apache License
Version 2.0, January 2004
<http://www.apache.org/licenses/>

TERMS AND CONDITIONS FOR USE, REPRODUCTION, AND DISTRIBUTION

1. Definitions.

"License" shall mean the terms and conditions for use, reproduction, and distribution as defined by Sections 1 through 9 of this document.

"Licensor" shall mean the copyright owner or entity authorized by the copyright owner that is granting the License.

"Legal Entity" shall mean the union of the acting entity and all other entities that control, are controlled by, or are under common control with that entity. For the purposes of this definition, "control" means (i) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (ii) ownership of fifty percent (50%) or more of the outstanding shares, or (iii) beneficial ownership of such entity.

"You" (or "Your") shall mean an individual or Legal Entity exercising permissions granted by this License.

"Source" form shall mean the preferred form for making modifications, including but not limited to software source code, documentation source, and configuration files.

"Object" form shall mean any form resulting from mechanical transformation or translation of a Source form, including but not limited to compiled object code, generated documentation, and conversions to other media types.

"Work" shall mean the work of authorship, whether in Source or Object form, made available under the License, as indicated by a copyright notice that is included in or attached to the work (an example is provided in the Appendix below).

"Derivative Works" shall mean any work, whether in Source or Object form, that is based on (or derived from) the Work and for which the editorial revisions, annotations, elaborations, or other modifications represent, as a whole, an original work of authorship. For the purposes of this License, Derivative Works shall not include works that remain separable from, or merely link (or bind by name) to the interfaces of, the Work and Derivative Works thereof.

"Contribution" shall mean any work of authorship, including the original version of the Work and any modifications or additions to that Work or Derivative Works thereof, that is intentionally submitted to Licensor for inclusion in the Work by the copyright owner or by an individual or Legal Entity authorized to submit on behalf of the copyright owner. For the purposes of this definition, "submitted" means any form of electronic, verbal, or written communication sent to the Licensor or its representatives, including but not limited to communication on electronic mailing lists, source code control systems, and issue tracking systems that are managed by, or on behalf of, the Licensor for the purpose of discussing and improving the Work, but excluding communication that is conspicuously marked or otherwise designated in writing by the copyright owner as "Not a Contribution."

"Contributor" shall mean Licensor and any individual or Legal Entity on behalf of whom a Contribution has been received by Licensor and subsequently incorporated within the Work.

2. Grant of Copyright License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable copyright license to reproduce, prepare Derivative Works of, publicly display, publicly perform, sublicense, and distribute the Work and such Derivative Works in Source or Object form.
3. Grant of Patent License. Subject to the terms and conditions of this License, each Contributor hereby grants to You a perpetual, worldwide, non-exclusive, no-charge, royalty-free, irrevocable (except as stated in this section) patent license to make, have made, use, offer to sell, sell, import, and otherwise transfer the Work, where such license applies only to those patent claims licensable by such Contributor that are necessarily infringed by their Contribution(s) alone or by combination of their Contribution(s) with the Work to which such Contribution(s) was submitted. If You institute patent litigation against any entity (including a cross-claim or counterclaim in a lawsuit) alleging that the Work or a Contribution incorporated within the Work constitutes direct or contributory patent infringement, then any patent licenses granted to You under this License for that Work shall terminate as of the date such litigation is filed.

4. Redistribution. You may reproduce and distribute copies of the Work or Derivative Works thereof in any medium, with or without modifications, and in Source or Object form, provided that You meet the following conditions:

- (a) You must give any other recipients of the Work or Derivative Works a copy of this License; and
- (b) You must cause any modified files to carry prominent notices stating that You changed the files; and
- (c) You must retain, in the Source form of any Derivative Works that You distribute, all copyright, patent, trademark, and attribution notices from the Source form of the Work, excluding those notices that do not pertain to any part of the Derivative Works; and
- (d) If the Work includes a "NOTICE" text file as part of its distribution, then any Derivative Works that You distribute must include a readable copy of the attribution notices contained within such NOTICE file, excluding those notices that do not pertain to any part of the Derivative Works, in at least one of the following places: within a NOTICE text file distributed as part of the Derivative Works; within the Source form or documentation, if provided along with the Derivative Works; or, within a display generated by the Derivative Works, if and wherever such third-party notices normally appear. The contents of the NOTICE file are for informational purposes only and do not modify the License. You may add Your own attribution notices within Derivative Works that You distribute, alongside or as an addendum to the NOTICE text from the Work, provided that such additional attribution notices cannot be construed as modifying the License.

You may add Your own copyright statement to Your modifications and may provide additional or different license terms and conditions for use, reproduction, or distribution of Your modifications, or for any such Derivative Works as a whole, provided Your use, reproduction, and distribution of the Work otherwise complies with the conditions stated in this License.

5. Submission of Contributions. Unless You explicitly state otherwise, any Contribution intentionally submitted for inclusion in the Work by You to the Licensor shall be under the terms and conditions of this License, without any additional terms or conditions.

Notwithstanding the above, nothing herein shall supersede or modify the terms of any separate license agreement you may have executed

with Licensor regarding such Contributions.

6. Trademarks. This License does not grant permission to use the trade names, trademarks, service marks, or product names of the Licensor, except as required for reasonable and customary use in describing the origin of the Work and reproducing the content of the NOTICE file.
7. Disclaimer of Warranty. Unless required by applicable law or agreed to in writing, Licensor provides the Work (and each Contributor provides its Contributions) on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied, including, without limitation, any warranties or conditions of TITLE, NON-INFRINGEMENT, MERCHANTABILITY, or FITNESS FOR A PARTICULAR PURPOSE. You are solely responsible for determining the appropriateness of using or redistributing the Work and assume any risks associated with Your exercise of permissions under this License.
8. Limitation of Liability. In no event and under no legal theory, whether in tort (including negligence), contract, or otherwise, unless required by applicable law (such as deliberate and grossly negligent acts) or agreed to in writing, shall any Contributor be liable to You for damages, including any direct, indirect, special, incidental, or consequential damages of any character arising as a result of this License or out of the use or inability to use the Work (including but not limited to damages for loss of goodwill, work stoppage, computer failure or malfunction, or any and all other commercial damages or losses), even if such Contributor has been advised of the possibility of such damages.
9. Accepting Warranty or Additional Liability. While redistributing the Work or Derivative Works thereof, You may choose to offer, and charge a fee for, acceptance of support, warranty, indemnity, or other liability obligations and/or rights consistent with this License. However, in accepting such obligations, You may act only on Your own behalf and on Your sole responsibility, not on behalf of any other Contributor, and only if You agree to indemnify, defend, and hold each Contributor harmless for any liability incurred by, or claims asserted against, such Contributor by reason of your accepting any such warranty or additional liability.

END OF TERMS AND CONDITIONS

APPENDIX: How to apply the Apache License to your work.

To apply the Apache License to your work, attach the following boilerplate notice, with the fields enclosed by brackets "[]" replaced with your own identifying information. (Don't include the brackets!) The text should be enclosed in the appropriate

comment syntax for the file format. We also recommend that a file or class name and description of purpose be included on the same "printed page" as the copyright notice for easier identification within third-party archives.

Copyright [yyyy] [name of copyright owner]

Licensed under the Apache License, Version 2.0 (the "License");
you may not use this file except in compliance with the License.
You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: www.cisco.com/go/trademarks. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

©2023 Cisco Systems, Inc. All rights reserved.